BULLETIN

OF THE

UNITED STATES

GEOLOGICAL SURVEY

No. 177



WASHINGTON
GOVERNMENT PRINTING OFFICE
1901

QE 75
B3
Nos. 177-178
Coperf 2

UNITED STATES GEOLOGICAL SURVEY.

CHARLES D. WALCOTT, DIRECTOR

CATALOGUE AND INDEX

OF THE

PUBLICATIONS OF THE UNITED STATES GEOLOGICAL SURVEY

1880 to 1901

 \mathbf{BY}

PHILIP CREVELING WARMAN



WASHINGTON
GOVERNMENT PRINTING OFFICE
1901



CONTENTS.

Letter of transmittal	
Introduction	
Catalogue of Survey publications	
Annual Reports	
Monographs	
Bulletins	
Water-Supply and Irrigation Papers	
Reports on Mineral Resources (old series)	
Geologic Atlas of United States.	
Topographic maps and folios of United States	
Topographic atlas sheets, by States	
Index to topographic atlas sheets	-
General, combined, special, and forestry maps	
Topographic folios	
Miscellaneous publications	
Charts showing mineral products of United States	
Regulations	
Instructions relating to work of Topographic Branch	-
List of publications	
Hampson's Rules	
Croffut's Suggestions	-
Johnson's Iron Regions of Louisiana and Texas	-
Digest of decisions concerning water in the arid region	
Special reports on Alaska	-
Map of Alaska, etc. (published in 1898)	
Maps and Descriptions of Routes, etc. (published in 1899)	
Cape Nome Gold Region (published in 1900)	
ndex to Survey publications	



LETTER OF TRANSMITTAL.

DEPARTMENT OF THE INTERIOR, UNITED STATES GEOLOGICAL SURVEY, Washington, D. C., March 15, 1901.

SIR: I have the honor to transmit herewith the manuscript for a Catalogue and Index of the Publications of the United States Geological Survey from 1880 to 1901, with the request that it be published as one of the numbers in the series of Bulletins.

Very respectfully, your obedient servant,

P. C. WARMAN,

Editor.

Hon. Charles D. Walcott,

Director of United States Geological Survey.



INTRODUCTION.

This bulletin is an extension of Bulletin No. 100, published in 1893. In that work were catalogued and indexed the publications issued by the Survey from the date of its organization to the year 1892. This work brings the catalogue and index to date, embracing Annual Reports 1 to 21, Monographs I to XL (except Part I of Monograph XXXII, which has not been published), Bulletins 1 to 176, Water-Supply and Irrigation Papers 1 to 45, the 10 volumes of the old series of Mineral Resources (1882–1893), folios 1 to 70 of the Geologic Atlas of the United States, the completed topographic atlas sheets and folios (about 1,100 sheets, 3 folios), certain special maps (general, combined, forestry, etc.), and miscellaneous publications.

The first portion of the work, the catalogue, is much more abridged than the corresponding portion of Bulletin 100, bibliographic details having been omitted. The index has not been materially changed in character. It is intended to be mainly a broad classification of contents, alphabetically arranged, rather than a full index composed largely of unrelated items. It undertakes to put the inquirer on the proper highway, whence in most cases he will be able readily to find the place he seeks; but often he may profit by a consultation of the individual volume index to which this points, which should give him more detailed directions for finding particular places along diverging roads and lanes.

The index has been in preparation many months, and in the work the writer has had the assistance, during intervals in their regular work, of the following members of the editorial corps: Mr. F. R. Rutter, Mr. L. F. Schmeckebier, Mr. W. S. Wiley, Miss M. G. Wilmarth, and Mr. G. M. Wood.

P. C. W.

CATALOGUE AND INDEX OF PUBLICATIONS OF THE UNITED STATES GEOLOGICAL SURVEY, 1880-1901.

By P. C. WARMAN.

CATALOGUE.

ANNUAL REPORTS.

First Annual Report of the United States Geological Survey to the Hon. Carl Schurz, Secretary of the Interior. By Clarence King, Director. Washington: Government Printing Office. 1880.

8°. 79 pp. 1 map. Bound in dark maroon cloth (Survey edition). A preliminary report, describing plan of organization and publications. Out of stock.

Second Annual Report of the United States Geological Survey to the Secretary of the Interior 1880-'81 by J. W. Powell Director [Vignette] Washington Government Printing Office 1882.

8°. lv, 588 pp., 62 pls. and maps and 1 unnumbered map in pocket. Bound in dark maroon cloth (Survey edition). Out of stock. Separates of the various papers were issued, in paper covers.

Report of the Director, pp. xi-lv, pls. i-vii.

Administrative reports by heads of divisions, pp. 3-46, pls. viii-ix.

The physical geology of the Grand Cañon district, by Clarence E. Dutton, pp. 47–166, pls. x-xxxvi and 1 unnumbered map.

Contributions to the history of Lake Bonneville, by G. K. Gilbert, pp. 167–200, pls. xxxvii-xliii.

Abstract of report on geology and mining industry of Leadville, Lake County, Colorado, by S. F. Emmons, pp. 201–290, pls. xliv-xlv.

A summary of the geology of the Comstock lode and the Washoe district, by George F. Becker, pp. 291-330, pls. xlvi-xlvii.

Production of the precious metals in the United States, by Clarence King, pp. 331-401, pls. xlviii-liii.

A new method of measuring heights by means of the barometer, by G. K. Gilbert, pp. 403–566, pls. liv-lxii.

Index, pp. 567-588.

Third Annual Report of the United States Geological Survey to the Secretary of the Interior 1881-'82 by J. W. Powell Director [Vignette] Washington Government Printing Office 1883

8°. xviii, 564 pp., xxxv+ 32 pls. and maps. Bound in dark maroon cloth (Survey edition). Out of stock. Separates of the various papers were issued, in paper covers.

PUBLICATIONS OF U. S. GEOLOGICAL SURVEY.

Report of the Director, pp. xv-xviii.

Administrative reports of chiefs of divisions, pp. 1-41, pls. i-ii.

Birds with teeth, by Professor O. C. Marsh, pp. 45-88.

The copper-bearing rocks of Lake Superior, by Roland Duer Irving, pp. 89-188, pls. iii-xvii.

Sketch of the geological history of Lake Lahontan, a Quaternary lake of northwestern Nevada, by Israel C. Russell, pp. 189–235, pls. xviii–xxiii.

Abstract of report on geology of the Eureka district, Nevada, by Arnold Hague, pp. 237-290, pls. xxiv-xxv.

Preliminary paper on the terminal moraine of the second Glacial epoch, by Thomas C. Chamberlin, pp. 291-402, pls. xxvi-xxxv.

A review of the nonmarine fossil Mollusca of North America, by C. A. White, M. D., pp. 403–550, pls. 1–32.

Index, pp. 551-564.

Fourth Annual Report of the United States Geological Survey to the Secretary of the Interior 1882-'83 by J. W. Powell Director [Vignette] Washington Government Printing Office 1884

8°. xxxii, 473 pp., 85 pls and maps. Bound in dark maroon cloth (Survey edition). Separates of the various papers were issued, in paper covers.

Report of the Director, pp. xiii-xxxii, pl. i.

Administrative reports of chiefs of divisions, pp. 1-72.

Hawaiian volcanoes, by Capt. Clarence Edward Dutton, pp. 75-219, pls. ii-xxx.

Abstract of a report on the mining geology of the Eureka district, Nevada, by Joseph Story Curtis, pp. 221-251, pls. xxxi-xxxiii.

Popular fallacies regarding precious-metal ore deposits, by Albert Williams, jr., pp. 253-271.

A review of the fossil Ostreidæ of North America, and a comparison of the fossil with the living forms, by Charles A. White, M. D, with appendices by Prof. Angelo Heilprin and Mr. John A. Ryder, pp. 273–430, pls. xxxiv-lxxxii.

A geological reconnaissance in southern Oregon, by Israel C. Russell, pp. 431-464, pls. lxxxiii-lxxxv.

Index, pp. 465-473.

Fifth Annual Report of the United States Geological Survey to the Secretary of the Interior 1883-'84 by J. W. Powell Director [Vignette] Washington Government Printing Office 1885

8°. xxxvi, 469 pp., 58 pls. and maps. Bound in dark maroon cloth (Survey edition). Out of stock. Separates of the various papers were issued, in paper covers.

Report of the Director, pp. xvii–xxxvi, pls. i–ii.

Administrative reports of chiefs of divisions, pp. 1-66.

The topographic features of lake shores, by G. K. Gilbert, pp. 69–123, pls. iii–xx. The requisite and qualifying conditions of artesian wells, by Thomas C. Chamberlin, pp. 125–173, pl. xxi.

Preliminary paper on an investigation of the Archean formations of the Northwestern States, by R. D. Irving, pp. 175-242, pls. xxii-xxxi.

The gigantic mammals of the order Dinocerata, by Professor O. C. Marsh, pp. 243-302.

Existing glaciers of the United States, by Israel C. Russell, pp. 303-355, pls. xxxii-lv.

Sketch of paleobotany, by Lester F. Ward, pp. 357–452, pls. lvi–lviii.

Index, pp. 453-469.

Note.—A pocket carries amap (pl. ii) of the United States, "exhibiting the present status of knowledge relating to the areal distribution of geologic groups (preliminary compilation), compiled by W J McGee, 1884." (See notes to Fourteenth and Twenty-first annual reports, pp. 17 and 31 of this bulletin.)

Sixth Annual Report of the United States Geological Survey to the Secretary of the Interior 1884-'85 by J. W. Powell Director [Vignette] Washington Government Printing Office 1885

8°: xxix, 570 pp., 65 pls. and maps. Bound in dark maroon cloth (Survey edition). Out of stock. Separates of the various papers were issued, in paper covers.

Report of the Director, pp. xv-xxix, pls. i-iii.

Administrative reports of chiefs of divisions, pp. 1-101, pls. iv-x.

Mount Taylor and the Zuñi Plateau, by Capt. Clarence E. Dutton, pp. 105-198, pls. xi-xxii.

Preliminary paper on the driftless area of the upper Mississippi Valley, by T. C. Chamberlin and R. D. Salisbury, pp. 199–322, pls. xxiii–xxix.

The quantitative determination of silver by means of the microscope, by Joseph Story Curtis, pp. 323–352, pl. xxx.

Preliminary report on seacoast swamps of the eastern United States, by Nathaniel Southgate Shaler, pp. 353-398.

Synopsis of the flora of the Laramie group, by Lester F. Ward, pp. 399-557, pls. xxxi-lxv.

Index, pp. 559-570.

Seventh Annual Report of the United States Geological Survey to the Secretary of the Interior 1885-'86 by J. W. Powell Director [Vignette] Washington Government Printing Office 1888

8°. xx, 656 pp., 71 pls. and maps. Bound in dark maroon cloth (Survey edition). Out of stock. Separates of the various papers were issued, in paper covers.

Report of the Director, pp. 3-42.

Administrative reports of chiefs of divisions, pp. 43-143, pls. i-vii.

The rock scorings of the great ice invasions, by T. C. Chamberlin, pp. 147-248, pl. viii.

Obsidian Cliff, Yellowstone National Park, by Joseph P. Iddings, pp. 249–295, pls. ix-xviii.

Report on the geology of Marthas Vineyard, by Nathaniel S. Shaler, pp. 297–363, pls. xix-xxix.

On the classification of the early Cambrian and pre-Cambrian formations, a brief discussion of principles, illustrated by examples drawn mainly from the Lake Superior region, by R. D. Irving, pp. 365-454, pls. xxx-li.

The structure of the Triassic formation of the Connecticut Valley, by William Morris Davis, pp. 455-490, pl. lii.

Salt-making processes in the United States, by Thomas M. Chatard, pp. 491–535, pls. liii–lv.

The geology of the head of Chesapeake Bay, by W J McGee, pp. 537-646, pls. lvi-lxxi.

Index, pp. 647-656.

Eighth Annual Report of the United States Geological Survey to the Secretary of the Interior 1886-'87 by J. W. Powell Director [In two parts] Part I [-II] [Vignette] Washington Government Printing Office 1889

- 8°. 2 pts. xix, 474, xii pp., 53 pls. and maps; 1 prel. l. (title), 475–1063 pp., 54–76 pls. and maps. Bound in dark maroon cloth (Survey edition). Out of stock. Separates of the various papers were issued, in paper covers.
 - Pt. I. Report of the Director, pp. 3-93, pl. i. Administrative reports of chiefs of divisions, pp. 95-257, pls. ii-xv. Quaternary history of Mono Valley, California, by Israel C. Russel', pp. 261-394, pls. xvi-xliv.

Pt. I. Report of the Director-Continued.

Geology of the Lassen Peak district, by J. S. Diller, pp. 395-432, pls. xlv-li.

The fossil butterflies of Florissant, by Samuel H. Scudder, pp. 433–474, pls. lii, liii.

Index pp. i-xii.

Pt. II. The Trenton limestone as a source of petroleum and inflammable gas in Ohio and Indiana, by Edward Orton, pp. 475–662, pls. liv–lx.

The geographical distribution of fossil plants, by Lester F. Ward, pp. 663–960, pl. lxi.

Summary of the geology of the quicksilver deposits of the Pacific slope, by George F. Becker, pp. 961–985, pls. lxii-lxiii.

The geology of the island of Mount Desert, Maine, by Nathaniel Southgate Shaler, pp. 987–1061, pls. lxiv-lxxvi.

Index, p. 1063.

Ninth Annual Report of the United States Geological Survey to the Secretary of the Interior 1887-'88 by J. W. Powell Director [Vignette] Washington Government Printing Office 1889

8°. xiii, 717 pp., 88 pls. and maps. Bound in dark maroon cloth (Survey edition). Out of stock. Separates of the various papers were issued, in paper covers.

Report of the Director, pp. 3-46.

Administrative reports of chiefs of divisions, pp. 47-199, pls. i-vi.

The Charleston earthquake of August 31, 1886, by Capt. Clarence Edward Dutton, U. S. Ordnance Corps, pp. 203–528, pls. vii–xxxi.

The geology of Cape Ann, Massachusetts, by Nathaniel Southgate Shaler, pp. 529-611, pls. xxxii-lxxvii.

Formation of travertine and siliceous sinter by the vegetation of hot springs, by Walter Harvey Weed, pp. 613-676, pls. lxxviii-lxxxvii.

On the geology and physiography of a portion of northwestern Colorado and adjacent parts of Utah and Wyoming, by Charles A. White, pp. 677-712, pl. lxxxviii.

Index, pp. 713-717.

Tenth Annual Report of the United States Geological Survey to the Secretary of the Interior 1888-'89 by J. W. Powell Director Part I—Geology [-II—Irrigation] [Vignette] Washington Government Printing Office 1890

- 8°. 2 pts. xv, 774 pp., 98 pls. and maps; viii, 123 pp. Bound in dark maroon cloth (Survey edition). Out of stock. Separates of the various papers were issued, in paper covers.
 - Pt. I. Geology. xv, 774 pp., 98 pls. and maps.

Report of the Director, pp. 3-80, pls. i-v.

Administrative reports of chiefs of divisions, pp. 81-252.

General account of the fresh-water morasses of the United States, with a description of the Dismal Swamp district of Virginia and North Carolina, by Nathaniel Southgate Shaler, pp. 255–339, pls. vi–xix.

The Penokee iron-bearing series of Michigan and Wisconsin, by Roland Duer Irving and Charles Richard Van Hise, pp. 341–507, pls. xx-xlii.

The fauna of the Lower Cambrian or Olenellus zone, by Charles D. Walcott, pp. 509-763, pls. xliii-xcviii.

Index, pp. 765-774.

Pt. II. Irrigation. viii, 123 pp.

Eleventh Annual Report of the United States Geological Survey to the Secretary of the Interior 1889-'90 by J. W. Powell Director Part I—Geology [-II—Irrigation] [Vignette] Washington Government Printing Office 1891

8°. 2 pts. xv, 757 pp., 66 pls. and maps; xiv, 395 pp., 67–96 pls. and maps. Bound in dark maroon cloth (Survey edition). Out of stock. Separates of the various papers were issued, in paper covers.

Pt. I. Geology. xv, 757 pp., 66 pls. and maps.

Report of the Director, pp. 3-30, pl. i.

Administrative reports of chiefs of divisions, pp. 31-185.

The Pleistocene history of northeastern Iowa, by W J McGee, pp. 189–577, pls. ii-lxi.

The natural-gas field of Indiana, by Arthur John Phinney, with an introduction by W J McGee on Rock gas and related bitumens, pp. 579-742, pls. lxii-lxvi.

Index, pp. 743-757.

Pt. II. Irrigation. xiv, 395 pp., 67-96 pls. and maps.

Abstract of report, pp. xi-xiv.

Hydrography, pp. 1-110, pls. lxvii-lxxiv.

Engineering, pp. 111-200, pls. lxxv-xcvi.

The arid lands, pp. 201-289.

Topography, pp. 291-343.

Irrigation literature, pp. 345-388.

Index, pp. 389-395.

Twelfth Annual Report of the United States Geological Survey to the Secretary of the Interior 1890-'91 by J. W. Powell Director Part I—Geology [-II—Irrigation] [Vignette] Washington Government Printing Office 1891

8°. 2 pts. xiii, 675 pp., 53 pls. and maps; xviii, 576 pp., 54-146 pls. and maps. Bound in dark maroon cloth (Survey edition). Out of stock. Separates of the various papers were issued, in paper covers.

Pt. I. Geology. xiii, 675 pp., 53 pls. and maps.

Report of the Director, pp. 3-19, pl. i.

Administrative reports of chiefs of divisions, pp. 21-210.

The origin and nature of soils, by Nathaniel Southgate Shaler, pp. 213-345, pls. ii-xxxi.

The Lafayette formation, by W J McGee, 347-521, pls. xxxii-xli.

The North American continent during Cambrian time, by Charles D. Walcott, pp. 523-568, pls. xlii-xlv.

The eruptive rocks of Electric Peak and Sepulchre Mountain, Yellowstone National Park, by Joseph Paxson Iddings, pp. 569-664, pls. xlvi-liii. Index, pp. 665-675.

Pt. II. Irrigation. xviii, 576 pp., 54-146 pls. and maps.

Report upon the location and survey of reservoir sites during the fiscal year ended June 30, 1891, by A. H. Thompson, chief of western division of topography, pp. 1–212, pls. liv-lvii.

Hydrography of the arid regions, by F. H. Newell, pp. 213-361, pls. lviii-cvi.

Irrigation in India, by Herbert M. Wilson, C. E., pp. 363–561, pls.cvii–cxlvi. Financial statement, pp. 562–568.

Index, pp. 569-576.

Thirteenth Annual Report of the United States Geological Survey to the Secretary of the Interior 1891-'92 by J. W. Powell Director In three parts Part I—Report of the Director [Part II—Geology; Part III—Irrigation] [Vignette] Washington Government Printing Office 1892 [Pts. II and III, 1893]

- 8°. 3 pts. vii, 240 pp., 2 maps; x, 372 pp. and 22 unnumbered leaves, 107 pls. and maps; xi, 486 pp., 108–184 pls. and maps. Bound in dark maroon cloth (Survey edition). Out of stock. Separates of the various papers were issued, in paper covers.
 - Director's report and reports of chiefs of divisions. vii, 240 pp., 2 maps. Report of the Director, pp. 3-66, pls. i, ii (maps). Administrative reports of chiefs of divisions, pp. 67-235.
 Index. pp. 237-240.
 - Pt. II. Geology. x, 372 pp. and 22 unnumbered leaves, 107 pls. and maps. Second expedition to Mount St. Elias, in 1891, by Israel C. Russell, pp. 1-91, pls. iii-xxi.
 - The geological history of harbors, by Nathaniel Southgate Shaler, pp. 93-209, pls. xxii-xlv.
 - The mechanics of Appalachian structure, by Bailey Willis, pp. 211–281 and 22 unnumbered leaves, pls. xlvi–xcvi.
 - The average elevation of the United States, by Henry Gannett, pp. 283–289, pl. cvii (in pocket).
 - The Rensselaer grit plateau in New York, by T. Nelson Dale, pp. 291-340, pls. xcvii-ci.
 - The American Tertiary Aphidæ, with a list of the known species and tables for their determination, by Samuel Hubbard Scudder, pp. 341–366, pls. cii-cvi.

Index, pp. 367-372.

Pt. III. Irrigation. xi, 486 pp., 108-184 pls. and maps.

Water supply for irrigation, by Frederick Haynes Newell, pp. 1-99, pls.

American irrigation engineering, by Herbert M. Wilson, C. E., pp. 101–349, pls. cxi-cxlvi.

Engineering results of irrigation survey, by Herbert M. Wilson, pp. 351–427, pls. exlvii-clxxxii.

Report upon the construction of topographic maps and the selection and survey of reservoir sites in the hydrographic basin of the Arkansas River, Colorado, by A. H. Thompson, pp. 429–444.

Report upon the location and survey of reservoir sites during the fiscal year ending June 30, 1892, by A. H. Thompson, pp. 445–478, pls. clxxxii, clxxxiv.

Index, pp. 479-486.

Fourteenth Annual Report of the United States Geological Survey to the Secretary of the Interior 1892-'93 by J. W. Powell Director Part I—Report of the Director [-II—Accompanying papers] [Vignette] Washington Government Printing Office 1893 [Pt. II, 1894]

- 8° . 2 pts. 321 pp., 1 map; xx, 597 pp., 74 pls. and maps. Bound in dark maroon cloth (Survey edition). Out of stock. Separates of the various papers were issued, in paper covers.
 - Pt. I. Director's report and reports of chiefs of divisions. 321 pp., 1 map. Report of the Director, pp. 3-165, 1 map (in pocket).

Pt. I. Director's report and reports of chiefs of divisions—Continued. Administrative reports of chiefs of divisions, pp. 167-318. Index, pp. 319-321.

Pt. II. Accompanying papers. xx, 597 pp., 74 pls. and maps.

The potable waters of eastern United States, by W J McGee, pp. 1-47. Natural mineral waters of the United States, by A. C. Peale, pp. 49-88, pls. iii-iv.

Results of stream measurements, by F. H. Newell, pp. 89-155, pls. v-vi. The laccolitic mountain groups of Colorado, Utah, and Arizona, by Whitman Cross, pp. 157-241, pls. vii-xvi.

The gold-silver veins of Ophir, California, by Waldemar Lindgren, pp. 243-284, pls. xvii, xviii.

Geology of the Catoctin belt, by Arthur Keith, pp. 285–395, pls. xix-xxxix. Tertiary revolution in the topography of the Pacific coast, by J. S. Diller, pp. 397–434, pls. xl-xlvii.

The rocks of the Sierra Nevada, by H.W. Turner, pp. 435–495, pls. xlviii-lix. Pre-Cambrian igneous rocks of the Unkar terrane, Grand Canyon of the Colorado, Arizona, by Charles D. Walcott; with notes on the petrographic character of the lavas, by Joseph Paxson Iddings, pp. 497–524, pls. lx-lxv.

On the structure of the ridge between the Taconic and Green Mountain ranges in Vermont, by T. Nelson Dale, pp. 525-549, pls. lxvi-lxx.

The structure of Monument Mountain, in Great Barrington, Massachusetts, by T. Nelson Dale, pp. 551-565, pls. lxxi, lxxii.

The Potomac and Roaring Creek coal fields, in West Virginia, by Joseph D. Weeks, pp. 567–590, pls. lxxiii, lxxiv. Index, pp. 591–597.

Note.—A pocket in the cover of Part II carries a reconnaissance map of the United States showing the distribution of the geologic systems as far as known, compiled from data in the possession of the United States Geological Survey, by W J McGee, 1893. (See notes to Fifth and Twenty-first annual reports, pp. 12, 31, of this bulletin.)

Fifteenth Annual Report of the United States Geological Survey to the Secretary of the Interior 1893–94 by J. W. Powell Director [Vignette] Washington Government Printing Office 1895

8°. xiv, 755 pp., 48 pls. and maps. Bound in dark maroon cloth (Survey edition). Out of stock. Separates of the various papers were issued, in paper covers.

Report of the Director, pp. 3-108, pl. i.

Administrative reports of chiefs of divisions, pp. 109-251.

Preliminary report on the geology of the common roads of the United States, by Nathaniel Southgate Shaler, pp. 255-306.

The Potomac formation, by Lester Frank Ward, pp. 307-397, pls. ii-iv.

Sketch of the geology of the San Francisco peninsula, by Andrew C. Lawson, pp. 399-476, pls. v-xii.

Preliminary report on the Marquette iron-bearing district of Michigan, by Charles Richard Van Hise and William Shirley Bayley, with a chapter on the Republic trough, by Henry Lloyd Smyth, pp. 477-650, pls. xiii-xxvi.

The origin and relations of central Maryland granites, by Charles Rollin Keyes, with an introduction on the general relations of the granitic rocks in the Middle Atlantic Piedmont Plateau, by George Huntington Williams, pp. 651-740, pls. xxvii-xlviii.

Index, pp. 741–755.

Sixteenth Annual Report of the United States Geological Survey to the Secretary of the Interior 1894-95 Charles D. Walcott Director In four parts Part I.—Director's report and papers of a theoretic nature [Part II.—Papers of an economic character; Part III.—Mineral resources of the United States, 1894 Metallic products David T. Day, chief of division; Part IV.—Mineral resources of the United States, 1894 Nonmetallic products David T. Day, chief of division] [Vignette] Washington Government Printing Office 1896 [Pts. II, III, and IV, 1895]

- 8°. 4 pts. xxii, 910 pp., 118 pls. and maps; xix, 598 pp., 42 pls. and maps; xv, 646 pp., 23 pls. and maps; xix, 735 pp., 6 pls. and maps. Bound in dark maroon cloth (Survey edition). Out of stock. Separates of the various papers were issued, in paper covers.
 - Pt. I. Director's report and papers of a theoretic nature. xxii, 910 pp., 117 pls. and maps.

Report of the Director, pp. 1-130, 1 map.

The dinosaurs of North America, by Othniel Charles Marsh, pp. 133–414, pls. ii–lxxxv.

Glacier Bay and its glaciers, Alaska, by Harry Fielding Reid, pp. 415–461, pls. lxxxvi-xcvi and xcva.

Some analogies in the Lower Cretaceous of Europe and America, by Lester F. Ward, pp. 463–542, pls. xcvii–cvii.

Structural details in the Green Mountain region and in eastern New York, by T. Nelson Dale, pp. 543–570.

Principles of North American pre-Cambrian geology, by Charles Richard Van Hise, with an appendix on flow and fracture of rocks as related to structure, by Leander Miller Hoskins, pp. 571–874, pls. cviii–cxvii.

Summary of the primary triangulation executed by the United States Geological Survey between the years 1882 and 1894, by Henry Gannett, chief topographer, pp. 875–885.

Index, pp. 887-910.

Pt. II. Papers of an economic character. xix, 598 pp., 43 pls. and maps.

Geology and mining industries of the Cripple Creek district, Colorado, by Whitman Cross (general geology) and R. A. F. Penrose, jr. (mining geology), pp. 1–209, pls. i–xiv and supplemental map.

A geological reconnaissance across Idaho, by George H. Eldridge, pp. 211–276, pls. xv-xvii.

The geology of the road-building stones of Massachusetts, with some consideration of similar materials from other parts of the United States, by Nathaniel Southgate Shaler, pp. 277-341, pls. xviii-xxiv.

Economic geology of the Mercur mining district, Utah, by J. Edward Spurr, with introduction by S. F. Emmons, pp. 343-455, pls. xxv-xxxiv.

The public lands and their water supply, by Frederick Haynes Newell, pp. 457-533, pls. xxxy-xxxix.

Water resources of a portion of the Great Plains, by Robert Hay, pp. 535-588, pls. xl-xlii.

Index, pp. 589-598.

Pt. III. Mineral resources of the United States, 1894; metallic products. xv, 646 pp., 23 pls.

Summary, pp. 5-19.

The production of iron ores in various parts of the world, by John Birkinbine, pp. 21–218, pls. i-xv.

Iron and steel and allied industries in all countries, by James M. Swank, general manager of the Iron and Steel Association, pp. 219–250.

Pt. III. Mineral resources of the United States, 1894; metallic products—Cont.

Gold fields of the Southern Appalachians, by George F. Becker, pp. 251–331, pls. xvi-xviii.

Copper, by Charles Kirchhoff, pp. 332-358.

Lead, by Charles Kirchhoff, pp. 359-377.

Zinc, by Charles Kirchhoff, pp. 378-388.

Manganese, by Joseph D. Weeks, pp. 389-457.

The production of tin in various parts of the world, by Charles M. Rolker, pp. 458-538, pl. xix.

Aluminum, by R. L. Packard, pp. 539-546.

Bauxite, by Charles Willard Hayes, pp. 547-597, pls. xx-xxiii.

Quicksilver, pp. 598-604.

Nickel, pp. 605-607.

Chromium, pp. 608-614.

Alloys of iron and chromium, by F. L. Garrison, pp. 610-614.

Tungsten, pp. 615-623.

Alloys of iron and tungsten, by F. L. Garrison, pp. 615-623.

Antimony, by Edward W. Parker, pp. 624-627.

Platinum, pp. 628-633.

Index, pp. 635-646.

Pt. IV. Mineral resources of the United States, 1894; nonmetallic products. xix, 735 pp., 6 pls.

Coal, by Edward W. Parker, pp. 1-217.

The manufacture of coke, by Joseph D. Weeks, pp. 218-304.

Origin, distribution, and commercial value of peat deposits, by N. S. Shaler, pp. 305-314.

Petroleum, by Joseph D. Weeks, pp. 315-404.

Natural gas in 1894, by Joseph D. Weeks, pp. 405-429.

Asphaltum, by Edward W. Parker, pp. 430-435.

Stone, by William C. Day, pp. 436-510, pls. i-iv.

Notes on Iowa building stones, by H. Foster Bain, pp. 500-503.

Soapstone, by Edward W. Parker, pp. 511-513.

Magnesite, pp. 514-516.

Clay, pp. 517-575.

Statistics of the clay-working industries of the United States in 1894, by Jefferson Middleton, pp. 517–522.

Technology of the clay industry, by Heinrich Ries, pp. 523-575. Cement, pp. 576-585.

American rock cement, by Uriah Cummings, pp. 576-579.

Portland cement, by Spencer B. Newberry, pp. 580-585.

Abrasive materials, by Edward W. Parker, pp. 586-594.

Precious stones, by George Frederick Kunz, pp. 595-605.

Fertilizers, pp. 606-635, pls. v-vi.

The Tennessee phosphates, by Charles Willard Hayes, pp. 610-630, pls. v, vi.

Commercial development of the Tennessee phosphate, by C. G. Memminger, pp. 631-635.

Sulphur and pyrites, by Edward W. Parker, pp. 636-645.

Salt, by Edward W. Parker, pp. 646-657.

Fluorspar, pp. 658-659.

Mica, pp. 660-661.

Gypsum, by Edward W. Parker, pp. 662-666.

Monazite, by H. B. C. Nitze, pp. 667-693.

Mineral paints, by Edward W. Parker, pp. 694-700.

Pt. IV. Mineral resources of United States, 1894, nonmetallic products—Cont'd. Barytes, by Edward W. Parker, pp. 701-702. Asbestos, by Edward W. Parker, pp. 703-706. Mineral waters, by A. C. Peale, pp. 707-721.

Index, pp. 723-735.

Note.—Parts III and IV of the Sixteenth Annual Report are the direct continuation of the separate series of statistical papers known as Mineral Resources of the United States, 1882-1893, ten volumes (see pp. 49-63 of this bulletin).

Seventeenth Annual Report of the United States Geological Survey to the Secretary of the Interior 1895-96 Charles D. Walcott Director In three parts Part I.—Director's report and other papers [Part II.—Economic geology and hydrography; Part III.—Mineral resources of the United States, 1895 Metallic products and coal David T. Day, chief of division; Part III (Continued).—Mineral resources of the United States, 1895 Nonmetallic products, except David T. Day, chief of division] [Vignette] Washington Government Printing Office 1896

- 8°. 3 pts. in 4 vols. xxii, 1076 pp., 67 pls. and maps; xxy, 864 pp., 113 pls. and maps; xxiii, 542 pp., 8 pls. and maps; iii, 543-1058 pp., 9-13 pls. and maps. Bound in dark maroon cloth (Survey edition). Out of stock. Separates of the various papers were issued, in paper covers.
 - I. Director's report and other papers. xxii, 1076 pp., 67 pls. and maps. Report of the Director, pp. 1-200, pl. i.

Magnetic declination in the United States, by Henry Gannett, pp. 203-440, pls. ii, iii.

A geological reconnaissance in northwestern Oregon, by Joseph Silas Diller, pp.441-520, pls. iv-xvi.

Further contributions to the geology of the Sierra Nevada, by Henry W. Turner, pp. 521-762, pls. xvii-xlvii.

Report on coal and lignite of Alaska, by William Healey Dall, pp. 763-908, pls. xlviii-lviii.

Appendix I. Report on the fossil plants collected in Alaska in 1895, as well as an enumeration of those previously known from the same region, with a table showing their relative distribution, by F. H. Knowlton, pp. 876-897.

Appendix II. Report on Paleozoic fossils from Alaska, by Charles Schuchert, pp. 898-906.

Appendix III. Report on the Mesozoic fossils, by Prof. Alpheus Hyatt, pp. 907-908.

The uintaite (gilsonite) deposits of Utah, by George Homans Eldridge, pp. 909-949, pls. lix, lx.

The glacial brick clays of Rhode Island and southeastern Massachusetts. by N. S. Shaler, J. B. Woodworth, and C. F. Marbut, pp. 951-1004, pls.

The faunal relations of the Eocene and Upper Cretaceous on the Pacific coast, by Timothy W. Stanton, pp. 1005-1060, pls. lxiii-lxvii. Index, pp. 1061-1076.

Pt. II. Economic geology and hydrography. xxv, 864 pp., 113 pls. and maps. The gold-quartz veins of Nevada City and Grass Valley districts, California, by Waldemar Lindgren, pp. 1-262, pls. i-xxiv.

Geology of Silver Cliff and the Rosita Hills, Colorado, by Whitman Cross, pp. 263-403, pls. xxv-xxxvi.

Pt. II. Economic geology and hydrography—Continued.

The mines of Custer County, Colorado, by Samuel Franklin Emmons, pp. 405-472, pl. xxxvii.

Geologic section along the New and Kanawha rivers in West Virginia, by Marius R. Campbell and Walter C. Mendenhall, pp. 473-511, pls. xxxviii-xlix.

The Tennessee phosphates, by Charles Willard Hayes, pp. 513-550, pls. l-lv.

The underground water of the Arkansas Valley in eastern Colorado, by Grove Karl Gilbert, pp. 551-601, pls. lvi-lxviii.

Preliminary report on artesian waters of a portion of the Dakotas, by Nelson Horatio Darton, pp. 603-694, pls. lxix-cvii.

The water resources of Illinois, by Frank Leverett, pp. 695-849, pls. cviii-cxiii.

Index, pp. 851-864.

Pt. III. Mineral resources of the United States, 1895; metallic products and coal. xxiii, 542 pp., 8 pls. and maps.

Summary, pp. 5–21.

Iron ores, by John Birkinbine, pp. 23-43, pls. i-v.

Present condition of the iron and steel industries of the United States, by James M. Swank, general manager of the American Iron and Steel Association, pp. 45-71.

Gold and silver, pp. 72-79.

Copper, by Charles Kirchhoff, pp. 81-129.

Lead, by Charles Kirchhoff, pp. 131-162.

Zinc, by Charles Kirchhoff, pp. 163–177.

Quicksilver, pp. 179-184.

Manganese, by Joseph D. Weeks, pp. 185-225.

Tin, pp. 227-242.

The occurrence of tin ore in the islands of Banca and Billiton, by O. H. Van der Wyck, pp. 227-242.

Aluminum, pp. 243-251.

Aluminum manufacture in Europe, by Alfred E. Hunt, pp. 245-251. Nickel and cobalt, pp. 253-260.

Chromic iron, with reference to its occurrence in Canada, by William Glenn, pp. 261-273.

Antimony, by Edward W. Parker, pp. 275-280.

Platinum, pp. 281-283.

Coal, by Edward W. Parker, pp. 285-542, pls. vi-viii.

Pennsylvania anthracite, by John H. Jones, pp. 482–506.

Pt. III (Continued). Mineral resources of the United States, 1895; nonmetallic products, except coal. iii, 543-1058 pp., 5 pls.

Coke, by Joseph D. Weeks, pp. 543-620.

Petroleum, by Joseph D. Weeks, pp. 621-731.

Natural gas, by Joseph D. Weeks, pp. 733-750.

Asphaltum, by Edward W. Parker, pp. 751-758.

Stone, by William C. Day, pp. 759-811, pls. ix, x.

The sandstones of western Indiana, by T. C. Hopkins, pp. 780-787. The limestone quarries of eastern New York, western Vermont, Massachusetts, and Connecticut, by Heinrich Ries, pp. 795-811. Soapstone, by Edward W. Parker, pp. 813-816.

Clay, pp. 817-880, pls. xi-xii.

The statistics of the clay-working industries of the United States, by Jefferson Middleton, pp. 817-837.

Flint and feldspar, by William Golding, pp. 838-841.

The pottery industry of the United States, by Heinrich Ries, pp. 842-880, pls. xi, xii.

Pt. III (Continued). Mineral resources of the United States, etc.—Continued. Cement, pp. 881–893.

Portland cement, by Spencer B. Newberry, pp. 881–888.

American rock cement, by Uriah Cummings, pp. 889-893.

Precious stones, by George F. Kunz, pp. 895-926.

Abrasive materials, by Edward W. Parker, pp. 927-950, pl. xiii.

Corundum deposits of the southern Appalachian region, by J. A. Holmes, pp. 935-943, pl. xiii.

The manufacture and use of corundum, by Charles N. Jenks, pp. 943–947.

Phosphate rock, pp. 951-957.

A phosphate prospect in Pennsylvania, by M. C. Ihlseng, pp. 955–957.

Sulphur and pyrites, by Edward W. Parker, pp. 958-977.

Gypsum, by Edward W. Parker, pp. 978-983.

Salt, by Edward W. Parker, pp. 984-997.

Fluorspar and cryolite, pp. 998-999.

Mica, pp. 1000-1003.

Asbestos, by Edward W. Parker, pp. 1004-1006.

Graphite, pp. 1007-1010.

Occurrences of graphite in the South, by William M. Brewer, pp. 1008-1010.

Mineral paints, by Edward W. Parker, pp. 1011-1022.

Barytes, by Edward W. Parker, pp. 1023-1024.

Mineral waters, by A. C. Peale, pp. 1025-1044.

Index, pp. 1045-1058.

Eighteenth Annual Report of the United States Geological Survey to the Secretary of the Interior 1896-97 Charles D. Walcott Director In five parts Part I.—Director's report, including triangulation and spirit leveling [Part II.—Papers chiefly of a theoretic nature; Part III.—Economic geology; Part IV.—Hydrography; Part V.—Mineral resources of the United States, 1896 Metallic products and coal David T. Day, chief of division; Part V (Continued).—Mineral resources of the United States, 1896 Nonmetallic products, except coal David T. Day, chief of division] [Vignette] Washington Government Printing Office 1897 [Parts II and III, 1898]

- 8°. 5 pts. in 6 vols. 440 pp., 4 pls. and maps; v, 653 pp., 105 pls. and maps; v, 861 pp., 118 pls. and maps; x, 756 pp., 102 pls. and maps; xii, 642 pp., 1 pl.; 643–1400 pp. Bound in dark maroon cloth (Survey edition). Separates of the various papers were issued, in paper covers.
 - Pt. I. Director's report, including triangulation and spirit leveling. 440 pp., 4 pls. and maps.

Report of the Director, pp. 1-130, pls. i, ii (maps in pocket).

Triangulation and spirit leveling, by H. M. Wilson, J. H. Renshawe, E. M. Douglas, and R. U. Goode, pp. 131–422, pls. iii, iv.

Index, pp. 423-440.

Pt. II. Papers chiefly of a theoretic nature. v, 653 pp., 105 pls. and maps.

The Triassic formation of Connecticut, by William M. Davis, pp. 1–192, pls. i–xx.

Geology of the Edwards Plateau and Rio Grande Plain adjacent to Austin and San Antonio, Texas, with reference to the occurrence of underground waters, by Robert T. Hill and T. Wayland Vaughan, pp. 193-321, pls. xxi-lxiv.

Pt. II. Papers chiefly of a theoretic nature—Continued.

A table of the North American Tertiary horizons, correlated with one another and with those of western Europe, with annotations, by William H. Dall, pp. 323-348.

Glaciers of Mount Rainier, by Israel Cook Russell, with a paper on the rocks of Mount Rainier, by George Otis Smith, pp. 349-423, pls. lxy-lxxxii.

The age of the Franklin white limestone of Sussex County, New Jersey, by John Eliot Wolff and Alfred Hulse Brooks, pp. 425–457, pl. lxxxiii.

A geological sketch of San Clemente Island, by William Sidney Tangier Smith, pp. 459-496, pls. lxxxiv-xcvi.

Geology of the Cape Cod district, by N. S. Shaler, pp. 497-593, pls. xcvii-civ.

Recent earth movement in the Great Lakes region, by Grove Karl Gilbert, pp. 595-647, pl. cv.

Index, pp. 649-653.
Pt. III. Economic geology. v, 861 pp., 118 pls. and maps.

Reconnaissance of the gold fields of southern Alaska, with some notes on general geology, by George F. Becker, pp. 1-86, pls. i-xxxi.

Geology of the Yukon gold district, Alaska, by Josiah Edward Spurr; with an introductory chapter on the history and condition of the district to 1897, by Harold Beach Goodrich, pp. 87–392, pls. xxxii-li.

Some coal fields of Puget Sound, by Bailey Willis, pp. 393-436, pls. lii-lxviii.

Geology and mineral resources of the Judith Mountains of Montana, by Walter Harvey Weed and Louis Valentine Pirsson, pp. 437–616, pls. lxix-lxxxvi.

The mining districts of the Idaho Basin and the Boise Ridge, Idaho, by Waldemar Lindgren; with a report on the fossil plants of the Payette formation, by Frank Hall Knowlton, pp. 617–744, pls. lxxxvii-cii.

Preliminary report on the mining industries of the Telluride quadrangle, Colorado, by Chester Wells Purington, pp. 745-850, pls. ciii-cxviii. Index, pp. 851-861.

Pt. IV. Hydrography. x, 756 pp., 102 pls. and maps.

Report of progress of stream measurements for the calendar year 1896, by Arthur Powell Davis, pp. 1–418, pls. i–xxxii.

The water resources of Indiana and Ohio, by Frank Leverett, pp. 419–559, pls. xxxiii–xxxvii.

New developments in well boring and irrigation in eastern South Dakota, 1896, by Nelson Horatio Darton, pp. 561-615, pls. xxxviii-xlvii.

Reservoirs for irrigation, by James D. Schuyler, pp. 617-740, pls. xlviii-cii.

Index, pp. 741-756.

Pt. V. Mineral resources of the United States, 1896; metallic products and coal. xii, 642 pp., 1 pl.

Introduction, p. 3.

Summary, pp. 5-21.

Iron ores, by John Birkinbine, pp. 23-50.

Iron and steel and allied industries in all countries, by James M. Swank, general manager of the American Iron and Steel Association, pp. 51–140.

Gold and silver, pp. 141-151.

The Witwatersrand banket, with notes on other gold-bearing pudding stones, by George F. Becker, pp. 153–184, 1 pl.

Copper, by Charles Kirchhoff, pp. 185-235.

V. Mineral resources of the United States, 1896, etc.—Continued.

Lead, by Charles Kirchhoff, pp. 237-262.

Zinc, by Charles Kirchhoff, pp. 263-280.

Aluminum, by R. L. Packard, pp. 281-285.

Quicksilver, pp. 287-290.

Manganese ores, by John Birkinbine, pp. 291-328.

Nickel and cobalt, by Joseph Wharton, pp. 329-342.

Antimony, by Edward W. Parker, pp. 343-348.

Platinum, p. 349.

Coal, by Edward W. Parker, pp. 351-632.

Pennsylvania anthracite, by William W. Ruley, pp. 573-597. Index, pp. 633-642.

Pt. V. (Continued). Mineral resources of the United States, 1896; nonmetallic products except coal, pp. 643-1400.

Coke, by Edward W. Parker, pp. 659-746.

Petroleum, by F. H. Oliphant, pp. 747-893.

Natural gas, by F. H. Oliphant, pp. 895-918.

Asphaltum, by Edward W. Parker, pp. 919-948.

The asphalt deposits of western Texas, by T. Wayland Vaughan, pp. 930–935.

Stone, by William C. Day, pp. 949-1068.

Brownstones of Pennsylvania, by T. C. Hopkins, pp. 1025-1043.

Soapstone, by Edward W. Parker, pp. 1069-1075.

Statistics of the clay-working industries in the United States in 1896, by Jefferson Middleton, pp. 1077-1104.

The clay-working industry in 1896, by Heinrich Ries, pp. 1105-1168. Cement, pp. 1169-1182.

Portland cement, by Spencer B. Newberry, pp. 1169-1177.

Rock cement, by Uriah Cummings, pp. 1178-1182.

Precious stones, by George F. Kunz, pp. 1183-1217.

Abrasive materials, by Edward W. Parker, pp. 1219–1231.

Phosphate rock, pp. 1233-1242.

Sulphur and pyrites, by Edward W. Parker, pp. 1243-1261...

Gypsum, by Edward W. Parker, pp. 1263–1271.

Salt, by Edward W. Parker, pp. 1273-1313.

Fluorspar and cryolite, by Edward W. Parker, pp. 1315-1316.

Mica, by Edward W. Parker, pp. 1317-1321.

Asbestos, by Edward W. Parker, pp. 1323-1331.

Graphite, pp. 1332-1334.

Mineral paints, by Edward W. Parker, pp. 1335-1347.

Barytes, by Edward W. Parker, pp. 1348-1350.

Fuller's earth, pp. 1351-1359.

Lithographic stone, pp. 1361-1363.

Feldspar and quartz, by Heinrich Ries, pp. 1365-1368.

Mineral waters, by A. C. Peale, pp. 1369–1389.

Index, pp. 1391-1400.

Nineteenth Annual Report of the United States Geological Survey to the Secretary of the Interior 1897-98 Charles D. Walcott Director In six parts Part I.—Director's report, including triangulation and spirit leveling [Part II.—Papers chiefly of a theoretic nature; Part III.—Economic geology; Part IV.—Hydrography F. H. Newell, chief of division; Part V.—Forest reserves Henry Gannett, chief of division; Part VI.—Mineral resources of the United States, 1897 Metallic products, coal, and coke David T. Day, chief of division; Part VI (Continued).—Mineral resources of the United States, 1897 Nonmetallic products, except coal and coke David T. Day, chief of division] [Vignette] Washington Government Printing Office 1898.

8°. 6 pts. in 7 vols., and separate 8° case for maps with Pt. V. 422 pp., 2 pls. (maps); v, 958 pp., 172 pls. and maps; v, 785 pp., 99 pls. and maps; viii, 814 pp., 118 pls. and maps; xvii, 400 pp., 110 pls. and maps (16 maps in separate case); viii, 651 pp., 11 pls.; viii, 706 pp. Bound in dark maroon cloth (Survey edition). Separates of the various papers were issued, in paper covers.

Pt. I. Director's report, including triangulation and spirit leveling. 422 pp., 2 pls. (maps).

Report of the Director, pp. 11-143, pls. i, ii (maps in pocket).

Triangulation and spirit leveling, by H. M. Wilson, J. H. Renshawe, E. M. Douglas, and R. U. Goode, pp. 145-408.

Index, pp. 409-422.

Pt. II. Papers chiefly of a theoretic nature. v, 958 pp., 172 pls. and maps.

Physiography of the Chattanooga district, in Tennessee, Georgia, and Alabama, by Charles Willard Hayes, pp. 1–58, pls. i–v.

Principles and conditions of the movements of ground water, by Franklin Hiram King, pp. 59-294, pls. vi-xvi.

Theoretical investigation of the motion of ground waters, by Charles S. Slichter, pp. 295-384, pl. xvii.

Geology of the Richmond Basin, Virginia, by Nathaniel Southgate Shaler and Jay Backus Woodworth, pp. 385-519, pls. xviii-lii.

The Cretaceous formation of the Black Hills as indicated by the fossil plants, by Lester F. Ward, with the collaboration of Walter P. Jenney, Wm. M. Fontaine, and F. H. Knowlton, pp. 521-946, pls. liii-clxxii. Index, pp. 947-958.

Pt. III. Economic geology. v, 785 pp., 99 pls. and maps.

The Crystal Falls iron-bearing district of Michigan, by J. M. Clements and H. L. Smyth; with a chapter on the Sturgeon River Tongue, by W. S. Bayley, and an introduction by C. R. Van Hise, pp. 1–151, pls. i–xi.

The slate belt of eastern New York and western Vermont, by T. Nelson Dale, pp. 153-307, pls. xii-xli.

The Coos Bay coal field, Oregon, by J. S. Diller, pp. 309-376, pls. xlii-liv. The titaniferous iron ores of the Adirondacks, by James Furman Kemp, pp. 377-422, pls. lv-lxiii.

Geology of the McAlester-Lehigh coal field, Indian Territory, by Joseph A. Taff; accompanied by a report on the fossil plants, by David White, and a report on the Paleozoic invertebrate fossils, by George H. Girty, pp. 423–600, pls. lxiv-lxxii.

Geology and mining industry of the Tintic district, Utah, by George Warren Tower, jr., and George Otis Smith, pp. 601-767, pls. lxxiii-xcix. Index, pp. 769-785.

Pt. IV. Hydrography. viii, 814 pp., 118 pls. and maps.

Report of progress of stream measurements for the calendar year 1897, by F. H. Newell, including papers by Dwight Porter, J. B. Lippincott, and other hydrographers, pp. 1–632, pls. i–lxx.

The rock waters of Ohio, by Edward Orton, pp. 633-717, pls. lxxi-lxxiii. Preliminary report on the geology and water resources of Nebraska west of the one hundred and third meridian, by Nelson Horatio Darton, pp. 719-785, pls. lxxiv-cxviii.

Index, pp. 787-814.

Pt. V. Forest reserves. xvii, 400 pp., 110 pls. and maps (16 maps in separate case).

The forests of the United States, by Henry Gannett, pp. 1–66, pls. i–xiii.

Black Hills Forest Reserve, by Henry S. Graves, pp. 67–164, pls. xiv–xxxvi.

Bighorn Forest Reserve, Wyoming, by F. E. Town, pp. 165–190, pls. xxxvii–xlii.

Teton Forest Reserve, from notes by Dr. T. S. Brandegee, pp. 191-212, pls. xliii-xlv.

Yellowstone Park Forest Reserve, southern part, from notes by Dr. T. S. Brandegee, pp. 213–216.

Priest River Forest Reserve, by John B. Leiberg, pp. 217–252, pls. xlvi-lxi. Bitterroot Forest Reserve, by John B. Leiberg, pp. 253–282, pls. lxii-lxxiii.

Bitterroot Forest Reserve, by John B. Leiberg, pp. 253–282, pls. lxii–lxxiii. Washington Forest Reserve, by H. B. Ayres, pp. 283–313, pls. lxxiv–c.

Eastern part of Washington Forest Reserve, by Martin W. Gorman, pp. 315-350, pl. ci.

San Jacinto Forest Reserve (preliminary report), by John B. Leiberg, pp. 351-357, pls. cii-civ. •

San Bernardino Forest Reserve (preliminary report), by John B. Leiberg, pp. 359–365, pl. cv.

San Gabriel Forest Reserve (preliminary report), by John B. Leiberg, pp. 367-371, pls. evi-cviii.

Present condition of the forested areas in northern Idaho outside the limits of the Priest River Forest Reserve and north of the Clearwater River, by John B. Leiberg, pp. 373-386, pls. cix-cx.

Pine Ridge timber, Nebraska, by N. H. Darton, p. 387.

Index, pp. 389-400.

Case for maps with Part V contains the maps which are designated pls. i-iv, ix, xiv-xviii, xxxvii, xliii, xlvi, xlvii, lxxiv, lxxv.

Pt. VI. Mineral resources of the United States, 1897; metallic products, coal, and coke. viii, 651 pp., 11 pls.

Introduction, p. 3.

Summary, pp. 3-22.

Iron ores, by John Birkinbine, pp. 23-63, pls. i-xi.

The American iron trade in 1897 and immediately preceding years, by James M. Swank, general manager of the American Iron and Steel Association, pp. 65-83.

The foreign iron trade in 1897 and immediately preceding years, by James M. Swank, general manager of the American Iron and Steel Association, pp. 84-89.

Manganese ores, by John Birkinbine, pp. 91-125.

Gold and silver, pp. 127-135.

Copper, by Charles Kirchhoff, pp. 137-196.

Lead, by Charles Kirchhoff, pp. 197-222.

Zinc, by Charles Kirchhoff, pp. 223-239.

Aluminum (and bauxite), pp. 241-242.

Quicksilver, pp. 243-248.

Nickel and cobalt, pp. 249-252.

Antimony, by Edward W. Parker, pp. 253-258.

Chromic iron ore, pp. 259-264.

The chrome ores of Turkey, by William Glenn, pp. 261-264.

Platinum, by David T. Day, pp. 265-271.

Coal, by Edward W. Parker, pp. 273-543.

Pennsylvania anthracite, by William W. Ruley, pp. 480-505.

Coke, by Edward W. Parker, pp. 545-642.

Index, pp. 643-651.

Pt. VI (Continued). Mineral resources of the United States, 1897; nonmetallic products, except coal and coke. viii, 706 pp.

Petroleum, by F. H. Oliphant, pp. 1-166.

Production of petroleum in Japan, by K. Nakashima, pp. 156-160.

Natural gas, by F. H. Oliphant, pp. 167-185.

Asphaltum, by Edward W. Parker, pp. 187-204.

The production of an asphalt resembling gilsonite by the distillation of a mixture of fish and wood, by William C. Day, pp. 202–204.

Stone, by William C. Day, pp. 205-309.

The Bedford oolitic limestone, by C. E. Siebenthal, pp. 292-296.

Soapstone, by Edward W. Parker, pp. 311-315.

Clay statistics, by Jefferson Middleton, pp. 317-376.

The kaolins and fire clays of Europe, by Heinrich Ries, pp. 377-467.

The clay-working industry of the United States in 1897, by Heinrich Ries, pp. 469-486.

Cement, pp. 487-496.

Portland cement, by Spencer B. Newberry, pp. 487-494.

American rock cement, by Uriah Cummings, pp. 495-496.

Precious stones, by George F. Kunz, pp. 497-514.

Abrasive materials, by Edward W. Parker, pp. 515-533.

Carborundum in 1897, by E. G. Atcheson, president Carborundum Company, p. 533.

Phosphate rock, pp. 535-556.

Review of the land and river pebble phosphate mining industry, Florida, for the year 1897, by C. G. Memminger, pp. 543–545.

The phosphate rock deposits of Tennessee during 1897, by Lucius P. Brown, pp. 547-555.

Sulphur and pyrites, by Edward W. Parker, pp. 557-576.

Gypsum, by Edward W. Parker, pp. 577-585.

Salt, by Edward W. Parker, pp. 587-612.

Fluorspar, by Edward W. Parker, pp. 613-617.

Mica, by Edward W. Parker, pp. 618-622.

Asbestos, by Edward W. Parker, pp. 623-626.

Graphite, pp. 627-631.

Mineral paints, by Edward W. Parker, pp. 633-650.

Barytes, by Edward W. Parker, pp. 651-653.

Fuller's earth, pp. 655-656.

Quartz and feldspar, p. 657.

Mineral waters, by A. C. Peale, pp. 659-680.

Mineral resources of Hawaii, pp. 681-686.

Memorandum on the mineral resources of the Philippine Islands, by George F. Becker, pp. 687-693.

Index, pp. 695-706.

Twentieth Annual Report of the United States Geological Survey to the Secretary of the Interior 1898-99 Charles D. Walcott Director In seven parts Part I.—Director's report, including triangulation and spirit leveling [Part II.—General geology and paleontology; Part III.—Precious-metal mining districts; Part IV.—Hydrography F. H. Newell, chief of division; Part V.—Forest reserves Henry Gannett, chief of division; Part VI.—Mineral resources of the United States, 1898 Metallic products, coal, and coke David T. Day, chief of division; Part VI (Continued).—Mineral resources of the United States,

1898 Nonmetallic products, except coal and coke David T. Day, chief of division; Part VII.—Explorations in Alaska in 1898] [Vignette] Washington Government Printing Office 1899

- 8°. 7 pts. in 8 vols., and separate 8° case for maps with Pt. V. 551 pp., 2 pls. (maps); v, 953 pp., 193 pls. and maps; v, 595 pp., 77 pls. and maps; vii, 660 pp., 75 pls.; xix, 498 pp., 159 pls. and maps (8 maps in separate case); viii, 616 pp.; xi, 804 pp., 1 pl.; v, 509 pp., 25 maps and 38 pls. Bound in dark maroon cloth (Survey edition). Separates of the various papers were issued, in paper covers.
 - Pt. I. Director's report, including triangulation and spirit leveling. 551 pp., 2 pls. (maps).

Report of the Director, pp. 11-209, pls. i, ii (maps in pocket). .

Triangulation and spirit leveling, by H. M. Wilson, J. H. Renshawe, E. M. Douglas, and R. U. Goode, pp. 211-530.

Index, pp. 531-551.

Pt. II. General geology and paleontology. v, 953 pp., 193 pls. and maps. Brief memorandum on the geology of the Philippine Islands, by George F. Becker, pp. 1–7.

A study of Bird Mountain, Vermont, by T. Nelson Dale, pp. 9-23, pls. i, ii.

Devonian fossils from southwestern Colorado; the fauna of the Ouray limestone, by George H. Girty, pp. 25-81, pls. iii-vii.

A preliminary paper on the geology of the Cascade Mountains in northern Washington, by Israel C. Russell, pp. 83-210, pls. viii-xx.

Status of the Mesozoic floras of the United States; first paper: The older Mesozoic, by Lester F. Ward, with the collaboration of Wm. M. Fontaine, Atreus Wanner, and F. H. Knowlton, pp. 211-748, pls. xxi-clxxix.

The stratigraphic succession of the fossil floras of the Pottsville formation in the southern anthracite coal field, Pennsylvania, by David White, pp. 749–930, pls. clxxx-exciii.

Index, pp. 931-953.

Pt. III. Precious-metal mining districts. v, 595 pp., 77 pls. and maps.

The Bohemia mining region of western Oregon, with notes on the Blue River mining region and on the structure and age of the Cascade Range, by J. S. Diller; accompanied by A report on the fossil plants associated with the lavas of the Cascade Range, by F. H. Knowlton, pp. 1–64, pls. i–vi.

The gold and silver veins of Silver City, De Lamar, and other mining districts in Idaho, by Waldemar Lindgren, pp. 65-256, pls. vii-xxxv.

Geology of the Little Belt Mountains, Montana, with notes on the mineral deposits of the Neihart, Barker, Yogo, and other districts, by Walter Harvey Weed; accompanied by A report on the petrography of the igneous rocks of the district, by L. V. Pirsson, pp. 257-581, pls. xxxvi-lxxvii.

Index, pp. 583-595.

Pt. IV. Hydrography. vii, 660 pp., 75 pls.

Report of progress of stream measurements for the calendar year 1898, by F. H. Newell, pp. 1-562, pls. i-lxiii.

Hydrography of Nicaragua, by Arthur Powell Davis, pp. 563-637, pls. lxiv-lxxv.

Index, pp. 639-660.

Pt. V. Forest reserves. xix, 498 pp., 159 pls. and maps (8 maps in separate case).

Pt. V. Forest reserves-Continued.

The forests of the United States, by Henry Gannett, pp. 1-37, pls. i-vii. Pikes Peak, Plum Creek, and South Platte reserves, by John G. Jack, pp. 39-115, pls. viii-xlvii.

White River Plateau Timber Land Reserve, by George B. Sudworth, pp. 117-179, pls. xlviii-lviii.

Battlement Mesa Forest Reserve, by George B. Sudworth, pp. 181–243, pls. lix-lxxv.

The Flathead Forest Reserve, by H. B. Ayres, pp. 245-316, pls. lxxvi-

Bitterroot Forest Reserve, by John B. Leiberg, pp. 317-410, pls. cxiv-

The San Gabriel Forest Reserve, by John B. Leiberg, pp. 411–428, pls. cxliii–cxlvi.

The San Bernardino Forest Reserve, by John B. Leiberg, pp. 429–454, pls. exlvii-cliii.

The San Jacinto Forest Reserve, by John B. Leiberg, pp. 455-478, pls. cliv-clix.

Index, pp. 479-498.

Case for maps with Pt. V contains the maps which are designated pls. i, ii, viii, ix, x, xlviii, lix, and cxiv.

Pt. VI. Mineral resources of the United States, 1898; metallic products, coal, and coke. viii, 616 pp.

Introduction, pp. 3-4.

Summary of the mineral production of the United States in 1898, pp. 5-26.

Iron ores, by John Birkinbine, pp. 27-59.

Statistics of the American iron trade for 1898, by James M. Swank, general manager of the American Iron and Steel Association, pp. 61–88.

The foreign iron trade in 1898 and immediately preceding years, by James M. Swank, general manager of the American Iron and Steel Association, pp. 89-101.

Gold and silver, pp. 103-123.

History of gold mining and metallurgy in the Southern States, by H. B. C. Nitze, pp. 111-123.

Manganese ores, by John Birkinbine, pp. 125-158.

Copper, by Charles Kirchhoff, pp. 159-220.

Lead, by Charles Kirchhoff, pp. 221-247.

Zinc, by Charles Kirchhoff, pp. 249-266.

Aluminum and bauxite, pp. 267-269.

Quicksilver, pp. 271-275.

Nickel and cobalt, pp. 277-281.

Antimony, by Edward W. Parker, pp. 283-289.

Chromic iron ore, pp. 291-292.

Platinum, p. 293.

Coal, by Edward W. Parker, pp. 295-507.

Pennsylvania anthracite, by William W. Ruley, pp. 457-480.

Coke, by Edward W. Parker, pp. 509-608.

Index, pp. 609-616.

Pt. VI (Continued). Mineral resources of the United States, 1898; nonmetallic products, except coal and coke. xi, 804 pp., 1 pl.

Petroleum, by F. H. Oliphant, pp. 1-202.

Natural gas, by F. H. Oliphant, pp. 203-224.

Pt. VI. (Continued.) Mineral resources of the United States, 1898—Continued. Illuminating and fuel gas and by-products, by William B. Phillips, pp. 225-250.

Asphaltum and bituminous rock, by Edward W. Parker, pp. 251-268.

Stone, by William C. Day, pp. 269–464. Clay products, by Jefferson Middleton, pp. 465-538.

Cement, pp. 539-550.

Portland cement, by Spencer B. Newberry, pp. 539-546.

American rock cement, by Uriah Cummings, pp. 547-550.

Soapstone, by Edward W. Parker, pp. 551-556.

Precious stones, by George F. Kunz, pp. 557-602, pl. i.

Abrasive materials, by Edward W. Parker, pp. 603-617. Phosphate rock, pp. 619–639.

A brief reconnaissance of the Tennessee phosphate fields, by C. Willard Hayes, pp. 633-638.

Sulphur and pyrite, by Edward W. Parker, pp. 641-655.

Gypsum, by Edward W. Parker, pp. 657-666.

Salt, by Edward W. Parker, pp. 667-688. Mica, pp. 689-707.

Mica deposits in the United States, by J. A. Holmes, pp. 691-707.

Fluorspar, by Edward W. Parker, pp. 709-710.

Asbestos, by Edward W. Parker, pp. 711-714. Graphite, pp. 715-718.

Mineral paints, by Edward W. Parker, pp. 719-737.

Barytes, by Edward W. Parker, pp. 738-739.

Fuller's earth, pp. 741-743.

Quartz and feldspar, by Heinrich Ries, p. 745. Mineral waters, by A. C. Peale, pp. 747–769.

Mineral resources of Porto Rico, by Robert T. Hill, pp. 771–778.

Investigations of some of the mineral resources of Porto Rico, by H. B. C. Nitze, pp. 779–787.

Index, pp. 789-804.

Pt. VII. Explorations in Alaska in 1898. v, 509 pp., 25 maps and 38 pls.

A reconnaissance in the Sushitna Basin and adjacent territory, Alaska, in 1898, by George H. Eldridge, pp. 1-29, maps 1-3, pls. i-vi.

A reconnaissance in southwestern Alaska in 1898, by Josiah Edward Spurr, pp. 31–264, maps 4–14, pls. vii–xiii.

A reconnaissance from Resurrection Bay to the Tanana River, Alaska, in 1898, by Walter C. Mendenhall, geologist to Military Expedition No. 3, in charge of Capt. Edwin F. Glenn, Twenty-fifth Infantry, U. S. Army, pp. 265-340, maps 15-17, pls. xiv-xxi.

A reconnaissance of a part of Prince William Sound and the Copper River district, Alaska, in 1898, by F. C. Schrader, pp. 341-423, maps 18-21, pls. xxii-xxxv.

A reconnaissance in the Tanana and White river basins, Alaska, in 1898, by Alfred Hulse Brooks, pp. 425-494, maps 22-25, pls. xxxvi-xxxviii. Index, pp. 495-509.

Twenty-first Annual Report of the United States Geological Survey to the Secretary of the Interior 1899-1900 Charles D. Walcott Director In seven parts Part I.—Director's report, including triangulation, primary traverse, and spirit leveling [Part II.—General geology, economic geology, Alaska; Part III.—General geology, ore and phosphate deposits, Philippines; Part IV.—Hydrography F. H. Newell, chief of division; Part V.-Forest reserves, Henry Gannett, chief of division; Part VI.—Mineral resources of the United States, 1899 Metallic products, coal, and coke David T. Day, chief of division; Part VI (Continued). - Mineral resources of the United States, 1899 Nonmetallic products, except coal and coke David T. Day, chief of division; Part VII.—Texas] [Vignette] Washington Government Printing Office 1900 [Pts. III, IV, VI, VI Continued, and VII, 1901]

8°. 7 pts. in 8 vols., and separate atlas for maps with Pt. V. 608 pp., 3 pls. (maps); 522 pp., 68 pls. and maps; 644 pp., 68 pls. and maps; 768 pp., 156 pls. and maps; 711 pp., 143 pls. and maps (39 maps in atlas); viii, 656 pp.; viii, 634 pp.; 666 pp., 71 pls. and maps.

The three maps with Part I are entitled: (I) Map showing condition and progress of topographic surveys and location of gaging stations. (II) Map showing condition and progress of astronomic location, primary triangulation, primary traverse, and spirit leveling. (III) Map showing progress of topographic and geologic surveys, 1879–1900. (See notes to Fifth and Fourteenth annual reports, pp. 12 and 17 of. this bulletin.)

Pt. I. Director's report, including triangulation, primary traverse, and spirit leveling. 608 pp., 3 pls. (maps).

Report of the Director, pp. 11-204, pls. i-iii (maps in pocket).

Triangulation, primary traverse, and spirit leveling, by H. M. Wilson, J. H. Renshawe, E. M. Douglas, and R. U. Goode, pp. 205-582. Index, pp. 583-608.

II. General geology, economic geology, Alaska. 522 pp., 68 pls. and maps. Geology of the Rico Mountains, Colorado, by Whitman Cross and Arthur Coe Spencer, pp. 7-165, pls. i-xxii.

Glacial sculpture of the Bighorn Mountains, Wyoming, by François E.

Matthes, pp. 167-190, pl. xxiii.

The Esmeralda formation, a fresh-water lake deposit, by H. W. Turner; with a description of the fossil plants, by F. H. Knowlton, and of a fossil fish, by F. A. Lucas, pp. 191-226, pls. xxiv-xxxi.

Mineral vein formation at Boulder Hot Springs, Montana, by Walter Harvey Weed, pp. 227-255, pls. xxxii-xxxiv.

Geology of the eastern Choctaw coal field, Indian Territory, by Joseph A. Taff and George I. Adams, pp. 257-311, pls. xxxv-xxxvii.

Preliminary report on the Camden coal field of southwestern Arkansas, by Joseph A. Taff, pp. 313-329, pls. xxxviii, xxxix.

A reconnaissance from Pyramid Harbor to Eagle City, Alaska, including a description of the copper deposits of the upper White and Tanana rivers, by Alfred Hulse Brooks, pp. 331-391, pls. xl-l.

A reconnaissance of the Chitina River and the Skolai Mountains, Alaska, by Oscar Rohn, pp. 393-440, pls. li-lix.

Preliminary report on a reconnaissance along Chandlar and Koyukuk rivers, Alaska, in 1899, by F. C. Schrader, pp. 441-486, pls. lx-lxviii. Alaskan geographic names, by Marcus Baker, pp. 487-509. Index, pp. 511-522.

Pt. III. General geology, ore and phosphate deposits, Philippines. 644 pp., 68 pls. and maps.

The Newark system of the Pomperaug Valley, Connecticut, by William Herbert Hobbs; with a report on fossil wood from the Newark formation of South Britain, Connecticut, by F. H. Knowlton, pp. 7-162, pls. i-xvii.

The laccoliths of the Black Hills, by Thomas Augustus Jaggar, jr.; with a chapter on experiments illustrating intrusion and erosion, by Ernest Howe, pp. 163-303, pls. xviii-xlvii.

Pt. III. General geology, ore and phosphate deposits, Philippines—Continued.

The iron-ore deposits of the Lake Superior region, by C. R. Van Hise,
pp. 305-434, pls. xlviii-lix.

The Arkansas bauxite deposits, by Charles Willard Hayes, pp. 435-472, pls. lx-lxiv.

Tennessee white phosphate, by Charles Willard Hayes, pp. 473-485, pl. lxv.

Report on the geology of the Philippine Islands, by George F. Becker, followed by a version (by Mr. Becker) of Ueber Tertiäre Fossilien von den Philippinen (1895), by K. Martin, pp. 487-623, pls. lxvi-lxviii. Index, pp. 627-644.

Pt. IV. Hydrography. 768 pp., 156 pls. and maps..

Report of progress of stream measurements for the calendar year 1899, by F. H. Newell, pp. 9–488, pls. i-lvii.

Preliminary description of the geology and water resources of the southern half of the Black Hills and adjoining regions in South Dakota and Wyoming, by Nelson Horatio Darton, pp. 489–599, pls. lviii–cxii:

The High Plains and their utilization, by Willard D. Johnson, pp. 601–741, pls. cxiii-clvi.

Index, pp. 743-768.

Pt. V. Forest reserves. 711 pp., 143 pls., and maps (39 maps in atlas).

Summary of forestry work in 1899–1900, by Henry Gannett, pp. 9–25, pl. i.

Lewis and Clarke Forest Reserve, Montana, by H. B. Ayres, pp. 27–80, pls. ii–xxxii.

Mount Rainier Forest Reserve, Washington, by Fred G. Plummer, pp. 81–143, pp. xxxiii-l.

Olympic Forest Reserve, Washington, from field notes by Arthur Dodwell and Theodore F. Rixon, pp. 145-208, pls. li-lxx.

Cascade Range Forest Reserve, Oregon, from township 28 south to township 37 south, inclusive; together with the Ashland Forest Reserve and adjacent forest regions from township 28 south to township 41 south, inclusive, and from range 2 west to range 14 east, Willamette meridian, inclusive, by John B. Leiberg, pp. 209–498, pls. lxxi-lxxxiv.

Stanislaus and Lake Tahoe forest reserves, California, and adjacent territory, by George B. Sudworth, pp. 499-561, pls. lxxxv-cxiv.

Classification of lands, by Henry Gannett, including papers by C. H. Fitch, R. B. Marshall, E. C. Barnard, and John B. Leiberg, pp. 563-601, pls. cxv-cxli.

Woodland of Indian Territory, by C. H. Fitch, pp. 603-672, pl. exlii.

Timber conditions of the pine region of Minnesota, by H. B. Ayres, pp. 673–689, pl. cxliii.

Index, pp. 691–711.

Portfolio for maps with Pt. V contains the maps which are designated pls. i, iii, xxxiii, li, liii, lvi, lix, lxii, lxxii, lxxii, lxxv-xc, cxv-cxvii, cxxv-cxliii.

Pt. VI. Mineral resources of the United States, 1899; metallic products, coal, and coke. viii, 656 pp.

Introduction, pp. 3-4.

Summary of the mineral production of the United States in 1899, pp. 5-29.

Iron ores, by John Birkinbine, pp. 31-67.

Pt. VI. Mineral resources of the United States, 1899, etc.—Continued.

The American and foreign iron trades in 1899, by James M. Swank, general manager of the American Iron and Steel Association, pp. 69 - 118.

Gold and silver, pp. 119-127.

Manganese ores, by John Birkinbine, pp. 129-162.

Copper, by Charles Kirchhoff, pp. 163-223.

Lead, by Charles Kirchhoff, pp. 225-247.

Zinc, by Charles Kirchhoff, pp. 249-266. Aluminum and bauxite, pp. 267-271.

Quicksilver, by Edward W. Parker, pp. 273–283.

Nickel and cobalt, pp. 285-289.

Antimony, by Edward W. Parker, pp. 291-297.

Tungsten, molybdenum, uranium, and vanadium, by Joseph Hyde Pratt, pp. 299-318.

An occurrence of tungsten ore in eastern Nevada, by F. B. Weeks, pp. 319 - 320.

Coal, by Edward W. Parker, pp. 321-519.

Pennsylvania anthracite, by William W. Ruley, pp. 484-492.

Coke, by Edward W. Parker, pp. 521-633. Index, pp. 635-656.

Pt. VI (Continued). Mineral resources of the United States, 1899; nonmetallic products, except coal and coke. viii, 634 pp.

Petroleum, by F. H. Oliphant, pp. 1-292.

Natural gas, by F. H. Oliphant, pp. 293-318.

Asphaltum and bituminous rock, by Edward W. Parker, pp. 319-332.

Stone, pp. 333-360. Clay, pp. 361-392.

Clays and clay products at the Paris Exposition of 1900, by Hein-

rich Ries, pp. 365-392.

Portland cement, by Spencer B. Newberry, pp. 393-406. American rock cement, by Uriah Cummings, pp. 407-411.

Soapstone, by Edward W. Parker, pp. 413-418.

Precious stones, by George F. Kunz, pp. 419-461.

Abrasive materials, by Edward W. Parker, pp. 463-479.

Phosphate rock, by Edward W. Parker, pp. 481-502.

Sulphur and pyrite, by Edward W. Parker, pp. 503-522.

Gypsum, by Edward W. Parker, pp. 523-530.

Salt, by Edward W. Parker, pp. 531-554. Mica, pp. 555-558.

Fluorspar, by Edward W. Parker, pp. 559-560.

Asbestos, by Edward W. Parker, pp. 561-564.

Graphite, pp. 565-568.

Mineral paints, by Edward W. Parker, pp. 569-586.

Barytes, pp. 587-588.

Fuller's earth, pp. 589-592.

Feldspar and quartz, by Heinrich Ries, pp. 593-596.

Mineral waters, by A. C. Peale, pp. 597-622.

Index, pp. 623-634.

Pt. VII. Geography and geology of the Black and Grand prairies, Texas, with detailed descriptions of the Cretaceous formations and special reference to artesian waters, by Robert T. Hill, 666 pp., 71 pls. and maps.

Bull. 177—01——3

MONOGRAPHS.

Department of the Interior Monographs of the United States Geological Survey Volume I [-XL] [Seal of the department] Washington Government Printing Office 1890 [1882-1900]

- 4°. 40 vols. Bound in dark maroon cloth. For sale at price of publication.
 - I. Lake Bonneville, by Grove Karl Gilbert. 1890. xx, 438.pp., 51 pls. and maps and 1 map in pocket. Price, \$1.50.
 - II. Tertiary history of the Grand Cañon district, with atlas, by Clarence E. Dutton, captain of ordnance, U.S.A. 1882. xiv, 264 pp., 42 pls., and atlas of 24 sheets folio. Price, \$10.00.
 - III. Geology of the Comstock lode and the Washoe district, with atlas, by George F. Becker. 1882. xv, 422 pp., 7 pls., and atlas of 21 sheets folio. Price, \$11.00.
 - IV. Comstock mining and miners, by Eliot Lord. 1883. xiv, 451 pp., 3 pls. (maps). Price, \$1.50.
 - V. The copper-bearing rocks of Lake Superior, by Roland Duer Irving. 1883. xvi, 464 pp., 15 ll., 29 pls. and maps. Price, \$1.85.
 - VI. Contributions to the knowledge of the older Mesozoic flora of Virginia, by William Morris Fontaine. 1883. xi, 144 pp., 54 ll., 54 pls. Price, \$1.05.
 - VII. Silver-lead deposits of Eureka, Nevada, by Joseph Story Curtis. 1884. xiii, 200 pp., 16 pls. and maps. Price, \$1.20.
 - VIII. Paleontology of the Eureka district, by Charles Doolittle Walcott. 1884. xiii, 298 pp., 24 ll., 24 pls. Price, \$1.10.
 - IX. Brachiopoda and Lamellibranchiata of the Raritan clays and greensand marls of New Jersey, by Robert P. Whitfield. 1885. xx, 338 pp., 35 pls. and 1 map in pocket. Price, \$1.15.
 - X. Dinocerata. A monograph of an extinct order of gigantic mammals, by Othniel Charles Marsh. 1886. xviii, 243 pp., 56 ll., 56 pls. Price, \$2.70.
 - XI. Geological history of Lake Lahontan, a Quaternary lake of northwestern Nevada, by Israel Cook Russell. 1885. xiv, 288 pp., 46 pls. and maps. Price \$1.75.
 - XII. Geology and mining industry of Leadville, Colorado, with atlas, by Samuel Franklin Emmons. 1886. xxix, 770 pp., 45 pls., and atlas of 35 sheets folio. Price, \$8.40.
 - XIII. Geology of the quicksilver deposits of the Pacific slope, with an atlas, by George F. Becker. 1888. xix, 486 pp., 7 pls. and maps, and atlas of 14 sheets folio. Price, \$2.00.
 - XIV. Fossil fishes and fossil plants of the Triassic rocks of New Jersey and the Conflecticut Valley, by John S. Newberry. 1888. xiv, 152 pp., 26 pls. Price, \$1.00.

XV. The Potomac or younger Mesozoic flora, by William Morris Fontaine. 1889. 2 pts. xiv, 377 pp.; x, 180 ll., 180 pls. Text and plates bound separately. Price, \$2.50.

XVI. The Paleozoic fishes of North America, by John Strong Newberry. 1889. 340 pp., 53 pls. Price, \$1.00.

XVII. The flora of the Dakota group, a posthumous work, by Leo Lesquereux. Edited by F. H. Knowlton. 1891. 400 pp., 66 pls. Price, \$1.10.

XVIII. Gasteropoda and Cephalopoda of the Raritan clays and greensand marks of New Jersey, by Robert Parr Whitfield. 1892. 402 pp., 50 pls. Price, \$1.00.

XIX. The Penokee iron-bearing series of Michigan and Wisconsin, by Roland Duer Irving and Charles Richard Van Hise. 1892. xv, 534 pp., 37 pls. and maps Price, \$1.70.

XX. Geology of the Eureka district, Nevada, with an atlas, by Arnold Hague. 1892. xvii, 419 pp., 8 pls. and maps, and atlas of 13 sheets folio. Price, \$5.25.

XXI. The Tertiary rhynchophorous Coleoptera of the United States, by Samuel Hubbard Scudder. 1893. xi, 206 pp., 12 pls. Price, 90 cents.

XXII. A manual of topographic methods, by Henry Gannett, chief topographer. 1893. xiv, 300 pp., 18 pls. Price, \$1.00.

XXIII. Geology of the Green Mountains in Massachusetts, by Raphael Pumpelly, J. E. Wolff, and T. Nelson Dale. 1894. xiv, 206 pp., 23 pls. and maps. Price, \$1.30.

XXIV. Mollusca and Crustacea of the Miocene formations of New Jersey, by Robert Parr Whitfield. 1894. 195 pp., 24 pls. Price, 90 cents.

XXV. The glacial Lake Agassiz, by Warren Upham. 1895. xxiv, 658 pp., 38 pls. and maps. Price, \$1.70.

XXVI. The flora of the Amboy clays, by John Strong Newberry; a posthumous work, edited by Arthur Hollick. 1895. 260 pp., 58 pls. Price, \$1.00.

XXVII. Geology of the Denver Basin in Colorado, by Samuel Franklin Emmons, Whitman Cross, and George Homans Eldridge. 1896. xxi, 556 pp., 31 pls. and maps. Price, \$1.50.

XXVIII. The Marquette iron-bearing district of Michigan, with an atlas, by Charles Richard Van Hise and William Shirley Bayley, including a chapter on the Republic trough, by Henry Lloyd Smyth. 1897. xxvii, 608 pp., 35 pls. and maps, and atlas of 39 sheets folio. Price \$5.75.

XXIX. Geology of Old Hampshire County, Massachusetts, comprising Franklin, Hampshire, and Hampden counties, by Benjamin Kendall Emerson. 1898. xxi, 790 pp., 35 pls. and maps. Price, \$1.90.

XXX. Fossil Medusæ, by Charles Doolittle Walcott. 1898. ix, 201 pp., 47 pls. Price, \$1.50.

XXXI. Geology of the Aspen mining district, Colorado, with atlas, by Josiah Edward Spurr. Samuel Franklin Emmons, geologist in charge. 1898. xxxv, 260 pp., 43 pls., and atlas of 30 sheets folio. Price, \$3.60.

XXXII. Geology of the Yellowstone National Park. Part II, Descriptive geology, petrography, and paleontology, by Arnold Hague, J. P. Iddings, W. H. Weed, C. D. Walcott, G. H. Girty, T. W. Stanton, and F. H. Knowlton. 1899. xvii, 893 pp., 121 pls. and maps. Price, \$2.45. (Part I not yet published.)

XXXIII. Geology of the Narragansett Basin, by N. S. Shaler, J. B. Woodworth, and A. F. Foerste. 1899. xx, 402 pp., 31 pls. and maps. Price, \$1.00.

XXXIV. The glacial gravels of Maine and their associated deposits, by George H. Stone. 1899. xiii, 499 pp., 52 pls. and maps. Price, \$1.30.

XXXV. The later extinct floras of North America, by John Strong Newberry; a posthumous work, edited by Arthur Hollick. 1898. xvii, 295 pp., 68 pls. Price, \$1.25.

XXXVI. The Crystal Falls iron-bearing district of Michigan, by J. Morgan Clements and Henry Lloyd Smyth; with a chapter on the Sturgeon River tongue, by William Shirley Bayley; and an introduction by Charles Richard Van Hise. 1899. xxxvi, 512 pp., 53 pls. and maps. Price, \$2.00.

XXXVII. Fossil flora of the Lower Coal Measures of Missouri, by David White. 1899. xi, 467 pp., 73 pls. Price, \$1.25.

XXXVIII. The Illinois glacial lobe, by Frank Leverett. 1899. xxi, 817 pp., 24 pls. and maps. Price, \$1.60.

XXXIX. The Eocene and Lower Oligocene coral taunas of the United States, with descriptions of a few doubtfully Cretaceous species, by T. Wayland Vaughan: 1900. 263 pp., 24 pls. Price, \$1.10.

XL. Adephagous and clavicorn Coleoptera from the Tertiary deposits at Florissant, Colorado, with descriptions of a few other forms, and a systematic list of the non-rhynchophorous Tertiary Coleoptera of North America, by Samuel Hubbard Scudder. 1900. 148 pp., 11 pls. Price, 80 cents.

BULLETINS.

Department of the Interior Bulletin of the United States Geological Survey No. 1 [-176] [Seal of the department] Washington Government Printing Office 1883 [-1900]

- 8°. 176 pamphlets or unbound volumes, in "granite" covers. For sale at price of publication. The first 54 bulletins are provided with volume pagination (at the bottom), and volume titles, etc., were issued for 8 volumes. Beginning with Bulletin No. 55 this feature was discontinued.
 - 1. On hypersthene-andesite and on triclinic pyroxene in augitic rocks, by Whitman Cross, with a geological sketch of Buffalo peaks, Colorado, by S. F. Emmons, geologist in charge of Rocky Mountain division. 1883. 42 pp., 2 pls. Price, 10 cents.
 - 2. Gold and silver conversion tables, giving the coining values of troy ounces of fine metal and the weights of fine metal represented by given sums of United States money, computed by Albert Williams, jr., chief of division of mining statistics and technology. 1883. 8 pp. Price, 5 cents.
 - 3. On the fossil faunas of the Upper Devonian, along the meridian of 76° 30′, from Tompkins County, N. Y., to Bradford County, Pa., by Henry S. Williams, 1884. 36 pp. Price, 5 cents.
 - 4. On Mesozoic fossils, by Charles A. White, M. D. 1884. 36 pp., 9 pls. Price, 5 cents.
 - 5. A dictionary of altitudes in the United States, compiled by Henry Gannett, chief geographer. 1884. 325 pp. Price, 20 cents.
 - 6. Elevations in the Dominion of Canada, by J. W. Spencer. 1884. 43 pp. Price, 5 cents.
 - 7. Mapoteca geologica Americana; a catalogue of geological maps of America (North and South), 1752–1881, in geographic and chronologic order, by Jules Marcou and John Belknap Marcou. 1884. 184 pp. Price, 10 cents.
 - 8. On secondary enlargements of mineral fragments in certain rocks, by R. D. Irving and C. R. Van Hise. 1884. 56 pp., 6 pls. Price, 10 cents.
 - 9. A report of work done in the Washington laboratory during the fiscal year 1883-84; F. W. Clarke, chief chemist; T. M. Chatard, assistant chemist. 1884. 40 pp. Price, 5 cents.

Mineral, rock, and ore analyses, pp. 9-18.

Water analyses, pp. 19-35.

The estimation of alkalies in silicates, by Thomas M. Chatard, pp. 36-37.

- 10. On the Cambrian faunas of North America; preliminary studies, by Charles Doolittle Walcott. 1884. 74 pp., 10 pls. Price, 5 cents.
- 11. On the Quaternary and recent Mollusca of the Great Basin, with descriptions of new forms, by R. Ellsworth Call; introduced by a sketch of the Quaternary lakes of the Great Basin, by G. K. Gilbert. 1884. 66 pp., 6 pls. and map. Price, 5 cents.

- 12. A crystallographic study of the thinolite of Lake Lahontan, by Edward S. Dana. 1884. 34 pp., 3 pls. Price, 5 cents.
- 13. Boundaries of the United States and of the several States and Territories, with a historical sketch of the territorial changes, by Henry Gannett, chief geographer. 1885. 135 pp. Price, 10 cents. (Out of stock.)
- 14. The electrical and magnetic properties of the iron-carburets, by Carl Barus and Vincent Strouhal. 1885. 238 pp. Price, 15 cents.
- 15. On the Mesozoic and Cenozoic paleontology of California, by Charles A. White, M. D. 1885. 33 pp. Price, 5 cents.
- 16. On the higher Devonian faunas of Ontario County, New York, by John M. Clarke. 1885. 86 pp., 3 pls. Price, 5 cents.
- 17. On the development of crystallization in the igneous rocks of Washoe, Nevada, with notes on the geology of the district, by Arnold Hague and Joseph P. Iddings. 1885. 44 pp. Price, 5 cents.
- 18. On marine Eocene, fresh-water Miocene, and other fossil Mollusca of western North America, by Charles A. White, M. D. 1885. 26 pp., 3 pls. Price, 5 cents.
- 19. Notes on the stratigraphy of California, by George F. Becker. 1885. 28 pp. Price, 5 cents. (Out of stock.)
- 20. Contributions to the mineralogy of the Rocky Mountains, by Whitman Cross and W. F. Hillebrand. 1885. 114 pp., 1 pl. Price, 10 cents.
- 21. The lignites of the Great Sioux Reservation; a report on the region between the Grand and Moreau rivers, Dakota, by Bailey Willis. 1885. 16 pp., 5 pls. and maps. Price, 5 cents.
- 22. On new Cretaceous fossils from California, by Charles A. White, M. D. 1885. 25 pp., 5 pls. Price, 5 cents.
- 23. Observations on the junction between the eastern sandstone and the Keweenaw series on Keweenaw Point, Lake Superior, by R. D. Irving and T. C. Chamberlin. 1885. 124 pp., 17 pls. and maps. Price, 15 cents.
- 24. List of marine Mollusca, comprising the Quaternary fossils and recent forms from American localities between Cape Hatteras and Cape Roque, including the Bermudas, by William Healey Dall. 1885. 336 pp. Price, 25 cents.
- 25. The present technical condition of the steel industry of the United States, by Phineas Barnes. 1885. 85 pp. Price, 10 cents.
- 26. Copper smelting, by Henry M. Howe. 1885. 107 pp. Price, 10 cents. (Out of stock.)
- 27. Report of work done in the division of chemistry and physics, mainly during the fiscal year 1884-85. 1886. 80 pp. Price, 10 cents.

Topaz, from Stoneham, Maine, by F. W. Clarke, pp. 9-15.

On the separation of titanium and aluminum, with a note on the separation of titanium and iron, by F. A. Gooch, pp. 16-26.

A method of filtration by means of easily soluble and easily volatile filters, by F. A. Gooch, pp. 27-29.

The relation between electrical resistance and density, when varying with the temper of steel, by C. Barus and V. Strouhal, pp. 80-50.

The relation between time of exposure, temper-value, and color in oxide films on steel, by C. Barus and V. Strouhal, pp. 51-61.

Miscellaneous analyses, pp. 62-76.

- 28. The gabbros and associated hornblende rocks occurring in the neighborhood of Baltimore, Md., by George Huntington Williams, associate professor in the Johns Hopkins University. 1886. 78 pp., 4 pls. Price, 10 cents.
- 29. On the fresh-water invertebrates of the North American Jurassic, by Charles A. White, M. D. 1886. 41 pp., 4 pls. Price, 5 cents.
- 30. Second contribution to the studies on the Cambrian faunas of North America, by Charles Doolittle Walcott. 1886. 369 pp., 33 pls. Price, 25 cents.

- 31. Systematic review of our present knowledge of fossil insects, including myriapods and arachnids, by Samuel Hubbard Scudder. 1886. 128 pp. Price, 15 cents.
- 32. Lists and analyses of the mineral springs of the United States; a preliminary study, by Albert C. Peale, M. D. 1886. 235 pp. Price, 20 cents.
- 33. Notes on the geology of northern California, by J. S. Diller. 1886. 23 pp. Price, 5 cents.
- 34. On the relation of the Laramie molluscan fauna to that of the succeeding fresh-water Eocene and other groups, by Charles A. White, M. D. 1886. 54 pp., 5 pls. Price, 10 cents.
- 35. Physical properties of the iron-carburets, third paper (preceding papers on the iron-carburets in Bulletins 14 and 27), by Carl Barus and Vincent Strouhal. 1886. 62 pp. Price, 10 cents.
- 36. Subsidence of fine solid particles in liquids, by Carl Barus. 1886. 54 pp. Price, 10 cents.
- 37. Types of the Laramie flora, by Lester F. Ward. 1887. pp. 1-117, 347-354 (no pages 118-348, but instead), pls. 1-57. Price, 25 cents.
- 38. Peridotite of Elliott County, Kentucky, by J. S. Diller. 1887. 31 pp., 1 pl. (map). Price, 5 cents.
- 39. The upper beaches and deltas of the glacial lake Agassiz, by Warren Upham. 1887. 84 pp., 1 pl. (map). Price, 10 cents.
- 40. Changes in river courses in Washington Territory due to glaciation, by Bailey Willis. 1887. 10 pp., 4 pls. (maps). Price, 5 cents.
- 41. On the fossil faunas of the upper Devonian—the Genesee section, New York, by Henry S. Williams. 1887. 123 pp., 4 pls. Price, 15 cents.
- √ 42. Report of work done in the division of chemistry and physics, mainly during the fiscal year 1885–86; F. W. Clarke, chief chemist. 1887. 152 pp., 1 pl. (map). Price, 15 cents.

Researches on the lithia micas, by F. W. Clarke, pp. 11-27, pl. i.

The minerals of Litchfield, Maine, by F. W. Clarke, pp. 28-38.

Turquoise from New Mexico, by F. W. Clarke and J. S. Diller, pp. 39-44.

The gneiss dunyte contacts of Corundum Hill, North Carolina, in relation to the origin of corundum, by Thomas M. Chatard, pp. 45-63.

A method for the separation and estimation of boric acid, with an account of a convenient form of apparatus for quantitative distillations, by F. A. Gooch, pp. 64-72.

A method for the separation of sodium and potassium from lithium by the action of amyl alcohol on the chlorides, with some reference to a similar separation of the same from mag nesium and calcium, by F. A. Gooch, pp. 73–88.

The indirect estimation of chlorine, bromine, and iodine by the electrolysis of their silver salts, with experiments on the convertibility of the silver salts by the action of alkaline haloids, by J. Edward Whitfield, pp. 89-93.

On two new meteoric irons and an iron of doubtful nature, by R. B. Riggs, pp. 94-97.

The effect of sudden cooling exhibited by glass and by steel, by C. Barus and V. Strouhal, pp. 98-131.

The specific gravity of lampblack, by William Hallock, pp. 132-135.

Miscellaneous analyses, pp. 136-149.

- 43. Tertiary and Cretaceous strata of the Tuscaloosa, Tombigbee, and Alabama rivers, by Eugene A. Smith and Lawrence C. Johnson. 1887. 189 pp., 21 pls. Price, 15 cents.
- 44. Bibliography of North American geology for 1886, by Nelson H. Darton. 1887. 35 pp. Price, 5 cents.
- 45. The present condition of knowledge of the geology of Texas, by Robert T. Hill. 1887. 95 pp. Price, 10 cents.
- 46. Nature and origin of deposits of phosphate of lime, by R. A. F. Penrose, jr., with an introduction by N. S. Shaler. 1888. 143 pp., 3 pls. (maps). Price, 15 cents.

- 47. Analyses of waters of the Yellowstone National Park, with an account of the methods of analysis employed, by Frank Austin Gooch and James Edward Whitfield. 1888. 84 pp. Price, 10 cents.
- 48. On the form and position of the sea level, with special reference to its dependence on superficial masses symmetrically disposed about a normal to the earth's surface, by Robert Simpson Woodward. 1888. 88 pp. Price, 10 cents.
- 49. Latitudes and longitudes of certain points in Missouri, Kansas, and New Mexico, by Robert Simpson Woodward. 1889. 133 pp. Price, 15 cents.
- 50. Formulas and tables to facilitate the construction and use of maps, by Robert Simpson Woodward. 1889. 124 pp. Price, 15 cents.
- 51. On invertebrate fossils from the Pacific coast, by Charles A. White. 1889. 102 pp., 14 pls. Price, 15 cents.
- 52. Subaerial decay of rocks and origin of the red color of certain formations, by Israel Cook Russell. 1889. 65 pp., 5 pls. Price, 10 cents.
- 53. The geology of Nantucket, by Nathaniel Southgate Shaler. 1889. 55 pp., 10 pls. Price, 10 cents.
- 54. On the thermo-electric measurement of high temperatures, by Carl Barus. 1889. 313 pp., frontispiece, and 9 leaves containing figs. 7, 8, 9, 16, 21, 22, 30, 37, 38, 39, 42. Price, 25 cents.
- 55. Report of work done in the division of chemistry and physics, mainly during the fiscal year 1886-87; Frank Wigglesworth Clarke, chief chemist. 1889. 96 pp., 1 pl. Price, 10 cents.

Studies in the mica group, by F. W. Clarke, pp. 13-18.

The analysis and composition of tourmaline, by R. B. Riggs, pp. 19-37.

Notes on certain rare copper minerals from Utah, by W. F. Hillebrand and H. S. Washington, pp. 38-47.

Mineralogical notes, by W. F. Hillebrand, pp. 48-55.

Analyses of natural borates, and borosilicates, by J. Edward Whitfield, pp. 56-62.

Meteorites from Johnson County, Arkansas, and Allen County, Kentucky, by J. Edward Whitfield, pp. 63-64.

Scorodite from the Yellowstone Park, by J. Edward Whitfield, pp. 65, 66.

The flow of solids, or the behavior of solids under high pressure, by William Hallock, pp. 67–75, pl. i.

Miscellaneous analyses, pp. 79-93.

- 56. Fossil wood and lignite of the Potomac formation, by Frank Hall Knowlton. 1889. 72 pp., 7 pls. Price, 10 cents.
- $57.\,$ A geological reconnaissance in southwestern Kansas, by Robert Hay. $\,$ 1890. 49 pp., 2 pls. $\,$ Price, 5 cents.
- 58. The glacial boundary in western Pennsylvania, Ohio, Kentucky, Indiana, and Illinois, by George Frederick Wright, with an introduction by Thomas Chrowder Chamberlin. 1890. 112 pp., 8 pls. Price, 15 cents.
- 59. The gabbros and associated rocks in Delaware, by Frederick D. Chester, 1890. 45 pp., 1 pl. (map). Price, 10 cents.
- 60. Report of work done in the division of chemistry and physics, mainly during the fiscal year 1887-88; F. W. Clarke, chief chemist. 1890. 174 pp. Price, 15 cents.

The chemical structure of the natural silicates, by F. W. Clarke, pp. 13-20.

Some nickel ores from Oregon, by F. W. Clarke, pp. 21-26.

Natural soda; its occurrence and utilization, by Thomas Marcan Chatard, pp. 27-101.

Analyses of six new meteorites, by J. Edward Whitfield, pp. 103-114.

Two sulphantimonites from Colorado, by L. G. Eakins, pp. 115-117.

Coefficients of volatility for aqueous chlorhydric acid, by Robert B. Warder, pp. 119-122. Analyses of jade, by F. W. Clarke, pp. 123-127.

Mineralogical notes, pp. 129-137.

The subsidence of fine solid particles in liquids (second paper), by Carl Barus, pp. 139-145.

A new method of making alloys, by William Hallock, pp. 147-148.

Miscellaneous analyses, pp. 149-174.

- 61. Contributions to the mineralogy of the Pacific coast, by William Harlow Melville and Waldemar Lindgren. 1890. 40 pp., 3 pls. Price, 5 cents.
- 62. The greenstone-schist areas of the Menominee and Marquette regions of Miçhigan, a contribution to the subject of dynamic metamorphism in eruptive rocks, by George Huntington Williams, with an introduction by Roland Duer Irving. 1890. 241 pp., 16 pls. Price, 30 cents.
- 63. A bibliography of Paleozoic Crustacea from 1698 to 1889, including a list of North American species and a systematic arrangement of genera, by Anthony W. Vodges. 1890. 177 pp. Price, 15 cents.
- 64. A report of work done in the division of chemistry and physics, mainly during the fiscal year 1888-89; F. W. Clarke, chief chemist. 1890. 60 pp. Price, 10 cents.

A theory of the mica group, by F. W. Clarke, pp. 9-19.

A platiniferous nickel ore from Canada, by F. W. Clarke and Charles Catlett, pp. 20-21.

A new occurrence of gyrolite, by F. W. Clarke, pp. 22-23.

Analyses of three descloizites from new localities, by W. F. Hillebrand, pp. 24-28.

A new meteorite from Mexico, by J. Edward Whitfield, pp. 29-30.

Dumortierite from Harlem, New York, and Clip, Arizona, by J. S. Diller and J. E. Whitfield, pp. 31-33.

Chemical action between solids, by William Hallock, pp. 34-37.

The flow of solids; a note, by William Hallock, pp. 38-39.

Miscellaneous analyses, pp. 40-60.

- 65. Stratigraphy of the bituminous coal field of Pennsylvania, Ohio, and West Virginia, by Israel C. White. 1891. 212 pp., 11 pls. Price, 20 cents. (Out of stock.)
- 66. On a group of volcanic rocks from the Tewan Mountains, New Mexico, and on the occurrence of primary quartz in certain basalts, by Joseph Paxson Iddings. 1890. 34 pp. Price, 5 cents.
- 67. The relations of the traps of the Newark system in the New Jersey region, by Nelson Horatio Darton. 1890. 82 pp., 6 pls. and maps. Price, 10 cents.
- 68. Earthquakes in California in 1889, by James Edward Keeler, astronomer in charge of earthquake observations, Lick Observatory. 1890. 25 pp. Price, 5 cents.
- 69. A classed and annotated bibliography of fossil insects, by Samuel Hubbard Scudder. 1890. 101 pp. Price, 15 cents.
- 70. Report on astronomical work of 1889 and 1890, by Robert Simpson Woodward. 1890. 79 pp. Price, 10 cents.
- 71. Index to the known fossil insects of the world, including myriapods and arachnids, by Samuel Hubbard Scudder. 1891. 744 pp. Price, 50 cents.
- 72. Altitudes between Lake Superior and the Rocky Mountains, by Warren Upham. 1891. 229 pp. Price, 20 cents.
- 73. The viscosity of solids, by Carl Barus. 1891. xii, 139 pp., 6 pls. Price, 15 cents.
- 74. The minerals of North Carolina, by Frederick Augustus Genth. 1891. 119 pp. Price, 15 cents.
- 75. Record of North American geology for 1887 to 1889, inclusive, by Nelson Horatio Darton. 1891. 173 pp. Price, 15 cents.
- 76. A dictionary of altitudes in the United States (second edition), compiled by Henry Gannett, chief topographer. 1891. 393 pp. Price, 25 cents. (Out of stock.)
- 77. The Texan Permian and its Mesozoic types of fossils, by Charles A. White. 1891. 51 pp., 4 pls. Price, 10 cents.
- 78. A report of work done in the division of chemistry and physics, mainly during the fiscal year 1889-'90; F. W. Clarke, chief chemist. 1891. 131 pp. Price. 15 cents.

Experiments upon the constitution of the natural silicates, by F. W. Clarke and E. A. Schneider, pp. 11-33.

The relative abundance of the chemical elements, by F. W. Clarke, pp. 34-42.

On the occurrence of nitrogen in uraninite and on the composition of uraninite in general, by W. F. Hillebrand, pp. 43-79.

Metacinnabarite from New Almaden, California, by W. H. Melville, pp. 80-83.

An apparatus for the determination of water in the mineral analyses, by Thomas M. Chatard, pp. 84-86.

The separation of titanium, chromium, aluminum, iron, barium, and phosphoric acid in rock analyses, by Thomas M. Chatard, pp. 87-90.

Seven new meteorites, by L. G. Eakins, pp. 91-97.

On a petroleum from Cuba, by H. N. Stokes, pp. 98-104.

On a supposed mineral resin from Livingston, Montana, by H. N. Stokes, pp. 105-108.

Preliminary note on the coefficients of thermal expansion of certain rocks, by William Hallock, pp. 109-118.

Miscellaneous analyses, pp. 119-129.

- 79. A late volcanic eruption in northern California and its peculiar lava, by Joseph Silas Diller. 1891. 33 pp., 17 pls. Price, 10 cents.
- 80. Correlation papers—Devonian and Carboniferous, by Henry Shaler Williams. 1891. 279 pp. Price, 20 cents.
- 81. Correlation papers—Cambrain, by Charles Doolittle Walcott. 1891. 447 pp., 3 pls. (maps). Price, 25 cents. (Out of stock.)
- 82. Correlation papers—Cretaceous, by Charles A. White. 1891. 273 pp., 3 pls. and maps. Price, 20 cents.
- 83. Correlation papers—Eocene, by William Bullock Clark. 1891. 173 pp., 2 pls. (maps). Price, 15 cents.
- 84. Correlation papers—Neocene, by William Healey Dall and Gilbert Dennison Harris. 1892. 349 pp., 3 pls. (maps). Price, 25 cents.
- 85. Correlation papers—The Newark System, by Israel Cook Russell. 1892. 344 pp., 13 pls. and maps. Price, 25 cents.
- 86. Correlation papers—Archean and Algonkian, by Charles Richard Van Hise. 1892. 549 pp., 12 pls. (maps). Price, 25 cents. (Out of stock.)
- 87. A synopsis of American fossil Brachiopoda, including bibliography and synonymy, by Charles Schuchert. 1897. 464 pp., 1 pl. Price, 25 cents.
- 88. The Cretaceous Foraminifera of New Jersey, by Rufus Mather Bagg, jr. 1898. 89 pp., 6 pls. Price, 10 cents.
- 89. Some lava flows of the western slope of the Sierra Nevada, California, by F. Leslie Ransome. 1898. 74 pp., 11 pls. Price, 15 cents.
- 90. A report of work done in the division of chemistry and physics, mainly during the fiscal year 1890-91; Frank Wigglesworth Clarke, chief chemist. 1892. 77 pp. Price, 10 cents.

On the constitution of certain micas, vermiculites, and chlorites, by F. W. Clarke and E. A. Schneider, pp. 11-21.

New analyses of uraninite, by W. F. Hillebrand, pp. 22-25.

On the isomorphism and composition of thorium and uranous sulphates, by W. F. Hillebrand and W. H. Melville, pp. 26-33.

Powellite—calcium molybdate; a new mineral species, by W. H. Melville, pp. 34-37.

Mineralogical notes, by W. H. Melville, pp. 38-40.

New analyses of astrophyllite and tscheffkinite, by L. G. Eakins, pp. 41-44.

Two new meteorites, by L. G. Eakins, pp. 45-46.

On the action of phosphorous oxychloride on the ethers and chlorhydrines of silicic acid, by H. N. Stokes, pp. 47-55.

On the colloidal sulphides of gold, by E. A. Schneider, pp. 56-61.

Miscellaneous analyses, pp. 62-75.

- 91. Record of North American geology for 1890, by Nelson Horatio Darton. 1891. 88 pp. Price, 10 cents.
- 92. The compressibility of liquids, by Carl Barus. 1892. 96 pp., 29 pls. Price, 10 cents.
- 93. Some insects of special interest from Florissant, Colorado, and other points in the Tertiaries of Colorado and Utah, by Samuel Hubbard Scudder. 1892. 35 pp., 3 pls. Price, 5 cents.

- 94. The mechanism of solid viscosity, by Carl Barus. 1892. 138 pp. Price, 15 cents.
- 95. Earthquakes in California in 1890 and 1891, by Edward Singleton Holden. 1892. 31 pp. Price, 5 cents.
- 96. The volume thermodynamics of liquids, by Carl Barus. 1892. 100 pp., 8 pls. Price, 10 cents.
- 97. The Mesozoic Echinodermata of the United States, by William Bullock Clark. 1893. 207 pp., 50 pls. Price, 20 cents.
- 98. Flora of the outlying Carboniferous basins of southwestern Missouri, by David White. 1893. 139 pp., 5 pls. Price, 15 cents.
- 99. Record of North American geology for 1891, by Nelson Horatio Darton. 1892. 73 pp. Price, 10 cents.
- 100. Bibliography and index of the publications of the United States Geological Survey, with the laws governing their printing and distribution, by Philip Creveling Warman. 1893. 495 pp. Price, 25 cents.
- 101. Insect fauna of Rhode Island coal field, by Samuel Hubbard Scudder. 1893. 27 pp., 2 pls. Price, 5 cents.
- 102. A catalogue and bibliography of North American Mesozoic Invertebrata, by Cornelius Breckinridge Boyle. 1893. 315 pp. Price, 25 cents.
- 103. High temperature work in igneous fusion and ebullition, chiefly in relation to pressure, by Carl Barus. 1893. 57 pp., 9 pls. Price, 10 cents.
- 104. The glaciation of the Yellowstone Valley north of the Park, by Walter Harvey Weed. 1893. 41 pp., 4 pls. Price, 5 cents.
- 105. The Laramie and the overlying Livingston formation in Montana, by Walter Harvey Weed, with report on flora, by Frank Hall Knowlton. 1893. 68 pp., 6 pls. Price, 10 cents...
- 106. The Colorado formation and its invertebrate fauna, by Timothy W. Stanton. 1893. 288 pp., 45 pls. Price, 20 cents.
- 107. The trap dikes of the Lake Champlain region, by James Furman Kemp and Vernon Freeman Marsters. 1893. 62 pp., 4 pls. Price, 10 cents.
- 108. A geological reconnoissance in central Washington, by Israel Cook Russell. 1893. 108 pp., 12 pls. and maps. Price, 15 cents.
- 109. The eruptive and sedimentary rocks on Pigeon Point, Minnesota, and their contact phenomena, by William Shirley Bayley. 1893. 121 pp., 16 pls. and maps. Price, 15 cents.
- 110. The Paleozoic section in the vicinity of Three Forks, Montana, by Albert Charles Peale; with petrographic notes by George Perkins Merrill. 1893. 56 pp., 6 pls. Price, 10 cents.
- 111. Geology of the Big Stone Gap coal field of Virginia and Kentucky, by Marius R. Campbell. 1893. 106 pp., 6 pls. and maps. Price, 15 cents.
- 112. Earthquakes in California in 1892, by Charles D. Perrine, of the Lick Observatory. 1893. 57 pp. Price, 10 cents.
- 113. A report of work done in the division of chemistry during the fiscal years 1891–92 and 1892–93; Frank Wigglesworth Clarke, chief chemist. 1893. 115 pp. Price, 15 cents.

Tschermak's theory of the chlorite group and its alternative, by F. W. Clarke, pp. 11-21.

The constitution of the lithia micas, by F. W. Clarke, pp. 22-26.

- Experiments upon the constitution of certain micas and chlorites, by F. W. Clarke and E. A. Schneider, pp. 27-33.
- Notes on the action of ammonium chloride upon silicates, by E. A. Schneider and F. W. Clarke, pp. 34-36.
- The preparation and specific gravity of crystallized uranium dioxide, by W. F. Hillebrand, pp. 37-40.
- A further example of the isomorphism of thoria and uranium dioxide, by W. F. Hillebrand, pp. 41-43.
- The composition of rowlandite and mackintoshite, by W. F. Hillebrand, pp. 44-48.

Zinc-bearing spring waters from Missouri, by W. F. Hillebrand, pp. 49-53.

Josephinite, a new nickel iron, by W. H. Melville, pp. 54-60.

A new meteorite from Hamblen County, Tennessee, by L. G. Eakins, pp. 61-62.

On the catalytic action of aluminum chloride on silicic ethers, by H. N. Stokes, pp. 63-76.

On the action of phosphorus oxychloride on aromatic silicic ethers, by H. N. Stokes, pp. 77–78. Note on benzyl silicate, by H. N. Stokes, p. 79.

On amidophosphoric acid, by H. N. Stokes, pp. 80-94.

On some organosols, by E. A. Schneider, pp. 95-98.

On the preparation of a pure hydrosol of silver, by E. A. Schneider, pp. 99-101.

Contributions to the knowledge of colloidal silver, by E. A. Schneider, pp. 102–108.

Miscellaneous analyses, pp. 109-114.

114. Earthquakes in California in 1893, by Charles D. Perrine, of the Lick Observatory. 1894. 23 pp. Price, 5 cents.

115. A geographic dictionary of Rhode Island, by Henry Gannett. 1894. 31 pp. Price, 5 cents.

116. A geographic dictionary of Massachusetts, by Henry Gannett. 1894. 126 pp. Price, 15 cents.

117. A geographic dictionary of Connecticut, by Henry Gannett. 1894. 67 pp. Price, 10 cents.

118. A geographic dictionary of New Jersey, by Henry Gannett. 1894. 131 pp. Price, 15 cents.

119. A geologic reconnoissance in northwest Wyoming, by George Homans Eldridge. 1894. 72 pp, 4 pls. Price, 10 cents.

120. The Devonian system of eastern Pennsylvania and New York, by Charles S. Prosser. 1894. 81 pp., 2 pls. Price, 10 cents.

121. A bibliography of North American paleontology, 1888–1892, by Charles Rollin Keyes. 1894. 251 pp. Price, 20 cents.

122. Results of primary triangulation, by Henry Gannett. 1894. 412 pp., 17 pls. Price, 25 cents.

123. A dictionary of geographic positions in the United States, compiled by Henry Gannett, chief topographer. `1895. 183 pp., 1 pl. (map). Price, 15 cents.

124. Revision of the North American fossil cockroaches, with descriptions of new forms, by Samuel Hubbard Scudder. 1895. 176 pp., 12 pls. Price, 15 cents.

125. The constitution of the silicates, by Frank Wigglesworth Clarke, chief chemist. 1895. 109 pp. Price, 15 cents.

126. A mineralogical lexicon of Franklin, Hampshire, and Hampden counties, Massachusetts, by Benjamin Kendall Emerson. 1895. 180 pp., 1 pl. Price, 15 cents.

127. Catalogue and index of contributions to North American geology, 1732–1891, by Nelson Horatio Darton. 1896. 1045 pp. Price, 60 cents.

128. The Bear River formation and its characteristic fauna, by Charles A. White. 1895. 108 pp., 11 pls. Price, 15 cents.

129. Earthquakes in California in 1894, by Charles D. Perrine, of the Lick Observatory. 1895. 25 pp. Price, 5 cents.

130. Bibliography and index of North American geology, paleontology, petrology, and mineralogy for 1892 and 1893, by Fred Boughton Weeks. 1896. 210 pp. Price, 20 cents.

131. Report of progress of the division of hydrography for the calendar years 1893 and 1894, by Frederick Haynes Newell, topographer in charge. 1895. 126 pp. Price, 15 cents.

132. The disseminated lead ores of southeastern Missouri, by Arthur Winslow. 1896. 31 pp., 6 pls. Price, 5 cents.

133. Contributions to the Cretaceous paleontology of the Pacific coast: The fauna of the Knoxville beds, by Timothy William Stanton. 1895. 132 pp., 20 pls. Price, 15 cents.

- 134. The Cambrian rocks of Pennsylvania, by Charles Doolittle Walcott. 1896. 43 pp., 15 pls. Price, 5 cents.
- 135. Bibliography and index of North American geology, paleontology, petrology, and mineralogy for the year 1894, by Fred Boughton Weeks. 1896. 141 pp. Price, 15 cents.
- 136. The ancient volcanic rocks of South Mountain, Pennsylvania, by Florence Bascom. 1896. 124 pp., 28 pls. and maps. Price, 15 cents.
- 137. The geology of the Fort Riley military reservation and vicinity, Kansas, by Robert Hay. 1896. 35 pp., 8 pls. Price, 5 cents.
- 138. Artesian well prospects in the Atlantic Coastal Plain region, by Nelson Horatio Darton. 1896. 232 pp., 19 pls. and maps. Price, 20 cents.
- 139. Geology of the Castle Mountain mining district, Montana, by Walter Harvey Weed and Louis Valentine Pirsson. 1896. 164 pp., 17 pls. and maps. Price, 15 cents.
- 140. Report of progress of the division of hydrography for the calendar year 1895, by Frederick Haynes Newell, hydrographer in charge. 1896. 356 pp. Price, 25 cents.
- 141. The Eocene deposits of the Middle Atlantic slope in Delaware, Maryland, and Virginia, by William Bullock Clark. 1896. 167 pp., 40 pls. Price, 15 cents.
- 142. A brief contribution to the geology and paleontology of northwestern Louisiana, by T. Wayland Vaughan. 1896. 65 pp., 4 pls. Price, 10 cents.
- 143. Bibliography of clays and the ceramic arts, by John Casper Branner. 1896. 114 pp. Price, 15 cents.
- 144. The moraines of the Missouri Coteau and their attendant deposits, by James Edward Todd. 1896. 71 pp., 21 pls. Price, 10 cents.
- 145. The Potomac formation in Virginia, by William Morris Fontaine. 1896. 149 pp., 2 pls. Price, 15 cents.
- 146. Bibliography and index of North American geology, paleontology, petrology, and mineralogy for the year 1895, by Fred Boughton Weeks. 1896. 130 pp. Price, 15 cents.
- . 147. Earthquakes in California in 1895, by Charles D. Perrine, assistant astronomer in charge of earthquake observations at the Lick Observatory. 1896. 23 pp. Price, 5 cents.
- 148. Analyses of rocks, with a chapter on analytical methods, laboratory of the United States Geological Survey, 1880–1896, by F. W. Clarke and W. F. Hillebrand. 1897. 306 pp. Price, 20 cents. (Out of stock.)
 - 149. Bibliography and index of North American geology, paleontology, petrology, and mineralogy for the year 1896, by Fred Boughton Weeks. 1897. 152 pp. Price, 15 cents.
 - 150. The educational series of rock specimens collected and distributed by the United States Geological Survey, by Joseph Silas Diller. 1898. 400 pp., 47 pls. Price, 25 cents. (Out of stock.)
 - 151. The Lower Cretaceous gryphæas of the Texas region, by Robert Thomas Hill and Thomas Wayland Vaughan. 1898. 139 pp., 35 pls. Price, 15 cents.
 - 152. A catalogue of the Cretaceous and Tertiary plants of North America, by Frank Hall Knowlton. 1898. 247 pp. Price, 20 cents.
 - 153. A bibliographic index of North American Carboniferous invertebrates, by Stuart Weller. 1898. 653 pp. Price, 35 cents.
 - 154. A gazetteer of Kansas, by Henry Gannett. 1898. 246 pp., 6 pls. Price, 20 cents.
 - 155. Earthquakes in California in 1896 and 1897, by Charles D. Perrine, assistant astronomer in charge of earthquake observations at the Lick Observatory. 1898. 47 pp. Price, 5 cents.

156. Bibliography and index of North American geology, paleontology, petrology, and mineralogy for the year 1897, by Fred Boughton Weeks. 1898. 130 pp. Price, 15 cents.

157. The gneisses, gabbro-schists, and associated rocks of southwestern Minnesota, by Christopher Webber Hall. 1899. 160 pp., 6 ll., 27 pls. and maps. Price, 45 cents.

158. The moraines of southeastern South Dakota and their attendant deposits, by James Edward Todd. 1899. 171 pp., 27 pls. and maps. Price, 25 cents.

159. The geology of eastern Berkshire County, Massachusetts, by Benjamin Kendall Emerson. 1899. 139 pp., 9 pls. and maps. Price, 20 cents.

160. A dictionary of altitudes in the United States (third edition), compiled by Henry Gannett. 1899. 775 pp. Price, 40 cents.

161. Earthquakes in California in 1898, by Charles D. Perrine, assistant astronomer in charge of earthquake observations at the Lick Observatory. 1899. 31 pp., 1 pl. Price, 5 cents.

162. Bibliography and index of North American geology, paleontology, petrology, and mineralogy for the year 1898, by Fred Boughton Weeks. 1899. 163 pp. Price 15 cents.

163. Flora of the Montana formation, by Frank Hall Knowlton. 1900. 118 pp., 19 pls. Price, 15 cents.

164. Reconnaissance in the Rio Grande coal fields of Texas, by Thomas Wayland Vaughan, including a report on igneous rocks from the San Carlos coal field, by E. C. E. Lord. 1900. 100 pp., 11 pls. and maps. Price, 20 cents.

165. Contributions to the geology of Maine, by Henry S. Williams and Herbert E. Gregory. 1900. 212 pp., 14 pls. Price, 25 cents.

Preface, by Henry S. Williams, pp. 11-14.

Pt. I. The Paleozoic faunas of Maine: A preliminary report upon the Paleozoic faunas already known and upon new faunas recently collected from Aroostook County, by Henry S. Williams, pp. 15-92, pls. i, ii.

Pt. II. Geology of the Aroostook volcanic area, including an account of the clastic rocks of Aroostook County, by Herbert E. Gregory, pp. 93–188, pls. iii–xiv.

Pt. III. List of localities of Paleozoic, igneous, and other crystalline rocks examined during the seasons of 1897 and 1898, by Henry S. Williams, pp. 189–203.

166. A gazetteer of Utah, by Henry Gannett. 1900. 43 pp., 1 pl. (map). Price, 15 cents.

167. Contributions to chemistry and mineralogy from the laboratory of the United States Geological Survey; Frank W. Clarke, chief chemist. 1900. 166 pp. Price, 15 cents.

Experiments relative to the constitution of pectolite, pyrophyllite, calamine, and analcite, by F. W. Clarke and George Steiger, pp. 13-25.

The constitution of tourmaline, by F. W. Clarke, pp. 26-36.

The colorimetric estimation of small amounts of chromium, with special reference to the analysis of rocks and ores, by W. F. Hillebrand, pp. 37-43.

Volumetric estimation of vanadium in presence of small amounts of chromium, with special reference to the analysis of rocks and ores, by W. F. Hillebrand, pp. 44-48.

Distribution and quantitative occurrence of vanadium and molybdenum in rocks of the United States, by W. F. Hillebrand, pp. 49-55.

Warning against the use of fluoriferous hydrogen peroxide in estimating titanium, by W. F. Hillebrand, p. 56.

Mineralogical notes, by W. F. Hillebrand, pp. 57-76.

On the chloronitrides of phosphorus and the metaphosphimic acids, by H. N. Stokes, pp. 77-153.

On a hydromica from New Jersey, by F. W. Clarke and N. H. Darton, pp. 154-155.

The alkaline reaction of some natural silicates, by F. W. Clarke, pp. 156-158.

The solubility in water of certain natural silicates, by George Steiger, pp. 159-160.

168. Analyses of rocks from the laboratory of the United States Geological Survey, 1880 to 1899, tabulated by F. W. Clarke, chief chemist. 1900. 308 pp. Price, 20 cents.

- 169. Altitudes in Alaska, compiled by Henry Gannett. 1900. 13 pp. Price, 5 cents.
- 170. Survey of the boundary line between Idaho and Montana from the international boundary to the crest of the Bitterroot Mountains, by Richard Urquhart Goode. 1900. 67 pp., 14 pls. Price, 15 cents.
- 171. Boundaries of the United States and of the several States and Territories, with an outline of the history of all important changes of territory (second edition), by Henry Gannett. 1900. 142 pp., 53 pls. Price, 30 cents.
- 172. Bibliography and index of North American geology, paleontology, petrology, and mineralogy for the year 1899, by Fred Boughton Weeks. 1900. 141 pp. Price, 15 cents.
- 173. A synopsis of American fossil Bryozoa, including bibliography and synonyma, by John M. Nickles and Ray S. Bassler. 1900. 663 pp. Price, 40 cents.
- 174. Survey of the northwestern boundary of the United States, 1857–1861, by Marcus Baker. 1900. 78 pp., 1 pl. (map). Price, 10 cents.
- 175. Triangulation and spirit leveling in Indian Territory, by C. H. Fitch. 1900. 141 pp., 1 pl. (map). Price, 10 cents.
- 176. Some principles and methods of rock analysis, by William Francis Hillebrand. 1900. 114 pp. Price, 15 cents.

WATER-SUPPLY AND IRRIGATION PAPERS.

Department of the Interior Water-Supply and Irrigation Papers of the United States Geological Survey No. 1 [-45] [Seal of the Department] Washington Government Printing Office 1896 [-1901]

- 8°. 45 pamphlets, in "terra-cotta" covers; each limited, by law, to 100 pages. Nos. 1–14, 20, 24, 25, 30, 32, and 33 are now out of stock.
 - 1. Pumping water for irrigation, by Herbert M. Wilson. 1896. 57 pp., 9 pls.
 - 2. Irrigation near Phœnix, Arizona, by Arthur Powell Davis. 1897. 98 pp., 31 pls. and maps.
 - 3. Sewage irrigation, by George W. Rafter. 1897. 100 pp., 4 pls.
 - 4. A reconnoissance in southeastern Washington, by Israel Cook Russell. 1897. 96 pp., 7 pls.
 - 5. Irrigation practice on the Great Plains, by Elias Branson Cowgill. 1897. 39 pp., 12 pls.
 - 6. Underground waters of southwestern Kansas, by Erasmus Haworth. 1897. 65 pp., 12 pls. and maps.
 - 7. Seepage water of northern Utah, by Samuel Fortier. 1897. 50 pp., 3 pls. and maps.
 - 8. Windmills for irrigation, by Edward Charles Murphy. 1897. 49 pp., 8 pls.
 - 9. Irrigation near Greeley, Colorado, by David Boyd. 1897. 90 pp., 21 pls.
 - 10. Irrigation in Mesilla Valley, New Mexico, by F. C. Barker. 1898. 51 pp., 11 pls.
 - 11. River heights for 1896, by Arthur Powell Davis. 1897. 100 pp.
 - 12. Underground waters of a portion of southeastern Nebraska, by Nelson Horatio Darton. 1898. 56 pp., 21 pls. and maps.
 - 13. Irrigation systems in Texas, by William Ferguson Hutson. 1898. 68 pp., 10 pls.
 - 14. New tests of certain pumps and water lifts used in irrigation, by Ozni Porter Hood. 1898. 91 pp., 1 pl.
 - 15. Operations at river stations, 1897, a report of the division of hydrography of the United States Geological Survey, Part I. 1898. 100 pp.
 - 16. Operations at river stations, 1897, a report of the division of hydrography of the United States Geological Survey, Part II. 1898. 101–200 pp.
 - 17. Irrigation near Bakersfield, California, by Carl Ewald Grunsky. 1898. 96 pp., 16 pls.
 - 18. Irrigation near Fresno, California, by Carl Ewald Grunsky. 1898. 94 pp., 14 pls.
 - 19. Irrigation near Merced, California, by Carl Ewald Grunsky. 1899. 59 pp., 11 pls.
 - 20. Experiments with windmills, by Thomas O. Perry. 1899. 97 pp., 12 pls.
 - 21. Wells of northern Indiana, by Frank Leverett. 1899. 82 pp., 2 pls. (maps)
 - 22. Sewage irrigation, Part II, by George W. Rafter. 1899. 100 pp., 7 pls.

23. Water-right problems of Bighorn Mountains, by Elwood Mead. 1899. 62 pp., 7 pls.

24. Water resources of the State of New York, Part I, by George W. Rafter.

1899. 99 pp., 13 pls.

25. Water resources of the State of New York, Part II, by George W. Rafter. 1899. 100–200 pp., 12 pls.

26. Wells of southern Indiana (continuation of Water-Supply and Irrigation Paper No. 21), by Frank Leverett. 1899. 64 pp.

27. Operations at river stations, 1898, a report of the division of hydrography of the United States Geological Survey, Part I. 1899. 100 pp.

28. Operations at river stations, 1898, a report of the division of hydrography of the United States Geological Survey, Part II. 1899. 101-200 pp.

29. Wells and windmills in Nebraska, by Erwin Hinckley Barbour. 1899 85 pp., 27 pls.

30. Water resources of the Lower Peninsula of Michigan, by Alfred C. Lane. 1899. 97 pp., 7 pls. and maps.

31. Lower Michigan mineral waters, a study into the connection between their chemical composition and mode of occurrence, by Alfred Church Lane. 1899. 97 pp., 4 pls. and maps.

32. Water resources of Puerto Rico, by Herbert M. Wilson. 1899. 48 pp.,

17 pls. and maps.

33. Storage of water on Gila River, Arizona, by Joseph Barlow Lippincott. 1900. 98 pp., 33 pls.

34. Geology and water resources of a portion of southeastern South Dakota, by James Edward Todd. 1900. 34 pp., 10 pls. and maps.

35. Operations at river stations, 1899, a report of the division of hydrography of the United States Geological Survey, Part I. 1900. 100 pp.

36. Operations at river stations, 1899, a report of the division of hydrography of the United States Geological Survey, Part II. 1900. 101-198 pp.

37. Operations at river stations, 1899, a report of the division of hydrography of the United States Geological Survey, Part III. 1900. 199-298 pp.

38. Operations at river stations, 1899, a report of the division of hydrography of the United States Geological Survey, Part IV. 1900. 299–396 pp.

39. Operations at river stations, 1899, a report of the division of hydrography of the United States Geological Survey, Part V. 1900. 397–471 pp.

40. The Austin dam, by Thomas U. Taylor. 1900. 52 pp., 16 pls.

41. The windmill: its efficiency and economic use, Part I, by Edward Charles Murphy. 1901. 72 pp., 14 pls.

42. The windmill: its efficiency and economic use, Part II, by Edward Charles Murphy, 1901, pp. 73–147, pls. 15–16.

43. Conveyance of water in irrigation canals, flumes, and pipes, by Samuel Fortier. 1901. 86 pp., 15 pls.

44. Profiles of rivers in the United States, by Henry Gannett. 1901. 100 pp., 11 pls.

45. Water storage on Cache Creek, California, by Alfred E. Chandler. 1901. 48 pp., 10 pls.

REPORTS ON MINERAL RESOURCES (old series).

Department of the Interior United States Geological Survey J. W. Powell Director Mineral resources of the United States [Calendar year 1882] Albert Williams, Jr. chief of division of mining statistics

Bull. 177—01——4

and technology [Vignette] Washington Government Printing Office 1883

8°. xvii, 813 pp. Bound in black cloth. Price, 50 cents.

Summary, pp. xi-xvii.

Coal, pp. 1-107.

General view of the coal-mining industry, pp. 1-7.

Anthracite, pp. 7-32.

Description and production of the anthracite coal fields of Pennsylvania, by Chas. A. Ashburner, pp. 7-32.

Bituminous coal, pp. 33-107.

Analyses and calorific values of some Utah coals, by Ellsworth Daggett, pp. 76-81.

Iron, pp. 108-171.

Iron ore and its products, by James M. Swank, pp. 108-144.

Iron in the Rocky mountain division, pp. 144-148.

Iron on the Pacific coast, p. 148.

The iron ores of Alabama in their geological relations, by Eugene A. Smith, pp. 149-161.

Utilization of blast-furnace slag, pp. 161-164.

The Bower-Barff process, by A. S. Bower, pp. 164-171.

Gold and silver, pp. 172-185.

Petroleum, by S. H. Stowell, pp. 186-212.

Copper, pp. 213-305.

The copper industry of the United States, by C. Kirchhoff, jr., pp. 213-257.

The metallurgy of copper, by James Douglas, jr., pp. 257–280.

The roasting of copper ores and furnace products, by Edward D. Peters, jr., pp. 280-297.

Bluestone, pp. 297-305.

The manufacture of bluestone at the Lyon mill, Dayton, Nevada, by J. E. Gignoux, pp. 297-305.

Lead, pp. 306-345.

The lead industry of the United States, by C. Kirchhoff, jr., pp. 306-323.

The smelting of argentiferous lead in the far West, by O. H. Hahn, pp. 324-345. Zinc, pp. 346–386.

The zinc industry of the United States, by C. Kirchhoff, jr., pp. 346-358.

The mining and metallurgy of zinc in the United States, by F. L. Clerc, pp. 358-386.

Quicksilver, pp. 387-398.

Nickel, by W. P. Blake, pp. 399-420.

Cobalt, by F. W. Taylor, pp. 421-423.

Manganese, by David T. Day, pp. 424-427.

Chromium, by David T. Day, pp. 428–430.

Tungsten, by David T. Day, pp. 431-433.

Tin, pp. 434-437.

Antimony, pp. 438-439.

Bismuth, p. 440.

Arsenic, p. 441.

Platinum, pp. 442-443.

Iridium, by F. W. Clarke, p. 444.

Aluminum, by R. L. Packard, p. 445.

Molybdenum, p. 446.

Tellurium, p. 447.

Uranium, p. 448.

Vanadium, p. 449.

Structural materials, pp. 450-464.

Building stone, pp. 450-457.

Brick, tile, etc., pp. 457–458.

Lime, pp. 458-459.

Cement, pp. 459-464.

Soapstone, p. 464.

Marble dust, p. 464.

Clays, pp. 465-475.

Fire-clay in the eastern division, by F. A. Wilber, pp. 465-469.

Pottery clay and kaolin in the eastern division, pp. 469-472.

Clays of the Rocky mountain division, pp. 472-475.

Clays of the Pacific coast, p. 475.

Abrasive materials, pp. 476-481.

Corundum and emery, by Henry Gannett, pp. 476-477.

Buhrstones, p. 477.

Berea grit, by M. C. Read, pp. 478-479.

Grindstones, p. 479.

Infusorial earth, pp. 479-480.

Pumice-stone, p. 480.

Carbons, pp. 480-481.

Precious stones, pp. 482-503.

American gems and precious stones, by Geo. F. Kunz, pp. 483-499.

The discovery of emeralds in North Carolina, by W. E. Hidden, pp. 500-502.

Hiddenite, the new emerald-green gem, by W. E. Hidden, pp. 502-503.

Fertilizers, pp. 504-531.

The phosphate deposits of South Carolina, by Otto A. Moses, pp. 504-521.

Apatite, by F. A. Wilber, p. 521.

Marls, by F. A. Wilber, pp. 522-526.

Gypsum, pp. 526-531.

Commercial fertilizers, p. 531.

Salt, pp. 532-565.

The salines of Louisiana, by E. W. Hilgard, pp. 554-565.

Borax, pp. 566-577.

Sulphur, pp. 578-579.

Barytes, pp. 580-581.

Strontia, p. 582.

Mica, pp. 583–584.

Talc, p. 585.

Quartz, p. 586.

Fluorspar, p. 587.

Asbestus, pp. 588-589.

Graphite, by John A. Walker, pp. 590-594.

Lithographic stone, pp. 595-596.

Niter, pp. 597-598.

Nitrate of soda, pp. 599-600.

Carbonate of soda, pp. 601-602.

Sulphate of soda, pp. 603-604.

Asphaltum, p. 605.

Alum, p. 606.

Copperas, p. 607.

Cryolite, p. 608.

Ozocerite, p. 609.

The state of the s

Miscellaneous contributions, pp. 610-663.

The divining rod, by R. W. Raymond, pp. 610-626.

Electrolysis in the metallurgy of copper, lead, zinc, and other metals, by C. O. Mailloux, pp. 627-658.

The minor minerals of North Carolina, by W. C. Kerr, pp. 659-661.

Minor minerals of the Pacific coast, by C. G. Yale, pp. 662-663.

The useful minerals of the United States, pp. 664-775.

Appendix, the new tariff, pp. 777-787.

Index, pp. 789-813.

Department of the Interior United States Geological Survey J.W. Powell Director Mineral resources of the United States Calendar years 1883 and 1884 Albert Williams Jr. chief of division of mining statistics and technology [Vignette] Washington Government Printing Office 1885

8°. xiv, 1016 pp. Bound in black cloth. Price, 60 cents.

Summary, pp. 1-10.

Coal, pp. 11–213.

Anthracite coal mining, by H. M. Chance, pp. 104-131.

Coal mining in the Kanawha Valley of West Virginia, by Stuart M. Buck, pp. 131-143.

The manufacture of coke, by Joseph D. Weeks, pp. 144-213.

Petroleum, by S. H. Stowell, pp. 214-232.

Natural gas, pp. 233-245.

Iron, pp. 246-311.

The manufacture of iron and steel in the United States, by James M. Swank, pp. 246–257.

Iron ores in the United States, by James M. Swank, pp. 257-281.

Iron in the Rocky Mountain division, by F. F. Chisolm, pp. 281-286.

Iron on the Pacific coast, by C. G. Yale, pp. 286-290.

American blast-furnace progress, by John Birkinbine, pp. 290–311.

Gold and silver, pp. 312-321.

Copper, pp. 322-410.

The copper industry of the United States, by C. Kirchhoff, jr., pp. 322-374.

The mines and reduction works of Butte City, Montana, by E. D. Peters, jr., pp. 374–396.

The cupola smelting of copper in Arizona, by James Douglas, jr., pp. 397-410. Lead, pp. 411-473.

The lead industry of the United States, by C. Kirchhoff, jr., pp. 411-440.

Lead slags, by Malvern W. Iles, pp. 440-462.

Recent improvements in desilverizing lead in the United States, by H. O. Hofman, pp. 462–473.

Zinc. The zinc industry of the United States, by C. Kirchhoff, jr., pp. 474–491. Quicksilver, pp. 492–536.

Quicksilver reduction at New Almaden, by Samuel B. Christy, pp. 503-536.

Nickel, by W. P. Blake, pp. 537-543.

Cobalt, by David T. Day, pp. 544-549.

Manganese, by David T. Day, pp. 550-566.

Chromium, by David T. Day, pp. 567-573.

Tungsten, by David T. Day, pp. 574-575.

Platinum, pp. 576–580.

Iridium, by William L. Dudley, pp. 581-591.

Tin, by W. P. Blake, pp. 592-640.

Antimony, by W. P. Blake, pp. 641-653.

Bismuth, pp. 654-655.

Arsenic, pp. 656-657.

Aluminum, by R. L. Packard, pp. 658-660.

Zirconium, by David T. Day, p. 661.

Structural materials, pp. 662-711.

Building stone, pp. 662–667.

Building sand, pp. 667-668.

Lime, pp. 668-670.

Cement, pp. 671-676.

Clays, by F. A. Wilber, pp. 676-711.

Abrasive materials, pp. 712-722.

Buhrstones, pp. 712-713.

Grindstones, pp. 713-714.

Corundum and emery, by T. M. Chatard, pp. 714-720.

Infusorial earth, pp. 720-721.

Pumice stone, p. 721.

Rottenstone, p. 722.

Precious stones, by George F. Kunz, pp. 723-782.

Fertilizers, pp. 783-826.

Phosphate rock, by David T. Day, pp. 783-805.

Alabama, by W. C. Stubbs, pp. 794-803.

Apatite, pp. 805-808.

Marls, by F. A. Wilber, p. 808.

Gypsum, by F. A. Wilber, pp. 809-815.

Manufactured fertilizers, by David T. Day, pp. 815-826.

Salt, pp. 827–850.

Bromine, by David T. Day, pp. 851-853. Iodine, by David T. Day, pp. 854-858.

Borax, pp. 859-863.

Sulphur, by David T. Day, pp. 864-876.

Pyrites, by William Martyn, pp. 877-905.

Mica, by F. W. Clarke, pp. 906-912.

Asbestus, pp. 913-914.

Graphite, by John A. Walker, pp. 915-919.

Mineral paints, pp. 920-929.

Chalk, pp. 930-932.

Feldspar, by David T. Day, pp. 933-934.

Lithographic stone, pp. 935-936.

Asphaltum, pp. 937-948.

The asphaltum deposits of California, by E. W. Hilgard, pp. 938-948.

Alum, pp. 949-950.

Bluestone, p. 951.

Copperas, pp. 952-953.

Cryolite, p. 954.

Ozocerite, pp. 955-957.

Glass materials, by Joseph D. Weeks, pp. 958-977.

Mineral waters, by A. C. Peale, pp. 978-987.

Historical sketch of mining law, by Rossiter W. Raymond, pp. 988-1004.

Index, pp. 1005-1016.

Department of the Interior United States Geological Survey J. W. Powell Director Mineral resources of the United States Calendar

事が一大丁一大子

year 1885 Division of mining statistics and technology [Vignette] Washington Government Printing Office 1886

8°. vii, 576 pp. Bound in black cloth. Price, 40 cents.

Summary, pp. 1-9.

Coal, by Charles A. Ashburner, pp. 10-73.

The manufacture of coke, by Joseph D. Weeks, pp. 74-129.

Petroleum, by S. H. Stowell, pp. 130-154.

Natural gas, by Joseph D. Weeks, pp. 155-179.

Iron, pp. 180-199.

Twenty-one years of progress in the manufacture of iron and steel in the United States, by James M. Swank, pp. 180–195.

Iron in the Rocky Mountain division, by F. F. Chisolm, p. 196.

Iron on the Pacific coast, by C. G. Yale, pp. 196-199.

Gold and silver, pp. 200-207.

Copper. The copper industry of the United States, by C. Kirchhoff, jr., pp. 208-243.

Lead. The lead industry of the United States, by C. Kirchhoff, jr., pp. 244-271.

Zinc. The zinc industry of the United States, by C. Kirchhoff, jr., pp. 272–283.

Quicksilver, pp. 284-296.

Nickel, pp. 297–302. Manganese, by Jos. D. Weeks, pp. 303–356.

Chromium, by David T. Day, pp. 357-360.

Cobalt, by David T. Day, pp. 361-365.

Tungsten, by David T. Day, p. 366.

Platinum and iridium, pp. 367-369.

Tin, pp. 370-385.

Arsenic, p. 386.

Antimony, pp. 387-388.

Bismuth, p. 389.

Aluminum, by R. L. Packard, pp. 390-392.

Zirconium, by David T. Day, pp. 393-394.

Structural materials, by H. S. Sproull, pp. 395-427.

Building stone, pp. 396-404.

Building sand, pp. 404–405.

Cement, pp. 405–409.

Lime, pp. 410-413.

Clays, pp. 414–427.

Abrasive material, pp. 428-436.

Buhrstones, p. 428.

Grindstones, pp. 428–429.

Corundum, pp. 429-432.

Infusorial earth, p. 433.

Pumice stone, p. 433.

Novaculite, by George M. Turner, pp. 433-436.

Precious stones, by George F. Kunz, pp. 437-444.

Fertilizers, pp. 445-473.

Phosphate rock, by David T. Day, pp. 445-455.

Apatite, pp. 455-458.

Gypsum, by H. S. Sproull, pp. 458-464.

Marls, p. 464.

Manufactured fertilizers, pp. 465-473.

Salt, pp. 474-485.

Bromine, by David T. Day, pp. 486-487.

Iodine, by David T. Day, pp. 488-490.

Borax, pp. 491-493.

Sulphur, by William C. Day, pp. 494-500.

Pyrites, by Herbert J. Davis, pp. 501-517.

Mica, pp. 518-520.

Asbestus, pp. 521-522.

Feldspar, by William C. Day, p. 523.

Mineral paints, by Marcus Benjamin, pp. 524-533.

Tale, by G. F. Perrenoud, pp. 534-535.

Mineral waters, by A. C. Peale, pp. 536-543.

Glass materials, by Jos. D. Weeks, pp. 544-557.

Index, pp. 559-576.

Department of the Interior United States Geological Survey J.W. Powell Director Mineral resources of the United States Calendar year 1886 David T. Day chief of division of mining statistics and technology [Vignette] Washington Government Printing Office 1887

8°. viii, 813 pp. Bound in black cloth. Price, 50 cents.

Summary, pp. 1-10.

Iron, pp. 11-103.

The American iron trade in 1886, by James M. Swank, pp. 11-22.

The American iron industry from its beginning in 1619 to 1886, by James M. Swank, pp. 23–38.

The iron ores east of the Mississippi River, by John Birkinbine, pp. 39-103.

Gold and silver, pp. 104-108.

Copper, by C. Kirchhoff, jr., pp. 109-139.

Lead, by C. Kirchhoff, jr., pp. 140-153.

Zine, by C. Kirchhoff, jr., pp. 154-159.

Quicksilver, pp. 160-168.

Nickel, pp. 169-173.

Cobalt, pp. 174-175.

Chromium, pp. 176-179.

Manganese, by Jos. D. Weeks, pp. 180-213.

Tin, pp. 214-217.

Tungsten, pp. 218-219.

Aluminum, by R. L. Packard, pp. 220-221.

Platinum and iridium, pp. 222-223.

Coal, by Charles A. Ashburner, pp. 224-377.

The manufacture of coke, by Jos. D. Weeks, pp. 378-438.

Petroleum, by Jos. D. Weeks, pp. 439–487.

Natural gas, by Jos. D. Weeks, pp. 488-516.

Structural materials, by William C. Day, pp. 517-580.

The building industry in general, pp. 517-536.

Building stone, pp. 536-556.

Cement, pp. 556-564.

Lime, pp. 565-566.

Brick, pp. 566-580.

Abrasive materials, pp. 581-594.

Buhrstones, by William A. Raborg, pp. 581-582.

Grindstones, by William A. Raborg, pp. 582-585.

Corundum, by William A. Raborg, pp. 585–586.

Infusorial earth, pp. 587-588.

Novaculite, by George M. Turner, pp. 589-594.

Precious stones, by George F. Kunz, pp. 595-605.

Fertilizers, pp. 606-627.

Phosphate rock, pp. 607-610.

The fertilizer trade in North Carolina in 1886, by W. B. Phillips, pp. 611-617.

Marls, pp. 619-620.

Gypsum, pp. 620-623.

Manufactured fertilizers, pp. 623-627.

Salt, by William A. Raborg, pp. 628-641.

Bromine, pp. 642-643.

Sulphur, by William C. Day, pp. 644-647.

Tellurium, pp. 648-649.

Pyrites, by Richard P. Rothwell, pp. 650-675.

Phosphorus, by George M. Turner, pp. 676-677.

Borax, pp. 678-680. Alum, pp. 681–682.

Bluestone, p. 683.

Copperas, pp. 684-685.

Graphite, by William A. Raborg, pp. 686-689.

Lithographic stone, pp. 690-691.

Fluorspar, pp. 692-693.

Magnesium, pp. 694-698.

Strontium, pp. 699-700.

Feldspar, by William C. Day, p. 701.

Mineral paints, by Marcus Benjamin, pp. 702-714.

Mineral waters, by A. C. Peale, pp. 715-721.

Mining law, by E. R. L. Gould, pp. 722-790.

Index, pp. 791-813.

Department of the Interior United States Geological Survey J. W. Powell Director Mineral resources of the United States Calendar year 1887 David T. Day chief of division of mining statistics and technology [Vignette] Washington Government Printing Office 1888

8°. vii, 832 pp. Bound in black cloth. Price, 50 cents.

Summary, pp. 1-9.

Iron, pp. 10-57.

The iron and steel industries of the United States in 1887 and 1888, by James M. Swank, pp. 10-27.

Iron in the Rocky Mountain division, by F. F. Chisolm, pp. 28–29.

Iron ore mining in 1887, by John Birkinbine, pp. 30-57.

Gold and silver, pp. 58-65.

Copper, by C. Kirchhoff, jr., pp. 66-97.

Lead, by C. Kirchhoff, jr., pp. 98-112.

Zine, by C. Kirchhoff, jr., pp. 113-117.

Quicksilver, pp. 118-125.

Nickel, pp. 126–129.

Cobalt, pp. 130–131.

Chromium, pp. 132-133.

Tin, pp. 134–137.

Aluminum, by R. L. Packard, pp. 138-141.

Platinum, pp. 142–143.

Manganese, by Joseph D. Weeks, pp. 144-167.

Coal, by Charles A. Ashburner, pp. 168-382.

The manufacture of coke, by Joseph D. Weeks, pp. 383-435.

Petroleum, by Joseph D. Weeks, pp. 436-463.

Natural gas, by Joseph D. Weeks, pp. 464–502.

Structural materials, by William C. Day, pp. 503-551.

The building industry in general, pp. 503-511.

Building stone, pp. 511-527.

Cement, pp. 527-532.

Lime, pp. 532–534.

Brick, pp. 534–551.

Abrasive materials, pp. 552-554.

Precious stones, by George F. Kunz, pp. 555-579.

Fertilizers, pp. 580-594.

Gypsum, pp. 595–603.

Gypsum or land plaster in Ohio, by Edward Orton, pp. 596-601.

Sulphur, by William C. Day, pp. 604–610.

Pyrites, pp. 609-610.

Salt, by William A. Raborg, pp. 611-625.

Bromine, pp. 626-627.

Potassium salts, by William C. Day, pp. 628-650.

Sodium salts, by William C. Day, pp. 651-658.

Fluorspar, p. 659.

Mica, pp. 660-671.

Mica mining in North Carolina, by William B. Phillips, pp. 661-671.

Graphite, pp. 672-673.

Mineral paints, pp. 674-679.

Mineral waters, by A. C. Peale, pp. 680-687.

Useful minerals of the United States, edited by Albert Williams, jr., pp. 688-812. Index, pp. 813-832.

Department of the Interior United States Geological Survey J. W. Powell Director Mineral resources of the United States Calendar year 1888 David T. Day chief of division of mining statistics and technology [Vignette] Washington Government Printing Office 1890

8°. vii, 652 pp. Bound in black cloth. Price, 50 cents.

Summary, pp. 1-11.

Iron, pp. 12-35.

The iron and steel industries of the United States in 1888 and 1889, by James M. Swank, pp. 12-32.

Iron in the Rocky Mountain division, by F. F. Chisolm, pp. 33-35.

Gold and silver, pp. 36-42.

Copper, by C. Kirchhoff, jr., pp. 43-77.

Lead, by C. Kirchhoff, jr., pp. 78-91.

Zine, by C. Kirchhoff, jr., pp. 92-96.

Quicksilver, pp. 97-107.

Nickel, pp. 108-118.

Chromium, pp. 119-122.

Manganese, by Joseph D. Weeks, pp. 123-143.

Tin, pp. 144-159.

Aluminum, by R. L. Packard, pp. 160-164.

Platinum, pp. 165-167.

Coal, by Charles A. Ashburner, pp. 168-394.

Arkansas, by Arthur Winslow, pp. 216-224.

Dakota, by F. F. Chisolm, p. 240.

Illinois, by J. S. Lord, pp. 242-256.

Wyoming, by F. F. Chisolm, pp. 390–394.

The manufacture of coke, by Joseph D. Weeks, pp. 395-441.

Petroleum, by Joseph D. Weeks, pp. 442-480.

Natural gas, by Joseph D. Weeks, pp. 481-512.

Asphaltum, pp. 513-514.

Ozokerite, p. 515.

Structural materials, by William C. Day, pp. 516-575.

The building industry in general, pp. 516-536.

Granite and allied rocks, pp. 536-544.

Sandstone, pp. 544-547.

Slate, pp. 547-551.

Cement, pp. 551-554.

Lime, pp. 554-557.

Brick, pp. 557-571.

Pottery, pp. 571-575.

Abrasive materials, pp. 576-579.

Precious stones, by George F. Kunz, pp. 580-585.

Fertilizers, pp. 586-596.

Salt, by William A. Raborg, pp. 597-612.

Bromine, p. 613.

Mica, pp. 614-615.

Mineral paints, pp. 616-622.

Mineral waters, by A. C. Peale, pp. 623-630.

Index, pp. 631-652.

Department of the Interior United States Geological Survey J. W. Powell Director Mineral resources of the United States Calendar years 1889 and 1890 David T. Day chief of division of mining statistics and technology [Vignette] Washington Government Printing Office 1892

8°. viii, 671 pp. Bound in black cloth. Price, 50 cents.

Summary, pp. 1-9.

Iron, pp. 10-47.

The iron and steel industries of the United States in 1889, 1890, and 1891, by James M. Swank, pp. 10-22.

Iron ores, by John Birkinbine, pp. 23-47.

Gold and silver, by William Kent, pp. 48-55.

Copper, by C. Kirchhoff, pp. 56-77.

Lead, by C. Kirchhoff, pp. 78–87.

Zine, by C. Kirchhoff, pp. 88–93.

Quicksilver, pp. 94-109.

Aluminum, by C. L. Packard, pp. 110-118.

Tin, pp. 119-123.

Nickel and cobalt, pp. 124-126.

Manganese, by Joseph D. Weeks, pp. 127-136.

Chromic iron ore, pp. 137-140.

Antimony, pp. 141-142.

Platinum, pp. 143-144.

Coal, by E. W. Parker, pp. 145-286.

Pennsylvania anthracite, by John H. Jones, pp. 242-252

Petroleum, by Joseph D. Weeks, pp. 287-365.

Natural gas, by Joseph D. Weeks, pp. 366-372.

```
Stone, by William C. Day, pp. 373-440.
```

Limestone, pp. 373-374.

Granite, pp. 374.

Sandstone, pp. 374-375.

Marble, pp. 375-376.

Slate, p. 376.

Bluestone, pp. 376-377.

Production by States, 377-440.

Pottery, pp. 441-444.

Precious stones, by George F. Kunz, pp. 445-448.

Fertilizers, pp. 449-455.

Buhrstones, p. 456.

Corundum and emery, p. 457.

Grindstones, p. 458.

Infusorial earth, p. 459.

Oilstones, whetstones, etc., p. 460.

Cement, pp. 461-464.

Gypsum, pp. 465-467.

Fluorspar, pp. 468-473.

Mica, pp. 474-475.

Soapstone, p. 476.

Asphaltum, by E. W. Parker, pp. 477-481.

Salt, by William A. Raborg, pp. 482-492.

Bromine, p. 493.

Borax, by Charles G. Yale, pp. 494-506.

Graphite, p. 507.

Mineral paints, pp. 508-512.

Barytes, p. 513.

Asbestos, p. 514.

Sulphur, pp. 515-517.

Pyrites, p. 518.

Lithographic stone, pp. 519-520.

Mineral waters, by A. C. Peale, pp. 521-535.

General index to Mineral Resources of the United States from 1882 to 1890, pp. 537-651.

Index, pp. 653-671.

Department of the Interior United States Geological Survey J. W. Powell Director Mineral resources of the United States Calendar year 1891 David T. Day chief of division of mining statistics and technology [Vignette] Washington Government Printing Office 1893

8°, vii, 630 pp., 1 l. Bound in black cloth. Price, 50 cents.

Summary, pp. 1-9.

Iron ores, by John Birkinbine, pp. 10-46.

Twenty years of progress in the manufacture of iron and steel in the United States, by James M. Swank, pp. 47-73.

Gold and silver, pp. 74-80.

Copper, by C. Kirchhoff, pp. 81-102.

Lead, by C. Kirchhoff, pp. 103-110.

Zine, by C. Kirchhoff, pp. 111-116.

Quicksilver, pp. 117-125.

Manganese, by Joseph D. Weeks, pp. 126-146.

Aluminum, by R. L. Packard, pp. 147-163.

Tin, pp. 164-166.

Nickel and cobalt, pp. 167-170.

Chrome iron ore, pp. 171-173.

Antimony, by E. W. Parker, pp. 174-176.

Coal, by E. W. Parker, pp. 177-356.

Pennsylvania anthracite, by John H. Jones, pp. 288-304.

The coal fields of Texas, by Robert T. Hill, pp. 326-328.

The manufacture of coke, by Joseph D. Weeks, pp. 357–402.

Petroleum, by Joseph D. Weeks, pp. 403-435.

Natural gas, by Joseph D. Weeks, pp. 436-451.

Asphaltum, by E. W. Parker, pp. 452–455.

Stone, by Wm. C. Day, pp. 456-473.

Granite, pp. 456-460.

Sandstone, pp. 460-463.

Limestone, pp. 464-468.

Marble, pp. 468-471.

Slate, pp. 472-473.

Clay materials of the United States, by Robert T. Hill, pp. 474-528.

Natural and artificial cements, by Spencer B. Newberry, pp. 529-538.

Precious stones, by George Frederick Kunz, pp. 539-551.

Abrasive materials, by E. W. Parker, pp. 552-556.

Buhrstones, p. 552.

Grindstones, pp. 552-553.

Oilstones and whetstones, pp. 553-555.

Emery and corundum, pp. 555-556.

Fertilizers, pp. 557-563.

Sulphur, by E. W. Parker, pp. 564-571.

Salt, pp. 572-578.

Bromine, p. 579.

Gypsum, by E. W. Parker, pp. 580-583.

Magnesite, pp. 584–585.

Fluorspar, p. 586.

Borax, pp. 587-588.

Graphite, by E. W. Parker, pp. 589-590.

Asbestos, by E. W. Parker, pp. 591-592.

Soapstone, by E. W. Parker, pp. 593-594.

Mineral paints, by E. W. Parker, pp. 595-598.

Barytes, pp. 599-600.

Mineral waters, by A. C. Peale, pp. 601-610.

Index, pp. 611-630.

Department of the Interior United States Geological Survey J.W. Powell Director Mineral resources of the United States Calendar year 1892 David T. Day chief of division of mining statistics and technology [Vignette] Washington Government Printing Office 1893

8°, vii, 850 pp. Bound in black cloth. Price, 50 cents.

Summary, pp. 1-11.

The American iron trade in 1892, by James M. Swank, pp. 12-22.

Iron ores, by John Birkinbine, pp. 23-45.

Progress of the precious metal industry in the United States since 1880, by S. F. Emmons, pp. 46-94.

Copper, by C. Kirchhoff, pp. 95-120.

Lead, by C. Kirchhoff, pp. 121-129.

Zine, by C. Kirchhoff, pp. 130-138.

Quicksilver ore deposits, by George F. Becker, pp. 139-168.

Manganese, by Joseph D. Weeks, pp. 169-226.

Aluminum, by Alfred E. Hunt, pp. 227-254.

Nickel and cobalt, pp. 255-257.

Tin, pp. 258-259.

Antimony, pp. 260-262.

Coal, by E. W. Parker, pp. 263-550.

The coal deposits of California, by H. W. Turner, pp. 308-310.

Coal fields of Colorado, by R. C. Hills, pp. 319-365.

Sketch of the coal deposits of Iowa, by Charles R. Keyes, pp. 398-404.

Pennsylvania anthracite production, by John H. Jones, pp. 457-476.

The Tennessee coal measures, by J. M. Safford, State geologist, pp. 497–506.

The coal fields of Texas, by Robert T. Hill, pp. 507-510.

Coal fields of Utah, by Robert Forrester, pp. 511-520.

The improvement of the Great Kanawha River, West Virginia, by Col. W. P. Craighill, corps of engineers, pp. 540-546.

The manufacture of coke, by Joseph D. Weeks, pp. 551-602.

Petroleum, by Joseph D. Weeks, pp. 603-651.

Natural gas, by Joseph D. Weeks, pp. 652-698.

Asphaltum, by E. W. Parker, pp. 699-703.

Stone, by William C. Day, pp. 704-711.

Granite, pp. 705-709.

Marble, pp. 709-710.

Slate, p. 710.

Sandstone, pp. 710-711.

Limestone, p. 711.

Clay materials of the United States, by Robert T. Hill, pp. 712-738.

Natural and artificial cements, by Spencer B. Newberry, pp. 739-747.

Abrasive materials, by E. W. Parker, pp. 748-755.

Buhrstones, pp. 748-749.

Grindstones, p. 749.

Oilstones and whetstones, pp. 750-751.

Emery and corundum, pp. 751-752.

Infusorial earth, p. 752.

Tripoli, pp. 752-753.

Recent inventions, pp. 753-755.

Precious stones, by George F. Kunz, 756-781.

Phosphate rock, pp. 782-784.

Sulphur, by E. W. Parker, pp. 785-791.

Salt, by E. W. Parker, pp. 792-800.

Gypsum, pp. 801-804.

Fluorspar, p. 805.

Graphite, pp. 806-807.

Asbestos, by E. W. Parker, pp. 808-812.

Soapstone, pp. 813-814.

Mineral paints, pp. 815–820.

Barytes, pp. 821-822.

Mineral waters, by A. C. Peale, pp. 823-834.

Index, pp. 835-850.

Department of the Interior United States Geological Survey J. W. Powell Director Mineral resources of the United States Calendar year 1893 David T. Day chief of division of mining statistics and

technology [Vignette] Washington Government Printing Office 1894

8°. viii, 810 pp. Bound in black cloth. Price, 50 cents.

Summary, pp. 1–12.

Iron and steel, by James M. Swank, pp. 13-22.

Iron ores, by John Birkinbine, pp. 23-49.

Gold and silver, by R. E. Preston, pp. 50-61.

Copper, by C. Kirchhoff, pp. 62–88.

Lead, by C. Kirchhoff, pp. 89–102.

Zine, by C. Kirchhoff, pp. 103-110.

Quicksilver, pp. 111-118.

Manganese, by Joseph D. Weeks, pp. 119-155.

Aluminum, pp. 156-167.

Bauxite, by C. W. Hayes, pp. 159-167.

Nickel and cobalt, pp. 168-177.

Tin, pp. 178-183.

The occurrence of tin ore at Kings Mountain [North Carolina], by Titus Ulke, pp. 178–180.

Antimony, pp. 184-186.

Coal, by E. W. Parker, pp. 187-414.

Pennsylvania anthracite, by John H. Jones, pp. 344-363.

The coal fields of Wyoming, by G. C. Hewitt, pp. 412-414.

Manufacture of coke, by Joseph D. Weeks, pp. 415-460.

Petroleum, by Joseph D. Weeks, pp. 461–533.

Natural gas, by Joseph D. Weeks, pp. 534-541.

Stone, by William C. Day, pp. 542–602.

Granite, pp. 544–547.

Marble, pp. 547–549.

Slate, pp. 549–552.

Sandstone, pp. 552–555.

 $\label{limestone} \mbox{Limestone, pp. 555-557.}$

Bluestone, pp. 557-559.

Exhibits of stone at the World's Columbian Exposition, pp. 560-602.

Clay materials of the United States, by Robert T. Hill, pp. 603–617.

Cement, by Spencer B. Newberry, pp. 618-623.

Soapstone, pp. 624–626.

Asphaltum, pp. 627–669.

Abrasive materials, by E. W. Parker, pp. 670-679.

Buhrstones, pp. 670-671.

Grindstones, pp. 671–672.

Oilstones and whetstones, pp. 672–674.

Emery and corundum, pp. 674-678.

Infusorial earth, p. 678.

Tripoli, p. 679.

Carborundum, 679.

Precious stones, by George F. Kunz, pp. 680-702.

Fertilizers, pp. 703-712.

Gypsum, pp. 713-716.

Salt, by E. W. Parker, pp. 717-727.

Natural sodium salts, by R. L. Packard, pp. 728-738.

Sulphur and pyrites, by E. W. Parker, pp. 739-745.

Fluorspar, pp. 746-747.

Mica, by E. W. Parker, pp. 748-755,

Asbestos, pp. 756–757.

Mineral paints, by E. W. Parker, pp. 758–766.

Graphite, pp. 767–769.

Barytes, pp. 770–771.

Mineral waters, pp. 772–794.

Index, 795–810.

Note.—On March 2, 1895, the following provision was included in an act of Congress: "Provided, That hereafter the report of the Mineral Resources of the United States shall be issued as part of the report of the Director of the United States Geological Survey." In conformity with this act, Mineral Resources as a distinct series was discontinued with the tenth volume, the report for the calendar year 1893. See note to Sixteenth Annual Report, p. 20 of this bulletin.

GEOLOGIC ATLAS OF UNITED STATES.

Department of the Interior United States Geological Survey J.W. Powell [beginning with folio 21, Charles D. Walcott], Director Geologic Atlas of the United States Livingston folio Montana [-Washington folio District of Columbia-Maryland-Virginia] Index map [map] List of sheets description topography areal [beginning with folio 37, historical] geology economic geology structure sections columnar sections Folio 1 [-70] Library edition [or Field edition] Livingston [-Washington] Engraved and printed by the U. S. Geological Survey Bailey Willis [beginning with folio 51, George W. Stose], editor of geologic maps S. J. Kübel, chief engraver 1894 [-1901]

一次的人的人

Folio. 70 numbers.

The Geologic Atlas of the United States is the final form of publication of the topographic and geologic maps. The atlas is issued in parts, progressively as the surveys are extended, and is designed ultimately to cover the entire country.

Under the plan adopted the entire area of the country is divided into small quadrangular districts (called *quadrangles*), bounded by certain meridians and parallels, each quadrangle being designated by the name of a principal town or some prominent natural feature within it. The maps and textual descriptions of each quadrangle are issued as a folio of the Geologic Atlas.

Each folio contains topographic, geologic, economic, and structural maps, together with textual descriptions and explanations, and is designated by the name of the quadrangle which it describes. Two forms of issue have been adopted—a library edition and a field edition. In both the sheets are bound between heavy paper covers, but the library copies are permanently bound, while the sheets and covers of the field copies are only temporarily wired together.

The folios are sold at twenty-five cents each, except such as contain an unusually large amount of matter, which are priced accordingly. The folios ready for distribution are as follows:

Published folios of Geologic Atlas of United States.

No.	Name of folio.	State.	Limiting meridians.	Limiting parallels.	Area, in square miles.	Price, in cents.
1	Livingston	Montana	110°-111°	45°-46°	3,354	25
2	Ringgold	Georgia	85°–85° 30′	34° 30′ –35°	980	25
3	Placerville	California .	120° 30′ -121°	38° 30′-39°	932	25
4	Kingston a	Tennessee .	84° 30′ -85°	35° 30′-36°	969	25
5	Sacramento	California .	1210-1210 30'	38° 30′ -39°	932	25
6	Chattanooga a	Tennessee .	85°-85° 30′	350-350 30'	975	25
7	Pikes Peak a	Colorado	105°-105° 30′	38° 30′ -39°	932	25
8	Sewanee	Tennessee.	85° 30′ -86°	350-350 30'	975	25

Published folios of Geologic Atlas of United States—Continued.

No.	Name of folio.	State.	Limiting meridians.	Limiting parallels.	Area, in square miles.	Price in cents
9.	Anthracite-Crested Butte. a	Colorado	106° 45′-107° 15′	380 45/_390	465	50
10	Harpers Ferry	Virginia West Va Maryland	77° 30′ –78°	390-390 301	925	25
11	Jackson	California (Virginia	120° 30′ -121°	38°-38° 30′	938	25
12	Estillville	Kentucky . Tennessee .	82° 30′-83°	36° 30′-37°	957	25
13	Fredericksburg	Maryland Virginia	}	o 38°-38° 30′	938	25
14	Staunton	{do {West Va	} . 79°-79° 30′	38°-38° 30′	938	25
15	Lassen Peak	California .	121°-122°	400-410	3,634	25
16	Knoxville	Tennessee . N. Carolina	83° 30′-84°	35° 30′-36°	925	25
17	Marysville	California .	121° 30′-122°	390-390 30'	925	25
18	Smartsville	do	121°-121° 30′	390_390 30′	925	25
19	Stevenson	Alabama Georgia Tennessee .	85° 30′-86°	34° 30′-35°	980	25
20	Cleveland	' '	, 84° 30′-85°	350-350 301	975	. 25
21	Pikeville	do	85°-85° 30′	35° 30′ -36°	969	25
22	McMinnville	do	850 30'-860	350 301-360	969	25
23	Nomini	Maryland . Virginia	} · 76° 30′-77°	380-380 301	938	25
24	Three Forks	Montana	1110-1120	450-460	3,354	50
25	London	Tennessee.	840-840 30'	35° 30′ -36°	969	25
26	Pocahontas	Virginia West Va	} 81°-81° 30′	37°-37° 30′	951	25
27	Morristown	Tennessee.	83°-83° 30′	360-360 30'	963	25
28	Piedmont	Maryland . West Va	} 79°-79° 30′	390_390 30′	925	25
29	Nevada City:		·		ĺ	
	Nevada City	1	121° 00′ 25″-121° 03′ 45″	39° 13′ 50″–39° 17′ 16″	11.65	i)
	Grass Valley	}California .	{ 121° 01′ 35″-121° 05′ 04″	39° 10′ 22″-39° 13′ 50″	12.09	50
•••	Banner Hill	l)	120° 57′ 05″-121° 00′ 25″	39° 13′ 50″-39° 17′ 16″	11.65	ין
30	Yellowstone Na- tional Park: Gallatin					
:	Canyon Shoshone	Wyoming	110°-111°	440_450	3,412	75
	Lake	J				
31	Pyramid Peak	California .	120°-120° 30′	440-450	932	25
32	Franklin	Virginia West Va	} 79°–79° 30′	38° 30′-39°	932	25
33	Briceville	1	840_840 30′	360-360 30'	963	25
34	Buckhannon	1	80°-80° 30′	380 30′ –390	932	25
35	Gadsden	Alabama	860-860 307	340_340 301	986	25
36	Pueblo		104° 30′-105° · 120° 30′-121°	380_380 30'	938	50 25
37	Downieville		1120 29′ 30″-1120 36′ 42″	39° 30′ -40° 45° 59′ 28″-46° 02′ 54″	919 22.80	50
38	Butte Special	Montana California .	120°-120° 30′ 120°-120° 30′	390-390 30'	925	25
39 40	Truckee				1	
40	string	, remiessee.	- Co-t of stock	, 00 00 00	. 000	

a Out of stock.

Bull. 177—01——5

Published folios of Geologic Atlas of United States—Continued.

No.	Name of folio.	State.	Limiting meridians.	Limiting parallels.	Area, in square miles.	Price, in cents.
41	Sonora	California .	120°-120° 30′	37° 30′-38°	944	25
42	Nueces	Texas	100°-100° 30′	29° 30′ –30°	1,035	25
43	Bidwell Bar	California .	1210-1210 30'	39° 30′-40°	918	25
44	Tazewell	{Virginia West Va	} 81° 30′-82°	37°-37° 30′	950	25
45	Boise	Idaho	116°-116° 30′	43° 30′ -44°	864	25
46	Richmond	Kentucky.	840-840 30'	37° 30′ –38°	944	25
47	London	do	840-840 30'	370-370 30'	950	25
48	Tenmile District Special.	Colorado	106° 8′-106° 16′	390 22' 30"-390 30' 30"	55	25
49	Roseburg	Oregon	123°-123° 30′	43°-43° 30′	871	25
50	Holyoke	Mass	} 70° 30′ –73°	42°-42° 30′	885	50
51	Big Trees	California .	1200-1200 30'	38°-38° 30′	938	25
52	Absaroka:		′		}	_
-	Crandall	}Wyoming .	109° 30′-110°	44°-44° 30′	1,706	25
53	Standingstone	Tennessee.	850-850 30'	360-360 30'	963	25
54	Tacoma	Washing- ton.	122°-122° 30′	470-470 30'	812	25
55	Fort Benton	Montana	110°-111°	470-480	3,273	25
56	Little Belt Mts	do	110°-111°	46°-47°	3,295	25
57	Telluride	Colorado	107° 45′-108°	37° 45′ –38°	236	25
58	Elmoro	do	1040-1040 30'	370-370 30'	950	25
59	Bristol	Virginia Tennessee	} 82°-82° 30′	36° 30′-37°	957	25
60	La Plata	Colorado	108°-108° 15′	37° 15′ –37° 30′	237	25
61	Monterey	Virginia West Va	} 79° 30′-80°	38°-38° 30′	938	25
62	Menominee Special	Michigan	(a NWSE. area, about	20 m. long, 6½ wide)	125	25
63	Mother Lode	California .	(a NWSE. rectangle,	70 m. long, 6 wide)	428	50
64	Uvalde	Texas	99° 30′ –100°	290-290 30'	1,040	25
65	Tintic Special	Utah	111° 55′-112° 10′	390 45'-400	229	25
66	Colfax	California .	120° 30′-121°	390_390 30'	925	25
67	Danville	Illinois Undiana	} 87° 30′-87° 45′	40°-40° 15′	228	25
68	Walsenburg	Colorado	104° 30′-105°	37° 30′ –38°	944	25
69	Huntington	West Va	} 82°-82° 30′	380-380 30'	938	25
70	Washington	Dist. of Co- lumbia. Maryland . Virginia	76° 45′ –77° 15′	38° 45′-39°	465	50

TOPOGRAPHIC MAPS AND FOLIOS OF THE UNITED STATES.

TOPOGRAPHIC ATLAS SHEETS.

When, in 1882, the Geological Survey was directed by law to make a geologic map of the United States, there was in existence no suitable topographic map to serve as a base for the geologic map. The preparation of such a topographic map was therefore immediately begun. About three-tenths of the area of the country, excluding Alaska, has now been thus mapped. The map is published in atlas sheets, each sheet representing a small quadrangular district, as explained under the preceding heading. The separate sheets are sold at 5 cents each when fewer than 100 copies are purchased, but when they are ordered in lots of 100 or more copies, whether of the same sheet or of different sheets, the price is 2 cents each. The mapped areas are widely scattered, nearly every State being represented. About 1,100 sheets have been engraved and printed; they are tabulated below.

Published topographic atlas sheets, arranged by States. (a)

ALABAMA.

Name of atlas sheet.			n of S. of she		Area covered.	Contour interval.	Scale.	Price.
	La	t.	Lor	ıg.		mtervai.	_	
	٥	,		,		Feet.		Cents.
Anniston	33	30	85	. 30	‡ degree	50	1:125000	
Ashland	33	00	85	30	do	100	1:125000	
Bessemer	33	00	86	30	do	. 100	1:125000	;
Birmingham	33	30	86	30	do	100	1:125000	;
Brookwood	33	00	87	00	do	50	1:125000	;
Clanton	32	30	86	30	do	50	1:125000	;
Cullman	34	00	86	30	đo	1.00	1:125000	1 (
Fort Payne (AlaGa.)	34	.00	85	30	do	50	1:125000	;
Gadsden	34	00	86	00	do	100	1:125000	;
Huntsville (AlaTenn.)	34	30	86	30	do	100	1:125000	
Jasper	33	30	87	00	do	50	1:125000	
Rome (GaAla.)	34	00	85	00	do	100	1:125000	1
Scottsboro (AlaTenn.)	34	30	86	00	do	100	1:125000	} ;
Springville	33	30	86	00	do	100	1:125000	
Stevenson (AlaGaTenn.)	34	30	85	30	do	100	1:125000	
Talladega	33	00	86	00	do	100	1:125000	
Tallapoosa (GaAla.)	33	30	85	00	do	100	1:125000	1
			<u> </u>		<u> </u>			

a The Survey has issued a sheet of "Conventional signs" used on its topographic maps; price, 5 cents a single sheet; 2 cents each in lots of 100 or more.

Published topographic atlas sheets, arranged by States—Continued.

ARIZONA.

		А	KIZU	NA.				
Name of atlas sheet.			n of S of she		Area covered.	Contour interval.	Scale.	Price.
	La	ıt.	Lor	ıg.		1110017421		
	٥,	,	0	,		Feet.		Cents.
Camp Mohave (ArizNevCal.)	35	00	114	00	1 degree	250	1:250000	5
Canyon de Chelly (ArizN. Mex.)	36	00	109	00	do	200	1:250000	5
Chino	35	00	112	00	do	250	1:250000	5
Diamond Creek	35	00	113	00	do	250	1:250000	5
Echo Cliffs	36	00	111	00	do	250	1:250000	5
Fort Defiance (ArizN. Mex.)	35	00	109	00	do	200	1:250000	5
Holbrook	34	00	110	00	do	200	1:250000	5
Kaibab	36	00	112	00	do	250	1:250000	5
Marsh Pass	36	00	110	00	do	200	1:250000	5
Mount Trumbull	36	00	113	00	do	250	1:250000	5
Prescott	34	. 00	112	00	do	200	1:250000	5
St. Johns (ArizN. Mex.)	34	00	109	00	do	. 200	1:250000	5
St. Thomas (NevAriz.)	· 36	00	114	00	do	250	1:250000	5
San Francisco Mountain	35	00	111	00	do	250	1:250000	5
Tusayan	35	00	110	00	do	200	1:250000	5
Verde	34	00	111	00	do	200	1:250000	5
·		AI	RKAN	SAS	•			
Batesville	35	30	91	30	degree	50	1:125000	5
Benton	34		92	30	do	50	1:125000	5
Dardanelle	35	00	93	00	do	50	1:125000	5
Fayetteville (ArkMo.)	35	00	94	00	do	50	1:125000	5
Fort Smith (ArkInd.T.)	35	00	94	00	do	50	1:125000	5
Hot Springs	34	30	93		do	50	1:125000	5
Little Rock	34	30	92	00	do	. 50	1:125000	5
Magazine Mountain	35	00	93		do	50	1:125000	5
Marshall	35	30	92		do	50	1:125000	5
Morrillton	35	00	92		do	50	1:125000	5
Mount Ida	34	30	93		do	50	1:125000	5
Mountain Home (ArkMo.)	36	00	92		do	50	1:125000	5
Mountain View	35	30	92		do	50	1:125000	5
Poteau Mountain (ArkInd. T.)	34	30	94		do	50	1:125000	5
Tahlequah (ArkInd. T.)	35	30	94		do	50	1:125000	5
Yellville (ArkMo.)	36	00	92	30	do	50	1:125000	5
(See also special maps, p. 110.)								
		CAI	LIFOR	NIA	\	I		
Alturas	41	00	120	00	1 degree	200	1:250000	5
Anaheim		45	117		degree	• 25	1:62500	5
Arroyo Grande a.	35	00	120	30	do	50	1:62500	5
Bidwell Bar	39	30	121	00	degree	100	1:125000	5
Big Trees	38	00	120	00	do	100	1:125000	5
Camp Mohave (ArizNevCal.)	35	00	114	00	1 degree	250	1:250000	5
Cayucos a	35	15	120	45	degree	50	1:62500	5
Chico	39	30	121	30	degree	100	1:125000	5
Colfax	39	00	120	30	do	100	1:125000	5
Concord .	37	45	122	00	ւե degree	25	1:62500	. 5

a Arroyo Grande, Cayucos, Port Harford, and San Luis Obispo sheets, on scale of 1:62500, have been reduced and form parts of San Luis, on scale of 1:125000.

Published topographic atlas sheets, arranged by States-Continued.

CALIFORNIA-Continued.

Name of atlas sheet.	Po	sitio ner	n of S of she	E. et.	Area covered.	Contour interval.	Scale.	Price.
		t	Lor	ıg.		miceryal.		
	٥	,	0	,		Feet.	1	Cents.
Cucamonga	34	00	117	30	degree	50	1:62500	{
Dardanelles	38	00	119	30	degree	100	1:125000	
Downey	33	45	118	00	ਜ਼ੇ degree	25	1:62500	[
Downieville	39	30	120	30	degree	100	1:125000	{
Elcajon	32	45	116	45	degree	25	1 · 62500	[
Elsinore a	33	30	117	00	degree	100	1:125000	1 8
Escondido	33	00	117	00	degree	25	1.62500	
Fernando	34	15	118	15	do	50	1:62500	:
Haywards	37	30	122	00	do	25	1:62500	
Honey Lake	40	00	120	00	1 degree	200	1:250000	[
Jackson	38	00	120	30	degree	100	1:125000	. [
Karquines	38	00	122	00	degree	25	1:62500	
Lake Tahoe and Vicinity (CalNev.)b	38	30	119	30	1 degree	100	1:125000	20
* * * * * * * * * * * * * * * * * * * *	33	30	118	90	degree	25	1.62500	20
Las Bolsas	40	00	121	00	1 degree	200	1:250000	
Lodi	38	00	121	00	degree	50, 100	1:125000	
	90	00	121		' '•	50, 100	1	
Los Angeles (double sheet) c			110		degree	100	1:62500	10
Markleeville (CalNev.)b	38	30	119		degree		1:125000	
Marysville	39	00	121	30	do	100	1:125000	
Modoc Lava Bed	41	00	121	00	1 degree	200	1:250000	
Mt. Diablo	.37	45	121	45	degree	50	1:62500	
Mt. Hamilton	37	15	121	30	do	50	1:62500	
Oceanside	33	00	117	15	do	25	1:62500	
Palo Alto	37	15	122	00	do	25	1:62500	
Pasadena c	34	00	118	00	do	50	1:62500	
Placerville	38	30	120	30	degree	100	1:125000	
Pomona	34	00	117	45	ե degree	50	1:62500	
Port Harford d	35	00	120	45	do	50	1:62500	ŧ
Pyramid Peak b	38	30	120	00	degree	100	1:125000	E
Red Bluff	40	00	122	00	1 degree	200	1:250000	
Redondo	33	45	118	15	ղե degree	25	1:62500	Ε
Riverside a	33	45	117	15	do	25	1:62500	į
Sacramento	38	30	121	00	‡ degree	- 100	1:125000	ŧ
San Bernardino	34	00	117	15	₁ degree	50	1:62500	E
San Francisco	37	45	122	15	do	25	1:62500	5
San Jacinto	33	30	116	30	degree	100	1 · 125000	ε
San Jose	37	15	121	45	∤ց degree	25	1:62500	E
San Luis d	35	00	120	30	‡ degree	100	1:125000	ε
San Luis Obispo d	35	15	120	30	♣ degree	50	1:62500	5
San Mateo	37	30	122	15	do	25	1.62500	Ē
San Pedro	33	30	118	15	do	25	1:62500	5
Santa Ana	33	30	117	45	do	25	1:62500	
Santa Monica c	34	00	118	15	do	50	1:62500	E
Shasta	41	00	122	00	1 degree	200	1:250000	5
Sierraville	39	30	120	00	degree	100	1:125000	5
Silver Peak (NevCal.)	37	30	117	30	do	100	1:125000	5

a Riverside sheet, on scale of 1:62500, has been reduced and forms part of Elsinore on scale of 1:125000.

b Lake Tahoe and Vicinity includes Carson, Markleeville, Pyramid Peak, and Truckee sheets.

c Los Angeles includes Pasadena and Santa Monica sheets.

d Arroyo Grande, Cayucas, Port Harford, and San Luis Obispo sheets, on scale of 1:62500, have been reduced and form parts of San Luis, on scale of 1:125000.

Published topographic atlas sheets, arranged by States—Continued.

CALIFORNIA—Continued.

Name of atlas sheet.			n of Sl of shee		Area covered.	Contour interval.	Scale.	Price.
	La	t.	Lon	g.		JAROL VILL.		
	.0	,	0	,		Feet.		Cents.
Smartsville	39	00	121	00	degree	100	1:125000	5
Sonora	37	30	120	00	do	50,100	1:125000	5
Tamalpais	37	45	122	30	degree	25	1:62500	5
Truckee a	39	00	120		degree	100	1:125000	5
Tujunga	34	15	118		10 degree	50	1:62500	5
Wellington (CalNev.)	38	30	119		degree	100	1:125000	5
Yosemite	37	30	119	30	do	1.00	1:125000	5
(See also special maps, p. 110.)						`		
1		CC	LORA	ADO				
Abajo (Utah-Colo.)	37	00	109	00	1 degree	250	1:250000	5
Albany (ColoKans.)	37	30	102	00	degree	25	1:125000	5
Anthracite	38	45	107	00	16 degree	100	1:62500	5
Apishapa	37	30	104	00	4 degree	25	1:125000	. 5
Arroyo	38	30	103	00	do	25	1:125000	5
Ashley (Utah-Colo.)	40	00	109	00	1 degree	250	1:250000	5
Aspen	39	00	106	45	degree	100	1:62500	5
Big Springs	38	30	. 104	00	degree	25	1:125000	5
Canyon City	38	00	105	00	do	25, 50, 100	1:125000	5
Castle Rock	39	00	104	30	do	50, 100	1:125000	5
Catlin	38	00 30	103 102	30 00	do	25	2:125000	5 5
Colore de Caringa	38 38	30	102	30	degree	25	1:125000	5
Colorado Springs	38	45	104	45	degree	25, 50, 100 100	1:125000 1:62500	5
Denver (double sheet)	39	30	104	30	degree	50, 100	1:125000	10
Durango.	37	15	107	45	degree	100	1:62500	5
East Tavaputs (Utah-Colo.)	39	00	109	00	1 degree	250	1:250000	5
Elmoro	37	00	104	00	degree	50	1:125000	5
Engineer Mountain	37		107	45	degree	100	1:62500	5
Granada (ColoKans.)	38	00	102	00	degree	25	1:125000	5
Higbee	37	30	103	00	do	25,50	1:125000	5
Huerfano Park	37	30	105	00	do	25, 50, 100	1:125000	5
Kit Carson	38	30	102	30	do	25	1:125000	5
La Plata	37	15	108	00	degree	100	1:62500	5
La Sal (Utah-Colo.)	38	00	109	00	1 degree	250	1:250000	5
Lamar	38	00	102	30	do	25	1:125000	5
Las Animas	38	00	103	00	degree	25	1:125000	5
Leadville	39	00	106	00	do	25, 50, 100	1:125000	5
Limon	39	00	103	30	do	25	1:125000	5
Mesa de Maya	37	00	103	30	do	25, 50, 100	1:125000	5
Mount Carrizo	37	00	103	00	do	25, 50, 100	1:125000	5
Nepesta	38	00	104	00	do	25	1:125000	5
Pikes Peak	38	30	105	00	do	100	1:125000	5
Platte Canyon	39	00	1.05	00	do	25, 50, 100	1:125000	5
Pueblo	38	00	1.04	30	do	50	1:125000	5
Rico	37	30	108	00	18 degree	100	1:62500	5
Sanborn	38	30	103		degree	25	1:125000	5
Silverton	37	45	107	30	10 degree	1	1:62500	5
Spanish Peaks	37	00	104	30	degree	100	1:125000	5

a Lake Tahoe and Vicinity includes Carson, Markleeville, Pyramid Peak, and Truckee sheets.

New London (Conn.-N. Y.)

New Milford

Norwalk (Conn.-N. Y.)....

Norwich.....

Oyster Bay (N. Y.-Conn.)

Palmer (Mass.-Conn.)

Putnam (Conn.-R. I.)

Sandisfield (Mass.-Conn.) b

Saybrook

Sheffield (Mass.-Conn.-N. Y.) b.....

Springfield (Mass.-Conn.) a

Stamford (Conn.-N. Y.)

Stonington (Conn.-R. I.-N. Y.).....

Tolland

Waterbury

Webster (Mass.-Conn.-R. I.)

Winsted

Woodstock

(See also general maps, p. 109.)

Published topographic atlas sheets, arranged by States—Continued.

COLORADO-Continued.

Position of SE. corner of sheet.

Name of atlas sheet,	corner of sheet.				Area covered.	Contour	Scale.	Price.
	La	t.	Lon	ıg.		interval.		
	0	,	0	,		Feet.		Cents.
Springfield	37	00	102	30	degree	25, 50	1:125000	5
Telluride	37	45	107	45	degree	100	1:62500	5
Timpas	37	30	103	30	degree	25, 50	1:125000	5
Two Butte	37	30	102	30	do	25, 50	1:125000	5
Vilas (ColoKans.)	37	00	102	00	do	25	1:125000	5
Walsenburg	. 37	30	104	30	do	50	1:125000	5
(See also special maps, p. 110.)			ĺ					
-		CON	NECT	icu	T.			·
Bridgeport	41	00	73	CO	degree	20	1:62500	5
Brookfield (MassConn.)	42	00	72	00	do	20	1:62500	5
Carmel (N. YConn.)	41	15	73	30	do	20	1:62500	5
Clove (N. YConn.)	41	30	73	30	do	20	1:62500	5
Cornwall (ConnN. Y.)	41	45	73	15	do	20	1:62500	5
Danbury	41	15	73	15	do	20	1:62500	5
Derby	41	15	73	00	do	20	1:62500	5
Gilead	41	30	72	15	do	20	1.62500	5
Granby	41	45	72	45	do	20	1:62500	5
Granville (MassConn.) a	42	00	72	45	do	20	1:62500	5
Guilford	41	15	72	30	do	20	1:62500	5
Hartford	41	45	72	30	do	20	1:62500	5
Holyoke (MassConn.)a	42	00	72	30	degree	40	1:125000	5
Housatonic (MassConnN. Y.) b	42	00	73	00	do	40	1:125000	5
Meriden	41	30	72	45	degree	20	1:62500	5
Middletown	41	30	72	30	do	20	1:62500	5
Moosup (ConnR. I.)	41	30	71	45	do	20	1:62500	5
New Haven	41	15	72	45	do	20	1:62500	5

72 00do

73 ·15 |.....do

72 00 |.....do

73 30do

73 00do

.....do

.....do

.....do

.....do

.....do

.....do

73 15

72 15

71 45

72 15

73 15

73 30

71 45

72 15

73 00

71 45

73 00

72 00

72 30 20

20

20

20

20

20

20

20

20

20

20

20

20

20

20

20

20

20

1:62500

1:62500

1:62500

1:62500

1:62500

1:62500

1:62500

1:62500

1.62500

1:62500

1:62500

1:62500

1:62500

1:62500

1.62500

1:62500

1:62500

1:62500

5

5

5

5

5

5

5

5

5

5

5

5

5

5

Б

Б

5

41 15

41 80

41 00

40 45

41 45

41 30

42 00

42 00

41 15

42 00

42 00

41 00

41 15

41 45

41 30

42 00

41 45

41 45

a Granville and Springfield sheets, on scale of 1:62500, have been reduced and form parts of Holyoke, on scale of 1:125000.

b Sandisfield and Sheffield sheets, on scale of 1:62500, have been reduced and form parts of Housatonic, on scale of 1:125000.

Published topographic atlas sheets, arranged by States—Continued.

DELAWARE.

Name of atlas sheet.			n of SI of she		Area covered.	Contour	Scale,	Price.
rame of assas street.	La	t.	Lon	g.	I Treat coversal	interval.	Doure.	111001
	. 0	,	0	,		Feet.		Cents.
Bayside (N. JDel.) a	39	15	75	15	ተለ degree	10	1:62500	
Camden (N. JPennDel.) b	39	30	75	00	degree	20	1:125000	
Cecilton (MdDel.)	39	15	75	45	degree	20	1:62500	į (
Chester (PaDelN. J.) bc.	39	45	75	15	do	20	1:62500	
Elkton (MdPaDel.)	39	30	75	45	do	20	1:62500	
Philadelphia and Vicinity (Pa N. JDel.). c	39	45	75	00	degree	20	1:62500	20
Salem (N. JDel.)b	39	30	75	15	ት degree	10	1:62500	
Vineland (N. JDel.) a	39	00	75	00	degree	20	1:125000	
·	OISTI	RICT	OF	COL	UMBIA.			. `
Mt. Vernon (VaMdD. C.)	38	30	77	90	degree	50	1:125000	
Patuxent (MdD. C.) d	38	30	76	30	do	20	1:125000	;
Washington (D.CMdVa., double sheet). d	38	45	76	45	degree	20	1:62500	10
		F	LORI	DA.				
Arredondo	29	30	82	15	∤ն degree	10	1:62500] ;
Citra	29	15	82	00	do	10	1:62500	+
Dunnellon	29	00	82	15	do	10	1:62500	
Ocala	29	00	82	00	do	10	1:62500	
Panasoffkee	28	45	82	00	do	10	1:62500	۱ ۱
Tsala Apopka	28	45	82	15	do	.10	1:62500	1
Williston	29	15	82	15	do :	10	1:62500	
		G	EORG	IA.				
Atlanta	33	30	84	00	degree	50	1:125000	. (
Carnesville (GaS. C.)	34	00	83	00	do	5C .	1:125000	
Cartersville	34	00	84	30	do	100	1:125000	
Dahlonega (GaN.C.)	34	30	83	30	do	100	1:125000	;
Dalton (GaTenn.)	34	30	84	30	do	100	1:125000	:
Elberton (GaS. C.)	34	00	82	30	do	50	1:125000	
Ellijay (GaN. CTenn.)	34	30	84	00	do	100	1:125000	1
Fort Payne (AlaGa.)	34	00	85	30	do	· 50	1:125000	:
Gainesville e	34	00	83	30	do	100	1:125000	1

a Bayside sheet, on scale of 1:62500, has been reduced and forms part of Vineland, on scale of 1:125000.

b Chester and Salem sheets, on scale of $1:62500, {\rm have\ been\ reduced\ and\ form\ parts\ of\ Camden, on\ scale\ of\ 1:125000.}$

c Philadelphia and Vicinity includes Chester, Germantown, Norristown, and Philadelphia sheets. d East Washington sheet, on scale of 1:62500, has been reduced and forms part of Patuxent, on scale of 1:125000.

e Out of stock.

GEORGIA-Continued.

Name of atlas sheet.	Position of SE. corner of sheet.				Area covered.	Contour	Scale.	Price.
_	Lat.		Long.			interval.		
	0	,	٥	,		Feet.		Cents.
Marietta	33	30	84	30	degree	50	1:125000	5
Monroe	33	30	83	30	do	50	1:125000	5
Ringgold (GaTenn.)	34	30	85	00	do	100	1:125000	5
Rome (GaAla.)	34	00	85	00	do	100	1:125000	5
Stevenson (AlaGaTenn.)	34	30	85	30	do	100	1:125000	. 2
Suwanee	34	00	84	00	do	100	1:125000	- 5
Tallapoosa (GaAla.)	33	30	85	00	do	100	1:125000	5
Walhalla (GaS. CN. C.)	34	30	83	00	do	100	1:125000	5

IDAHO.

Bear Valley	44	00	115	00	degree	100	1:125000	5
Bisuka	43	00	116	00	do	25, 50, 100	1:125000	5
Boise	43	30	116	00	do	100	1:125000	5
Camas Prairie	43	00	115	00	do	50, 100	1:125000	5
Hailey	43	30	114	00	do	100	1:125000	5
Idaho Basin	43	30	115	30	do	100	1:125000	5
Mountain Home	43	00	115	30	do	50, 100	1:125000	5
Nampa (Idaho-Oreg.)	43	30	116	30	do	100	1:125000	5
Rocky Bar	43	30	115	00	do	1.00	1:125000	5
Sawtooth	43	30	114	30	do	100	1:125000	5
Silver City	43	00	116	30	do	100	1:125000	5
Squaw Creek		00	116	00	do	100	1:125000	5
Weiser (Idaho-Oreg.)	44	00	116	30	,do	100	1:125000	5
			ļ					(

ILLINOIS.

1			i					
Calumet (IllInd.)	41	30	87	30	₁ե degree	10	1:62500	5
Chicago	41	45	87	30	do	5	1:62500 -	5
Clinton (Iowa-Ill.) a	41	45	90	00	degree	20	1:62500	5
Cordova (Iowa-III.) a	41	30	90	00	degree	20	1:125000	5
Danville (IllInd.)	40	00	87	30	do	10	1:62500	5
Davenport (Iowa-Ill.)	41	30	90	30	do	20	1:62500	5
Desplaines	41	30	87	45	do	10	1:62500	5
Dunlap	40	45	89	30	do	10	1:62500	5
Evanston	42	00	87	30	do	10	1:62500	5
Goose Lake (Iowa-Ill.) a	41.	45	90	15	do	20	1:62500	5
Hennepin	41	15	89	15	do	10	1:62500	5
Highwood	42	00	87	45	do	10	1:62500	5
Joliet	41	30	88	00	do	10	1:62500	5
Lacon	41	00	89	15	do	20	1:62500	5
Lancaster (WisIowa-Ill.)	42	30	90	30	degree	20	1:125000	5
Lasalle	41	15	89	00	10 degree	10	1:62500	5
Leclaire (Iowa-Ill.) a	41	30	90	15	do	20	1:62500	5
Louisiana (MoIll.)	39	00	91	00	degree	50	1:125000	5
Marseilles	41	15	88	30	degree	. 10	1:62500	5
Metamora	40	45	89	15	do	- 10	1:62500	5

a Clinton, Goose Lake, and Leclaire sheets, on scale of 1:62500, have been reduced and form parts of Cordova, on scale of 1:125000.

ILLINOIS-Continued.

Name of atlas sheet.			n of Si of she		Area covered.	Contour	Scale,	Price
	La	.t.	Lor	ıg.		interval.		
	0	,	٥	,		Feet.		Cent
Morris	41	15	88	15	In degree	10	1:62500	
Ottawa	41	15	88	45	do	10	1:62500	
Peosta (Iowa-Ill.)a	42	00	90	30	degree	20	1:125000	
Riverside	41	45	87	45	degree	10	1:62500	ŀ
St. Louis (Mo.–Ill.), double sheet	38		90	00	degree	20	1:62500	į
Savanna (Iowa-111.)	42		90	00	degree	20	1:62500	
Wilmington	41	15	88	00	do	10	1:62500	
		IJ	NDIA:	NA.				-
Calumet (IllInd.)	41	30	87	30	degree	10	1:62500	
Danville (IllInd.)	40	00	87	30	do	10	1:62500	
Toleston	41	30	87	15	do	10	1:62500	
	INI	OIAN	TER	RIT	ORY.	·		-
Atoka	34	00	96	00	degree	50	1:125000	
Canadian	35	00	95	30	do	50	1:125000	
Claremore	36	00	95	30	do	50	1:125000	
Coalgate	34	30	96	00	do	50	1:125000	
Fort Smith (ArkInd.T.)	35	00	94	00	do	50	1:125000	
Joplin (KansMoInd, T.)	37	00	94	30	ào	50	1:125000	İ
McAlester	34	30	95	30	do	50	1:125000	
Muscogee	35	30	95	00	do	50	1:125000	
Okmulgee	35	30	95		do	50	1:125000	
Poteau Mountain (ArkInd. T.)	34	30	94		do	50	1:125000	
Pryor	36	00	95	00	do	50	1:125000	i
Sallisaw	35	00	94		do	50	1:125000	
Sansbois	35	00	95	00	do	50	1:125000	İ
Stonewall (Ind. TOkla.)	34	30	96	30	do	50	1:125000	
Tahlequah (Ind. TArk.)	35	30	94	30	do	50	1:125000	
lishomingo	34	00	96	30	do	50	1:125000	
Tuskahoma	34	30	95	00	do	50	1:125000	
Vinita	36	30	95	00	do	50	1:125000	
Wewoka	35	00	96	00	do	50	1:125000	
Winding Stair	34	30	94	30	do	50	1:125000	
(See also general maps, p. 109.)								
			10WA	۱.				
Amana	41	45	91	45	1 degree	20	1:62500	
Anamosa b	42		91	15	do	20	1:62500	
Baldwin a	42	00	90	45	do	20	1:62500	
Canton (S. Dak – Iowa)	43	00	96	30	do	20	1:62500	
Cedar Rapids	4 1	45	91	30	do	20	1:62500	1

a Baldwin and Maquoketa sheets, on scale of 1:62500, have been reduced and form parts of Peosta, on scale of 1:125000.

b Anamosa and Monticello sheets, on scale of 1:62500, have been reduced and form parts of Farley, on scale of 1:125000.

IOWA-Continued.

Name of atlas sheet.	Position of SE. corner of sheet.			E. et.	Area covered.	Contour	Scale.	Price.
	La	t.	Lon	g.		interval.		
	0	,	٥	,		Feet.		Cents.
Clinton (Iowa-Ill.) a	41	45	90	00	degree	20	1:62500	5
Cordova (Iowa-Ill.) a	41	30	90	00	degree	20	1:125000	5
Davenport (Iowa-Ill.)	41	30	90	30	do	20	1:62500	5
Dewitt	41.	45	90	30	do	20	1:62500	5
Durant	41.	30	90	45	do	20	1:62500	5
Farley b	42	00	91.	00	do	20	1:125000	5
Goose Lake (Iowa-Ill.) a	41	45	90	15.	do	20	1:62500	5
Iowa City	41	30	91	30	do	20	1:62500	5
Lancaster (MoIowa-Ill.)	42	30	90	30	degree	20	1:125000	5
Leclaire (Iowa-III.) a	41	30	90	15	degree	20	1:62500	5
Maquoketa c	42	00	90	30	do	20	1:62500	5
Marion	42	00	91	33	do	20	1:62500	5
Mechanicsville	41	45	91		do	20	1:62500	5
Monticello b	. 42	00	91		do	20	1:62500	5
Omaha and Vicinity (NebrIowa)	41	00	95	45	A degree	20	1:62500	10
Oxford	41	30	91	45	degree	20	1:62500	5
Peosta (Iowa-Ill.) c	42	00	90	30	degree	20	1:125000	5
Savanna (Iowa-III.)	42	00	90	00	degree	20	1:62500	5
Shellsburg	42	00	91	45	do	20	1:62500	5
Tipton	41	45	91		do	20	1:62500	5
West Liberty	41	30	91		do	20	1:62500	5
Wheatland	41	45	90		do	20	1:62500	5
Wilton Junction	41	30	91		do	20	1:62500	5
]	KANS	AS.	1		1	
	<u> </u>		·		l			
Abilene	38	30	97	00	degree	50	1:125000	5
Albany (ColoKans.)	37	30	102		do	25	1:125000	5
Anthony	37	00	98		do	20	1:125000	5
Arapahoe (NebrKans.)	40	00	99		do	20	1:125000	5
Ashland d	37	00	99	30	do	20	1:125000	5
Atchison (KansMo.)	39	30	95		do	50	1:125000	5
Beloit	39	00	98		do	20	1:125000	. 5
Burden	37	00	96		do	50	1:125000	5
Burlingame	38	30	95		do	50	1:125000	5
Burlington	38	00	95		do	50	1:125000	5
Caldwell	37	00	97		do	20	1:125000	5
Cheney	37	30	97		do	20	1:125000	5
Cheyenne Wells (ColoKans.)	38	30	102		do	25	1:125000	5
Clay Center	39	00	97		do	20	1:125000	5
Coldwater	37	00	99		do	20	1:125000	5
Concordia	39	30	97	30	do	20	1:125000	5

 $[\]alpha$ Clinton, Goose Lake, and Leclaire sheets, on scale of 1:62500, have been reduced and form parts of Cordova, on scale of 1:125000.

96 30

00 00

.....do

.....do

96 30do

20

20

50

1:125000

1:125000

1:125000

38 00

37 30

37 30

Cottonwood Falls

Dodge

Eldorado

b Anamosa and Monticello sheets, on scale of 1:62500, have been reduced and form parts of Farley, on scale of 1:125000.

c Baldwin and Maquoketa sheets, on scale of 1:62500, have been reduced and form parts of Peosta, on scale of 1:125000.

d Sitka, on scale of 1:62500, has been reduced and forms part of Ashland, on scale of 1:125000.

${\it Published\ topographic\ atlas\ sheets,\ arranged\ by\ States}\hbox{--} {\it Continued}.$

KANSAS-Continued.

Name of atlas sheet.	Por	sitio ner e	n of S	Е. et.	Area covered.	Contour	Scale.	Price.
	La	t.	Lor	ıg.		interval.		
	0	,	٥	,		Feet.		Cents.
Ellis	38	30	99	30	å degree	20	1:125000	5
Ellsworth	38	30	98	00	do	20	1:125000	5
Emporia	38	00	96	00	do	50	1:125000	5
Eskridge	38	30	96	00	do	50	1:125000	5
Eureka	37	30	96	00	do	50	1:125000	5
Fort Scott (KansMo.)	37	30	94	30	:do	.50	1:125000	5
Fredonia	37	. 30	95	30	do	. 50	1:125000	5
Garden	37	30	100	30	do	20	1:125000	5
Garnett	38	00	95		do	50	1:125000	5
Granada (ColoKans.)	38	00	102	00	do	25	1:125000	5
Great Bend	38	00	98	30	do	20	1:125000	5
Hays	38	30	99	00	do	20	1:125000	5
Hebron (NebrKans.)	40	00	97	30	do	20	1:125000	. 5
Hiawatha	39	30	95	30	do	50	1:125000	5
Hill	39	00	99	30	do	20	1:125000	5
Holdrege (NebrKans.).	40	00	99		do	20	1:125000	5
Hutchinson	38	00	97	30	do	20	1:125000	5
Independence	37	00	95	30	do	50	1:125000	5
Iola	37	30	95	00	do	50	1:125000	5
Joplin (KansMoInd. T.)	37	00	94	30	do	50	1:125000	5
Junction City	39	00	96	30	do	50	1:125000	5
Kansas City (KansMo.)	39	00	94	30	do	50	1:125000	5
Kingman	37	30	98	00	do	20	1:125000	5
Kinsley	37	30	99	00	do	20	1:125000	5
Lakin	37	30	101	00	do	20	1:125000	5
Larned	38	00	99	00	do	20	1:125000	5
Lawrence	38	30	95	00	do	50	1:125000	5
Lyons	38	00	98	00	do	20	1:125000	5
Mankato	39	30	98	00	do	20	1:125000	5
Marysville	39	30	96	30	do	50	1:125000	5
Meade	37	00	100	00	do	20	1:125000	5
Medicine Lodge	37	00	98	30	do	20	1:125000	5
Minneapolis	39	00	97	30	do	20	1:125000	5
Mound City (KansMo.)	38	00	94	30	do	50	1:125000	5
Ness City	38	00	99	30	do	20	1:125000	5
Newton	38	00	97	00	do	. 50	1:125000	5
Norton	39	30	99	30	do	20	1:125000	5
Olathe (KansMo.)	38	30	94	30	do	50	1:125000	б
Osborne	. 39	00	98	30	do	20	1:125000	5
Oskaloosa (KansMo.)	39	00	95	00	do	50	1:125000	5
Parkerville	38	30	96	30	do	50	1:125000	5
Parsons	37	00	95	00	do	50	1:125000	5
Phillipsburg	39	30	99	00	do	20	1:125000	5
Plainville	39	00	99	00	do	20	1:125000	5
Pratt	37	30	98	30	do	. 20	1:125000	5
Red Cloud (NebrKans.)	40	00	98	30	do	20	1:125000	5.
Russell	38	30	98	30	do	. 20	1:125000	5
Salina	38	30	97	30	do	20	1:125000	5
Sedan	37	00	96	00	do	50	1:125000	5
Seneca.	39	30	96	00	do	50	1:125000	. 5

KANSAS-Continued.

. Name of atlas sheet.		Position of SE. corner of sheet. Area co				Contour interval.	Scale.	Price
	La	t	Lon	g.		interval.		
	0	,	0	,		Feet.		Cents
Sitka a	37	00	99	30	լե degree	20	1:62500	
Smith Center	39	30	98	30	degree	20	1:125000	
Spearville	37	30	99	30	do	20	1:125000	
Superior (NebrKans.)	40	00	98	00	do	20	1:125000	
Syracuse	37	30	1.01	30	do	20	1:125000	1
Topeka	39	00	95	30	do	50	1:125000	
Vilas (ColoKans.)	37	00	102	00	do	25	1:125000	
Wamego	39	00	96	00	do	5Ó	1:125000	
Washington	39	30	97		do	20	1:125000	
Wellington	37	00	97		do	50	1:125000	
Wichita	37	30	97		do	50	1:125000	
<u>_</u>		KI	ENTU	CKY	·.			<u> </u>
Beattyville	37	30	83	30	degree	100	1:125000	ĺ
Cincinnati(Ohio-Ky.)doublesheet b.	39	00	84	15	degree	20	1:62500	
Cumberland Gap (KyVaTenn.)	36	30	83	30	degree	100	1:125000	
East Cincinnati (Ohio-Ky.) b	39	00	84	15	degree	20.	1:62500	ŀ
Estillville (VaKyTenn.)	36	30	82	30	degree	100	1:125000	
Grundy (VaKy.)	37	00	82	00	do	. 100	1:125000	
Hazard	37	00	83	00	do	100	1:125000	1
Huntington (W. VaOhio-Ky.)	38	00	82	00	do	100	1:125000	1
Ironton (Ohio-Ky.)	38	30	82	30	degree	20	1:62500	
Jonesville (KyVaTenn.)	36	30	83	00	degree	100	1:125000	}
London	37	00	84	00	do	100	1:125000	
Manchester	37	00	83	30	do		1:125000	
	-		81			1		
Oceana (W. VaVaKy.)	37	30	-	30	do	100	1:125000	
Prestonsburg	37	30	82		1	100	1:125000	
Richmond	37	30	84	00	do	100	1:125000	
Salyersville	37	30	83	00	do	100	1:125000	\
Warfield (W. VaKyVa.)	37	30	82		do	100	1:125000	
West Cincinnati (Ohio-Ky.) b	39	00	84	30	degree	20	1:62500	
Whitesburg (KyVa.)	37 36	00 30	82 84	30 00	‡ dégree do	100 100	1:125000 1:125000	1
			UISIA					
Barataria	29	30	90	00	degree	5	1:62500	
Bayou de Large	29	15	90		do	None.	1:62500	
Bodreau	29	45	89		do	None.	1:62500	
Bonnet Carre	30	00	90		do	5	1:62500	i
Cat Island (LaMiss.)	30	00	89		do	None.	1:62500	1
Chandeleur	29	45	89		do	None.	1:62500	١.
Chef Menteur	30	00	89		do	None.	1:62500	Ι.
Cheniere Caminada	29	00	90	00	do	None.	1:62500	1
Creole	29	15	90		do	None.	1:62500	
~~~~~~	~0	30	ł	15			1.02000	1

a Sitka, on scale of 1:62500, has been reduced and forms part of Ashland, on scale of 1:125000. b Cincinnati (double sheet) includes East Cincinnati and West Cincinnati sheets.

## LOUISIANA-Continued.

	LOU	ISIA	.NA(	Cont	tinued.			
Name of atlas sheet.			of SE		Areacovered.	Contour interval.	Scale.	Price.
	La	t.	Lon	g.				
	0	,	. 0	,		Feet.		Cents.
Dime	29	30	89	30	16 degree	5	1:62500	. 5
Donaldsonville	30	00	90	45	do	5	1:62500	1 5
Dulac	29	15	90	30	do	5	1:62500	E
East Delta	29	00	89	00	do	None.	1:62500	5
Fort Livingston	29	15	89	45	do	None.	1:62500	[
Forts	29	15	89	15	do	None.	1:62500	
Gibson	29	30	90	45	do	5	1:62500	1
Hahnville	29	45	90	15	do	5	1:62500	
Houma	29	30	90	30	do	5	1:62500	1
La Fortuna	29	30	89	15	do	None.	1:62500	1
Lac des Allemands	29	45	90	30	do	5	1:62500	[ E
Lake Felicity	29	15	90	15	do	5	1:62500	{
Mt. Airy	30	00	90	30	do	5	1:62500	
New Orleans	29	45	90	00	do	5	1:62500	[
Pointe a la Hache	29	30	89	45	do	5	1:62500	\
Quarantine	29	15	89	.30	do	5.	1:62500	[
Rigolets (LaMiss.)	30	00	89	30	do	None.	1:62500	1
St. Bernard	29	45	89	45	do	5	1:62500	:
Shell Beach	29	45	89	30	do	None.	1:62500	1 :
Spanish Fort	30	00	90	00	i	None.	1:62500	,
Thibodeaux	29	45	90	45	do	5	1:62500	1 :
Timbalier	29	00	90	15	do	None.	1:62500	:
Toulme (LaMiss.)	30	00	89	15	1	l .	1:62500	.
West Delta	29	00	89	15	do	None.	1:62500	1
		· ·	MAIN	E.			<u>'</u>	
Augusta	44	15	69	45	degree	20	1:62500	
Bath	43	45	69	45	do	20	1:62500	
Berwick (MeN. H.)	43	15	70	45	do	20	1:62500	
Biddeford	43	15	70	15	do	20	1:62500	'
Boothbay	43	45	69		do	20	1:62500	
Bucksport	44	30	68		do	20	1:62500	
Buxton	43	30	70	30	do	20	1:62500	
Casco Bay	43	30	70	00	do	20	1:62500	
		00	70		do	20	1:62500	
Dover (N. HMe.)	43		1		do			i .
Freeport	43	45	70			. 20	1:62500	
Gardiner	44	00	69	45	do	20	1:62500	
Gorham (N. HMe.) a	44	15	71		do	20	1:62500	1
Gray	43	45	70		do	20	1:62500	
Kennebunk	43	15	70	30	do	20	1:62500	
Mt. Washington and Vicinity(N. H	44	00	71	00	‡ degree	20	1:62500	2
Me.).a					1			1
Newfield (MeN. H.)	43	30	70	45	1 degree	20	1:62500	'
Norridgewock	44	30	69	45	1	20	1:62500	1
North Conway (N. HMe.) a	44	00	71	00	1	20	1:62500	
Norway	44	00	70	30		20	1:62500	
Orland	44	30	68	30	do	20	1:62500	;

 $a\,\mathrm{Mt}$ . Washington and Vicinity sheet includes Gorham and North Conway sheets, together with the Crawford Notch and Mt. Washington sheets, New Hampshire.

43 30

#### MAINE-Continued.

Name of atlas sheet.			n of SI of shee		Area covered.	Contour	Scale.	Price.
	La	t.	Lon	g.		interval.		
	•	,	٥	,		Feet.		Cents.
Sebago	43	45	70	30	degree	20	1:62500	;
Small Point	43	30	69	45	do	20	1:62500	
Vassalboro	44	15	69	30	do	20	1:62500	l
Waterville	44	30	69	30	do	20	1:62500	
Wiscasset	44	00	69	30	do	20	1.:62500	
York (MeN. H.)	43	00	70	30	do	20	1:62500	
		MA	RYL	AND	· ).			
Accident (MdPaW. Va.)	39	30	79	15	₁ degree	20	1:62500	
Annapolisa	38	45	76	15	do	20	1:62500	
Baltimore	39	15	76	30	do	20	1:62500	
Betterton b	39	15	76	00	do	20	1:62500	
Brandywine c	38	30	76	45	do	20	1:62500	
Cecilton (MdDel.)	39	15	75	45	do	20	1:62500	
Choptank a	38	30	76	00	‡ degree	20	1:125000	
Drum Point $d$	38	15	76	15	ե degree	20	1:62500	
Elkton (MdPaDel.)	39	30	75	45	do	20	1:62500	l
Ellicott	39	15	76	45	do	20	1:62500	
Flintstone (MdW. VaPa.)	39	30	78	30	do	20	1:62500	
Frederick (MdVa.)	39	00	77	00	‡ degree	50	1:125000	i '
Fredericksburg (VaMd.)	38	00	77	00	do	50	1:125000	
Frostburg (MdW. VaPa.)	39	30	78	45	degree	. 20	1:62500	ļ
Grantsville (MdPa.)	39	30	79	00	do	20	1:62500	
Gunpowder b	39	15	76	15	do	20	1:62500	Ī
Harpers Ferry (VaW. VaMd.)	39	00	77	30	‡ degree	100	1:125000	
Havre de Grace (MdPa.)	39	30	76	00	degree	20	1:62500	
Laurel	39	00	76	45	do	20	1:62500	
Leonardtown e	38	15	76	30	do	20	1.:62500	
Montross (VaMd.) e	38	00	76	45	do	20	1:62500	
Mt. Vernon (VaMdD.C.)	38	30	77	00	degree	50	1:125000	}
Nomini (MdVa.) e	38	00	76	30	do	20	1:125000	
North Pointb	39	00	76	15	degree	20	1:62500	
Oakland (MdW. Va.)	39	15	79	15	do	20	1:62500	
Owensville c	38	45	76	30	do	20	1:62500	
Patuxent (MdD. C.)c	38	30	76	30	å degree	20	1:125000	
Pawpaw (MdW. VaPa.)	39	30	78	15	degree	20	1:62500	
Piedmont (W. VaMd.)	39	00	79	00	‡ degree	100	1:125000	
Piney Point (MdVa.) e	38	00	76	30	degree	20	1:62500	
Point Lookout (MdVa.) d	38	00	76	15	do	20	1:62500	
Prince Frederick c	38	30	76	30	do	20	1:62500	
Relay	39	00	76	30	do	20	1:62500	
Romney (W. VaVaMd.)	39	00	78	30	degree	100	1:125000	I

a Annapolis and Sharps Island sheets, on scale of 1:62500, have been reduced and form parts of Choptank, on scale of 1:125000.

 $b\,\mathrm{Betterton},$  Gunpowder, and North Point sheets, on scale of 1:62500, have been reduced and form parts of Tolchester, on scale of 1:125000.

c Brandywine, East Washington, Owensville, and Prince Frederick sheets, on scale of 1:62500, have been reduced and form parts of Patuxent, on scale of 1:125000.

d Drum Point and Point Lookout sheets, on scale of 1:62500, have been reduced and form parts of St. Mary, on scale of 1:125000.

e Leonardtown, Montross, Piney Point, and Wicomico sheets, on scale of 1:62500, have been reduced and form parts of Nomini, on scale of 1:125000.

#### Published topographic atlas sheets, arranged by States-Continued.

### MARYLAND-Continued.

Name of atlas sheet.			n of SI of shee		Area covered.	Contour	Scale.	Price.
	La	t.	Lon	g.		interval.		
	0	,	0	,		Feet.		Cents.
St. Mary (MdVa.) a	38	00	76	00	‡ degree	20	1:125000	5
Sharps Island b	38	30	76	15	degree	None.	1:62500	E
Tolchester c	39	00	76	00	degree	20	1:125000	5
Washington (D. CMdVa.) (double sheet.) d	38	45	76	<b>4</b> 5	∄ degree	20	1:62500	10
Wicomico (MdVa.) e	38	15	76	45	degree	20	1:62500	<b>[</b> [
	M	ASS	ACHU	JSE.	rts.			
Abington	42	00	70	45	1 degree	20	1:62500	5
Barnstable	41	32	70	15	do	20	1:62500	5
Barre	42	15	72	00	do	20	1:62500	ĺ 5
Becket f	42	15	73	00	do	20	1:62500	5
Belchertown	42	15	72	15	do	20	1:62500	ε
Berlin (N. YMassVt.) g	42	30	73	15	do	20	1:62500	E
Blackstone (MassR. I.)	42	00	71	30	do	20	1:62500	Įξ
Boston	42	15	71	00	do	20	1:62500	5
Boston Bay	42	15	70	45	do	20	1:62500	5
Brookfield (MassConn.)	42	00	72	00	do	20	1:62500	5
Chatham	41	. 30	69	45	do	20	1:62500	€
Chesterfield h	42	15	72	45	do	20	1:62500	[ ξ
Dedham	42	00	71	00	do	20	1:62500	į .
Duxbury	42	00	70	30	do	20	1:62500	5
Fall River (MassR. I.)	41	30	71	00	do	20	1:62500	5
Falmouth	41 .	30	70	30	do	20	1:62500	5
Fitchburg (MassN. H.)	42	30	71	45	do	20	1:62500	5
Framingham	42	15	71	15	do	20	1:62500	5
Franklin (MassR. I.)	42	00	71	15	do	20	1:62500	5
Gay Head	41	15	70	42	do	20	1:62500	E
Gloucester	42	30	70	30	do	20	1:62500	Ε
Granville (MassConn.) h	42	00	72	45	do	20	1:62500	5
Greenfield (MassVt.)	42	30	72	30	do	20	1:62500	Ε
Greylock (MassVt.) g	42	30	73		do	20	1:62500	[ 5
Groton (MassN. H.)	42	30	71	30	do	20	1:62500	5
Haverhill (MassN. H.)	42	45	71	00	do	20	1:62500	Į .
Hawley (MassVt.)	42	30	72	45	do	20	1:62500	5
Holyoke (MassConn.) h	42	00	72	30	degree	40	1:125000	. 5
Housatonic (MassConnN. Y.) f	42	00	73	nn	do	40	1:125000	5

aDrum Point and Point Lookout sheets, on scale of 1:62500, have been reduced and form parts of St. Mary, on scale of 1:125000.

b Annapolis and Sharps Island sheets, on scale of 1:62500, have been reduced and form parts of Choptank, on scale of 1:125000.

cBetterton, Gunpowder, and North Point sheets, on scale of 1:62500, have been reduced and form parts of Tolchester, on scale of 1:125000.

dBrandywine, East Washington, Owensville, and Prince Frederick sheets, on scale of 1:62500, have been reduced and form parts of Patuxent, on scale of 1:12500.

eLeonardtown, Montross, Piney Point, and Wicomico sheets, on scale of 1:62500, have been reduced and form parts of Nomini, on scale of 1:125000.

fBecket, Pittsfield, Sandisfield, and Sheffield sheets, on scale of 1:62500, have been reduced and form parts of Housatonic, on scale of 1:125000.

gBerlin and Greylock sheets, on scale of 1:62500, have been reduced and form parts of Taconic, on scale of 1:125000.

h Chesterfield, Granville, Northampton, and Springfield sheets, on scale of 1:62500, have been reduced and form part of Holyoke, on scale of 1:125000.

#### MASSACHUSETTS-Continued.

Name of atlas sheet.			n of SI of she		Area covered.	Contour interval.	Scale.	Price.
	La	t	Lon	g.		interval.		
	0	,	0	,		Feet.		Cents.
Lawrence (MassN. H)	42	30	71	00	degree	20	1:62500	່ 5
Lowell (MassN. H.)	42	30	71	15	do	20	1:62500	5
Marlboro	42	15	71	30	do	20	1:62500	5
Marthas Vineyard	41	15	70	27	do	. 20	1:62500	5
Middleboro	41	45	70		de	20	1:62500	5
Muskeget	41	15	70		do	20	1:62500	5
Nantucket	41	13	69	57	do	. 20	1:62500	5
Narragansett Bay (R. IMass.)	41	30	71		do	20	1:62500	5
New Bedford	41	30	70	45	do	20	1:62500	5
Newburyport (MassN. H.)	42	45	70	45	do	20	1:62500	5
Northampton a	42	15	72	30	do	20	1:62500	δ
Palmer (MassConn.)	42	00	72	15	do	20	1:62500	5
Pittsfield (MassN. Y.) b	42	15	73	15	do	· 20	1:62500	. 5
Plymouth	41	45	70	30	do	20	1:62500	5
Providence (MassR. I.)	41	45	71	15	do	20	1:62500	5
Provincetown	42	00	70	00	do	20	1:62500	5
Sakonnet (R. IMass.)	41	15	71	00	do	20	1:62500	5
Salem	42	30	70	45	do	20	1:62500	. 5
Sandisfield (MassConn.) b	42	00	73	00	do	20	1:62500	5
Sheffield (MassConnN. Y.) b	42	00	73	15	do	20	1:62500	5
Springfield (MassConn.) a	42	00	72	30	do	20	1:62500	5
Taconic (N. YMassVt.) c	42	30	73	00	å degree	40	1:125000	5
Taunton	41	45	71	00	do	20	1:62500	5
Warwick (MassN. HVt.)	42	30	72	15	degree	20	1:62500	5
Webster (MassConnR. I.)	42	00	71	45	do	20	1:62500	5
Wellfleet	41	45	69	55	do	20	1:62500	5
Winchendon (MassN. H.)	42	30	72	00	do	20	1:62500	5
Worcester	42	15	71	45	do	20	1:62500	5
Yarmouth	41	30	70	00	do	20	1:62500	5
(See also general maps, p. 109.)								
		. м.	сніс	AN		'		<del>'</del>
Crystal Falls	46	00	88	15	degree	20	1:62500	5
Iron River (MichWis.)	46	00	88		do	20	1:62500	5
Maumee Bay (OMich.)	41	30	83		do	20	1:62500	E
Ned Lake	46	15	88		do	20	1:62500	
Passage Island	48	00	88		do	20	1:62500	[
Perch Lake	46	15	88		do	20	1:62500	5
Sagola	46	00	88	00	do	20	1:62500	5
Witbeck	46	15	88	00	do	20	1:62500	5
(See also special maps, p. 110.)								

a Chesterfield, Granville, Northampton, and Springfield sheets, on scale of 1:62500, have been reduced and form parts of Holyoke, on scale of 1:125000.

Bull. 177—01——6

b Becket, Pittsfield, Sandisfield, and Sheffield sheets, on scale of 1:62500, have been reduced and form parts of Housatonic, on scale of 1:125000.

cBerlin and Greylock sheets, on scale of 1:62500, have been reduced and form parts of Taconic, on scale of 1:125000.

## MINNESOTA.

Name of atlas sheet.			n of S		Area covered.	Contour interval,	Scale.	Price.
·	La	t.	Lon	ıg.		mtervai.		
	0		0	,		Feet.		Cents.
Duluth	46	45	92	00	ો degree	20	1:62500	[ Oonto.
Fargo (N. DakMinn.)	46	30	96	30	degree	20	1:125000	E
Minneapolis	0 44	45	93	15	degree	20	1:62500	į
St. Croix Dalles (WisMinn.)	45	15	92	30	do	20	1:62500	
St. Paul	44	45	93	00	do	20	1:62500	E
		MI	SSISS	IPP	<u>.                                    </u>			
Cat Island (La Missa)	30	00	89	00	1 dogmoo	None.	1:62500	
Cat Island (LaMiss.)	ł .		ł		degree			
Rigolets (LaMiss.)	30	00	89	30	do	None.	1:62500	5
Toulme (LaMiss.)	30	-00	89	15	do	None.	1:62500	5
		M	ISSOU	RI.	. •		•	•
Atchison (KansMo.)	39	30	95	00	degree	. 50	1:125000	5
Bolivar	37	30	. 93	00	do	50	1:125000	5
Boonville	38	30	92	30	do	50	1:125000	5
Butler	38	00	94	00	do	50	1:125000	1 5
Carthage	37	00	94	00	do	50	1:125000	E
Clinton	38	00	93	30	do	50	1:125000	[
Fayetteville (ArkMo.)	36	00	94	00	do	50	1:125000	5
Fort Scott (KansMo.)	37	30	94	30	do	50	1:125000	
Fulton	38	30	91		do	50	1:125000	
Glasgow	39	00	92	30	do	50	1:125000	5
Greenfield	37	00	93	30	do	50	1:125000	5
Harrisonville	38	30	94	00	do	50	1:125000	5
Hermann	38	30	91	00	do	50	1:125000	5
Independence	39	00	94	00	do	50	1:125000	1 5
Jefferson City	38	30	92	00	do	50	1:125000	5
• ,		00	94	30	do	50	1:125000	5
Joplin (KansMoInd. T.)	37			30 30	do			
Kansas City (KansMo.)	39	00 00	94 93	30	do	50 50	1:125000 1:125000	5
Lexington	39				1			
Louisiana (MoIll.)	39	00	91	00	do	50	1:125000	5
Marshall	39	00	93	00	do	50	1:125000	5
Mexico	39	00	91	30	do	'	1:125000	5
Moberly	39	00	92	00	do	50	1:125000	5
Mound City (KansMo.)	38	00	94	30	do	50	1:125000	5
Mountain Home (ArkMo.)	36	00	92	00	do	50	1:125000	5
Nevada	37	30	94	00	do	50	1:125000	5
Olathe (KansMo.)		30	94	30	do	50	1:125000	5
Oskaloosa (KansMo.)		00	95	00	do	50	1:125000	. 5
St. Louis (MoIll.) (double sheet)	38	30	90	00	1 degree	50	1:62500	10
Sedalia	38	30	93		degree	50	1:125000	5
Springfield	37	00			do	50	1:125000	5
Stockton	37	30	93	30	do	50	1:125000	5
Tuscumbia	38	00	92		do		1:125000	5
Versailles	38	00	92		do	50	1:125000	5
Warrensburg	38	30	93	30	do	50	1:125000	
Warsaw	38	00	93	00	do	50	1:125000	. 5
Yellville (ArkMo)	36	00	92	30	do	50	1:125000	. 5

### MONTANA.

Name of atlas sheet.			n of S of she		Areacovered.	Contour interval.	Scale.	Price.
	La	t.	Lon	ıg.		intervai.		
	0	,	0	,		Feet.		Cents.
Big Snowy Mountain	46	00	109	00	1 degree	200	1:250000	5
Big Timber	45	30	109	30	degree	50	1:125000	5
Boulder	46	00	112	00	do	100	1:125000	5
Dillon	45	00	112	00	1 degree	200	1:250000	5
Fort Benton	47	00	110	00	do	200	1:250000	5
Fort Custer	45	30	107	30	degree	50	1:125000	5
Fort Logan	46	00	111	.00	1 degree	200	1:250000	5
Great Falls	47	00	111	00	do	200	1:250000	. 5
Helena	46	00	112	00	do	200	1:250000	5
Huntley	45	30	108	00	‡ degree	50	1:125000	5
Little Belt Mountains	46	00	110	00	1 degree	200	1:250000	5
Livingston (MontYellowstone Nat. Park).	45	00	110	00	do	200	1:250000	5
Rosebud	45	00	107	00	‡ degree	50	1:125000	5
St. Xavier	45	00	107	30	do	50, 100	1:125000	5
Stillwater	45	30	109	00	do	50	1:125000	. 5
Threeforks (MontYellowstone Nat. Park).	45	00	111	00	1 degree	200	1:250000	5
(See also combined and special maps, pp. 109, 110.)								

### NEBRASKA.

<u>, , , , , , , , , , , , , , , , , , , </u>								
Arapahoe (NebrKans.)	40	00	99	30	degree	20	1:125000	5
Browns Creek	41	30	102	30	do	20	1:125000	5
Camp Clarke	41	30	103	00	do	20	1:125000	5
Chappell	41	00	102	00	do	20	1:125000	5
David City	41	00	97	00	do	20	1:125000	5
Fremont	41	00	96	00	do	. 20	1:125000	5
Goshen Hole (WyoNebr.)	41	30	1.04	00	do	20	1:125000	5
Grand Island a	40	30	98	00	do	20	1:125000	5
Grand Island $a$	40	45	98	15	i degree	20	1:62500	. 5
Hebron (NebrKans.)	40	00	97	30	degree	20	1:125000	5
Holdrege (NebrKans.)	40	00	99	00	do	20	1:125000	5
Kearney b	40	30	99	00	do	20	1:125000	5
Kearney b	40	30	99	00	占 degree		1:62500	5
Kenesaw c	40	30	98	30	do	20	1:62500	5
Lexington	40	30	99	30	degree	20	1:125000	5
Lincoln	40	30	96	30	do	20	1:125000	5
Loup	41	00	98	30	do	20	1:125000	. 5
Minden c	40	30	98	45	1 degree	20	1:62500	5
Oelrichs (S. DakNebr.)	43	00	103	00	degree	50	1:125000	5
Ogalalla	41	00	1.01	30	do	20	1:125000	5
Omaha and Vicinity (NebrIowa)	. 41	00	95	45	180 degree	20	1:62500	5
Patrick (WyoNebr.)	`42	00	104	00	degree	20	1:125000	10
Paxton	41	00	101	00	do	20	1:125000	5

a Grand Island sheet on scale of  $1:62500~\rm{has}$  been reduced and forms part of Grand Island on scale of 1:125000.

b Kearney sheet on scale of 1:62500 has been reduced and forms part of Kearney on scale of 1:125000. c Kenesaw, Minden, and Wood River sheets, on scale of 1:62500, have been reduced and form parts of Wood River on scale of 1:125000.

### NEBRASKA—Continued.

	14.151	TUTT	JK.A-	COI	unueu.			
Name of atlas sheet.			n of S		Area covered.	Contour interval.	Scale.	Price.
	La	t.	Lor	ıg,			1	
	0	,	0	-,		Feet.		Cents.
Red Cloud (NebrKans.)	40	00	98	30	degree	20	1:125000	Contro.
St. Paul	41	00	98	00	1 -0 -	20	1:125000	
Scotts Bluff	41	30	103	30	do	20	1:125000	l i
Sidney	41	00	102	30	I .	20	1:125000	
Stromsburg	41	00	97	30	degree	20	1:125000	
Superior (NebrKans.)	40	00	98	00	do	20	1:125000	
Wahoo	41	00	96	30	do	20	1:125000	
Whistle Creek	42	00	103	30	do	20	1:125000	E
Wood Rivera	40	30	98	30	do	20	1:125000	5
Wood Rivera	40	45	98	30	degree	20	1:62500	5
l e e e e e e e e e e e e e e e e e e e			1		1.0	1		,
York	40	30	97	30	degree	20	1:125000	5
		1	NEVA	DA.				
Camp Mohave (ArizNevCal.)	35	00	1.14	00	1 degree	250	1:250000	5
Carson b.	39	00	119	30	degree	100	1:125000	5
Disaster	41	00	118	00	1 degree	200	1:250000	5
Granite Range	40	00	119	00	do	200	1:250000	5
Lake Tahoe and Vicinity (CalNev.)b	38	30	119	30	do	100	1:125000	20
Long Valley	41	00	119	00	do	200	1:250000	5
Markleeville (CalNev.) b	38	30	119	30	degree	100	1:125000	5
Paradise	41	00	117	00	1 degree	200	1:250000	5
Pioche (NevUtah)	37	00	114		do	250	1:250000	5
Reno	39	30	119	30	degree	100	1:125000	5
St. Thomas (NevAriz.)	36	00	114	00	1 degree	250	1:250000	5
Silver Peak (NevCal.)	37	30	117	30	degree	100	1:125000	5
Wabuska	39	00	119	00	do	100	1:125000	5
Wadsworth.	39	30	119	00	do	. 100	1:125000	5
Wellington (CalNev)	38	30	119	00	do	100	1:125000	5
	NI	EW :	намі	SH	IRE			
Berwick (MeN. H.)	43	15	70	45	degree	20	1:62500	5
Brattleboro (VtN. H.)	42	45	72		do'	20	1:62500	5
Crawford Notch c	44	00	71		do	20	1:62500	5
Dover (N. HMe.)	43	00	70	45	do	20	1:62500	5
Fitchburg (MassN. H.)	42	30	71		do	20	1:62500	5
Gorham (N. HMe.) c	44	15	71	00	do	20	1:62500	5
Groton (MassN. H.)	42	30	71	30	do	20	1:62500	5
Haverhill (MassN. H.)	42	45	71	00	do	20	1:62500	. 5
Keene (N. HVt.)	42	45	72	15	do	20	1:62500	5
Lawrence (MassN. H.)	42	30	71		do	20	1:62500	5
Lowell (MassN. H.)	42	30	71	15	do	20	1:62500	5
Monadnock	42	45	72	00	do	20	1:62500	5
Mt. Washington c	44	15	71		do	20	1:62500	5
Mt. Washington and Vicinity						23	1,02000	
(N. HMe.) c	44	00	71	00	degree	20	1:62500	20
vr 3r: 2 3 2v: 2 2v:			_					

a Kenesaw, Minden, and Wood River sheets, on scale of 1:62500, have been reduced and form parts of Wood River on scale of 1:125000.

b Lake Tahoe and Vicinity includes Carson, Markleeville, Pyramid Peak, and Truckee sheets. c Mt. Washington and Vicinity includes Crawford Notch, Gorham, Mt. Washington, and North Conway sheets.

#### NEW HAMPSHIRE-Continued.

Name of atlas sheet.			n of SI of shee		Area covered.	Contour	Scale.	Price.
	Lat.		Long.			interval.		
	0	,	٥	,		Feet.		Cents.
Newburyport (MassN. H.)	42	45	70	45	degree	20	1:62500	5
Newfield (MeN. H.)	43	30	70	45	do	20	1:62500	5
North Conway (N. HMe.) a	44	00	71	00	do	20	1:62500	5
Peterboro	42	45	71	45	do	20	1:62500	5
Warwick (MassN. HVt.)	42	30	72	15	do	٠ 20	1:62500	5
Whitefield (N. HVt.)	44	15	71	30	do	20	1:62500	5
Winchendon (MassN. H.)	42	30	72	00	do	20	1:62500	5
York (MeN. H.)	43	00	70	30	do	20	1:62500	5

#### NEW JERSEY.

Asbury Park	40	00	74	00	degree	10	1:62500	5
Atlantic City	39	15	74	15	do	10	1:62500	5
Barnegat	39	45	74	00	do	1.0	1:62500	5
Bayside (N. JDel.) b	39	15	75	15	do	10	1:62500	. 5
Bordentown (N. JPa.)	40	00	74	30	do	10	1:62500	5
Bridgeton b	39	15	75	00	do	10	1:62500	5
Burlington (PaN. J.)	40	00	74	45	do	20	1:62500	5
Camden (N. JPaDel.) c	39	30	75	00	degree	20	1:125000	5
Cape May	38	45	74	45	degree	10	1:62500	5
Cassville	40	00	74	15	do		1:62500	5
.Chester (PaDelN. J.) cd	39	45	75	15	do	20	1:62500	5
Delaware Water Gap (PaN. J.)	40	45	75	00	do	· 20	1:62500	5
Dennisville	39	00	74	45	do	10	1:62500	5
Doylestown (PaN.J.)	40	15	75	00	do	20	1:62500	5
Easton (PaN. J.)	40	30	75	00	do	20	1:62500	5
Franklin	41	00	74	30	do	20	1:62500	5
Germantown (PaN. J.) $d$	40	00	75	00	do	20	1:62500	5
Glassboro c	39	30	75	00	do	10	1:62500	5
Great Egg Harbor	39	15	74	30	do	10	1:62500	5
Greenwood Lake (N. JN. Y.)	41	00	74	15	do	20	1:62500	5
Hackettstown e	40	45	74	45	do	20	1:62500	. 9
Hammonton f	39	30	74	45	do	10	1:62500	5
Harlem (N. YN. J.) $g$	40	45	73	45	do	20	1:62500	5
High Bridge e	40	30	74	45	do	20	1:62500	5
Lake Hopatcong e	40	45	74	30	do	20	1:62500	5
Lambertville (PaN.J.)	40	15	74	45	do	20	1:62500	5
Little Egg Harbor	39	30	74	15	do	10	1:62500	5
Long Beach	39	30	74	00	do	10	1:62500	5
Maurice Cove b		00	75	00	do	10	1:62500	5
			_					

aMt. Washington and Vicinity includes Crawford Notch, Gorham, Mt. Washington, and North Conway sheets.

b Bayside, Bridgeton, and Maurice Cove sheets, on scale of 1:62500, have been reduced and form parts of Vineland, on scale of 1:125000.

c Chester. Glassboro, Philadelphia, and Salem sheets, on scale of 1:62500, have been reduced and form parts of Camden, on scale of 1:125000.

d Philadelphia and Vicinity includes Chester, Germantown, Norristown, and Philadelphia sheets. e Hackettstown, High Bridge, Lake Hopatcong, and Somerville sheets, on scale of 1:62500, have been reduced and form parts of Raritan, on scale of 1:125000.

fHammonton, Mount Holly, Mullica, and Pemberton sheets, on scale of 1:62500, have been reduced and form parts of Rancocas, on scale of 1:12500.

g New York City and Vicinity includes Brooklyn, Harlem, Paterson, Staten Island, and parts of Hempstead, Oyster Bay, and Sandy Hook sheets.

#### NEW JERSEY-Continued.

Name of atlas sheet.			of SI of shee		A rea covered.	Contour interval.	Scale.	Price.
	La	t.	Lor	ıg.		mtervai.		
	0		0	,		Feet.		Cents.
Morristown a	40	45	74	15	degree	20	1:62500	5
Mt. Holly b	39	45	74	45	do	10	1:62500	5
Mullica b	39	30	74	30	do	10	1:62500	5
New Brunswick	40	15	74	15	do	10	1:62500	5
New York City and Vicinity (N. YN. J.). c	40	22	73	40	35 degree	20	1:62500	25
Passaic (N. JN Y.) a	40	30	7.1	00	¹ degree	20	1:125000	5
Paterson (N. JN. Y.) ac	40	45	74		degree	20	1:62500	5
Pemberton b	39	45	74		do	10	1:62500	5
Philadelphia (PaN. J.) de	39	45	75	00	do	20	1:62500	5
Philadelphia and Vicinity (Pa	39	45	75		degree	20	1:62500	20
N.JDel.). c	. 29	40	13	00	, degree	20	1,02300	20
Plainfield a	40	30	74	15	નું degree	20	1:62500	5
Princeton	40	15	74	30	do	10	1:62500	5
Ramapo (N. JN. Y.)	41	00	74	00	do	20	1:62500	5
Rancocas b.	39	30	74	30	. degree	10	1:125000	5
Raritan f.	40	30	74	30	do	20	1:125000	5
Salem (N. JDel.)d	39	30	75	15	in degree	10	1:62500	5
Sandy Hook c.	40	15	74	00	do	10	1:62500	5
Sea Isle	• 39	00	74	30	do	10	1:62500	5
Somervillef	40	30	74	30	do	20	1:62500	5
Staten Island (N. JN. Y.) ac.	40	30	74	00	degree	20	1:62500	5
Tarrytown (N. YN. J.)	41	00	73	45	do	20	1:62500	5
Tuckahoe	39	15	74	45	do	10	1:62500	5
Vineland (N.JDel.) y	39	00	75	00	‡ degree	20	1:125000	5
Wallpack (N. JPa.)	41	00	71	45	degree	20	1:62500	5
Whiting	39	45	74	15	do	10	1:62500	5
(See also special maps, p. 110.)								

#### NEW MEXICO.

Albuquerque	35	00	106	30	å degree	50	1:125000	5
Bernal	35	00	105	00	do	50	1:125000	5
Canyon de Chelly (ArizN. Mex.)	36	00	109	00	1 degree	200	1:250000	5
Chaco	36	00	108	00	do	200	1:250000	5
Corazon	35	00	104	30	‡ degree	50	1:125000	5
Deming	32	00	107	30	do	100	1:125000	5

 $[\]alpha$  Morristown, Paterson, Plainfield, and Staten Island sheets, on scale of 1:62500, have been reduced and form parts of Passaic, on scale of 1:125000.

b Hammonton, Mount Holly, Mullica, and Pemberton sheets, on scale of 1:62500, have been reduced and form parts of Rancocas, on scale of 1:125000.

c New York City and Vicinity includes Brooklyn, Harlem, Paterson, Staten Island, and parts of Hempstead, Oyster Bay, and Sandy Hook sheets.

d Chester, Glassboro, Philadelphia, and Salem sheets, on scale of 1:62500, have been reduced and form parts of Camden, on scale of 1:125000.

ePhiladelphia and Vicinity includes Chester, Germantown, Norristown, and Philadelphia sheets. fHackettstown, High Bridge, Lake Hopatcong, and Somerville sheets, on scale of 1:62500, have been reduced and form parts of Rar.tan, on scale of 1:125000.

g Bayside, Bridgeton, and Maurice Cove sheets, on scale of 1:62500, have been reduced and form parts of Vineland, on scale of 1:125000.

### NEW MEXICO-Continued.

Name of atlas sheet.	Position of SE. corner of sheet.				Area covered.	Contour interval.	Scale.	Price.
• *	La	t.	Lon	g.		interval.		
	0	,	0	,		Feet.		Cents.
Fort Defiance (ArizN. Mex.)	35	00	109	00	1 degree	200	1:250000	5
Jemes	35	30	106	30	ådegree	100	1:125000	5
Lamy	35	00	105	30	do	50, 100	1:125000	5
Largo	36	00	107	00	1 degree	200	1:250000	5
Las Cruces	32	00	106	30	‡ degree	25, 50	1:125000	5
Las Vegas	35	30	105	00	do	50	1:125000	5
Mt. Taylor	35	00	107	00	1 degree	200	1:250000	5
St. Johns (ArizN. Mex.)	34	00,	109	00	do	. 200	1:250000	5
San Pedro	35	00	106	00	‡ degree	50, 100	1:125000	5
Santa Clara	35	30	106	00,	do	100	1:125000	5
Santa Fe	35	30	105	30	do	100	1:125000	5
Watrous	35	30	104	30.	do	50	1:125000	. 5
Wingate	35	00	108	00	1 degree	200	1:250000	5

#### NEW YORK.

					·			
Albanya	42	30	73	45	1 degree	20	1:62500	5
Albany and Vicinity a	42	30	73	30	degree	20	1:62500	20
Albion	43	00	- 78	00	degree	20	1:62500	. 5
Amsterdam	42	45	74	00	do	20	1:62500	. 2
Auburn	42	45	76	30	do	· 20	1:62500	5
Ausable	44	15	73	30	do	20	1:62500	5
Baldwinsville	43	00	76	13	do	20	1:62500	5
Berlin (N. YMassVt.) b	42	30	73	15	do	20	1:62500	5
Bolton	43	30	73	30	do	20	1:62500	5
Brockport	43	00	77	45	do	20	1:62500	5
Brooklyn c	42	30	73	45	do	20	1:62500	5
Buffalo (N. YCanada)	42	45	78	45	do	20	1:62500	5
Cambridge (N. YVt.)	43	00	73	15	do	- △ 20	1:62500	5
Canada Lake	43	39	74	30	do	20	1:62500	5
Canajoharie	42	45	74	30	do	20	1:62500	5
Cape Vincent (N. YCanada)	44	00	76	15	do	20	1:62500	5
Carmel (N. YConn.)	41	15	73	30	do	20	1:62500	5
Castleton (VtN. Y.)	43	30	73	00	do	20	1:6250J	5
Catskill	42	00	73	45	do	- 20	1:62500	5
Cazenovia	42	45	75	45	do	20	1:62500	Б
Cherry Creek	42	15	79	00	do	20	14: 62500	5
Chittenango	43	00	75	45	do	20	1:62500	5
Clove (N. YConn.)	41	30	73	30	do	20	1:62500	5
Cohoes a	42	45	73	30	do	20	1:62500	5
Cornwall (ConnN. Y.)	41	45	73	15	do	20	1:62500	5
Coxsackie	42	15	73	45	do	20	1:62500	5
Dryden	42	15	76	15	do	20	1:62500	5
Dunkirk	42	15	79	15	do	20	1:62500	5

 $[\]alpha$  Albany and Vicinity includes Albany, Cohoes, Schenectady, and Troy sheets.

b Berlin and Hoosick sheets, on scale of 1:62500, have been reduced and form parts of Taconic, on scale of 1:125000.

cNew York City and Vicinity includes Brooklyn, Harlem, Paterson, Staten Island, and parts of Hempstead, Oyster Bay, and Sandy Hook sheets.

### PUBLICATIONS OF U. S. GEOLOGICAL SURVEY.

# Published topographic atlas sheets, arranged by States-Continued.

### NEW YORK-Continued.

Name of atlas sheet.			of SI of shee		Areacovered.	Contour interval.	Scale.	Price.
	La	t.	Lon	g.		interval.		
	0	,	0	,		Feet.		Cents.
Durham	42	15	74	00	degree	20	1:62500	
Elizabethtown	44	00	73	30	do	20	1:62500	
Elmira (N. YPa.)	42	00	76	45	do	20	1:62500	į į
Fonda	42	45	. 74	15	do	20	1:62500	ŧ
Fort Ann (N. YVt.)	43	15	73	15	do	20	1:62500	:
Fulton	43	15	76	15	do	20	1:62500	؛ }
Glens Falls	43	15	73	30	do	20	1:62500	
Greenwood Lake (N. JN. Y.)	41	00	74	15	do	20	1:62500	
Hamlin	43	15	77	45	do	20	1:62500	1
Harlem (N. YN. J.) a	40	45	73	45	do	20	1:62500	
Hempstead a	40	30	73	30	do	20	1:62500	
Hoosick (N. YVt.) b	42	45	73	15	do	20	1:62500	( 6
Housatonic (MassConnN. Y.)c	42	00	73	00	degree	40	1:125000	
Indian Lake	43	30	74	15	degree	20	1:62500	
Ithaca	42	15	76	30	do	20	1:62500	
Kaaterskill	42	00	74	00	do	20	1:62500	1
Lake Placid	44	15	73	45	do	20	1:62500	8
Little Falls	43	00	74	45	do	20	1:62500	
Lockport d	43	00	78	30	do	20	1:62500	1
Macedon	43	00	77	15	do	20	1:62500	;
Medina	43	-00	78	15	do	20	1:62500	4
Mooers	44	45	73	30	do	20	1:62500	
Moravia	42	30	76	15	do	20	1:62500	
Mt. Marcy	44	00	73	45	do	20	1:62500	1
New London (ConnN. Y.)	41	15	72	00	do	20	1:62500	
New York City and Vicinity (N. Y	40	22	73	40	ਰੋਰ degree	20	1:62500	2
N. J.). a								
Newcomb	43	45	74	00	ੀਰ degree	20	1:62500	1
Niagara d	43	00	78	30	å degree	20	1:125000	1
Niagara Falls (N. YCanada)d e	43	00	79	00	18 degree	20	1:62500	
Niagara Falls and Vicinity e	43	00	78	45	5 degree	20	1:62500	10
North Creek	43	30	73	45	degree	20	1:62500	1
Norwalk (ConnN. Y.)	41	00	73	15	do	20	1:62500	
Oak Orchard	43	15	- 78	00	do	20	1:62500	
Olcott d	43	15	78	30	do	20	1:62500	Ι.
Old Forge	43	30	74	45	do	20	1:62500	
Olean	42	00	78	15		20	1:62500°	
Oneida	43	00	75	30	I .	20	1:62500	
Ontario Beach	43	15	77	30	1	. 20	1:62500	
Oriskany	43	00	75		do	20	1:62500	
Oswego	43	15	76		do	20	1:62500	
Oyster Bay (N. YConn.)a	40	45	73	30	1	20	1:62500	(
Paradox Lake	43	45			do	1	,	
					,	v		

a New York City and Vicinity includes Brooklyn, Harlem, Paterson, Staten Island, and parts of Hempstead, Oyster Bay, and Sandy Hook sheets.

b Berlin and Hoosick sheets, on scale of 1:62500, have been reduced and form arts of Taconic, on scale of 1:125000.

c Pittsfield and Sheffield sheets on scale, of 1:62500, have been reduced and form parts of Housatonic, on scale of 1:125000.

d Lockport, Niagara Falls, Olcott, Tonawanda, and Wilson sheets, on scale of 1:62500, have been reduced and form parts of Niagara, on scale of 1:125000.

e Niagara Falls and Vicinity includes Niagara Falls, Tonawanda, and Wilson sheets.

#### NEW YORK-Continued.

Name of atlas sheet.	Pos	itio 1er (	n of Sl of shee	E. et.	Area covered.	Contour	Scale.	Price.
	La	t.	Lon	g.		interval.		
	•	,	۰	,		Feet.	,	Cents.
Passaic (N. JN. Y.)a	. 40	30	74	00	‡ degree	20	1:125000	5
Paterson (N. JN. Y.) ab	40	45	74	00	⅓ degree	20	1:62500	5
Pawlet (VtN. Y.)	43	15	73	00	do	20	1:62500	5
Pittsfield (MassN. Y.) c	42	15	.73	15	do	20	1:62500	5
Plattsburg (N. YVt.)	44	30	73	15	do	20	1:62500	5
Port Henry (N. YVt.)	44	00	73	15	do	20	1:62500	5
Poughkeepsie	41	30	73	45	do	20	1:62500	5
Pulaski	43	30	76	00	do	20	1:62500	5
Ramapo (N. JN. Y.)	41	00	74	00	do	20	1:62500	5
Remsen	43	15	75	00	do	20	1:62500	ь
Rhinebeck	41	45	73	45	do	20	1:62500	5
Ridgeway	43	15	78	15	do	20	1:62500	5
Rochester	43	00	77	30	do	20	1:62500	5
Rouse Point (N. YVt.)	44	45	73	15	do	20	1:62500	5
Sacketts Harbor	43	45	76	00-	do	20	1:62500	5
Salamanca	42	00	78	30	do	20	1:62500	5
Schenectadyd	42	45	73	45	do	20	1:62500	5
Schoharie	42	30	74	15	do	20	1:62500	5
Schroon Lake	.43	45	73	45	do	20	1:62500	5
Schuylerville	43	00	73	30	do	20	1:62500	5
Sheffield (MassConnN. Y.) c	42	00	73	15	do	20	1:62500	5
Silver Creek	42	30	79		do	20	1:62500	5
Skaneateles	42	45	76	15	do	20	1:62500	. 5
Stamford (ConnN.Y.)	41	00	73	30	do	20	1:62500	5
Staten Island (N. JN. Y.) ab	40	30	74	00	do	20	1:62500	5
Stonington (ConnR. IN. Y.)	41	15	71	45	do	20	1:62500	5
Stony Island	43	45	76	15	do	20	1:62500	5
Syracuse	43	00	76	00	do	20	1:62500	5
Taconic (N. YMassVt.) e	42	30	73	00	degree	40	1:125000	5
Tarrytown (N. YN. J.)	41	00	73	45	degree	20	1:62500	5
Thirteenth Lake	43	30	74	00	do	20	1:62500	5
Ticonderoga (N. YVt.)	43	45	73	15	do	20	1:62500	5
Tonawandafg	43	00	78		do	20	1:62500	5
Troy d	42	30	73	30	do	20	1:62500	5
Tully	42	45	76	00	do	20	1:62500	5
Utica	43	00	75	00	do	20	1:62500	5
Watertown	43	45	75		do	20	1:62500	5
Watkins	42	15	76		do	20	1:62500	5

a Paterson and Staten Island sheets, on scale of 1:62500, have been reduced and form parts of Passaic, on scale of 1:125000.

b New York City and Vicinity includes Brooklyn, Harlem, Paterson, Staten Island, and parts of Hempstead, Oyster Bay, and Sandy Hook sheets.

c Pittsfield and Sheffield sheets, on scale of 1:62500, have been reduced and form parts of Housatonic, on scale of 1:125000.

d Albany and Vicinity includes Albany, Cohoes, Schenectady, and Troy sheets.

e Berlin and Hoosick sheets, on scale of 1:62500, have been reduced and form parts of Taconic, on scale of 1:125000.

f Lockport, Niagara Falls, Olcott, Tonawanda, and Wilson sheets, on scale of 1:62500, have been reduced and form parts of Niagara, on scale of 1:125000.

g Niagara Falls and Vicinity includes Niagara Falls, Tonawanda, and Wilson sheets.

### NEW YORK-Continued.

Name of atlas sheet.			n of Sl of shee		Area covered.	Contour interval.	Scale.	Price.
	La	t.	Lon	ıg.		interval.		
	0	,	0	,		Feet.		Cents.
West Point	41.	15	73	45	급 degree	20	1:62500	5
Westfield	42	15	79	30	do	20	1:62500	<del>\</del> 5
Whitehall (N. YVt.)	43	30	73	15	do	20	1:62500	∫ ε
Willsboro (N. YVt.)	44	15	73	15	do	20	1:62500	1 5
Wilmurt	43	15	74	45	do	20	1:62500	1
Wilson a b	43	15	78	45	do	20	1:62500	} E
(See also combined sheets, p. 109.)						}	}	
,	NO	RTI	H CAI	ROL	INA.		•	·
Abingdon (TennVaN.C.)	36	30	81	30	degree	100	1:125000	· .
Asheville (N. CTenn.)	35	30	82	30	do	100	1:122000	
Cowee (N. CS. C.)	35	00	83	00	do	100	1:125000	
Cranberry (N. CTenn.)	36	00	81	30	do	100	1:125000	į .
Dahlonega (GaN. C.)	34	30	83	30	do	100	1:125000	
Elijay (GaN. CTenn.)	34	30	84	00	do	100	1:125000	E
Greeneville (TennN.C.)	36	00	82	. 30	do	100	1:125000	E
Hickory	35	30	81	00	do	50	1:125000	
Hillsvil e (VaN. C.)	36	30	80	30	do	100	1:125000	E
Knoxville (Tenn. N. C)	35	30	83	30	do	. 100	1:125000	E
Morganton	35	30	81	30	do	100	1:125000	Į [
Mt. Guyot (TennN. C.)	35	30	83	00	do	100	1:125000	Į [
Mt. Mitchell (N. CTenn.)	35	30	82	00	do	100	1:125000	₹ 5
Murphy (TennN. C.)	35	00	84	00	do	100	1:125000	
Nantahala (N. CTenn.)	35	00	83	30	do	100	1:125000	
Norfolk (VaN. C.)	36	30	75	45	degree	5	1:125000	10
Pisgah (N.CS.C.)	35	00	82	30	degree	100	1:125000	
Roan Mountain (TennN. C.)	36	00	82	00	do	100	1:125000	5
Saluda (N. CS. C.)	35	00	82	00	do	100	1:125000	5
Statesville	35	30	80	30	do	50	1:125000	E
Walhalla (GaS. CN. C.)	34	30	83	00	do	100	1:125000	
Wilkesboro	36	00	81	00	do	100	1:125000	5
Wytheville (VaN.C.)	36	30	81		do	100	1:125000	5
			25			50		

#### NORTH DAKOTA.

.....do .....

100

1:125000

5

Casselton'	46 . 30	97 00	degree	20	1:125000	5
Columbia (S. DakN. Dak.) c	45 30	98 00	)do	20	1:125000	. 5
Eckelson	46 30	98 00	)do	20	1:125000	5
Edgeley d	46 00	98 30	do	20	1:125000	5

a Lockport, Niagara Falls, Olcott, Tonawanda, and Wilson sheets, on scale of 1:62500, have been reduced and form parts of Niagara, on scale of 1:125000.

36 00

Yadkinville .....

b Niagara Falls and Vicinity includes Niagara Falls, Tonawanda, and Wilson sheets.

c Hecla and Savo sheets, on scale of 1:62500, have been reduced and form parts of Columbia, on scale

d Monango sheet, on scale of 1:62500, has been reduced and forms part of Edgeley, on scale of 1:125000,

# ${\it Published\ topographic\ atlas\ sheets,\ arranged\ by\ States}\hbox{--} {\it Continued}.$

#### NORTH DAKOTA-Continued.

Name of atlas sheet.			ner of sheet.		Area covered.	Contour interval.	Scale.	Price.
	·Lat	t.	Lon	g.		mtervai.		
	•	-,		,		Feet.		Cents.
Ellendale (N. DakS. Dak.) a	45	30	98	30	degree	· 20	1:125000	5
Ellendale (N. DakS. Dak.) a	45	45	98	30	degree	20	1:62500	Ε
Fargo (N. DakMinn.)	46	30	96	30	degree	20	1:125000	Ε
Fullerton b	46	00	98	15	ե degree	20	1:62500	· £
Hecla (S. DakN. Dak.) c	45	45	98	00	do	20	1:62500	1 8
Jamestown	46	30	98	30	degree	20	1:125000	E
Lamoure b	46	00	- 98	00	do	20	1:125000	
Lamoure b	46	15	98	15	∄ degree	20	1:62500	ε
Monango $d$	46	00	98	30	do	20	1:62500	8
Oakesb	46	00	98	00	do	20	1:62500	Į .
Pingree	47	00	98	30	degree	20	1:125000	l 8
Savo (N. DakS. Dak.) c	45	45	98	15	degree	20	1:62500	٤
Tower	46	30	97	30	degree	20	1:125000	
	10		31		T degree	20	1.120000	
			оні	0.				
Cincinnati(Ohio-Ky.),double sheet e	39	00	84	15	degree	20	1:62500	1
East Cincinnati (Ohio-Ky.)	39	00	84	15	degree		1:62500	
East Columbuse	39	45	82	45	do	20	1:62500	
Huntington (W. VaOhio-Ky.)	38	00	82	00	degree	100	1:125000	1
Ironton (Ohio-Ky.)	38	30	82	30	degree	20	1:62500	1
Maumee Bay (Ohio-Mich.)	41	30	83	15	do	20	1:62500	
Oak Harbor	41	30	83	00	do	20	1:62500	1 .
Toledo	41	30	83	30	do	20	1:62500	1 .
West Cincinnati (Ohio-Ky.) e	39	00	84	30	do	20	1:62500	
West Columbus	39	45	83	00	do	20	1:62500	
	<u>'</u>	OK	LAH	OM.	Α.			
Kingfisher	35	30	97	30	degree	20	1:125000	
			REG	ON.				
Ashland	42	00	122	00	1 degree	200	1:250000	<u> </u> .
Coos Bay	43	00	124	00	degree		1:125000	
Klamath	42	00	121	00	1 degree	l .	1:250000	
Nampa (Idaho-Oreg.)	43	30	116	30	degree	ı	1:125000	
Port Orford	42	30	124	00	degree	1	1:125000	
Portland (OregWash.)	45	30	122	30	degree		1.62500	
Roseburg	43		123		do		1 . 125000	
Weiser (Idaho-Oreg.)	44		116	30	do	100	1.125000	
								i

aEllendale sheet on scale of 1:62500 has been reduced and forms part of Ellendale on scale of 1:125000.

b Oakes, Fullerton, and Lamoure sheets, on scale of 1:62500, have been reduced and form parts of Lamoure on scale of 1:125000.

c Hecla and Savo sheets, on scale of 1:62500, have been reduced and form parts of Columbia, on scale of 1:125000.

d Monango sheet, on scale of 1:62500, has been reduced and forms part of Edgeley, on scale of 1:125000.

e Cincinnati (double sheet) includes East Cincinnati and West Cincinnati sheets.

#### PENNSYLVANIA.

Name of atlas sheet.			on of S of she		Areacovered.	Contour interval.	Scale.	Price.
	L	ıt.	Loi	ng.		mtervai.		
		,		,		Feet.		Cents.
Accident (MdPaW. Va.)	39	30	79	15	degree	20	1:62500	
Allentown	40	30	75	15	do	20	1:62500	
Bloomsburg	41	00	76	15		20	1:62500	
Bordentown (N. JPa.)	40	00	74	30	do	10	1:62500	1 1
Burlington (PaN. J.)	. 40	00	74	45	do	20	1:62500	
Camden (N. JPaDel.) a	39	30	75	00	1	20	1:12500	
Catawissa	40	45	76	15	1	20	1:62500	/ [
Chester (PaDelN. J.) a b	39	45	75	15	1.0	20	1:62500	
Delaware Water Gap (PaN. J.)	40	45	75	00		20	1:62500	E
Doylestown (PaN. J.)	40	15	75		do	20	1:62500	
Dundaff	41	30	75		do	20	1:62500	5
Easton (PaN. J.)	40	30	75	00		. 20	1:62500	. 5
Elkland	41	45	77		do	20	1:62500	
Elkton (MdPaDel.)	39	30	75		do	20	1:62500	5
	42	00	76	45	do	20	1:62500	5
Elmira (N. YPa.)			80		do	20	1:62500	5
Erie	42	00			1		i -	
Fairview	42	00	80		do	20	1:62500	5
Flintstone (MdW. VaPa.)	. 39	30	78		do	20	1:62500	5
Frostburg (MdW. VaPa.)	39	30	78		do	20	1:62500	5
Gaines	41	45	77		do	20	1:62500	5
Germantown (PaN.J.) b	40	00	75		do	20	1:62500	5
Girard	41	45	80		do	20	1:62500	5
Grantsville (MdPa.)	39	30	79		do	20	1:62500	. 5
Harrisburg	40	15	76		do	· 20	1:62500	5
Harvey Lake	41	15	76 76		do	20	1:62500	5
Havre de Grace (MdPa.) Hazleton	39 40	30 45	75	45	do	20 20	1:62500° 1:62500	5
Honesdale	41	30	75	15	do	20	1:62500	5
Hummelstown	40	15	76		do	20	1:62500	5
Lambertville (PaN. J.)	40	15	74		do	20	1:62500	5
Lebanon	40	15	76		do	20	1:62500	5
Lykens	40	30	76	30	do	- 20	1:62500	5
Mahanoy	40	45	76	00	do	20	1:62500	5
Masontown	39	45	79	45	do	20	1:62500	5
Millersburg	40	30	76	45	do	20	1:62500	5
Norristown b	40	00	75	15	do	20	1:62500	5
Pawpaw (MdW. VaPa.)	39	30	78		do	20	1:62500	5
Philadelphia (PaN. J.) ab	39	45	75	00	do:	20	1:62500	5
Philadelphia and Vicinity (Pa N. JDel.) b	39	45	75	00`	‡degree	20	1:62500	20
Pinegrove	40	30	76	15	1 degree	20	1:62500	5
Pittston	41	15	75	45	do	20	1:62500	5
Pottsville	40	30	76		do	20	1:62500	5
Quakertown	40	15	75		do	20	1:62500	5
Reading	40	15	75	45	do	20	1:62500	5
Scranton	41.	15	75		do	20	1:62500	5
Shamokin	40	45	76	30	do	20	1:62500	5
Shickshinny	41	00	76	00	do	20	1:62500	5
Sunbury	40	45	76	45	do	20	1:62500	5
Jniontown	39 41	45 00	79 74	30 45	do	20 20	1:62500 1:62500	5 5
"ampaca (11.01 a.)	41	00	74 75	,	do	20	1:62500	5

a Chester and Philadelphia sheets, on scale of 1:62500, have been reduced and form parts of Camden, on scale of 1:125000.

b Philadelphia and Vicinity includes Chester, Germantown, Norristown, and Philadelphia sheets.

## RHODE ISLAND.

Name of atlas sheet.			n of Si		Areacovered.	Contour interval.	Scale.	Price
	La	t.	Lon	g.		mtervai.		
	0	,	٥	,		Feet.		Cents
Blackstone (MassR. I.)	42	00	71	30	են degree	20	1:62500	ί
Block Island	41	00	71	30	do	20	1:62500	
Burrillville	41	45	71	30	do	20	1:62500	}
Charlestown	41	15	71	30	do	20	1:62500	
Fall River (MassR. I.)	41	30	71	00	do	20	1:62500	1
Franklin (MassR. I.)	42	00	71	15	do	20	1:62500	
Kent	41.	30	71	30	do	20	1:62500	
Moosup (ConnR. I.)	41	30	71	45	do	20	1:62500	
Narragansett Bay (R. IMass.)	41	30	71	15	do	20	1:62500	ŀ
Newport	41	15	71	15	do	20	1:62500	
Providence (MassR. I.)	41	45	71	15	do	20	1:62500	
Putnam (ConnR. I.)	41	45	71		do	20	1:62500	1
Sakonnet (R. IMass.)	41	15	71		do	20	1:62500	ĺ
Stonington (ConnR. IN. Y.)	41	15	71	45	do	20	1:62500	
Webster (MassConnR. I.)	42	00	71	45	do	20	1:62500	1
TODALCE (IELESS. COMM. 20.11)						20	1.02000	<u> </u>
	sc	UTI	H CAI	ROL	INA.			
Abbeville	34	00	82	00	degree	50	1:125000	
Carnesville (GaS. C.)	34	00	83	00	do	50	1:125000	
Cowee (N. CS. C.)	35	00	83		do	100	1:125000	
Elberton (GaS. C.)	34	00	82		do	50	1:125000	
McCormick (GaS. C.)	33	30	82		do	50	1:125000	
Pickens	34	30	82		do	100	1:125000	
Pisgah (N. CS. C.)	35	00			do	100	1:125000	ļ
Saluda (N. C.–S. C.)	35	00	82	00	do	100	1:125000	
Walhalla (GaS. CN. C.)	34	30	83	00	do	100	1:125000	(
	s	OUT	H DA	KO	ТА.	1		ţ
Aberdeen a	45	00	98	00	degree	20	1:125000	1
Alexandria	43	30	97		do	20	1:125000	
Byron	44	30	98		do	20	1:125000	
Canton (S. DakIowa)	43	00	96		do	20	1:125000	
Columbia (S. DakN. Dak.) b	45	30	98		do	20	1:125000	
Columbia (S. DakN. Dak.)	45	30	98		degree	20	1:62500	1
Conde a	45	00	98		do	20	1:62500	
De Smet	44	00	97	30		20	1:02500	1
Deadwood	44	00	103	30	do	100	1:125000	
Ellendale (N. DakS. Dak.) c	. 45	30	98		do	20	1:125000	
Ellendale (N. DakS. Dak.) c	45	45	98	30		20	1:125000	1
,	43	30	103	30	degree	100	1:02500	
Harney Peak			)					l
Hecla (S. DakN. Dak.) b	45	45	98	00	degree	20	1:62500	
Hermosa	43	30	103	00	degree	1.00	1:125000	
Huron	44	00	l 98	00	do	20	1:125000	1

a Conde sheet, on scale of 1:62500, has been reduced and forms part of Aberdeen, on scale of 1:125000. b Columbia, Hecla, and Savo sheets, on scale of 1:62500, have been reduced and form parts of Columbia on scale of 1:125000.

c Ellendale sheet on scale of  $1:62500~\mathrm{has}$  been reduced and forms part of Ellendale on scale of 1:125000,

### SOUTH DAKOTA-Continued.

	La				_Area covered.	Contour interval.	Scale.	Price.	
		t.	Lor	ıg.		mtervai.			
	0		٥	_,		Feet.		Cents.	
Mitchell	43	30	98	00	degree	20	1:125000	1	
Northville	45	00	98	30	do	20	1:125000	1	
Delrichs (S. DakNebr.)	43	00	103	00	do	50	1:125000		
Olivet	43	00	97		do	20	1:125000		
Parker	43	00	97		do	20	1:125000		
Rapid	-44	00	103		do	50	1:125000		
Redfield	44	30	98	.30	do	20	1:125000		
Savo (N. DakS. Dak.) a.	45	45	98	15	degree	20	1:625000		
Spearfish	44	15	103	45	do	50	1:625000	i	
Sturgis	- 44	15	103	30	do	50	1:662500		
Sundance (WyoS. Dak.)	44	00	104	00	degree	50	1:125000		
					•	<u> </u>		<u> </u>	
		TE	NNES	SEE					
Abingdon (TennVaN.C.)	36	30	81	30	¹ degree	100	1:125000		
Asheville (N. CTenn.)	35	30	82	30	do	100	1:125000		
Briceville	36	00	84	00	do	100	1:125000		
Bristol (VaTenn.)	36	30	82	00	do	. 100	1:125000		
Chattanooga	35	00	85		do	100	1:125000		
Cleveland	35	00	84	30	do	100	1:125000	i	
Columbia	35	30	87	00	do	50	1:125000		
Cranberry (N. CTenn.)	36	00	81	30	do	100	1:125000		
Cumberland Gap (KyVaTenn.)	36	30	83	30	do	100	1:125000		
Dalton (GaTenn.)	34	30	84	30	do	100	1:125000		
Ellijay (GaN. CTenn.)	34	30	84	00	do	100	1:125000		
Estillville (VaKyTenn.)	36	30	82		do	100	1:125000		
Freenville (TennN. C.)	36	00	82	30	do	100	1:125000		
Iuntsville (AlaTenn.)	34	30	86		do	100	1:125000		
onesville (KyVaTenn.)	36	30	83	00	do	100	1:125000		
Kingston	35	30	84	30	do	100	1:125000		
Knoxville (TennN.C.)	35	30	83		do	100	1:125000	1	
Loudon	35	30	84		do	100 100	1:125000		
AcMinnville	35	30	85		do	100	1:125000		
Aaynardville	36	00	83		do	100	1:125000		
-					do		1:125000		
forristown	36	00	83		1	100			
At. Guyot (TennN.C.)	35	30		-	do	100	1:125000		
At. Mitchell (N. CTenn.)	35	30	1		do	100	1:125000		
Murphy (TennN. C.)	35	00	84		do	100	1:125000		
Nantahala (N. CTenn.)	35	00	.83		do	100	1:125000		
Pikeville	35	30	85		do	100	1:125000	l	
Ringgold (GaTenn.)	34	30	85		do	100	.1:125000		
Roan Mountain (TennN.C.)	36	00	82		do	100	1:125000		
cottsboro (AlaTenn.)	34	30	86		do	100	1:125000	ļ	
ewanee	35	00	85		do	100	1:125000		
tandingstone	36	00	85		do	100	1:125000		
tevenson (AlaGaTenn.)	34	30	85		do	100	1:125000		
Vartburg	36 36	30 30	84 84		do	100	1:125000 1:125000		

a Columbia, Hecla, and Savo sheets, on scale of 1:62500, have been reduced and form parts of Columbia on scale of 1:125000.

# TEXAS.

	Pos	itio	n of SI	Ξ.				
Name of atlas sheet.	La		f shee		Area covered.	Contour interval.	Scale.	Price.
						Feet.		Cents.
Abilene	32	00	99	30	degree	50	1:125000	5
Albany	32	30	99		do	50	1:125000	5
Alpine	30	00	103	30	do	. '50	1:125000	5
. •	32	30	99	30	do	50	1:125000	5
Anson	30	00	97		do	25	1:125000	5
Ballinger	31	30	99		do	50	1:125000	5
•	30	00	97		do	50	1:125000	5
Blanco	30	00	98	00	do	50	1:125000	5
Brackett.	29	00	100	00	do	50	1:125000	5
	31	00	99	00	do	50	1:125000	5
Brady	32	30	98		do	50	1:125000	5
Breckenridge			)		do	50	1:125000	5
Brownwood	31	30	98	30				l
Burnet	30	30	98	00	do	50	1:125000	5
Chispa	30	30	104	30	do	50	1:125000	5
Cleburne	32	00	97		do	50	1:125000	5
Coleman	31	30	ĺ	. 00	do	50	1:125000	5
Dallas	32	30	96	30	do	50	1:125000	5
Eagle Mountain	30	30	105	00	do	100	1:125000	5
Eastland	. 32	00	98		do	50	1:125000	5
Eden	31	00	99		do	50	1:125000	5
El Paso	- 31	30	106	00	do	50	1:125000	5
Flatonia	29	30	97	00	do	25	1:125000	5
Fort Davis	30	30	103	30	do	100	1:125000	) 5
Fort Hancock	31	00	105	30	do	50	1:125000	5
Fort McKavett	30	30	100	00	do	25	1:125000	5
Fort Worth	32	30	97	00	do	50	1:125000	5
Fredericksburg	30	00	98	30	do	50	1:125000	5
Gatesville	31	00	97	30	do	50	1:125000	5
Georgetown	30	30	97	30	do	50	1:125000	5
Granbury	32	00	97	30	do	50	1:125000	5
Hamilton	31	30	98	00	do	50	1:125000	5
Hayrick	31	30	100	00	do	50	1:125000	5
Kerrville	30	00	99	00	do	50	1:125000	5
Lampasas	31	00	98	00	do	50	1:125000	5
Llano	30	30	98	30	do	50	1:125000	5
Marfa	30	00	104	00	do	50	1:125000	5
Mason	30	30	99	00	do	50	1:125000	5
Meridian	31	30	97	30	do	50	1:125000	5
Nueces	29	30	100	00	do	50	1:125000	- 5
Palo Pinto	32	30	98	00	do	50	1:125000	5
Polvo	29	00	104	00	do	100	1:125000	5
Rio Grande	31	00	106	00	do	50	1:125000	5
Roby	32	30	100	00	do	25	1:125000	5
Rock Springs	30	00	100	00	do	25	1:125000	5
Ruidosa	29	30	104	30	do	100	1:125000	5
Salt Basin	31	30	105	00	do	50	1:125000	5
San Angelo	31	00	100	00	do	50	1:125000	5
San Carlos	30	00	104		do	100	1:125000	5
San Saba	31	00	98	30	do	50	1:125000	5
Shafter	29	30	104	00	do	100	1:125000	5
Sherwood	31	00	100		do	25	1:125000	5

## TEXAS-Continued.

Name of atlas sheet.			of Sl		Area covered.	Contour interval.	Scale.	Price
	La	t.	Lon	ıg.		Interval.		
	0	,	0	,		Feet.		Cents
Sierra Blanca	31	00	105	00	degree	50	1:125000	1
Stephenville	32	00	98	00	do	50	1:125000	
Sweetwater	32	00	100	00	do	25	1:125000	
Taylor	30	30	97	00	do	50	1:125000	
Temple	31	00	97	00	do	50	1:125000	1
Uvalde	29	00	99	30	do	25	1:125000	
Valentine	30	30	104	00	do	100	1:125000	
Waco	31	30	97	00	do	50	1:125000	
Weatherford	32	30	97	30	do	50	1:125000	
			UTAI	H.				·
Abajo (Utah-Colo.)	37	.00	109	00	1 degree	250	1:250000	
Ashley (Utah-Colo.)	40	00	109	00	do	250	1:250000	
Beaver	38	00	112	00	do	250	1:250000	
East Tayaputs (Utah-Colo.)	39	00	109	00	do	250	1:250000	
Escalante	37	00	111	00	do	250	1:250000	
Fish Lake	38	00	111	00	do	250	1:250000	
Henry Mountains	37	00	110	00	do	250	1:250000	
Kanab	37	00	112	00	do	250	1:250000	
La Sal (Utah-Colo.)	38	00	109	00	do	250	1:250000	
Manti	39	00	111	00	do	250	1:250000	
Pioche (NevUtah)	37	00	114	00	do	250	1:250000	
Price River	39	00	110	00	do	250	1:250000	
	37	00	113	00	do	250	1:250000	
St. George	40	00	111	00	do	250	1:250000	
Salt LakeSan Rafael		00	110	00	do	250	1:250000	
Ï	38		ì	00	do	250	1:250000	
Sevier Desert	39	00	112		ļ			
Tooele Valley	40	00	112	00	do	250	1:250000	
Uinta(See also special maps, p. 110.)	40	00	110	00	do	250	1:250000	
1, 1,		· V.	ERMC	NT.				
Bennington a	42	45	73		₁ degree	20	1:62500	
Berlin (N. YMassVt.) a	42	30	73	15	do	20	1:62500	
Brattleboro (VtN. H.)	42	45	72	30	do	20	1:62500	
Cambridge (N. YVt.)	43		73	15	do	20	1:62500	
Castleton (VtN. Y.)	43	30	73	00	do	20	1:62500	
, ,	43	00	73	00	do	20	1:62500	
EquinoxFort Ann (N. YVt.)	43	15	73	15	do	20	1:62500	
Greenfield (MassVt.)	42	30	72	30	do	20	1:62500	
,	i		}		1			
Greylock (MassVt.) a	42	30	73	00	do	20	1:62500	
Hawley (MassVt.)	42	30	72	45	do	20	1:62500	
Hoosick (N. YVt.) a	42	45	73	15	do	20	1:62500	
Keene (N. HVt.)	42		72	15	do	20	1:62500	
Londonderry	43	00	72	45	do	20	1:62500	
Pawlet (VtN. Y.)		15	73	00	do	20	1:62500	
Plattsburg (N. YVt.)	44	30	73	15	do	20	1:62500	
Port Henry (N. YVt.)		00	73		do	20	1:62500	1
a Bennington, Berlin, Greylock, ar form Taconic, on scale of 1:125000.								ed

	Page.	•	Page.
Granville, MassConn		Huntington, W. VaOhio	99
Gray, Me	78	Huntley, Mont	83
Great Bend, Kans		Huntsville, AlaTenn	67
Great Egg Harbor, N. J	85	Huron, S. Dak	93
Great Falls, Mont		Hutchinson, Kans	76
Greeneville, TennN. C		Idaho Basin, Idaho	73
Greenfield, MassVt		Independence, Kans	76
Greenfield, Mo	82	Independence, Mo	82
Greenwood Lake, N. JN. Y		Indian Lake, N. Y	88
Greylock, MassVt		Iola, Kans	76
Groton, MassN. H		Iowa City, Iowa	75
Grundy, VaKy		Iron River, MichWis.	81
Guilford, Conn		Ironton, Ohio-Ky	91
Gunpowder, Md		Ishawooa, Wyo	
Hackettstown, N.J.		Ithaca, N. Y	88
Hahnville, La		Jackson, Cal	
Hailey, Idaho		Jamestown, N. Dak	
Hamilton, Tex	95	Janesville, Wis	99
Hamlin, N. Y	88	Jasper, Ala	67
Hammonton, N. J	85	Jefferson City, Mo	82
Harlem, N. YN. J	88	Jemes, N. Mex	87
Harney Peak, S. Dak		Joliet, Ill	73
Harpers Ferry, VaW. VaMd		Jonesville, KyVaTenn	77
Harrisburg, Pa.		Joplin, KansMoInd. T.	<b>7</b> 6
Harrisonburg, Va		Junction City, Kans	76
Harrisonville, Mo		Kaaterskill, N. Y.	88
Hartford, Conn		Kaibab, Ariz	68
			96
Hartville, Wyo		Kanab, Utah	99
		Kanawha Falls, W. Va.	76
Haverhill, MassN. H		Kansas City, KansMo	
Havre de Grace, MdPa		Karquines, Cal	69
Hawley, MassVt		Kearney, Nebr	E3
Hayrick, Tex		Keene, N. HVt	84
Hays, Kans		Kenesaw, Nebr	83
Haywards, Cal		Kennebunk, Me	78 93
Hazard, Ky		Kent, R. I.	95 95
Hazleton, Pa		Kerrville, Tex	
Hebron, NebrKans		Kingfisher, Okla Kingman, Kans	91. 76
			91
Helena, Mont		Kingston, Tenn.	76
Hempstead, N. Y		Kinsley, Kans	70
Hennepin, Ill		Kit Carson, Colo	91
Henry Mountains, Utah			94
Hermann, Mo		Knoxville, TennN. C	99
Hermosa, S. Dak		Koshkonong, Wis	
Hiawatha, Kans		La Fortuna, La La Plata, Colo	78 70
•	- 1	La Sal, Utah-Colo	96
Highee, Colo		Lac des Allemands, La	78
High Bridge, N. J Highwood, Ill	73	Lacon, Ill	73
Hill, Kans		Lake, Yell. Nat. Park-Wyo	100
		Lake Felicity, La	78
Hillsville, VaN. C Hinton, W. Va	99	Lake Hopateong, N. J	85
Holbrook, Ariz		Lake Placid, N. Y.	88
Holdredge, NebrKans	83	Lake Tahoe and Vicinity, CalNev	69
Holyoke, MassConn		Lakin, Kans	76
Honesdale, Pa		Lamar, Colo	70
Honey Lake, Cal		Lambertville, PaN. J.	92
Hoosick, N. YVt.		Lamoure, N. Dak	91
Hot Springs, Ark		Lampasas, Tex	95
Houma, La		Lamy, N. Mex	87
Housatonic, MassConnN. Y		Lancaster, WisIowa-Ill	99
Hueriano Park, Colo		Laramie, Wyo	1.00
Hummelstown, Pa		Largo, N. Mex	87
Huntersville, W. Va		Larned, Kans	

# INDEX TO TOPOGRAPHIC ATLAS SHEETS.

	Page.		Page.
Donaldsonville, La		Fitchburg, MassN. H.	
Dover, N. HMe	84	Flatonia, Tex	
Downey, Cal	69	Flintstone, MdW. VaPa	. 79
Downieville, Cal		Fonda, N. Y	
Doylestown, PaN.J		Fort Ann, N. YVt	
Drum Point, Md		Fort Benton, Mont	
Dryden, N. Y		Fort Custer, Mont	
Dublin, VaW. Va		Fort Davis, Tex.	
Dulac, La		Fort Defiance, ArizN. Mex	
Duluth, Minn		Fort Livingston La	
Dundaff, Pa	- 1	Fort Loren Mont	
Dunkirk, N. Y	1	Fort McKeyett Toy	
Dunlap, Ill	1	Fort McKavett, Tex	
Durango, Colo		Fort Scott, KansMo	
Durant, Iowa	, 1	Fort Smith, ArkInd. T	
Durham, N. Y.	1	Fort Steele, Wyo	
Duxbury, Mass		Fort Worth, Tex	
Eagle, Wis	1	Forts, La	
Eagle Mountain, Tex		Framingham, Mass	
East Cincinnati, OhioKy		Franklin, MassR. I.	
East Columbus, Ohio		Franklin, N. J	. 85
East Delta, La		Franklin, W. VaVa	
East Tavaputs, Utah-Colo	96	Frederick, MdVa	
Eastland, Tex	95	Fredericksburg, Tex	. 95
Easton, PaN. J		Fredericksburg, VaMd	. 97
Echo Cliffs, Ariz	68	Fredonia, Kans	. 76
Eckelson, N. Dak	90	Freeport, Me	. 78
Eden, Tex	95	Fremont, Nebr	
Edgeley, N. Dak	90	Frostburg, MdW. VaPa	
Elberton, GaS. C	72	Fullerton, N. Dak	. 91
Elcajon, Cal		Fulton, Mo.	
Eldorado, Kans		Fulton, N. Y	
Elizabethtown, N. Y		Gadsden, Ala	
Elkland, Pa		Gaines, Pa	
Elkton, MdPaDel	,	Gainesville, Ga	
Ellendale, N. DakS. Dak		Gallatin, Yell. Nat. Park, Wyo	
Ellicott, Md		Garden, Kans	
Ellijay, GaN. CTenn Ellis, Kans		Gardiner, Me	
Ellsworth, Kans	1	Gatesville, Tex	
Elmira, N. YPa	[	Gay Head, Mass	
· _	1		
Elmoro, Colo		Geneva, Wis	
Elsinore, Cal		Germantown, PaN. J.	
Emporia, Kans		Gibson, La	
Engineer Mountain, Colo		Gilead, Conn	
Equinox, Vt		Girard, Pa	
Erie, Pa		Glacier Peak, Wash	
Escalante, Utah		Glasgow, Mo	
Escondido, Cal		Glassboro, N. J.	
Eskridge, Kans		Glens Falls, N. Y	
Estillville, VaKvTenn	97	Gloucester Mass	80
Eureka, Kans	76	Goochland, Va	. 97
Evanston, Ill		Goose Lake, Iowa-Ill	
Evansville, Wis	. 99	Gordonsville, Va	. 97
Fairview, Pa	92	Gorham, N. HMe.	. 84
Fall River, MassR. I		Goshen Hole, WyoNebr	
Falmouth, Mass		Granada, ColoKans	
Fargo, N. DakMinn		Granbury, Tex	
Farley, Iowa		Granby, Conn	
Farmville, Va		Grand Island, Nebr	
Fayetteville, ArkMo		Grand Teton, Wyo	
Fernando, Cal		Granite Range, Nev	
Fish Lake, Utah	96	Grantsville, MdPa	. 79

	Page.	•	Page.
Buffalo, N. Y		Cincinnati, Ohio-Ky	91
Burden, Kans	. 75	Citra, Fla	. 72
Burlingame, Kans	. 75	Clanton, Ala	
Burlington, Kans	. 75	Claremore, Ind. T	. 74
Burlington, PaN.J	. 92	Clay Center, Kans	
Burnet, Tex	. 95	Cleburne, Tex	
Burrillville, R. I	. 93	Cleveland, Tenn	. 94
Butler, Mo	. 82	Clinton, Iowa-Ill	. 75
Buxton, Me	. 78	Clinton, Mo	. 82
Byron, S. Dak		Cloud Peak, Wyo	
Caldwell, Kans		Clove, N. YConn	
Calumet, IllInd		Coalgate, Ind. T	
Camas Prairie, Idaho		Cohoes, N. Y	
Cambridge, N. YVt		Coldwater, Kans	
Camden, N. JPaDel		Coleman, Tex	
Camp Clarke, Nebr		Colfax, Cal	
Camp Mohave, ArizNevCal		Colorado Springs, Colo	
Canada Lake, N. Y		Columbia, S. DakN. Dak	
Canadian, Ind. T		Columbia, Tenn	
Canajoharie, N. Y		Concord, Cal	
Canton, S. DakIowa	. 93	Concordia, Kans	
Canyon, Yell. Nat. Park, Wyo		Conde, S. Dak	
Canyon City, Colo		Coos Bay, Oreg	
Canyon de Chelly, ArizN. Mex		Corazon, N. Mex	
Cape May, N. J		Cordova, Iowa-Ill	
Cape Vincent, N. YCanada		Cornwall, ConnN. Y	
Carmel, N. YConn		Cottonwood Falls, Kans	
Carnesville, GaS. C		Cowee, N. CS. C	
Carson, Nev		Coxsackie, N. Y.	
Cartersville, Ga		Cranberry, N. CTenn	
Carthage, Mo		Crandall, Wyo	
Casselton, N. Dak		Crawford Notch, N. H	
Casco Bay, Me		Creole, La	
Cassville, N. J		Crested Butte, Colo	
Castle Rock, Colo		Crystal Falls, Mich	
Castleton, VtN. Y		Cucamonga, Cal	
Cat Island, LaMiss		Cumband Cur Ky Vo Com	
Catawissa, Pa		Cumberland Gup, KyVaTenn	
Catlin, Colo		Cut Off, La.	
Catskill, N. Y		Dahlonega, GaN. C	
Cayucos, Cal		Dallas, Tex	
Cazenovia, N. Y		Danbury, Conn	
		Danville, IllInd	
Cedar Rapids, Iowa		Dardanelle, Ark	
Chandeleur, La.		Dardanelles, Cal	
Chappell, Nebr		Davenport, Iowa-Ill	
Charleston, W. Va		David City, Nebr	
Charlestown, R. I		Dayton, Wyo	
Chatham, Mass		Deadwood, S. Dak	
Chattanooga, Tenn		Dedham, Mass	
Chef Menteur, La		Delavan, Wis	
Cheney, Kans	. 75	Delaware Water Gap, PaN. J	92
Cheniere Caminada, La	. 77	Deming, N. Mex	86
Cherry Creek, N. Y		Dennisville, N.J	85
Chester, PaDelN.J	. 92	Denver, Colo	70
Chesterfield, Mass	. 80	Derby, Conn	71
Cheyenne Wells, ColoKans	. 70	De Smet, S. Dak	
Chicago, Ill	. 73	Desplaines, Ill	
Chico, Cal		Dewitt, Iowa	
Chino, Ariz	. св	Diamond Creek, Ariz	
Chispa, Tex		Dillon, Mont	
Chittenango, N. Y		Dime, La	
Choptank, Md		Disaster, Nev	
Christiansburg, VaW. Va	. 97	Dodge, Kans	75

# Index to foregoing list of topographic atlas sheets.

	Page.	I	Page.
Abajo, Utah-Colo		Bath, Me	
Abbeville, S. C	. 93	Bay View, Wis	. 99
Aberdeen, S. Dak		Bayou de Large, La	
Abilene, Kans	75	Bayside, N. JDel	
Abilene, Tex	. 95	Bear Valley, Idaho	. <b>7</b> 3
Abingdon, TennVaN. C	94	Beattyville, Ky	
Abington, Mass.		Beaver, Utah	
Accident, MdPaW. Va		Becket, Mass	
Albany, ColoKans		Belchertown, Mass	
Albany, N. Y		Beloit, Kans	
Albany and Vicinity, N. Y		Bennington, Vt	
Albany, Tex		Benton, Ark	
Albion, N. Y.		Berlin, N. YMassVt	. 87
Albuquerque, N. Mex		Bermuda Hundred, Va	
Allenteum Be		Bernal, N. Mex	
Alleino Tor		Berwick, MeN. H Bessemer, Ala	
Altures Col		•	
Alturas, Cal		Betterton, Md  Beverly, W. VaVa	
Amana, Iowa		Biddeford, Me	
Amsterdam, N. Y.		Bidwell Bar, Cal.	
Anaheim, Cal		Big Snowy Mountain, Mont	
Anamosa, Iowa		Big Springs, Colo	
Annapolis, Md		Big Timber, Mont	
Anniston, Ala		Big Trees, Cal	
Anson, Tex		Birmingham, Ala	
Anthony, Kans		Bisuka, Idaho	
Anthracite, Colo		Blackstone, MassR. I.	
Apishapa, Colo		Blanco, Tex	
Appomattox, Va		Block Island, R. I	
Arapahoe, NebrKans		Bloomsburg, Pa	
Arredondo, Fla		Bodreau, La	
Arroyo, Colo		Boise, Idaho	. 73
Arroyo Grande, Cal	68	Bolivar, Mo	
Asbury Park, N. J		Bolton, N. Y	. 87
Asheville, N. CTenn	90	Bonnet Carre, La	. 77
Ashland, Ala	67	Boonville, Mo	82
Ashland, Kans	75	Boothbay, Me	
Ashland, Oreg	. 91	Bordentown, N. JPa	. 85
Ashley, Utah-Colo	96	Boston, Mass	80
Aspen, Colo	70	Boston Bay, Mass	80
Atchison, KansMo	75	Boulder, Mont	83
Atlanta, Ga	72	Brackett, Tex	95
Atlantic City, N. J		Brady, Tex	
Atoka, Ind. T		Brandywine, Md	
Auburn, N. Y		Brattleboro, VtN. H.	
Augusta, Me		Breckenridge, Tex.	
Ausable, N. Y		Briceville, Tenn	
Austin, Tex		Bridgeport, Conn	
Bald Mountain, Wyo		Bridgeton, N. J	
Baldwin, Iowa		Bristol, VaTenn	
Baldwinsville, N.Y		Brockport, N. Y Brodhead, Wis	
Ballinger, Tex		Brookfield, MassConn	
Baltimore, Md			
Baraboo, Wis		Brooklyn, N. Y	
Barataria, La		Browns Creek, Nebr	
Barnegat, N. J. Barnstable, Mass		Brownwood, Tex.	
Barre, Mass		Buckhannon, W. Va	
Bastrop, Tex		Buckingham, Va.	
Batesville, Ark		Bucksport, Me	
		,	

#### WYOMING.

Name of atlas sheet.	Position of SE. corner of sheet.				Area covered.	Contour interval.	Scale.	Price.
	La	t.	Lon	g.		mterval.		
	0	,	. 0	,		Feet.		Cents.
Bald Mountain	44	30	107	30	degree	100	1:125000	5
Canyon (Yellowstone National Park, Wyo.).a	44.	30	110	00	do	. 100	1:125000	5
Cloud Peak	44	00	107	co	do	100	1:125000	5
Crandall	44	30	109	30	do	100	1:125000	5
Dayton	44	30	107	00	do	100	1:125000	5
Fort Steele	41	30	106	30	do	25,50	1:125000	5
Gallatin (Yellowstone National Park, Wyo.).a	44	30	110		do	100	1:125000	5
Goshen Hole (WyoNebr.)	41	30	104	00	do	20	1:125000	5
Grand Teton	43	30	110	30	do	100	1:125000	5
Hartville	42	00	104	30	do	50	1:125000	5
Ishawooa	44	00	1.09	30	do	100	1:125000	5
Lake (Yellowstone National Park- Wyo.). a	44	00	110	00	do	100	1:125000	5
Laramie	41	00	105	30	do	50	1:125000	5
Patrick (WyoNebr.)	42	00	104	00	do	. 20	1:125000	5
Shoshone (Yellowstone National Park-Wyo.). a	44	00	110	39	ob	100	1:125000	5
Sundance (WyoS. Dak.)	44	00	104	00	do	50	1:125000	5
Yellowstone National Park (Y. N. PWyo.).a	44	00	110	00	1 degree	100	1:125000	20

### YELLOWSTONE NATIONAL PARK.

		1		1		t		1	
.Canyon Park, W	(Yellowstone National yo.). a	44	30	. 110	. 00	å degree	100	1:125000	5
Gallatin Park, W	(Yellowstone National 'yo.). a	. 44	30	110	30	do	100	1:125000	5
Lake (Ye Wyo.).	llowstone National Park-	44	00	110	00	do	100	1:125000	· 5
Livingsto tional F	n (MontYellowstone Na- Park).	45	00	110	00	1 degree	200	1:125000	5
Shoshone Park-W	(Yellowstone National Yo.). a	44	00	110	30	‡ degree	100	1:125000	5
Threefork tional F	rs'(MontYellowstone Na- Park).	45	00	111	00	1 degree	200	1:250000	.5
Yellowsto N. PW		-14	00	110	00	do	100	1:125000	20

a Yellowstone National Park sheet includes Canyon, Gallatin, Lake, and Shoshone sheets.

## WEST VIRGINIA—Continued.

Name of atlas sheet.	Position of SE. corner of sheet.				Area covered.	Contour	Scale.	Price.
		t.	Lon	g.		interval.		
, ·	0	,	0	,		Feet.		Cents
Harpers Ferry (VaW. VaMd.)	39	00	77	30	degree	100	1:125000	
Hinton	37	30	80		do	100	1:125000	
Huntersville	38	00	80	00	do	100	1:125000	
Huntington (W. VaOhio-Ky.)	38	00	82	00	do	100	1:125000	
Kanawha Falls	38	00	81	00	do	100	1:125000	
Lewisburg (VaW. Va.)	37	30	80		do	100	1:125000	
Monterey (VaW. Va.)	38	00	79	30	do	100	1:125000	
Nicholas	38	00	80	30	do	. 170	1:125000	
Oakland (MdW. Va.)	30	15	79	15	do	20	1:62500	
Oceana (W. VaVaKy.)	37	30	81	30	do	100	1:125000	
Pawpaw (MdW. VaPa.)	39	30	78	15	degree	20	1:62500	,
Piedmont (W. VaMd.)	39	00	79	00	degree	100	1:125000	
Pocahontas (VaW. Va.)	37	00	81	00	do	100	1:125000	
Raleigh	37	30	81		do	100	1:125000	
Romney (W. VaVaMd.)	39	00	78		do	100	1:125000	}
St. George	39	00	. 79		do	100	1:125000	
Staunton (VaW. Va.)	38	00	79	00	do	100	1:125000	Ì
Sutton	38	30	80	30	do	100	1:125000	
Γazewell (VaW. Va)	37	00	81	30	do	100	1:125000	ĺ
Warfield (W. VaKyVa.)	37	30	82		do	100	1:125000	
Winchester (VaW. Va.)	39	00	78		do	100	1:125000	
Woodstock (VaW. Va.)	38	30	78	30	do	100	1:125000	
		w	ISCON	SIN				
			1		i	1		
Baraboo	43	15	89	30	degree	20	1:62500	
Bay View	42	45	87	45	do	20	1:62500	
Brodhead	42	30	89		do	20	1:62500	
Delavan	42	30	88	30	do	`20	1:62500	
Eagle	42	45	88	15	do	20	1:62500	l
Evansville	42	45	89	15	do	20	1:62500	
Geneva	42	30	88	15	do	20	1:62500	
(ron River (MichWis.)	46	00	88	30	do	20	1:62500	
Janesville	42	30	89	00	do	20	1:62500	
Koshkonong	42	45	88	45	do	. 20	1:62500	
Lancaster (WisIowa-Ill.)	42	30	90	30	‡ degree	. 20	1:62500	
Madison	43	00	89	15	degree	20	1:62500	
Milwaukee	43	00	87	45	do	20	1:62500	
Muskego	42	45	88	00	do	20	1:62500	
Oconomowoc	43	00	88	15	do	20	1:62500	
Port Washington	43	15	87	45	do	20	1. 62500	
Portage	43	30	89	15	do	20	1:62500	
Racine	42	30	87	45	do	20	1:62500	
St. Croix Dalles (WisMinn.)	. 45		92	30	do	:	1:62500	ĺ
Shopiere	42		88	45		20	1:62500	
Silver Lake		30	88		do	20	1:62500	
Stoughton	42	45	89	00	do	20	1:62500	1
Sun Prairie		00	89	00	do	20	1:62500	
Waterloo	43	00	88	45	do	20	1:62500	ľ
Watertown	43		88	30	do		1:62500	
			1					1
Waukesha	43	00	88	00	do	20	1:62500	

### VIRGINIA-Continued.

Name of atlas sheet.			of SI of shee		Area covered.	Contour	Scale.	Price.
		t.	Lon	g.		interval.		
	c	,	0	,		Feet.		Cents.
Oceana (W. VaVaKy.)	37	30	81	30	å degree	100	1:125000	5
Palmyra	37	30	78	00	do	50	1:125000	E
Petersburg	37	00	77	15	degree	20	1:62500	Đ
Piney Point (MdVa.) a	38	00	76	30	do	20	1:62500	5
Pocahontas (VaW. Va.)	37	00	81	00	degree	100	1:125000	5
Point Lookout (MdVa.) b	38	00	76	15	degree	20	1:62500	5
Richmond	37	30	77	15	do	20	1:62500	5
Roanoke	37	00	79	30	degree	100	1:125000	5
Romney (W. VaVaMd.)	39	00	78	30	do	100	1:125000	
St. Mary (MdVa.) b	38	00	76	00	do	20	1:125000	5
Spottsylvania	38	00	77	30	do	50	1:125000	5
Staunton (VaW. Va.)	38	00	79	00	do	100	1:125000	5
Tazewell (VaW. Va.)	37	00	81	30	do	100	1:125000	. 5
Warfield (W. VaKyVa.)	37	30	82	00	do	100	1:125000	5
Warrenton	38	30	77	30	do	50	1:125000	E
Washington (D. CMdVa.) (double	38	45	76	45	å degree	20	1:62500	10
sheet).		10	10	10	a degree	20	1.02000	1
Whitesburg (KyVa.)	37	00	82	30	degree	100	1:125000	
Wicomico (MdVa.) a	38	15	76	45	degree	20	1:62500	
Winchester (VaW. Va.)	39	00	78	00	degree	100	1:125000	
Woodstock (VaW. Va.)	38	30	78	30	do	100	1:125000	
Wytheville (VaN. C.)	36	30	81	00	do	100	1:125000	,
wythevine (vaN. O.)			01			100	1.120000	<u> </u>
		WA	SHIN	GTO	N.			
Glacier Peak	48	00	121	00	degree	100	1:125000	
Methow	48	00	120	00	do	100	1:125000	E
Mt. Stuart	47	00	120	30	do	100	1:125000	1 .
Portland (OregWash.)	45	30	122	30	degree	25	1:62500	
Seattle c	47	30	122	00	degree	50	1:125000.	
Seattle c	47	30	122	15	degree	25	1:62500	
Stilaguamish	48	00	121	30	degree	100	1:125000	E
Tacoma	47	00	122	00	do	50	1:125000	E
	v	ves'	r vir	.GIN	IIA.		I.	l
Accident (MdPaW. Va.)	39	33	79	15	1g degree	20	1:62500	
Beverly (W. VaVa.)	38	30	79	33		1	1:125000	
Buckhannon	38	30	80	00	1 * *	1	1:125000	
Charleston	38	00	81	30		1	1:125000	
Christiansburg (VaW. Va.)	37	00	80	00	l .	1	1:125000	
Dublin (VaW. Va.)	37	90	80	30	l .	100	1:125000	
Flintstone (MdW. VaPa.)	39	30	78	30		I .	1:62500	
Franklin (W. VaVa.)	38	30	79	.00	† degree	100	1:125000	
Frostburg (MdW. VaPa.)	39	30	78	45	1	1		
a Montross, Piney Point, and Wicom							•	

a Montross, Piney Point, and Wicomico sheets, on scale of 1:62500, have been reduced and form parts of Nomini, on scale of 1:125000.

b Point Lookout sheet, on scale of 1:62500, has been reduced and forms part of St. Mary, on scale of 1:125000.

c Seattle sheet on scale of 1:62500 has been reduced and forms part of Seattle on scale of 1:125000.

#### VERMONT-Continued.

Name of atlas sheet.			n of SI of shee		Area covered.	Contour	Scale.	Price.	
Trans or works moon	La	t.	Lon	g.		interval.	50010.		
	0	,	. 0	,		Feet.		Cents.	
Rouse Point (N. YVt.)	44	45	73	15	1 degree	20	1:62500		
Rutland	43	30 -	72	45	đo	20	1:62500	. 5	
Strafford	43.	45	72	15	do	20	1:62500	. 5	
Taconic (N. YMassVt.) a	· 42	30	73	00	degree	40	1:125000	5	
Ticonderoga (N. YVt.)	43	45	73	15	1 degree	20	1:62500	5	
Wallingford	43	15	72	45	do	20	1:62500	5	
Warwick (MassN. HVt.)	42	30	72	15	do	20	1:62500	5	
Whitefield (N. HVt.)	44	15	71	30	do	20	1:62500	5	
Whitehall (N. YVt.)	43	30	73	15	do	20	1:62500	.5	
Willsboro (N. YVt.)	44	15	73	15	do	20	1:62500	. 5	
Wilmington	42	45	72	45	do	20	1:62500	. 5	
	<u>'</u>	V.	IRGIN	IA.					
Abingdon (TennVaN. C.)	36	30	81	30	¹ degree	100	1:125000	. 5	
Amelia	37	00	77	30	do	50	1:125000	5	
Appomattox	37	00	78	30	do	50	1:125000	5	
Bermuda Hundred	37	15	77	15	degree	20	1:62500	. 5	
Beverly (W. VaVa.)	38	30	79	30	degree	100	1:125000	. 5	
Bristol (VaTenn.)	36	30	82	00	do	100	1:125000	5	
Buckingham	37	30	78	30	do	100	1:125000	5	
Christiansburg (VaW. Va.)	37	00	80		do	100	1:125000	5	
Cumberland Gap (KyVaTenn.)	36	30	83		do	100	1:125000	-5	
Dublin (VaW. Va.)	37	00	80		do	100	1:125000	5	
Estillville (VaKyTenn.)	36	30	82		do	100	1:125000	5	
Farmville	37	00	78		do	50	1:125000	5	
Franklin (W. VaVa.)	38	30	79		do	100	1:125000	5	
Frederick (MdVa.)	39	00	77		do	50	1:125000	5	
Fredericksburg (VaMd.)	38	00	77		do	50	1:125000	. 5	
Goochland	37	30	77	30	do	50	1:125000	5	
Gordonsville	38	00	78	00	do	100	1:125000	5	
Grundy (VaKy.)	37	00	82		do	- 100	1:125000	5	
Harpers Ferry (VaW. VaMd.)	39	00	77		do	100	1:125000	5	
Harrisonburg	38	00	78		do	100	1:125000	5	
Hillsville (VaN. C.)	. 36	30	80		do	100	1:125000	5	
Jonesville (KyVaTenn.)	36	30	83		do	100	1:125000	5	
Lewisburg (VaW. Va.)	37	30	80		do:	100	1:125000	5	
Lexington	37.		79		do	100	1 · 125000	5	
Luray	38	30	78	00	do	100	1:125000	5	
Lynchburg	37	00	79	00	do	100	1:125000	5	
Monterey (VaW. Va.)	38	00	79	30	degree	100	1:125000	5	
Montross (VaMd.) b	38	00	76	45	degree	20	1:62500	5	
Mt. Vernon (VaMdD. C.)	38	30	77	00	degree	50	1:125000	5	
me. vernou (vamup. 0.)	90	90	1 "	00	, uegree	100	1:125000	,	

Norfolk (Va.-N. C.) a Bennington, Berlin, Greylock, and Hoosick sheets, on scale of 1:62500, have been reduced and form parts of Taconic, on scale of 1:125000.

37 30

38 00

36 30

79 30 .....do ......

76 30 ....do .....

75 45 \degree ....

100

20

5

1:125000

1:125000

1:125000

5

-5

Nomini (Md.-Va.) b .....

b Montross, Pincy Point, and Wicomico sheets, on scale of 1:62500, have been reduced and form parts of Nomini, on scale of 1:125000.

Bull. 177—01——7

	Page.		Page.
Las Animas, Colo	70	Maumee Bay, Ohio-Mich	. 91
Las Bolsas, Cal	69	Maurice Cove, N. J	. 85
Las Cruces, N. Mex	87	Maynardville, Tenn	. 94
Las Vegas, N. Mex	87	Meade, Kans	. 76
Lasalle, Ill	73	Mechanicsville, Iowa	. 75
Lassen Peak, Cal		Medicine Lodge, Kans	
Laurel, Md	79	Medina, N. Y	
Lawrence, Kans	76	Meriden, Conn	. 71
Lawrence, MassN. H	81	Meridian, Tex	
Leadville, Colo		Mesa de Maya, Colo	
Lebanon, Pa		Metamora, Ill	
Leclaire, Iowa-Ill		Methow, Wash	
Leonardtown, Md		Mexico, Mo	
Lewisburg, VaW. Va		Middleboro, Mass	
Lexington, Mo		Middletown, Conn	
Lexington, Nebr		Millersburg, Pa	
Lexington, Va	,	Milwaukee, Wis	
Limon, Colo		Minden, Nebr	
Lincoln, Nebr	,	Minneapolis, Kans	
Little Belt Mountains, Mont		Minneapolis, Minn	
Little Egg Harbor, N. J		Mitchell, S. Dak	
Little Falls, N. Y		Moberly, Mo.	
Little Rock, Ark		Modoc Lava Bed, Cal	
Livingston, MontYell. Nat. Pk		Monadnock, N. H	
Llano, Tex		Monango, N. Dak	
Lockport, N. Y		Monroe, Ga	
Lodi, Cal		Monterey, VaW. Va	
London, Ky Londonderry, Vt		Monticello, Iowa	
Long Beach, N. J		Mooers, N. Y.	
Long Valley, Nev		Moosup, ConnR. I.	
Los Angeles, Cal		Moravia, N. Y.	
Loudon, Tenn		Morganton, N. C	
Louisiana, MoIll		Morrillton, Ark	
Loup, Nebr		Morris, Ill	
Lowell, MassN. H		Morristown, N.J	
Luray, Va		Morristown, Tenn	
Lykens, Pa		Mound City, KansMo	
Lynchburg, Va	. 97	Mt. Airy, La	. 78
Lyons, Kans	. 76	Mt. Carrizo, Colo	. 70
McAlester, Ind. T	74	Mt. Diablo, Cal	. 69
McCormick, GaS. C	. 72	Mt. Guyot, TennN. C	. 94
McMinnville, Tenn		Mt. Hamilton, Cal	
Macedon, N. Y		Mt. Holly, N. J	
Madison, Wis		Mt. Ida, Ark	
Magazine Mountain, Ark.		Mt. Marcy, N. Y.	
Mahanoy, Pa		Mt. Mitchell, N. CTenn	
Manchester, Ky		Mt. Taylor, N. Mex.	
Mankato, Kans		Mt. Trumbull, Ariz	
Maquoketa, Iowa		Mt. Vernon, VaMdD. C	
Murfa, Tex		Mt. Washington, N. H	
Marietta, Ga		Mt. Washington and Vicinity, N. HMe	
Marion, Iowa		Mountain Home, ArkMo	
Markleeville, CalNev		Mountain Home, Idaho	
Marlboro, Mass		Mountain View, Ark	
Marseilles, Ill		Mullica, N.J	. 86
Marsh Pass, Ariz		Murphy, TennN. C	. 94
Marshall, Ark	. 68	Muscogee, Ind. T	
Marshall, Mo		Muskeget, Mass	
Marthas Vineyard, Mass		Muskego, Wis	
Marysville, Cal		Nampa, Idaho-Oreg	
Marysville, Kans		Nantahala, N. CTenn	
Mason, Tex.		Nantucket, Mass	
Masontown, Pa	. 92	Narragansett Bay, R. I	. 93

		6 (	
	Page.	l company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the comp	Page.
Naturai Bridge, Va		Panasoffkee, Fla	
Ned Lake, Mich		Paradise, Nev	
Nepesta, Colo		Paradox Lake, N. Y	
Ness City, Kans		Parker, S. Dak Parkerville, Kans.	
New Bedford, Mass		Parsons, Kans	
New Brunswick, N. J		Pasadena, Cal	
New Haven, Conn		Passage Island, Mich	
New London, ConnN.Y	71	Passaic, N. JN. Y	
New Milford, Conn		Paterson, N. JN. Y.	
New Orleans, La		Patrick, WyoNebr	
New York City and Vicinity, N. YN. J		Patuxent, MdD. C.	
Newburyport, MassN. H		Pawlet, VtN. Y	
Newcomb, N.Y		Pawpaw, MdW.VaPa	79
Newfield, MeN. H	. 78	Paxton, Nebr	. 83
Newport, R. I	93	Pemberton, N. J	. 86
Newton, Kans	. 76	Peosta, Iowa-Ill	. 75
Niagara, N. Y		Perch Lake, Mich	
Niagara Falls, N. Y		Peterboro, N. H	
Niagara Falls and Vicinity		Petersburg, Va	
Nicholas, W.Va		Philadelphia, PaN. J	
Nomini, MdVa		Philadelphia and Vicinity, PaN. JDel	
Norfolk, VaN.C.		Phillipsburg, Kans	
Norridgewock, Me		Pickens, S. C Piedmont, W. VaMd	
North Conway N. HMa		1 :	
North Conway, N. H. – Me North Creek, N. Y		Pikes Peak, Colo Pikeville, Tenn	
North Point, Md		Pinegrove, Pa	
Northampton, Mass		Piney Point, MdVa	
Northville, S. Dak		Pingree, N. Dak.	
Norton, Kans		Pioche, NevUtah	
Norwalk, ConnN. Y		Pisgah, N. CS. C	
Norway, Me	. 78	Pittsfield, MassN. Y	. 81
Norwich, Conn	71	Pittston, Pa	. 92
Nueces, Tex	95	Placerville, Cal	. 69
Oak Harbor, Ohio		Plainfield, N. J	
Oak Orchard, N. Y		Plainville, Kans	
Oakes, N. Dak		Platte Canyon, Colo	
Oakland, MdW. Va		Plattsburg, N. YVt	
Ocala, Fla		Plymouth, Mass	
Oceana, W. Va Va Ky		Pocahontas, VaW. Va.	
Oceanside, Cal	^^	Point Lookout, MdVa.	
Oconomowoc, Wis		Pointe a la Hache, La	~=
Occided Nobr		Polvo, Tex.	
Ogalalla, Nebr		Pomona, Cal	
Okmulgee, Ind. T Olathe, KansMo		Port Henry, N. YVt	
Olcott, N. Y.		Port Orford, Oreg.	
Old Forge, N. Y.		Port Washington, Wis	
Olean, N. Y		Portage, Wis	
Olivet, S. Dak		Portland, Me	
Omaha and Vicinity, NebrIowa		Portland, OregWash	
Oneida, N. Y	1	Poteau Mountain, ArkInd. T	
Ontario Beach, N. Y		Pottsville, Pa	
Oriskany, N. Y		Poughkeepsie, N. Y	
Orland, Me		Pratt, Kans	
Osborne, Kans		Prescott, Ariz.	
Oskaloosa, KansMo		Prestonsburg, Ky	
Oswego, N. Y		Price River, Utah	
Ottawa, Ill		Prince Frederick, Md	
Owensville, Md		Princeton, N. J.	
Oxford, Iowa		Providence, MassR. I.	
Oyster Bay., N. YConn		Provincetown, Mass	
Palmer, MassConn		Pryor, Ind. T.	
Palmyra, Va		· Pueblo, Colo	
Palo Alto, Cal		Pulaski, N.Y. Putnam, ConnR. I	
Law I IIIW, I CA	90	i umaiii, coniiit. I	11

	Page.		Page.
Pyramid Peak, Cal		San Bernardino, Cal	69
Quakertown, Pa		San Carlos, Tex	95
Quarantine, La		San Francisco, Cal	69
Racine, Wis		San Francisco Mountain, Ariz	68
Raleigh, W.Va		San Jacinto, Cal	69
Ramapo, N. JN. Y.		San Jose, Cal	69
Rancocas, N. J		San Luis, Cal	69
Rapid, S. Dak		San Luis Obispo, Cal	69
Raritan, N. J.		San Mateo, Cal	69
Reading, Pa		San Pedro, Cal	69
Red Bluff, Cal		San Pedro, N. Mex	87
Red Cloud, NebrKans		San Rafael, Utah	96
Redfield, S. Dak		San Saba, Tex	95
Redondo, Cal		Sanborn, Colo	70
Relay, Md		Sandisfield, MassConn	81
Remsen, N. Y		Sandy Hook, N.J.	86
Reno, Nev		Sansbois, Ind. TOkla	74
Rhinebeck, N. Y		Santa Ana, Cal	69
Richmond, Ky		Santa Clara, N. Mex	87
Richmond, Va		Santa Fe, N. Mex	87
Rico, Colo	. 70	Santa Monica, Cal	69
Ridgeway, N. Y	. 89	Savanna, Iowa-Ill	75
Rigolets, LaMiss	78	Savo, N. DakS. Dak	91
Ringgold, GaTenn	. 73	Sawtooth, Idaho	73
Rio Grande, Tex	95	Saybrook, Conn	71
Riverside, Cal	. 69	Schenectady, N. Y	89
Riverside, Ill		Schoharie, N. Y	89
Roan Mountain, TennN.C		Schroon Lake, N. Y	89
Roanoke, Va		Schuylerville, N.Y	89
Roby, Tex		Scotts Bluff, Nebr	84
Rochester, N. Y		Scottsboro, AlaTenn	
Rock Springs, Tex		Scranton, Pa	92
Rocky Bar, Idaho		Sea Isle, N. J.	86
Rome, GaAla		Seattle, Wash	98
Romney, W. VaVaMd		Sebago, Me	79
Rosebud, Mont		Sedalia, Mo	82
Roseburg, Oreg		Sedan, Kans	76
Rouse Point, N. YVt		Seneca, Kans	76
Ruidosa, Tex		Sevier Desert, Utah	
Russell, Kans		Sewanee, Tenn	94
Rutland, Vt		Shafter, Tex	95
Sacketts Harbor, N.Y		Shamokin, Pa	92
Sacramento, Cal		Sharps Island, Md	80
Śagola, Mich		Shasta, Cal	69
St. Bernard, La		Sheffield, MassConnN. Y	81
St. Croix Dalles, WisMinn		Shell Beach, La	78
St. George, Utah		Shellsburg, Iowa	
St. George, W. Va		Sherwood, Tex	
St. Johns, ArizN. Mex		Shickshinny, Pa	
St. Louis, MoIll		Shopiere, Wis	99
St. Mary, MdVa		Shoshone, Yell. Nat. Park-Wyo	100
St. Paul, Minn		Sidney, Nebr	
St. Paul, Nebr		Sierra Blanca, Tex	96
		l	
St. Thomas, NevAriz		Sierraville, Cal Silver City, Idaho	
Sakonnet, R. IMass		Silver Creek, N. Y	
Salamanca, N. Y.		Silver Lake, Wis	
Salem, Mass		Silver Peak, NevCal	
Salem, N.JDel		Silverton, Colo	
Salina, Kans		Sitka, Kans	
Sallisaw, Ind.T		Skaneateles, N, Y	
Salt Basin, Tex		Small Point, Me	
Salt Lake, Utah		Smartsville, Cal Smith Center, Kans	
Saluda, N. CS. C.			
Salyersville, Ky		Somerville, N. J	
Oan Angulu, Ita	. 95	DUHUIR, URL	70

	Page.	1 .	Page.
Spanish Fort, La		Tsala Apopka, Fla	
Spanish Peaks, Colo	. 70	Tuckahoe, N. J	. 86
Spearfish, S. Dak	. 94	Tujunga, Cal	. 70
Spearville, Kans	. 77 -	Tully, N. Y	. 89
Spottsylvania, Va	. 98	Tusayan, Ariz	. 68
Springfield, Colo	. 71	Tuscumbia, Mo	
Springfield, MassComm	. 81	Tuskahoma, Ind. T	. 74
Springfield, Mo	. 82	Two Butte, Colo	. 71
Springville, Ala		Uinta, Utah	
Squaw Creek, Idaho		Uniontown, Pa	
Stamford, ConnN. Y		Utica, N. Y	
Standingstone, Tenn		Uvalde, Tex	
Staten Island, N. JN. Y		Valentine, Tex	
Statesville, N. C		Vassalboro, Me	
Staunton, VaW. Va		Verde, Ariz	
Stephenville, Tex		Versailles, Mo	
Stevenson, AlaGaTenn		Vilas, ColoKans	
Stilaguamish, Wash		Vineland N.JDel	
Stillwater, Mont		Vinita, Ind. T	
Stockton, Mo		Wabuska, Nev	
Stonewall, Ind. T	. 74	Waco, Tex	
Stonington, ConnR. IN. Y	. 71	Wadsworth, Nev	
Stony Island, N. Y	. 89	Wahoo, Nebr	
Stoughton, Wis	. 99	Walhalla, GaS. CN. C	
Strafford, Vt		Wallingford, Vt	
Stromsburg, Nebr	. 84	Wallpack, N. JPa	. 86
Sturgis, S. Dak	. 94	Walsenburg, Colo	. 71
Sun Prairie, Wis	. 99	Wamego, Kans	. 77
Sunbury, Pa	. 92	Warfield, W. VaKyVa	. 99
Sundance, WyoS. Dak	. 100	Warrensburg, Mo	
Superior, NebrKans	. 84	Warrenton, Va	
Sutton, W. Va		Warsaw, Mo	. ε2
Suwanee, Ga		Wartburg, Tenn	
Sweetwater, Tex	. 96	Warwick, MassN. HVt	. 81
Syracuse, Kans		Washington, D. CMdVa	
Syracuse, N. Y	. 89	Washington, Kans	. 77
Tacoma, Wash		Waterbury, Conn	
Taconic, N. YMassVt		Waterloo, Wis	
Tahlequah, Ind. TArk		Watertown, N. Y.	
Talladega, Ala		Watertown, Wis	
Tallapoosa, GaAla		Waterville, Me	
Tamalpais, Cal	. 70	Watkins, N. Y	
Tarrytown, N. YN. J	. 89	Watrous, N. Mex	. 87
Taunton, Mass	. 81	Waukesha, Wis	99
Taylor, Tex		Weatherford, Tex	96
Tazewell, VaW. Va	. 98	Webster, MassConnR.I	
Telluride, Colo		Weiser, Idaho-Oreg	. 73
Temple, Tex		Wellfleet, Mass	
Thibodeaux, La		Wellington, CalNev	
Thirteenth Lake, N. Y		Wellington, Kans	
Threeforks, MontYell. Nat. Park		West Cincinnati, Ohio-Ky	
Ticonderoga, N. YVt		West Columbus, Ohio	
Timbalier, La	. 78	West Delta, La	
Timpas, Colo		West Liberty, Iowa	
Tipton, Iowa		West Point, N. Y	
Tishomingo, Ind. T		Westfield, N. Y	
Tolchester, Md		Wewoka, Ind. T	
Toledo, Ohio		Wheatland, Iowa	
Toleston, Ind		Whistle Creek, Nebr	
Tolland, Conn		Whitefield, N. HVt	
Tonawanda, N. Y'		Whitehall, N. YVt	
Tooele Valley, Utah		Whitesburg, KyVa	
Topeka, Kans		Whitewater, Wis	
Toulme, LaMiss		Whiting, N. J	
Tower, N. Dak		Wichita, Kans	
Troy, N. Y		Wicomico, MdVa	
Truckee, Cal	. 70	Wilkesbarre, Pa	92

	Page.		Page.
Wilkesboro, N. C	90	Wiscasset, Me	. 79
Williamsburg, KyTenn	77	Witbeck, Mich	. · 81
Williston, Fla	72	Wood River, Nebr	. 84
Willsboro, N. YVt	90	Woodstock, Conn	. 71
Wilmington, Ill	74	Woodstock, VaW. Va	. 98
Wilmington, Vt	97 .	Worcester, Mass	. 81
Wilmurt, N. Y	90	Wytheville, VaN. C	. 98
Wilson, N. Y	90	Yadkinville, N. C	. 90
Wilton Junction, Iowa	75	Yarmouth, Mass	. 81
Winchendon, MassN. H	81	Yellowstone National Park	. 100
Winchester, VaW. Va	98	Yellville, ArkMo	. 68
Winding Stair, Ind. T	74	York, MeN. H	. 79
Wingate, N. Mex	87	York, Nebr	. 81
Winsted, Conn	71	Yosemite, Cal	. 70

# GENERAL, COMBINED, SPECIAL, AND FORESTRY MAPS.

In addition to the topographic atlas sheets, the Survey has prepared and printed: Certain general maps needed in its work; maps made by combining certain topographic atlas sheets; special maps covering areas of peculiar economic importance; forestry maps.

## General maps.

Locality. Nu ber shee			Scale.		Price.	
		Size.	Fractional.	Miles to 1 inch.	Single.	100 or more.
United States:		Inches.			Cents.	Cents.
Contour map	3	49×76	1:2500000	40	60	24
Base map	3	.49×.76	1:2500000	40	. 60	24
Base map	1	18×28	1:7033000	111	10	4
Contour map	1	18×28	1:7033000	111	10	4
Hypsometric map	1	18×28	1:7033000	111	10	4
Base map	1	11×16	1:12925000	204	5	2
Massachusetts: Contour map a	4	32×50	1:250000	-4	30	12
Connecticut: Contour map	2	43×54	1:125000	2.	30	12
Arkansas River: Drainage basin of, in Colorado a	2	30×47	1:380160	6	30	12
Indian Territory: Base map a	1	30×33	1:500000	8	10	4
.Texas: Contour map	1	$31 \times 34$	1:1584000	25	15	6

## Sheets formed by combination of atlas sheets.

			Price.	
Locality.	Scale.	Contour interval.	Single.	100 or more,
		Feet.	Cents.	Cents.
Albany and Vicinity, N. Y	1:62500	20	20	8
Cincinnati (Ohio-Ky.)	1:62500	20	10	4
Lake Tahoe and Vicinity (CalNev.)a	1:125000	100	20	8
Los Angeles, Cal	1:62500	. 50	10	4
Mount Washington and Vicinity (N. HMe.)	1:62500	20	20	8
New York City and Vicinity (N. YN. J.)	1:62500	20	25	10
Niagara Falls and Vicinity (N. YCanada)	1:62500	20	10	4
Omaha and Vicinity (NebrIowa)	1:62500	. 20	10	4
Oswego, N. Y	1:62500	20	5	2
Philadelphia and Vicinity (PaN. JDel.)	1:62500	20	20	8
Rochester, N. Y.	1:62500	20	. 5	2
St. Louis (MoIll.)	1:62500	20	10	4
Yellowstone National Park (WyoMont.)a	1:125000	100	20	. 8

Special maps of exceptional economic importance. (a)

			Pri	ce.
Locality.	Scale.	Contour interval.	Single.	100 or more.
		Feet.	Cents.	Cents.
Aspen, Colo	1:9600	25	5	2
Banner Hill, Cal	1:14400	20	5	2
Butte, Mont	1:15000	20	10	4
Crater Lake, Oreg. (with descriptive text dorso)	1:62500	100	5	<b>b</b> 5
Cripple Creek, Colo	1:25000	50	5	2
Franklin Furnace, N. J	1:14400	10	5	2
Genesee, Cal	1:31680	50	. 5	2
Grass Valley, Cal	1:14400	20	5	2
Helena, Mont	1:62500	50	5	2
Hot Springs, Ark		20	5	2
Indian Valley, Cal	1:65500	. 100	5	2
Menominee, Mich	1:62500	20	5	2
Mother Lode district, Cal., I	1:63360	100	5	. 2
Mother Lode district, Cal., II	1:63360	100	5	2
Nevada City, Cal	1:14400	20	5	2
Rico, Colo	1:23600	50	5	2
Shasta, Cal	1:62500	100	5	2
Taylorsville, Cal	1:31680	50	5	2
Tenmile district, Colo	1:31680	100	5	2
Tintic, Utah	1:62500	50	5	2
Tintic (mining map), Utah	1:9600	20	10	4
	1		l	1

#### Forestry maps.

			ī	
Mount Marcy and Vicinity	1:62500	20	20	c
Seattle, Wash	1:125000	50	5	c
Tacoma, Wash	1:125000	50	5	c
·		1		1

a The Survey has issued a sheet of "Conventional signs" used on its topographic maps; price, 5 cents a single sheet; 2 cents each in lots of 100 or more.

#### TOPOGRAPHIC FOLIOS.

The map sheets represent a great variety of topographic features, and with the aid of descriptive text they can be used to illustrate topographic forms. This has led to the projection of an educational series of topographic folios, for use wherever geography is taught in high schools, academies, and colleges. Of this series the first three folios have been issued, viz:

1. Physiographic types, by Henry Gannett. 1898. Folio. Four pages of descriptive text and the following topographic sheets: Fargo (N. Dak.-Minn.), a region in youth; Charleston (W. Va.), a region in maturity; Caldwell (Kans.), a region in old age; Palmyra (Va.), a rejuvenated region; Mount Shasta (Cal.), a young volcanic mountain; Eagle (Wis.), moraines; Sun Prairie (Wis.), drumlins; Donaldsonville (La.), river flood plains; Boothbay (Me.), a fiord coast; Atlantic City, (N. J.), a barrier-beach coast. Price, 25 cents.

b No wholesale rate for Crater Lake sheet.

c No wholesale rate for forestry maps.

- 2. Physiographic types, by Henry Gannett. 1900. Folio. Eleven pages of descriptive text and the following topographic sheets: Norfolk (Va.-N. C.), a coast swamp; Marshall (Mo.), a graded river; Lexington (Nebr.), an overloaded stream; Harrisburg (Pa.), Appalachian ridges; Poteau Mountain (Ark.-Ind. T.), Ozark ridges; Marshall (Ark.), Ozark Plateau; West Denver (Colo.), hogbacks; Mount Taylor (N. Mex.), volcanic peaks, plateaus, and necks; Cucamonga (Cal.), alluvial cones; Crater Lake special (Oreg.), a crater. Price, 25 cents.
- 3. Physical geography of the Texas region, by Robert T. Hill. 1900. Folio. Twelve pages of text (including 11 cuts); 5 sheets of special half-tone illustrations; 5 topographic sheets, one showing types of mountains, three showing types of plains and scarps, and one showing types of rivers and canyons; and a new map of Texas and parts of adjoining territories. Price, 50 cents.

# MISCELLANEOUS PUBLICATIONS.

## CHARTS SHOWING MINERAL PRODUCTS.

Mineral products of the United States, calendar years 1882, 1883, and 1884.

Mineral products of the United States, calendar years 1882, 1883, 1884, and 1885.

Mineral products of the United States, calendar years 1882 to 1886.

Mineral products of the United States, calendar years 1882 to 1887.

Mineral products of the United States, calendar years 1880 to 1890.

Mineral products of the United States, calendar years 1880 to 1891.

Mineral products of the United States, calendar years 1880 to 1892. Mineral products of the United States, calendar years 1884 to 1893.

Mineral products of the United States, calendar years 1884 to 1895.

Mineral products of the United States, calendar years 1885 to 1894.

Mineral products of the United States, calendar years 1886 to 1895.

Mineral products of the United States, calendar years 1887 to 1896.

Mineral products of the United States, calendar years 1888 to 1897.

Mineral products of the United States, calendar years 1889 to 1898, and total value of the mineral products since 1880.

Mineral products of the United States, calendar years 1890 to 1899, and total value of the mineral products since 1880.

Note.—The above charts (large broadsides) are issued yearly and are for gratuitous distribution. All are out of stock except the last two.

#### REGULATIONS.

United States Geological Survey J. W. Powell, Director—Regulations and instructions of the U. S. Geological Survey second edition approved June 9, 1893, to take effect July 1, 1893. [Design] Washington Government Printing Office 1893

8°. 104 pp. Bound in dark-red cloth.

Organic law of the Survey, with instructions relating thereto, pp. 9-11.

General instructions and office regulations, pp. 12-17.

Instructions relating to money and property, pp. 18-74.

Instructions relating to collections, pp. 75-78.

Government salary tables, pp. 79-97.

Rates of pay for communications by telegraph, pp. 99-105.

Note.—For first edition (1882) and earlier circulars, see Bulletin No. 100, pp. 321-322.

INSTRUCTIONS RELATING TO WORK OF TOPOGRAPHIC BRANCH.

Department of the Interior, United States Geological Survey, Charles D. Walcott, Director. Instructions relating to work of the Topographic Branch of the United States Geological Survey. [Design.] Washington: Government Printing Office. 1900.

 $8^{\circ}.$  33 pp. A pamphlet, in light-blue cover. Supplemental to the Regulations of 1893.

#### LIST OF PUBLICATIONS.

(9-320.) Department of the Interior United States Geological Survey List of the publications of the United States Geological Survey Charles D. Walcott Director [Design] Washington Government Printing Office 1900

8°. 93 pp. A pamphlet, in "granite" cover. For earlier issues, see Bulletin No. 100, p. 322.

### HAMPSON'S RULES.

Rules for the preparation of manuscript and illustrations designed for publication by the United States Geological Survey. By Thomas Hampson. January, 1888. [Washington: Government Printing Office. 1888.]

8°. 24 pp. A pamphlet, in "tea" cover. The following is a revision of the Rules:

## CROFFUT'S SUGGESTIONS.

Suggestions for the preparation of manuscript and illustrations for publication by the U. S. Geological Survey. By W. A. Croffut. January, 1892. [Washington: Government Printing Office. 1892.]

8°. 15 pp. A pamphlet, in "tea" cover.

# JOHNSON'S IRON REGIONS OF LOUISIANA AND TEXAS.

50th Congress, 1st session. House of Representatives. Ex. doc. No. 195. Report. The iron regions of northern Louisiana and eastern Texas. [By L. C. Johnson.] Washington: Government Printing Office. 1888.

8°. 54 pp., 1 map. A preliminary report, made in response to a resolution of inquiry of the House of Representatives.

# DIGEST OF DECISIONS CONCERNING WATER IN THE ARID REGION.

A digest of the decisions of the supreme courts of the States and Territories of the arid region, and of the United States circuit and Supreme courts, in cases involving questions relative to the use and control of water in that region. Compiled by D. W. Campbell, esq., of the United States Geological Survey; revised and edited, under the direction of the Secretary of the Interior, by W. C. Pollock, esq., of the Assistant Attorney-General's office for the Interior department. Washington: Government Printing Office, 1889.

8°. 59 pp. Bound in sheep.

Bull, 177—01——8

# SPECIAL REPORTS ON ALASKA.

#### REPORT OF 1898.

Department of the Interior United States Geological Survey Charles D. Walcott, director Map of Alaska showing known gold-bearing rocks with descriptive text containing sketches of the geography, geology, and gold deposits and routes to the gold fields Prepared in accordance with Public Resolution No. 3 of the Fifty-fifth Congress, second session, approved January 20, 1898 Printed in the engraving and printing division of the United States Geological Survey Washington, D. C. 1898

8°. 44 pp., 1 map. A pamphlet, in "tea" cover.

### REPORT OF 1899.

Department of the Interior United States Geological Survey Charles D. Walcott, Director Maps and descriptions of routes of exploration in Alaska in 1898 with general information concerning the Territory (Ten maps in accompanying envelope) Prepared in accordance with public resolution No. 25 of the Fifty-fifth Congress third session, approved March 1, 1899 Printed in the engraving and printing division of the United States Geological Survey Washington, D. C. 1899

8°. 138 pp. A pamphlet, in yellowish "tea" cover. Ten maps in accompanying envelope.

Summary of plans and results, by the Director, pp. 11-13, map 1.

Pt. I. Special reports of expeditions, pp. 15-83.

Report of the Sushitna expedition, by G. H. Eldridge and Robert Muldrow, pp. 15-27, map 2.

Report of the Kuskokwim expedition, by J. E. Spurr and W. S. Post, pp. 28-39, maps 3-5.

Report on the region between Resurrection Bay and the Tanana River, by W. C. Mendenhall, pp. 40-50, map 6.

Report on Prince William Sound and the Copper River region, by F. C. Schrader, pp. 51-63, maps 7, 8.

Report of the White River-Tanana expedition, by W. J. Peters and Alfred H. Brooks, pp. 64-75, map 9.

Report of the Fortymile expedition, by E. C. Barnard, pp. 76-83, map 10.

Pt. II. General information concerning the Territory, by geographic provinces, pp. 85-131.

The Yukon district, by Alfred H. Brooks, pp. 85-100.

The extreme southeastern coast, by G. H. Eldridge, pp. 101-102.

The coast from Lynn Canal to Prince William Sound, by G. H. Eldridge, pp. 103-104.

The Prince William Sound and Copper River country, by F. C. Schrader, pp. 105-108.

Kenai Peninsula, by W. C. Mendenhall, pp. 109-110.

The Sushitna drainage area, by G. H. Eldridge, pp. 111-112.

The Kadiak Islands, by W. C. Mendenhall, pp. 113-114.

The Alaska Peninsula and the Aleutian Islands, by W. C. Mendenhall, pp. 115-117.

Lakes Iliamna and Clark, by J. E. Spurr, p. 118.

Pt. II. General information concerning the Territory, etc.—Continued.

The Nushagak River, by J. E. Spurr, p. 119.

The coast from Bristol Bay to the Yukon, by J. E. Spurr, pp. 120-121.

The Kuskokwim drainage area, by J. E. Spurr, pp. 122-123.

From the Yukon mouth to Point Barrow, by J. E. Spurr, pp. 124-126.

The Kowak River, by J. E. Spurr, pp. 127–128.

The Noatak River, by J. E. Spurr, p. 129.

The coast from Point Barrow to the Mackenzie, by Alfred H. Brooks, pp. 130-131.

Pt. III. Tabulated information, pp. 133-138.

Meteorological tables, pp. 133-135.

Periods during which certain Alaskan waters are free from ice, p. 136.

Report of postal service in operation in Alaska March 1, 1899, pp. 136–137.

United States land offices, p. 138.


Gold production of Alaska (1896-1898), by districts, p. 138.

Ration list adopted by J. E. Spurr, p. 138.

#### REPORT ON CAPE NOME GOLD REGION.

Department of the Interior United States Geological Survey Charles D Walcott, Director Preliminary report on the Cape Nome gold region Alaska with maps and illustrations By Frank C. Schrader and Alfred H. Brooks assistant geologists Washington Government Printing Office 1900

8°. 56 pp., 3 maps, 19 pls. A pamphlet, in "granite" cover.



# INDEX.

An type of lava, character of
Abajo Mountains, Utah, structure and rocks of
Abrasion tests of road-building stones
Abrasive materials, statistics of
MR 1885, pp 428-436; MR 1886, pp 581-594; MR 1887, pp 552-554; MR 1888, pp 576-579; MR 1889-90, pp 456-460; MR 1891, pp 552-556; MR 1892, pp 748-755; MR 1893, pp 670-679; Ann 16, iv, pp 586-594; Ann 17, iii cont, pp 927-950; Ann 18, v cont, pp 1219-1231; Ann 19, vi cont, pp 515-533; Ann 20, vi cont, pp 603-617; Ann 21, vi cont, pp 463-479  Absaroka district, Wyoming, geology of
552-554; MR 1888, pp 576-579; MR 1889-90, pp 456-460; MR 1891, pp 552-556; MR 1892, pp 748-755; MR 1893, pp 670-679; Ann 16, IV, pp 586-594; Ann 17, III cont, pp 927-950; Ann 18, V cont, pp 1219-1231; Ann 19, VI cont, pp 515-533; Ann 20, VI cont, pp 603-617; Ann 21, VI cont, pp 463-479  Absaroka district, Wyoming, geology of
MR 1891, pp 552–556; MR 1892, pp 748–755; MR 1893, pp 670–679; Ann 16, iv, pp 586–594; Ann 17, iii cont, pp 927–950; Ann 18, v cont, pp 1219–1231; Ann 19, vi cont, pp 515–533; Ann 20, vi cont, pp 603–617; Ann 21, vi cont, pp 463–479  Absaroka district, Wyoming, geology of
670-679; Ann 16, IV, pp 586-594; Ann 17, III cont, pp 927-950; Ann 18, V cont, pp 1219-1231; Ann 19, VI cont, pp 515-533; Ann 20, VI cont, pp 603-617; Ann 21, VI cont, pp 463-479  Absaroka district, Wyoming, geology of
Ann 18, v cont, pp 1219–1231; Ann 19, vi cont, pp 515–533; Ann 20, vi cont, pp 603–617; Ann 21, vi cont, pp 463–479  Absaroka district, Wyoming, geology of
Ann 20, vi cont, pp 603-617; Ann 21, vi cont, pp 463-479  Absaroka district, Wyoming, geology of
Absaroka district, Wyoming, geology of
Absaroka Range, Wyoming, structure of
Absaroka Range and Two-ocean Plateau, igneous rocks of. Mon xxxii, ii, pp 269–325  Absarokite, analysis of, from Montana, various localities
Absarokite, analysis of, from Montana, various localities
analysis of, from Wyoming, Clark Fork
from Yellowstone Park, various localities
Bull 148, pp 125, 129; Bull 168, pp 99, 103 of Yellowstone Park and Montana
of Yellowstone Park and Montana
thin section of, from Yellowstone Park
Acadian area of Newark system
Acadian province, Paleozoic formations, upper, in, correlation and classification ofBull 80, pp 226–257
tion of
·
(See also Canada )
(See, also, Canada.)
Acadian series, equivalents of, in AlabamaBull 81, p 305
origin of nameBull 81, p 248
Accretion, shaft, analyses of, from Colorado, Leadville district
pp 727–728; 730, 731
Accretions formed in blast furnace
Aceraceæ of Amboy clays
of Dakota group
of North America, extinct
of Yellowstone Park
Acetabulariæ from Lower Coal Measures of Missouri
Acmite, chemical constitution of
Acmite-trachyte, analysis of, from Montana, Crazy MountainsBull 90,
p 71; Bull 148, p 145; Bull 168, p 123
Actæonidæ from Chico-Tejon series of CaliforniaBull 51, p 15
from Colorado formationBull 106, pp 161-162
from Miocene deposits of New Jersey

Actinolite, analysis of, from New Jersey, MontvilleBull 64, p 44
analysis of, from North Carolina, Corundum HillBull 42, p 52
chemical constitution of
occurrence of
secondary character of
Actinolite (?)-diorite, analysis of, from California, Bidwell Bar quadrangle Ann 17,
1, p 575
Actinolite-limestone in Massachusetts, eastern Berkshire CountyBull 159, p 32
Actinolite-magnetite-schist, analysis of, from Minnesota, sec. 34, T. 61 N., R.
12 W
thin section of, from Wisconsin, Penokee Gap
Actinolite-quartzite of Massachusetts, western
Actinolite-siderite-slate, thin section of, from Minnesota, north arm of Gunflint
Lake
Actinozoa of Cambrian, lower
of Devonian of Nevada, Eureka district
of Olenellus zone
of Paleozoic strata of Nevada, Eureka districtMon xx, pp 322, 324, 325-326, 330
Adams (G. I.) and Taff (J. A.), geology of eastern Choctaw coal field, Indian
Territory
Adams Lake series of British ColumbiaBull 86, p 340
Adinoles, analyses of, from Michigan, Crystal Falls district Mon xxxvi, pp 208, 210;
Bull 168, p 69
Adirondack district, succession, correlation, etc., of rocks inAnn 16, I, pp 771-773
Adirondacks, iron ores, titaniferous, of
pre-Cambrian rocks of
Administrative organization of United States Geological Survey
r, pp 19–22, 60–61
Admiralty Island, Alaska, coal on
Admiralty till in Washington
Adobe soil, analysis of, from Nevada, HumboldtBull 168, p 303
analysis of, from New Mexico, Fort Wingate and Santa Fe Bull 168, p 302
from Utah, Salt Lake CityBull 168, p 302
(See, also, Soils.)
Ægirine-augite, thin section of, aqueous deposit of plagioclase, diopside, and,
from Greenfield, Massachusetts
Enigmatite, chemical constitution of
Æolian sandrock of Florida.  Bull 84, p 320
Eolian sands in Great Basin
#Bolian soils
Eschynite, chemical constitution of Bull 125, pp 79–80
Afghanistan, iron-ore deposits of
coal production of Ann 18, v. p414; Ann 19, vr, pp 311, 320; Ann 20, vr, pp 332, 341 copper production of, statistics ofMR 1883-84, pp 356, 370; MR 1885, pp 229,
242; MR 1886, pp 128, 139; MR 1887, pp 88, 96–97; MR 1888, p.73; MR 1880–90, p.73; MR 1891, p.101; MR
- MR 1888, p 73; MR 1889-90, p 73; MR 1891, p 101; MR
1892, pp 114, 117; MR 1893, p 86; Ann 16, 111, pp 352, 353; Ann 17, 111, pp 118, 119; Ann 18, v, pp 220, 221,
222; Ann 19, vi, pp 177, 178, 179; Ann 20, vi, pp 203, 204, 205; Ann 21, vi, pp 205, 206, 207, 222–223
diamonds in, occurrence and output ofMR 1887, pp 563–568; Ann 16, iv, pp
597–598; Ann 19, vi cont, pp 497–499; Ann 20, vi cont, pp 558–564
or orginitary it come, pp 101 100, 11m 20, it come, pp 000-001

	Ann 8, 11, pp 799–803
gold production of; compared w	with that of other portions of the worldMR
	1883–84, pp 319, 320
	Ann 16, 11, pp 177–180
	Algeria
not release in localities and state	
petroleum in, localities and stat	istics of
	vi cont, pp 153, 166; Ann 21, vi cont, pp 290–291
witwatersrand banket, with no	tes on other gold-bearing pudding stonesAnn
America Cilonian Alaska description	18, v, pp 153–184 of
_ <del></del>	
	MR 1882, p 491; MR 1883–84, pp 756–760, 781;
	5, p 443; MR 1886, pp 597, 604; MR 1887, pp 556,
	; MR 1888, pp 584, 585; MR 1889-90, pp 446, 447;
	, pp 540, 547; MR 1892, pp 774–776, 781; MR 1893,
	682, 697; Ann 17, 111 cont, pp 914, 924; Ann 18, v
	1207-1208, 1217; Ann 19, vi cont, pp 506, 513;
	vi cont, p 599; Ann 21, vi cont, pp 454–455, 461
	Mon v, pp 284–294
	ount Tyndall, Colorado
Aggioinerate of Dassick IIII and Mo	и, рр 307–311, 343
Agglomorates diabasia relations of	to greenstone-schists in Marquette district,
	Bull 62, pp 185–191
	district
	s between Archean and PaleozoicAnn 7,
<del>-</del>	54–455; Bull 86, pp 147, 148, 461, 462, 475, 491, 493
	Bull 125, pp 67, 101
	i, in 1899
	WS 32, pp 34–41
	ern United States, areas in which it is at-
	Ann 16, 11, pp 486–487
	Ann 20, vii, pp 24–27;
• •	Alaska (2), pp 24, 50, 72, 112; Nome, p 44
on Great Plains, necessity of irr	rigation to
(See, also, Soils.)	
	nes, and other porous media, experiments
	. Ann 19, 11, pp 157–165, 168–178, 190–195, 199–202
Ajibik quartzite, petrographic chara	acter, relations, etc., ofAnn 15, pp 540-554,
0	610-611; Mon xxvIII, pp 282-312, 528-529
	of
	measurements of
·	rigbee rivers, Tertiary and Cretaceous strata
	Bull 43
	23; Ann 19, 1, p 253; Ann 20, 1, pp 387–405; Ann 21,
	464; Bull 5, pp 25–28; Bull 76; Bull 160, pp 23–31
atlas sheets covering areas in.	Ann 11, 11, p 263
anas sneers covering areas in.	(see p or or mis buneam.)

```
Alabama, bauxite deposits in, as source of aluminum .......MR 1892, pp 237-240
  рр 162–163; Апп 16, пг, рр 551–597
  Ann 19, iv, pp 250-252; Ann 20, iv, pp 51, 194-195;
                      Ann 21, IV, pp 152-153; WS 11, pp 37-40; WS
                      15, p 57; WS 27, pp 56, 58; WS 36, pp 156-157
     boundary lines of, and formation of State......Bull 13, pp 30, 102-103;
                                        Bull 171, pp 108-109
  brick industry of, statistics of ................MR 1887, pp 535, 537; MR 1888, p 557
  pp 553, 556; Ann 16, IV, pp 437, 438, 484 et seq; Ann 17, III
                cont, pp 760, 775 et seq; Ann 18, v cont, pp 950, 1012, 1013,
                1014, 1044 et seq; Ann 19, vi cont, pp 206, 264 et seq; Ann
                20, vi cont, pp 271, 336 et seq; Ann 21, vi cont, p 335 et seq
     in Stevenson quadrangle .......GF 19, p 3
  Ann 18, v cont, pp 1127-1129; Ann 19, vr cont, pp 469-470
  18, v cont, p 1077 et seq; Ann 19, vr cont, p 318 et seq; Ann
                20, vi cont, p 466 et seq; Ann 21, vi cont, pp 362, 363
  1883-84, pp 12, 14-17; MR 1885, pp 11, 13-14; MR 1886, pp
                225, 230, 235-240; MR 1887, pp 169, 171, 189-207; MR 1888,
                pp 169, 171, 208-213; MR 1891, pp 180, 205; MR 1892,
                pp 264, 267, 268, 289-300; MR 1893, pp 189, 190, 194, 195,
                197, 199, 200, 240-245; Ann 16, IV, pp 7 et seq, 65-70; Ann
                17, III, pp 287 et seq, 364-369, 542; Ann 18, v, pp 353 et seq,
                463-469; Ann 19, vi, pp 277 et seq, 380-385; Ann 20, vi,
                pp 299 et seq, 394-397; Ann 21, vi, pp 324 et seq, 424-427
     in Gadsden quadrangle......GF 35, p 3
     in Stevenson quadrangle .......GF 19, p 3
  coke, manufacture of, in.....
                                       .....MR 1883-84,
                pp 154-157; MR 1885, pp 80, 85-87; MR 1886, pp 378,
                384, 389–392; MR 1887, pp 383, 389, 394–395; MR 1888, pp
                395, 400, 406-407; MR 1891, pp 360, 376; MR 1892, pp 555
                et seq, 571-572; MR 1893, pp 418 et seq, 434-435; Ann 16,
                IV, pp 225 et seq, 243-247; Ann 17, III cont, pp 543 et seq,
                571-573; Ann 18, v cont, pp 661 et seq, 693-695; Ann 19, vr,
                pp 548 et seq, 586-588; Ann 20, vi, pp. 512 et seq, 554-557;
                Ann 20, vr cont, p 227; Ann 21, vr, pp 523 et seq, 567-570
  Ann 19, IV, pp 246-249; Ann 20, IV, pp 51, 187-188;
                    Ann 21, IV, p 150; WS 11, pp 30-36; WS 15, pp 51-
                    55; WS 27, pp 54-55, 57, 58; WS 36, pp 149-152
     Ann 19, 1, p 253; Ann 20, 1, pp 387-405; Ann 21, 1, pp
                  461-464; Bull 5, pp 25-28; Bull 76; Bull 160, pp 23-31
  Ensley, Semet-Solvay by-product coke plant at......Ann 20, vi, pp 545-547
  Gadsden quadrangle, geology of GF 35
```

```
Alabama, gas, illuminating and fuel, and by-products in, statistics of ......Ann 20,
                                     vr cont, pp 227, 240, 243, 245, 247, 249
   geographic positions in ... Ann 18, 1, p 154; Ann 21, 1, pp 257-258; Bull 123, pp 80-81
   (See Map, geologic, of Alabama.)
   geologic sections in. (See Section, geologic, in Alabama.)
   Ann 5, pp 52-53; Ann 6, pp 74, 75; Ann 7, pr 67, 114;
                       Ann 8, 1, p 129; Ann 9, pp 76, 122, 132; Ann 10, 1, pp
                       120, 121, 157, 174; Ann 11, 1, p 67; Ann 12, 1, pp 74, 75,
                       79; Ann 13, 1, pp 136, 149; Ann 14, 1, p 241; Ann 15, p
                       130, 148-149; Ann 17, 1, pp 26-28; Ann 18, 1, pp 29-30;
                       Ann 19, 1, pp 34-35; Ann 20, 1, p 38; Ann 21, 1, p 72
   gold and silver from, statistics of.....Ann 2, p 385; MR 1882, pp 176, 177, 178;
                   MR 1889-90, p 49; MR 1891, p 77; MR 1892, p 88; MR 1893,
                   pp 50, 51, 55, 57, 58; Ann 16, 111, p 258; Ann 17, 111, pp 73,
                   74, 75, 76, 77; Ann 18, v, p 141 et seq; Ann 19, vi, p 128
                   et seg; Ann 19, vi, p 103 et seg; Ann 21, vi, pp 125-127
   iron and steel from, statistics of .....Ann 2, p xxviii; MR 1882, pp 120, 125, 129
                   et seq, 149-161; MR 1883-84, pp 252, 278; MR 1885, pp 182,
                   184, 186; MR 1886, pp 18, 33, 85-92, 98; MR 1887, pp. 11,
                   16, 49-50; MR 1888, pp 14, 17, 23; MR 1889-90, pp 10, 11,
                   17, 18, 24, 35, 36, 39, 40, 41; MR 1891, pp 12, 19, 61; MR
                   1892, pp 12, 13, 15, 16, 17, 21, 26, 29, 35, 36, 37, 42; MR 1893,
                   pp 15, 20, 26, 28, 30-31, 38, 39; Ann 16, 111, pp 31, 37, 192,
                   194, 196-197, 203, 208, 249, 250; Ann 17, 111, pp 26, 27, 39,
                   41, 47, 48, 57, 63, 68; Ann 18, v, pp 24, 36-37, 41; Ann 19,
                   vi, pp 26, 27, 29, 31-32, 66, 68, 72; Ann 20, vi, pp 29, 39-40,
                   43, 44, 74, 75, 81, 82, 83; Ann 21, vi, pp 34, 45–46, 52, 53, 90, 92
  in Gadsden quadrangle......GF 35, p 3
      in Stevenson quadrangle .......GF 19, p 3
      limestone production of... MR 1892, p 711; MR 1893, p 556; Ann 16, IV, pp 437, 494,
                   495; Ann 17, 111 cont. pp 760, 787, et seq; Ann 18 v cont, pp
                   950, 1044, et seq; Ann 19, vi cont, pp 206, 280, et seq; Ann 20,
                   vi cont, pp 271, 342, et seq; Ann 21, vi cont, pp 335, 357, et seq
   manganese-ore production of . MR 1885, p 345; MR 1886, pp 181, 183; MR 1892, pp
                   192-194; MR 1893, pp 124-125; Ann 16, III, pp 400-401; Ann
                   17, III, p 193; Ann 18, v, pp 299-300; Ann 20, vI, pp 126, 130
                   (See Map, geologic, of Alabama.)
   maps, geologic, of.
   maps, topographic, of. (See Map, topographic, of Alabama.)
   mineral springs of......Bull 32, pp 88–94;
                   MR 1883-84, p 979; MR 1885, p 536; MR 1886, p 715; MR
                   1887, p 683; MR 1888, p 626; MR 1889-90, pp 522, 524;
                   MR 1891, pp 603, 604; MR 1892, pp 824, 825-826; MR
                   1893, pp 774, 776, 784, 786, 794; Ann 16, IV, pp 709, 711, 720;
                   Ann 17, 111 cont, pp 1026, 1031, 1041; Ann 18, v cont, pp
                   1371, 1376, 1386; Ann 19, vi cont, pp 661, 665, 677; Ann 20,
                   vi cont, pp 749, 754, 766; Ann 21, vi cont, pp 599, 605, 619
```

Alabama, minerals of, useful
oil fields of
paint, mineral, production of MR 1892, pp 816, 818; MR 1893, pp 759, 760;
Ann 16, rv, pp 695, 696; Ann 17, 111 cont, pp 1013, 1014;
Ann 18, v cont, pp 1338, 1339; Ann 19, vi cont, pp 637, 638;
Ann 20, vi cont, pp. 723, 724; Ann 21, vi cont, pp 573, 574
phosphate deposits of
MR 1883-84, pp 794-803; MR 1886, p 618
quartz from, statistics of
rainfall at Mobile and Montgomery (average)
road material in Stevenson quadrangle
sandstone production of
Ann 16, iv, pp 437, 484, 485, 486; Ann 17, iii cont, pp 760,
775, 776, 777, 778; Ann 18, v cont, pp 950, 1012, 1013, 1014;
Ann 19, vi cont, pp 206, 264, 265, 266, 267; Ann 20, vi cont,
pp 271, 336, 337, 338, 339; Ann 21, vi cont, pp 335, 353–356
sections, geologic, in. (See Section, geologic, in Alabama.)
soils of Gadsden quadrangleGF 35, pp 3-4
of Stevenson quadrangleGF 19, pp 3–4
Stevenson quadrangle, geology of
survey of, by cooperation with U.S. Geological SurveyAnn 20, 1, p 98
Tallapoosa River, flow of, measurements of Ann 18, IV, p 110; Ann 19, IV,
pp 249–250; Ann 20, IV, pp 51, 193–194; Ann 21, IV, pp 151–
152; WS 15, p 56; WS 27, pp 56, 57, 58; WS 36, pp 152–153
profile of
timber in, estimates of
tin ore in MR 1882, pp 434–436; MR 1883–84, pp 601–602; Ann 16, 111, pp 527–528
topographic maps of. (See Map, topographic, of Alabama.)
topographic work in
Ann 7, pp 50, 52; Ann 8, p 102; Ann 9, pp 54, 55; Ann 10,
1, pp 91, 92; Ann 11, 1, p 37; Ann 13, 1, p 72; Ann 17, 1,
pp 97, 101; Ann 18, 1, pp 94, 95, 103; Ann 19, 1, pp 89, 90, 99; Ann 20, 1, pp 100, 102, 111-112; Ann 21, 1, pp 119, 128
triangulation in
· · · · · · · · · · · · · · · · · · ·
woodland area in
Alabama River, measurements of flow of
Alabama, Tuscaloosa, and Tombigbee rivers, Tertiary and Cretaceous strata
of
Alaska; Agassiz Glacier, description of
agriculture in, possibilities of
vii, pp 24–27; Alaska (2), pp 24, 50, 72, 112; Nome, p.44
Alaska Peninsula, notes on
Alaskan Range, remarks on
Aleutian Islands, notes on
Aleutian mountain system, structure, etc., of
Alexander Archipelago, gold of
altitudes of localities inBull 5, p 29; Bull 76; Bull 160, p 32; Bull 169
animal life in
in Copper River countryAnn 20, vii, pp 369-370
animal and vegetable life of Sushitna-Kuskokwim region
20, vii, pp 76–85
Apollo Consolidated mine, on Unga IslandAnn 18, 111, pp 83-85

lla	ska, Baby Creek, granite on
	beach sands, auriferous
	Berners Bay, mining operations at
	Birch Creek district, discovery and history to 1897 ofAnn 18, 111, pp 118-131
	gulch diggings in
	birds of Sushitna and Kuskokwim regions, list of, and notes onAnn 20,
	vп, pp 76, 77, 80–85
	Bogoslof and Grewingk islands
	Bristol Bay to the Yukon, along the coast, notes on Alaska (2), pp 120-121
	Cantwell River and Valley, notes on
	Cassiar district, population and gold production of
	Chaix Hills, geology of
	Chitina River and Skolai Mountains, reconnaissance ofAnn 21, 11, pp 393-440
	Chugach Mountains, notes on
	Chulitna River and Valley, notes on
	cinnabar in
	Clark Lake, notes on
	climate at Prince William Sound and in Copper River district Ann 20, vii, p 369
	of southern
	of southwestern, notes on
í	of Sushitna Basin, notes on
j	of various parts of, notes on
	32, 49, 53–54, 72, 82–82, 96, 108, 133–136; Nome, pp 40–42 climate and seasons in
	climatic conditions of
	coal in
	in Matanuska Valley, notes on
	in southwestern, notes on
	in Yukon district, occurrence and character of
	coal and coal fields of Cook Inlet and Sushitna Basin Ann 20, vii, pp 21–24
	coal and lignite of
	coal deposits and industry in, statistics ofMR 1883-84, p 17; MR 1885,
	p 14; MR 1888, pp 214–216; MR 1891, pp 209–210;
	Ann 18, v, p 469; Ann 19, vi, p 385; Alaska (2),
	pp 22-24, 36, 48, 61, 71, 81, 95, 103-104, 110, 112, 116
	coast from Bristol Bay to the Yukon, notes on
٠	from Point Barrow to the Mackenzie, notes onAlaska (2), pp 130-131
	from Yukon mouth to Point Barrow, notes onAlaska (2), pp 124-126
	coast range of
	copper in
	in Copper River district, deposits and mines, notes on
	vii, pp 417–421
	in Copper River and other regions, notes onAlaska (2), pp 59-60, 71
	in Tanana-White region, note on
	Copper River district, reconnaissance in, in 1898Ann 20, vII, pp 341–423
	report on
	routes and trails into
	vii, pp 384–404
	development of, difficulties of
	Disenchantment Bay, exploration of
	elevations in
	Eskimos and Indians of southwestern, notes on
	20, 11, pp 11 10

Alaska, explorations in	31-486
explorations in, brief sketch of	
in southwestern, notes on	
Russian, English, etc, résumé of	
explorations and discoveries about Prince William Sound and in Copper	,o 200
	71 979
River district	
explorations and surveys in	
Ann 19, 1, pp 20, 53, 116–117; Ann 20, 1, pp 12, 52–53, 12	26-134
Fortymile Creek, drainage as illustrated byAnn 18, 111, pp 276–27	78, 280
Fortymile district, discovery and history to 1893 ofAnn 18, III, pp 1	
gulch diggings in	
Fortymile expedition (1898), report on	
Fortymile quadrangle, forest conditions in	
fossil plants from, enumeration and distribution ofAnn 17, 1, pp 8	
literature of	
fossils from	8–908;
Ann 21, 11, pp 439–440; Bull 82, pp 20	05-206
Funters Bay, mining operations at	
game in	
game and fish around Cook Inlet, Kenai Peninsula, Matanuska Valley,	)1 · 000
etc	
of southwestern, notes on	
geographic sketch of	p 7–17
geologic history of southwesternAnn 20, vii, pp 24	12-258
geologic history of southwestern	59-61;
Ann 16, 1, pp 415-461; Ann 17, 1, pp 763-908; An	
III, pp 1-392; Ann 20, vII; Alaska (1); Alaska (2);	
III, pp 1=352; Aiii 20, VII, Alaska (1); Alaska (2);	
	Home
geologic maps of. (See Map, geologic, of Alaska.)	·
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.)	
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44 p 835
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44 p 835
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44 p 835 )2–147
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44 p 835 02–147 nn 20,
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44 p 835 02–147 nn 20,
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44 p 835 02–147 nn 20, 24–331 52–255
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44 p 835 02–147 nn 20, 24–331 52–255 59–60
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44 p 835 02–147 nn 20, 24–331 52–255 59–60 15–461
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44 p 835 12–147 nn 20, 24–331 52–255 59–60 15–461 55–358
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44 p 835 p2–147 nn 20, p4–331 f2–255 59–60 l5–461 f5–358 5, 486
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44 p 835 p2–147 nn 20, p4–331 f2–255 59–60 l5–461 f5–358 5, 486
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18-44 p 835 p2-147 nn 20, p4-331 f2-255 59-60 f5-461 f5-358 f, 486 p 9-10
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18-44 p 835 p2-147 nn 20, p4-331 52-255 59-60 p5-461 55-358 5, 486 p 9-10 nn 20,
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18-44 p 835 p2-147 nn 20, p4-331 52-255 59-60 p5-461 55-358 5, 486 p 9-10 nn 20, p21-422
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18-44 p 835 p2-147 nn 20, p4-331 52-255 59-60 p5-461 55-358 5, 486 p 9-10 nn 20, p21-422 59-261
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18-44 p 835 )2-147 nn 20, 24-331 52-255 59-60 15-461 55-358 5, 486 p 9-10 nn 20, 21-422 59-261 18-323
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18-44 p 835 )2-147 nn 20, 24-331 52-255 59-60 15-461 55-358 5, 486 p 9-10 nn 20, 21-422 59-261 18-323 20-21
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44 p 835 p2–147 nn 20, p4–331 f2–255 f59–60 p5–461 f5–358 f5, 486 p 9–10 nn 20, p1–422 f9–261 p18–323 p20–21 p3–488
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18-44 p 835 )2-147 nn 20, 24-331 52-255 59-60 15-461 55-358 5, 486 p 9-10 nn 20, 21-422 59-261 18-323 20-21 33-488 21-28
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18-44 p 835 )2-147 nn 20, 24-331 52-255 59-60 15-461 55-358 5, 486 p 9-10 nn 20, 21-422 59-261 18-323 20-21 33-488 21-28
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44 p 835 p2–147 nn 20, p4–331 f2–255 59–60 p5–461 f5–358 f5, 486 p 9–10 nn 20, p1–422 f9–261 p18–323 p20–21 p33–488 pp 22,
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18-44 p 835 p2-147 nn 20, p4-331 f2-255 59-60 p5-461 f5-358 f5, 486 p 9-10 nn 20, p21-422 f9-261 p3-488 p2-21 p3-488 pp 22, f6, 125
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18-44 p 835 p2-147 nn 20, p4-331 f2-255 59-60 p5-461 f5-358 f5, 486 p 9-10 nn 20, p21-422 f9-261 p3-488 p2-21 p3-488 pp 22, f6, 125
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44 p 835 p2–147 nn 20, p4–331 f2–255 f59–60 l5–461 f5–358 f5, 486 p 9–10 nn 20, p1–422 f9–261 l8–323 g0–21 g3–488 g1–28 pp 22, f6, 125 Nome
geologic maps of. (See Map, geologic, of Alaska.) geologic sections in. (See Section, geologic, in Alaska.) geologic sketch of	18–44 p 835 p2–147 nn 20, p4–331 f2–255 f59–60 p5–461 f5–358 f5, 486 p 9–10 nn 20, p1–422 f9–261 p3–488 pp 22, f6, 125 Nome

Ala	ska, gold and silver from, statistics of
	pp 130-132; v, p 141 et seq; Ann 19, vi, p 127 et seq;
	Ann 20, vr, p 103 et seq; Ann 21, vr, pp 119, 121 et seq
	granite in
	gravels, beach and stream, of
	ice, periods during which certain waters are free fromAlaska (2), p 136
	Icy Bay, description of
	igneous rocks from, classification of, according to composition
	vii, pp 188–194
	description of
	Iliamna Lake, notes on
	inhabitants of, about Cook Inlet, Matanuska and Copper valleys, etcAnn 20,
	vн, pp 339-340
	about Prince William Sound and in Copper River countryAnn 20,
	vii, pp 367–369
	native
	of southwestern, notes on
	of Tanana-White region
	of various parts of, notes on
	50, 52–53, 74, 80, 99, 107, 109, 117, 120, 123; Nome, pp 45–47
	Kadiak Island, Uyak Bay, mining operations at
	Kadiak Islands, notes on
	Kanektok River, itinerary of a reconnaissance along, with geologic notes
	Ann 20, vii, pp 54–56, 85–87, 99, 133–139
	Katmai, Togiak via Nushagak to, itinerary of reconnaissance fromAnn 20,
	vii, pp 57–60, 88–93
	Kenai Peninsula, explorations in, in 1898 Ann 20, vii, pp 273–280, 300–303
	notes on
	to Tanana River, expedition from, in 1898
	Klondike, routes to Alaska (2), pp 11-17
	Klondike district, discovery and development of
	gulch diggings in
	Kowak River, notes on
	Koyukuk region, notes on
	Kuiu Island, fossils from
	Kuskokwim drainage area, notes on Alaska (2), pp 122–123
	Kuskokwim expedition (1898), report of
	Kuskokwim River, itinerary of reconnaissance along, with geologic
	notesAnn 20, vii, pp 51–54, 67–76, 121–133
	Kuskokwim steamboat route
	land offices established (March, 1899)
•	lead, deposits of, in
	statistics of, from
	Ann 19, vi, p 201; Ann 20, vi, p 226; Ann 21, vi, p 229
	magnetic variations in, in 1898Ann 20, vII, pp 13, 61; Alaska (2), pp 27, 39, 75
	Malaspina Glacier, description of
	Mammoth Mountain, remarks on
:	maps, geologic, of. (See Map, geologic, of Alaska.)

Alaska, maps, topographic, of. (See Map, topographic, of Alaska.)	
Matanuska region, explorations in, in 1898. Ann 20, vii, pp 280-281, 289-290, 304	
McKinley, Mount, height, etc., of	
meteorologic tables	
mineral resources of Prince William Sound and Copper River district Ann 20,	
vii, pp 417–423	
mineral springs of	
mineral water of Copper River district, notes on	
minerals of, useful	
miners' meetings and laws	
Mission Creek district, gulch diggings in	
Mount St. Elias, second expedition to, by Russell, in 1891 Ann 13, 11, pp 1-91	
mountain and valley systems of southwestern, structure, etc., ofAnn 20,	
vii, pp 238–242	
mountain ranges inclosing Sushitna Basin	
Mynook Creek district, gulch diggings in	
Naknek River and Lake, geologic notes taken alongAnn 20, vii, p 145	
names of localities and features in, list of	
Neocene formations of, summary of our knowledge ofBull 84, pp 234–268	
Newton Glacier, description of	
Noatak River, notes on	
Nome gold region, preliminary report onNome	
Nushagak River, notes on	
Nushagak to Katmai, and Togiak to Nushagak, itinerary of a reconnaissance	
from	
paleontology of, notes on	
petroleum localities in	
p 123; vii, p 423; Ann 21, vi cont, p 167	
placer deposits of	
population of, in 1896	
native	
Porcupine River, notes on	
postal service in operation March 1, 1899	
precious stones in, occurrence of	
Pribilof Islands, notes on	
Prince William Sound, topography of and drainage into. Ann 20, vii, pp 378-384	
Prince William Sound and Copper River district, reconnaissance in, in	
1898	
report on	
provisions and outfit for work in	
purchase of, from Russia, boundaries of, etcBull 13, p 23; Bull 171, pp 27-28	
railway route to interior of, through Sushitna and Cantwell valleysAnn 20,	
vп, pp 28–29	
railway routes possible in	
ration list for parties	
Resurrection Bay to Tanana River, reconnaissance from Ann 20, vii, pp 265-340	
rivers of, sketch of	
rocks of, general notes onBull 84, pp 232–234	
routes in	
through southwestern, notes on	
to KlondikeAlaska (1), pp 11–17	
to interior of	
61-63, 72-74, 79, 96-98, 105, 112, 122	
St. Augustine Volcano	

· · · · · · · · · · · · · · · · · · ·
Alaska, St. Elias Chain, notes on
St. Elias, Mount, second expedition to, by Russell, in 1891Ann 13, 11, pp 1-91
Samovar Hills, description of
sections, geologic, in. (See Section, geologic, in Alaska.)
Sheep Creek Basin, mining activity in
Silver Bow Basin, geology of and mining activity inAnn 18, 111, pp 70–73
Sitka district, mining operations in
Skwentna River, itinerary of reconnaissance along
to the Kuskokwim, routes from
slate on shores of Prince William Sound, notes on
Sumdum Bay, mining operations at
surveys in
Ann 18, 1, pp 52–54; Ann 19, 1, pp 53, 116–117; Ann 20
ı, pp 52–53, 126–134; Ann 21, ı, pp 17–18, 86, 145–149
Sushitna Basin and adjacent territory, reconnaissance in, in 1898Ann 20
vii, pp 1–20
Sushitna drainage area, notes on
Sushitna expedition (1898), report of
Sushitna River, itinerary of reconnaissance alongAnn 20, vii, pp 46, 62-67
Tanana River, expedition to, in 1898
explorations in basin of, sketch of
reconnaissance from Resurrection Bay to
Tanana and White River basins, reconnaissance in, in 1898
vii, pp 425–494
stratigraphic and structural geology of
topography, drainage, and physiographic development ofAnn 20
vii, pp 445–469
timber in, notes onAnn 20, v11, pp 24, 67–68, 77–80; Ann 21, 11, pp 387, 414,
460-461; Alaska (2), pp 48, 55, 71, 82, 95-96; Nome, pp 42-43
Togiak River, geologic notes taken along
itinerary of reconnaissance along
Togiak to Nushagak, to Katmai, itinerary of reconnaissance fromAnn 20,
VII, pp 57-60, 88-98
Tordrillo Mountains, geologic notes on
portage across, notes on
topographic maps of. (See Map, topographic, of Alaska.)
trails in
tundra of Nome region, gold in
Turnagain Arm placers
Valdes Port and Glacier, notes on
vegetation in
in Copper River district
in Kenai Peninsula, Matanuska Valley, and on Copper River Plateau
Ann 20, vii, pp 336–337
of southwestern
volcanic eruptions in, list of
white inhabitants of
(See, also, Arctic.)
Alaskan names, list of
Alaskan Range, Alaska, remarks on
Alaskite, analysis of, from Alaska, Chilkoot PassBull 168, p 228
analysis of, from Alaska, Skwentna River
from Alaska, Tordrillo MountainsBull 168, p 228

Alaskite group of igneous rocks, definition of, and description of species Ann 20, vii, pp 189, 195–196
Alaskite-porphyry, analysis of, from Alaska, Fortymile CreekBull 168, p 228
Albertite in New Brunswick, Hillsborough, occurrence ofAnn 17, 1, pp 941-942
Albirupean series of deposits and flora
nn 333–338 369–375: Bull 82 nn 89–90 94
pp 333–338, 369–375; Bull 82, pp 89–90, 94 Albite, analysis of
analysis of, from California, Plumas County
from Maine, Litchfield
pp 34–35; Bull 148, p 65; Bull 150, p 202; Bull 168, p 21
from Massachusetts, Hampshire County
from North Carolina, Mitchell and Montgomery countiesBull 74, p 56
chemical constitution of
composition of, as one of the more important varieties of feldsparAnn 21,
vi cont, p.594 occurrence of
thin section of altered gabbro from Michigan, Sturgeon Falls, showing
veins filled with Bull 62, p 69
Albite and orthoclase mixed, analysis of, from New Hampshire, Moulton-
boroBull 148, p 67; Bull 168, p 23
Albite-oligoclase, analysis of, from Maryland, BaltimoreBull 148, p 89;
Bull 168, p 49
Albite-schist from Massachusetts, Hoosac Mountain, description of, as one of
the educational seriesBull 150, pp 325–327
thin section of, from Massachusetts, Hoosac MountainMon xxIII, pp 112-113
Albitic granite and pegmatite dikes of western MassachusettsMon xxix, pp 323-330
Albitic mica-schist of western Massachusetts
Albuquerque district, New Mexico, irrigation in
Alcohol, compressibility and thermal expansion ofBull 92, pp 30–32
Aleutian Islands, coal on, localities of
lignitic beds ofBull 84, pp 242–249
notes on
Aleutian mountain system, Alaska, structure, etc., ofAnn 20, vii, pp 238, 240
Alexander Archipelago, coal in, localities of
gold of
Algæ of Alaska
of hot springs
of Laramie group
of Lower Coal Measures of Missouri
Algeria, iron and iron ore from, statistics of
irrigation in
Algonkian; Huronian definedBull 86, p 463
Huronian system, history of the termBull 86, pp 470–474
Algonkian and Archean, a correlation essay, by C. R. Van Hise
Algonkian history of Michigan, Menominee district
of Montana, Fort Benton quadrangleGF 55, p 5
Little Belt Mountains quadrangle
Algonkian period to be used in Geologic Atlas of United StatesAnn 10, 1, p 20
Algonkian rocks; a group between Archean and Cambrian, necessity forAnn 16,
I pp 750, 769
Agate Bay group of Minnesota
Ajibik quartzite of Michigan, Marquette districtAnn 15, pp 540-554, 610-611;
Mon xxvIII, pp 282–312, 528–529
Animikie group of Lake Superior region. Ann 3, pp 157-163; Ann 5, pp 203-205;
Ann 7, pp 417-423; Mon v, pp 367-386; Mon
x1x, pp 260–268, 468–470; Bull 86, pp 59, 187–189

	•
Algonkian rocks; areas of	in United States and CanadaAnn 16, 1, pp 766-843
	ragansett Basin
	Lake Superior regionBull 86, pp 105, 107, 117, 186–187
	Minnesota
	na, description and section of Ann 20, III, pp 279–284, 382;
beit terrane or monta.	Bull 110, pp 16–20; GF 24, p 2; GF 56, pp 1–2
Dillai sobiat of Michic	
Bijiki schist of Michig	an, Marquette district
	Mon xxvIII, pp 416–420
	Lake Superior regionAnn 21, 111, p 358–360
	es of WisconsinBull 86, pp 105, 190
Blackstone series of N	arragansett Basin
blue-quartz gneiss of v	vestern MassachusettsMon xxix, p 28
Braintree argillites of	MassachusettsBull 86, pp 366, 369
	f Tennessee and North Carolina
	ginia, Maryland, and West VirginiaGF 10, p 2
	Montana, description and section ofAnn 20,
	909 909
Ohamur Cuaalt hada of	MontanaGF 24, p 2
Cherry Creek beds of	montana
	ichigan-Wisconsin, Penokee district. Mon xix, pp 127-142
	Canyon district
Citico conglomerate of	Tennessee and North CarolinaGF 16, p 2;
•	GF 20, p 2; GF 25, p 2
Clarksburg formation	of Michigan, Marquette districtAnn 15, pp 604-607;
-	Mon xxvIII, pp 460-486
classification of, table	showingAnn 10, 1, p 546
	and pre-Cambrian formationsAnn 7, pp 371–454
	te of Tennessee and North CarolinaGF 16, p 3
	ew Brunswick
	of western Massachusetts
	n of Michigan, Sturgeon River tongueAnn 19, 111,
C	pp 148–149; Mon xxxvi, pp 471–479 impshire
Coos group of New Ha	mpsnire
copper-bearing rocks of	of Lake SuperiorAnn 1,
	pp 70-71; Ann 2, pp xxxi-xxxiv; Ann 3,
	pp 89–188; Mon v; Bull 86, pp 196–199
	Bull 86
crystalline schists of L	ake Superior region
Cumberland quartzites	s of Narragansett Basin Mon xxxIII, p 106
delimitations and strat	igraphy of
dolomite formation of	Michigan, Sturgeon River tongueAnn 19, 111, pp
	149–150; Mon xxxvi, pp 479–482
Duluth group of Minne	149–150; Mon xxxvi, pp 479–482 esota
	of MichiganMon xxxvi,
	pp 384, 398–426; Bull 86, pp 190, 195
Franklin white limesto	one of New Jersey
remain white inflesse	Bull 86, pp 399, 403–404
George River limeston	e of Canada, Nova Scotia, and Cape BretonBull 86,
George Erver Inneston	•
0 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	pp 242, 243 Michigan, Marquette districtAnn 15,
Goodrich quartzite of	
	pp 591–596, 616–618; Ann 21, пп, pp 372–
2 12	383; Mon xxvIII, pp 409–416, 535–537
	of ArizonaAnn 16, 1, p 825; Bull 86, pp 327–330, 507
Grenville series of Can	adaBull 86, pp 26, 27, 28, 32, 451, 497
Greyson shale of Monta	ana, description and section ofAnn 20, 111, pp 282, 283

```
Algonkian rocks; Groveland formation of Michigan, Crystal Falls district. Ann 19, 111,
                        рр 115–121, 137–139; Ann 21, иг, рр 385–
                        387; Mon xxxvi, pp 415-423, 446-450
  Gunflint formation of Lake Superior region, Vermilion district.......Ann 21,
                                      пт, рр 408–409
  pp 45-63, 133-137; Mon xxxvi, pp 73-154, 440-446
  Huronian quartzites of Lake Superior region, genesis of and metamorphism
           Huronian rocks, enlargements in.....Bull 8, pp 23-37
    Ann 5, pp 189-194; Ann 10, 1, p 348; Ann 15, p 647; Ann 19,
            III, pp 10-14, 34-80, 121-122; Ann 21, III, pp 354-360; Mon v.
            pp 386-394, 402-409; Mon xix, passim; Mon xxviii, passim;
            Mon xxxvi, pp xviii-xxiv, 50-186; Bull 86, passim; GF 62
    Ann 16, 1, p 775; Bull 86, pp 23-50, 498-499
  Ann 21, 111, p 323; Mon x1x; pp 190-198, 200-245, 361-368
  pp 590-598; Mon xxvIII, pp 409-444
  Kaministiquia series of Lake Superior region ......Bull 86, pp 181, 182, 185, 195
  pp 93-188; Ann 7, pp 20, 419-421; Ann 16, 1, pp 794-
                 796; Bull 81, pp 198, 199, 335-339; Bull 86, passim
    junction between Eastern sandstone and......Bull 23
    pp 523-530; Mon xxvIII, pp 240-256
  Labradorian of Canada and New England.....Bull 86, pp 351-352, 444, passim
  Laurentian of Canada and the Great Lakes region .......Bull 86, passim
  Lower Menominee series of Michigan, Menominee district......GF 62, pp 2-4
  Mamainse series of Lake Superior region.....Bull 86, pp 56, 57, 61
  Manitounuck series of Canada......Bull 86, pp 209–210, 213, 500,
  Mansfield formation of Michigan, Crystal Falls district.... Ann 19, 111, pp 36-44,
               114-115, 131-133; Mon xxxvi, pp 54-73, 411-415, 437-440
  Marquette series of Lake Superior region .......Ann 3, pp 166-168; Ann 15, pp
                    477-650, passim; Ann 16, 1, p 784; Ann 19, 111,
                    pp 16, 17; Ann 21, 111, p 371; Mon x1x, pp 471-
                    473; Mon xxvIII, passim; Bull 86, passim
  III, pp 16, 17; Ann 16, I, p 784; Ann 21, III, p 389;
                  Mon xxvIII, passim; Bull 86, passim; GF 62, pp 2-4
  Mesnard quartzite of Michigan, Marquette district............ Ann 15, pp 517–523;
                                 Mon xxvIII, pp 221-240
```

Algonkian rocks, Michigamme formation of Michigan, Marquette districtAnn 15,
pp 598-604; Mon xxviii, pp 444-459
Montalban group of Canada and adjacent regions
pp 351, 367, 368, 380, 463, 465, passim, Negaunee formation of Michigan, Marquette district
рр 561–589, 611–614; Ann 21, 111, pр 372–383; Mon xxviii, pp 328–407, 529–532
of Michigan, Menominee district
Neihart quartzite of Montana, description and section of
111, pp 281, 284, 382; GF 56, pp 1-2
Newland limestone of Montana, description and section of .Ann 20, 111, pp 282, 283
Nipigon group of Lake Superior regionBull 86, pp 61, 70, 195, 211, 468
Norian of New England, New York, and CanadaBull 86, passim
Ocoee conglomerate of Tennessee
Ocoee group of Tennessee and North CarolinaBull 86, pp 422–423;
GF 16, p 2; GF 20, p 2; GF 25, p 2
of Colorado, Denver Basin
Pikes Peak quadrangle
Rico Mountains
Telluride quadrangle GF 57, p 2
of Idaho
of Maryland-Virginia-West Virginia, Harpers Ferry quadrangleGF 10, p 2
of Michigan, Menominee district
of MontanaBull 139, pp 31–34
Little Belt Mountains
Livingston quadrangle
Three Forks quadrangle
of Massachusetts, western
of Rhode Island-Massachusetts, Narragansett BasinMon xxxIII, pp 104-109
of South Dakota, Black Hills, northernAnn 21, 111, pp 178, 181
southeasternWS 34, p 12
of States. (See, also, formation names under this heading.)
of TexasBull 45, pp 55–56
of Virginia-Maryland-West Virginia, Harpers Ferry quadrangle GF 10, p 2
of West Virginia-Maryland-Virginia, Harpers Ferry quadrangle GF 10, p 2
of Yellowstone Park
Ogishki conglomerate of Great Lakes regionBull 86, pp 127–128, passim
Penokee iron-bearing series of Michigan and Wisconsin
1, pp 341–507; Mon xix
Penokee series of Lake Superior region, correlation ofBull 86, pp 150-154
Pigeon slate of Tennessee and North Carolina
p 2; GF 20, p 2; GF 25, p 2
Pokegama formation of Lake Superior region
pre-Cambrian igneous rocks of Unkar terrane, Grand Canyon of the
Colorado
Randville dolomite of Michigan, Crystal Falls district Ann 19, 111, pp 34-36,
110–113, 126–131; Mon xxxvi, pp 50–53, 406–411, 431–437
of Michigan, Menominee district
Republic formation of Lake Superior regionBull 86, p 102
St. John group of New BrunswickBull 86, pp 230, 231
St. Louis slates of Lake Superior regionBull 86, pp 186–187
Shawmut group of MassachusettsBull 86, p 368
Sheridan quartzite of Wyoming

Algonkian rocks; Siamo slate of Michigan, Marquette districtAnn 15,
рр 554-561; Моп ххун, рр 313-328
Sioux quartzites of Lake Superior regionBull 86, pp 186–187, 194
of South Dakota
Smithfield limestones of Narragansett Basin
Steep Rock series of Canada
Sturgeon quartzite of Michigan, Crystal Falls districtAnn 19, 111, pp 105-110,
125; Mon xxxvi, pp 398–405, 430–431
of Michigan, Menominee district
system of, establishment of
Temperance River group of Minnesota
Texian system
Thunderhead conglomerate of Tennessee and North Carolina
p 2; GF 20, p 2 Torridon sandstone of Scotland
Uinta group of Utah Bull 86, pp 286–289, 505
Umta group of Otah
Upper Menominee series of Michigan, Menominee districtGF 62, pp 4-11
Vermont formation of Hoosac Mountain
Virginia slate of Lake Superior region
Vishnu series of Grand Canyon regionBull 86, pp 330, 331
Vulcan formation of Michigan, Menominee district Ann 21, 111, pp 390-400;
GF 62, pp 4-10
Wasatch series of Utah
Washington gneiss of Massachusetts and Connecticut
GF 50, pp 1, 4
Wewe slate of Michigan, Marquette district
Моп xxvні, pp 256–282
Wilhite slate of Tennessee and North Carolinao
GF 20, p 2; GF 25, p 2
Algonkian and Archean rocks, correlation of
of North America as related to Cambrian
work on, summary of
Algous vegetation, dried, from Yellowstone Park, analysis ofBull 150, p 92
Alismaceæ from Alaska
from Dakota group
Alkali and drainage as related to irrigation
Alkalies in silicates, estimation of
Alkaline reaction of some natural silicates
Allanite, analysis of, from Maine, Topsham
analyses of, from North Carolina, various localitiesBull 74, p 51
chemical constitution of
composition ofBull 150, p 43
in igneous rocks of Nevada, Eureka districtMon xx, pp 338, 341, 379
in porphyries of Colorado, Mosquito Range
in porphyrites of Utah, Henry Mountains
occurrence of
Allegheny Plateaus, divisions, topography, and character of
Allegheny River, flow of, measurements of
pp 195–197; WS 36, pp 157–159
profile of
Allophane, chemical constitution of
Alloys, a new method of making
thermoelectric data ofBull 14, pp 80–88
Alluvial cones, examples of

·
Alluvial cones and terraces Ann 2, p 184; Ann 4, pp 201-202; Ann 6, p 311; Mon I,
pp 81, 91, 92, 178, 185, 220, 344, 346, 349, 352; Mon xt, pp 255–257
Alluvial deposits of Neocene, Pleistocene, and Recent periods in TexasAnn 18,
п, pp 243–256; Ann 21, vп, pp 345–361
Alluvial fans in Rico Mountains, Colorado
Alluvial formations in Nebraska
Alluvial soils
Alluvial terraces in Massachusetts-Connecticut, Holyoke quadrangle GF 50, p 7
Alluvium, analysis of, from Colorado, Jefferson County (loess-like)Bull 148,
p 299; Bull 168, p 301
in California, Marysville quadrangle
Nevada City district
in Maine
in Maryland-Virginia, Fredericksburg quadrangle
Nomini quadrangle
in Ohio, Huntington quadrangleGF 69, p 5
in Utah, Tintic districtGF 65, p 3
in Virginia-Maryland, Fredericksburg quadrangle
Nomini quadrangleGF 23, p 1
in Washington, Tacoma quadrangle
in West Virginia, Huntington quadrangle
Alluvium, river, of the Great Plains, relation of, to water supply
FOA FOF
Almandite, chemical constitution of
Alock Diver Alocke features of App 91 x yr 940 940
Alsek River, Alaska, features of
Altamaha Basin, Georgia-South Carolina, rainfall and run-off in Savannah
Basin and
stream measurements in
IV, pp 227–233; Ann 20, IV, pp 51, 170–172; WS 11, pp 19–23;
WS 15, pp 41-44; WS 27, pp 43, 44, 46; WS 36, pp 133-137
water powers in
Altamaha grit of Georgia, correlation ofBull 84, pp 81–82, 320; Ann 18, π, p 340
Alteration, mechanical and chemical, of rocks of Nevada City and Grass Valley
districts, California
Alteration, rock, in ore veins of Montana, Little Belt MountainsAnn 20, 111,
pp 418, 421
Alteration, superficial, of ores of Colorado, Cripple Creek district, depth, effect,
etc., of
(See, also, Metamorphism.)
Alteration product from any substance. (See name of the substance.)
Alteration products, miscellaneous, analyses of
Altitude of Appalachian province GF 4, p 1; GF 8, p 1; GF 10, p 1; GF 12, p 1;
GF 14, p 1; GF 16, p 1; GF 19, p 1; GF 20, p 1; GF 21, p 1; GF
22, p1; GF 25, p1; GF 26, p1; GF 27, p1; GF 28, p1; GF 32,
22, p1; GF 25, p1; GF 26, p1; GF 27, p1; GF 28, p1; GF 32, p1; GF 33, p1; GF 34, p1; GF 35, p1; GF 40, p1; GF 44, p1
p1; GF 33, p1; GF 34, p1; GF 35, p1; GF 40, p1; GF 44, p1
p 1; GF 33, p 1; GF 34, p 1; GF 35, p 1; GF 40, p 1; GF 44, p 1 relation of rainfall to, in California
p 1; GF 33, p 1; GF 34, p 1; GF 35, p 1; GF 40, p 1; GF 44, p 1 relation of rainfall to, in California
p 1; GF 33, p 1; GF 34, p 1; GF 35, p 1; GF 40, p 1; GF 44, p 1 relation of rainfall to, in California
p 1; GF 33, p 1; GF 34, p 1; GF 35, p 1; GF 40, p 1; GF 44, p 1 relation of rainfall to, in California
p 1; GF 33, p 1; GF 34, p 1; GF 35, p 1; GF 40, p 1; GF 44, p 1 relation of rainfall to, in California
p 1; GF 33, p 1; GF 34, p 1; GF 35, p 1; GF 40, p 1; GF 44, p 1 relation of rainfall to, in California
p 1; GF 33, p 1; GF 34, p 1; GF 35, p 1; GF 40, p 1; GF 44, p 1 relation of rainfall to, in California

Altitudes in North DakotaBull 144, pp 61–69
in South DakotaBull 144, pp 61-69; Bull 158, pp 38-39, 48-49, 59, 108, 154-167
in Texas, Black and Grand prairies
in United States, dictionary ofBull 5; Bull 76; Bull 160
map showingAnn 13, 11, pocket
Alum, foreign sources of
in Hawaii, occurrence of
statistics of
pp 949–950; MR 1886, pp 681–682; MR 1887, pp 646–647
Alum Bluff beds of Florida, correlation of Ann 18, 11, p 340; Bull 84, pp 112-113, 320
Alum rock, so called, from Grant County, New Mexico, analyses of Bull 9, p 13
Aluminum, alloys of
analyses of
bauxite as a source of
chemical constitution of orthosilicates ofBull 125, pp 18-67
manufacture of, in Europe
metallurgy of—processes
ore of (bauxite), analyses of
properties of—malleability, conductivity, tensile strength, etcMR 1892,
properties of mancaomy, conductivity, tensile strength, etc
pp 241–254; Ann 16, 111, pp 540–542 separation of, in rock analyses
separation of, in rock analyses
statistics of
MR 1885, pp 390–392; MR 1886, pp 220–221; MR 1887,
pp 138–141; MR 1888, pp 160–164; MR 1889–90, pp
110–118; MR 1891, pp 147–163; MR 1892, pp 227–254;
MR 1893, pp 156–167; Ann 16, 111, pp 539–546; Ann 17,
пі, pp 243–251; Ann 18, v, pp 281–285; Ann 19, vi, pp
241–242; Ann 20, vi, pp 267–268; Ann 21, vi, pp 267–269
uses of
Aluminum and titanium, separation of, and of titanium and ironBull 27, pp 16–26
Aluminum chloride, catalytic action of, on silicic ethersBull 113, pp 63-76
Aluminum foil, action of various acids on
Alunite, analysis of, from Colorado, Calico Peak
analysis of, from Colorado, Custer CountyBull 90, p 62
from Colorado, Rosita Hills, Mount Robinson
Alunite pseudomorphs, analysis of, from Colorado, Knickerbocker HillAnn 17,
п, р 318
Alunite rocks of Colorado, Rosita Hills
Alunogen, analyses of, from New Mexico, Grant CountyBull 9, p 13
Alurgite, chemical constitution of
Amalik Harbor, Alaska, coal at
Amaltheidæ, from Colorado formation
Amazon stone, occurrence and statistics of
1883–84, p 781; MR 1885, p 443; MR 1886, p 604, MR 1887,
pp 556, 557; MR 1888, pp 584, 585; MR 1889-90; pp 446, 447,
448; MR 1891, p 540; MR 1892, p 781; MR 1893, pp 681, 682;
Ann 16, IV, pp 604, 605; Ann 18, V cont, p 1217; Ann 19, VI
cont, p 513; Ann 20, v1 cont, p 599; Ann 21, v1 cont, p 461
Amber, occurrence and statistics of
MR 1883–84, pp 779–780, 782; MR 1885, p 444; MR 1886,
pp 598, 605; MR 1887, p 558; MR 1888, p 583; Ann 16, rv, p
603; Ann 17, 111 cont, pp 917–918; Ann 18, v cont, pp 1212–1213
Amboy clay, correlation of
flora ofMon xxvi

•
American fossil Bryozoa, synopsis of, including bibliography and synonymyBull 173
American River, California, profile of
Amesite, analysis of, from Massachusetts, Chesterfield
Amethyst, occurrence and statistics of MR 1882, p 491; MR 1883-84,
pp 750-751, 781; MR 1885, p 443; MR 1886, pp 596, 604;
MR 1887, pp 556, 557; MR 1888, pp 584 585; MR 1889-90,
pp 446, 447, 448; MR 1891, p 540; MR 1892, p 781;
Ann 16, IV, pp 604, 605; Ann 17, III cont, pp 910, 924;
Ann 18, v cont, pp 1205–1207, 1217; Ann 19 vi, cont, p
513; Ann 20, vr cont, p 599; Ann 21, vr cont, pp 453, 461
Amherst feldspathic mica-schist of Massachusetts and ConnecticutGF 50, p 5
Amidoheximidoheptaphosphoric acid, constitution and salts of Bull 167, pp 151–152
Amidophosphoric acid, chemical researches on
Ammonia liquor and sulphate of ammonia, production of
vi cont, pp 227–228, 232–239
Ammonia soda, analysis of
Ammonitidæ of Chico-Tejon series of California
of Cretaceous of Vancouver IslandBull 51, p 48
of Mesozoic of Alaska Peninsula
of New Jersey marls
Ammonium chloride, chemical action of, on silicatesBull 113, pp 34-36
Ammonoidea from Colorado formation
from Cretaceous of Pacific coast
Ammosaurus, description of
Ampelidaceæ from Dakota group
Ampelideæ from Laramie groupBull 37, pp 69–72
Amphibole, analysis of, from California, various localities. Bull 168, pp 190, 206, 208
Amphibote, analysis of, from Callevale Total ville district
analysis of, from Colorado, Leadville district
from Montana, Walkerville stationBull 168, p 116
chemical constitution ofBull 125, pp 90–94, 106
composition of
Amphibole-biotite-granite, analysis of, from California, Mariposa CountyBull
168, p 208
Amphibole-gabbro, analysis of, from California, Tuolumne CountyBull 168, p 206
Amphibole-granite, thin section of, from Michigan, near Negaunee
pp 238–239
Amphibole-granitite, analysis of, from Germany, HohwaldMon xxvIII, p 202
Amphibole-schist, analysis of, from California, Bidwell Bar quandrangleAnn
17, r, p 579
Amphibole-schists of Michigan, Crystal Falls district Mon xxxvi, pp 465-467
of Michigan, Marquette district
of Oregon, Roseburg quadrangle
of Sierra Nevada
Amphibolite, analysis of, from California, various localitiesAnn 14, 11, pp 259, 275;
Bull 148, p 211; Bull 168, p 197
Bull 148, p 211; Bull 168, p 197 analysis of, from Massachusetts, various localitiesMon xxix, pp 167, 168, 196, 303;
Bull 148, p 211; Bull 168, p 197 analysis of, from Massachusetts, various localitiesMon xxix, pp 167, 168, 196, 303; Bull 148, pp 75, 76; Bull 168, pp 31, 32
Bull 148, p 211; Bull 168, p 197 analysis of, from Massachusetts, various localitiesMon xxix, pp 167, 168, 196, 303;
Bull 148, p 211; Bull 168, p 197 analysis of, from Massachusetts, various localitiesMon xxix, pp 167, 168, 196, 303; Bull 148, pp 75, 76; Bull 168, pp 31, 32 from Michigan, Felch Mountain and Crystal Falls districtsMon xxxvi, p 397; Bull 168, p 66
Bull 148, p 211; Bull 168, p 197 analysis of, from Massachusetts, various localitiesMon xxix, pp 167, 168, 196, 303; Bull 148, pp 75, 76; Bull 168, pp 31, 32 from Michigan, Felch Mountain and Crystal Falls districtsMon xxxvi, p 397; Bull 168, p 66
Bull 148, p 211; Bull 168, p 197 analysis of, from Massachusetts, various localities. Mon xxix, pp 167, 168, 196, 303; Bull 148, pp 75, 76; Bull 168, pp 31, 32 from Michigan, Felch Mountain and Crystal Falls districtsMon xxxvi, p 397; Bull 168, p 66 from Vermont, GuilfordMon xxix,
Bull 148, p 211; Bull 168, p 197 analysis of, from Massachusetts, various localitiesMon xxix, pp 167, 168, 196, 303; Bull 148, pp 75, 76; Bull 168, pp 31, 32 from Michigan, Felch Mountain and Crystal Falls districtsMon xxxvi, p 397; Bull 168, p 66 from Vermont, Guilford
Bull 148, p 211; Bull 168, p 197 analysis of, from Massachusetts, various localities. Mon xxix, pp 167, 168, 196, 303; Bull 148, pp 75, 76; Bull 168, pp 31, 32 from Michigan, Felch Mountain and Crystal Falls districtsMon xxxvi, p 397; Bull 168, p 66 from Vermont, Guilford
Bull 148, p 211; Bull 168, p 197 analysis of, from Massachusetts, various localitiesMon xxix, pp 167, 168, 196, 303; Bull 148, pp 75, 76; Bull 168, pp 31, 32 from Michigan, Felch Mountain and Crystal Falls districtsMon xxxvi, p 397; Bull 168, p 66 from Vermont, Guilford

Amphibolite of California, Downieville quadrangle:
of California, Mother Lode district
Nevada City and Grass Valley districts
Ophir district
Smartsville quadrangle
Sonora quadrangle
of Colorado, Mosquito Range
of Connecticut, Holyoke quadrangleGF 50, p 4
of Massachusetts, Holyoke quadrangle
Hoosac Mountain
westernMon xxix, pp 85, 96, 189-196, 218-220, 243-245, 290-295, 300-306
of Michigan, Crystal Falls districtAnn 19, 111, p 105; Mon xxxvi, pp 395-397
of Northwestern States
of Sierra Nevada
thin section of, from California, Ophir
from Massachusetts, Hoosac Mountain
various localities
from Vermont, Mount Holly
Amphibolite-schist, analysis of, from California, Downieville quadrangleAnn 17,
r, p 652
of Alaska, Chandlar-Koyukuk regionAnn 21, 11, pp 472–473
Copper Mountain
of California, Jackson quadrangleGF 11, p 3
Placerville quadrangle
of Sierra Nevada
Amphidesmiidæ of Miocene marls of New Jersey
Amygdaloid, analysis of metamorphosed, from North Carolina, Watauga
County Bull 168, p 53
thin section of, from Minnesota, Great Palisades
Amygdaloid, diabasic, of the Keweenaw series
Amygdaloid diabase from Minnesota, Grand Marais, description of, as one of
the educational series
Amygdaloidal aporhyolite, thin section of, from Pennsylvania, South Moun-
tainBull 136, pp 118–119, 120–121
Amygdaloidal rocks of Keweenaw series, structural features ofMon v, pp 134-139
Amygdule, thin section of, in diabase of dike at Pigeon Point, MinnesotaBull 109,
pp 46–47
Amygdules in Catoctin schist
Amyl alcohol, action of, on chlorides, a method for separation of sodium and
potassium from lithium by, with reference to a similar
separation of same from magnesium and calciumBull 42,
pp 73-88
Amyzon beds of Colorado, Nevada, and Oregon, correlation ofBull 83, pp 125,
141, 145–146; Bull 84, pp 281, 317, 320
Anacacho formation of Texas
Bull 164, pp 31–33, 34; GF 64, p 2
of Texas, Uvalde quadrangle, wells in
Anacardiaceæ of Alaska
of Dakota group
of North America (extinct)
of Yellowstone Park
Analcite, analyses of, from Colorado, Table Mountain and Pikes Peak district.
Bull 20, p 29; Bull 148, p 164; Bull 168, p 146
analysis of, from Montana, Highwood Mountains. Bull 148, p 155; Bull 168, p 134

Analcite, analysis of, from Nova Scotia, Wassons Bluff
composition of Bull 150, p 33 experiments relative to constitution of Bull 167, pp 19–25
from Colorado, Table Mountain, general description, optical behavior, and
chemical composition ofBull 20, pp 27–29
Analcite-basalt, analysis of, from Arkansas, Magnet CoveAnn 20, 111, p 544
analysis of, from Brazil, Santa Cruz
Bull 148, p 164: Bull 168, p 146
from Montana, various localities
from Vermont, Shelburne Point
of Montana, Little Belt Mountains
Analcitite of New York-Vermont slate belt
Analyses, mineral, an apparatus for the determination of water in Bull 78, pp 84-86
of rocks, and analytical methodsBull 148
of rocks from the laboratory of the United States Geological SurveyBull 160
of waters of Yellowstone Park, with an account of the methods of analysis  employed
(See, also, the various substances: Coal; Clay; Iron; rock names; Water, etc.)
Analysis, physical, of rocks, methods of
Anatase from ilmenite, thin section of, from Michigan, Lower Twin FallsBull 62,
p 131
Anatinidæ of Colorado formation
of marls of New JerseyMon 1x, pp 175-178, 220-221; Mon xx1v, pp 85-86
Anchisauridæ of North America
Ancylidæ of Eocene of Utah.  Bull 34, p 26
of North America (non-marine fossil)
composition of
occurrence and statistics of
1883–84, pp 741–742; Ann 17, III cont, pp 910, 923
Andalusite-hornfels, analysis of, from California, Mariposa CountyBull 148, p 221; Bull 150, p 342; Bull 168, p 210
Andalusite-schist, analysis of, from California, Mariposa CountyBull 148, p 221;
Rull 169 p 210
Anderson sandstone of Tennessee GF 33, p 3; GF 40, p 2
Andesine, analysis of, from Massachusetts, ChesterMon xxix, p 140; Bull 126, p 119 Andesite, analysis of, from Alaska, Delarof Harbor
analysis of, from Alaska, St. Augustine
from California, Clear LakeBull 148, p 223; Bull 168, p 212
Downieville quadrangle
Bull 148, p 207; Bull 168, p 193 San Clemente Island
Tuscan buttes Bull 55, p 85
various localities
from Colorado, Leadville district
Pikes Peak district
· Bull 89, p 66; Bull 148, p 166; Bull 168, p 148
from Maine, Aroostook CountyBull 165, p 171; Bull 168, p 19

Andesite, analysis of, from Maine, Edmunds HillBull 165, p 188
analysis of, from Maine, Fox IslandsBull 165, p 171
from New Mexico, San Mateo Mountains (phonolitic)Bull 27, p 64;
Bull 148, p 185; Bull 168, p 170
from North Carolina, Clay County
from Philippine Islands
from Spain, Cabo de Gata
from Utah, Tintic districtAnn 19, 111, pp 641, 649; Bull 168, p 166; GF 65, p 3
from Virginia, near Front Royal
Bull 148, p 91; Bull 168, p 51
from Yellowstone Park, Sepulchre Mountain
of Alaska, southern
of California, Bidwell Bar quadrangleAnn 17, 1, pp 568–569; SF 43, p 5
Big Trees quadrangle
Colfax quadrangle
Downieville quadrangleGF 37, pp 6–7
Jackson quadrangleGF 11, p 5
Lassen Peak quadrangleGF 15, pp 1–2
Mother Lode district (also meta-andesite)
Nevada City, Grass Valley, and Banner Hill districts
Placerville quadrangle
Pyramid Peak quadrangleGF 31 p 6
quicksilver belt
Sacramento quadrangleGF 5, p 3
San Clemente Island
Smartsville quadrangle
Sonora quadrangle
Truckee quadrangle
of Colorado, Buffalo Peaks
Cripple Creek district
Pikes Peak quadrangle
Posite Hills App. 17 vr. 905 901 909 905 940 940 940 970 999
Rosita Hills
Telluride quadrangle
Walsenburg quadrangle
of Idaho, Boise quadrangleGF 45, p 4
of Maine, Aroostook volcanic areaBull 165, pp 111-114, 168-169, 173-175
of Maryland-Virginia-West Virginia, Harpers Ferry quadrangleGF 10, p 2
of Montana, Butte districtGF 38, p 1
of Nevada, Eureka district
Steamboat Springs
Washoe district, relations of
of New Mexico, Tewan Mountains
of Oregon, Bohemia mining region
Roseburg quadrangleGF 49, p 3
of Philippine Islands
of Sierra Nevada
of Utah, Tintic district
of Virginia, Catoctin belt
of Yellowstone Park and vicinity
п, pp 73–80, 242, 296, 302–304, 314–321; GF 30, p 6
thin section of, from Colorado, Buffalo Peaks
from Yellowstone Park Mon xxxII, II, pp 354–355
Andesite-basalt, analysis of, from California, Shasta CountyBull 148,
p 190; Bull 168, p 176
b 190' bitt 100' b 110

Andesite-breccia, analysis of, from Yellowstone Park, Sepulchre Mountain Bull 148,
p 121; Bull 168, p 91 of Sierra Nevada
Andesite-breccia and -tuff of Montana, Fort Benton quadrangle
of Sierra Nevada, mode of formation of
Andesite-oligoclase-scapolite-biotite rock, analysis of, from Alaska, Skwentna
RiverBull 168, p 229
Andesite-perlite, analysis of, from Nevada, Eureka district
Andesite-porphyry, analysis of, from California, Downieville quadrangleAnn 17,
r, p 731
analysis of, from Montana, Daylight and Hiawatha CreekBull 168, p 119
of Montana, Little Belt Mountains quadrangle
Three Forks quadrangle
of Yellowstone Park
thin section of, from Yellowstone ParkMon xxxII, II, pp 62-63, 104-105
Andesites, classification of
transitions between types of
Andesitic perlite of Nevada, Eureka district
Anchisaurus, description and restoration of
Androscoggin River, Maine, flow of, measurements of Ann 20, IV, pp 46, 66–72;
Ann 21, 1v, pp 56–57; WS 27, pp 14–16; WS 35, pp 27–28
profile of
water power of
Angiosperms, archetypal Ann 16, 1, pp 535–540
Angiosperms, fossil, of the Potomac or younger Mesozoic
(See, also, Monocotyledons; Dicotyledons.)  Animal life, effect of, on harbors
Animals and plants in relation to soil formation
Animas River, flow of, measurements of
Ann 19, IV, pp 414–415; Ann 20, IV, pp 59, 403; Ann 21,
rv, p 301; Bull 140, pp 198–200; WS 11, p 72; WS 16,
p 146; WS 28, pp 139, 142, 145; WS 38, pp 310-311
profile of
Animikie group of Lake Superior regionAnn 3, pp 157–163; Ann 5, pp 203–205;
Ann 7, pp 417–423; Mon v, pp 367–386; Mon
xix, pp 260–268, 468–470; Bull 86, pp 59, 187–189
Ankerite, analyses of, from Massachusetts, Franklin CountyBull 126, p 25
Ankerite spar, analyses of, from Montana, Neihart district
Ann, Cape, Massachusetts, geology of
Annealing of steel
Annelida of Cambrian, Lower
of Devonian beds of New York
Annite, analysis of, from Massachusetts, Rockport
Annulosa from Bear River formationBull 128, pp 61–62
Anomiidæ of Colorado formation
of Cretaceous of Pacific coastBull 133, p 35
of lower marl beds of New Jersey
of North America (nonmarine fossil)
Anona chalk of Texas
Anonaceæ from Dakota group
Anorthite, analysis of, from Delaware, Iron Hill
analysis of, from Maine, PhippsburgBull 167, p 70
from Maine, Raymond
from Massachusetts, Pelham
from Minnesota

Anorthite, chemical constitution of
composition of, as one of the more important varieties of feldsparAnn 21,
vi cont, p 594
determination of, in pyroxene-andesite
of Keweenaw series
thin section of, from Minnesota, sec. 5, T. 54, R. 8 W
Anorthoclase, analysis of, from Massachusetts, Marblehead Neck
analysis of, from Minnesota, Pigeon PointBull 148, p 107; Bull 168, p 77
from Montana, Crazy MountainsBull 148, p 145; Bull 168, p 123
from Pantelleria Island (from rhyolite)Bull 109, p 52
in lithophysæ of Yellowstone Park, Obsidian CliffAnn 7, pp 267–269
thin sections of, in quartz-porphyry from Pennsylvania, South MountainBull
136, pp 96-97, 98-99
Anorthosite, analysis of, from New York, Adirondack region
ırı, p 411; Bull 168, p 37
association of, with titaniferous iron ores of the Adirondacks
thin section of, from New York, Lake SanfordAnn 19, 111, pp 412–413
Anthophyllite, analysis of, from North Carolina, Macon CountyBull 74, p 45
chemical constitution of
Anthosiderite, chemical constitution of
Anthozoa from Eocene of middle Atlantic slopeBull 141, pp 89–91
Anthracite basins of Pennsylvania, structure of
Anthracite coal. (See Coal.)
Anthracite and Crested Butte quadrangles, Colorado, geology of
Anthribide, Tertiary, of United States
Antietam Creek, Maryland, flow of, measurements of
ıv, pp 149–150; Ann 20, ıv, pp 49, 122; Ann 21, ıv,
p 95; WS 15, p 16; WS 27, pp 19, 23, 24; WS 35, p 86
Antietam sandstone in the Catoctin belt of Maryland and VirginiaAnn 14,
п, pp 335–337-
in Virginia-Maryland-West Virginia, Harpers Ferry quadrangleGF 10, p 3
Antigorite-serpentine of western Massachusetts
Antimony, occurrence, uses, and statistics ofMR 1882, pp 438-439; MR 1883-84,
pp 641–653; MR 1885, pp 387–388; MR 1886, pp 2, 7, 9; MR 1887, pp 2, 6, 8–9; MR 1888, pp 10–11; MR 1889–90,
pp 141–142; MR 1891, pp 174–176; MR 1892, pp 260–262;
MR 1893, pp 184–186; Ann 16, 111, pp 624–627; Ann 17,
III, pp 275–280; Ann 18, v, pp 343–348; Ann 19, vi, pp
253-258; Ann 20, vr, pp 283-289; Ann 21, vr, pp 291-297
Antimony ore, analysis of, from California, Kern County
new method of reducing
Antlers sands of Indian Territory
of Texas
Apalachicola Basin, stream measurements inAnn 18, IV, pp 84-93; Ann 19, IV,
pp 233–240; Ann 20, 1v, pp 51, 182–184; WS 11, pp 23–24;
WS 15, pp 45–47; WS 27, pp 49–51, 57, 58; WS 36, pp 138–143
streams in, list of
Apalachicola River, profile of
Apatite, analysis of, from Canada, various localities

Apatite, analysis of, from Maine, Stoneham	Bull 27, p 15
analysis of, from Norway	
from Spain	
from Virginia, near Amelia Court-House	MR 1883-84, p 808
composition of	Bull 150, p 36
in diorite from Wyoming, Electric Peak	
in Maine, Auburn	
in rocks of Pacific slope	Mon x111, p 85
statistics ofMR 1882, p 521; MR 1883-84, pp 805-808	8; MR 1885, pp 455-458;
MR 1887, p 594; MR 1888, p 596;	
thin section of, from Minnesota, Pigeon Point, showing sk	celeton crystals in
altered diabase	Bull 109, p 47
from Minnesota, southwestern, in labradorite feldsp	•
diorite	
from Nevada, Eureka district, from andesitic perlite	
Eureka district, from hornblende-mica-andesite	
Washoe district, from diorite-porphyry	
Apatites, foreign	
Apatosaurus, description of	Ann 16, 1, pp 166–168
from Denver Basin, remains of	
Aphidæ, American Tertiary, list of known species	
Aphrodite, chemical constitution of	
Aphrosiderite, analysis of	
chemical constitution of	Bull 125, pp 55, 103
Apiocrinidæ, Mesozoic, of United States	
Apishapa formation of ColoradoAnn 17, 11, pp 567, 571;	
Apison shale in Georgia and Tennessee	
	GF 16, p 3; GF 20, p 2
Aplin (S. A.), work in charge ofAnn 18, 1, p 115; Ann 19,	
Aplite, analysis of, from California, Sierra County	
analysis of, from Yellowstone Park, Hurricane Ridge	
	48, p 124; Bull 168, p 94
of Alaska, in dike rocks of Fortymile district	
of California, Nevada City, Grass Valley, and Banner Hi	
of Maine, Aroostook volcanic area	II, pp 44-45; GF 29, p 2
of Montana, Butte district.	
Little Belt Mountains	
of Sierra Nevada	
thin section of, from Yellowstone Park	
Aplite-granite, analysis of, from Montana, Castle Mountain.	Bull 165, p 166
Apoandesite of the Sierra Nevada	Ann 17. 1, p 585
Apophyllite, analysis of, from Colorado, Table Mountain	
chemical constitution of	
from Colorado, Table Mountain, general description, o	
and chemical composition of	
occurrence of	
Aporhyolite, analysis of, from Maine, Fox Islands	
analysis of, from Pennsylvania, Franklin County	
	50, p 348; Bull 168, p 40
from Pennsylvania, South Mountain	
from Pennsylvania, South Mountain, description of, as	
tional series	Bull 150, pp 343-349

Aporhyolite, thin section of, from Michigan, Crystal Falls district, showing
perlitic parting
thin section of, from Minnesota, Lake SuperiorBull 150, pp 348–349
from Pennsylvania, South Mountain (amygdaloidal)Bull 136,
pp 118–119, 120–121
South Mountain, showing altered and unaltered spherulitesBull 136,
pp 110-111, 112-113
showing altered spherulitesBull 150, pp 346–347
showing axiolites
showing flow structure and chain spherulites. Bull 136, pp 102–103
showing perlitic partingBull 136, pp 106–107, 108–109
showing perlitic spherulitic and lithophysal structuresBull
150, pp 348–349
showing rhyolitic structureBull 136, pp 114–115, 116–117
Aporhyolite breccia, thin section of, from Michigan, Crystal Falls
xxxvi, pp 276–277
Aporhyolite-porphyries, analyses of, from California, Downieville quad-
rangle
Aporhyolite-porphyry of Michigan, Crystal Falls district
111, p 51; Mon xxxvi, p 87
Aporrhaidæ from Chico-Tejon series of CaliforniaBull 51, pp 19–20
from Colorado formation
from Cretaceous of Pacific coastBull 133, p 72
Appalachian coal field, extent of
Appalachian crystalline belt, igneous granites in, distribution and relative ages
ofAnn 15, pp 666–670
Appalachian group, geologic name proposedBull 80, p 60
Appalachian Mountain region, structure of
Appalachian Mountains and Valley, brief description ofAnn 19, 11, pp 12, 15
Appalachian oil field
Appalachian province, geologic history of
structure ofGF 61, p 5
subdivisions, altitude, drainage, rocks, etc., of
GF 8, pp 1, 2-3; GF 10, pp 1, 3-4; GF 12, pp 1, 3; GF 14,
pp 1, 3; GF 16, pp 1, 5; GF 19, pp 1, 2-3; GF 20, pp 1, 3;
GF 21, pp 1, 2–3; GF 22, p 1; GF 25, pp 1, 4; GF 26, pp
1, 3–4; GF 27, pp 1, 3–4; GF 28, pp 1, 4; GF 32, pp 1, 4;
GF 33, pp 1, 3; GF 34, pp 1, 3; GF 35, pp.1, 3; GF 40, pp
1, 3; GF 44, pp 1, 4; GF 59, p 1; GF 61, p 1; GF 69, p 1
subdivisions of southern
Appalachian ridges, examples of
Appalachian structure, mechanics of
Appalachian type of structure in Catoctin belt
Appalachians, Cambrian and pre-Cambrian rocks ofBull 86, p. 487
gold fields of southern, geography, history, geology, etc., of
пі, рр 251–331
Appomattox or Lafayette formation. (See Lafayette formation.)
Appomattox River, profile of
Appropriations for the United States Geological SurveyAnn 1,
p 15; Ann 3, p xvii; Ann 5, p xxxvi; Ann 6, p xxviii; Ann
7, p 42; Ann 8, 1, pp. 10–11, 92, 257; Ann 9, p 152; Ann
10, 1, pp 80, 252; Ann 11, 1, pp 24–25, 140; Ann 12, 1, pp 18,
210; Ann 13, 1, pp 56, 185; Ann 14, 1, pp 11-12, 61, 278; Ann 15,
1, pp 9-10, 108, 212; Ann 16, 1, pp 9-10, 89; Ann 17, 1, pp 14-
15, 121; Ann 18, 1, pp 16–17, 130; Ann 19, 1, pp 25–26, 142–143;
Ann 20, 1, pp 25–28, 159–160; Ann 21, 1, pp 59–60, 186–187

A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Aquamarine, occurrence and statistics of
p 448; MR 1891, p 540; MR 1892, pp 765–766, 781; MR 1893,
pp 681, 682, 696-697; Ann 16, IV, pp 604, 605; Ann 17, III
cont, p 923; Ann 18, v cont, p 1217; Ann 19, vr cont, p 513;
Ann 20, vi cont, p 599; Ann 21, vi cont, pp 450-451, 461
Aqueous action, ore concentration by, in Colorado, Cripple Creek district Ann 16,
II, pp 160–162
Aqueous vapor, thermal effect of action of, on feldspathic rocks
pp 325–330; Mon III, pp 290–308
Aqui Mountains, literature of geology of
Aquia Creek series of deposits and flora
Aquidneck shales of Narragansett Basin
Aquifoliaceæ of Amboy clays
Aquitanian formation, correlation of
Araceæ from Dakota group
Arachnida from Rhode Island coal fieldBull 101, p 9
Arachnids, index to known fossil, of the worldBull 71
systematic review of our present knowledge of
Arago beds of Oregon
Arago beds of Oregon
Ann 18, 11, p 343; Ann 19, 111, pp 319–320
Aragonite, occurrence of
Aragonite and calcite, formation of, in caves
Aragonite crystals, measurement of growth of
Araliaceæ of Alaska
of Amboy clays
of Dakota group
of Laramie group
of North America (extinct)
of Yellowstone Park
Arapaho beds, correlation ofBull 82, p 231;
Bull 83, pp 136–137, 145–146; Bull 84, p 320
of Denver Basin
Arbuckle Ranges of Ouachita system
Arcadia marl of Florida. Bull 84, pp 131–132, 320
Archæopteryx, comparison of Ichthyornis and Hesperornis withAnn 3, pp 83-85
Archean; Laurentian system, history of the term Bull 86, pp 462, 470–474
restriction of, to gneissic basement terrane
Archean rocks; Arvonian of Great Lakes region Bull 86, pp 457, 462–463, 465, 474
Basement complex of Michigan, Marquette districtAnn 15, pp 489-516,
631-632; Mon xxviii, pp 149-220, 526-528, 555
631–632; Mon xxviii, pp 149–220, 526–528, 555 Burnetian series of Texas
Cambrian, early, and pre-Cambrian formations, classification of
pp 371–454
Carolina gneiss of Washington, D. C., quadrangle
Central granite of Michigan-Wisconsin, Penokee districtMon x1x, pp 111-116
character, origin, delimitations, and stratigraphy of Ann 16, 1, pp 744-759
Coldbrook group of New BrunswickBull 86, pp 230–238
comparison of, with Cretaceous metamorphics
Coutchiching series of CanadaBull 86, pp 65–67, 68 passim
Eastern granite of Michigan-Wisconsin, Penokee districtMon xix, p 122
Eastern green schist of Michigan-Wisconsin, Penokee districtMon x1x,
pp 116–122
Fernandian system of TexasBull 86, pp 267–268, 269, 474, 504
gneiss of Sierra Nevada
gneisses of Lake Superior district, character of
Mon xix, pp 107–111, 116–122

Archean rocks; gneisses and	schists of Montana, Little Belt MountainsAnn 20,
	. 111, pp 371–373, 382
granite of Sierra Nevada	, pre-sedimentary Mon xiii, pp 164–175
granite, basal, of Alaska,	Yukon district
Hastings series of Canada	aBull 86, pp 27, 28, 29, 30, 32, 451, 497, 498
in United States and Car	nada, areas of
	Superior regionBull 86, passim
	n, Marquette districtAnn 15, pp 496–500;
Kitchi schists of Michiga	Mon xxviii, pp 160–169
T 41 41 - 1 1 - 1	Bull 86, pp 23–50, 497–498
	n, relations of Keweenawan rocks to. Ann 3, pp 156-173.
	iron-bearing series to
	ı, pp 458–464; Mon xıx, pp 81, 82 adaBull 86, pp 191, 192, 195, 490
Mareniscan series of Can	adaBull 86, pp 191, 192, 195, 490
Mona schists of Michigan	n, Marquette districtAnn 15,
	pp 490–496; Mon xxvIII, pp 152–160
Northern complex of Mi	chigan, Menominee districtGF 62, p 2
of area of glacial Lake Ag	assiz
	ity of
	and Crested Butte quadrangles
	Ann 2, pp 215–216
northwestern	
Tonmile district	
	gle
of District of Columbia.	GF 70, pp 2–3
of Grand Canyon, in the	lowest deeps
	Ann 16, 11, pp 224–225
	Ann 10, r, pp 355–364; Ann 16,
	783; Ann 21, 111, p 354; Mon x1x, p 41; Bull 62; GF 62
	Ann 8, 11, pp 1035–1059
of Maryland, Washington	n quadrangleGF 70, pp 2-3
of Massachusetts, Cape A	nn
of Michigan, Crystal Fall	s district Ann 19, 111, pp 10, 28–33, 100–105, 124,
	146-147; Mon xxxvı, pp xviii, 38-49, 385-397, 428-430
· Marquette district	Ann 15, pp 489–516, 609–610, 614–618, 631
	Ann 6, pp 49–50
	, quadrangle
	le
Three Forks anadrar	igle
	Ann 5, pp 175–242
	mation names under this heading.)
	Ann 21, vii, pp 87–89; Bull 45, pp 55–57
	Ann 17, 1, p 924
	Ann 9, pp 686–687
	quadrangle
	ithologic character and origin of Ann 10, 1, pp 353-364
Absaroka district	GF 52, p 1

Archean rocks of Yellowstone Park
Palmer gneiss of Michigan, Marquette district
Mon xxy111, pp 211–218 Portland group of New Brunswick
Portland group of New Brunswick
primeval, possible character of
Prozoic of Colorado Bull 86, p 323 Quinnesec schists of Michigan, Menominee district GF 62, pp 1–2
Shuswap series of Canada
Soudan formation of Lake Superior region
Southern complex of Michigan and Wisconsin, Penokee districtAnn 10,
ı, pp 353–364; Mon xıx, pp 104–126, 441–454
Stamford gneiss of Massachusetts
Vermilion series of Great Lakes region
pp 129, 130, 181–182, 185, 184, passim Western granite of Michigan and Wisconsin, Penokee districtMon
xix, pp 106-107
Western green schist of Michigan and Wisconsin, Penokee districtMon
xix, pp 107-111
Archean and Algonkian, a correlation essay, by C. R. Van Hise
Archean and Algonkian rocks, summary of work on
Archean and Algonkian rocks of North America as related to the Cambrian
Archean or Algonkian; Franklin white limestone of New Jersey, Sussex County,
age of
Archeology of the auriferous gravels of CaliforniaBull 84, pp 221–222
researches in
Archimedes group of the Carboniferous, geologic name proposedBull 80, p 169
Arcide from Colorado formation
from Cretaceous of Pacific coast
from marl beds of New Jersey. Mon 1x, pp 82–101, 199, 208; Mon xxiv, pp 40–50 from Mesozoic of Alaska PeninsulaBull 51, p 65
Arctic America, Cretaceous fossils from
geologic maps of, list of
(See, also, Alaska.)
Arctic regions, fossil plants from, literature of
Arctolite, chemical constitution of
Ardennite, chemical constitution of
chemical constitution of
Argentina, copper production of
1883–84, p 356; MR 1885, p 229; MR 1886, p 128; MR 1887, p
88; MR 1888, p 73; MR 1889-90, p 73; MR 1891, p 101; MR
1892, pp 114, 117; MR 1893, p 86; Ann 16, 111, p 352; Ann 17,
111, pp 118, 119; Ann 18, v, pp 219, 221; Ann 19, vi, pp 176,
178; Ann 20, vi, pp 202, 204; Ann 21, vi, pp 204, 206
fossil plants of, literature of
iron-ore deposits of
Ann 19, vi cont, p 120; Ann 21, vi cont, p 184 quicksilver ore deposit in
quicksilver ore deposit in
Argentine, analysis of, from Massachusetts, SouthamptonBull 126, p 43

Argillite, analysis of, from Nevada, Federal Loan mine (siliceous)Ann 17, 11, p 150 thin section of, from Massachusetts, HatfieldMon xx1x, pp 208–209 Argillites, Braintree, fauna of the
of United States, hydrography of
location of, and cause of its aridity
map showing, and areas irrigated therein
relation of Great Plains to
(See, also, Hydrography; Irrigation.)
Arikaree formation of Nebraska
Arionidæ, nonmarine fossil, of North America
Aristolochiaceæ, extinct, of North America
Aristolochieæ from Dakota group
Arizona; Agua Fria reservoir dam
altitudes inBull 5, pp 30–34; Bull 76; Bull 60, pp 33–37
atlas sheets covering areas in. (See p 68 of this bulletin.)
Arizona irrigation canal
boundary lines of, and formation of territoryBull 13, pp 32, 125; Bull 171, p 132
building stone from, at World's Columbian ExpositionMR 1893, p 560
statistics of
711, MR 1893, pp 548, 553, 556; Ann 16, IV, pp 437, 485, 494,
495; Ann 17, III cont, pp 760, 775 et seq; Ann 18, v cont,
pp 950, 987, 1012 et seq, 1044, 1045, 1046, 1048; Ann 19, vi
cont, pp 206, 264 et seq, 280, 282, 283, 286; Ann 20, vi
cont, pp 271, 336 et seq; Ann 21, vi cont, p 335 et seq
Buttes reservoir site on Gila River
Carriso Mountains, structure and rocks of
clay products of, statistics of
519, 520, 521; Ann 17, III cont, p 819 et seq; Ann
18, v cont, p 1077 et seq; Ann 19, vi cont, p 318 et seq;
Ann 20, vi cont, p 466 et seq; Ann 21, vi cont, p 362
coal areas and statistics ofMR 1882, p 37; MR 1883-84, p 18; MR 1885, p 14
Colorado River, flow of, measurements of
p 73; WS 16, p 151; WS 28, p 141; WS 38, pp 323–325
Coon Butte, a peculiar crater, examination ofAnn 13, 1, p 98; Ann 14, 1, p 187
copper, cupola smelting of, in
statistics of
pp 216, 221–224; MR 1883–84, pp 329, 334–336; MR 1885,
pp 210, 215; MR 1886, pp 112, 116; MR 1887, pp 69, 74–75;
MR 1888, pp 54, 58–59; MR 1889–90, pp 56, 60, 65; MR
1891, pp 83, 84; MR 1892, pp 96, 97, 104; MR 1893, pp 64,
65, 73–74; Ann 16, III, pp 333, 334, 343; Ann 17, III, pp 83,
84, 85, 86, 102; Ann 18, v, pp 187, 189, 190, 191, 205; Ann
19, vi, pp 140, 141, 142, 143, 159–160; Ann 20, vi, pp 161,
162, 163, 164, 165, 180–182; Ann 21, v _I , pp 166–170, 185–186
Cretaceous rocks ofBull 82, p 154
dumortierite from
elevations in. (See "altitudes," under this State.)
evaporation at various points in
Ann 12, 11, p 235; WS 2, pp 83–84 geographic positions in
geologic maps of, listed
(See Map, geologic, of Arizona.)
(

Arizona, geologic sections in. (See Section, geologic, in Arizona.)
geologic and paleontologic investigations in
Ann 2, pp 8-9; Ann 4, pp 45-48; Ann 6, p 75;
Ann 11, 1, pp 114, 126; Ann 20, 1, p 48
Gila River, evaporation in basin of
flow of, measurements of
Ann 13, 111, pp 95, 99; WS 2, pp 40-41; WS 33,
pp 22–32; Ann 18, 1v, pp 286–292; Ann 19, 1v, pp
415-417; Ann 20, IV, p 59; Ann 21, IV, pp 331-332;
Bull 140, pp 204–206, 207; WS 11, p 72; WS 16,
pp 147–148; WS 28, pp 140–142; WS 38, pp 313–319
hydrography of basin of
Ann 12, 11, pp 292–316; Ann 21, 1v, pp 334–358
irrigation problems relating to basin of
rainfall in basin of
rainfall, temperature, water supply, wind, canals, etc., in basin of WS 2,
pp 16-55
silt carried by
storage of water on
gold and silver from, statistics of
MR 1883-84, p 312 et seq; MR 1885, pp 201, 203; MR
1886, pp 104, 105; MR 1887, pp 58, 59; MR 1888, pp 36, 37;
MR 1889-90, p 49; MR 1891, pp 75, 77, 78; MR 1892, p
50 et seq; MR 1893, p 50 et seq; Ann 17, 111, p 72 et
seq; Ann 18, v, p 141 et seq; Ann 19, vi, p 127 et seq;
Ann 20, vi, p 103 et seq; Ann 21, vi, p 121 et seq.
Grand Canyon district, geography of
physical geology of
Tertiary history of
Unkar terrane, pre-Cambrian igneous rocks ofAnn 14, 11, pp 497-524
Hassayampa disaster of February 22, 1890, causes of
н, pp 228–229; Ann 13, нь, pp 297–302
Hassayampa River, new Walnut Grove reservoir dam onAnn 18, IV, p 721
irrigation in, reservoirs projected for
water storage for
irrigation, hydrography, etc., in
irrigation canal, the Arizona
irrigation works in, prehistoric
laccolithic mountain groups of Colorado, Utah, andAnn 14, 11, pp 155-241
lead deposits and production of, statistics of
MR 1883-84, pp 416, 425; MR 1885, pp 248, 258-259;
MR 1887, p 110; MR 1889-90, p 80; Ann 16, 111, p 362;
Ann 17, 111, p 134; Ann 18, v, p 240; Ann 19, vi, pp
201, 215; Ann 20, vr, pp 226, 228; Ann 21, vr, p 229
limestone production ofMR 1893, p 556;
Ann 16, IV, pp 437, 494, 495; Ann 17, III cont, pp 760, 787,
789, 790, 791; Ann 18, v cont, pp 950, 1044, 1045, 1046, 1048;
Ann 19, vi cont, pp 206, 280, 282, 283, 286; Ann 20, vi cont,
pp 271, 342, 343, 344, 345, 346; Ann 21, vi cont, pp 335, 357–360
Little Colorado River, reservoir sites on
lumber industry in
McDowell reservoir project
magnetic declination in
maps of. (See Map, geologic; Map, topographic, of Arizona.)
marble production ofMR 1893, p 548; Ann 18, v cont, p 987
-

140	5 INDEA TO PUBLICATIONS OF U. S. GEOL. SURVET. [Bolle.111.
Δri	zona, mineral spring resorts in
ALI.	mineral springs of
	pp 196–197; MR 1883–84, p 979; MR 1893, pp 786, 794
	minerals of, useful
	mining districts of
	onyx marble localities in
	Pecos Valley irrigation canals
	petrified forests of
	petroleum in, report of finding
	Phenix, irrigation nearWS 2
	Queen Creek, flow of, measurements of
	IV, pp 292–297; Ann 19, IV, pp 417–418; Ann 21,
	ıv, pp 383-385; WS 2, p 42; WS 38, p 320
	reservoir site on
	quicksilver ore deposit in
	rainfall at Prescott (monthly)
	at Yuma
	in Gila Basin
	reservoir capacities and areas inAnn 18, IV, pp 739-740; WS 2, pp 62-77
	reservoir surveys in
	reservoirs, projected, in
	rock formations in
	Salt River, flow of, measurements of
	Ann 12, 11, pp 308, 360; Ann 13, 111, pp 95, 99; WS 2,
	pp 35-37, 39; Ann 18, IV, p 298; Ann 19, IV, pp 418-420,
	423; Ann 20, IV, pp 59, 405–406; Ann 21, IV, pp 386–387;
	Bull 131, p 49; Bull 140, pp 206–207; WS 16, pp
	148–149; WS 28, pp 140, 143, 145; WS 38, pp 321–322
	San Pedro River, flow of, measurements of
	sandstone production ofMR 1892, pp 710, 711; MR 1893, p 553; Ann 16, iv,
	p 485; Ann 17, 111 cont, pp 760, 775 et seq; Ann 18, v cont, pp
	950, 1012 et seq; Ann 19, vi cont, pp 206, 264 et seq; Ann 20,
	vi cont, pp 271, 336 et seq; Ann 21, vi cont, pp 335, 353–356
	sections, geologic, in. (See Sections, geologic, in Arizona.)
	seepage on Gila River
	seepage measurements near PhœnixAnn 21, IV, pp 379-383
	sewage-disposal plant at PhœnixWS 22, p 82
	timber, standing, in San Francisco forest
	Tonto Basin reservoir project
	topographic features of
	topographic maps of. (See Map, topographic, of Arizona.)
	topographic work in
	pp 13-14; Ann 7, p 55; Ann 8, 1, pp 104-105; Ann 19, 1, pp 89,
	90, 108; Ann 20, 1, pp 101, 117; Ann 21, 1, pp 121, 134–135
	triangulation inBull 122, pp 360, 368-370, 373, 375-381, 397-401
	tungsten in
	turquoise in
	Verde River, flow of, measurements of
	WS 2, p 38; Ann 18, IV, pp 297, 298; Ann 19, IV, pp 420-423;
	Ann 20, IV, pp 59, 407; Bull 131, p 51; Bull 140, p 206;
	WS 15, p 150; WS 28, pp 141, 143, 145; WS 38, pp 323–324
	reservoirs on, proposed
	Walnut Grove reservoir dam, reconstruction of
	water in, legal control of
	water supply of, for public lands
	waver suppry or, for public lands

Arizona, wells in
wind movement in
woodland area of
Arkadelphia beds of Texas
Arkadelphia shales of ArkansasBull 83, p 75; Bull 84, p 320
Arkansas, altitudes in Ann 18, 1, pp 337–338; Ann 20, 1, pp 405–406; Ann 21, 1,
pp 475–479; Bull 5, pp 35–36; Bull 76; Bull 160, pp 38–45
atlas sheets of. (See p 68 of this bulletin.)
bauxite in, as source of aluminumAnn 16, 111, p 550; MR 1892, pp 237–238
districts, relations, origin, development, etcAnn 21, 111, pp 435–472
boundary lines of, and admission of the StateBull 13,
pp 30, 106–108; Bull 171, pp 112–114
brick industry of
building stone from, statistics of
MR 1893, pp 544, 553, 556; Ann 16, IV, pp 437, 441, 457, 458,
484, 485, 486, 494, 495; Ann 17, 111 cont, pp 760, 763, 771
et seq; Ann 18, v cont, pp 950, 954, 1012 et seq; Ann 19, vr
cont, pp 206, 211, 251, 264, et seq; Ann 20, vi cont, pp 271,
275, 276, 295, 336 et seq; Ann 21 vr cont, p 335 et seq
Camden coal field
cement production of
vi cont, p 487; Ann 20, vi cont, p 593; Ann 21, vi cont, p 393
clay and brick industry ofMR 1893, p 612; Ann 19, vi cont, pp 470–471
clay products of, statistics of
Ann 17, 111 cont, p 819 et seq; Ann 18, v cont, p 1077 et seq;
Ann 19, vi cont, p 318 et seq; Ann 20, vi cont, p 466 et seq
coal area and statistics of
p xxviii; Bull 80, p 25; MR 1882, pp 37-38; MR 1883-84,
pp 12, 18–19; MR 1885, pp 11, 15; MR 1886, pp 225, 230, 241;
MR 1887, pp 169, 207–208; MR 1888, pp 169, 171, 216–224;
MR 1899–90, pp 147, 174–178; MR 1891, pp 180, 210–212;
MR 1892, pp 265, 267, 268, 300-306; MR 1893, pp 189, 190,
194, 195, 197, 199, 200, 245–248; Ann 16, IV, pp 7 et seq, 70–73;
Ann 17, 111, pp 287 et seq, 369–371; Ann 18, v, pp 354 et seq,
469-471; Ann 19, vi, pp 278 et seq, 385-387; Ann 20, vi,
pp 300 et seq, 397–400; Ann 21, vi, pp 325 et seq, 427–430
coal fields of Ann 16, iv, pp 70–71; Ann 21, ii, pp 313–229; MR 1892, pp 303–306
floras of, comparison of floras of McAlester district with
пі, рр 469–471
coke in, manufacture of
elevations in. (See "altitudes," under this State.)
floods on Mississippi River, discussion of
gas, illuminating and fuel, and by-products in, statistics of
vi cont, pp 227, 240, 243, 245, 247, 249
geographic positions in
Ann 21, 1, pp 262–265; Bull 123, pp 96–99
geologic maps of. (See Map, geologic, of Arkansas.)
geologic sections in. (See Section, geologic, in Arkansas.)
geologic and paleontologic investigations in
Ann 11, 1, p 75; Ann 12, 1, pp 90, 107, 121; Ann 13,
1, pp 95, 123, 148; Ann 18, 1, p 39; Ann 21, 1, p 77
granite production of
374, 378; MR 1891, pp 457, 458; MR 1892, p 706; MR 1893,
p 544; Ann 16, IV, pp 437, 441, 457, 458; Ann 17, III cont,
pp 760, 763; Ann 18, v cont, p 954; Ann 19, vr cont, p 211;
Ann 20, vi cont, pp 275, 276; Ann 21, vi cont, pp 335-340

Arkansas, lin	nestone production of
magnetic	c declination in
magnetic	ese deposits and production of MR 1883-84, p 553;
mangane	
	MR 1885, p 305; MR 1885, pp 332-336; MR 1886, pp 181, 184-185; MR 1887, pp 145, 146, 147-150; MR 1888, pp 124,
	125, 126–127; MR 1889–90, pp 127, 130; MR 1891, pp 127, 130–131; MR 1892, pp 189, 190, 192–194; MR 1893, pp 120,
	121, 125–126; Ann 16, 111, pp 395, 401–405; Ann 17, 111, pp
	187, 188; Ann 18, v, pp 292, 293; Ann 19, vi, pp 91, 95-96;
	Ann 20, vi, pp 126, 127, 130–131; Ann 21, vi, pp 130, 135
	ese ores of Batesville region, character ofMR 1892, pp 179–180
maps of.	. (See Map, geologic; Map, topographic, of Arkansas; also p 68 of this
	bulletin.)
	production of
Marshall	l quadrangle, physiography ofTF 2, p 12
maridiar	n marks in
	spring resorts in
	springs ofBull 32, pp 118–122; MR 1883–84, p 980; MR 1885, p 536;
mmerar	
	MR 1886, p 715; MR 1887, p 683; MR 1888, p 626; MR
	1889–90, pp 522, 524; MR 1891, p 604; MR 1892, pp 824, 826;
	MR 1893, pp 774, 776, 784, 786, 794; Ann 16, rv, pp 709, 711,
	720; Ann 17, 111 cont, pp 1026, 1031, 1041; Ann 18, v cont,
	pp 1371, 1376, 1386; Ann 19, vi cont, pp 661, 666, 677; Ann 20,
	vi cont, pp 749, 754, 766; Ann 21, vi cont, pp 599, 605, 619
	of, usefulMR 1882, pp 670–672; MR 1887, pp 700–703
natural g	gas localities and statistics of
	MR 1893, p 536; Ann 16, IV, pp 415, 418, 419; Ann 17,
	111 cont, pp 734, 735, 738, 739; Ann 18, v cont, pp 900,
	901, 903, 904, 916; Ann 19, vr cont, pp 168, 169, 171,
•	172, 173; Ann 20, vi cont, p 207; Ann 21, vi cont, p 299
nickel de	eposits ofMR 1887, p 128
	te quarries in
Ouachite	a Mountains, extent and character of
	a River, profile of
	Mountain quadrangle, physiography of TF 2, p 10
	rom, statistics of
	cis River, profile of
sandston	e production ofMR 1892, p 710;
	MR 1893, p 553; Ann 16, IV, pp 437, 484, 485, 486; Ann 17,
	111 cont, pp 760,775 et seq; Ann 18, v cont, pp 950, 1012,
	1013, 1014; Ann 19, vi cont, pp 206, 264 et seq; Ann 20, vi
	cont, pp 271, 336 et seq; Ann 21, vi cont, pp 335, 353 et seq
sections,	geologic, in. (See Section, geologic, in Arkansas.)
slate pro	duction ofAnn 16, IV,
-	pp 476, 477; Ann 17, 111 cont, pp 771, 772, 773; Ann 19, vi
	cont, p 251; Ann 20, vi cont, p 295; Ann 21, vi cont, p 345
svenites	tests of, results of
	n, estimates of
	shic maps of. (See Map, topographic, of Arkansas.)
opograp	maps on 1000 map, sopographic, or migansas.)

	•
Arkansas, topographic w	ork in
	Ann 9, p. 56; Ann 10, 1, pp 93, 95; And 11, 1, p 40; Ann 12, 1,
	p 30; Ann 13, 1, p 74; Ann 18, 1, pp 94, 95, 105-106; Ann 19,
•	ı, p. 90; Ann 20, ı, pp 100, 102, 115; Ann 21, ı, pp 132–133
triangulation in	
	e of
	Ann 19, v, p 7
	stics of
zine works and stati	
Asla Decided	MR 1883-84, p. 476; MR 1889-90, p 88 raphy of
	ng works in
	in
stream measuremen	ts inAnn 11, 11, pp 95–96, 97, 98; Ann 12, 11, pp
•	240, 242, 349, 360; Ann 13, 111, pp 19, 21, 94, 99; Ann 14, 11,
	pp 106-110; Ann 18, IV, pp 223-245; Ann 19, IV, pp 351-376;
	Ann 20, IV, pp 56-57, 323-347; Ann 21, IV, pp 229-253; Bull
	131, pp 34-40; Bull 140, pp 153-169; WS 11, pp 60-64;
0	WS 16, pp 117–126; WS 28, pp 107–117; WS 37, pp 257–271
Arkangag Ragin in Colore	ido, mapping of, and surveying of reservoir sites in. Ann 11,
	и, pp 133–144; Ann 13, иг, pp 429–444 of
underground water	oi
Arkansas Basin in Colors	ado and Kansas, irrigation problems relating toAnn 11,
•	11, pp 210–214
	e area of
	WS 44, pp 63–65
Arkansas Valley region	of Indian Territory, physiography ofAnn 21, 11, p 267
	ngesMon XIII, p 61
	nMon xxxIII, pp 50–59, 137–139, 233–234, 284–286, 375–380
	Ann 19, 11, pp 426–428
Arlage conglements of	Connecticut, South Britain Ann 21, 111; pp 40–43, 60–64
	Connecticut, South Britain Ann 21, 111, pp 40–43, 00–64  Connecticut
A -langeitie of Alee	Ann 90 arr no 900 992 997 990
	ka, southwesternAnn 20, vn, pp 222–223, 227, 229
	California
Armor plate and armor-	piercing projectiles, use of chromium in makingAnn 16,
	пт, рр 610-614
	rk in charge of, in 1896–97Ann 18, 1, pp 127, 128
	Maine, Aroostook volcanic areaBull 165, pp 141–143
faunas of	Bull 165, pp 44–45
Aroostook volcanic area,	Maine, geology of, including an account of the clastic
	rocks of Aroostook CountyBull 165, pp 93–188
Arroyo Seco, California,	inderground water obtained from Pasadena Mesa and
	bed of
	i-calcium, analysis of, from Utah, Tintic mining dis-
	trict
Arsenic statistics of	MR 1882, p 441; MR 1883-84, pp 656-657; MR 1885, p 386
	of nickel and cobalt, analysis of, from New Mexico,
misemae (angenmerous)	Grant CountyBull 55, p 54
Artegian bagin in Couth	Dakota, extent of
Artesian pasin in South .	better progress of Apr. 17 pp 990-991
	kotas, progress of
	Atlantic slope
	of, from Texas, various localitiesAnn 21, vii, pp 447-451
chemical impregnati	ons of
depth of reservoir, for	ormula for ascertainingAnn 21, vii, p 422

Artesian water of Colorado, eastern, distribution, quality, etc., ofAnn 17,	,
п, pp 580–595	
of Colorado, Elmoro quadrangle	
Pueblo quadrangleGF 36, p 7	1
Walsenburg quadrangleGF 68, p 6	
of Dakotas, portion of, preliminary report on	
of South Dakota, the deeper, temperature of	L
of Texas, Black and Grand prairies, conditions, chemical qualities, etc Ann 21,	
vii, pp 387-650	
of Washington	
principles of, general	
temperature of	
(See, also, Hydrography; Irrigation.)	,
	,
Artesian-water supply in southeastern Washington	
Artesian-well prospects in Atlantic Coastal Plain region	
Artesian wells, conditions of, requisite and qualifying	
construction and management of, remarks on	
definition, etc., of	
in Great Plains, portion ofAnn 16, 11, pp 565-567	
in Idaho, Boise quadrangleGF 45, p 7	
in Illinois, distribution, depth, strata, etc	
in KansasBull 57, pp 13, 30, 48	ļ
in Massachusetts, on Dalton faultBull 159, pp 90–92	į
in South Dakota, volume of flow from	
southeastern	
in Texas, Black and Grand parairies	
v11, pp 394-447, 456, 458 et seq, pl lxviii	
in United States, eastern	;
in Virginia, Fort MonroeBull 145, pp 44-45	,
in WashingtonBull 108, pp 32–36, 55–60, 69, 100–101	
Moxee Valley	
(See, also, Hydrography; Irrigation.)	
Artesian wells and waters for irrigation in western United States and in vari-	
ous countries Ann 5, pp 148–150; Ann 11, II, pp 257–278	
Articulata from Texan Permian	
Arvonian rocks of Great Lakes region	:
Asbestite, analyses of, from Massachusetts, Pelham	
Asbestos, foreign sources of	
statistics of	
. pp 913–914; MR 1885, pp 521–522; MR 1886, pp 5, 8, 9; MR	
1887, pp 5, 7, 8–9; MR 1888, pp 8, 10–11; MR 1889–90, p 514;	
MR1891,pp591-592;MR1892,pp808-814;MR1893,pp756-	
757; Ann 16, IV, pp 703–706; Ann 17, III cont, pp 1004–1006;	į
Ann 18, v cont, pp 1323-1331; Ann 19, vi cont, pp 623-626;	;
Ann 20, vi cont, pp 711-714; Ann 21, vi cont, pp 561-564	:
uses, mining, dressing, etc., of	
value of, relative, from different countries	)
Asbestos industry in Canada	
Asclepiadaceæ of Amboy clays	
Ashbed-diabase, Keweenaw series	)
thin section of, from Wisconsin, Totogatig River	
pp 108–109; Mon v. pp 76–77	
pp 108–109; Mon v, pp 76–77 Ashburner (C. A.), coal, statistics of	
1886, pp 224–377; MR 1887, pp 168–382; MR 1888, pp 168–394	:
, , , , , , , , , , , , , , , , , , ,	

Ashburner (C. A.), description and production of the anthracite coal fields of
Pennsylvania
Ashland Forest Reserve, report on
Ashland-limestone and shales of Maine, faunas ofBull 165, pp 49–54
Ashley and Cooper beds of South CarolinaBull 83,
pp 51, 53-54; Bull 84, pp 320, 321
Ashley River marl, correlation of
Ashton schists of Narragansett Basin
Asia, fossil plants of, literature of
(See, also, China; India; Japan.)
Asia Minor, corundum deposits of
fossil plants of, literature of
Aspen mining district, Colorado, geology of
Asperite, analysis of, from California, Clear LakeMon x111, p 154; Bull 168, p 212
name proposed for andesites of trachytic habitMon xIII, pp 151, 459
of California, Coast Ranges
of Nevada, Steamboat Springs
Asphalt, analysis of, from Barbados
analysis of, from Bechelbronn
from California, Kern County
Santa Barbara County
pp 926, 927; Ann 19, vr cont, p 191; MR 1893, p 632
Ventura County
from France, Seyssel (crude) MR 1893, p 643
from Germany, Vorwohle (crude) MR 1893, p 643
from Oregon, Coos Bay coal field
from Sicily, Ragusa (crude)
from Switzerland, Neuchatel (crude) MR 1893, p 643
from Syria
from Texas, near Cline
from Trinidad
from Venezuela, MaracaiboAnn 18, v cont, p 939
from West Virginia, Ritchie CountyAnn 19, 111, p 369
assays of, from California, various localitiesMR 1883-84, pp 942, 944-947
deposits of, in California
in Texas, Uvalde quadrangleGF 64, p 5
western
foreign sources of
manufacture of, from petroleum
production of, by distillation of a mixture of fish and wood
vi cont, pp 202–204
statistics of
p 605; MR 1883-84, pp 937-948; MR 1885, pp 4, 6, 8;
MR 1886, pp 5, 8, 10; MR 1887, pp 7, 8-9; MR 1888,
pp 513–514; MR 1889–90, pp 477–481; MR 1891, pp
452–455; MR 1892, pp 699–703; MR 1893, pp 627–669;
Ann 16, IV, pp 430–435; Ann 17, III cont, pp 751–758;
Ann 18, v cont, pp 919-948; Ann 19, vr cont, pp 187-204;
Ann 20, vi cont, pp 251–268; Ann 21, vi cont, pp 319–332
Asphalt oil, boiling, analyses of
Asphalt pavements, history, specifications, methods of laying, etcMR 1893,
pp 637–666
Asphaltites, resemblances and differences between
Assaying of Eureka ores, Nevada

Assaying of silver ore with micrometer measuring apparatusAnn 6, pp 331-352
Assays of Comstock rocks, Nevada
of country rock of Eureka, Nevada
of silver, experimental
of tin one MD 1999 np 146 147
of tin ore
Assays and assaying at Leadville, Colorado
pp 608, 621–625, 632–636, 695, etc
Astartidæ from clays and marls of New Jersey
pp 23-24, 124-129, 209-214, 231-236; Mon xxiv, pp 52-59
from Cretaceous of Pacific coastBull 133, pp 56-59
Asteroidea, Mesozoic, of United StatesBull 97, pp 29–32
Astian formation of Italy, correlation of
Astoria group of Oregon and Alaska
App 10 vr = 240. Dull 04 pp 202 202 205 205
Ann 18, 11, p 340; Bull 84, pp 223–226, 252–259, 321
Astringent clay of New Jersey
Astronomic determinations of position in topographic work
r, pp 143–144; Ann 19, r, p 154; Bull 70
of positions in topographic work, methods of
Astrophyllite, analysis of, from Colorado, El Paso CountyBull 78,
p 119; Bull 90, p 74 chemical constitution of
Atane or Atanekerdluk beds of Greenland, correlation of
11, p 346; Bull 82, p 203
Atanum Creek, Washington, seepage measurements onAnn 19, iv, pp 469-473
Atcheson (E. G.), carborundum in 1897
Athens shale of North Carolina, Tennessee, and Virginia
p 4; GF 20, p 3; GF 25, p 3; GF 27, p 2; GF 59, p 3
p 4; GF 20, p 3; GF 25, p 3; GF 27, p 2; GF 59, p 3 Atlanta, Georgia, rainfall at
Atlantic City quadrangle, New Jersey, physiography of
Atlantic Coastal Plain region, artesian-well prospects in
Atlantic slope, Eccene deposits of
Atlantic group of Atlantic coast
Adamsic group of Asianic Coast
Atlantic system of rocks of New Hampshire
Atlantosauridæ of North America
Atlantosaurus, remains of, from Denver Basin
remarks onAnn 16, 1, p 166
Atlantosaurus beds in western United States
2 pp 164 165. Man writes a 476
Atlas, Geologic, of United States, plan of
Atlas folios, geologic, published, list of
Atlas sheets, topographic, engraved, list of
(See, also, Map, topographic.)
Atoka formation of Indian Territory
Atolls, or annular reefs, description of
in Philippine Islands
Atrato River, project for interoceanic canal by way of
Atremata, biologic development of
Aturia beds of Oregon, correlation ofAnn 18, 11, p 341; Bull 84, pp 224, 225, 321
Aubrey group, age, character, thickness, etc
pp 114, 116, 151, 163, 217; Ann 6, pp 132–133
Aucella, remarks on the genus, with especial reference to its occurrence in
California
Aucella-bearing strata of California, geologic age of
Aucella beds of Alaska, remarks on
Auerbachite, analysis and chemical constitution of

Auerlite, analyses of, from North Carolina, Henderson CountyBull 74, p 71
Augen-gneiss, analysis of, from Michigan, Menominee RiverBull 55, p 81
thin section of, from Michigan, Upper Quinnesec FallsBull 62, pp 236–237
Augite, analysis of, from Colorado, Blue Mountains (intergrown with horn-
blende)Ann 17, 11, p 278
analysis of, from Colorado, Denver Basin
Bull 148, p 158; Bull 150, p 264; Bull 168, p 140
from Colorado, Pikes Peak districtBull 148, p 164; Bull 168, p 146
from Minnesota, Pigeon Point (from gabbro)Bull 55, p 82
from New Mexico, Mount Taylor region (from basalt)Bull 148,
p 185; Bull 168, p 170
from Philippine Islands, LuzonBull 1, p 29
from Texas, Uvalde CountyBull 168, p 63
chemical constitution of
in diorite from Wyoming, Electric Peak
in gneisses of Minnesota, southwesternBull 157, p 57
in rocks of Pacific slope
thin section of, from Minnesota, Pigeon Point (from diabase)Bull 109, pp 62-63
from Nevada, Comstock lode (from augite-andesite and diabase) Mon III,
pp 150-151
Crown Point Ravine (from augite-andesite)Mon 111, pp 150-151
Eureka district (from pyroxene-andesite)
Augite-aleutite, analysis of, from Alaska, Aleutian PeninsulaBull 168, p 229
Augite-andesite, analysis of, from Asia Minor, near Smyrna
analysis of, from Colorado, Table MountainBull 148, p 159; Bull 168, p 141
from Nevada, Washoe district
from Yellowstone Park, Absaroka RangeBull 168, p 98
of Colorado, Pikes Peak quadrangleGF 7, p 3
of Maine, Aroostook volcanic areaBull 165, pp 169–172
of Nevada, Eureka district
Washoe district
its relation to diabaseBull 17, pp 12-21, 40
of Philippine Islands
of Washington, Mount Rainier
thin section of, from Nevada, Washoe district
Augite-andesite-porphyry, analyses of, from Yellowstone ParkBull 148,
pp 119, 123; Bull 168, pp 89, 93
Augite-belugite, analysis of, from Alaska, Skwentna River
Augite-biotite-granite-gneiss of Minnesota, southwesternBull 157, pp 66–72
Augite-bronzite-andesite, analysis of, from Alaska, Cook Inlet and Unga
IslandBull 148, p 232; Bull 168, p 226
Augite-camptonite of Colorado, Telluride quadrangle
of Vermont, slate belt
Augite-diorite, analysis of, from Colorado
analysis of, from Colorado, Ouray County
Bull 148, p 180; Bull 168, p 161
from Colorado, Rosita HillsBull 148, p 165; Bull 168, p 147
San Juan CountyBull 148, p 180; Bull 168, p 161
San Miguel Mountains (porphyritic)
Bull 148, p 180; Bull 168, p 164
Augite-granite, analysis of, from California, Placer CountyBull 168, p 198
Augite-hornblende-gneiss of Blue Mountains, ColoradoAnn 17, 11, pp 277–278
Augite-latite, analyses of, from California, Tuolumne CountyBull 89,
pp 58, 66; Bull 168, p 205
pp 55, 60; Bull 108, p 205
· · · · · · · · · · · · · · · · · · ·

•
Augite-latite, thin section of, from California, Table MountainBull 89, pp 34–35 Augite-leucite-phonolite from Alaska, southwesternAnn 20, vii, pp 221–222 Augite-mica-diorite, analysis of, from Montana, RobinsonBull 139, p 90
Augite-mica-syenite, analysis of, from Colorado, Denver Basin
p 310; Bull 148, p 158; Bull 168, p 140 of Denver Basin
Augite-microcline-granite, analysis of, from Georgia, Bartow CountyBull 168, p 55
Augite-microchine-granite, analysis of, from Germany, Alsace
analysis of, from Germany, Flockenbach
from Montana, Little Belt Mountains
of Colorado, Telluride quadrangle
of Montana, Little Belt Mountains
p 153; Bull 148, p 138; Bull 168, p 168
analysis of, from Utah, Henry Mountains
и, p 227; Bull 148, p 183; Bull 168, p 167
of California, Downieville quadrangle
Pyramid Peak quadrangle
of Montana, Three Forks quadrangle
thin section of, from Pennsylvania, South Mountain. Bull 136, pp 104–105, 122–123
Augite-porphyry, analysis of, from Montana, Cottonwood CreekBull 60,
p 153; Bull 148, p 138; Bull 168, p 112
Augite rocks in Colorado, Telluride quadrangle
Augite-schist in Northwestern States
Augite-syenite, analysis of, from California, Amador CountyAnn 17, 1, p 727
analysis of, from California, Tuolumne CountyBull 148, p 217; Bull 168, p 204
from Colorado, La Plata quadrangleGF 60, p —
of California, Grass Valley district
of Colorado, La Plata quadrangleGF 60, p —
of Lake Superior region, Keweenaw series Ann 3, pp 114-115; Mon v, pp 112-124
of Montana, Little Belt Mountains
of Sierra Nevada
thin section of, from Michigan, Keweenaw Point
from Minnesota, Duluth (uralitic)
Augite-syenite-porphyry, analysis of, from Yellowstone ParkBull 168, p 95
of Colorado, Cripple Creek districtAnn 16, 11, pp 45–46
Augite-teschenite, analysis of, from California, Point SalBull 165, p 183
Augite-vogesite, analysis of, from Montana, Castle Mountain districtBull 139,
p 112; Bull 148, p 151; Bull 168, p 130
of Montana, microscopic petrography ofBull 139, pp 111-113
Augitic greenstone series of Sierra NevadaAnn 17, 1, pp 643-644
Augitite, analysis of, from Cape Verde Islands
Auriculidæ of Bear River formationBull 128, pp 41–45
of Colorado formationBull 106, p 162
of North America (nonmarine fossil)
Auriferous gravels of CaliforniaAnn 14, 11, pp 465-467; Ann 17, 1, pp 544-546;
п, pp 97, 109; Ann 18, п, p 338; Bull 84, pp 219–222,
321; GF 3, p 3; GF 5, pp 1, 3; GF 11, pp 1, 4-5;
GF 15, p 1; GF 17, p 1; GF 18, p 5; GF 29, p 4; GF 31,
pp 5, 8; GF 37, pp 3-4; GF 39, p 5; GF 41, p 6; GF 43,
p 4; GF 51, pp 5-6, 7; GF 63, pp 5-6; GF 66, pp 5-6
of California, human remains inBull 84, pp 221–222
origin of the earlier
(See, also, Gold; Precious metals.)

Auriferous slate series of California and Sierra NevadaAnn 8, 1, pp 404-407;
Ann 14, 11, pp 445–456; Ann 17, 1, pp 569, 621–
632, 659–663, 684–686; Bull 33, pp 16–18; GF 3,
pp 1, 2; GF 5, pp 1, 2; GF 11, pp 1, 3; GF 15, p 1
Austin chalk of Texas
Ann 21, vii, pp 329-336; Bull 82, pp 116, 118, 122, 123,
104 192 197 190 991 992, Bull 124 pg 10 90. CE 24 pg
124, 126, 127, 130, 221, 223; Bull 164, pp 19–20; GF 64, p 2
Austin dam, Texas, construction and destruction of
Australia, antimony production of
coal area and output of, compared with other countriesMR 1882, p 5;
MR 1885, p 11; MR 1886, p 235; MR 1887, p 189
copper production ofMR 1882, pp 254-255; MR 1883-84, pp 356, 370-371;
MR 1885, p 229; MR 1886, pp 128, 139; MR 1887, pp 88,
96; MR 1888, p 73; MR 1889-90, p 74; MR 1891, pp 101,
102; MR 1892, pp 114, 117; MR 1893, pp 86, 87; Ann 16,
пг, pp 352, 353; Ann 17, пг, pp 117, 119; Ann 18, v, pp
220, 221, 222; Ann 19, vi, pp 177, 178, 179; Ann 20, vi,
pp 203, 204, 205; Ann 21, vi, pp 205, 206, 207, 219–222
diamonds fromMR 1887, p 569; Ann 21, vi cont, pp 423–425
fossil plants of, literature of
gold-bearing conglomerate in
gold and silver production of, compared with that of other countriesMR
1883–84, pp 319, 320
iron and iron ore from, statistics of
lead production of
MR 1885, p 264; MR 1893, p 99; Ann 16, 111, pp 372, 376–377;
Ann 17, 111, p 156; Ann 18, v, pp 256, 257; Ann 19,
vi, p 220; Ann 20, vi, p 246; Ann 21, vi, pp 245, 246
manganese-ore production of
и, pp 453, 457; Ann 17, и, pp 222–224, 225;
Ann 18, v, pp 326-327, 328; Ann 19, vi, pp 121-
122; Ann 20, vi, pp 156–157; Ann 21, vi, p 162
petroleum localities in
precious stones in
Ann 16, IV, p 597; Ann 20, VI cont, pp 564-565
quicksilver deposits in
tin deposits and production of
MR 1893, p 182; Ann 16, 111, pp 461, 465, 494–503
zinc production of
MR 1892, pp 135, 136; MR 1893, pp 107, 108; Ann 16, 111,
p 383; Ann 17, 111, pp 171, 173, 175; Ann 18, v, pp 274,
276, 278; Ann 19, vi, pp 234, 236; Ann 20, vi, pp 263, 265
Austria-Hungary, antimony production of
clay deposits of
clay products of, at Paris Exposition of 1900
coal area and output of, compared with other countriesMR 1882, p 5;
MR 1883–84, p13; MR 1885, p11; MR 1886, p235; MR 1887,
p 189; MR 1888, p 208; MR 1892, p 270; MR 1893, p 202;
Ann 16, 111, pp 243, 248; IV, p 21; Ann 17, III, pp 314, 317;
Ann 18, v, pp 117-119, 136, 414, 417; Ann 19, vi, pp 311,
314; Ann 20, vr, pp 332, 335; Ann 21, vr, pp 113, 363, 366
copper production of
MR 1885, pp 228, 242; MR 1886, p 128; MR 1887, p 87;
MIN 1000, pp 220, 242, MIN 1000, p 120, MIN 1001, p 01;
MR 1888, p 73; MR 1889-90, p 73; MR 1891, p 10;
MR 1892, p 114; MR 1893, p 86; Ann 16, 111, p 352; Ann 17,
111, pp 117, 118; Ann 18, v, pp 219, 220; Ann 19, v1, pp 176, 177; Ann 20, v1, pp 202, 203; Ann 21, v1, pp 204, 205

Austria-Hungary, fossil plants of, literature of
gold and silver production of, compared with that of other countriesMR
1000 010 000
graphite production of
iron, iron ore, and steel production of, compared with other countriesMR 1882,
p109; MR 1883-84, p257; MR 1885, p193; MR 1886, p21; MR
1887, p 18; MR 1888, pp 28, 29, 30, 31; MR 1889–90, pp 21, 22;
MR 1891, pp 46, 73; Ann 16, 111, pp 22, 23, 24, 25, 27, 28, 139–
114, 243–244, 248; Ann 18, v, pp 116–120, 136, 137; Ann 19, vi,
pp 82, 83, 87–88; Ann 20, v1, pp 94, 101; Ann 21, v1, pp 113, 114
lead production of
MR 1885, pp 264, 271; MR 1893, p 99; Ann 16, III, p 372;
Ann 17, 111, pp 156, 161; Ann 18, v, pp 256, 257; Ann 19,
vi, p 220; Ann 20, vi, p 246; Ann 21, vi, pp 245, 246, 247
manganese-ore production of MR 1893, pp 151, 155; Ann 16, III, pp 446, 457;
Ann 17, 111, pp 209–210, 224; Ann 18, v, p 328; Ann 19, vi,
p 112; Ann 20, vi, pp 152, 156; Ann 21, vi, pp 157–158, 162
mining law of
ozocerite production of :
v cont, p 946; Ann 19, vi cont, p 200; Ann
20, vi cont, p 267; Ann 21, vi cont, p 331
petroleum loçalities and statistics of
Ann 16, IV, p 404; Ann 17, III cont, pp 713-715; Ann
18, v cont, pp 857-865; Ann 19, vi cont, pp 136-142;
Ann 20, vi cont, pp 157-165; Ann 21, vi cont, pp 218-223
quicksilver mines ofAnn 8, 11, pp 965, 966; Mon XIII, pp 4, 5, 7, 14, 38-41
quicksilver production of
MR 1883–84, p 496; MR 1885, p 293; MR 1887, p 125;
MR 1888, p 106; MR 1891, p 124; MR 1893, p 118
salt production of
p 849; Ann 19, vi cont, p 611; Ann 21, vi cont, p 553
tin deposits and production of
Ann 16, 111, pp 460, 465, 514
uranium production of Bohemia
zinc production of
MR 1885, p 277; MR 1886, p 159; MR 1888, p 95; MR
1889–90, p 92; MR 1891, pp 113, 114; Ann 21, vi, p 266
Autoclastic rocks, origin and relations of
Avalanches in Washington, Cascade region
Aviculidæ from Colorado formation
from Cretaceous of Pacific coast
of Vancouver Island
of vancouver Island
from marls of New Jersey
Awaruite, analysis ofBull 113, p 59
Axinite, analyses of, from France and Great BritainBull 55, p 61
analyses of from various localitiesBull 125, pp 61, 62
chemical constitution ofBull 125, pp 61–62, 104
occurrence of
Axiolites in aporhyolite, thin section of, from Pennsylvania, South Moun-
tain
Axtell, Mount. (See Mount Axtell.)
Ayres (H. B.), Flathead Forest Reserve, Montana
Lewis and Clarke Forest Reserve, MontanaAnn 21, v, pp 27-80
timber conditions of Pine region of Minnesota
5

Ayres (H. B.), Washington Forest Reserve
Azimuth, determination of, method of, in topographic work Mon xxII, pp 36-40
determinations of, in survey of Idaho-Montana boundary lineBull 170,
pp 25–29 Azoic rocks, history of term
Azoic rocks, history of term
(See Archean.)
Azurite, occurrence and statistics of
MR 1892, p 781; MR 1893, p 682; Ann 16, iv,p 605
Babb (C. C.), reconnaissance of Gila River Basin, ArizonaAnn 21, 1v, pp 334-358
Babingtonite, analysis of, from Massachusetts, BucklandBull 126, p 32
chemical constitution of
Baculitide, Cretaceous, from Vancouver IslandBull 51, p 47
Bad River series, Wisconsin
Badito formation of Colorado
Bagg (R. M.), jr., Cretaceous Foraminifera of New JerseyBull 88
Bain (H. F.), notes on Iowa building stones
Baker (Marcus), Alaskan names, list of
survey of the northwestern boundary of the United States, 1857–1861Bull 174
work by and in charge of: in 1894-95, Ann 16, 1, pp 82-83; in 1895-96, Ann 17,
1, pp 114-116; in 1896-97, Ann 18, 1, pp 122, 125; in
1897-98, Ann 19, 1, pp 133-137; in 1898-99, Ann
20, 1, pp 149–155; in 1899–1900; Ann 21, 1, p 168
Bakersfield, California, irrigation near
Balanidæ of Miocene marls of New Jersey
Balanophoreæ from Dakota group
Balcones scarp line and fault zone, Texas
pl xxi, 258–260; Ann 21, v1, pp 382–384
Bald Mountain quadrangle, Wyoming, forest conditions inAnn 21, v, pp 598-600
Th. 11 . 1
Ball clay. (See Clay, ball.)
Baltimore, artesian and other wells in
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  11, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxXII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  11, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxXII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  11, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxXII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 Yrom Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  11, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxXII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  II, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxXII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 Yrom Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82 Banca, geologic sketch of northeast part of Ann 16, III, p 485
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  II, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxXII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 Yrom Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82 Banca, geologic sketch of northeast part of Ann 16, III, p 485 tin deposits and production of Ann 16, III, p 484–487; Ann 17, III, pp 241, 242
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  II, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxXII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 Yrom Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82 Banca, geologic sketch of northeast part of Ann 16, III, p 485 tin deposits and production of Ann 16, III, pp 484–487; Ann 17, III, pp 241, 242 tin ore in Billiton and, occurrence, geologic relations, treatment, etc., of Ann
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  II, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxXII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 Yrom Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82 Banca, geologic sketch of northeast part of Ann 16, III, p 485 tin deposits and production of Ann 16, III, pp 484–487; Ann 17, III, pp 241, 242 tin ore in Billiton and, occurrence, geologic relations, treatment, etc., of Ann 17, III, pp 227–242
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  II, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxXII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxXII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 Yrom Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82 Banca, geologic sketch of northeast part of Ann 16, III, p 485 tin deposits and production of Ann 16, III, pp 484–487; Ann 17, III, pp 241, 242 tin ore in Billiton and, occurrence, geologic relations, treatment, etc., of Ann  17, III, pp 227–242 Bandai-san Volcano, in Japan, eruption of Ann 17, I, pp 538–539
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  II, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxXII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxXII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 Yrom Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82 Banca, geologic sketch of northeast part of Ann 16, III, p 485 tin deposits and production of Ann 16, III, pp 484–487; Ann 17, III, pp 241, 242 tin ore in Billiton and, occurrence, geologic relations, treatment, etc., of Ann  17, III, pp 227–242 Bandai-san Volcano, in Japan, eruption of Ann 17, II, pp 538–539 Banding in ore deposits of Montana, Little Belt Mountains Ann 20, III, p 417
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  II, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxxII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 from Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82 Banca, geologic sketch of northeast part of Ann 16, III, p 485 tin deposits and production of Ann 16, III, pp 484–487; Ann 17, III, pp 241, 242 tin ore in Billiton and, occurrence, geologic relations, treatment, etc., of Ann 17, III, pp 227–242 Bandai-san Volcano, in Japan, eruption of Ann 17, II, pp 538–539 Banding in ore deposits of Montana, Little Belt Mountains Ann 20, III, p 417 Bangor limestone in Alabama, Georgia, and Tennessee GF 2, p 2; GF 4,
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  II, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxXII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxXII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 Yrom Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82 Banca, geologic sketch of northeast part of Ann 16, III, p 485 tin deposits and production of Ann 16, III, pp 484–487; Ann 17, III, pp 241, 242 tin ore in Billiton and, occurrence, geologic relations, treatment, etc., of Ann  17, III, pp 227–242 Bandai-san Volcano, in Japan, eruption of Ann 17, II, pp 538–539 Banding in ore deposits of Montana, Little Belt Mountains Ann 20, III, p 417
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  II, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxxII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 from Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82 Banca, geologic sketch of northeast part of Ann 16, III, p 485 tin deposits and production of Ann 16, III, pp 484–487; Ann 17, III, pp 241, 242 tin ore in Billiton and, occurrence, geologic relations, treatment, etc., of Ann 17, III, pp 227–242 Bandai-san Volcano, in Japan, eruption of Ann 17, II, pp 538–539 Banding in ore deposits of Montana, Little Belt Mountains Ann 20, III, p 417 Bangor limestone in Alabama, Georgia, and Tennessee GF 2, p 2; GF 4,
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  II, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxxII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 from Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82 Banca, geologic sketch of northeast part of Ann 16, III, p 484–487; Ann 17, III, pp 241, 242 tin ore in Billiton and, occurrence, geologic relations, treatment, etc., of Ann 17, III, pp 227–242 Bandai-san Volcano, in Japan, eruption of Ann 17, II, pp 538–539 Banding in ore deposits of Montana, Little Belt Mountains Ann 20, III, p 417 Bangor limestone in Alabama, Georgia, and Tennessee GF 2, p 2; GF 4,  p 2; GF 6, p 2; GF 8, p 2; GF 19, p 2; GF 21, p 2; GF 22, p 2; GF 35, p 2
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  II, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxxII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 from Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82 Banca, geologic sketch of northeast part of Ann 16, III, p 484–487; Ann 17, III, pp 241, 242 tin ore in Billiton and, occurrence, geologic relations, treatment, etc., of Ann 17, III, pp 227–242 Bandai-san Volcano, in Japan, eruption of Ann 17, II, pp 538–539 Banding in ore deposits of Montana, Little Belt Mountains Ann 20, III, p 417 Bangor limestone in Alabama, Georgia, and Tennessee GF 2, p 2; GF 4,  p 2; GF 6, p 2; GF 8, p 2; GF 19, p 2; GF 21, p 2; GF 22, p 2; GF 35, p 2 Banket, Witwatersrand, origin, composition etc., of Ann 18, v, pp 153–177
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  II, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxxII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 from Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82 Banca, geologic sketch of northeast part of Ann 16, III, pp 484–487; Ann 17, III, pp 241, 242 tin ore in Billiton and, occurrence, geologic relations, treatment, etc., of Ann 17, III, pp 227–242 Bandai-san Volcano, in Japan, eruption of Ann 17, II, pp 538–539 Banding in ore deposits of Montana, Little Belt Mountains Ann 20, III, p 417 Bangor limestone in Alabama, Georgia, and Tennessee GF 2, p 2; GF 4,  p 2; GF 6, p 2; GF 8, p 2; GF 19, p 2; GF 21, p 2; GF 22, p 2; GF 35, p 2 Banket, Witwatersrand, origin, composition etc., of Ann 18, v, pp 153–177 Banner Hill district, California, gold-quartz veins of Ann 17, II, pp 185–199
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  II, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxXII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 from Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82 Banca, geologic sketch of northeast part of Ann 16, III, p 484–487; Ann 17, III, pp 241, 242 tin ore in Billiton and, occurrence, geologic relations, treatment, etc., of Ann 17, III, pp 227–242 Bandai-san Volcano, in Japan, eruption of Ann 17, II, pp 538–539 Banding in ore deposits of Montana, Little Belt Mountains Ann 20, III, p 417 Bangor limestone in Alabama, Georgia, and Tennessee GF 2, p 2; GF 4,  p 2; GF 6, p 2; GF 8, p 2; GF 19, p 2; GF 21, p 2; GF 22, p 2; GF 35, p 2 Banket, Witwatersrand, origin, composition etc., of Ann 18, v, pp 153–177 Banner Hill district, California, gold-quartz veins of Ann 17, II, pp 185–199 Banner Hill, Grass Valley, and Nevada City districts, California, geology of GF 29
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  II, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxXII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 from Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82 Banca, geologic sketch of northeast part of Ann 16, III, p 484–487; Ann 17, III, pp 241, 242 tin ore in Billiton and, occurrence, geologic relations, treatment, etc., of Ann 17, III, pp 227–242 Bandai-san Volcano, in Japan, eruption of Ann 17, II, pp 538–539 Banding in ore deposits of Montana, Little Belt Mountains Ann 20, III, p 417 Bangor limestone in Alabama, Georgia, and Tennessee GF 2, p 2; GF 4,  p 2; GF 6, p 2; GF 8, p 2; GF 19, p 2; GF 21, p 2; GF 22, p 2; GF 35, p 2 Banket, Witwatersrand, origin, composition etc., of Ann 18, v, pp 153–177 Banner Hill district, California, gold-quartz veins of Ann 17, II, pp 185–199 Banner Hill, Grass Valley, and Nevada City districts, California, geology of GF 29 Baptanodon from Denver Basin, remains of Mon xxvII, p 485
Baltimore, artesian and other wells in Bull 138, pp 136–148 Banakite, analysis of, from Yellowstone Park, various localities Mon xxxII,  II, p 347; Bull 148, p 127; Bull 168, p 101  of Yellowstone Park Mon xxxII, II, pp 347–351 thin section of, from Yellowstone Park Mon xxXII, II, pp 350–351 Banatite, analysis of, from Austria-Hungary, Banat Ann 21, II, p 82 analysis of, from Colorado, near Silverton Ann 21, II, p 82 from Colorado, Telluride quadrangle, San Miguel Peak Ann 21, II, p 82 Banca, geologic sketch of northeast part of Ann 16, III, pp 484–487; Ann 17, III, pp 241, 242 tin ore in Billiton and, occurrence, geologic relations, treatment, etc., of Ann 17, III, pp 227–242 Bandai-san Volcano, in Japan, eruption of Ann 17, II, pp 538–539 Banding in ore deposits of Montana, Little Belt Mountains Ann 20, III, p 417 Bangor limestone in Alabama, Georgia, and Tennessee GF 2, p 2; GF 35, p 2 Banket, Witwatersrand, origin, composition etc., of Ann 18, v, pp 153–177 Banner Hill district, California, gold-quartz veins of Ann 17, II, pp 185–199 Banner Hill, Grass Valley, and Nevada City districts, California, geology of GF 29 Baptanodon beds of Denver Basin, remains of Mon xxvII, pp 475–476
Baltimore, artesian and other wells in
Baltimore, artesian and other wells in
Baltimore, artesian and other wells in

Barbour (E. H.), wells and windmills in NebraskaWS 29
Barff-Bower process of protecting iron and steel from rustMR 1882, pp 164-171
Barite, analysis of, from Massachusetts, HatfieldBull 126, p 33
Barium, etc., separation of, in rock analysesBull 78, pp 87-90
Barker (F. C.), irrigation in Mesilla Valley, New Mexico
Barker district, Montana, geology of
ore deposits and mines of
Barker formation in Montana
Barker porphyry in Montana, Fort Benton quadrangle
in Montana, Little Belt Mountains quadrangleGF 56, pp 3-4
Barker syenite in Montana, Little Belt Mountains
Barkevikite, chemical constitution of
Barnard (E. C.), forest conditions in Coos Bay quadrangle, OregonAnn 21,
v, pp 576–577
forest conditions in Fortymile quadrangle, AlaskaAnn 21, v, p 597
forest conditions in Roseburg quadrangle, Oregon
report of Fortymile expedition (1898), Alaska
Barnes (P.), present technical condition of the steel industry of the United
States
Barnhardtite, analyses of, from North Carolina, Cabarrus CountyBull 74, p 26
Barnstable series of New England coast
Barometer, new method of measuring heights with Ann 2, pp xxxviii-xl, 403-566
Barometers, description of different kinds of
Barosaurus, remarks on
Parsian back coast example of
Barrier-beach coast, example of
Bars in streams, manner of formation of
Barsowite, chemical constitution of
Barton Creek limestone. (See Edwards limestone.)
Bartonian beds, England, correlation of
Barus (C.), administrative report for 1882-83
compressibility of liquids
electric activity of ore bodies
high temperature work in igneous fusion and ebullition
mechanism of solid viscosityBull 94
physical properties of the iron carburets
subsidence of fine solid particles in liquidsBull 36; Bull 60, pp 139–145
thermal effect of the action of aqueous vapor on feldspathic rocksMon III,
pp 290–308
thermoelectric measurement of high temperatures Ann 4, pp 53-59; Bull 54
viscosity of solidsBull 73
volume thermodynamics of liquidsBull 96
Barus (C.) and Strouhal (V.), effect of sudden cooling exhibited by glass and
by steelBull 42, pp 98–131
electric and magnetic properties of the iron carburets (second paper)Bull 14
physical properties of the iron carburets (third paper)
relation between electric resistance and density when varying with the
temper of steelBull 27, pp 30–50
relation between time of exposure, temper value, and color in oxide films
on steel
Barylite, chemical constitution of
Barysilite, chemical constitution of
Baryta in eruptive rocks, determination of
, , , , , , , , , , , , , , , , , , ,

Barytes, statistics of
922–923; MR 1885, pp 524–525; MR 1886, pp 705–706; MR
1887, p 676; MR 1888, p 618; MR 1889-90, p 513; MR
1891, pp 599–600; MR 1892, pp 821–822; MR 1893, pp 770–
771; Ann 16, IV, pp 701–702; Ann 17, III cont, pp 1023–1024;
Ann 18, v cont, pp 1348–1350; Ann 19, vr cont, pp 651–653;
Ann 20, vi cont, pp 739-740; Ann 21, vi cont, pp 587-588
Basal clays of Texas, Wills Point
Dasal crays of 16xas, with 1 only
Basal conglomerates, formation of, and phenomena liable to be mistaken forAnn 16,
r, pp 721–724
Basalt, alteration of, hydrothermal, in Idaho
analysis of, from Asia Minor, Mytilene IslandBull 60, p 158
from California, Butte County
Ann 17, 1, p 734; Bull 148, p 205; Bull 168, p 191
Cascade Range
Clear Lake
KnoxvilleMon x111, p 159; Bull 148, p 223; Bull 168, p 212
Lassen Peak region
Bull 66, p 30; Bull 148, p 200; Bull 168, p 186
Madawa Clauster Dull 160 n 210
Madera County Bull 168, p 218
Mount Shasta (ophitic)
Plumas County
Bull 90, p 73; Bull 148, p 203; Bull 168, p 189
Tuolumne County
Bull 90, p 73; Bull 148, p 218; Bull 168, p 205
from Colorado, Denver Basin
Bull 148, p 158; Bull 168, p 140
from Connecticut, Pine Hill
from Germany, Darmstadt
from Idaho, Florida Mountain Ann 20, 111, p 176; Bull 168, p 138
from Michigan, Crystal Falls district (microphytic amygdaloidal)Bull 148,
p 97; Bull 168, p 68 from Montana, Bear CreekBull 78, p 123;
from Montana, Dear Greek
Bull 148, p 139; Bull 168, p 113
Bozeman CreekBull 60, p 1,52; Bull 148, p 137; Bull 168, p 111
Castle Mountain districtBull 139, pp 130, 135, 136;
Bull 148, p 151; Bull 168, p 130
from Nevada, Eureka district
Rull 148 n 180 · Rull 168 n 175
Bull 148, p 189; Bull 168, p 175 Washoe district
w asnoe district
from New Jersey, Orange Bull 148, p 80; Bull 150, p 255; Bull 168, p 39
from New Mexico, Mount Taylor regionBull 27, p 65;
Bull 42, p 140; Bull 148, p 185; Bull 168, p 170
Bull 42, p 140; Bull 148, p 185; Bull 168, p 170 Rio Grande CanyonBull 60, p 155;
Bull 66, p 30; Bull 148, p 184; Bull 168, p 169
from Newark-formation localities (some composites) Ann 21,111, pp 77-79
from Oregon, near Crater LakeBull 148, p 231; Bull 168, pp 222, 223
Mount ThielsenBull 9, p 15; Bull 148, p 230; Bull 168, p 220
from Philippine Islands
from Washington, Kittitas County
near DaytonWS 4, p 61
from Yellowstone Park, Crandall Basin
11, pp 260, 340; Bull 148, p 122; Bull 168, p 92
Mount WashburnBull 148, p 136; Bull 168, p 110
Execute it abite at it.

Bull. 177—01——11

Basalt, analysis of, from Yellowstone Park, Prospect PeakMon xxxII, II, p 438
analysis of, from Yellowstone Park, variousBull 148, p 135; Bull 168, p 109
of Alaska, southern Ann 18, 111, pp 58-59
Yukon district (Tertiary) Ann 18, 111, pp 242-250; Ann 21, 11, pp 481-482
of Arizona, near Mount Trumbull, olivine nodule from, description of, as
one of the educational seriesBull 150, pp 258–261
Santa Maria Basin (quartz-bearing)
Uinkaret Plateau
of California, Bidwell Bar quadrangleGF 43, p 5
Big Trees quadrangle GF 51, p 6
Coast Ranges
Colfax quadrangle
Downieville quadrangleGF 37, pp 6, 7
Lassen Peak quadrangle
northern, Cinder Cone (quartz-bearing)
Pyramid Peak quadrangle
Sonora quadrangle
Table Mountain
Truckee quadrangle
of Colorado, Anita Peak (quartz-bearing)Bull 66, pp 22–23
Crested Butte quadrangle
Cripple Creek district
Denver Basin
Elmoro quadrangle
Rosita Hills
Table Mountain, zeolites in
Walsenburg quadrangle
of Connecticut, Newark areas, origin, etc., of
of Grand Canyon district lava flows and cones
pp 118, 121–124; Mon 11, pp 81–83, 94–97, 104–112
of Great Basin volcanoes
of Idaho, Boise quadrangle
western-central
of Montana, Castle Mountain mining districtBull 139, pp 71–73, 129–131
Fort Benton quadrangle
Little Belt Mountains
Livingston quadrangle
Three Forks quadrangle
of Nevada, Eureka district. Ann 3, pp 279–280; Mon xx, pp 242, 257–259, 386–395
Washoe district
of New Jersey, Watchung Mountain, description of, as one of the educa-
tional series
of New Mexico, northwestern, volcanic necks and flows Ann 6, pp 167-182
Tewan Mountains (quartz-bearing)
of Newark systemBull 85, pp 66, 77
of Oregon, Bohemia mining region
northwestern, use of, as road metal
Roseburg quadrangle
of Philippine Islands Ann 21, 111, pp 511-512
of Sierra NevadaAnn 14, 11, pp 490–491, 493; Ann 17, 1, pp 567–568, 614–616
of Texas, San Carlos coal field
of Utan, Tintic district
of Virginia-West Virginia, Monterey quadrangle
of Washington, Mount Rainier
or a joining, resource district

Basalt of Yellowstone Park
241, 275–281, 302–304, 433–439; GF 30, pp 3, 6 quartz-bearing, distribution of Bull 79, pp 30–33 thin section of, from Connecticut Pomperaug Valley Ann 21, 111, p 68 from Michigan, Crystal Falls district Mon xxxvi, pp 280–299 from Nevada, Eureka district Mon xx, pp 404–405 from Yellowstone Park Mon xxxii, 11, pp 250–251, 436–437
thin section of matrix from ellipsoidal, from Michigan, Crystal Falls district
Basalt, cellular, description of the rocks as one of the educational series. Bull 150, p 252 Basalt, glass inclusion in, analysis of, from Germany, DarmstadtMon xIII, p 160 (See, also, Metabasalt.)
Basalt dike, analysis of, from Yellowstone Park, Absaroka RangeMon xxxII, II, p 260; Bull 148, p 122; Bull 168, p 92
Basalt flows in Idaho Basin
Basalt-porphyry, analysis of, from Yellowstone Park, Crandall VolcanoMon xxxII, II, p 260; Bull 148, p 122; Bull 168, p 92
Basalt tuff from Battle Creek Meadows, California, description of, as one of the educational seriesBull 150, pp 251–252
thin section of, from Michigan, Crystal Falls districtMon xxxvi, pp 294–295 Basaltic breccia flows, dikes, sheets, and scoria in Montana, Fort Benton
quadrangle
Basaltic glass, analysis of, from Maine, Aroostook County
Basaltic rock, analysis of, from Texas, Uvalde County
occurrence of, in New York, New Jersey, and Pennsylvania. MR 1883-84, p 763 Bascom (F.), ancient volcanic rocks of South Mountain, Pennsylvania Bull 136
description of aporhyolite, as one of the educational series. Bull 150, pp 343-349 report of a petrographic examination of dike rocks of the New York-Ver-
mont slate belt
Base-leveling, especially along New England coastMon xxxII, pp 42, 47–49, 75–76 Base-levels of erosion in Catoctin belt
on Pacific coast, ancient
111, pp 146–147; Mon xxxvi, pp 463–471 of Michigan, Marquette district
of Michigan and Wisconsin, Penokee district
(See Archean.)  Basement rocks of Black and Grand prairies, Texas
Bashi series of Alabama, correlation of
Basin Range structure

Basins, interior, description of, their origin, destruction, etc
Bassler (R. S.) and Nickles (J. M.), synopsis of American fossil Bryozoa, includ-
ing bibliography and synonymyBull 173
Bastite-serpentine of Massachusetts, western
Bastnäsite, analysis of, from Colorado, Cheyenne MountainBull 167, p 66
from Colorado, Cheyenne Mountain, mineralogic notes on tysonite and Bull
167, pp 64–66
Battle Mountain, Cripple Creek district, Colorado, rocks of, and ore deposits
in
Battlement Mesa Forest Reserve, Colorado, report onAnn 20, v, pp.181–243
Bauxite, analysis of, from Alabama, Calhoun County
113, p 109; MR 1891, p 153
analysis of, from Alabama, Cherokee County
from Arkansas (granitic variety)
Pulaski County MR 1891, p 154
from France, various localities
from Georgia, Chattooga County
various localities
from Germany, Langsdorf, Vogelsberg, and Wochein. MR 1891, pp 152,153
as a source of aluminumMR 1892, pp 236-240; Ann 16, 111, pp 542-544
deposits of, in Arkansas, relations, origin, development, etc
III, pp 435–472
in Georgia and Alabama MR 1892, pp 237–240
in United States, distribution of
occurrence, geology, origin, economic value, etc., of
pp 159–167; Ann 16, 111, pp 547–597 statistics of
statistics of
Ann 16, 111, pp 547–597; Ann 17, 111, p 244; Ann 18, v, p 285;
Ann 19, vi, p 242; Ann 20, vi, p 269; Ann 21, vi, pp 270–271
Bayard formation of West Virginia and Maryland
Bayley (W. S.), descriptions of rock specimens in the educational seriesBull
150, pp 84–87, 201–207, 274–278, 302–305, 308–313, 317–323, 327–331, 333–337, 355–367, 369–372, 374–376
eruptive and sedimentary rocks of Pigeon Point, MinnesotaBull 109
Sturgeon River tongue, Michigan
III, pp 145–151; Mon xxxvi, pp 458–487
Bayley (W. S.) and Van Hise (C. R.), geology of Menominee district, MichiganGF 62
Marquette iron-bearing district of MichiganAnn 15, pp 477–650; Mon xxvIII
Bays sandstone of Virginia, West Virginia, North Carolina, Kentucky, and
Tennessee
GF 26, p 2; GF 27, p 3; GF 33, p 2; GF 44, p 3; GF 59, p 4
Beach gravel, description of, as one of the educational seriesBull 150, pp 56-58
Beach and cove gravels of Maine
Beaches and deltas of glacial Lake Agassiz
(See, also, Shorelines.)
Beacon Hill, Cripple Creek district, Colorado, ore deposits in, character ofAnn 16,
II, pp 177–179
phonolite of
Bear Creek, Colorado, flow of, measurements of Ann 18, IV, pp
167–169; Ann 19, IV, p 317; Ann 20, IV, pp 54, 284–285;
Ann 21, iv, p 204; ull 140, pp 106–107; WS 11, p 54; WS 15, p 90; WS 27, pp 81, 86; WS 37, pp 227–228

Bear River in Wyoming, Utah, and Idaho, irrigation problems ofAnn 11, 11, p 238
flow of, measurements ofAnn 11, 11, pp 102–103, 109; Ann 12, 11, pp 330, 332,
352, 360; Ann 13, 111, pp 96, 99; Ann 14, 11, pp 118–121; Ann
18, IV, pp 311-316, 319-320; Ann 19, IV, pp 431-433, 434-435;
Ann 20, IV, pp 60, 459–462; Ann 21, IV, pp 394–396; Bull 131,
pp 53–57; Bull 140, pp 224–229; WS 11, pp 76–77; WS 16,
pp 157, 159; WS 28, pp 149, 150, 153, 154; WS 38, pp 332–336
profile of
Bear River beds, correlation of
taxonomic position, geographic extent, and fauna of
Bear River irrigation canal, Utah
Bearwallow conglomerate of Virginia and West Virginia
Beaver Bay group of Minnesota
Beaver limestone of Tennessee and North CarolinaGF 16, p 3
Becker (G. F.), brief memorandum on geology of Philippine IslandsAnn 20,
ıı, pp 1–7
geology of Comstock lode and Washoe district
pp 71-72; Ann 2, pp 291-330; Mon 111 and atlas
geology of quicksilver deposits of Pacific slope
11, pp 961–985; Mon XIII and atlas
gold fields of southern Appalachians
memorandum on mineral resources of Philippine Islands
vi cont, pp 687–693
vi cont, pp 687–693 notes on stratigraphy of California
quicksilver ore deposits
reconnaissance of gold fields of southern Alaska, with some notes on gen-
eral geology
report on geology of Philippine Islands
Witwatersrand banket, with notes on other gold-bearing pudding stones
Ann 18, v, pp 153–184
work in charge of, 1879–1900
40-41; Ann 3, pp 24-26; Ann 4, pp 39-41; Ann 5, pp 46-49;
Ann 6, pp 67–70; Ann 7, pp 93–97; Ann 8, 1, pp 153–155;
Ann 9, pp 100–102; Ann 10, 1, pp 141–144; Ann 11, 1, pp
95–96; Ann 12, 1, pp 104–106; Ann 13, 1, pp 133–135; Ann 14,
1, p 192; Ann 16, 1, pp 21–22; Ann 17, 1, pp 56–59; Ann 18, 1,
p 54; Ann 19, 1, p 52; Ann 20, 1, pp 49, 54–55; Ann 21, 1, p 87
Becker (G. F.) and Lindgren (W.), geology of Sacramento quadrangle, Cali-
forniaGF 5
Becker (G. F.), Lindgren (W.), and Turner (H. W.), description of the Gold
Belt. GF 3, pp 1-2; GF 5, pp 1-2; GF 11, pp 1-2; GF 18,
pp 1-2; GF 31, pp 1-2; GF 37, pp 1-2; GF 39, pp
1-2; GF 41, pp 1-2; GF 43, pp 1-2; GF 51, pp 1-2
geology of Marysville quadrangle, CaliforniaGF 17
geology of Placerville quadrangle, CaliforniaGF 3
geology of Smartsville quadrangle, California
Becker (G. F.) and Turner (H. W.), geology of Jackson quadrangle, Cali-
forniaGF 11
Becket conglomerate-gneiss of Massachusetts, westernMon xxix, pp 31–38
Becket gneiss of Massachusetts and Connecticut
Beckwith, Mount, Colorado, sketch of
Bedding, clues to
evidence of, and means of determining
in New York-Vermont slate belt

Bedding and schistosity in rocks of California, Bidwell Bar area. Ann 17, 1, pp 554–556 Bedding faults of Rico Mountains, Colorado
Bed-rock series of CaliforniaGF 3, p 2; GF 5, p 2; GF 11, p 3; GF 17, p 1;
GF 18, p 3; GF 29, p 1; GF 31, pp 1, 3-4; GF 37, pp
1, 3; GF 39, pp 1, 3-5; GF 41, pp 1, 3-6; GF 43, pp 1,
3-4; GF 51, pp 1, 3-4; GF 63, pp 1-5; GF 66, pp 1-4
Bedford oölitic limestone
v cont, pp 1050–1059; Ann 19, vr cont, pp 292–296
Beetles. (See Coleoptera.)
Beetles, Pleistocene, of Fort River, Massachusetts
Belemnitide of Cretaceous of Pacific coast
of Mesozoic of Alaska Peninsula
Belgium, building-stone industry in
beigium, bunding-stone industry in
clay products of, at Paris Exposition of 1900
coal area and output of, compared with those of other countriesMR 1882, p 5;
MR 1883–84, p 13; MR 1885, p 11; MR 1886, p 235;
MR 1887, p 189; MR 1888, p 208; MR 1891, p 73;
MR 1892, p 270; MR 1893, p 202; Ann 16, 111, pp
239, 248; IV, p 21; Ann 17, III, pp 314, 317; Ann 18, V,
pp 106–107, 136, 414, 417; Ann 19, vi, pp 311, 314;
Ann 20, vi, pp 332, 335; Ann 21, vi, pp 113, 363, 367
copper production of
fossil plants of, literature of Ann 8, 11, pp 775–777
iron, iron-ore, and steel production of, compared with other countriesMR
1882, p 109; MR 1883–84, p 257; MR 1885, p 193; MR
1886, p 21; MR 1887, p 18; MR 1888, pp 28, 29, 30, 31;
MR 1889–90, pp 21, 22; MR 1891, p 73; Ann 16, 111, pp 23,
24, 25, 27, 28, 129–134, 239–240, 248; Ann 18, v,
pp 112–116, 136, 137; Ann 19, vi, pp 82, 83, 87; Ann
20, vi, pp 93-94, 101; Ann 21, vi, pp 113, 114, 154
iron-ore deposits of
lead production of
MR 1885, p 264; MR 1893, p 99; Ann 16, 111, p 372;
Ann 17, 111, p 156; Ann 18, v, pp 256, 257; Ann 19,
. vi, p 220; Ann 20, vi, p 246; Ann 21, vi, pp 245, 246
manganese production of MR 1887, p 154; MR 1892, p 225; MR 1893, pp 146-147,
155; Ann 16, 111, pp 447, 457; Ann 17, 111, pp 210, 224; Ann 18,
v, p328; Ann 19, vi, p110; Ann 20, vi, p148; Ann 21, vi, p154
mining law of
ocher production of
Ann 20, vi cont, p 727; Ann 21, vi cont, p 578 phosphates of
phosphates ofBull 46, pp 102–107
quicksilver in
zinc production ofMR 1882, p 357; MR 1883-84, pp 480, 488-489; MR
1885, pp 277, 280–281; MR 1886, p 159; MR 1887, p 117; MR
1888, pp 95, 96; MR 1889-90, p 92; MR 1892, pp 135, 136;
MR 1893, pp 107, 108; Ann 16, 11, pp 383, 384; Ann 17,
III, pp 171, 172, 173; Ann 18, v, pp 274, 275, 277; Ann 19, vi,
pp 234, 235; Ann 20, vi, pp 263–264; Ann 21, vi, p 266
Bellowspipe limestone of Massachusetts, Mount Greylock. Mon XXIII, pp 184–186, 190
Bells Landing series of AlabamaBull 84, p 321
(See Tuscahoma series.)
Belly River formation
Belt formation of MontanaAnn 20, 111, pp 279–284, 382; Bull 110, pp 16–20;
Bull 139, pp 32–37; GF 1, p 2; GF 24, p 2; GF 56, pp 1–2

Belt Mountains. (See Little Belt Mountains.)
Belugite group of igneous rocks, definition of, and description of species from
Alaska
Bementite, chemical constitution ofBull 125, pp 82, 105
Bench gravels in MontanaGF 55, p 2
Bench marks, law requiring establishment of, their form, etcAnn 17, 1, pp 7-11;
Ann 18, 1, pp 92, 225–228
Ann 18, 1, pp 92, 225–228  Bend formation of California
Benjamin (M.), mineral paints, statistics of MR1885, pp 524-533; MR1886, pp 702-714
Bennettitaceæ of Cretaceous of Black Hills
of Mesozoic, Older, of North Carolina
of Triassic of Pennsylvania
Benton formation of Colorado, Denver BasinMon xxvII, pp 26, 65-66, 87, 107
of Kansas, southwesternBull 57, pp 27–30; WS 6, pp 31–32
of Montana, Castle Mountain district
Judith MountainsAnn 18, 111, p 482
of Nebraska, southeastern
of Rocky Mountain region, correlation of
or rooky mountain region, correlation of
of Wyoming
Benton group of Colorado, eastern
of Colorado, Elmoro quadrangle
of upper Missouri River region
Benton shale of Colorado, Anthracite-Crested Butte district
of Colorado, Aspen district
of Montana
of Nebraska
of WyomingGF 30, p 5
Benzoic acid, compressibility ofBull 92, p 36
Berea grit in OhioBull 150, pp 75–77
in Ohio as a source of gas
Berea sandstone and shale in Ohio as a water carrier
ıv, pp 647–648, 685–690
Berea shale and grit in Michigan
Berberidaceæ, extinct, of North America
Berkshire County, Massachusetts, geology of easternBull 159
Berkshire schist of Massachusetts, Mount GreylockMon xxIII, pp 182–184, 190
of New York
of New York-Vermont
Bermudas, marine Mollusca, comprising the Quaternary fossils and recent
forms, fromBull 24
Bernardston formation of Massachusetts and Connecticut
nn 253-299: GF 50 n 3
Bertrandite, chemical constitution of
Beryl, analysis of, from Maine, WinslowBull 55, p 53
analysis of, from North Carolina, Alexander CountyBull 74, p 47
from Tennessee, Greene County
chemical constitution of
occurrence and statistics of
MR 1883-84, pp 738-740, 781; MR 1885, pp 439, 443; MR
1886, p 604; MR 1887, pp 556, 557, 559; MR 1888, pp 580-581,
584–585; MR 1889–90, pp 446–447; MR 1891, p 539; MR
1892, pp 765–766, 781; MR 1893, pp 681, 682, 696–697; Ann
16, IV, pp 600, 604, 605; Ann 17, III cont, p 923; Ann 18,
v cont, pp 1203, 1217; Ann 19, vr cont, p 513; Ann 20,
vi cont, pp 576–577, 599; Ann 21, vi cont, pp 450–451, 461

Bessemer pig iron, production of MR 1891, p 55
Bessemer-steel ingots and rails, production of, in the United States and Great
Britain since 1877
(See, also, Steel.)
Bettles series of rocks of Alaska
Betulaceæ of North America (extinct)
of Yellowstone ParkMon xxxII, II, pp 698-699
Beulah shales of Black Hills
Bibliographic index of North American Carboniferous invertebratesBull 153
Bibliographies, contemplated, of special topics in North American geology Ann 5,
pp xxx-xxxi
Bibliography of American fossil BryozoaBull 173, pp 125–160
of Arachnida
of Archean and Algonkian rocksBull 86, pp 48–50, 199–208, 220–222,
252–256, 270, 271, 342–347, 429–439, 527–529 of Cambrian rocks
of Cambrian and Carboniferous rocks of Narragansett Basin
the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract o
xxxIII, pp 212–214 of clays and clay industry
of Cretaceous and Tertiary plants of North America Bull 152, pp 13-23
of Cretaceous rocks of North America, annotated
of Crustacea, Paleozoic, from 1698 to 1889 Bull 63
of decay of rocks, subaerialBull 52, pp 57–61
of Dinocerata
of Echinodermata, Mesozoic, of United StatesBull 97, pp 15–20
of Eocene formations
of gangue minerals of the southern Appalachians
of Genesee, Naples, Portage, and High Point Chemung rocks of New
of Genesee, Naples, Portage, and High Point Chemung rocks of New York
York
York
York Bull 16, pp 9–12 of geology, international, plan for Ann 14, r, pp 185–186 of geology, North American, 1732–1891 Bull 127 of geology of eastern Berkshire County, Massachusetts Bull 159, pp 128–135
York Bull 16, pp 9–12 of geology, international, plan for Ann 14, r, pp 185–186 of geology, North American, 1732–1891 Bull 127 of geology of eastern Berkshire County, Massachusetts Bull 159, pp 128–135 of geology of North America for 1886, Bull 44;
York Bull 16, pp 9–12 of geology, international, plan for Ann 14, r, pp 185–186 of geology, North American, 1732–1891 Bull 127 of geology of eastern Berkshire County, Massachusetts Bull 159, pp 128–135 of geology of North America for 1886, Bull 44; for 1887 to 1889, Bull 75; for 1890, Bull 91; for 1891, Bull 99
York Bull 16, pp 9–12 of geology, international, plan for Ann 14, I, pp 185–186 of geology, North American, 1732–1891 Bull 127 of geology of eastern Berkshire County, Massachusetts Bull 159, pp 128–135 of geology of North America for 1886, Bull 44; for 1887 to 1889, Bull 75; for 1890, Bull 91; for 1891, Bull 99 (See, also, Bibliography and index.)
York Bull 16, pp 9–12 of geology, international, plan for Ann 14, 1, pp 185–186 of geology, North American, 1732–1891 Bull 127 of geology of eastern Berkshire County, Massachusetts Bull 159, pp 128–135 of geology of North America for 1886, Bull 44; for 1887 to 1889, Bull 75; for 1890, Bull 91; for 1891, Bull 99 (See, also, Bibliography and index.) of geology of Penokee district, Michigan and Wisconsin Mon XIX, pp 5–102
York Bull 16, pp 9–12 of geology, international, plan for Ann 14, r, pp 185–186 of geology, North American, 1732–1891 Bull 127 of geology of eastern Berkshire County, Massachusetts Bull 159, pp 128–135 of geology of North America for 1886, Bull 44; for 1887 to 1889, Bull 75; for 1890, Bull 91; for 1891, Bull 99 (See, also, Bibliography and index.) of geology of Penokee district, Michigan and Wisconsin Mon xix, pp 5–102 of geology of Philippine Islands Ann 21, III, pp 594–605
York Bull 16, pp 9–12 of geology, international, plan for Ann 14, r, pp 185–186 of geology, North American, 1732–1891 Bull 127 of geology of eastern Berkshire County, Massachusetts Bull 159, pp 128–135 of geology of North America for 1886, Bull 44; for 1887 to 1889, Bull 75; for 1890, Bull 91; for 1891, Bull 99 (See, also, Bibliography and index.) of geology of Penokee district, Michigan and Wisconsin Mon xix, pp 5–102 of geology of Philippine Islands Ann 21, III, pp 594–605 of geology of Pikes Peak district, Colorado GF 7, p 5
York Bull 16, pp 9–12 of geology, international, plan for Ann 14, r, pp 185–186 of geology, North American, 1732–1891 Bull 127 of geology of eastern Berkshire County, Massachusetts Bull 159, pp 128–135 of geology of North America for 1886, Bull 44; for 1887 to 1889, Bull 75; for 1890, Bull 91; for 1891, Bull 99 (See, also, Bibliography and index.) of geology of Penokee district, Michigan and Wisconsin Mon xix, pp 5–102 of geology of Philippine Islands Ann 21, rii, pp 594–605 of geology of Pikes Peak district, Colorado GF 7, p 5 of gold fields of southern Appalachians Ann 16, ii, pp 316–319
York Bull 16, pp 9–12 of geology, international, plan for Ann 14, I, pp 185–186 of geology, North American, 1732–1891 Bull 127 of geology of eastern Berkshire County, Massachusetts Bull 159, pp 128–135 of geology of North America for 1886, Bull 44;  for 1887 to 1889, Bull 75; for 1890, Bull 91; for 1891, Bull 99 (See, also, Bibliography and index.) of geology of Penokee district, Michigan and Wisconsin Mon XIX, pp 5–102 of geology of Philippine Islands Ann 21, III, pp 594–605 of geology of Pikes Peak district, Colorado GF 7, p 5 of gold fields of southern Appalachians Ann 16, III, pp 316–319 of insects Bull 31, pp 32–34, 36–37, 46, 51, 58, 65, 85, 94, 96; Bull 69
York Bull 16, pp 9–12 of geology, international, plan for Ann 14, I, pp 185–186 of geology, North American, 1732–1891 Bull 127 of geology of eastern Berkshire County, Massachusetts Bull 159, pp 128–135 of geology of North America for 1886, Bull 44;  for 1887 to 1889, Bull 75; for 1890, Bull 91; for 1891, Bull 99 (See, also, Bibliography and index.) of geology of Penokee district, Michigan and Wisconsin Mon XIX, pp 5–102 of geology of Philippine Islands Ann 21, III, pp 594–605 of geology of Pikes Peak district, Colorado GF 7, p 5 of gold fields of southern Appalachians Ann 16, III, pp 316–319 of insects Bull 31, pp 32–34, 36–37, 46, 51, 58, 65, 85, 94, 96; Bull 69 of invertebrates, North American Mesozoic Bull 102
York Bull 16, pp 9–12 of geology, international, plan for Ann 14, I, pp 185–186 of geology, North American, 1732–1891 Bull 127 of geology of eastern Berkshire County, Massachusetts Bull 159, pp 128–135 of geology of North America for 1886, Bull 44;  for 1887 to 1889, Bull 75; for 1890, Bull 91; for 1891, Bull 99 (See, also, Bibliography and index.) of geology of Penokee district, Michigan and Wisconsin Mon XIX, pp 5–102 of geology of Philippine Islands Ann 21, III, pp 594–605 of geology of Pikes Peak district, Colorado GF 7, p 5 of gold fields of southern Appalachians Ann 16, III, pp 316–319 of insects Bull 31, pp 32–34, 36–37, 46, 51, 58, 65, 85, 94, 96; Bull 69 of invertebrates, North American Mesozoic Bull 102 of iridium MR 1883–84, pp 588–591
York
York Bull 16, pp 9–12 of geology, international, plan for Ann 14, r, pp 185–186 of geology, North American, 1732–1891 Bull 127 of geology of eastern Berkshire County, Massachusetts Bull 159, pp 128–135 of geology of North America for 1886, Bull 44; for 1887 to 1889, Bull 75; for 1890, Bull 91; for 1891, Bull 99 (See, also, Bibliography and index.) of geology of Penokee district, Michigan and Wisconsin Mon xix, pp 5–102 of geology of Philippine Islands Ann 21, 111, pp 594–605 of geology of Pikes Peak district, Colorado GF 7, p 5 of gold fields of southern Appalachians Ann 16, 111, pp 316–319 of insects Bull 31, pp 32–34, 36–37, 46, 51, 58, 65, 85, 94, 96; Bull 69 of invertebrates, North American Mesozoic Bull 102 of iridium MR 1883–84, pp 588–591 of iron-ore industry Ann 16, 111, pp 217–218 of irrigation in India Ann 12, 11, pp 371–373
York
York
York Bull 16, pp 9–12 of geology, international, plan for Ann 14, r, pp 185–186 of geology, North American, 1732–1891 Bull 127 of geology of eastern Berkshire County, Massachusetts Bull 159, pp 128–135 of geology of North America for 1886, Bull 44; for 1887 to 1889, Bull 75; for 1890, Bull 91; for 1891, Bull 99 (See, also, Bibliography and index.) of geology of Penokee district, Michigan and Wisconsin Mon xix, pp 5–102 of geology of Philippine Islands Ann 21, III, pp 594–605 of geology of Pikes Peak district, Colorado GF 7, p 5 of gold fields of southern Appalachians Ann 16, III, pp 316–319 of insects Bull 31, pp 32–34, 36–37, 46, 51, 58, 65, 85, 94, 96; Bull 69 of invertebrates, North American Mesozoic Bull 102 of iridium MR 1883–84, pp 588–591 of iron-ore industry Ann 16, III, pp 371–373 of irrigation in India Ann 12, II, pp 371–373 of irrigation literature Ann 11, II, pp 345–388; Ann 13, III, pp 346–349 of Keweenawan rocks Mon v, pp 14–23, 431–432 of Minnesota, explorations in Bull 157, pp 12–19
York       Bull 16, pp 9-12         of geology, international, plan for       Ann 14, r, pp 185-186         of geology, North American, 1732-1891       Bull 127         of geology of eastern Berkshire County, Massachusetts       Bull 159, pp 128-135         of geology of North America       for 1886, Bull 44;         for 1887 to 1889, Bull 75; for 1890, Bull 91; for 1891, Bull 99         (See, also, Bibliography and index.)         of geology of Penokee district, Michigan and Wisconsin       Mon xix, pp 5-102         of geology of Philippine Islands       Ann 21, III, pp 594-605         of geology of Pikes Peak district, Colorado       GF 7, p 5         of gold fields of southern Appalachians       Ann 16, III, pp 316-319         of insects       Bull 31, pp 32-34, 36-37, 46, 51, 58, 65, 85, 94, 96; Bull 69         of invertebrates, North American Mesozoic       Bull 102         of iridium       MR 1883-84, pp 588-591         of iron-ore industry       Ann 16, III, pp 371-373         of irrigation in India       Ann 12, II, pp 371-373         of irrigation literature       Ann 11, II, pp 345-388; Ann 13, III, pp 346-349         of Keweenawan rocks       Mon v, pp 14-23, 431-432         of Minnesota, explorations in       Bull 157, pp 12-19         of Mollusca, marine       Bull 24, pp 9-17
York       Bull 16, pp 9-12         of geology, international, plan for       Ann 14, r, pp 185-186         of geology, North American, 1732-1891       Bull 127         of geology of eastern Berkshire County, Massachusetts       Bull 159, pp 128-135         of geology of North America       for 1886, Bull 44;         for 1887 to 1889, Bull 75; for 1890, Bull 91; for 1891, Bull 99         (See, also, Bibliography and index.)         of geology of Penokee district, Michigan and Wisconsin       Mon xix, pp 5-102         of geology of Philippine Islands       Ann 21, III, pp 594-605         of geology of Pikes Peak district, Colorado       GF 7, p 5         of gold fields of southern Appalachians       Ann 16, III, pp 316-319         of insects       Bull 31, pp 32-34, 36-37, 46, 51, 58, 65, 85, 94, 96; Bull 69         of invertebrates, North American Mesozoic       Bull 102         of iridium       MR 1883-84, pp 588-591         of iron-ore industry       Ann 16, III, pp 217-218         of irrigation in India       Ann 12, II, pp 371-373         of irrigation literature       Ann 11, II, pp 345-388; Ann 13, III, pp 346-349         of Keweenawan rocks       Mon v, pp 14-23, 431-432         of Minnesota, explorations in       Bull 157, pp 12-19         of Mollusca, marine       Ann 16, IV, pp 690-693
York       Bull 16, pp 9-12         of geology, international, plan for       Ann 14, r, pp 185-186         of geology, North American, 1732-1891       Bull 127         of geology of eastern Berkshire County, Massachusetts       Bull 159, pp 128-135         of geology of North America       for 1886, Bull 44;         for 1887 to 1889, Bull 75; for 1890, Bull 91; for 1891, Bull 99         (See, also, Bibliography and index.)         of geology of Penokee district, Michigan and Wisconsin       Mon xix, pp 5-102         of geology of Philippine Islands       Ann 21, III, pp 594-605         of geology of Pikes Peak district, Colorado       GF 7, p 5         of gold fields of southern Appalachians       Ann 16, III, pp 316-319         of insects       Bull 31, pp 32-34, 36-37, 46, 51, 58, 65, 85, 94, 96; Bull 69         of invertebrates, North American Mesozoic       Bull 102         of irridium       MR 1883-84, pp 588-591         of irrigation in India       Ann 16, III, pp 371-373         of irrigation literature       Ann 11, II, pp 345-388; Ann 13, III, pp 346-349         of Keweenawan rocks       Mon v, pp 14-23, 431-432         of Minnesota, explorations in       Bull 157, pp 12-19         of Mollusca, marine       Bull 24, pp 9-17         of monazite       Ann 16, IV, pp 690-693         of Myriapoda
York
York
York
York

Bibliography of Rio Grande coal fields of Texas
of rocks and fossils of Olenellus zone
of sewage utilization and disposal
of slowage trainmation and disposal
of slate, etc. Ann 19, 111, pp 166–174
of technology of clay industry
of traps of New Jersey region
Bibliography and index of North American geology, paleontology, petrology,
and mineralogyfor 1892–1893, Bull 130; for 1894,
Bull 135; for 1895, Bull 146; for 1896, Bull 149; for
1897, Bull 156; for 1898, Bull 162; for 1899, Bull 172
(See, also, Bibliography of geology of North America.)
Bidwell Bar quadrangle, California, geology of
Bidweit bar quadrangie, Camornia, geology of
Big Baldy Mountain, Montana, geology of
Big Bull Mountain, Colorado, rocks of
Big Game Ridge and Huckleberry Mountain, Yellowstone Park, geology ofMon
хххи, и, рр 165–202
Big Pigeon River, profile of
Big Sandy River, profile of
Big Stone Gap coal field of Virginia and Kentucky, geology ofBull 111
Big Thompson Creek, Colorado, flow of, measurements of
III, pp 89,93; Ann 18, IV, pp 174-175; Ann 19, IV,
pp. 321–322; Ann 20, IV, pp 55, 288–289; Ann 21, IV,
pp 209–210; Bull 140, pp 110–112; WS 11, p 56; WS
15, p 94; WS 27, pp 83, 86, 89; WS 37, pp 233-234
Big Trees quadrangle, California, geology of
Bighorn Basin, stream measurements in
ıv, pp 290–295; WS pp 75–76; WS 37, pp 211–213
Bighorn Forest Reserve, limits, condition, timber, fires, mining, grazing, etc. Ann 19,
v, pp 52–54 Bighorn Hot Springs, Wyoming
Bignorn Flot Springs, wyoming
Bighorn Mountains, Wyoming, Archean and Algonkian literature ofBull
87, pp 277–278
glacial sculpture of
structure of
water-right problems of
Bijiki schist, petrographic character, relations, etc., of
Mon xxvIII, pp 416–420
Billiton, tin deposits and production ofAnn 16, 111, pp 487–491; Ann 17, 111, p 142
tin ore in Banca and, occurrence, geologic relations, treatment, etc., ofAnn 17,
ш, рр 227–242
Bindheimite, analyses of, from Nevada, Secret CanyonBull 20, p 97
Bingen sands of ArkansasBull 84, p 321
Binney (Edward William), biographic sketch of
Biographic sketches of paleobotanists
Biology and geology, interrelations of
Biotite, a product of mineralogic metamorphism
analysis of, from Maine, AuburnBull 55, p 17
from Massachusetts, Chester and GoshenBull 126, pp 40, 41
from Montana, Walkerville StationBull 168, p 116
from North Carolina, Henderson County
chemical constitution ofBull 125, pp 16, 20–28, 45, 46, 47, 49, 53, 102
distribution of, in rocks
in diorite and porphyrite from Wyoming, Electric Peak. Ann 12, 1, pp 594, 605-606
in gneisses of Minnesota, southwestern
8

Biotite in rocks of Pacific slope
thin section of, in quartz in hornblende-biotite-gneiss from Minnesota,
southwestern Bull 157, pp 142–143
Biotite-bearing hornblende-granite from Cape Ann, Massachusetts, description
of, as one of the educational seriesBull 150, pp 179, 181
Biotite and quartz as alteration products of alkali feldspar
pp 107, 108, 152, 336–343
Biotite-augite-latite, analysis of, from California, Big Trees and Clover Meadow. Ann
17, r, p 727; Bull 89, pp 58, 66; Bull 148, p 217; Bull 168, p 205
thin section of, from Sierra Nevada Bull 89, pp 34–35
Biotite-chlorite, chemical constitution of Bull 125, pp 53, 102
Biotite-dacite, analysis of, from Asia Minor, Pergamon
Biotite-diorite, analysis of, from District of Columbia, Georgetown
p 673; Bull 148, p 85; Bull 168, p 44
analysis of, from Maryland, Montgomery County
Biotite-gneiss, analysis of, from Michigan, Upper Quinnesec FallsBull 148,
p 102; Bull 168, p 72
from Manhattan Island, New York, description of, as one of the educational
series (schistose)Bull 150, pp 332–333
in Massachusetts, eastern Berkshire County
thin section of, from Michigan, sec. 18, T. 47 N., R. 45 W
1, pp 470–471; Mon xix, pp 478–479
Biotite-granite, analyses of, from California, Amador County
1, pp 702, 721; Bull 148, p 214; Bull 168, p 200
analysis of, from California, Mariposa County
from California, Sierra County
ı, p 721; Bull 148, p 206; Bull 168, p 192
from Colorado, Pikes PeakBull 150, p 177
from Maryland, Rowlandsville, Dorsey Run, Sykesville, and Wood-
stockAnn 15,p 672; Bull 148, pp 86, 87; Bull 168, pp 46, 47
from Massachusetts, FlorenceBull 148, p 74; Bull 168, p 30
from Colorado, Pikes Peak, description of, as one of the educational seriesBull
150, pp 172–177
from Maine, Fox Island, description of, as one of the educational series
(hornblende-bearing) Bull 150, pp 177-179
inclusions in, analyses of, from Maryland, Dorsey Run and Sykesville. Bull 148,
p 87; Bull 168, p 47
of Massachusetts, western
of Michigan, Crystal Falls-district
ш, pp 29–32; Mon xxxvi, pp 40–44, 190–193
Marquette district
of Sierra NevadaAnn 17, 1, p 703
thin section of, from Michigan, Crystal Falls districtMon xxxvi, pp 308-309
from Wisconsin, NE. ‡ sec. 20, T. 44 N., R. 3 W
Biotite-granite-gneiss, analysis of, from District of ColumbiaAnn 15, p 672
analysis of, from Maryland, Port Deposit
Biotite-hornblende-granite, analysis of, from California, Mariposa CountyAnn 14,
п, р 482
of Sierra Nevada Ann 14, 11, pp 480–482
Biotite-microcline-gneiss of Massachusetts, Berkshire CountyBull 159, pp 23–24
Biotite-muscovite-granite of Massachusetts, western
Biotite-porphyrite, analysis of, from Colorado, Leadville regionBull 148,
p 173: Bull 168, p 155

Biotite-porphyrite, thin section of, from Colorado, Leadville districtMon XII,
pp 336–337
Biotite-quartz-monzonite, analysis of, from California, Sierra CountyBull 168, p 192
Biotite rocks of Colorado, Telluride quadrangle
Biotite-schist of Michigan, Crystal Falls district
of Michigan, Marquette district Ann 15, pp 513-514; Mon xxvIII, pp 196-198
thin section of, from Michigan, sec. 3, T. 47 N., R. 30 WMon xxvIII, p 197
from Wisconsin, NE. \(\frac{1}{4}\) sec. 6, T. 44 N., R. 2 W., and NE. \(\frac{1}{4}\) sec. 4, T. 44
N., R. 3 WAnn 10, 1, pp 506–507; Mon x1x, pp 516–517
Biotite-slate, thin section of, from Wisconsin, sec. 9, T. 44 N., R. 3 WAnn 10,
1, pp 502-503, 504-505; Mon xix, pp 514-515
thin section of, from Wisconsin, SE. 4 sec. 10, T. 44 N., R. 3 W
pp 516–517
from Wisconsin, NE. 1 sec. 17, T. 44 N., R. 3 W
SE. 4 sec. 12, T. 45 N., R. 1 W
Biotite-trachyte, analyses of, from Yellowstone Park, Absaroka Range Bull 168, p 98
Biotite-vulsinite from Italy, Rocca Monfino region, characters and analysis of Bull 89,
pp 92–93, 96
Birch Creek series of Alaska, characteristics, distribution, etc., of
ш, pp 140–145, 255–256; Alaska (1), p 22
Bird Mountain, Vermont, a study of
"Bird tracks" of Connecticut River sandstone
Birds, origin of, account of
of Alaska, Sushitna and Kuskokwim regions, list of, and notes onAnn 20,
vii, pp 76–77, 80–85
Birds, fossil, with teeth
Birkinbine (J.), American blast-furnace progressMR 1883-84, pp 290-311
iron-ore mining in 1887
iron ores east of Mississippi River
iron ores, statistics of
MR 1892, pp 23–45; MR 1893, pp 23–49; Ann 16, 111, pp
21–218; Ann 17, 111, pp 23–43; Ann 18, v, pp 23–50; Ann 19,
.vi, pp 23-63; Ann 20, vi, pp 27-60; Ann 21, vi, pp 31-67
.vi, pp 23-63; Ann 20, vi, pp 27-60; Ann 21, vi, pp 31-67 manganese ore, statistics of
vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of
.vi, pp 23–63; Ann 20, vi, pp 27–60; Ann 21, vi, pp 31–67 manganese ore, statistics of

Bituminous rock, analyses of, from California, Santa Cruz and San Luis
Obispo
Bituminous rock and asphaltum, statistics of
Biwabik formation of Lake Superior region
Black and Grand prairies, Texas, geography and geology of
Black Bluff series of AlabamaBull 84, p 322
(See, also, Sucarnochee series.)
(See, also, Sucarnoctice series.)
Black Fork, Wyoming, flow of, measurements of
18, IV, pp 268–272; Ann 19, IV, pp 391–393; Ann 20, IV,
pp 58, 381–382; Ann 21, IV, pp 303–304; WS 11, p 69;
WS16, p134; WS 28, pp 133, 142, 144; WS 37, pp 287–288
Black Hills, Algonkian rocks of
climate of
Cretaceous formation of, as indicated by fossil plantsAnn 19, 11, pp 521–946
geologic history of
geologic section of
geology of northern
geology and water resources of southern half of, and adjacent region, pre-
liminary description of
laccoliths of
pre-Cambrian rocks of
topography of southern
Black Hills Forest Reserve, limits, lands, mining, fires, lumbering, manage-
ment, etc
Black Patch grit of New York-Vermont
Black River, New York, measurements of flow of
Black River series of Wisconsin
Black River Falls series of Wisconsin
Black Warrior River, flow of, measurements of
IV nn 103-108: Ann 19 IV nn 250-252: Ann 20 IV nn
1v, pp 103–108; Ann 19, 1v, pp 250–252; Ann 20, 1v, pp 51, 104, 105. Ann 21 pr, pp 152–153. WS 11, pp 37, 40.
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40;
51, 194–195; Ann 21,1v, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157
51, 194–195; Ann 21,1v, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21,1v, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56,58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21,1v, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56,58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21,1v, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of
51, 194–195; Ann 21, IV, pp 152–153; WS 11, pp 37–40; WS 15, p 57; WS 27, pp 56, 58; WS 36, pp 156–157 profile of

Block Island, glacial clays of
Bloodstones, occurrence and statistics of
Blowing wells of the Great Plains
Diswing wens of the Clear Chairs
Blue Canyon formation of California
Blue limestone of Colorado
(See Leadville limestone.)
(See Leadville limestone.) Blue marl of New JerseyBull 83, pp 85–86
Blue Mountains, Colorado, geology and rocks of
п, pp 277, 278, 279, 280, 281, 336–337, 439
Blue Ridge, Archean and Algonkian literature ofBull 86, pp 416–418
in Maryland and Virginia, general description of
in vicinity of Potomac River, pre-Cambrian rocks of
residual nature of
Blue River, Kansas, flow of, measurements of
Dide triver, Kansas, now or, measurements of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of
ıv, pp 215–218; Ann 19, ıv, pp 347–349; Ann 20, ıv, pp 56,
319; Ann 21, IV, pp 226-227; Bull 140, pp 144-145; WS 11,
p 59; WS 16, p 115; WS 27, pp 94, 95, 96; WS 37, pp 252-253
Blue River mining region, Oregon, notes on
Due tavet mining region, Oregon, notes on the 20, m, pp of 22
Bluefield shale of Virginia and West Virginia
Bluestone, analysis of, from New York, Chenango, Wyoming, and DutchessAnn 20,
vi cont, pp. 424, 425, 426
analysis of, from Pennsylvania, Susquehanna County Ann 20, vr cont, p 439
manufacture of, at the Lyon mill, Dayton, NevadaMR 1882, pp 297–305
statistics of
MR 1886, p 683; MR 1887, pp 520–521; MR 1889–90, p 376;
MR 1892, p 705; MR 1893, pp 543, 557–559; Ann 16, rv, p 436;
Ann 17, 111 cont, p 759; Ann 18, v cont, p 949; Ann 19, vi
cont, p 206; Ann 20, vi cont, p 270; Ann 21, vi cont, p 334
Bluestone formation of Virginia and West Virginia
Bluff Lignitic group of Mississippi River
Bodie district, California, brief description of
Bog iron ore and infusorial earth in swamps
Boggy shale of Indian Territory Ann 19, 111, pp 438, 441; Ann 21, 11, pp 278–279
Bogoslof and Grewingk islands, Alaska
Bohemia, fossil medusæ of
Bohemia mining region of western Oregon
Boise quadrangle, Idaho, geology of
Boise River, flow of, measurements of
pp 451–454; Ann 20, IV, pp 62, 483; Ann 21, IV, pp 411–412;
Bull 131, p 66; Bull 140, pp 236-237; WS 11, pp 81-82;
WS 16, p 168; WS 28, pp 161, 168, 169; WS 38, pp 356-359
Boise Valley, seepage measurements in
Bole from Colorado, Table Mountain, description and analysis of Bull 20, pp 38-39
Bolivia, copper production of . MR 1883-84, p 356; MR 1885, p 229; MR 1886, p 128;
MR 1887, p 88; MR 1888, p 73; MR 1889–90, p 73; MR 1891,
p 101; MR 1892, p 114; MR 1893, p 86; Ann 16, 111, p 352;
Ann 17, 111, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vi,
pp 176, 178; Ann 20, vi, pp 202, 204; Ann 21, vi, pp 204–206
fossil plants of, literature of
gold and silver production of, compared with that of other countriesMR 1883-
84, pp 319–320
tin deposits and production of
Boltonite, analyses of, from Massachusetts, Stow Bull 148, p 77; Bull 168, p 33
Bonair conglomerate-lentil of Tennessee

Bonne Terre lead mines, Missouri, workings at
Ann 19, 111, pp 667–668; Mon 1, pp 188–213; GF 65, p 3
Bonneville, Lake, fauna of, Molluscan Bull 11
history of
sediments of, analysis of
Boothbay quadrangle, Maine, physiography of
Borates and borosilicates, natural, analyses ofBull 55, pp 56–62
Borax, analysis of, from California, San Bernardino CountyMR 1882, p 573
analysis of, from Nevada, Esmeralda CountyMR 1882, p 573
statistics of
pp 859–863; MR 1885, pp 491–493; MR 1886, pp 678–680;
MR 1887, pp 4, 6, 8–9; MR 1888, pp 5, 8, 10–11; MR 1889–90,
pp 494–506; MR 1891, pp 587–588; MR 1893, pp 734–736
Borax Lake, California, analysis of water of
Borax marsh, the Searles, San Bernardino County, CaliforniaMR 1889-90,
pp 498–503
earth from, analyses of
Boric acid, a method for the separation and estimation of, with an account of
a convenient form of apparatus for quantitative distilla-
tions
Borneo, antimony production of
fossil plants of, literature of
iron industry of
petroleum localities and statistics ofAnn 16, IV, p 404; Ann 19, VI cont,
p152; Ann 20, v1cont, pp185-187; Ann 21, v1cont, pp256-260
quicksilver deposits in
Bornite, analysis of, from Montana, Butte
in Montana, Butte district
Boscabel beds of Richmond Basin
Bosnia, clay products of, at Paris Exposition of 1900
manganese-ore production of
Bostonite, analyses of, from Connecticut, New Haven
analysis of, from Lake Champlain regionBull 107, p 20; Bull 165, p 166
from Maine, Aroostook CountyBull 168, p 19
from Massachusetts, Marblehead NeckBull 165, p 166
of Alaska, Kuskokwim River, near Kalmakof, description ofAnn 20, vII, p 216
of Lake Champlain region
of Montana, Little Belt Mountains
thin section of, from Vermont, ShelburneBull 107, p 19
Botany; flora of basin of Red River of the North
Botany and paleobotany, interdependence of
Boulder Creek, Colorado, flow of, measurements of
111, pp 87, 93; Ann 18, IV, pp 169–172; Ann 19, IV, pp
318-320; Ann 20, IV, pp 54, 286-288; Ann 21, IV, pp
206–208; Bull 140, pp 107–109; WS 11, pp 54–55; WS
15, pp 91–92; WS 27, pp 82, 86, 89; WS 37, pp 229–231
Boulder Hot Springs, Montana, mineral vein formation atAnn 21, 11, pp 227-255
Boundaries of the United States and of the several States and Territories, with
a historical sketch of the territorial changes Bull 13; Bull 171
Bow River series of CanadaBull 86, p 340; Bull 87, pp 326–327
Bowden beds, Jamaica, correlation of
Bowenite, occurrence of

Bower (A. S.), the Bower-Barff process
Bowlder clay, description of, as one of the educational seriesBull 150, pp 69-70
(See, also, Till.)
Bowlder fields and trains of Maine
Bowlders of glacial gravels, especially in Maine
resulting from external attack
Boya (D.), irrigation near Greeley, ColoradoWS 9
Boyle (C. B.), catalogue and bibliography of North American Mesozoic Inver-
tebrataBull 102
Bozeman coal field, Montana, fossil plants ofBull 105, pp 43–66
Bozeman lake beds of Montana
Brachiopoda, biologic development of
classification of
pp 95–123
geologic development and geographic distribution ofBull 87, pp 13–72
morphology of the brachia of
of Cambrian, Lower Silurian, Devonian, and Carboniferous, of Nevada,
Eureka district
106–164, 213–224; Mon xx, pp 320, 322, 325, 326–328, 331
of Cambrian, Lower
of Cambrian, Middle, of North America
of Cretaceous of Pacific coastBull 133, pp 31–34
of Vancouver IslandBull 51, p 36
of Devonian, higher, of New York, Ontario CountyBull 16, pp 24-25, 62-63
of Olenellus zone
of Raritan clays and greensand marls of New Jersey
pp 5–15; Mon xxiv, pp 23–24
of Yellowstone Park
terminology of structure of
Braintree argillites of Massachusetts, account of literature concerningBull 81,
pp 73–78; Bull 86, pp 366, 369 fauna of
Branchtown clay of Pennsylvania
Brandegee (T.S.), notes on Teton Forest Reserve
notes on Yellowstone Park Forest Reserve
Brandisite, chemical constitution of
Brandon formation, digest of literature ofBull 83, pp 90–94; Bull 84, pp 33–34
Branner (J. C.), bibliography of clays and the ceramic artsBull 143
coal fields of Arkansas
work in charge of, 1895–1900
Ann 19, 1, p 49; Ann 20, 1, p 48; Ann 21, 1, p 82 Brass, statistics of
345–347; MR 1885, pp 219, 220; MR 1886, pp 120, 121; MR
1887, pp 78, 79; MR 1888, p 63; MR 1889–90, pp 67, 68, 69
used in standards of United States bureau of weights and measures, analy-
sis ofBull 78, p 129
Braxton formation of West Virginia-Ohio
Brazil, diamond mines and production of
Ann 21, vr cont, pp 425–430
fossil plants of, literature of
gold production of, compared with other countriesMR 1883-84, pp 319,320
iron and iron ore; analysis, deposits, and statisticsAnn 16, 111, pp 24, 67, 69

Brazil, manganese deposits and production of
v, p 313; Ann 19, v1, pp 107–108; Ann 20, v1,
pp 140–142, 156; Ann 21, vi, pp 149–151, 162
quicksilver deposits in
Brazos River, Texas, flow of, measurements of
130; WS 37, pp 272–273; profile of
Breathitt formation of Kentucky
Breccia, analysis of, from Colorado, Leadville district
analysis of, from Great Britain, Wales (felsitic tuff)
from Montana, Highwood Mountains (trachy-andesitic)Bull 14°,
p 152; Bull 168, p 131
from Yellowstone Park, Absaroka Range (basalt-glass)Bull 168, p 92
Absaroka Range, early acid rocks in
Sepulchre Mountain (hornblende-pyronene-andesite) Ann 12, 1, p 648
Sepulchre Mountain (andesite)
description of the rock, as one of the educational seriesBull 150, pp 72–74
of Colorado, Anthracite quadrangle
Pikes Peak quadrangle GF 7, pp 3, 4, 7
of Montana, Fort Benton quadrangle (andesite and basaltic)
Little Belt Mountains quandrangle (rhyolite)
Livingston quadrangle (andesitic)
of Texas, San Carlos coal field (rhyolite)
of Wyoming, Absaroka district (acid and basic)
Sepulchre Mountain (andesitic)
of Yellowstone Park and vicinity
pp 121–127, 219–223, 237–239, 270–304; GF 30, pp 2–3, 6
thin section of, from Massachusetts (glass and sand)
from Michigan, Crystal Falls district (aporhyolite). Mon xxxvi, pp 276–277
Breccia and tuff of Colorado, Cripple Creek district (andesitic)
п, pp 50–53, 60–65, 73–74, 78, 81, 86, 88, 92, 94, 95, 100–102
of Montana, microscopic petrography ofBull 139, pp 127–128
of Sierra Nevada, mode of formation of (andesite)
Brecciation and brecciation-pebbles as illustrated in eastern New YorkAnn 16,
ı, pp 568–569
Bretonian series, origin of nameBull 81, p 247
Brewer (W. M.), graphite, occurrence of, in the SouthAnn 17, 111 cont, pp 1008-1010
Brewsterite, chemical constitution of
Briceville quadrangle, Tennessee, geology of
Briceville shale in Tennessee
Brick, process of making
use of, for street paving
in road making
Brick, paving, clays of Massachusetts suitable for making Ann 16, 11, pp 324–326
Brick, tile, etc., statistics of
MR 1883-84, pp 679-711; MR 1885, pp 415-427; MR 1886,
pp 566–580; MR 1887, pp 534–551; MR 1888, pp 557–571;
MR 1892, pp 715-724; MR 1893, pp 605-609; Ann 16,
IV, p 518 et seq; Ann 17, III cont, pp 819, 832-834; Ann
18, v cont, pp 1077-1099; Ann 19, vi cont, pp 317-345;
Ann 20, vi cont, pp 483-503; Ann 21, vi cont, pp 367-369
Brick clay. (See Clay, brick.)
Bridge-building, iron and steel, progress in

Bridger group of Wyoming and UtahAnn 9, pp 690-691; Bull 83	
141–142, 144, 145, 146; Bull 84, p 3	
correlation of	', 123, 141–142, 146
fossils of	Bull 34, pp 11-12
molluscan fauna of	Bull 128, pp 79-81
Bridger Range, in Montana, structure of	
Brine, analyses of	
analysis of, from Germany, Stassfurt	MR 1887 p 690
from Manitoba, Rosenfeld (artesian)	
from Manitoulin Island (Trenton limestone)	
from Michigan, various localities	
from Minnesota, Humboldt (artesian)	
from Nevada, Lahontan Basin	ınn 3, pp 226, 227;
Mon x1, pp 233, 234; A	
from New York, Warsaw (artesian)	MR 1883-84, p 833
various localities	MR 1886, p 634
from Ohio, Canal Dover and Pomeroy	
Lorain	Ann & 11 n 621
Woods County, Trenton limestone	App 10 ry p 652
from South Dakota, Salt Creek	
from Utah, Great Salt Lake	
Sevier Lake	
from Wyoming, Donney soda lakes	
impurities of	
chemistry of	Ann 7, pp 498–504
Bristol Bay silts and gravels, Alaska, notes on	0, vii, pp 177–178
Bristol quadrangle, Virginia-Tennessee, geology of	
Bristow (H. W.), quoted on fossil forests of Isle of Wight	
British Columbia, Cenozoic epoch in, general considerationsB	ull 84 np 273-276
fossil plants from, literature of	
gold and silver output, 1858–1895	
iron-ore deposits of	
Neocene deposits of	
platinum from, character of	Ann 16, 111, p 629
(See, also, Canada.)	
Broad River, Georgia, flow of, measurements of	
ıv, pp 225–227; Ann 20, ıv, pp 51, 163; A	
133; WS 15, p 40; WS 27, pp 42, 44, 46; V	
Broad River, South Carolina, flow of, measurements of	
IV, pp 65-68; Ann 19, IV, pp 220-221; A	nn 20, iv, pp 50,
151-152; Ann 21, IV, pp 125-128; WS 11,	, p 18; WS 15, pp
36-37; WS 27, pp 27-28, 38-39, 44, 45; W	
profile of	
water powers in basin ofAnn	19. iv. pp 215–219
Brochantite, analysis of, from Arizona, Yavapai County	
from Utah	
Bröggerite, analysis of	
Bromeliaceæ from Dakota group	
Bromine, statistics of	
MR 1886, pp 642-643; MR 1887, pp 626-	
613; MR 1889-90, p 493; MR 1891, p 57	
MR 1893, p 5; Ann 16, 111, p 10; Ann 17,	
• v, p 10; Ann 19, vi, p 9; Ann 20, vi, p 12	; Ann 21, v1, p 13

Bromine, chlorine, and iodine, indirect estimation of, by electrolysis of their silver salts, with experiments on the convertibility of the
silver salts by the action of alkaline haloids. Bull 42, pp 89-93
Brongniart (Adolphe Théodore), biographic sketch of
Brontosaurus, description and restoration of
from Denver Basin, remains of
Brontotherium beds in Denver Basin
pp 479–480; Bull 84, p 322
Bronzite, analysis of, from Maryland, Hebbville, near BaltimoreBull 78,
p 122; Bull 148, p 84; Bull 168, p 43 chemical constitution of
occurrence of
thin section showing alteration of, in bronzite-norite from Michigan, Crys-
tal Falls district
Bronzite-norite, analysis of, from Michigan, Crystal Falls districtBull 168, p 67
thin section of, from Michigan, Crystal Falls district Mon xxxvi, pp 318-319
thin section showing alteration of bronzite in, from Michigan, Crystal
Falls district
Bronzite-norite-porphyry, thin section of, from Michigan, Crystal Falls district
Mon xxxvi, pp 320–321 Brookite, occurrence of
Brooks (A. H.), coast from Point Barrow to the Mackenzie. Alaska (2), pp 130–131.
reconnaissance from Pyramid Harbor to Eagle City, Alaska
II, pp 331–391
reconnaissance in Tanana and White River basins, Alaska, in 1898Ann 20,
$v_{11} n_{11} 425-494$
Yukon district
Brooks (A. H.) and Peters (W. J.), report of White River-Tanana expedition
(1898), Alaska
Brooks (A. H.) and Schrader (F. C.), preliminary report on Cape Nome gold
region, Alaska, with maps and illustrationsNome
Brooks (A. H.) and Taff (J. A.), geology of the Buckhannon quadrangle,
West Virginia
County, New Jersey
Brown (L. P.), phosphate rock deposits of Tennessee during 1897Ann 19,
vi cont, pp 547–555
Browns Park group of Uinta Mountains
Brownstone, analysis of, from Arizona, Flagstaff
analysis of, from Connecticut, Cromwell and PortlandAnn 18, v cont, p 1030
from Indiana, various localities
from Maryland, Hancock
from Massachusetts, East LongmeadowAnn 18, v cont, p 1030
from Michigan, various localitiesAnn 18, v cont, p 1031
from Minnesota, Kettle River and PipestoneAnn 18, v cont, p 1031
from New Jersey, various localities
from North Carolina, Sanford
from Pennsylvania, various localities
from Wisconsin, various localities
and textural features, etc., ofAnn 18, v cont, pp 1025–1043
Brownstown beds of Texas
Brucite, analysis of, from Pennsylvania, Lancaster CountyBull 78, p &2
Brule clay of Nebraska

Bruneau River, flow of, measurements of
Ann 19, IV, pp 450-451; Ann 20, IV, pp 62, 481-482;
Ann 21, 1v, pp 409-410; Bull 140, pp 239-241; WS 11,
p 81; WS 16, p 167; WS 28, pp 161, 169; WS 38, p 356
Bryn Mawr gravel of PennsylvaniaBull 84, p 45
Bryozoa from Yellowstone Park Mon xxxII, II, pp 516-576
synopsis of American fossil, including bibliography and synonymyBull 173
Buccinidæ from Chico-Tejon series of CaliforniaBull 51, p 22
from clays and marls of New Jersey
from Miocene deposits of New Jersey
Buck (S. M.), coal mining in Kanawha Valley of West VirginiaMR 1883-84,
pp 131–143
pp 131–143 Buckhannon quadrangle, West Virginia, geology of
Buda limestone of Texas Ann 18 11 pp 237–238.
Ann 21, vii, pp 288–290; Bull 164, p 18; Bull 64, p 2
Buff sand of AlabamaBull 84, p 322
Buffalo Peaks, Colorado, geologic sketch ofBull 1, pp 11–17
Buhrstone formation. (See Tallahatta formation.)
Buhrstone of South Carolina, Alabama, and Mississippi
pp 51–52, 61–62, 68, 87–88; Bull 84, pp 322, 334 Buhrstones, statistics of
1883–84, pp 712–713; MR 1885, p 428; MR 1886, pp 581–582;
MR 1887, p 552; MR 1888, p 576; MR 1889-90, p 456; MR
1891, p 552; MR 1892, pp 748–749; MR 1893, pp 670–671;
Ann 16, IV, pp 586–587; Ann 17, III cont, pp 927–929; Ann
18, v cont, pp 1219-1221; Ann 19, vr cont, pp 515-517; Ann
20, vi cont, pp 603-605; Ann 21, vi cont, pp 463, 464-465
Building industry in general, statistics of
pp 517–536; MR 1887, pp 503–511; MR 1888, pp 516–535
Building sand, statistics of
Building stone. (See Stone, building.)
Bulgaria, clay products of, at Paris Exposition of 1900. Ann 21, vi cont, pp 373-374
iron-ore deposits of
Bull Cliff, Colorado, rocks of
Bull Hill, Cripple Creek district, Colorado, ore deposits inAnn 16, 11, pp 190–200
rocks of
Bulla striata marls of Florida
Bullidæ from clays and marls of New Jersey
2 danielo 22 da delig di mate interno de 2001 de dedigi de 100 100 100 100 100 100 100 100 100 10
from Colorado formation
from Colorado formationBull 106, p 162
from Colorado formation

Burrowing animals as soil-makers
vey
Butte district, Montana, geology ofGF 38
mines and reduction works ofMR 1883-84, pp 374-396; MR 1891, pp 90-99
Butterflies, fossil, of Florissant, Colorado
classified list of
Bysmalith, Mount Holmes, Yellowstone Park Mon xxxII, II, pp 16-20, 64-69
Bysmaliths of Montana, Little Belt Mountains
Bytownite, analysis of, from NorwayBull 28, p 20
Cacapon sandstone of Virginia, West Virginia, and MarylandGF 28, p 2;
GF 32, p 3; GF 61, p 3
GF 32, p 3; GF 61, p 3 Cache Creek, California, flow of, measurements of
water storage on
Cache la Poudre River, Colorado, flow of, measurements of
ii, p 95; Ann 12, ii, pp 226, 238-239, 348, 360; Ann 13, iii,
pp 18, 21, 94, 98; Ann 20, 1v, pp 55, 290–293; Bull 131, pp
30-32; Bull 140, p 112; WS 9, pp 16-27; WS 37, pp 235-237
hydrography of basin of
Cache lake beds of California
Cache Valley, Utah, irrigation, stream measurements, etc., inWS 7, pp 27–44
Cades conglomerate of Tennessee and North Carolina
Calamariæ from Carboniferous of Missouri
pp 144–171; Bull 98, pp 17–43
pp 144–171; Bull 98, pp 17–43 Calandridæ, Tertiary, of United States
Calamine, analysis of, from New Jersey, Franklin FurnaceBull 167, p 17
chemical constitution of Bull 125, pp 70, 104
constitution of, experiments relative to
Calamite beds of OregonBull 84, p 323
Calapooya Mountain, Oregon, composition, structure, ageAnn 20, 111, pp 10–11
Calaveras formation of California
pp 549, 628-632; Ann 17, 11, pp 79-88, 102, 103; GF 3, pp 1, 2;
GF 5, pp 1, 2; GF 6, pp 1, 3; GF 15, p 1; GF 18, p 3; GF 29, pp
1, 2; GF 31, pp 1, 3-4; GF 37, pp 1, 3, 7; GF 39, p 3; GF 41,
pp 1, 3-4; GF 43, pp 1, 3; GF 51, pp 1, 3-4; GF 63, pp 1-2
Calaveras River, profile of
Calaverite, analysis of, from Colorado, Cripple Creek district
п, р 134; Bull 167, р 58
from Colorado, Cripple Creek, chemical and crystallographic study of Ann 16,
и. pp 133–135: Bull 167, pp 57–60
Calcaire ostrée of southern Atlantic StatesBull 84, p 323
Calcareous Claiborne of Alabama Bull 84, p 323
Calcareous deposits in Yellowstone Park
Calcareous tufa. (See Tufa.)
Calciferous rocks of New York-VermontAnn 19, 111, p 185
Calcite, analysis of, from Montana, Boulder Hot Springs
composition of
in Colorado, Table Mountain
in Montana, Butte districtGF 38, p 7
thin section showing metasomatic replacement of quartz in granodiorite
by sericite and
Calcium and magnesium, separation of sodium and potassium from, by the
action of amyl alcohol on the chlorides Bull 42, pp 73-88
Calcium carbonate, deposition of
Caldwell quadrangle. Kansas, physiography of TF 1, p 2

Calibration of electric pyrometersBull 54, pp 84–125, 165–238
Caliente Creek, California, flow of, measurements of
California, Alpine reservoir
altitudes in
Ann 19, 1, pp 381–408; Ann 20, 1, pp 457–471; Ann 21, 1,
pp 524–552; Bull 5, pp 37–54; Bull 76; Bull 160, pp 45–79
atlas sheets of. (See pp 68–70 of this bulletin.)
American River, profile of
Antelope Valley Water Company
antimony deposits in MR 1882, p 438; MR 1883-84, pp 641-642; MR 1885, p 387
asphaltum deposits and industry of
pp 938-948, MR 1888, pp 513-514; MR 1889-90, p 477; MR
1891, p. 452; MR 1892, pp 700–702; MR 1893, pp 627, 629–
636; Ann 16, IV, pp 432-433; Ann 17, III cont, pp 751, 753;
Ann 18, v cont, pp 920, 923-929; Ann 19, v1 cont, pp 190-193;
Ann 20, vi cont, pp 254-256; Ann 21, vi cont, pp 321, 322
Bakersfield, irrigation near
Banner Hill, Grass Valley, and Nevada City districts, geology ofGF 29
Downsted down site.
Barrett dam site
Bear Valley Irrigation Company, reservoir, dam, etcAnn 19, 1v, pp 583-598
Bear Valley reservoir dam
Bidwell Bar quadrangle, geology ofGF 43
Big Trees quadrangle, geology of
borax deposits and statistics of
MR 1883-84, pp 859, 860; MR 1885, pp 491-492; MR 1886,
pp 678-680; MR 1889-90, pp 494-504; MR 1891, p 587
borax marsh, Searles, in San Bernardino CountyMR 1889-90, pp 498-503
boundary lines of and admission of State
boundary lines of, and admission of State
pp 31, 129; Bull 171, pp 136–137 Buena Vista Lake reservoir
Buena Vista Lake reservoir
building stone from, at World's Columbian ExpositionMR 1893, p 560
in Big Trees quadrangleGF 51, p 8
in Jackson quadrangle
in Mother Lode district
in Placerville quadrangleGF 3, p 3
in Sacramento quadrangle
in Sonora quadrangle
statistics of
1886, pp 545–546; MR 1887, pp 514, 518; MR 1888, pp 536,
538, 541, 542, 545; MR 1892, p 706 et seq; MR 1893, p 544
et seq; Ann 16, IV, p 437 et seq; Ann 17, III cont, p 760 et
seq; Ann 18, v, p 950 et seq; Ann 19, vi cont, p 206 et seq;
Ann 20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq
Cache Creek, flow of, measurements of
water storage onWS 45
Calaveras River, profile of
Caliente Creek, flow of, measurements of
Carson River, flow of, measurements of
и, pp 102, 109; Ann 12, и, pp 351, 360; Ann 13, и, pp 96, 99
cement, production of MR 1882, p 463; MR 1883-84, pp 675-676;
MR 1885, p 409; MR 1889–90, p 463; MR 1891, p 536; MR
1892, p 743; Ann 16, IV, pp 581, 584; Ann 17, III cont, p 884;
Ann 18, v cont, pp 1170, 1174–1175; Ann 19, vi cont, pp 487,
492; Ann 20, vi cont, pp 539, 549; Ann 21, vi cont, p 393

California, Cenozoic epoch in Oregon, Washington, and, general considerations	
on	/3
Chatsworth Park rock-fill dam	
Chino Creek, flow of, measurements of	
Chowchilla River, irrigation from:	3
chromite in Bidwell Bar quadrangle	6
chromium and chrome iron ore from	
MR 1883-84, pp 569-571, 572; MR 1885, pp 357-358	3;
MR 1886, p 176; MR 1887, p 132; MR 1888, p	p
119–120; MR 1889–90, pp 137–139; MR 1891, p 173	1;
MR 1892, p 5; MR 1893, p 6; Ann 16, 111, pp 11, 608	3;
Ann 18, v, p 10; Ann 19, vi, p 259; Ann 20, vi, p 29	
Cinder Cone, description of	
clay, brick, and pottery industry in, statistics of	5;
MR 1883-84, pp 678, 702-704; MR 1888, pp 558, 566; M	
1891, pp 526–528; MR 1893, p 612; Ann 16, iv, pp 518, 519	
520, 521; Ann 17, 111 cont, pp 819 et seq, 858; Ann 18, v cont	
pp 1077 et seq, 1130; Ann 19, vr cont, pp 318 et seq, 353; An	
20, vi cont, pp 466 et seq, 514; Ann 21, vi cont, pp 362, 36	
clays in Sacramento quadrangle	
Clear Lake, height and volume of, fluctuations in	
heights of, measurements of	
coal in, area and statistics of	
MR 1883–84, pp 12, 19–24; MR 1885, pp 11, 15–18	
MR 1886, pp 225, 230, 242–243; MR 1887, pp 169, 209 212; MR 1888, pp 170, 171, 225; MR 1889–90, pp 147	
178–179; MR 1891, pp 180, 212–215; MR 1892, pp 265	
267, 268, 306–310; MR 1893, pp 189, 190, 194, 195, 197	
199, 200, 248–251; Ann 16, iv, pp 7 et seq, 73, 74; An	
17, pp 287 et seq, 371–372; Ann 18, v, pp 354 et seq	
472–473; Ann 19, vi, pp 278 et seq, 388–389; Ann 20, vi	
pp 300 et seq, 400–401; Ann 21, vr, pp 325 et seq, 430–43	
in Jackson quadrangle	
in Marysville quadrangle	
coal-bearing formations in	
coke in, manufacture of	
Colfax quadrangle, geology of	6
copper in Colfax quadrangle	
in Jackson quadrangleGF 11, p	6
in Smartsville quadrangle	6
production of, statistics of Ann 2, p xxix; MR 1882, pp 216, 226-227	
MR 1883–84, pp 329, 340–341; MR 1885, p 210; MR 1886	
p 112; MR 1887, pp 69, 76; MR 1888, p 54; MR 1889	-
1890, p 60; MR 1891, pp 83, 84; MR 1892, pp 96, 97; MI	₹
1893, pp 64, 65; Ann 16, 111, pp 333, 334; Ann 17, 111	
pp 83, 84, 85, 86, 103; Ann 18, v, pp 189, 190, 191, 205	
Ann 19, vr, pp 140, 141, 142, 143, 160; Ann 20, vr, pp	
161, 162, 163, 164, 165, 185; Ann 21, vi, pp 166–170, 18	
corundum production of	
Cosumnes River, profile of	
Cretaceous fossils from, new Bull 29	
Cretaceous rocks of Bull 82, pp 181–194, 240–24	
Crystal Springs reservoir, discharge of, measurements of	
Cucamonga quadrangle, topography, climate, and water supply ofTF 2, p 18	٥

California, gold in Smartsville quad	rangle
gold in Sonora quadrangle	GF 41, pp 6-7
in Tweeters and dramate	GF 39, p 8
	Ann 2, p 385; MR 1882, pp
	176, 177, 178, 182; MR 1883-84, pp 312, 313, 314,
	1885, pp 201, 203; MR 1886, pp 104, 105; MR 1887,
	MR 1888, pp 36, 37; MR 1889-90, p 49; MR 1891,
pp 75, 77,	80; MR 1892, p 50 et seq; MR 1893, p 50 et seq; Ann
17, п., р	72 et seq; Ann 18, v, p 141 et seq; Ann 19, vi, p
	; Ann 20, vi, p 103 et seq; Ann 21, vi, p 121 et seq
	gy ofGF 3, pp 1–2; GF 5, pp 1–2;
	1–2; GF 18, pp 1–2; GF 31, pp 1–2; GF 37, pp 1–2;
	1-2; GF 41, pp 1-2; GF 43, pp 1-2; GF 51, pp 1-2
	MR 1892, p 706; MR 1893, p 544; Ann
	437, 441, 457, 458; Ann 17, 111 cont, p 760 et seq;
	cont, p 950 et seq; Ann 19, vi cont, p 206 et seq;
	1 cont, p 271 et seq; Ann 21, v1 cont, p 335 et seq
	Banner Hill districts, geology ofGF 29
	ofMR 1882, p 529; MR 1883-84, pp 812-813;
	p 463; MR 1886, p 623; MR 1887, p 602; MR 1889–90,
	R 1891, pp 580, 581; MR 1892, p 802; MR 1893, p
	16, IV, p 664; Ann 17, III cont, pp 979, 981; Ann 18,
v cont, pp	1266, 1267; Ann 19, vi cont, pp 578, 682; Ann 20,
vi cont,	op 658, 661; Ann 21, vi cont, pp 524, 526, 527
harbors on coast of	Ann 13, 11, pp 198–201
Hemet reservoir dam	Ann 18, IV, pp 662–669, 730
Hetch Hetchy reservoir, discus	sion
	MR
	20, 125, 129, 131, 133, 135, 136, 137; MR 1833-84,
	86–287; MR 1885, pp 182, 184, 186, 197–198; MR
	; MR 1887, p 11; MR 1888, p 15; MR 1889–90, p
	892, pp 15, 16, 18; MR 1893, p 15; Ann 17, 111, pp
	Ann 19, vi, pp 66, 72; Ann 20, vi, pp 81, 83, 84, 85
	ngle
	GF 37, p 8
	WS 45, pp 19–24
	GF 18, p 3
	engthAnn 11, 11, pp 242–250
	WS 17
	WS 19
	Ann 11, 11, pp 235–237
reservoirs projected for	Ann 18, iv, pp 703–715
	Ann 13, 111, pp 286–297, 305–317, 319–321
weir at head of Calloway ca	analAnn 13, 111, pp 227–229
of Folsom canal	Ann 13, 111, pp 232–234
of Kraft district canal	Ann 13, 111, pp 226–227
	Ann 13, 111, pp 230–231
of Turlock and Modest	a canals
irrigation and water-appropriat	ion districts in
	Ann 13, 111, pp 164–175, 184–187, 191–194, 203–214
	High Sierra and Clear Lake BasinAnn 13,
	пі, рр 398-409
irrigation history early in San	Bernardino ValleyAnn 19, IV, pp 542–543
miguion moory, carry, m ban	20,110, and 1 and 1

California, irrigation surveys, engineering, hydrography, segregations, etc., in. Ann 10, II, pp viii, 58-59, 61-62, 66-67, 102-104; Ann 11, II,
рр 150–168, 297–298; Апп 12, п, pр 10–54, 316–324
Jackson quadrangle, geology of
Kaweah River, flow of, measurements of Ann 12, 11, p 312; Ann 20, 1v, p 526;
Bull 140, pp 279–282; WS 28, p 193
irrigation from
Kern River, flow of, measurements ofAnn 12, 11, p 310; Ann 18, 1v, pp 395-
397, 398; Ann 19, IV, pp 523–524; Ann 20, IV, pp 64, 536–538;
Ann 21, IV, p 469; Bull 131, pp 79–80; Bull 140, pp 267–274; WS 17, pp 38–39; WS 28, p 196; WS 39, pp 405–407
irrigation canals on
reservoir sites on
water powers on
Kings River, flow of, measurements of
pp 316-317; Ann 13, 111, p 22; Ann 18, 1v, pp 390-395; Ann
19, IV, pp 518-523; Ann 20, IV, pp 63-64, 526, 534-536;
Ann 21, IV, pp 467-468; Bull 131, pp 80-81; Bull 140,
pp 283–288; WS 11, p 92; WS 16, pp 191–192; WS 18,
pp 39–41; WS 28, pp 184, 185, 186, 193; WS 39, pp 403–405
irrigation from
La Mesa reservoir dam
Lagrange reservoir dam
Lagrange reservoir site, survey of
Lake Helena dam site
Lake Tahoe Forest Reserve. (See Stanislaus and Lake Tahoe forest
reserves.)
Lassen Peak quadrangle, geology of
lava flows in
MR 1886, p 146; MR 1887, p 104; MR 1889–90, p 80, Ann
16, 111, p 362; Ann 17, 111, p 134; Ann 18, v, p 240; Ann 19,
vi, pp 201, 205; Ann 20, vi, pp 226, 228; Ann 21, vi, p 229
lime production ofMR 1887, p 532;
MR 1888, p 555; MR 1889–90, p 383; MR 1891, p 465
limestone in Downieville quadrangle
production of, statistics of
p 711; MR 1893, p 556; Ann 16, IV, pp 437, 494, 495, 496, Ann 17, III cont, pp 760, 787, 788, 789, 790, 791; Ann 18,
v cont, pp 950, 1044, 1045, 1046, 1048; Ann 19, vi cont,
pp 206, 280, 282, 283, 286; Ann 20, vi cont, pp 342, 343,
344, 345, 346; Ann 21, vi cont, pp 335, 357, 358, 359, 360
Little Bear Valley reservoir and dam
Littlerock Creek, flow of, measurements of
402–405; Ann 19, IV, pp 526–528; Ann 20, IV, pp 64, 540; Ann
21, IV, pp 470-471; WS 16, p 193; WS 28, pp 189, 190, 191 Los Angeles River, flow of, measurements of
pp 413-415; Ann 20, IV, pp 541-543; WS 39, pp 409-410
lumber industry in
Lytle Creek, flow of, measurements of
Ann 21, IV, pp 481–483; WS 39, pp 413–417
Lytle Creek rock-fill dam
magnetic declination in

```
California, manganese-ore production of, statistics of..... MR 1885, p 349; MR 1886,
             pp 181, 197; MR 1888, pp 124, 128; MR 1889-90, pp 127, 131,
             MR 1891, pp 127, 131-132; MR 1892, pp 189, 194; MR 1893
             pp 120, 126-127; Ann 16, III, pp 395, 405-407; Ann 17, III,
             pp 187, 193-194; Ann 18, v, pp 292, 300-301; Ann 19, vi,
             pp 91, 92, 96; Ann 20, vi, pp 126, 131; Ann 21, vi, pp 130, 136
             (See Map, geologic, of California.)
  maps, geologic, of.
  maps, topographic, of.
               (See Map, topographic, of California; also pp 68-70 of
             this bulletin.)
  marble production of, statistics of ......MR 1892, p 709; MR 1893, pp 547-548;
             Ann 16, IV, pp 437, 463, 464; Ann 17, III cont, pp 760, 766,
             767, 768; Ann 18, v cont, pp 950, 975, 977-978; Ann 19, vi
             cont, pp 206, 238, 239, 240-242; Ann 20, vr cont, pp 271,
             281, 282, 283, 284; Ann 21, vi cont, pp 335, 341, 342, 343
  metacinnabarite from New Almaden.....Bull 78, pp 80-83
  Ann 20, IV, p 558; Ann 21, IV, p 485; WS 39, pp 421-422
  mineral springs in Truckee quadrangle......GF 39, p 8
  mineral springs of......Bull 32, pp 202–214;
             MR 1883-84, p 980; MR 1885, p 537; MR 1886, p 715;
             MR 1887, p 683; MR 1888, p 626; MR 1889-90, p 525; MR
             1891, pp 603-604; MR 1892, pp 824, 826; MR 1893, pp 774,
             776, 784, 786–787, 794; Ann 16, IV, pp 709, 711, 720; Ann 17,
             III cont, pp 1026, 1031-1032, 1042; Ann 18, v cont, pp 1371,
             1376, 1387; Ann 19, vi cont, pp 661, 666, 678; Ann 20,
             vi cont, pp 749, 755, 767; Ann 21, vi cont, pp 599, 605-606, 620
  Ann 21, IV, pp 471-473; Bull 140, p 318; WS 39, pp 408-409
 Bull 131, pp 86-87; Bull 140, pp 308-310
    Mother Lode district, geology of .......GF 63
  697; MR 1893, pp 536, 540; Ann 16, IV, pp 415, 418, 419,
             426-428; Ann 17, III cont, pp 734, 735, 738, 739, 746-747;
             Ann 18, v cont, pp 900, 901, 903, 904, 912; Ann 19, vi cont,
             pp 168, 169, 171, 172, 173, 179; Ann 20, vi cont, pp 207, 209,
             210, 220-221; Ann 21, vi cont, pp 299, 301, 302, 304, 314
 Nevada City and Grass Valley districts, gold-quartz veins of .. Ann 17, 11, pp 1-262
 Nevada City, Grass Valley, and Banner Hill districts, geology of........GF 29
```

WARMAN.]

`	
California nialral ara in	MR 1883-84, p 539
	Ann 20, vr cont, pp 287–288
	Ann 14, 11, pp 243–284
	Ann 18, IV, pp 637–640, 728
	Ann 18, iv, pp 642, 736
Pacoima reservoir dam	
	MR 1892, p 818; Ann 16, iv, p 698;
	17, 111 cont, p 1013; Ann 18, v cont, p 1338;
Ann	19, vi cont, p 636; Ann 21, vi cont, pp 572, 578
Pastoria Creek, flow of, measuremen	ts ofBull 140, pp 258–259
	ofMR 1882, p 189; MR 1883–
	20; MR 1885, pp 148–152; MR 1886, pp 441,
	1887, pp 438, 452–455; MR 1888, pp 444, 464;
	pp 292, 340–348; MR 1891, pp 405, 407, 432;
	604, 606, 611, 645–651; MR 1893, pp 465,
466, 508–509	; Ann 16, IV, pp 317, 318, 319, 320, 368–374;
Ann 17, 111 co	ont, pp 626, 627, 628, 630, 698–699; Ann 18 v
cont. pp 750.	751, 752, 753, 755, 841–846; Ann 19, vi cont,
	9, 11, 97–100; Ann 20, vi cont, pp 5, 6, 7, 9,
120–123: An	n 21, vi cont, pp 5, 6, 7, 8, 11, 12, 155–156
	Ann 18, IV, p 653, 729
Pit River profile of	
	GF 3
	Ann 16, 111, p 629
	Great Basin, with descriptions of new
	ced by sketch of Pleistocene lakes of
	Bull 11
	Ann 8, 1, pp 261–394
	ofBull 140, pp 274–276
irrigation from	WS 17, pp 75–76
precious stones found in	MR 1883–84, pp 730–732, 763; MR 1893,
	IV, pp 596, 601; Ann 20, vi cont, pp 582–584
	ts ofAnn 11, 11, pp 101, 108
	fGF 31
	GF 41, p 7
	Ann 8, 11, pp 961–985; Mon XIII
quicksilver deposits of Lacine stope.	istics of MR 1882, pp 387–398; MR 1883–
	MR 1885, pp 284–289; MR 1886, pp 160–168;
	8, 120; MR 1888, pp 97, 99–100; MR 1889–90,
	1891, pp 119–121; MR 1892, pp 160, 163–165;
	11–116, 118; Ann 16, III, pp 598, 599; Ann
	-181; Ann 18, v, pp 287–289; Ann 19, vi, pp
	20, vr, pp 271–273; Ann 21, vr, pp 274–278
	enMR 1883–84, pp 503–536
	Ann 21, 1v, p 661
	WS 39, p 431
	396, 399, 400, 407, 418; Ann 19, IV, pp 532–535,
	0, pp 257–258, 264, 289, 321, 325–326, 329
000, Dun 11	
	Ann 20, IV, pp 560–561; WS 39, pp 437–438
relation of altitude to in	Bull 140, pp 328–330
	Ann 13, 111, p 27
Rancheria Creek flow of measurem	ents ofBull 140, pp 262–264
Lambiation Office, now of, measurem	ones on

California, San Luis Rey River, flow of, measurements of	Ann 19,
ıv, pp 532-535; Bull 140, p 321; WS 39	
San Mateo Creek, flow of, measurements of	, pp 389–390
San Mateo reservoir dam	
sandstone production ofMR 1892, pp 710, 711; MR, 1893, p 5	53; Ann 16,
ıv, pp 437, 484, 485, 486; Ann 17, 111 cont, pp 7	60, 775, 776,
777, 778; Ann 18, v cont, pp 950, 1012, 1013, 1014	4, 1016–1017;
Ann 19, vr cont, pp 206, 264, 265, 266, 267; Ann	20, vi cont,
pp 271, 336, 337, 338, 339; Ann 21, vi cont, pp	335, 353-356
Santa Ana Canyon steel dam	
Santa Ana River, flow of, measurements of	Ann 18,
ıv, pp 411–412; Ann 20, ıv, pp 552–555; Ann 21	., iv, pp 483–
484; Bull 140, pp 318–321; WS 11, p 93; WS 16,	pp 195-196;
WS 28, pp 190, 191, 194–195; WS 39, pp 418–	420, 427-428
Santa Ana River and tributaries, supply of water fromAnn 19, IV	
Santa Clara River, flow of, measurements ofAnn 20, IV	
sections, geologic, in. (See Section, geologic, in California.)	
sewage-disposal plants inWS	22 nn 82-85
Sierra Nevada, geology of Ann 14, 11, pp 435–495; Ann 17, 1	. pp 521–762
rocks and history of	1-2: GF 11
pp 1–2; GF 18, pp 1–2; GF 31, pp 1–2; GF 37, pp	
pp 1-2; GF 41, pp 1-2; GF 43, pp 1-2; GF	
silver and gold in, comparative production of	
(See "gold and silver," under this State.)	-, ₁ ,,
slate production of	3, iv, pp 437,
476, 477; Ann 17, 111 cont, pp 760, 770, 771, 7	
Ann 18, v cont, pp 994, 995, 996, 997; Ann 19, vr	
250, 251, 252, 253, 254; Ann 20, vr cont, pp 27	
296, 297, 298, 299; Ann 21, vi cont, pp 335,	
Smartsville quadrangle, geology of	
soda, natural, of Mono and Owens lakesBull 60, pp 53,	
soils of Jackson quadrangle	
of Placerville quadrangle	
of Pyramid Peak quadrangle	
of Sacramento quadrangle	
of Smartsville quadrangle	
Sonora quadrangle, forest conditions in	, pp 569–571
geology of	
Stanislaus River, flow of, measurements of	Ann 18,
ıv, pp 371–375, 376; Ann 19, ıv, pp 510–512;	
pp 63, 526, 530-531; Ann 21, iv, pp 447-44	8; Bull 140,
pp 304–308; WS 11, p 90; WS 16, p 187; W	'S 19, pp 50-
52; WS 28, pp 182, 185, 186, 193; WS 38,	pp 391 <b>–</b> 392
irrigation fromWS	
profile of	WS 44, p 95
Stanislaus and Lake Tahoe forest reserves and adjacent territory,	
onAnn 21, w	
stratigraphy of, notes on	
streams in, average flow ofBull 140	
stream measurements by State engineers, method ofBull 140	
in, miscellaneous	
Ann 19, IV, pp 535-536; WS 28, p 185; WS 39	
sulphur production ofMR 1883-84	
Sweetwater reservoir, evaporation atBull 140	), pp 325–326

California, Sweetwater reservoir dam	Ann 18, iv, pp 669–682, 730
Sweetwater River, flow of, measurements of.	Ann 18, iv, pp 415–416; Ann 21,
	l 140, pp 322–327; WS 39, pp 429–430
Tejon strata of	
Tejon House Creek, flow of, measurements o	
	Bull 131, p 79; Bull 140, pp 260–262
Temescal Creek, flow of, measurements of	
Tertiary revolution in topography of Pacific	
timber in, estimates of	
tin deposit and production of	MR 1882_84
	; MR 1889–90, pp 119, 121; MR 1891,
	. 1892, p 258; Ann 16, 111, pp 535–538
topographic maps of. (See Map, topographic	
topographic work in	
	op 13–14, 47–48; Ann 6, pp 15–16;
	1, pp 105, 131; Ann 9, p 58; Ann 10, 1,
	n 11, 11, pp 295–296; Ann 12, 1, p 45;
	14, r, pp 177–178; Ann 15, pp 121–123;
	71; Ann 17, 1, pp 97, 105; Ann 18, 1,
	19, 1, pp 89, 90, 107–108, 113; Ann 20,
	125; Ann 21, i, pp 137–139, 144–145
trees and chaparral in San Gabriel, San Bern	
	n 20, v, pp 418–426, 437–451, 463–476
triangulation inBull 122, pp 32	
Truckee quadrangle, geology of	
Truckee River, flow of, measurements of A	
	9; Bull 140, pp 210–212; WS 38, p 331
Tule River, flow of, measurements of	
	Bull 140, pp 276–279; WS 28, p 192
irrigation from	WS 17, pp 78–92
Tunis Creek, flow of, measurements of	
Tuolumne River, flow of, measurements of	
	pp 512-514; Ann 20, IV, pp 63, 526,
	9 449–454; Bull 131, pp 83–85; Bull
140, pp 297–303; WS 11,	, pp 90–91; WS 16, pp 188–189; WS
19, pp 40–43; WS 28, pp	183, 185, 186, 193; WS 38, pp 393–395
irrigation from	
profile of	
reservoir project on	
Victor reservoir dam	
volcanic eruption (a late one) in, and its pec	
Warm Creek, flow of, measurements of	
water, underground, obtained from bed of	
	Ann 20, iv, pp 543–549
water appropriation and irrigation districts in	
water storage on Cache Creek	
water supply, for public lands, in	
of Marysville quadrangle	
wells in San Bernardino Valley	Ann 90 IV n 550
Whitewater River, flow of, measurements of.	Rull 140 n 218
woodland area of	Ann 10 v n 19
Wright act, in relation to irrigation	Ann 13 111 nn 145–148
Yosemite quadrangle, forest conditions in	Ann 91 w nn 571-574
Yuba River, profile of	
rapa miver, promie or	үү б тт, р зэ

Call (R. E.), Quaternary and recent Mollusca of Great BasinBull 11, pp 13-66
Callahan Divide, Texas, general description of
Calloway irrigation canal, California
Caloosahatchie beds of FloridaAnn 18, 11, p 337; Bull 84, pp 142-149, 323
Calyptræidæ of Miocene deposits of New Jersey
Cambrian; a correlation essay, by C. D. WalcottBull 81
origin of termBull 81, p 237
pre-, geology, North American, principles of
Taconic, use of nameBull 30, pp 65–70
Cambrian fauna of Nevada, Eureka district
Lower, notes on genera and species of
relations of, to superjacent faunas
Cambrian faunas of North AmericaBull 10; Bull 30
Cambrian fossils of Appalachian provinceBull 81, pp 91–155
of MassachusettsBull 81, pp 88–90
of Nevada, Eureka district
Eureka district, systematic list of
Potsdam horizon ofBull 30, pp 32–33
of New Brunswick and Cape Breton
of NewfoundlandBull 81, pp 78–80
of PennsylvaniaBull 134
of Yellowstone Park
Cambrian history of Appalachian region
of Massachusetts, western
of Montana, Fort Benton quadrangle
Cambrian land areas in Denver Basin
Cambrian medusæ
Cambrian rocks; Acadian series in Georgia, equivalents ofBull 81, p 303
Acadian series, naming ofBull 81, p 248
Adams Lake series of British ColumbiaBull 86, p 340
American and foreign equivalent formations
Antietam sandstone of Virginia, Maryland, and West VirginiaGF 10, p 3
Apison shale of Georgia, Tennessee, and North Carolina
p 1; GF 4, p 2; GF 6, p 1; GF 16, p 3; GF 20, p 2
Barker formation of Montana
Beaver limestone of Tennessee and North Carolina
Becket conglomerate-gneiss of Massachusetts, westernMon xxix, pp 31-38
Becket gneiss of Massachusetts and Connecticut
bibliography of Lower Cambrian rocks and fossilsAnn 10, 1, pp 516-524
Black Patch grit of New York-Vermont
Bow River group or series
Braintree argillitesBull 10, pp 43–49; Bull 81, pp 73–78, 268–273
Bretonian series, naming of
Castle Mountain group or series of CanadaBull 81, pp 326–327; Bull 86, p 340
Cherokee slates of North Carolina, features of
Cheshire quartzite of western Massachusetts
Chilhowee sandstones of North Carolina and Tennessee, features ofBull 81,
pp 138, 247, 251
Choccolocco or Montevallo shales, naming of
classification of, table showing
of early Cambrian and pre-Cambrian formations
Cochran conglomerate of Tennessee and North Carolina
p 2; GF 16, p 3; GF 25, p 2 Conasauga shale in Alabama, Georgia, and TennesseeGF 2, p 1; GF 4, p 2;
GF 6, p 1; GF 20, p 2; GF 25, p 3; GF 33, p 2; GF 35, p 2
or o, pr, or 20, p2, or 20, p3, or 30, p2; or 30, p2

Cambrian rocks; Conasauga shale, naming ofBull 81, pp 246–247
copper-bearing series of Lake Superior regionBull 86, passim
Coosa shales of Alabama
correlation of
Cupriferous series of Great Lakes region Bull 86, pp 120–121, 122, passim
(See, also, copper-bearing series; Keweenawan series; Nipigon series.)
Deadwood formation of Black Hills
Deadwood standstone of Black Hills, water from
distribution, geographic, of Lower
Dry Creek shale of Montana, description and sections of
pp 286, 328, 330, 340, 364, 368; GF 55, p 2; GF 56, p 2
Eastern sandstone of Lake Superior region
pp 136, 147–155; Mon v, pp 351–365; Mon xix,
pp 461–463; Bull 81, pp 197, 198, 199, 335–336
junction between Keweenaw series and
enlargements in
Eureka series of Nevada
European and American equivalent formations
ferruginous quartzite and sandstone of New York-Vermont
ш, pp 183–185
Fiathead formation of Montana
of Wyoming
of Yellowstone ParkMon xxxII, II, pp 8, 21, 22, 23, 154, 206, 212, 214
Flathead quartzite of MontanaGF 1, p 2; GF 24, pp 1, 2; GF 56, p 2
Flathead sandstone of Montana, description and sections of
III, pp 285, 364; GF 55, p 2 formations, table of
Gallatin formation of MontanaBull 110, pp 22–25; GF 1, p 2; GF 24, p 2
of Wyoming
of Yellowstone ParkMon xxxII, II, pp 8, 22, 23, 58, 153, 206, 212, 214
Gallatin limestones and sandstones of Montana
Georgia slates of Vermont and northern Appalachian provinceBull 81,
pp 98–114, 249–250, 277–281
history, relations, thickness, fossils, etc., ofBull 30, pp 12-59
gneisses of Massachusetts, western
Granular quartz of Appalachian province, northernBull 81,
pp 91-96, 275-277, 283, 284 Hamburg limestone of Nevada and Utah
Mon vii, pp 7-8; Mon xix, pp 39-41; Bull 81, p 315
Hamburg shale of Nevada, Eureka district, age, character, and thickness of . Ann 3,
pp 253, 255, 256; Mon xix, p 41; Bull 81, pp 246, 315, 316
Hampton shale of Virginia and Tennessee
Hardistonville quartzite of New Jersey, northern
11, pp 442–443, 454–456
Harpers shale in Catoctin belt
Hesse sandstone of Tennessee and North CarolinaGF 16, p 3; GF 25, p 2
Hickory series, naming of
historical notes on correlation of
Honaker limestone of Virginia, West Virginia, and Tennessee
p 2; GF 59, p 3
Hoosac schist in Hoosac Mountain
Johannian series of New Brunswick, naming of Bull 81, p 249
Katemcy series of Texas, naming of

Car	mbrian rocks; Knox dolomite of Virginia, West Virginia, and TennesseeGF 44,
	p 2; GF 59, p 3
	Knox sandstone and shale of Southern StatesBull 81, pp 301–307
•	Lake Superior sandstone of Michigan
	Bull 81, pp 188–190, 252, 335–339; Bull 86, passim  Levis shales of Canada
	Loudoun formation in Catoctin belt
	Lower Quebec limestone of Wyoming Bull 81, p 351
	Madison sandstone of Wisconsin
	Manhattan group of New York
	Maryville limestone of Kentucky, Virginia, Tennessee, and North Caro-
	lina
	GF 16, pp 3-4; GF 25, p 3; GF 27, p 2; GF 33, p 2; GF 59, p 3
	Meagher limestone of Montana, description and sections of
	111, pp. 285, 340, 364; GF 55, p 2; GF 56, p 2
	Mendota limestone group of Wisconsin
	Merrimack group of New Hampshire, features of Bull 81, p 70
	Monson gneiss and associated rocks in Massachusetts Mon xxix, pp 41-65
	Montevallo shales, naming of Bull 81, p 247  Murray shale of Tennessee and North Carolina GF 16,
	p 3; GF 20, p 2; GF 25, p 2
	Nebo sandstone of Tennessee and North Carolina
	Nichols shale of Tennessee and North Carolina
	p 3; GF 20, p 2; GF 25, p 2  Nipigon series of Canada
	Nisconlith series of Canada Bull 86, p 340
	Nolichucky shale of Kentucky, Tennessee, Virginia, West Virginia, and North CarolinaGF 12, p 2; GF 16, p 4;
	GF 25, p 3; GF 27, p 3; GF 33, p 2; GF 44, p 2; GF 59, p 3
	nomenclature of divisions of
	North American and South American equivalent formations Bull 81, p 379
	Ocoee conglomerate and shales of Southern StatesBull 81, pp 252, 299–300
	of Alabama Bull 81, pp 305–308
	of Appalachian province
	of ArizonaBull 81, pp 356–357
	of Atlantic coast provinceBull 81, pp 253–274
	of California, Ingo or White Mountains
	of CanadaBull 81, pp 114–122, 285–287, 326–327
	of Cape Breton
	of ColoradoBull 81, pp 351–354
	Aspen district
•	Leadville district
	Mosquito Range
	Pikes Peak quadrangleGF 7, pp 1–2
	of Delaware
	of Delaware       Bull 81, p 288         of Georgia       Bull 81, pp 303–305
	Ringgold quadrangle
	of Grand Canyon regionBull 30, pp 41–43
	of Grand Canyon region
	of Grand Canyon region
	of Grand Canyon region

	Ann 3, pp 155–156;
	p 796; Mon v, pp 351–352, 366, 443; Bull 62
	Bull 81, pp 68–69, 267
	Ann 8, 11, pp 1058–1059
	Bull 81, pp 289–290
	GF 10, pp 2–3
	Bull 81, pp 72–78, 268–273
	Bull 81, pp 339–341
	Ann 6, pp 50–51
	Bull 81, pp 323–326
	GF 55, p 2
Judith Mountains	Ann 18, 111, pp 459, 465–468
	Ann 20, 111, pp 284–287, 383; GF 56, p 2
Livingston quadrangle	GF 1, p 2
	Bull 110, pp 15, 20
Three Forks quadrangle	GF 24, p 2
of Narragansett Basin	fon xxxIII, pp 109-113, 212-214, pp 381-393
	Bull 81, pp 313–320
	4–259; Mon VII, pp 5–10; Mon xx, pp 34–62
	Bull 81, pp 59–67, 262–267
	Bull 81, pp 70–72, 267–268
	Bull 81, p 287
of Newfoundland	Bull 81, pp 253–262
	Bull 30, pp 63, 65
	Ann 10, 1, pp 510–511
	Bull 81, p 299
Knoxville quadrangle	GF 16, pp 3-4
	Bull 81, pp 56–59, 262
	Bull 81, pp 288–289; Bull 134
of Rocky Mountain province	Bull 81, pp 313–330
of South Dakota, Black Hills	Ann 21, 111, pp 178, 181;
	ıv, pp 505–508; Bull 81, pp 347–349
of States. (See, also, formation name	
	Bull 81, pp 299–303
	GF 33, p 2
	GF 59, p 2
	GF 6, p 1
Cleveland quadrangle	GF 20, p 2
	GF 12, p 2
<b>.</b> .	GF 4, p 2
	GF 16, pp 3–4
	GF 25, pp 2–3
	GF 27, p 2
	GF 2, p 1
of TexasAnn 21, vii, pp 89	-90; Bull 45, pp 56, 87; Bull 81, pp 354-356
of Utah	Bull 30, pp 38–40; Bull 81, pp 313–320
	GF 65, p 1
	Bull 81, pp 290–299
Bristol quadrangle	GF 59, p 2
	GF 12, p 2
	GF 10, pp 2–3
	GF 26, p 2
Tazewell quadrangle	GF 44, p 2
of West Virginia, Harpers Ferry quad	rangle
	·

Cambrian rocks of West Virginia, Pocahontas quadrangle
of West Virginia, Tazewell quadrangle
of WyomingBull 81, pp 349–351; Bull 119, pp 17–18
Absaroka district
Black Hills, southern partAnn 21, 1v, pp 505–508
of Yellowstone Park
pp 8, 21, 22, 23, 58, 153, 206, 212, 214; GF 30, pp 1, 4
Olive grit of New York-Vermont
Park shale of Montana, description and sections of
111, pp 286, 340, 364, 368; GF 55, p 2; GF 56, p 2
Pilgrim limestone of Montana, description and sections of
111, pp 286, 330, 340, 364, 368; GF 55, p 2; GF 56, p 2
Potsdam rocks, naming of
in Alabama, equivalent of
in Arizona
in Black Hills regionBull 86, p 257
in Canada and Great Lakes regionBull 81, pp 207–208; Bull 86, passim
in Colorado
in DakotaBull 81, pp 214–216
in DelawareBull 81, p 123
in Illinois
in Iowa
sections showing relations ofAnn 10, 1, pp 559, 560, 561, 562, 564
in Lake Superior regionAnn 7, pp 399-414; Bull 81, pp 190-199, 338-339
in Michigan, Crystal Falls districtAnn 19, 111, p 151; Mon xxxv1, p 481
in MinnesotaBull 81, pp 181–187
in Mississippi Valley, UpperBull 81, pp 330-334
in MissouriBull 81, pp 199–201
in New JerseyBull 81, pp 122–123; Bull 86, pp 401, 414
in New York
in Newfoundland
in Nova Scotia Bull 81, pp 56, 57
in PennsylvaniaBull 81, pp 124–132; Bull 86, pp 408, 409
in South Dakota
in Tennessee
in Texas
in VermontBull 86, p 358
in VirginiaBull 81, pp 134–138
in Wisconsin
in Wyoming
Potsdam sandstone and limestone of Texas, Packsaddle MountainAnn 21,
vii, p 89
stratigraphic relations of Georgia formation toBull 30, pp 20-24
Prospect Mountain limestone of Nevada, Eureka district
pp 253, 254–255; Ann 4, pp 229, 230–231; Mon vii,
pp 6-7; Mon xix, pp 36-38; Bull 30, pp 32-33
of Utah and Nevada
Prospect Mountain quartzite of Nevada, Eureka districtAnn 3,
p 254; Ann 4, pp 230, 233; Mon vii, p 6; Mon xix, p 35
of Utah and NevadaBull 81, pp 252, 313-314
quartzite, Lower, in Colorado, Leadville district
red sand rock of Appalachian province, northernBull 81,
pp 96–98, 275, 277, 278, 280
review of investigations relating to Lower
1010 of investigations relating to hower

Cambrian rocks; Riley series of Texas, naming of
p 2; GF 16, p 3; GF 25, p 3; GF 27, p 2; GF 59, p 3
Rome formation of North Carolina, Georgia, and Tennessee
p 1; GF 4, p 2; GF 6, p 1; GF 16, p 3; GF 20,
p 2; GF 25, p 3; GF 27, p 2; GF 33, p 2
Rome sandstone of Georgia, naming of
Russell formation of Kentucky, Virginia, West Virginia, and Tennessee. GF 12,
p 2; GF 26, p 2; GF 44, p 2; GF 59, p 3
Rutledge limestone of Kentucky, Virginia, Tennessee, and North Caro-
lina . GF 12, p 2; GF 16, p 3; GF 25, p 3; GF 27, p 2; GF 59, p 3
St. Croix sandstone of Upper Mississippi ValleyBull 81, pp 245, 330–334
St. John group of New BrunswickBull 10, pp 9-42; Bull 81, pp 61-67
St. John's slate of Newfoundland
Sandsuck shale of Tennessee and North CarolinaGF 16,
p 3; GF 20, p 2; GF 25, p 2
Sawatch quartzite of Colorado
Secret Canyon shale of Nevada, at Eureka
pp 253–255; Ann 4, pp 229, 231, 233; Mon VII, p 7; Mon XIX, p 39
of Utah and Nevada
Selkirk series of Canada
Shenandoah limestone of Catoctin belt
н, pp 337–342; GF 10, p 3; GF 26, p 2; GF 32, p 2
of Virginia and Tennessee
Sillery series of Canada
slates, roofing, of New York-Vermont
South American and North American equivalent formationsBull 81, p 379
Starr conglomerate of Tennessee
Stockbridge limestone of MassachusettsBull 86, p 365, passim
of New York
structure of ridge between Taconic and Green Mountain ranges, and of
Monument Mountain, Massachusetts
н, pp 525–549, 551–565
Taconian or Taconic systemBull 86, pp 379, 390, 464–465, 474, passim
Tintic quartzite of Utah
Tonto group or series of Grand Canyon of the ColoradoBull 81,
pp 220–221, 245, 356–357
Tonto sandstone of Grand Canyon districtBull 86, pp 330, 331, passim
Unicoi sandstone of Virginia and Tennessee
Upper Quebec limestone of WyomingBull 81, p 351
Vermont formation of Green Mountains, Massachusetts
pp 48–59, 181–190
Wallkill limestone of northern New Jersey
Weisner quartzite of Alabama, naming ofBull 81, p 251
Western sandstone of Lake Superior region
Mon v, pp 365–366; Bull 81, pp 197, 198, 335, 336
Weverton sandstone of Catoctin beltAnn 14, 11, pp 329–333; GF 10, pp 2–3
Wolsey shale of Montana, description and sections of
ин, pp 285, 340, 364; GF 55, p 2; GF 56, p 2
Yogo limestone of Montana, description and sections of
пі, рр 286, 328, 329, 339, 363, 368; GF 55, р 2; GF 56, р 2
(See, also, Paleozoic.)
Cambrian time, North American continent during
North American continent and Europe during

Cambrian zone, Lower, or Olenellus, fauna of	
Camprian zone. Lower, or Olenenus, Japos of Ann 10.1. DD 509-705	
Cambrian and Ordovician rocks, relations of, in New York-Vermont slate	
belt	
Camden coal field of Arkansas, southwestern	
Camden series of rocks of ArkansasBull 83, pp 74–75; Bull 84, p 323	
Campbell (D. W.), digest of decisions relating to the use and control of water	
in the arid region. (See p 113 of this bulletin.)	
Campbell (M. R.), geology of Big Stone Gap coal field of Virginia and Ken-	
tuckyBull 111	
burn	
geology of Bristol quadrangle, Virginia-Tennessee	
geology of Estillville quadrangle, Kentucky-Virginia-Tennessee GF 12	
geology of Huntington quadrangle, West Virginia-Ohio	
geology of London quadrangle, Kentucky	
geology of Pocahontas quadrangle, Virginia-West Virginia	
geology of Richmond quadrangle, KentuckyGF 46	
geology of Standingstone quadrangle, Tennessee	
geology of Tazewell quadrangle, Virginia-West Virginia	
work in charge of, 1893-1900	
153; Ann 16, I, pp 17–18; Ann 17, I, pp 23–24; Ann 18, I, pp	
27-29; Ann 19, 1, p 34; Ann 20, 1, p 37; Ann 21, 1, pp 71-72	
Campbell (M. R.) and Leverett (F.), geology of Danville quadrangle, Illinois-	
IndianaGF 67	
Campbell (M. R.) and Mendenhall (W. C.), geologic section along New and	
Kanawha rivers in West VirginiaAnn 17, 11, pp 473-511	
Camptonite, analysis of, from Canada, Montreal	
analysis of, from New Hampshire, Campton FallsBull 107,	
p 31; Bull 148, p 67; Bull 150, p 241; Bull 168, p 23	
from New York, Hudson River highlands, Orange County, and Wash-	
ington CountyBull 107, p 31	
ington county	
from Vermont, FairhavenBull 107, p 31	
from Vermont, Fairhaven	
from Vermont, Fairhaven Bull 107, p 31  Mount Ascutney Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series Bull 150, pp 239–241  in Lake Champlain region Bull 107, pp 29–32	
from Vermont, Fairhaven Bull 107, p 31  Mount Ascutney Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series Bull 150, pp 239–241  in Lake Champlain region Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle GF 56, p 4	
from Vermont, Fairhaven Bull 107, p 31  Mount Ascutney Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series Bull 150, pp 239–241  in Lake Champlain region Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle GF 56, p 4	
from Vermont, Fairhaven Bull 107, p 31  Mount Ascutney Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series Bull 150, pp 239–241  in Lake Champlain region Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle GF 56, p 4  of Vermont slate belt Ann 19, 111, pp 224–225	
from Vermont, Fairhaven  Mount Ascutney  Bull 107, p 31  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, III, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31	
from Vermont, Fairhaven  Mount Ascutney  Bull 107, p 31  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, 111, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31  Camptosauridæ of North America  Ann 16, 1, pp 196–198	
from Vermont, Fairhaven  Mount Ascutney  Bull 107, p 31  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, III, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31	
from Vermont, Fairhaven  Mount Ascutney  Bull 148, p 69; Bull 168, p 26 from Yellowstone Park, Stinkingwater Canyon  Bull 148, p 136; Bull 168, p 110 from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241 in Lake Champlain region  Bull 107, pp 29–32 in Montana, Little Belt Mountains quadrangle  GF 56, p 4 of Vermont slate belt  Ann 19, III, pp 224–225 thin section of, from Vermont, Dorset Mountain  Bull 107, p 31 Camptosauridæ of North America  Ann 16, I, pp 196–198 Camptosaurus, description and restoration of  Ann 16, I, pp 196–198, 201	
from Vermont, Fairhaven  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, 111, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31  Camptosauridæ of North America  Ann 16, 1, pp 196–198  Camptosaurus, description and restoration of  Ann 16, 1, pp 196–198, 201  from Denver Basin, remains of  Mon xxv11, pp 502–503	
from Vermont, Fairhaven  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, III, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31  Camptosauridæ of North America  Ann 16, I, pp 196–198  Camptosaurus, description and restoration of  Ann 16, I, pp 196–198, 201  from Denver Basin, remains of  Mon xxvII, pp 502–503  Canaan formation of Virginia, West Virginia, and Maryland:  GF 28,	
from Vermont, Fairhaven  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, 111, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31  Camptosauridæ of North America  Ann 16, 1, pp 196–198  Camptosaurus, description and restoration of  Ann 16, 1, pp 196–198, 201  from Denver Basin, remains of  Mon xxv11, pp 502–503  Canaan formation of Virginia, West Virginia, and Maryland:  GF 28,  p 3; GF 32, p 4; GF 34, p 2; GF 61, p 5	
from Vermont, Fairhaven  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, 111, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31  Camptosauridæ of North America  Ann 16, 1, pp 196–198  Camptosaurus, description and restoration of  Ann 16, 1, pp 196–198, 201  from Denver Basin, remains of  Mon xxv11, pp 502–503  Canaan formation of Virginia, West Virginia, and Maryland:  GF 28,  p 3; GF 32, p 4; GF 34, p 2; GF 61, p 5  Canada; Acadian area of Newark system  Bull 85, pp 19–20, 80	
from Vermont, Fairhaven  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, 111, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31  Camptosauridæ of North America  Ann 16, 1, pp 196–198  Camptosaurus, description and restoration of  Ann 16, 1, pp 196–198, 201  from Denver Basin, remains of  Mon xxv11, pp 502–503  Canaan formation of Virginia, West Virginia, and Maryland:  GF 28,  p 3; GF 32, p 4; GF 34, p 2; GF 61, p 5	
from Vermont, Fairhaven  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, III, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31  Camptosauridæ of North America  Ann 16, I, pp 196–198  Camptosaurus, description and restoration of  Ann 16, I, pp 196–198, 201  from Denver Basin, remains of  Mon xxvII, pp 502–503  Canaan formation of Virginia, West Virginia, and Maryland  GF 28,  p 3; GF 32, p 4; GF 34, p 2; GF 61, p 5  Canada; Acadian area of Newark system  Bull 85, pp 19–20, 80  Acadian province, upper Paleozoic formations in, correlations and classifi-	
from Vermont, Fairhaven  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, 111, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31  Camptosauridæ of North America  Ann 16, 1, pp 196–198  Camptosaurus, description and restoration of  Ann 16, 1, pp 196–198, 201  from Denver Basin, remains of  Mon xxv11, pp 502–503  Canaan formation of Virginia, West Virginia, and Maryland:  GF 28,  p 3; GF 32, p 4; GF 34, p 2; GF 61, p 5  Canada; Acadian area of Newark system  Bull 85, pp 19–20, 80  Acadian province, upper Paleozoic formations in, correlations and classifications of  Bull 80, pp 226–257	
from Vermont, Fairhaven  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, 111, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31  Camptosauridæ of North America  Ann 16, 1, pp 196–198, 201  from Denver Basin, remains of  Mon xxv11, pp 502–503  Canaan formation of Virginia, West Virginia, and Maryland:  GF 28,  p 3; GF 32, p 4; GF 34, p 2; GF 61, p 5  Canada; Acadian area of Newark system  Bull 85, pp 19–20, 80  Acadian province, upper Paleozoic formations in, correlations and classifications of  Bull 80, pp 226–257  antimony mines and production of  MR 1883–84, pp 644–645	
from Vermont, Fairhaven  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, 111, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31  Camptosauridæ of North America  Ann 16, 1, pp 196–198, 201  from Denver Basin, remains of  Mon xxv11, pp 502–503  Canaan formation of Virginia, West Virginia, and Maryland:  GF 28,  p 3; GF 32, p 4; GF 34, p 2; GF 61, p 5  Canada; Acadian area of Newark system  Bull 85, pp 19–20, 80  Acadian province, upper Paleozoic formations in, correlations and classifications of  Bull 80, pp 226–257  antimony mines and production of  MR 1883–84, pp 644–645  Archean and Algonkian literature of  Bull 86, pp 209–247, 501–503	
from Vermont, Fairhaven  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, 111, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31  Camptosauridæ of North America  Ann 16, 1, pp 196–198  Camptosaurus, description and restoration of  Ann 16, 1, pp 196–198, 201  from Denver Basin, remains of  Mon xxv11, pp 502–503  Canaan formation of Virginia, West Virginia, and Maryland:  GF 28,  p 3; GF 32, p 4; GF 34, p 2; GF 61, p 5  Canada; Acadian area of Newark system  Bull 85, pp 19–20, 80  Acadian province, upper Paleozoic formations in, correlations and classifications of  Bull 80, pp 226–257  antimony mines and production of  MR 1883–84, pp 644–645  Archean and Algonkian literature of  Bull 86, pp 209–247, 501–503  asbestos industry and statistics of  MR 1883–84, p 913; MR 1885,	
from Vermont, Fairhaven  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, 111, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31  Camptosauridæ of North America  Ann 16, 1, pp 196–198  Camptosaurus, description and restoration of  Ann 16, 1, pp 196–198, 201  from Denver Basin, remains of  Mon xxv11, pp 502–503  Canaan formation of Virginia, West Virginia, and Maryland:  GF 28,  p 3; GF 32, p 4; GF 34, p 2; GF 61, p 5  Canada; Acadian area of Newark system  Bull 85, pp 19–20, 80  Acadian province, upper Paleozoic formations in, correlations and classifications of  Bull 80, pp 226–257  antimony mines and production of  MR 1883–84, pp 644–645  Archean and Algonkian literature of  Bull 86, pp 209–247, 501–503  asbestos industry and statistics of  MR 1883–84, p 913; MR 1885,	
from Vermont, Fairhaven  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, 111, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31  Camptosauridæ of North America  Ann 16, 1, pp 196–198  Camptosaurus, description and restoration of  Ann 16, 1, pp 196–198, 201  from Denver Basin, remains of  Mon xxv11, pp 502–503  Canaan formation of Virginia, West Virginia, and Maryland:  GF 28,  p 3; GF 32, p 4; GF 34, p 2; GF 61, p 5  Canada; Acadian area of Newark system  Bull 85, pp 19–20, 80  Acadian province, upper Paleozoic formations in, correlations and classifications of  Bull 80, pp 226–257  antimony mines and production of  MR 1883–84, pp 644–645  Archean and Algonkian literature of  Bull 86, pp 209–247, 501–503  asbestos industry and statistics of  MR 1883–84, p 913; MR 1885,  p 521; MR 1889–90, p 514; MR 1892, pp 809–814; MR	
from Vermont, Fairhaven  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, 111, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31  Camptosauridæ of North America  Ann 16, 1, pp 196–198, 201  from Denver Basin, remains of  Mon xxv11, pp 502–503  Canaan formation of Virginia, West Virginia, and Maryland:  GF 28,  p 3; GF 32, p 4; GF 34, p 2; GF 61, p 5  Canada; Acadian area of Newark system  Bull 85, pp 19–20, 80  Acadian province, upper Paleozoic formations in, correlations and classifications of  Bull 80, pp 226–257  antimony mines and production of  MR 1883–84, pp 644–645  Archean and Algonkian literature of  Bull 86, pp 209–247, 501–503  asbestos industry and statistics of  MR 1883–84, p 913; MR 1885,  p 521; MR 1889–90, p 514; MR 1892, pp 809–814; MR  1893, p 757; Ann 16, IV, pp 705–706; Ann 17, III cont,	
from Vermont, Fairhaven	
from Vermont, Fairhaven  Mount Ascutney  Bull 148, p 69; Bull 168, p 26  from Yellowstone Park, Stinkingwater Canyon  Bull 148,  p 136; Bull 168, p 110  from Campton Falls, New Hampshire, description of, as one of the educational series  Bull 150, pp 239–241  in Lake Champlain region  Bull 107, pp 29–32  in Montana, Little Belt Mountains quadrangle  GF 56, p 4  of Vermont slate belt  Ann 19, 111, pp 224–225  thin section of, from Vermont, Dorset Mountain  Bull 107, p 31  Camptosauridæ of North America  Ann 16, 1, pp 196–198, 201  from Denver Basin, remains of  Mon xxv11, pp 502–503  Canaan formation of Virginia, West Virginia, and Maryland:  GF 28,  p 3; GF 32, p 4; GF 34, p 2; GF 61, p 5  Canada; Acadian area of Newark system  Bull 85, pp 19–20, 80  Acadian province, upper Paleozoic formations in, correlations and classifications of  Bull 80, pp 226–257  antimony mines and production of  MR 1883–84, pp 644–645  Archean and Algonkian literature of  Bull 86, pp 209–247, 501–503  asbestos industry and statistics of  MR 1883–84, p 913; MR 1885,  p 521; MR 1889–90, p 514; MR 1892, pp 809–814; MR  1893, p 757; Ann 16, IV, pp 705–706; Ann 17, III cont,	

```
pp 56-67, 80-88, 262-267, 285-287, 326, 334, 380, 382
  chromic iron in, occurrence, character, use, etc., of ......Ann 17, III, pp 261-273
  coal production of, statistics of .......MR 1882, p 5; MR 1885, p 11; MR 1886,
              p 235; MR 1887, p 189; MR 1891, p 73; MR 1892, p 270;
              MR 1893, p 202; Ann 16, III, pp 246, 248, IV, 21; Ann 17, III,
              pp 314, 320; Ann 18, v, pp 132, 136, 414, 420; Ann 19, vi, pp
              311, 318; Ann 20, vi, pp 332, 339; Ann 21, vi, pp 113, 363, 371
  pp 356, 373; MR 1885, p 229; MR 1886, p 128; MR 1887,
                pp 87, 97; MR 1888, p 73; MR 1891, p 101; MR 1892,
                p 114; MR 1893, p 86; Ann 16, 111, p 352; Ann 17, 111,
                pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vi, pp 176,
                178; Ann 20, vi, pp 202, 204; Ann 21, vi, pp 204, 206, 222
  elevations in, and in Northwest Territories......Bull 6; Bull 72
  geologic maps of, list of .......Bull 7, pp 39–51
    (See, also, Map, geologic, of Canada.)
  gold production of, compared with that of other countries.......MR 1883-84,
                                          pp 319, 320
  pp 629-630; Ann 20, vi cont, p 718; Ann 21, vi cont, p 568
  p 520; Ann 20, vr cont, p 612; Ann 21, vr cont, p 471
 p 809; MR 1885, pp 459-460; MR 1887, pp 602, 603;
                  MR 1893, p 716; Ann 16, IV, p 666; Ann 17, III cont,
                  pp 982-983; Ann 18, v cont, p 1269; Ann 19, vi cont,
                  pp 584, 585; Ann 20, vr cont, p 665; Ann 21, vr cont
 iron, iron ore, and steel from, statistics of ..... Ann 16, 111, pp 23, 28, 44-54, 246-
               247, 248; Ann 18, v, pp 133-135, 136, 137; Ann 19, vi,
               pp 83, 89; Ann 20, vi, pp 99-101; Ann 21, vi, pp 113, 114
 . pp 201, 215, 220; Ann 20, vi, p 246; Ann 21, vi, pp 245, 246
 p 554; MR 1885, pp 350-356; MR 1886, p 198; MR 1887,
              pp 153-154; MR 1888, pp 133-136; MR 1889-90, p 130; MR
              1892, p 216; MR 1893, pp 136-137, 155; Ann 16, III, pp 435-
              439, 457; Ann 17, 111, pp 205-207, 224; Ann 18, v, pp 311,
              328; Ann 20, vi, pp 138-139, 156; Ann 21, vi, pp 144-146, 162
 pp 443-448; MR 1893, p 541; Ann 17, 111 cont, pp 749-750;
              Ann 18, v cont, pp 916-918; Ann 19, vi cont, pp 182-183;
              Ann 20, vi cont, pp 222-223; Ann 21, vi cont, pp 316-317
 natural gas of Point Abino, hydrogen sulphide in...Ann 19, vi cont, pp 184-185
```

Canada; nickel ores at Sudbury
MR 1889-90, p 125; MR 1891, pp 167, 168; MR 1892, pp 255-
257; Ann 16, 111, p 607; Ann 20, vi, p 280; Ann 21, vi, p 288
ocher production of, statistics of
p 641; Ann 20, vr cont, p 727; Ann 21, vr cont, p 578
petroleum localities and statistics of MR 1887, pp
456–458; MR 1888, pp 443, 467–473; MR 1893, pp 511–515,
532; Ann 16, TV, pp 383–390; Ann 17, III cont, pp 707–712;
Ann 18, v cont, pp 851-857; Ann 19, vi cont, pp 111-118; Ann 20, vi cont, pp 124-134; Ann 21, vi cont, pp 167-179
phosphate deposits of
pre-Cambrian rocks in eastern areas of
pyrites production of, statistics of
p 881; MR 1895, pp 506–507; MR 1886, p 656; Ann
18, v cont, p 1260; Ann 19, vi cont, pp 573, 576; Ann
20, vi cont, pp 654-655; Ann 21, vi cont, pp 521, 522
rainfall at points in
salt production of, statistics of
p 612; Ann 20, vi cont, p 688; Ann 21, vi cont, p 554
sewage-disposal plants in
soapstone production of, statistics of
pp 1074–1075; Ann 19, vi cont, p _. 315; Ann 20,
vi cont, pp 555-556; Ann 21, vi cont, p 418
(See, also, British Columbia; Manitoba; Newfoundland; Ontario;
Quebec.)
Canadian Basin, New Mexico, stream measurements in
Canadian River, Oklahoma-Indian Territory, flow of, measurements ofWS 37,
pp 268–270 profile of
Canal lines of Sun River irrigation system, Montana
to divert water from Snake River in Idaho
Canal routes across Central America, investigations of Ann 20, IV, pp 587–592
Canals, water, conveyance of, in flumes, pipes, and
in Arizona, Gila Basin
in New York, history and description of, and projects for WS 25, pp 145-173
(See, also, Irrigation; Water storage.)
Cancellariidæ from Chico-Tejon series of CaliforniaBull 51, p 25
from clays and marls of New Jersey
from Colorado formationBull 106, pp 158–160
from Miocene deposits of New Jersey
Cancrinite, analysis of, from Maine, Litchfield
pp 29, 30; Bull 148, p 66; Bull 150, p 203; Bull 168, p 22
chemical constitution of       Bull 125, pp 22, 23, 102         composition of       Bull 150; p 37
occurrence of
Cantwell conglomerate of Alaska, notes onAnn 20, vii, p 16; Alaska (2), p 20
Cantwell River and Valley, Alaska, notes on
Canyon. (See Grand Canyon.)
Canyon conglomerate of Wyoming
Canyon quadrangle, Wyoming. (See Yellowstone Park.)
Canyons traversing the upthrusts and folds of Uinta and Park rangesAnn 9,
pp 706–712

· · · · · · · · · · · · · · · · · · ·
Cape Ann, Massachusetts, geology of
Cape Beaufort, Alaska, coal measures of
Cape Cod, brick clays of
Cape Cod district, geology of
Cape Cod peninsula, origin of
Cape Fear River, flow of, measurements of
pp 54–57; Ann 19, 1v, pp 192–193; Ann 20, 1v, pp 50, 145
Ann 21, iv, pp 118-119; Bull 140, p 69: WS 11, p 16
WS 15, p 31; WS 27, pp 36, 44, 45; WS 36, pp 115–116
profile of
water powers in basin of
Cape Horn slates of California
Capellini (G.), quoted on Scaly clays of Italy. Ann 16, 1, pp 500, 501, 502, 503, 505, 510
Capillary movements of ground water
Cappelinite, chemical constitution ofBull 125, pp 59, 60, 104
Caprifoliaceæ of Alaska
of Amboy clays
of Cretaceous of Black Hills
of Dakota group
of Laramie group
of North America (extinct)
Caprina limestone. (See Edwards limestone.)
Caprinic acid, compressibility and thermal expansion of
Carbon in steelBull 25, p 12
Carbon Glacier, Mount Rainier, present condition of
11, pp 363–365, 367, 368, 386–391
Carbon, Mount, Colorado, structure and rocks of
Carbonaceous material, analysis of, from Utah, near Salt LakeMR 1892, p 512
Carbonaccous material, analysis of, from Clair, fical bart Lake
Carbonate, analysis of, from clay slate (anhydrous)Bull 60, p 32
Carbonate, analysis of, from clay slate (anhydrous)
Carbonate, analysis of, from clay slate (anhydrous)
Carbonate, analysis of, from clay slate (anhydrous)
Carbonate, analysis of, from clay slate (anhydrous)  analysis of, from Colorado, Leadville district (hard)  (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of  Ann 9, pp 640-645
Carbonate, analysis of, from clay slate (anhydrous)  analysis of, from Colorado, Leadville district (hard)  (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of  solution of, in natural waters  Ann 9, p 637
Carbonate, analysis of, from clay slate (anhydrous)
Carbonate, analysis of, from clay slate (anhydrous)
Carbonate, analysis of, from clay slate (anhydrous)
Carbonate, analysis of, from clay slate (anhydrous)  analysis of, from Colorado, Leadville district (hard)  (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of  solution of, in natural waters  Carbonate of soda, analysis of, from Nevada, Ragtown  analysis of, from Wyoming, Carbon County  MR 1882, p 601  Sweetwater Valley  MR 1882, p 602
Carbonate, analysis of, from clay slate (anhydrous)  analysis of, from Colorado, Leadville district (hard)  (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of  solution of, in natural waters  Ann 9, pp 640–645  solution of, in natural waters  Ann 9, p 637  Carbonate of soda, analysis of, from Nevada, Ragtown  analysis of, from Wyoming, Carbon County  MR 1882, p 601  Sweetwater Valley  MR 1882, p 602  Carbonate ore, analysis of, from Colorado, Leadville district  Mon XII, pp 544, 618
Carbonate, analysis of, from clay slate (anhydrous)  analysis of, from Colorado, Leadville district (hard)  (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of  solution of, in natural waters  Ann 9, pp 640–645  solution of, in natural waters  Ann 9, p 637  Carbonate of soda, analysis of, from Nevada, Ragtown  Bull 60, p 51  analysis of, from Wyoming, Carbon County  MR 1882, p 601  Sweetwater Valley  MR 1882, p 602  Carbonate ore, analysis of, from Colorado, Leadville district  MR 1889–90, p 34
Carbonate, analysis of, from clay slate (anhydrous)  analysis of, from Colorado, Leadville district (hard)  (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of  solution of, in natural waters  Carbonate of soda, analysis of, from Nevada, Ragtown  Bull 60, p 51  analysis of, from Wyoming, Carbon County  MR 1882, p 601  Sweetwater Valley  MR 1882, p 602  Carbonate ore, analysis of, from Colorado, Leadville district  MR 1889-90, p 34  from Spain, Ysabel  Ann 18, v, p 319
Carbonate, analysis of, from clay slate (anhydrous)  analysis of, from Colorado, Leadville district (hard)  (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of  solution of, in natural waters  Carbonate of soda, analysis of, from Nevada, Ragtown  Bull 60, p 51  analysis of, from Wyoming, Carbon County  MR 1882, p 601  Sweetwater Valley  MR 1882, p 602  Carbonate ore, analysis of, from Colorado, Leadville district  MR 1889-90, p 34  from Spain, Ysabel  Ann 18, v, p 319  Carbonate rocks, analyses of, from Montana, various localities  Bull 110,
Carbonate, analysis of, from clay slate (anhydrous)  analysis of, from Colorado, Leadville district (hard)  (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of  solution of, in natural waters  Carbonate of soda, analysis of, from Nevada, Ragtown  Ann 9, p 637  Carbonate of soda, analysis of, from Nevada, Ragtown  Bull 60, p 51  analysis of, from Wyoming, Carbon County  MR 1882, p 601  Sweetwater Valley  MR 1882, p 602  Carbonate ore, analysis of, from Colorado, Leadville district  MR 1889-90, p 34  from Spain, Ysabel  Ann 18, v, p 319  Carbonate rocks, analyses of, from Montana, various localities  Bull 110,  p 16; Bull 148, p 269; Bull 168, p 269
Carbonate, analysis of, from clay slate (anhydrous)  analysis of, from Colorado, Leadville district (hard)  (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of  solution of, in natural waters  Carbonate of soda, analysis of, from Nevada, Ragtown  Ann 9, p 637  Carbonate of soda, analysis of, from Nevada, Ragtown  Bull 60, p 51  analysis of, from Wyoming, Carbon County  MR 1882, p 602  Carbonate ore, analysis of, from Colorado, Leadville district  MR 1889-90, p 34  from Spain, Ysabel  Ann 18, v, p 319  Carbonate rocks, analyses of, from Montana, various localities  Bull 110,  p 16; Bull 148, p 269; Bull 168, p 269  Carbonate sand, analyses of, from Colorado, Leadville district  Mon XII, p 599  Carbonate sand, analyses of, from Colorado, Leadville district  Mon XII, p 599
Carbonate, analysis of, from clay slate (anhydrous)  analysis of, from Colorado, Leadville district (hard)  (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of  solution of, in natural waters  Carbonate of soda, analysis of, from Nevada, Ragtown  Ann 9, p 640-645  Sulution of, in of, in natural waters  Carbonate of soda, analysis of, from Nevada, Ragtown  Bull 60, p 51  analysis of, from Wyoming, Carbon County  MR 1882, p 601  Sweetwater Valley  MR 1882, p 602  Carbonate ore, analysis of, from Colorado, Leadville district  MR 1889-90, p 34  from Spain, Ysabel  Ann 18, v, p 319  Carbonate rocks, analyses of, from Montana, various localities  Bull 110,  p 16; Bull 148, p 269; Bull 168, p 269  Carbonate, Tenderfoot, and Mineral hills, Cripple Creek district, Colorado,
Carbonate, analysis of, from clay slate (anhydrous)  analysis of, from Colorado, Leadville district (hard)  (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of  solution of, in natural waters  Carbonate of soda, analysis of, from Nevada, Ragtown  Ann 9, p 637  Carbonate of soda, analysis of, from Nevada, Ragtown  Sweetwater Valley  MR 1882, p 602  Carbonate ore, analysis of, from Colorado, Leadville district  MR 1889-90, p 34  from Spain, Ysabel  Ann 18, v, p 319  Carbonate rocks, analyses of, from Montana, various localities  Bull 110,  p 16; Bull 148, p 269; Bull 168, p 269  Carbonate, Tenderfoot, and Mineral hills, Cripple Creek district, Colorado,  character of ore deposits in  Ann 16, II, p 167
Carbonate, analysis of, from clay slate (anhydrous)  analysis of, from Colorado, Leadville district (hard)  (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of  solution of, in natural waters  Ann 9, pp 640–645  solution of, in natural waters  Ann 9, p 637  Carbonate of soda, analysis of, from Nevada, Ragtown  Bull 60, p 51  analysis of, from Wyoming, Carbon County  MR 1882, p 601  Sweetwater Valley  MR 1882, p 602  Carbonate ore, analysis of, from Colorado, Leadville district  MR 1889–90, p 34  from Spain, Ysabel  Ann 18, v, p 319  Carbonate rocks, analyses of, from Montana, various localities  Bull 110,  p 16; Bull 148, p 269; Bull 168, p 269  Carbonate, Tenderfoot, and Mineral hills, Cripple Creek district, Colorado,  character of ore deposits in  Ann 16, II, p 167  Carboniferous fauna of Nevada, Eureka district  Mon vIII, pp 212–267
Carbonate, analysis of, from clay slate (anhydrous)  analysis of, from Colorado, Leadville district (hard)  (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of  solution of, in natural waters  Carbonate of soda, analysis of, from Nevada, Ragtown  Ann 9, p 637  Carbonate of soda, analysis of, from Nevada, Ragtown  Sweetwater Valley  MR 1882, p 602  Carbonate ore, analysis of, from Colorado, Leadville district  MR 1889-90, p 34  from Spain, Ysabel  Ann 18, v, p 319  Carbonate rocks, analyses of, from Montana, various localities  Bull 110,  p 16; Bull 148, p 269; Bull 168, p 269  Carbonate, Tenderfoot, and Mineral hills, Cripple Creek district, Colorado,  character of ore deposits in  Ann 16, II, p 167
Carbonate, analysis of, from clay slate (anhydrous)  analysis of, from Colorado, Leadville district (hard)  (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of  solution of, in natural waters  Ann 9, pp 640–645  solution of, in natural waters  Ann 9, p 637  Carbonate of soda, analysis of, from Nevada, Ragtown  Bull 60, p 51  analysis of, from Wyoming, Carbon County  MR 1882, p 601  Sweetwater Valley  MR 1882, p 602  Carbonate ore, analysis of, from Colorado, Leadville district  MR 1889–90, p 34  from Spain, Ysabel  Ann 18, v, p 319  Carbonate rocks, analyses of, from Montana, various localities  Bull 110,  p 16; Bull 148, p 269; Bull 168, p 269  Carbonate, Tenderfoot, and Mineral hills, Cripple Creek district, Colorado,  character of ore deposits in  Ann 16, II, p 167  Carboniferous fauna of Nevada, Eureka district  Mon vIII, pp 212–267
Carbonate, analysis of, from clay slate (anhydrous)
Carbonate, analysis of, from clay slate (anhydrous)
Carbonate, analysis of, from clay slate (anhydrous)  analysis of, from Colorado, Leadville district (hard)  (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of  solution of, in natural waters  Carbonate of soda, analysis of, from Nevada, Ragtown  analysis of, from Wyoming, Carbon County  Sweetwater Valley  Carbonate ore, analysis of, from Colorado, Leadville district  MR 1882, p 602  Carbonate rocks, analyses of, from Montana, various localities  Ann 18, v, p 319  Carbonate rocks, analyses of, from Colorado, Leadville district  MR 1889-90, p 34  from Spain, Ysabel  Ann 18, v, p 319  Carbonate rocks, analyses of, from Colorado, Leadville district  Mon XII, p 599  Carbonate sand, analyses of, from Colorado, Leadville district  Mon XII, p 599  Carbonate, Tenderfoot, and Mineral hills, Cripple Creek district, Colorado, character of ore deposits in  Ann 16, II, p 167  Carboniferous fauna of Nevada, Eureka district  Mon VIII, pp 212-267  279-281; Mon XX, pp 86-91, 94-95, 96, 98, 171, 194, 199  Carboniferous flora of Missouri, southwestern  Bull 93  Carboniferous floras, European, relation of Missouri flora to  Mon XXXVII, pp 293-307  Carboniferous fossils of Alaska, Kuiu Island  Ann 17, I, pp 903-906
Carbonate, analysis of, from clay slate (anhydrous) Bull 60, p 32 analysis of, from Colorado, Leadville district (hard) Mon XII, pp 557-602 (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of Ann 9, pp 640-645 solution of, in natural waters Ann 9, p 637  Carbonate of soda, analysis of, from Nevada, Ragtown Bull 60, p 51 analysis of, from Wyoming, Carbon County MR 1882, p 601 Sweetwater Valley MR 1882, p 602  Carbonate ore, analysis of, from Colorado, Leadville district Mon XII, pp 544, 618 analysis of, from Montana, Sand Coulee district MR 1889-90, p 34 from Spain, Ysabel Ann 18, v, p 319  Carbonate rocks, analyses of, from Montana, various localities Bull 110, p 16; Bull 148, p 269; Bull 168, p 269  Carbonate sand, analyses of, from Colorado, Leadville district Mon XII, p 599  Carbonate, Tenderfoot, and Mineral hills, Cripple Creek district, Colorado, character of ore deposits in Ann 16, II, p 167  Carboniferous fauna of Nevada, Eureka district Mon VIII, pp 212-267 279-281; Mon XX, pp 86-91, 94-95, 96, 98, 171, 194, 199  Carboniferous flora of Missouri, southwestern Bull 93  Carboniferous floras, European, relation of Missouri flora to Mon XXXVII, pp 293-307  Carboniferous fossils of Alaska, Kuiu Island Ann 17, I, pp 903-906 of California Bull 33, p 11
Carbonate, analysis of, from clay slate (anhydrous) Bull 60, p 32 analysis of, from Colorado, Leadville district (hard) Mon XII, pp 557-602 (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of Ann 9, pp 640-645 solution of, in natural waters Ann 9, p 637  Carbonate of soda, analysis of, from Nevada, Ragtown Bull 60, p 51 analysis of, from Wyoming, Carbon County MR 1882, p 601 Sweetwater Valley MR 1882, p 602  Carbonate ore, analysis of, from Colorado, Leadville district Mon XII, pp 544, 618 analysis of, from Montana, Sand Coulee district MR 1889-90, p 34 from Spain, Ysabel Ann 18, v, p 319  Carbonate rocks, analyses of, from Montana, various localities Bull 110, Carbonate sand, analyses of, from Colorado, Leadville district Mon XII, p 598  Carbonate, Tenderfoot, and Mineral hills, Cripple Creek district, Colorado, character of ore deposits in Ann 16, II, p 167  Carboniferous fauna of Nevada, Eureka district Mon XII, pp 212-267 279-281; Mon XX, pp 86-91, 94-95, 96, 98, 171, 194, 198  Carboniferous flora of Missouri, southwestern Bull 93  Carboniferous floras, European, relation of Missouri flora to Mon XXVII, pp 293-307  Carboniferous fossils of Alaska, Kuiu Island Ann 17, I, pp 903-906 of California Bull 33, p 11 of Colorado, Rico Mountains Ann 21, II, p 66
Carbonate, analysis of, from clay slate (anhydrous) Bull 60, p 32 analysis of, from Colorado, Leadville district (hard) Mon XII, pp 557-602 (See, also, Iron ores.)  Carbonate, iron. (See Iron carbonate.)  Carbonate of lime, deposition of Ann 9, pp 640-645 solution of, in natural waters Ann 9, p 637  Carbonate of soda, analysis of, from Nevada, Ragtown Bull 60, p 51 analysis of, from Wyoming, Carbon County MR 1882, p 601 Sweetwater Valley MR 1882, p 602  Carbonate ore, analysis of, from Colorado, Leadville district Mon XII, pp 544, 618 analysis of, from Montana, Sand Coulee district MR 1889-90, p 34 from Spain, Ysabel Ann 18, v, p 319  Carbonate rocks, analyses of, from Montana, various localities Bull 110, p 16; Bull 148, p 269; Bull 168, p 269  Carbonate sand, analyses of, from Colorado, Leadville district Mon XII, p 599  Carbonate, Tenderfoot, and Mineral hills, Cripple Creek district, Colorado, character of ore deposits in Ann 16, II, p 167  Carboniferous fauna of Nevada, Eureka district Mon VIII, pp 212-267 279-281; Mon XX, pp 86-91, 94-95, 96, 98, 171, 194, 199  Carboniferous flora of Missouri, southwestern Bull 93  Carboniferous floras, European, relation of Missouri flora to Mon XXXVII, pp 293-307  Carboniferous fossils of Alaska, Kuiu Island Ann 17, I, pp 903-906 of California Bull 33, p 11

Carboniferous fossils of North America, Mollusca, nonmarineAnn 3, pp 411-486
of North America, Ostreidæ
of Texas, Permian Bull 77
of Yellowstone Park
Carboniferous history of Appalachian region
of Black Hills
of California, Mother Lode district
of Colorado, Elk MountainsGF 9, p 1
Pikes Peak quadrangleGF 7, p 5
of Massachusetts, westernGF 50, p 3
of Montana, Fort Benton quadrangleGF 55, p 5
Little Belt Mountains quadrangle
of South Dakota, Black HillsAnn 19, 11, pp 587–588; Ann 21, 1v, pp 555–556
of Virginia-Tennessee, Bristol quadrangle
Carboniferous insectsBull 124
Carboniferous invertebrates, bibliographic index of North AmericanBull 153
Carboniferous movement in the Rocky Mountain regionMon xxvII, pp 17–18
Carboniferous paleontology of Alaska, notes on
Carboniferous rocks; Anderson sandstone of Tennessee GF 33, p 3; GF 40, p 3
Aquidneck shales of Narragansett Basin
Archimedes group, geologic name proposedBull 80, p 169
Atoka formation of Indian TerritoryAnn 21, 11, pp 273-274
Aubrey group
Auriferous slates of California
age ofBull 33, pp 16–18
Badito formation of Colorado
Bangor limestone of Tennessee, Georgia, and Alabama
GF 4, p 2; GF 6, p 2; GF 8, p 2; GF 19,
p 2; GF 21, p 2; GF 22, p 2; GF 35, p 2
Bayard formation of West Virginia and Maryland
Berea grit of OhioBull 150, pp 75-77
Berea sandstone and shale of Ohio as a water carrier
pp 647–648, 685–690
Berea shale and grit of Michigan
Bearwallow conglomerate of Virginia and West Virginia
bitumen deposits in
Blackwater formation of Virginia and West Virginia
Blackwater sandstone of Maryland, Virginia, and West VirginiaGF 28,
p 3; GF 32, p 4
Blue Canyon formation of California
Bluefield shale of Virginia and West Virginia
Blue limestone of Colorado, Leadville district
pp 218–219, 237; Mon XII, pp 63–66
(See, also, Leadville limestone.)
Bluestone formation of Virginia and West Virginia GF 26, p 3; GF 44, p 3
Boggy shale of Indian Territory
Bonair conglomerate-lentil of Tennessee
Braxton formation of West Virginia
Breathitt formation of Kentucky
Briceville shale of Tennessee
Burlington limestone, areas, characters, and divisions of
1, pp 312–313; Bull 80, pp 158–159, 160, 224
1, pp 512 515, 2 att 55, pp 105, 100, 221

Carl	boniferous rocks; Calaveras formation of California. Ann 14, 11, pp 446-447; Ann 17,
	л, р 549; л, pp 79–88, 102, 103; GF 3, р 12; GF 5, pp 1, 2;
	GF 11, pp 1, 3; GF 15, p 1; GF 18, p 3; GF 29, pp 1, 2;
	GF 31, pp 1, 3-4; GF 37, pp 1, 3, 7; GF 39, p 3; GF 41,
	pp 1, 3-4; GF 43, pp 1, 3; GF 51, pp 1, 3-4; GF 63, pp 1-2
	Canaan formation of Maryland, Virginia, and West VirginiaGF 28, p 3;
	GF 32, p 4; GF 34, p 2; GF 61, p 5
	GF 32, p 4; GF 34, p 2; GF 61, p 5 Cape Horn slates of California
	Castle limestone of Montana, description and sections of
	пт, pp 293-294, 329, 362, 363; GF 55, p 2
	Charleston sandstone of West Virginia, along New-Kanawha RiverAnn 17,
	II, pp 508–509
	of West Virginia-Ohio, Huntington quadrangleGF 69, p 4
	Chester formation of Indiana
	Chitistone limestone of Alaska
	Chouteau group, history of discussions concerning correlation ofBull 80,
	pp 173–192
	Clark formation of Virginia and West VirginiaGF 26, p 3
	of West Virginia, relation of, to the Pottsville
	Climan Conformation of Texas
	Clipper Gap formation of California
	coal field, bituminous, of northern half of the Appalachian field, compar-
	ative stratigraphy of Bull 65
	Coal Measures, altitude of base of, in Illinois
	history of development of nomenclature and classification ofBull 80,
	pp 83–107 of Ohio as a water bearer
	of Onio as a water bearer
	of Rhode Island
	lower, of Missouri, fossil flora of
	or Pennsylvania series; development of its nomenclature and classifi-
	cation in the Appalachian provincesBull 80, pp 83–107
	thickness, proportionate, of divisions of, light on
	Coal Measures limestone, lower, of Nevada, Eureka district, features and
	fossils of
	upper, of Nevada, Eureka district
•	upper, of Colorado. Leadville
	Coldwater shales of Michigan
	Conglomerate series of West Virginia, name proposedBull 80, p 93
	conglomerates as products of glaciation
	Conoquenessing sandstone of PennsylvaniaBull 80, pp 100–101
	Corbin conglomerate-lentil of KentuckyGF 46, p 3; GF 47, p 2
	correlation of formations
	Cottonwood limestone of Nebraska
	Cranston beds of Narragansett Basin
	Cuyahoga shale of Ohio as a water bearerAnn 19, IV, pp 648, 685-690
	Delhi formation of CaliforniaGF 66, p 2
	Diamond Peak quartzite of Nevada, age, character, and thickness ofAnn 2,
	p 268; Ann 3, p 253; Mon xix, p 85
	Dighton conglomerate group of Narragansett Basin Mon xxxIII, pp 184-18
	Dismal conglomerate-lentil of Virginia and West VirginiaGF 44, p 3
	Dismal formation of Virginia and West Virginia
	Dotson sandstone of Virginia and West VirginiaGF 44, pp 3, 5
	Double Mountain formation of Texas
	Englewood limestone of Black Hills
	Eureka limestone of Utah

Carboniferous rocks; Fairfax formation of West Virginia and MarylandGF 28, p 4 Fayette sandstone along New-Kanawha River, West Virginia
п, pp 497-499
in southern Appalachians, relation of, to the PottsvilleAnn 20, 11, p 818
Floyd shale of Georgia and Tennessee
Fort Payne chert of Tennessee, Georgia, and AlabamaGF 2, pp 1-2;
GF 4, p 2; GF 6, p 1; GF 8, p 2; GF 19, p 2;
GF 20, p 3; GF 21, p 2; GF 22, p 2; GF 35, p 2
Fountain formation of Colorado
Genevieve group, geologic name proposedBull 80, p 169
Gladeville sandstone of Kentucky, Virginia, and TennesseeBull 111,
pp 33–34; GF 12, p 3; GF 59, p 5
Godiva limestone of Utah
Greenbrier limestone of Maryland, Virginia, and West VirginiaGF 26,
p 3; GF 28, p 3; GF 32, p 4; GF
34, p 2; GF 44, p 3; GF 61, p 5
Harlan sandstone of Kentucky, Virginia, and TennesseeBull 111,
pp 31-33; GF 12, p 3
Hartshorne sandstone of Indian Territory
и, pp 436, 441; Ann 21, и, pp 274–275
Hermosa formation of Colorado, Rico MountainsAnn 21, 11, pp 27, 48-59
Hinton formation of Virginia and West VirginiaAnn 17,
11, pp 487-489; GF 26, p 3; GF 44, p 3
Homewood sandstone of Ohio as a water bearer Ann 19, IV, pp 649, 690-693
Humbug formation of UtahGF 65, p 1
Humbug intercalated series of Utah
Jefferson formation of Montana
Kanawha formation of West Virginia, along New-Kanawha River Ann 17,
11, p 559–508
of West Virginia-Ohio, Huntington quadrangleGF 69, p 4
Keokuk formation of Iowa and IndianaAnn 11, 1, pp 312, 638-639
Kibbey sandstone of MontanaAnn 20, 111, p 295; GF 55, p 2; GF 56, p 2
Kinderhook limestone of Iowa
Kinderhook group, history of discussions concerningBull 80,
pp 161, 173–192, 262
Kingstown series of Narragansett BasinMon xxxiii, pp 331-347, 361-363
Leadville limestone of ColoradoMon xxxi, pp 22-30; GF 9, p 6; GF 48, p 1
Lee conglomerate, of Virginia, Kentucky, and Tennessee
pp 36-37, 39-40; GF 12, p 3; GF 25, p 4; GF 33, p 3; GF 40,
p 2; GF 46, p 3; GF 47, pp 2, 3; GF 53, p 3; GF 59, p 4
Logan group in Ohio as a water bearer
Lookout formation of southern Appalachians, relation of, to the Potts-
ville
p 2; GF 4, p 2; GF 6, p 2; GF 8, p 2; GF
19, p 2; GF 21, p 2; GF 22, p 2; GF 35, p 2
McAlester shale of Indian Territory
III, pp 437, 441; Ann 21, 11, pp 275–276
Madison limestone of Montana
pp 33–39; GF 1, p 2; GF 24, p 2; GF 55, p 2; GF 56, p 2
of Wyoming
of Yellowstone Park
26, 32, 35, 36, 48, 51, 58, 153, 160, 206, 213; GF 30, pp 1, 4-5
Mammoth limestone of Utah

	•
Ca	urboniferous rocks; Marble Falls limestone of Texas
	Maroon conglomerate of Colorado
	pp 33–37; GF 9, pp 6, 8, 9; GF 48, pp 1–2
	Marshall group, history of discussion concerningBull 80, pp 173–192
	Marshall sandstone of Michigan
	Massillon conglomerate of Ohio as a water bearerAnn 19, iv, pp 649, 690-693
	Millsap limestone of Colorado
	Minnekahta limestone of Black HillsAnn 21, 111, pp 177-180; 1v, pp 514-516
	Minnelusa formation of Black Hills Ann 21, 111, pp 177–180; iv, pp 510–513
	of Black Hills, water from
	Mississippian series, coals in
	development of nomenclature ofBull 80, pp 135–172, 263–265
	of Kentucky
	of Tennessee
	Mountain limestone, development of nomenclature ofBull 80, pp 135–172
	Newman limestone of Virginia, North Carolina, Kentucky, and Ten-
	nessee
	p 38; GF 12, p 3; GF 16, p 4; GF 25, p 4; GF 27, p 3; GF 33, p 2;
	GF 40, p 2; GF 46, p 3; GF 47, p 2; GF 53, p 2; GF 59, p 4  Newman sandstone-lentil of Tennessee
	Norton formation of Virginia, Kentucky, and TennesseeBull 111,
	pp 34–36; GF 12, p 3; GF 59, p 4
	of Alabama, Gadsden quadrangle
	Stevenson quadrangle
	of California, character of
	Colfax quadrangle GF 66, pp 1–2
	Downieville quadrangle
	fossils of Bull 33, pp 10–12
	Lassen Peak district
	Truckee quadrangle
	of Colorado
	Anthracite and Crested Butte quadrangles
	Aspen district
	Gunnison region (nonconformity)
	Leadville district
	Mosquito Range
	Pikes Peak quadrangle GF 7, p 2
	Rico Mountains
	Tenmile district GF 48, pp 1–2
	Walsenburg quadrangle
	of Georgia, Ringgold quadrangle
	Stevenson quadrangle
	of Grand Canyon districtAnn 2, pp 64–66; Mon 11, pp 18, 87–89, 178–179
	of Idaho
	of Illinois, Danville quadrangle
	of Indiana, Danville quadrangle
	of Iowa, northeastern
	of Kansas, southwestern
	of Kentucky, correlation of
	Estillville quadrangle
	London quadrangle
	Richmond quadrangle
	of Maryland, Piedmont quadrangle

Carboniferous rocks of Missouri region, upper	2
of MontanaBull 110, pp 32–43; Bull 139, pp 38–43	₹
Fort Benton quadrangle	,
Judith Mountains	
T'44 P-14 M 4 ' A 20 200 000 001 000 004 OTT 70 5	,
Little Belt MountainsAnn 20, 111, pp 289–298, 301, 383–384; GF 56, p 2	3
Livingston quadrangleGF 1, p 2	3
Three Forks	2
of Narragansett BasinMon xxxIII, pp 36-37, 133-201, 208-210, 212-380	)
of Nebraska, southeastern	
of Nevada, Eureka districtAnn 3, pp 268-272; Mon xx, pp 63-98	
of Ohio, Huntington quadrangle	
of Plateau country	, 1
of Sierra Nevada	
of South Dakota, Black Hills, southern partAnn 21, IV, pp 508-516	3
Black Hills, northern	Ĺ
of States. (See, also, formation names under this heading.)	
of Tennessee, Briceville quadrangle	}
Bristol quadrangle GF 59, pp 4–5	
Chattanooga quadrangle	
Estillville quadrangle	
Kingston quadrangleGF 4, p 2	
Loudon quadrangle	Ŀ
McMinnville quadrangle	3
Morristown quadrangleGF 27, p 3	3
phosphate region	
Pikeville quadrangle	
Ringgold quadrangle	
Sewanee quadrangle	
Standingstone quadrangle	
Stevenson quadrangle	
Wartburg quadrangleGF 40, p 2	2
of Texas	2
of Utah, Tintic district	
Uinta Basin	
Uinta Mountains	
of Virginia, Bristol quadrangle	
correlation ofBull 111, pp 94–104	
Estillville quadrangle	
Franklin quadrangleGF 32, p 3	3
Monterey quadrangleGF 61, pp 4-5	
Pocahontas quadrangleGF 26, p 3	3
Tazewell quadrangleGF 44, p 3	
of West VirginiaBull 65	
Buckhannon quadrangleGF 34, p 2	,
Franklin quadrangle	,
Huntington quadrangle	
Monterey quadrangle	
Piedmont quadrangleGF 28, pp 3-4	
Pocahontas quadrangleGF 26, p 3	
Tazewell quadrangleGF 44, p 3	
of WyomingBull 119, pp 19–21	
Black Hills, southern part	
of Yellowstone Park	
35, 36, 38, 41, 47, 48, 51, 58, 153, 160, 206, 213; GF 30, pp 1–2	2
Opeche formation of Black Hills	
order to minor or which the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the co	

Car	Carboniferous rocks; Otter shale of Montana, description of, and fossils from . Ann 20,	
	ш, pp 295–296; GF 55, p 2; GF 56, p 2	
	Oxmoor sandstone of Alabama	
	Pahasapa limestone of Black HillsAnn 21, iv, pp 509-510	
	Paine shale of Montana, description, fossils, and sections of	
	III, pp 290-291, 329, 339, 362, 363; GF 55, p 2; GF 56, p 2	
	Pennington shale of Virginia, Kentucky, and TennesseeBull 111, p 37;	
	GF 12, p 3; GF 27, p 3; GF 33, p 2; GF 40, p 2;	
	GF 46, p 3; GF 47, p 2; GF 53, p 3; GF 59, p 4	
	Pennsylvanian series of Kentucky	
	of Tennessee	
	peridotite in Kentucky, age ofBull 38, pp 28–29	
	Permian rocks of Grand Canyon district	
	pp 64, 91–94; Mon 11, pp 16, 43–46, 117–121	
٠.	of Kansas and Nebraska and other parts of United States, discussions	
	relative to the correlation ofBull 80, pp 193–212	
	of Nebraska (limestone)	
	of Plateau countryAnn 6, pp 134–135, 184–185	
	of Texas	
	and their Mesozoic types of fossilsBull 77	
	Pickens sandstone of West VirginiaGF 34, p 2	
	Pocahontas formation of Virginia and West Virginia	
	p 3; GF 44, pp 3, 4-5	
	Pocono sandstone of Maryland, Virginia, and West VirginiaGF 14, pp 2-3;	
	GF 28, p 3; GF 32, pp 3-4; GF 34, p 2; GF 61, pp 4-5	
	Potomac and Roaring Creek coal fields in West Virginia Ann 14, 11, pp 567-590	
	Pottsville formation in Southern Anthracite coal field, Pennsylvania, strati-	
	graphic succession of fossil floras of . Ann 20, 11, pp 749-930	
	Price sandstone of Virginia and West VirginiaGF 26, p 3; GF 44, p 3	
	Princeton conglomerate of Virginia and West Virginia	
	и, pp 489–490; GF 26, p 3; GF 44, p 3	
	Pugh formation of West VirginiaGF 34, p 2	
	Pulaski shale of Virginia and West Virginia	
	Purgatory conglomerate of Narragansett Basin	
	Quadrant formation of Montana	
	pp 39-43; GF 1, p 2; GF 24, p 2; GF 55, p 2; GF 56, p 2	
	of Yellowstone Park	
	pp 25, 32, 34, 36, 38, 41, 47, 48, 51, 160; GF 30, pp 1–2, 5	
	Quinnimont formation of southern Appalachians, relation of, to the Potts-	
	ville	
	of Virginia and West VirginiaGF 26, p 3	
	Raleigh sandstone of Virginia and West VirginiaAnn 17,	
	н, pp 493–494; GF 26, p 3; GF 44, pp 3, 5	
	Red Wall group of Plateau region, features of	
	Red Wall limestone of Grand Canyon district, age, character, and thick-	
	ness of	
	Relief quartzite of CaliforniaGF 66, p 2	
	Rico formation of Colorado, Rico Mountains	
	Robinson formation of California	
	Ann 17, 1, pp 626–628; GF 5, p 1; GF 31, p 1;	
	GF 37, pp 1, 3; GF 39, p 1; GF 41, p 1;	
	GF 43, p 1; GF 51, p 1; Ann 14, 11, pp 447–448	
,	Rockcastle conglomerate-lentil of Kentucky	
	of TennesseeGF 53, p 3	

Carboniferous rocks; Royal formation along New and Kanawha rivers, West
Virginia
GF 39, pp 1, 3-4; GF 41, p 1; GF 43, p 1; GF 51, p 1  St. Clair black shales of Michigan
Tahkandit series of Alaska
Tenmile River beds of Narragansett Basin Mon xxxIII, pp 164–173  Uinta sandstone of Colorado Ann 9, pp 687–688  Upshur sandstone of West Virginia GF 34, p 2  Wabaunsee formation of Nebraska Ann 19, IV, p 738
Walden sandstone of Tennessee, Georgia, and Alabama
p 2; GF 21, p 2; GF 22, p 2; GF 35, p 2
Wartburg sandstone of Tennessee
Waverly formation of Indiana
Waverly group, history of discussions concerningBull 80, pp 62–63, 173–192 of Ohio as a water-bearer
Waverly shale of Kentucky
Weber formation of ColoradoMon xxxi, pp 30-33; GF 9, pp 6, 9; GF 48, p 1 Weber grits of Colorado, Leadville districtAnn 2, p 219; Mon xii, pp 68-69 Weber quartzite of Colorado, Leadville district, age, character, and thick-
ness of
Welch formation of Virginia and West VirginiaGF 44, pp 3, 5
Wichita formation of Texas
GF 12, p 3; GF 59, p 5 Wood River formation of Idaho
III, pp 291–293, 329, 362, 363; GF 55, p 2; GF 56, p 2 Wyoming formation of Colorado
(See, also, Paleozoic.)  Carboniferous and Devonian, a correlation essay, by H. S. WilliamsBull 80
Carboniferous and Devoltan, a correlation essay, by H. S. Williams

Carburets, iron, electric and magnetic properties ofBull 14; Bull 27, pp 30-50
physical characteristics of
Cardiidæ from Colorado formation
from marl beds of New Jersey
from Miocene marls of New-Jersey
from Puget groupBull 51, p 58
Cardiniidæ from Cretaceous of Pacific coastBull 133, p 53–55
Carimon Island, East Indies, tin deposits of
Carlile formation of Black Hills
Carlile shale of ColoradoAnn 17, 11, pp 565, 571; GF 36, p 3; GF 58, p 1; GF 68, p 1
Carll (J. F.), quoted on natural gas in PennsylvaniaMR 1887, pp 467–474
Carnallite, crude, analysis of, from Germany, Stassfurt
Carnotite, analyses of, from Colorado, La Sal Creek and Rock Creek . Ann 21, v1, p 312
Carolina gneiss of District of Columbia-Virginia-Maryland, Washington quad-
rangleGF 70, p 2
Carolinian (Upper Atlantic Miocene—Sumter epoch of Dana)Bull 84, pp 19, 75, 323
Carpholite, chemical constitution of
Carriso Mountains, Arizona, structure and rocks of
Carruthers (William), biographic sketch of
Carson River, Nevada, flow of, measurements of
pp 102, 109; Ann 12, 11, pp 351, 360; Ann 13, 111, pp
95–96, 99; Ann 14, 11, pp 116–117; Bull 140, pp 212–213
Carson River and Valley, Nevada, irrigation surveys of Ann 11, 11, pp 179-180-
Carson River Basin, Nevada, hydrography of
рр 65–66, 102, 109; Апп 12, п, р 325
irrigation engineering works in
Cartographic system for geologic maps Ann 7, pp 104–106; Ann 13, ı, pp 83–85
Cartography, geologic, color scheme for
conference on, and standards adopted
work in
Cascade formation of Montana
Cascade Mountains, geology of
glaciation of
structure of Mon xiii, pp 205–207
structure and age of, notes on
(See, also, Oregon; Washington.)  Cascade and Coast ranges, structure of
Cascade and Coast ranges, structure of
Cascade, Coast, and Sierra Nevada ranges, relation of Bull 19, p 20; Bull 33, pp 19–20
Cascade Range Forest Reserve and adjacent regions, report on Ann 21, v, pp 209-498
Cassididæ from clays and marls of New Jersey
Cassiterite, analyses of, from Dakota, Black Hills
analysis of, from Mexico, Potrillos
from North Carolina, Gaston County
Castle granite of Montana, Little Belt Mountains quadrangle
Castle limestone of Montana, description and sections of
111, pp 293–294, 329, 362, 363; GF 55, p 2
Castle Mountain, Montana, description of
geology of, descriptive
Castle Mountain mining district, Montana, geology ofBull 139
precious metal deposits in
Castle Mountain series of CanadaBull 81, pp 326–327; Bull 86, p 340
Caswellite, chemical constitution of
Catalogue. (See Bibliography.)

Catalogue, annotated and illustrated, of nonmarine Mollusca of North Amer-
ica
ica
Catalogue and index of contributions to North American geology, 1732–1891. Bull 127
Catapleiite, chemical constitution of
Catarinite, analysis of
Catawba River, flow of, measurements of
Ann 19, IV, pp 212-214; Ann 20, IV, pp 50, 149-150; Ann 21,
rv, pp 122–124; Bull 140, pp 71–72; WS 11, pp 17–18; WS 15,
pp 34–35; WS 27, pp 27, 37–38, 44, 45; WS 36, pp 120–123
water powers in basin of
pyroxene and serpentine from Montville, New Jersey, analysis of
quoted on iron ores in Potsdam of Valley of VirginiaAnn 21, vi, pp 46–48
Catlett (C.) and Clarke (F. W.), a platiniferous nickel ore from CanadaBull 64,
pp 20-21
Catlinite, occurrence and statistics of . MR 1882, p 498; MR 1883-84, pp 778-779, 781;
MR 1885, p 443; MR 1886, p 604; MR 1887, pp 556,
557; MR 1888, pp 584, 585; MR 1889-90, pp 446, 447,
448; MR 1891, p 540; MR 1892, p 781; MR 1893, pp
681, 682; Ann 16, IV, pp 604, 605; Ann 17, III cont, p
924; Ann 18, v cont, p 1217; Ann 19, v1 cont, p 513; Ann 20, v1 cont, p 599; Ann 21, v1 cont, pp 456, 461
Catoctin belt, geology of
Catoctin schist of Virginia, Maryland, and West Virginia
Catskill group, history of discussions concerning correlation of
nn 191_124_121_189
Caverns or sink-holes formed by the action of soil water Ann 12 1 n 257
Caverns or sink-holes formed by the action of soil water
Caves in limestone found in connection with ore bodiesMon vii, pp 73-74, 94-100
Caves in limestone found in connection with ore bodiesMon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodiesMon vii, pp 73-74, 94-100 formation of, theory of
Caves in limestone found in connection with ore bodiesMon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodiesMon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodiesMon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodiesMon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodiesMon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodiesMon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodiesMon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodiesMon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodiesMon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodiesMon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodiesMon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodies. Mon VII, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodiesMon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodies
Caves in limestone found in connection with ore bodies Mon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodies Mon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodies Mon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodies Mon vii, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodies Mon VII, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodies Mon VII, pp 73–74, 94–100 formation of, theory of
Caves in limestone found in connection with ore bodies Mon VII, pp 73–74, 94–100 formation of, theory of

Cement, Portland, at World's Columbian Exposition MR 1893, pp 622–623 Cement, Portland, industry in America, history of MR 1891, pp 535–537 Cement, Rosendale, analysis of, from New York MR 1882, p 460 Cement material, analyses of, from Arkansas, White Cliffs Ann 18, v cont, p 1174 Cement rock, analysis of, from California, Berkeley MR 1883–84, p 676 analysis of, from Florida, River Junction Bull 168, p 257 from New Jersey, Alpha Ann 21, v1 cont, p 404 from New York, Akron Bull 148, p 255; Bull 150, p 134; Bull 168, p 253 from Pennsylvania, Northampton Ann 21, v1 cont, p 404 Siegfried Ann 21, v1 cont, p 404
from Tennessee, Chattanooga
from Texas, Uvalde quadrangle
Cement rock, hydraulic, description of, as one of the educational seriesBull 150, pp 133-135
Cementation and injection of rocks
Cenosite, chemical constitution of
Cenozoic. (See Eocene; Neocene; Tertiary.)
Cenozoic beds and formations of the United States, excluding the Laramie,
list of names applied toBull 84, pp 320–336
Cenozoic epoch on Pacific coast of North America, general considerations on Bull 84,
960 979
Cenozoic formations, classification of
Cenozoic formations, classification of
list of names applied toBull 84, pp 320–338
Cenozoic history of Washington, D. C., quadrangleGF 70, p 6
Cenozoic sands of New Jersey
Cenozoic and Mesozoic paleontology of CaliforniaBull 15
Central America, ship-transit projects in
Central granite in Michigan and Wisconsin, Penokee districtMon xix, pp 111-116
Central Irrigation District canal, California
Cephalaspidæ of Devonian age
Cephalopoda, descriptions of
of Chico-Tejon series of California
of Colorado formationBull 106, pp 163–189
of Cretaceous of Arkansas
of New Jersey recognized at other localities, table showing. Mon xvIII, p 30
of Pacific coast
of Vancouver Island
of Devonian, higher, of Ontario County, New York Bull 16, pp 20–22, 47–52
of Eocene of Atlantic slope, middleBull 141, p 63
of North AmericaBull 83, passim
of Mesozoic of Alaska
of Nevada, Eureka district
pp 86–87, 200–204, 265–266; Mon xx, pp 323, 325, 330, 333
of Permian of Texas
of Raritan clays and greensand marls of New Jersey
of Yellowstone Park
Ceramic arts, bibliography of Bull 143
Ceramics, chromolithography in
Ceratops, remarks on
Ceratops beds in Denver Basin
in Wyoming
Ceratopsidæ from Denver Basin, remains of
of North America
Ceratosaurus, description and restoration of
from Denver Basin, remains of

Ceriphasiidæ of Laramie and Eocene of Utah
of North America (nonmarine fossil)
Cerite, chemical constitution of
Ceritheriidæ of Miocene deposits of New Jersey
Cerithiidæ of Cretaceous of California (new)
of Cretaceous of Pacific coastBull 133, p 71
of North America (nonmarine fossil)
Cerithium rock of Florida
Cernaysian formation of France, correlation of
Cessions and purchases, territory of United States acquired byBull 13,
pp 19–32; Bull 171, pp 21–29
Ceylon, graphite mining in
graphite production of
Chabazite, analysis of, from Bohemia, Aussig
chemical constitution of
from Colorado, Table Mountain, general description and chemical compo-
sition of
Chadron formation of Nebraska
Chaix Hills, Alaska, geology of
Chalcanthite in Butte district, Montana
p 491; MR 1883-84, pp 756-759; MR 1886, p 597; Ann 19, vr cont, pp 506, 507; Ann 21, vr cont, p 454
Chalcocite in Montana, Butte district
Chalcophyllite from Utah
Chalcopyrite in Montana, Butte district
Chalk, analysis of, from Arkansas, Sevier CountyAnn 18, v, p 174; Bull 150, p 117
analyses of, from Arkansas, Rocky Comfort, and Texas, AustinAnn 21, vn, p 329
description of the rock, as one of the educational seriesBull 150, pp 115–119
statistics of
Chama district, New Mexico, irrigation in
Chama River, New Mexico, flow of, measurements of
p 252; Bull 140, pp 173–175; WS 11, p 65; WS 16, p 129
Chamber dust, analysis and composition of
Chamberlain shales of Montana, description and section of Ann 20, 111, pp 282-283
Chamberlin (T. C.), alternative interpretations of history of glacial Lake
Agassiz
introduction to Wright's "Glacial boundary"
quoted, on zone of weakness in strata
requisite and qualifying conditions of artesian wells Ann 5, pp 125-173
rock-scorings of great ice invasions
terminal moraine of second Glacial epoch
work in charge of, 1881–1900
4, pp 23-27; Ann 5, pp 20-24; Ann 6, pp 33-40; Ann 7, pp
76–85; Ann 8, 1, pp 141–144; Ann 9, pp 84–87; Ann 10, 1, pp
128, 129; Ann 11, 1, pp 74–76; Ann 12, 1, pp 88–90; Ann 13,
1, pp 121, 122; Ann 14, 1, pp 193, 194; Ann 15, pp 179, 180;
Ann 16, 1, pp 24, 25; Ann 17, 1, pp 59–62; Ann 18, 1, pp 54–57;
Ann 19, I, p 53; Ann 20, I, pp 53, 54; Ann 21, I, pp 85, 86  Chamberlin (T. C.) and Irwing (R. D.) absorbations on junction between Fast
Chamberlin (T. C.) and Irving (R. D.), observations on junction between Eastern sandstone and Keweenaw series on Keweenaw Point,
Lake Superior
Chamberlin (T. C.) and Salisbury (R. D.), driftless area of Upper Mississippi
Valley
, wild 100 -022

Chamidæ from marl beds of New Jersey
of Cretaceous of California (new)
of Texas, aberrant forms ofBull 4, pp 5-9
Chamosite, analysis of Bull 113, p 15
chemical constitution of
Champlain, Lake, trap dikes of region of
tributaries of
Champlain period in western-central Massachusetts Mon xxix, pp 562–721
Chance (H. M.), anthracite coal mining
Choctaw coal fields, Indian Territory, description of MR 1889-90, pp 207-214
Chandlar River, Alaska, diabase on
distances along, table of
routes and trails in basin of
topography and drainage of
Chandlar and Koyukuk rivers, Alaska, reconnaissance along Ann 21, 11, pp 441–486
Chandler (A. E.), water storage on Cache Creek, California
Chapman sandstone of Maine, Aroostook volcanic area, faunas, etc., ofBull 165,
pp 78–88, 133, 134
Charcoal, analysis of, from Montana, Cascade CountyMR 1889-90, p 229
used in steel making, analysis of
Charleston earthquake of August 31, 1886
Charleston quadrangle, West Virginia, physiography ofTF 1, pp 1-2
Charleston sandstone of West Virginia, along New-Kanawha RiverAnn 17,
п, pp 508, 509
n, pp 508, 509 of West Virginia-Ohio, Huntington quadrangleGF 69, p 4
Chatard (T. M.), apparatus for determination of water in mineral analysesBull
78, pp 84–86
corundum and emery
estimation of alkalies in silicatesBull 9, pp 36, 37
gneiss-dunyte contacts of Corundum Hill, North Carolina, in relation to
the origin of corundumBull 42, pp 45–63
natural soda, its occurrence and utilizationBull 60, pp 27–101
salt-making processes in the United States
separation of titanium, chromium, aluminum, iron, barium, and phos-
phoric acid in rock analysesBull 78, pp 87-90
Chatard (T. M.) and Clarke (F. W.), mineral, rock, ore, and water analy-
ses
Chattahoochee beds, correlation ofAnn 18, 11, p 340; Bull 84, pp 83, 105–107
Chattahoochee group of Georgia and FloridaBull 84, pp 83, 105–107, 323
Chattahoochee River, flow of, measurements of
Ann 19, iv, pp 235-239; Ann 20, iv, pp 51, 182-183; Ann
21, IV, pp 140–142; Bull 140, pp 75–77; WS 11, pp 23, 24;
WS 15, pp 46, 47; WS 27, pp 50, 51, 57, 58; WS 36, pp 139–143
profile of
Chattahoochee and Coosa rivers, rainfall and run-off in basins of
iv, pp 177–181
Chattanooga district, physiography of
Chattanooga quadrangle, Tennessee, geology of
Chattanooga shale in the Southern StatesGF 2, p 1; GF 4, p 2; GF 6, p 1;
GF 8, p 2; GF 12, p 2; GF 16, p 4; GF 19, p 2; GF 20, p 3;
GF 21, p 2; GF 22, p 2; GF 25, p 4; GF 27, p 3; GF 33, p 2;
GF 35, p 2; GF 46, p 2; GF 47, p 2; GF 53, p 2; GF 59, p 4
Cheat River, West Virginia, flow of, measurements of
Chelan Lake, Washington, height of, measurements of
WS 38, pp 371, 372
W 8 38 nn 4/1 3/9

Chelan quadrangle, Washington, forest conditions inAnn 21, v, pp 581–582
Chelonia from Eocene of middle Atlantic slope
Chemical action between solidsBull 64, pp 34–37
Chemical alteration of rocks
Chemical alteration of rocks
of rocks of Nevada City and Grass Valley districts, California
п, pp 146–157
Chemical analyses. (See the various substances—Clay, Coal, rock names, etc.)
Chemical composition of silicates
(See, also, names of substances.)
Chemical deposits of Mono Lake, CaliforniaAnn 8, 1, pp 296–298, 310–315
Chemical effect of precipitantsBull 36, p 24
of temperature in subsidence of fine solid particles in liquids Bull 36, pp 20-21
Chemical elements, relative abundance of
Chemical equilibrium of solids, in its relation to pressure and to tempera-
ture
Chemical evidence of origin of fayalite and lithophysæ
Chemical geology of Aspen district, Colorado
Chemical history of Comstock lode, Nevada
Mon III pp 209–227 384–387
Mon 111, pp 209–227, 384–387 of Lake Lahontan
Chemical impregnation of artesian water
Chemical metamorphism of Menominee and Marquette rocksBull 62, pp 208–217
Chemical origin of petroleum and natural gas
Chemical properties of lead slags
Chemical qualities of artesian waters of Texas
Chemical reactions in copper smeltingBull 26, pp 53–54, 61–62, 64–66
Chemical relations between hydrocarbons
Offentical relations between hydrocarbons
of gabbro and diorite
Chemical structure of natural silicatesBull 60, pp 13–20
Chemical tests of steel
Chemical and geologic evidence of the identity of rocks of Washoe, Nevada,
of different degrees of crystallizationBull 17, pp 29-39
Chemical and mineralogic composition of volcanic rocks of Silver Cliff and
Rosita Hills, Colorado
Chemical and physical effect of sudden cooling of glass
Chemical and Physical Research, Division of, organization of
Chemistry, contributions to mineralogy and, from laboratory of United States
Geological SurveyBulls 9,
27, 42, 55, 60, 64, 78, 90, 113, 148, 167, 168, 176
high pressure (kaolinization), investigation in
molecular variation of rocks at Electric Peak, Yellowstone ParkMon xxxu,
и, pp 118–120
of cement
of Comstock lode
of rocks and ores of Leadville, Colorado
Chemistry and physics, work in, 1883–1900
pp 86-88; Ann 7, pp 127-130; Ann 8, 1, pp 189-193;
Ann 9, pp 141–143; Ann 10, 1, pp 177–181; Ann 11, 1, pp
125-127; Ann 12, 1, pp 127-129; Ann 13, 1, pp 159-162;
Ann 14, 1, pp 267–268; Ann 15, pp 195–196; Ann 16, 1, pp
42–43; Ann 17, 1, pp 69–70; Ann 18, 1, p 69; Ann 19, 1
pp 68–69; Ann 20, 1, pp 68–69; Ann 21, 1, pp 94–96
Chemung beds, fauna of, at High Point, New York
Champing group faunag of ota
Chemung group, faunas of, etc Bull 41, pp 51–104
history of discussions concerning correlation of
pp 121–134, 147–148, 158, 190–192, 262

The second second

Chesapeake watershed, stream measurements in
Ann 19, IV, pp 122-174; Ann 20, IV, pp 48-49, 109-136;
Bull 131, pp 87-89; Bull 140, pp 41-65; WS 11, pp 8-12;
WS 15, pp 8-24; WS 27, pp 17-25; WS 35, pp 75-99
Cheshire quartzite of Massachusetts, westernGF 50, p 1
Chester (F. D.), gabbros and associated rocks in Delaware
Chester amphibolite of Massachusetts and Connecticut
Chester amphibolite and serpentines of Massachusetts, westernMon xxix, pp 78–155
Chester formation of Indiana
Chesterfield group of beds in Richmond Basin
Cheyenne River, hydrography of and topography alongAnn 20, iv, pp 251–253
Chiastolite, composition of Bull 150, pp 37–38
occurrence of MR 1882, p 497
Chiastolite-schist, analysis of, from California, Yaqui GulchBull 148,
p 221; Bull 150, p 343; Bull 168, p 210
from California, near Mariposa, description of, as one of the educational
seriesBull 150, pp 339–343
of Sierra Nevada
of Massachusetts, western
Chicago, deaths in, resulting from typhoid fever
rainfall at
Chicago outlet of Lake Michigan, effect of, on size of Des Plaines and Illinois
rivers
Chicago outlet and beaches of the glacial Lake ChicagoMon xxxviii, pp 418-459
Chickamauga limestone of Southern States
p 1; GF 8, p 2; GF 12, p 2; GF 16, p 4; GF 19, p 2; GF 20,
pp 2-3; GF 21, p 2; GF 22, p 2; GF 25, p 3; GF 26, p 2;
GF 27, p 2; GF 33, p 2; GF 35, p 2; GF 44, p 2; GF 59, p 3
Chickasaw Nation, resurvey of lands of
Chickasawan formation, correlation of
Chico beds, unconformity between the Knoxville and Bull 19, pp 12–17
Chico formation of California
Mon XIII, pp 179, 294–295; GF 5, p 3; GF 15, pp 1, 2;
GF 31, p 1; GF 37, p 1; GF 43, p 1; GF 51, p 1; GF 3, p 1
Chico-Shasta group, correlation of
Chico-Tejon series of Pacific coast region, historical review, local development
and stratigraphy, species, etc., ofAnn 17, 1, pp 1013–1036
of Pacific Coast region, invertebrate fossils fromBull 51, pp 11-32
localities, correlation, etc., of Ann 6, pp 68-70, 73; Ann 8, pp 407-409; Mon
x111, pp 214-218, 237-238; Bull 15, pp 11-17; Bull 19, pp 14,
17; Bull 51, pp 28–32; Bull 82, pp 182, 186, 187, 192–195,
200, 241, 250, 264–265; Bull 83, pp 100–101; Bull 84, p 323
Chicopee shale of Massachusetts and Connecticut Mon xxix, p 370; GF 50, p 5
Chignik Bay and River, Alaska, coal on
Chile, copper production of MR 1882, pp 252–253; MR 1883–84, pp 356, 363; MR 1885,
pp 229, 234; MR 1886, pp 128, 132–133; MR 1887, pp 88, 92–93;
MR 1888, p 73; MR 1889–90, p 73; MR 1891, pp 101, 102; MR
1892, pp 114, 116; MR 1893, p 86; Ann 16, 111, p 352; Ann
17, 111, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vi, pp
176, 178; Ann 20, vi, pp 202, 204; Ann 21, vi, pp 204, 206
fossil plants of, literature of
geologic maps of, list ofBull 7, pp 156, 157
gold and silver production of, compared with that of other countries MR
1883-84, pp 319, 320
·

Chile, iodine production of
iron-ore deposits in
manganese production of
MR 1889–90, p 130; MR 1891, pp 138–141; MR 1892, pp 208–
212; MR 1893, pp 138, 155; Ann 16, III, pp 439-443, 457;
Ann 17, 111, pp 208, 224; Ann 18, v, pp 313, 324; Ann 19, vi,
p 108; Ann 20, vi, pp 142–147, 156; Ann 21, vi, pp 152, 162
quicksilver deposits in
saltpeter from, statistics of
Chilhowee sandstones of North Carolina
Chilmark series of Marthas Vineyard, section of
China, Cambrian rocks of
diamonds in, occurrence of
fossil plants of, literature of
gas, natural, statistics of
iron and iron ore from, statistics of
иг, pp 22, 23, 24, 25, 26, 27, 28, 169–170; Ann 20, vг, p 98
iron industry in
petroleum production of
quicksilver mines of
tin production of
China clay. (See Clay, porcelain; Clay, pottery.)
Chino Creek, California, flow of, measurements of
Chipola beds of Florida, character and correlation of
ıı, p 340; Bull 84, pp 112–113, 122–123, 323, 324 Chisolm (F. F.), Dakota coal
iron in Rocky Mountain division
MR 1885, p 196; MR 1887, pp 28–29; MR 1888, pp 33–35
Wyoming coal
Chispa, Texas, igneous rocks from vicinity of San Carlos andBull 164, pp 88–95
Chitina River, Alaska, geology of region along
trails along
Chitina River Valley, Alaska, topography of
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393-440
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393-440  Chitistone limestone of Alaska Ann 21, 11, pp 425, 426, 427
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393-440  Chitistone limestone of Alaska Ann 21, 11, pp 425, 426, 427  Chittenango Creek, New York, flow of, measurements of Ann 21, 11, 12, 12, 13, 14, 15, 16, 16, 16, 16, 16, 16, 16, 16, 16, 16
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393-440  Chitistone limestone of Alaska Ann 21, 11, pp 425, 426, 427  Chittenango Creek, New York, flow of, measurements of Ann 21, 11, pp 181; WS 36, pp 184-186
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393–440  Chitistone limestone of Alaska Ann 21, 11, pp 425, 426, 427  Chittenango Creek, New York, flow of, measurements of Ann 21, 11, pp 181; WS 36, pp 184–186  Chloramide, triphosphonitrilic, analysis of Bull 167, p 86
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393-440  Chitistone limestone of Alaska Ann 21, 11, pp 425, 426, 427  Chittenango Creek, New York, flow of, measurements of Ann 21, 11, pp 181; WS 36, pp 184-186
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393–440  Chitistone limestone of Alaska Ann 21, 11, pp 425, 426, 427  Chittenango Creek, New York, flow of, measurements of Ann 21, 11, pp 181; WS 36, pp 184–186  Chloramide, triphosphonitrilic, analysis of Bull 167, p 86
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393–440  Chitistone limestone of Alaska Ann 21, 11, pp 425, 426, 427  Chittenango Creek, New York, flow of, measurements of Ann 21, 11, pp 425, 426, 427  Liv, p 181; WS 36, pp 184–186  Chloramide, triphosphonitrilic, analysis of Bull 167, p 86  Chlorastrolite, analysis of, from Lake Superior Ann 20, v1 cont, p 593
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393–440  Chitistone limestone of Alaska
Chitistone limestone of Alaska
Chitistone limestone of Alaska
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393–440  Chitistone limestone of Alaska
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393–440  Chitistone limestone of Alaska
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393–440  Chitistone limestone of Alaska
Chitistone limestone of Alaska
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393–440  Chitistone limestone of Alaska
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393–440 Chitistone limestone of Alaska
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393–440 Chitistone limestone of Alaska
Chitina River and Skolai Mountains, Alaska, reconnaissance of Ann 21, 11, pp 393–440 Chitistone limestone of Alaska

$\cdot$
Chloride, analysis of phosphonitrilic, oily, residual of
analysis of polyphosphonitrilic
of tetraphosphonitrilic
Chlorides, on tri- and tetraphosphonitrilicBull 167, pp 77–89
Chlorine in dolomites of Colorado, Mosquito Range
Chlorine, bromine, and iodine, indirect estimation of, by electrolysis of their
silver salts, with experiments on convertibility of silver
salts by the action of alkaline haloidBull 42, pp 89–93
Chlorite, analysis of, from North Carolina, Corundum HillBull 42, p 56
analysis of, from North Carolina, Iredell CountyBull 74, p 68
as a product of weathering
formation of, in Comstock lode, Nevada
in decomposition of rocks
in gneisses of Minnesota, southwesternBull 157, pp 59–60
thin section of, from Michigan, Sturgeon FallsBull.62, p 71
from Nevada, Sutro Tunnel, from augite-andesiteMon III, pp 150–151
Washoe district, from porphyritic digrite
Chlorite and epidote, thin section of, from Nevada, Ophir Ravine, from diorite- porphyryMon 111, pp 150-151
Chlorite-epidote, thin section of, from Michigan, Upper Quinnesec Falls, from
an altered diabaseBull 62, pp 228–229
Chlorite group, Tschermak's theory ofBull 113, pp 11–21
Chlorite-schist of Northwestern States
of Ciarra Navada
of Sierra Nevada
Chlorite-scrist with chlorite, analysis of, from Fennsylvania, near Fine
Grove Bull 136 n 78
Grove
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. 4 sec. 14, T. 44 N.,
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. 4 sec. 14, T. 44 N., R. 3 WAnn 10, 1, pp 478–479; Mon XIX, pp 486–487
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. 4 sec. 14, T. 44 N., R. 3 W
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,         R. 3 W       Ann 10, I, pp 478-479; Mon XIX, pp 486-487         Chlorites, composition of       Bull 150, p 43         constitution of       Bull 113, pp 27-33; Bull 125, pp 45-56         in rocks of Pacific slope       Mon XIII, pp 85-86
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N., R. 3 W
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, 1, pp 478-479; Mon XIX, pp 486-487  Chlorites, composition of Bull 150, p 43  constitution of Bull 113, pp 27-33; Bull 125, pp 45-56  in rocks of Pacific slope Mon XIII, pp 85-86  Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11-21  Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14  Chloritization, a kind of mineralogic metamorphism Bull 62, p 55
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478-479; Mon XIX, pp 486-487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27-33; Bull 125, pp 45-56 in rocks of Pacific slope Mon XIII, pp 85-86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11-21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478-479; Mon XIX, pp 486-487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27-33; Bull 125, pp 45-56 in rocks of Pacific slope Mon XIII, pp 85-86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11-21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478-479; Mon XIX, pp 486-487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27-33; Bull 125, pp 45-56 in rocks of Pacific slope Mon XIII, pp 85-86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11-21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103 Chloro-bromo-iodides of silver, analyses of, from Colorado, Leadville Mon XII, p 600
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478-479; Mon XIX, pp 486-487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27-33; Bull 125, pp 45-56 in rocks of Pacific slope Mon XIII, pp 85-86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11-21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103 Chloro-bromo-iodides of silver, analyses of, from Colorado, Leadville Mon XII, p 600 Chloronitrides of phosphorus and metaphosphinic acids Bull 167, pp 77-153
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478-479; Mon XIX, pp 486-487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27-33; Bull 125, pp 45-56 in rocks of Pacific slope Mon XIII, pp 85-86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11-21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103 Chloro-bromo-iodides of silver, analyses of, from Colorado, Leadville Mon XII, p 600 Chloronitrides of phosphorus and metaphosphinic acids Bull 167, pp 77-153 Chloropal, analysis of, from Colorado, Cripple Creek district Ann 16, II, p 123
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478-479; Mon XIX, pp 486-487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27-33; Bull 125, pp 45-56 in rocks of Pacific slope Mon XIII, pp 85-86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11-21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103 Chloro-bromo-iodides of silver, analyses of, from Colorado, Leadville Mon XII, p 600 Chloronitrides of phosphorus and metaphosphinic acids Bull 167, pp 77-153 Chloropal, analysis of, from Colorado, Cripple Creek district Ann 16, II, p 123 Chlorophyllite, analysis and chemical constitution of Bull 125, p 83
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478-479; Mon XIX, pp 486-487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27-33; Bull 125, pp 45-56 in rocks of Pacific slope Mon XIII, pp 85-86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11-21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103 Chloro-bromo-iodides of silver, analyses of, from Colorado, Leadville Mon XII, p 600 Chloronitrides of phosphorus and metaphosphinic acids Bull 167, pp 77-153 Chloropal, analysis of, from Colorado, Cripple Creek district Ann 16, II, p 123 Chlorophyllite, analysis and chemical constitution of Bull 125, p 83 Choccolocco or Montevallo shales, origin of name Bull 81, p 247
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478-479; Mon XIX, pp 486-487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27-33; Bull 125, pp 45-56 in rocks of Pacific slope Mon XIII, pp 85-86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11-21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103 Chloro-bromo-iodides of silver, analyses of, from Colorado, Leadville Mon XII, p 600 Chloronitrides of phosphorus and metaphosphinic acids Bull 167, pp 77-153 Chloropal, analysis of, from Colorado, Cripple Creek district Ann 16, II, p 123 Chlorophyllite, analysis and chemical constitution of Bull 125, p 83 Choccolocco or Montevallo shales, origin of name Bull 81, p 247 Chocolate porphyry of Montana, Little Belt Mountains Ann 20, III, pp 349-351
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478-479; Mon XIX, pp 486-487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27-33; Bull 125, pp 45-56 in rocks of Pacific slope Mon XIII, pp 85-86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11-21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103 Chloro-bromo-iodides of silver, analyses of, from Colorado, Leadville Mon XII, p 600 Chloronitrides of phosphorus and metaphosphinic acids Bull 167, pp 77-153 Chloropal, analysis of, from Colorado, Cripple Creek district Ann 16, II, p 123 Chlorophyllite, analysis and chemical constitution of Bull 125, p 83 Choccolocco or Montevallo shales, origin of name Bull 81, p 247 Chocolate porphyry of Montana, Little Belt Mountains Ann 20, III, pp 349-351
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478-479; Mon XIX, pp 486-487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27-33; Bull 125, pp 45-56 in rocks of Pacific slope Mon XIII, pp 85-86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11-21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103 Chloro-bromo-iodides of silver, analyses of, from Colorado, Leadville Mon XII, p 600 Chloronitrides of phosphorus and metaphosphinic acids Bull 167, pp 77-153 Chloropal, analysis of, from Colorado, Cripple Creek district Ann 16, II, p 123 Chlorophyllite, analysis and chemical constitution of Bull 125, p 83 Choccolocco or Montevallo shales, origin of name Bull 81, p 247 Chocolate porphyry of Montana, Little Belt Mountains Ann 20, III, pp 349-351 Choffat (P.), correlation table of Mesozoic deposits of Portugal, from Ann 16, I, p 525 Chondriteæ of Amboy clays Mon xxvi, p 34
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478-479; Mon XIX, pp 486-487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27-33; Bull 125, pp 45-56 in rocks of Pacific slope Mon XIII, pp 85-86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11-21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103 Chloro-bromo-iodides of silver, analyses of, from Colorado, Leadville Mon XII, p 600 Chloronitrides of phosphorus and metaphosphinic acids Bull 167, pp 77-153 Chloropal, analysis of, from Colorado, Cripple Creek district Ann 16, II, p 123 Chlorophyllite, analysis and chemical constitution of Bull 125, p 83 Choccolocco or Montevallo shales, origin of name Bull 81, p 247 Chocolate porphyry of Montana, Little Belt Mountains Ann 20, III, pp 349-351 Choffat (P.), correlation table of Mesozoic deposits of Portugal, from Ann 16, I, p 525 Chondriteæ of Amboy clays Mon xxvi, p 34 Chondrodite, chemical constitution of Bull 125, pp 69, 104
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478–479; Mon XIX, pp 486–487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27–33; Bull 125, pp 45–56 in rocks of Pacific slope Mon XIII, pp 85–86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11–21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103 Chloro-bromo-iodides of silver, analyses of, from Colorado, Leadville Mon XII, p 600 Chloronitrides of phosphorus and metaphosphinic acids Bull 167, pp 77–153 Chloropal, analysis of, from Colorado, Cripple Creek district Ann 16, II, p 123 Chlorophyllite, analysis and chemical constitution of Bull 125, p 83 Choccolocco or Montevallo shales, origin of name Bull 81, p 247 Chocolate porphyry of Montana, Little Belt Mountains Ann 20, III, pp 349–351 Choffat (P.), correlation table of Mesozoic deposits of Portugal, from Ann 16, I, p 525 Chondriteæ of Amboy clays Mon xxvI, p 34 Chondrodite, chemical constitution of Bull 125, pp 69, 104 from Iowa, description and analysis of Bull 78, pp 95–97
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478–479; Mon XIX, pp 486–487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27–33; Bull 125, pp 45–56 in rocks of Pacific slope Mon XIII, pp 85–86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11–21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103 Chloro-bromo-iodides of silver, analyses of, from Colorado, Leadville Mon XII, p 600 Chloronitrides of phosphorus and metaphosphinic acids Bull 167, pp 77–153 Chloropal, analysis of, from Colorado, Cripple Creek district Ann 16, II, p 123 Chlorophyllite, analysis and chemical constitution of Bull 125, p 83 Choccolocco or Montevallo shales, origin of name Bull 81, p 247 Chocolate porphyry of Montana, Little Belt Mountains Ann 20, III, pp 349–351 Choffat (P.), correlation table of Mesozoic deposits of Portugal, from Ann 16, II, p 525 Chondriteæ of Amboy clays Mon xxvI, p 34 Chondrodite, chemical constitution of Bull 125, pp 69, 104 from Iowa, description and analysis of Bull 78, pp 95–97 occurrence and statistics of MR 1883–84, p 767; Ann 16, IV, p 605
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478–479; Mon XIX, pp 486–487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27–33; Bull 125, pp 45–56 in rocks of Pacific slope Mon XIII, pp 85–86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11–21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103 Chloro-bromo-iodides of silver, analyses of, from Colorado, Leadville Mon XII, p 600 Chloronitrides of phosphorus and metaphosphinic acids Bull 167, pp 77–153 Chloropal, analysis of, from Colorado, Cripple Creek district Ann 16, II, p 123 Chlorophyllite, analysis and chemical constitution of Bull 125, p 83 Choccolocco or Montevallo shales, origin of name Bull 81, p 247 Chocolate porphyry of Montana, Little Belt Mountains Ann 20, III, pp 349–351 Choffat (P.), correlation table of Mesozoic deposits of Portugal, from Ann 16, I, p 525 Chondriteæ of Amboy clays Mon xxvI, p 34 Chondrodite, chemical constitution of Bull 125, pp 69, 104 from Iowa, description and analysis of Bull 78, pp 95–97
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478–479; Mon XIX, pp 486–487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27–33; Bull 125, pp 45–56 in rocks of Pacific slope Mon XIII, pp 85–86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11–21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103 Chloro-bromo-iodides of silver, analyses of, from Colorado, Leadville Mon XII, p 600 Chloronitrides of phosphorus and metaphosphinic acids Bull 167, pp 77–153 Chloropal, analysis of, from Colorado, Cripple Creek district Ann 16, II, p 123 Chlorophyllite, analysis and chemical constitution of Bull 125, p 83 Choccolocco or Montevallo shales, origin of name Bull 81, p 247 Chocolate porphyry of Montana, Little Belt Mountains Ann 20, III, pp 349–351 Choffat (P.), correlation table of Mesozoic deposits of Portugal, from Ann 16, II, p 525 Chondriteæ of Amboy clays Mon xxvI, p 34 Chondrodite, chemical constitution of Bull 125, pp 69, 104 from Iowa, description and analysis of Bull 78, pp 95–97 occurrence and statistics of MR 1883–84, p 767; Ann 16, IV, p 605
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478–479; Mon XIX, pp 486–487 Chlorites, composition of Bull 150, p 43 constitution of Bull 150, p 45–56 in rocks of Pacific slope Mon XIII, pp 85–86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11–21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103 Chloro-bromo-iodides of silver, analyses of, from Colorado, Leadville Mon XII, p 600 Chloronitrides of phosphorus and metaphosphinic acids Bull 167, pp 77–153 Chloropal, analysis of, from Colorado, Cripple Creek district Ann 16, II, p 123 Chlorophyllite, analysis and chemical constitution of Bull 125, p 83 Choccolocco or Montevallo shales, origin of name Bull 81, p 247 Chocolate porphyry of Montana, Little Belt Mountains Ann 20, III, pp 349–351 Choffat (P.), correlation table of Mesozoic deposits of Portugal, from Ann 16, I, p 525 Chondriteæ of Amboy clays Mon xxvI, p 34 Chondrodite, chemical constitution of Bull 125, pp 69, 104 from Iowa, description and analysis of Bull 78, pp 95–97 occurrence and statistics of MR 1883–84, p 767; Ann 16, IV, p 605 Chondrodite-limestone, analysis, etc., of, from Massachusetts, Hinsdale Sta-
Chlorite-slate, biotitic, thin section of, from Wisconsin, NW. ‡ sec. 14, T. 44 N.,  R. 3 W Ann 10, I, pp 478-479; Mon XIX, pp 486-487 Chlorites, composition of Bull 150, p 43 constitution of Bull 113, pp 27-33; Bull 125, pp 45-56 in rocks of Pacific slope Mon XIII, pp 85-86 Chlorites, micas, and vermiculites, on the constitution of certain Bull 90, pp 11-21 Chloritic dust, analysis of, from North Carolina, Alexander County Bull 55, p 14 Chloritization, a kind of mineralogic metamorphism Bull 62, p 55 Chloritoid, analysis of, from North Carolina, Chatham County Bull 74, p 68 chemical constitution of Bull 125, pp 48, 54, 55, 103 Chloro-bromo-iodides of silver, analyses of, from Colorado, Leadville Mon XII, p 600 Chloronitrides of phosphorus and metaphosphinic acids Bull 167, pp 77-153 Chloropal, analysis of, from Colorado, Cripple Creek district Ann 16, II, p 123 Chlorophyllite, analysis and chemical constitution of Bull 125, p 83 Choccolocco or Montevallo shales, origin of name Bull 81, p 247 Chocolate porphyry of Montana, Little Belt Mountains Ann 20, III, pp 349-351 Choffat (P.), correlation table of Mesozoic deposits of Portugal, from Ann 16, II, p 525 Chondriteæ of Amboy clays Mon xxvI, p 34 Chondrodite, chemical constitution of Bull 125, pp 69, 104 from Iowa, description and analysis of Bull 125, pp 69, 104 from Iowa, description and analysis of Bull 1883-84, p 767; Ann 16, IV, p 605 Chondrodite-limestone, analysis, etc., of, from Massachusetts, Hinsdale Station Bull 159, pp 31-32

Chrome iron ore, statistics of
Ann 19, vi, pp 259–264; Ann 20, vi, pp 291–292
-(See, also, Chromium.)
Chrome ores of Turkey, occurrence, cost of mining, etc., ofAnn 19, vr, pp 261-264
Chromic iron, occurrence, character, uses, etc., of
Chromic iron ore, analyses of
Chromiferous pseudomorph, analysis of, from Wyoming, Running Water
RiverBull 20, p 99
Chromite, analysis of, from North Carolina, Corundum HillBull 42, p 52
analysis of, from North Carolina, Macon CountyBull 74, pp 34, 35
composition of
Chromium, alloys of iron and, uses of
colorimetric estimation of small amounts of, with special reference to
analysis of rocks and oresBull 167, pp 37-43
foreign sources of
separation of, in rock analysesBull 78, pp 87–90
statistics ofMR 1882, pp 428–430; MR 1883–84, pp 567–573;
MR 1885, pp 357–360; MR 1886, pp 176–179; MR 1887,
pp 132–133; MR 1888, pp 119–122; MR 1889–90, pp 137–
140; Ann 16, III, pp 608-614; (see, also, Chrome iron ore)
volumetric estimation of vanadium in presence of small amounts of, with
special reference to analysis of rocks and ores. Bull 167, pp 44–48
Chromolithography in ceramics
Chryohydrates in relation to rock magmas
Chrysoberyl, occurrence and statistics of
pp 736, 781; MR 1885, p 443; MR 1886, pp 598, 604; MR
1887, pp 556, 557; MR 1888, pp 584, 585; MR 1889–90, p 446;
MR 1891, p 539; MR 1893, p 681; Ann 16, iv, p 604
Chrysocolla, chemical constitution ofBull 125, pp 97, 106
occurrence and statistics of
Chrysolite, analyses of, from North Carolina, Jackson and Macon counties. Bull 74, p 47
chemical constitution of
Chrysoprase, occurrence and statistics of
p 561; MR 1889–90, p 448; MR 1891, p 540; MR 1892, p 781;
MR 1893, p 682; Ann 16, IV, p 605; Ann 17, III, cont, pp 910,
923; Ann 18, v cont, pp 1207, 1217; Ann 19, vi cont, pp 507,
513; Ann 20, vi cont, pp 589, 599; Ann 21, vi cont, p 461
Chrysotile, analysis of, from New Jersey, MontvilleBull 78, p 15
Chuar group of rocks of ArizonaBull 86, pp 329–332, 507
Chuar terrane, Grand Canyon of the Colorado, section of An 14, ri, pp 508-510
Chugach Mountains, Alaska, notes on
Chulitna River and Valley, Alaska, notes on
Church (J. A.), quoted on Comstock lode, Nevada
Cidaridæ, Mesozoic, of United States
Cimarron River, Kansas, flow of, measurements of
ıv, pp 243–244; Bull 140, pp 166–168; WS 11, p 64
physiography of valley of
Ciminite, analyses of, from Italy, Monte Cimino and Viterbo
Cimolite, analysis of, from Maine, NorwayBull 9, p 12; Bull 42, pp 18–19
chemical constitution of
Cincinnati arch, course of
features of
relations of

Cincinnati group in Indiana
oil in
Cincinnati ice dam
Cinnabar, analysis of, from New South Wales, Yulgilbar StationAnn 18, v, p 290
distribution of
in Alaska, near Kolmakof, vein of
in British Columbia
in Great Basin Mon XIII, p 385
mineral association of
solubility of, in ammoniac solutions
solution and precipitation of
Cinnabar and hot springs, association of
Cinnabar and other ores, solution and precipitation of
pp 269–270, 419–437, 473, 474
Cinnabar, pyrite, and gold of quicksilver mines of Pacific slope, origin ofMon XIII,
pp 438-450, 475
Cinnabar crystals from California
Cinnabar deposits of Pacific slope and elsewhereMon XIII
of Sierra Nevada
(See, also, Quicksilver.)
Cirques, glacial, mode of origin of
Cistern water supply in eastern United States
Cisterns in eastern United States, types of
Citico conglomerate of Tennessee and North Carolina
pp 1, 2; GF 20, p 2; GF 25, p 2
Civilization, development of, relation of harbors to
Civilization, roads, and geologic conditions, connection between Ann 15, pp 260-261
Claiborne formation of Alabama and Mississippi, correlation of
п, p 343; Bull 83, pp 62–64, 68; Bull 84, pp 323, 324
Claiborne stage, Lower, in Louisiana, rocks and fossils of
Claiborne-Meridian deposits
Claibornian stage, coral faunas of
Claosaurus, description and restoration of
from Denver Basin, remains of
Clarion River, Pennsylvania, profile of
Clark (F. A.), report on Eureka topographic survey
Clark (W. B.), a correlation essay—Eocene Bull 83
Eocene deposits of Middle Atlantic slope in Delaware, Maryland, and
Virginia
Mesozoic Echinodermata of United States Bull 97
work in charge of, 1893-1900. Ann 15, p 157; Ann 16, I, p 22; Ann 17, I, p 28; Ann
18, 1, p 31; Ann 19, 1, p 36; Ann 20, 1, p 40; Ann 21, 1, p 74
Clark formation in Virginia and West Virginia
in West Virginia, relation of, to the Pottsville
Clarke (F. W.), a new occurrence of gyroliteBull 64, pp 22–23
a theory of the mica groupBull 64, pp 9–19
alkaline reaction of some natural silicatesBull 167, pp 156–158
analyses of jadeBull 60, 123–127
analyses of rocks from laboratory of the U. S. Geological SurveyBull 168
chemical constitution of roscoeliteBull 167, pp 73-74
chemical structure of the natural silicatesBull 60, pp 13–20
constitution of the lithia micas
constitution of the silicates Bull 125
constitution of tourmaline
00115411 101, pp 20-00

Charles (E.W.) inidians statistics of	MTD 1000 m 444
Clarke (F. W.), iridium, statistics of	MD 1999 84 pp 006 019
minerals of Litchfield, Maine	Dull 49 pp 90 30
oligoclase from Bakersville, North Carolina	Rull 60, pp 190–190
petalite from Peru, Maine	Rull 60 n 199
relative abundance of the chemical elements	Rull 78 nn 34-42
researches on the lithia micas	
some nickel ores from Oregon	
spessartite from Amelia County, Virginia	
studies in the mica group.	
topaz from Stoneham, Maine	
Tschermak's theory of the chlorite group and its altern	
willemite from the Trotter mine, Franklin, New Jers	
work in charge of, 1883-1900	
86–88; Ann 7, pp 127–130; Ann 8, 1	, pp 189–193; Ann 9, pp 141–
143; Ann 10, 1, pp 177-181; Ann	
ı, pp 127-129; Ann 13, ı, pp 159-	
Ann 15, pp 195–196; Ann 16, 1, pp	42-43; Ann 17, 1, pp 69-70;
Ann 18, 1, pp 69-70; Ann 19, 1, pp	68-69; Ann 20, 1, pp 68-69;
Ann 21, 1, pp 94–95; Bulls 9, 27	
Clarke (F. W.) and Catlett (C.), a platiniferous nickel or	e from CanadaBull 64,
	pp 20–21
Clarke (F. W.) and Chatard (T. M.), mineral, rock, ore, ar	nd water analysesBull 9,
	pp 9–35
Clarke (F. W.) and Darton (N. H.) on a hydromica from	
	pp 154–155
Clarke (F. W.) and Diller (J. S.), turquoise from New M	
Clarke (F. W.) and Hillebrand (W. F.), analyses of	
methods	
Clarke (F. W.) and Schneider (E. A.), experiments upo	
certain micas and chlorites	
experiments upon the constitution of the natural silic	
on the constitution of certain micas, vermiculites, an	
Clarks (F. W.) and Stainer (C. H.) amoniments relative	pp 11–21
Clarke (F. W.) and Steiger (G. H.) experiments relative	
pectolite, pyrophyllite, calamine, a	
	pp 13–25
Clarke (J. M.), higher Devonian faunas of Ontario Count	
Clarksburg formation of Michigan, petrographic character	
of Michigan, thin section of sedimentary bed from	07; Mon xxvIII, pp 460–486
28 W	Mon vyvyy nn 470 471
Classification, natural method of, as indicated by paleobo	Mon XXVIII, pp 470–471
of Cambrian, early, and pre-Cambrian	App 7 pp 365-454
of clays, commercial and natural	
of cryptogams	
of drainage basins	
of formations by paleontologic and lithologic character	
formity	
(See, also, Correlation.)	, pp 011 110
of geology	Ann 11, 1, pp 238–242
of igneous rocks	Ann 12, 1. pp 660–663
from Alaska according to composition	Ann 20, vii, pp 188–194
of lavas of Nevada, Eureka district	
•	, · · · ·

Charifestian of mineral denominin Ideba	o
Classification of mineral deposits in Idaho	
of rocks	
of Sierra Nevada	
of sedimentary rocks of Alaska, southwestern	
of topographic forms by hydrography	4
work in, by the Survey	2
(See, also, Taxonomy.)	_
Classification and nomenclature of fossil plants	
Clastic rocks, classes and divisions of, recognized by SurveyAnn 10, 1, pp 63-6	7
of Aroostook volcanic area, Maine	
Clay, analyses of	
analysis of, from Arkansas, various localities (Tertiary) Ann 19, vi cont, p 47.	
from Austria	
from Belgium, Stoud Maiseroul	
from Bohemia, Zettlitz	
from California, Owens Lake	
p 89; Bull 60, p 97; Bull 148, p 301; Bull 168, p 304	
various localities	
from Colorado, Golden	
Pueblo quadrangleBull 148, p 297; Bull 168, p 298	Э
from Denmark, Bornholm	7
from England, Anglesea	
various localities Ann 19, vr cont, pp 464–466	
from Florida, LakelandBull 90	
p 74; Bull 148, pp 290–291; Bull 168, pp 293–29	4
Melborne CreekBull 60, p 16	8
from France, various localities	7
from Georgia, near AugustaBull 148, p 290; Bull 168, p 21	
from Germany, various localities	
vi cont, pp 420, 421, 425, 426, 445, 452, 456–466	
from Idaho, De Lamar	
from Illinois, Henry CountyBull 27	
pp 66, 67; Bull 148, p 293; Bull 168, p 290	6
Streator	
from Indiana, Bristol	
Indianapolis	
various localitiesAnn 19, vi cont, p 473; Mon xxxviii, p 41	
from Iowa, Des Moines	
from Kentucky, Carter County	
Mayfield	
from Maryland, various localities	
from Massachusetts, Marthas Vineyard	);
Bull 55, pp 89, 90; Bull 148, p 287; Bull 168, p 28	
from Michigan	
from Minnesota, Lesueur and McLeod counties Ann 19, v1 cont, p 48	
Minneapolis	
New Ulm	
from Missouri, St. Louis	
from Nevada, Humboldt Canyon	
various localities	
from New York, Richfield Springs Bull 64, p 51	
Bull 148, p 288; Bull 168, p 29	
from North Dakota, Pembina MountainsAnn 21, vi cont, p 40	
from frozen Dakova, i omonia mountains	ب

Clay, analysis of, from Ohio, near Sandusky
analysis of, from Ohio, Trumbull County
from Ohio, Wellston
from Pennsylvania, Butler
Northumberland CountyBull 64, p 51; Bull 148, p 288; Bull 168, p 290
from Russia, various localities Ann 19, vi cont, pp 452, 454, 455, 466–467
from Sweden, various localities
from Texas
San Antonio
from Utah, Bonneville region
from Virginia, Chesterfield County
from Washington, Stevens CountyBull 148, p 301; Bull 168, p 304
from Wisconsin, Hersey
Milwaukee Ann 6, p 250;
Bull 42, pp 143, 144; Bull 148, p 294; Bull 168, p 297
from Wyoming, various localities ("mineral soap")Ann 18, v, p 1146
chemical constitution of
kaolin not an essential ingredient in Washoe rock
of California, Sacramento quadrangle
of Colorado, Denver Basin
Elk MountainsGF 9, p 2
of District of Columbia
of Georgia-Tennessee, Ringgold quadrangleGF 2, p 3
of Italy, scaly
of Maryland, Washington quadrangleGF 70, p 7
of Massachusetts and Rhode Island, glacial brick Ann 17, 1, pp 951-1004
suitable for paving brick, suggestions concerningAnn 16, 11, pp 324-326
of New Jersey, Raritan, and greensand marls, Brachiopoda, Lamellibranchi-
of New Jersey, Raritan, and greensand marls, Brachiopoda, Lamellibranchi- ata, Gasteropoda, Cephalopoda, of Mon IX. Mon XVIII.
ata, Gasteropoda, Cephalopoda, ofMon ix; Mon xviii
ata, Gasteropoda, Cephalopoda, ofMon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, ofMon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, ofMon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon 1X; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, ofMon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, ofMon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, ofMon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, ofMon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon 1x; Mon xvIII of Porto Rico
ata, Gasteropoda, Cephalopoda, of Mon IX; Mon XVIII of Porto Rico

	rick, analysis of, from Iowa, Cerro Gordo County	
ana	llysis of, from Iowa, various localities	
	from Kansas, Greenwood County	Ann 16, IV, pp 566–567
	from Kentucky, various localities	
	from Louisiana, New Orleans	Ann 18, v cont, p 1161
	various localities	
	from Maine, Quinnipiac	
	from Maryland, near Baltimore	Ann 18, v cont. p 1161
	from Massachusetts, Clayton, Berkshire County	
	West Cambridge and Gay Head	
	from Michigan, Jackson County	
	Marquette and Grand Rapids	
	Saginaw	
	from Minnesota, Blue Earth County	
	from Mississippi, Clingscales	
	from Missouri, Hannibal	Ann 16, iv, pp 566-567
	various localities	
	from Montana, Deerlodge County	
	from Nebraska	
	Omaha	
	from New Jersey, Cumberland County	
	Middlesex and Burlington counties	
	from New York, Greene County	
	various localitiesAnn 16, IV, pp 568-569;	Ann 18, v cont, pp 1162–1163
	from North Carolina, various localities	Ann 16, iv, pp 568–569;
		Ann 19, vi cont, pp 482–484
	from Ohio, Lake, Lawrence, and Lorain countie	
	Stark and Franklin counties	
	from Pennsylvania, Beaver, Wayne, and Crawf	
	Tom Temsylvania, Beaver, Wayne, and Orawi	
	<b>A</b>	v cont, p 1164
	Corry	
	various localities	
	from South Dakota, Rapid	Ann 16,
	iv, pp 568-	-569; Ann 18, v cont, p 1164
	from Switzerland, Zürich	MR 1893, p 605
	from Tennessee, Knox County	Ann 18, v cont, p 1164
	Scott County	
	from Texas, various localities	Ann 16, iv. pp 570–571
	from Washington, Pierce County	Ann 16. IV. pp 570–571
	from West Virginia, Marshall County	
	TV no 570	571. App 18 y cont p 1164
	IV, pp 570	-571, Ami 10, v cont., p 1104
	from Wisconsin, Milwaukee. Ann 16, IV, pp 570	0-571; Ann 18, v cont, p 1164
	Milwaukee and Dane counties	
	cription of the rock, as one of the educational se	
of I	Rhode Island and Massachusetts, glacial	Ann 17, 1, pp 951–1004
Clay, ch	nina. (See Clay, porcelain; Clay, pottery.)	
Clay, fir	re, analysis of, from Alabama, Marion County	Ann 18, v cont, p 1150
	lysis of, from Alabama, various localities	
	· ·	-555; Ann 18, v cont, p 1128
	1 ( , 1111 + 1114-	
	from Arkansas, Lawrence County	Ann 18, v cont, p 1150
	from Arkansas, Lawrence County  Poinsett and Greene counties	Ann 18, v cont, p 1150 Ann 16, iv, pp 554–555
	from Arkansas, Lawrence County Poinsett and Greene counties from Austria, Briesen	Ann 18, v cont, p 1150 Ann 16, iv, pp 554-555 Ann 19, vi cont, p 441
	from Arkansas, Lawrence County  Poinsett and Greene counties	Ann 18, v cont, p 1150 Ann 16, iv, pp 554-555 Ann 19, vi cont, p 441

	· .
Clay, fire, analysis of, from Colorado, Apishapa and Col	orado Springs quad-
ranglesBull 148, 1	
analysis of, from Colorado, Denver	
from Colorado, Edgemont	
Golden	
	50; Mon xxvII, p 390; Bull
	8, p 301; MR 1882, p 473
Morrison	MR 1882, p 473
Pueblo quadrangle	
Bull 148, pp 297–298; Bull 1	.68, pp 300–301; GF 36, p 7
from Delaware, Wilmington and Newcastle	
from England, Stourbridge	
Yorkshire	
from France, Bollène	
from Georgia, Baldwin County	
from Georgia, Daidwin Country	Man was 200 200
from Germany, Frankenthal-on-Rhine	Mon xxvII, pp 388–389
Hettenleidelheim	Ann 19, vi cont, p 427
from Indiana, Lawrence and Clay counties	
Parke CountyAnn 16, iv, pp 554-5	
Vermilion County	Ann 18, v cont, p 1150
from Illinois, Geneseo and New Windsor	Ann 16, iv, pp 554-555
WinchesterAnn 16, IV, pp 554	-555; MR 1882, pp 468-469
from Iowa, Crills Mills	
Woodbury and Dallas counties	
from Kentucky, Ballard County	Ann 12 r n 505
Carter County	MP 1888 n 560
Crown County	Ann 10 m and - 1150
Graves County	Ann 10, v cont., p 1150
Hickman County	
various localities	
from Maryland, Mount SavageAnn 16, IV, p	op 556–557; Ann 18, v cont,
p 1150; Mon xxv11, pp 388	-389; MR 1882, pp 468-469
from Michigan, Genesee County	
from Minnesota, Blue Earth County	
from Missouri, Cheltenham	Ann 16, iv, pp 556–557;
	; MR 1882, pp 468–469, 474
St. Louis	-557: MR 1882 np 468-469
various localities	
from Montana, Deerlodge County	
from New Jersey, various localitiesAnn 16	Ann 10, 10, pp 550-557
from New Jersey, various localitiesAnn 10	, iv, pp 550–557; Ann 15, v,
p 1134; Mon xxvII, pp 388	-389; MR 1882, pp 468-469
from New York, Richmond County	
from North Carolina, Cleveland and Guilford coun	
Moore and Harnett counties	
from North Dakota, Mercer, Stark, Ward counties	
from Ohio	
Sciotoville and Portsmouth	Mon xxvii, pp 388–389
various localitiesAnn 16, IV, pp 556-557; A	nn 18. v cont. pp 1154–1155
from Pennsylvania, JohnstownMon xxvII, pp 38	
various localitiesAnn 16, iv, pp 556-	
Woodland	
from South Dakota, RapidAnn 16, IV, pp 558-	
from Sweden, various localities	
from Texas, Henderson County	Ann 16, IV, pp 558–559
Montague County	
from Washington, King, Pierce, and Skagit count	iesAnn 16, IV, pp 558–559

Clay, fire, analysis of, from West Virginia, Marion CountyMR 1888, p 569
analysis of, from West Virginia, various localities Ann 16, 1v, pp 558-559
from Wyoming, Albany and Crook counties
from wyoning, Arbany and Crook countiesAnn 16, 14, pp 556–559
of Colorado, Elmoro quadrangle
Walsenburg quadrangleGF 68, p 6
(See, also, Clay, glass-pot.)
Clay, glacial, analysis of, from Wisconsin, Milwaukee
p 250; Bull 42, pp 143, 144; Bull 148, p 294; Bull 168, p 297
Clay, glass-pot, analysis of, from Belgium, Andenne
vi cont, p 431; MR 1883-84, p 975
analysis of, from Belgium, various localitiesAnn 19, vi cont, p 429
from Delaware, near Newcastle MR 1883-84, p 975
from England, StourbridgeMon xxvII, pp 388-389; MR 1883-84, p 975
from France, La BouchadeMR 1883–84, p 975
from Germany, CoblenzAnn 19, vr cont, p 429; MR 1883-84, p 975
Gross-Almerode
various localities
• •
Weisau
from Missouri, various localities
from New Jersey, Dixon
from Pennsylvania, Blair County and ThomasMR 1883-84, p 975
(See, also, Clay, fire.)
Clay, lacustral, analysis of, from California, Warm Springs
Clay, paving-brick, analysis of, from Arkansas, Sebastian CountyAnn 16,
ıv, pp 570–571
analysis of, from California, San Francisco
from Colorado, Jefferson CountyAnn 16, iv, pp 570–571
from Florida, BartowAnn 16, 1v, pp 570-571; MR 1893, p 614
from Illinois, Springfield, Winchester, BloomingtonAnn 16; 1v, pp 570–571
from Indiana, various localities. Ann 16, IV, pp 570–571; Ann 18, V cont, p 1167
from Iowa, Burlington and Clinton
from Kansas, Leavenworth
from Maryland, Allegany County
from Missouri, various localities. Ann 16, 1v, pp 570-571; Ann 18, v cont, p 1167
from Nebraska, Nebraska CityAnn 16, IV, pp 570–571
from New Jersey, Woodbridge and PhillipsburgAnn 16, IV, pp 570–571
from New York, Warners and HornellsvilleAnn 16, iv, pp 572-573
from Ohio, various localities
from Pennsylvania, various localitiesAnn 16, 1v, pp 572-573
from Tennessee, Chattanooga and RobbinsAnn 16, IV, pp 572-573
from Texas, Henderson County
from West Virginia, Cumberland and Nuzums MillsAnn 16, IV, pp 572-573
Clay, pipe, analysis of, from Georgia, Baldwin CountyAnn 16, IV, pp 574–575
Cray, pipe, analysis of, from Georgia, Bardwin County
analysis of, from Indiana, Greene and Perry counties Ann 18, v cont, p 1156
from Kentucky, various localities
from Minnesota, Red WingAnn 18, v cont, p 1156
from Missouri, Henry County and St. LouisAnn 18, v cont, p 1156
from New Jersey, Middlesex County
from New York, Erie County
from North Carolina, Guilford County
from North Dakota, Cavalier County
from Ohio, Jefferson and Columbiana counties
ıv, pp 574–575; Ann 18, v cont, p 1156

Clay, plastic, analysis of, from Germany, near Löthain	Ann 19, vi cont, p 417
analysis of, from Germany, Oberjahna	Ann 19, vi cont, p 424
from Germany, Rhine province	Ann 19, vr cont, p 422
Schönbrunn	Ann 19, vi cont, p 423
Westerwald	Ann 19, vi cont, p 420
used in steel refractories	
Clay, porcelain, analysis of, from China	
analysis of, from Indiana, Lawrence County	
from Massachusetts, Norwich	
Clay, Portland-cement, analysis of, from Kentucky	
analysis of, from Illinois	
Clay, pot. (See Clay, glass-pot; Clay, fire.)	, , , ,
Clay, pottery, analysis of	MR 1883-84, p 690
analysis of, from Alabama, Tuscaloosa County	
from Delaware, Hockessin	MR 1882, p 472
from England	
from Georgia, Baldwin County	Ann 16, iv. pp 560–561
from Illinois, Pope CountyAnn 16 IV, pp 5	
from Indiana, Dubois County	
Lawrence County	
various localities	Ann 16 tv pp 560–561
from Kentucky, various localities	Ann 16, 1v, pp 560–563
from Maryland, Cecil County	
from Minnesota, Blue Earth County	Ann 16, iv. pp 562–563
from Missouri, various localitiesAnn	18. v cont. pp 1157–1158
from New Jersey, Middlesex County	
Sussex County	Ann 16 av no 562–563
from New York, Queens and Suffolk counties	
from North Carolina, various localities	Ann 19 vi cont n 484
from Ohio, various localities	Ann 16 tv no 562-563
from Pennsylvania, Beaver County	
from Tennessee, Loudon	Ann 16 tv nn 562-562
from Texas, Henderson and Marion counties	Ann 16 av nn 569-569
supply of	MR 1809 p 795
Clay, refractory. (See Clay, fire.)	•
Clay, residual, analysis of, from Alabama, Morrisville	
Bull 52, p 25; Bull 60, p 159; Bull 148	
analysis of, from Arkansas	
from Georgia, Bartow and Polk counties	
from Kentucky, Graves County	
from Massachusetts, Hampden County	
from Missouri, various localities	
from North Carolina, near Raleigh	
	p. 289; Bull 168, p 292
from Pennsylvania, Lehigh County	
from Virginia, Lexington	
p 24; Bull 148, p 289; Bull	168, p 292; WS 4, p 64
StauntonBull 148, p 289; Bull 150	), p 385; Bull 168, p 292
from Wisconsin, near Cobb	Ann 6,
p 250; Bull 27, p 68; Bull 14	
Dodgeville. Ann 6, p 250; Bull 27, p 67; Bull 14	
Grand Rapids	
characteristics of	
Clay, saggar, analysis of, from New Jersey, Woodbridge	Ann 17, 111 cont, p 863
	·

Clay, slip, analysis of, from Michigan, Rowley
analysis of, from New York, AlbanyAnn 16,
ıv, pp 562–563; Ann 17, 111 cont, p 848; Ann 19, vi cont, p 477
from Ohio, Summit and Hamilton counties
from Texas, Grimes County
Clay, stoneware, analyses of, from Alabama, various localities. Ann 18, v cont, p 1128
analysis of, from Germany, Bendorf and near CoblentzAnn 19, vi cont, p 383
from Indiana, HuntingburgAnn 17, 111 cont, p 859
(See, also, Clay, pottery.)
Clay, tallow, analysis of, from Arkansas, Boone CountyBull 90,
p 64; Bull 148, p 296; Bull 168, p 299
analysis of, from Iowa, LansingBull 148, p 293; Bull 168, p 296
from Missouri, various localitiesBull 90,
p 64; Bull 148, pp 295–296; Bull 168, pp 298–299
Clay, tapping, analysis of, from Colorado, Leadville district
Clay, terra-cotta, analysis of, from California, various places Ann 16, IV, pp 572-573
analysis of, from Colorado, Jefferson CountyAnn 16, IV, pp 572-573
from New York, Allegany and Saratoga countiesAnn 16, vi, pp 572–573
from Pennsylvania, Beaver County
from South Dakota, Pennington County
from Virginia, Augusta County
Clay, tile, analysis of, from New Jersey, Woodbridge Ann 17, 111 cont, p 864
Clay deposits of Kansas, extent and use of
Classical desirable with the control of the hard-superior of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the c
Clay industry, bibliography of technology of
technology of
Clay rock, Ione, analysis of, from California, Amador and Calaveras countiesAnn
14, п, р 465
Clay slate. (See Slate.)
Clay slate. (See Slate.) Clay-working industry of United States in 1896Ann 18, v cont, pp 1105-1168
Clay slate. (See Slate.) Clay-working industry of United States in 1896Ann 18, v cont, pp 1105–1168 in 1897
Clay slate. (See Slate.)  Clay-working industry of United States in 1896Ann 18, v cont, pp 1105–1168 in 1897Ann 19, vr cont, pp 469–486 (See, also, Clays, statistics of, below.)
Clay slate. (See Slate.)  Clay-working industry of United States in 1896Ann 18, v cont, pp 1105–1168 in 1897Ann 19, vr cont, pp 469–486 (See, also, Clays, statistics of, below.)
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896
Clay slate. (See Slate.)  Clay-working industry of United States in 1896

Cleavage, as illustrated in Green Mountain region
in rocks, discussion of causes of
works bearing on subject of, list of
Cleavage and cleavage banding in New York, Vermont, and other StatesAnn 19, ni, pp 205-209, 214-215, 218, 269, 283, 285-287
Cleavage and fissility, principles of, and relations to other structuresAnn 16,
i, pp 633–668, 800–801
Cleavage and stratification, relations of
Clements (J. M.) and Smyth (H. L.), Crystal Falls iron-bearing district of
Michigan
Clements (J. M.) and Van Hise (C. R.), Vermilion iron-bearing districtAnn 21,
ш, pp 401–409
Clerc (F. L.), mining and metallurgy of zinc in United States MR 1882, pp 358-386
Cleveite, analysis of
Cleveland County red lands of ArkansasBull 84, p 324
Cleveland quadrangle, Tennessee, geology of
Cliff talus soils
Cliffs of various kinds
recession of
Climate, effect of, on topographic form
factors which make up
in relation to deformation of Bonneville BasinMon 1, pp 377-378, 425-427
to driftless area
to oscillations of surface of Great Salt LakeMon 1, pp 238–239, 244–250
to rise and fall of surface of Lake Bonneville
pp 186–187; Mon 1, pp 265–297, 317–318
pp 186–187; Mon 1, pp 265–297, 317–318 to rock decayBull 52, pp 30–34
interpretation of, by lake oscillations
of Alaska
southernAnn 18, 111, p 9
southwestern, notes on
Sushitna Basin, notes on
of California, Pyramid Peak quadrangleGF 31, p 3
of Great Basin, causes of the arid
of Idaho, Boise quadrangle
of Nevada, Eureka district, in geologic time
of Newark epoch
of Nicaragua
of WashingtonAnn 18, 11, pp 356–357; WS 4, pp 10–12; GF 54, pp 1–2
Pleistocene, as revealed by Lake Lahontan records
pp 230–232; Mon xi, pp 254–268
Preistocene, or Mono Basin, Camornia
Pleistocene winds in Bonneville Basin, direction of
relation of alluvial cones to aridity
of temperature to depauperation of shellsBull 11, pp 38-41
secular changes of, in KansasBull 137, pp 29–30
Climate and interior basins
Climates, geologic, of Grand Canyon district. Mon 11, pp 99–100, 189-191, 196, 222–229
Climatic changes in Great Basin
Climatic conditions, effect of, on barometric hypsometry
pp 409–429, 521–534, 562–565
of Newark time
Climatic features of the Texas regionTF 3, pp 11-12

Clinch River, profile of
Clinch sandstone of Kentucky, North Carolina, Virginia, West Virginia, and
Tennessee
GF 26, p 2; GF 27, p 3; GF 44, p 3; GF 59, p 4
Clingman conglomerate of Tennessee and North CarolinaGF 16, p 3
Clinochlore, analysis of, from Russia, UralBull 113, p 27
analysis of, residuum from
chemical composition of
Clinoclasite, analysis of, from Utah
Clinohumite, chemical constitution of
Clinton group in Indiana
in New York Bull 150, p 138
in Ohio
as a source of gas
as a water carrier
Clinton and Niagara formations in Michigan
Clintonite, chemical constitution of
Clipper Gap formation of CaliforniaGF 66, p 2
Cloud Peak quadrangle, Wyoming, forest conditions inAnn 21, v, pp 600-601
Coal, analyses of, from Alabama, Cahaba district
p 156; MR 1887, p 199
analyses of, from Alabama, various localities
from Alabama, Warrior field
57, 58, 59, 61, 64, 244; MR 1883-84, pp 17, 156; MR 1885, pp
13, 86; MR 1887, pp 194, 195, 200, 201, 202; MR 1892, p 572
from Alaska, Admiralty Island, Brightman & De GroffAnn 17, I, p 781
Admiralty Island, Kellesnoo
McCluskey claim
Mitchell vein
Point Sullivan Ann 17, 1, p 780
Sepphagen mine
Amalik Harbor
American Creek (lignitic)
Chignik Bay
Controller Bay Ann 20, vii, p 263
Cook Inlet
Herendeen Bay
Ley Bay
Kachemak Bay, Alaska Coal Company
Bradley seam
Curtis seam
Eastland Canyon
ı, pp 795, 796; Ann 20, vii, p 23; Alaska (2), p 24
Red River
Tyonek
Unga Island
Yukon region
7 from Arizona, Deer Creek Valley
from Arkansas, Camden coal field
(Ouita)MR 1882, p 38; MR 1885, p 15; MR 1887, p 208
(Spadra)
various localities
from Australia
(containing platinum and vanadium)Ann 17, 111, p 282

Coal, ai	nalysis of, from British Columbia, Nanaimo
	lysis of, from British Columbia, various localities
ana	from California, Livermore
	Mount Diablo
	Shasta County
	various localities
	1, pp 825-827; MR 1887, p 210; MR 1892, p 310
	from Colorado, Boulder CountyMR 1882,
	p 39; MR 1883–84, p 26; MR 1889–90, p 181
	Denver Basin Mon xxvii, pp 376–378
	El Paso County
	Fremont CountyMR 1882, p 40; MR 1883-84, p 28; MR 1889-90, p 186
	Glenwood
	Grand County
	Gunnison CountyBull 64, pp 55-57; MR 1882, pp 42, 43;
	MR 1883-84, pp 31, 32, 159; MR 1885, pp 19, 88; GF 9, p 10
	Huerfano County
	Jefferson County. MR 1882, p 39; MR 1883-84, p 26; MR 1889-90, p 182
	La Plata County
	Las Animas County MR 1882,
	p 41; MR 1883–84, pp 29, 158; MR 1889–90, p 187; GF 58, p 5
	Porter
	Routt County (anthracite) MR 1886, p 245
	Uncompanier County
	various localitiesMR 1885, pp 19, 20, 21, 22; MR 1892, pp 362–365
	Weld County
	Walsenburg quadrangle
	from England (bituminous)
	Cardiff Ann 21, vi cont, p 574
	Durham (coking)
	from Georgia, Coal City (Dade) MR 1888, p 241
	from Germany, Meissen
	from Great Britain, Scotland
	from Idaho, Boise quadrangle Ann 16, 11, p 275; MR 1892, p 367; GF 45, p 6
	from Illinois (bituminous, used in steel making)Bull 25, p 34
•	Gallatin County
	various localities MR 1882, p 51; MR 1883-84, p 42; MR 1892, p 383
	Williamson County
0.4	from Indian Territory, Alderson (coking)
*	Atoka
	Eastern Choctaw coal field
	LehighAnn 19, 111, p 456; MR 1883-84, p 45; MR 1889-90, p 211
	McAlester
	p 164; MR 1886, p 266; MR 1887, p 245; MR 1888, p 261
	McAlester-Lehigh coal fieldAnn 19, 111, p 456; Ann 21, 11, p 309
•	Savanna
	various localities
	from Indiana
	Ayrshire
	Clay County MR 1887, p 240
	Daviess County
	Parke County
	Pike County
•	various localities

	•	
Coa	l, analysis of, from Indiana, Vigo County	MR 1892, p 389
×	analysis of, from Kansas, Crawford Count	yMR 1883–84, p 165
(,	y from Kansas, various localities	MR 1888, p 275
	from Kentucky, Bell County	Ann 16, iv, p 259
		MR 1882, p 57
		MR 1886, p 399; MR 1887, p 262
•		MR 1887, p 402
		Ann 16, 1v, p 56
		.MR 1886, p 401; MR 1887, pp 257, 262
		ap coal field Bull 111, p 52
		l in steel making)Bull 25, p 34
		Ann 7, p 530
		Bull 55, p 87
		Bull 126, p 42
٠		MR 1886, p 280
	X from Missouri, Bates County	M.K 1883-84, p 52
		MR 1887, p 274; MR 1888, p 287
	from Montana, Anaconda	MR 1883–84, p 54
		MR 1885, p 39
	Belt Creek field, Sage Creek, and	Skull ButteGF 55, p 7
	Bozeman MR 1882, p 62	MR 1883-84, p 53; MR 1885, pp 36, 37
	Cascade County, Sand Coulée	MR 1885,
	р 3	88; MR 1888, p 291; MR 1889-90, p 229
	Judith Mountains	Ann 18, 111, p 616
		MR 1889–90, p 230
		MR 1886, pp 285–286
	🗙 from Nebraska, Dawes County	
	from Nevada. Battle Mountain	MR 1885, p 40
		Ann 21, 11, p 207
		Mon xx, p 98
	from New Mexico, Colfax County	MR 1882, p 62; MR 1883–84, p 56
		MR 1882, p 64; MR 1883–84, p 58
		MR 1889–90, p 232
		; MR 1883-84, p 57; MR 1889-90, p 233
		Ann 17, 111, p 587
		Bull 85, p 37; MR 1885, p 42
•		Bull 42, p 146
		MR 1887, p 222
		Ann 7, p 531
		MR 1883–84, p 64
		MR 1883–84, p 63
		MR 1883-84, pp 62, 63
		MR 1883–84, p 62
		MR 1883–84, p 63
		MR 1883–84, p 172
		MR 1883–84, p 60
•		MR 1883–84, p 61
		MR 1883–84, p 64
		MR 1883–84, p 173
		MR 1883–84, p 172
		95; MR 1883-84, p 66; MR 1886, p 295
•		Ann 19, 111, pp 367, 371, 372, 373; MR
i	1882, p 95; MR 1883–84	, p 66; MR 1886, p 295; MR 1887, p 289
:		

Coal, analysis of, from Oregon, Coos Bay field (pi	
analysis of, from Oregon, Pend d'Oreille	Bull 60, p 170
from Oregon, Roseburg quadrangle	GF 49, p 4
various localitiesAnn 17, 1, pp	
from Pennsylvania (bituminous)	Ann 7, p 530
Alleghany Mountain district	MR 1882-84 nn 183 184
Armstrong County	
Beaver Falls district	
Blossburg district	
Broad Ford	
Cambria County	
Center County	MR 1886, p 327
Clarion County	
Clearfield County	
Coketon	
Connolleville district Ann	16, iv, pp 271, 273, 277; MR 1883–84;
	182; MR 1885, p 99; MR 1888, p 433
East Conemaugh	
Fairmount City	
Fayette County (Connellsville)	
Irvona	
Jefferson County	
Lawrence County	MR 1886, p 334
Pittsburg	
Pittsburg (bituminous, used in steel	making)Bull 25, p 34
Snowshoe BasinMR 1883-84, p 1	
various localities (anthracite)	
	69; MR 1886, p 307; MR 1887, p 317
Walston district	Ann 16 av n 286: MD 1885 n 110
from Philippine Islands, Batan	Ann 10 yr cont n 600
Compostele Described Maint Illian	Ann 19, vi cont, p 009
Compostela, Danao, Mount Uling, a	
from Rhode Island, Cranston	нг, рр 570, 574, 575
from Rhode Island, Cranston	Mon xxxiii, p 161; Bull 9, p 18
Portsmouth	
from Tennessee, Campbell County	
Claiborne County	Bull 60, p 170
Coal Creek	
Dayton	
Glen Mary	MR 1883-84, p 200; MR 1892, p 592
Hamilton County	
Jellico Mountain district	
Marion County	MD 1000 04 - 100 MD 1007 - 974
	MR 1883–84, p 198; MR 1887, p 354
Poplar Creek	
Roane Iron Co	
Rockwood	
Sewanee Ann 1	6, IV, pp 289, 290; MR 1883–84, p 197
various localities MR 1885, p	67; MR 1886, p 344; MR 1888, p 366
from Texas, Burnet County	Bull 55, p 87
Eagle Pass	Bull 164, pp 60, 61, 66
	Bull 164, p 66
Presidio County	
	Bull 164, p 87
	Bull 164, pp 64, 65
various localities	MR 1892, p 510

Coal, analysis of, from Utah, Castle Gate
analysis of, from Utah, Castle Valley MR 1883-84, p 203: MR 1892, p 518
from Utah, Castledale
Cedar City
Coalville
Connellsville
Emery County (roof)
Kanara Mountain
New Harmony
Pleasant Valley
Salt Lake CityBull 90, p 75
San Pete Valley
Scofield
Wasatch MountainsBull 90, p 75
from various foreign countries (brown coals)
from Virginia (anthracite and bituminous)
Big Stone Gap area
p 52; MR 1887, p 365; MR 1892, p 528; GF 12, p 5
Farmville
Pocahontas
Richmond
Scott CountyBull 55, p 87
Tazewell quadrangle
various localities
from Washington, Bellingham BayMR 1882, p 96; MR 1883-84, p 99
Skagit County
TacomaMR 1883-84, p 206
various localities
from West Virginia, AustenAnn 16,
ıv, p 298; MR 1883-84, p 212; MR 1886, p 429
Barbour CountyBull 78, p 128
DavisBull 90, p 75
Douglas
Flat Top district (Pocahontas)
Jefferson CountyBull 42, p 146
Kanawha CountyBull 64, p 54; MR 1882, p 84; MR 1883-84, p 208
Logan County
Mineral County (Elk Garden)
New River district
MR 1883-84, p 209; MR 1888, p 429; MR 1892, p 597
northern district
Piedmont
Pittsburg bed
Pocahontas-Flat Top district
Potomac field, upper
Randolph County
Romney
(Sewall)
Tucker County
various localities
MR 1886, p 374; MR 1887, p 379; MR 1888, p 389
from West Virginia-Virginia, Tazewell quadrangle
from Wyoming
Almy
Carbon

Coal, analysis of, from Wyoming, Glenrock
analysis of, from Wyoming, Rock SpringMR.1882, p 86; MR 1883-84, p 101
from Wyoming, Seminoe. MR 1889-90, p 282
Sweetwater County MR 1889–90, p 284
Twin Creek
various localitiesBull 119, pp 61–62; MR 1886, p 375
from Yellowstone Park
anthracite, description of, as one of the educational seriesBull 150, pp 144-145
bituminous, description of, as one of the educational seriesBull 150, pp 143–144
by-products from the distillation of
cannel, description of, as one of the educational seriesBull 150, pp 141-143
correlation of Appalachian beds ofBull 111, pp 95–104
in Alabama, Gadsden quadrangle
Stevenson quadrangle
in Alaska
Fortymile River Basin
Koyukuk River
Matanuska Valley, notes on
report on
southwestern, notes on
Yukon district
x in Arkansas, Camden coal field
in California, Jackson quadrangle
in Colorado, Anthracite and Crested Butte quadrangles
Denver Basin, development, mines, areas, etc
Elk Mountains
Elmoro quadrangle GF 58, pp 3-4
La Plata quadrangle
Telluride quadrangle
Walsenburg quadrangle
in Dakota, Great Sioux Reservation Bull 21
in Georgia, Ringgold quadrangle
Stevenson quadrangle
in Idaho
Boise quadrangleGF 45, p 6
in Illinois, Danville quadrangle
★ in Indian Territory, Eastern Choctaw coal field
in Indiana, Danville quadrangle
x in Iowa
in Kentucky, Big Stone Gap field
Estillville quadrangle
London quadrangle
Richmond quadrangle
in Maryland, Piedmont quadrangle
x in Missouri, probable stage of lower, in eastern sections. Mon xxxvII, pp 287-290
comparative position of lower
comparative position of lower Mon xxxvII, pp 292–293 in Montana Bull 137, pp 148–149 Fort Benton quadrangle GF 55, pp 6–7
Tudith Mountaing and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon
Judith Mountains
Livingston quadrangle
in Nevada, Esmeralda formation
Eureka, of Carboniferous age
Europa, or our point or our ago

Coal in North Carolina	
in Ohio, Huntington qua	drangle
in Oregon, Roseburg qua	drangleGF 49, p 4
in Philippine Islands	Ann 19, vi cont, pp 688–690; Ann 21, iii, pp 569–576
in South Dakota Black l	Hills, southern partAnn 21, IV, pp 582-584
in Tannassaa Bricavilla	quadrangleGF 33, p 4
Briefel andrende	GF 59, pp 6-8
	GF 6, p 2
	e
	GF 4, p 3
	ngle
	GF 21, p 3
	GF 2, p 2
<ul> <li>Sewanee quadrangle</li> </ul>	
Standingstone quadr	angleGF 53, pp 3-4
Stevenson quadrangl	eGF 19, p 3
Wartburg quadrangl	eGF 40, p 3
	field, thickness and character ofBull 164, pp 55-61
Eocene coal fields the	nickness and character ofBull 164, pp 61–66
Uvalde quadrangle	GF 64, p 5
in Utah calorific values o	of
	p field
	GF 59, pp 6–8
Estillville quadranol	e
Franklin anadranale	GF 32 n 5
Monterey anadranal	GF 32, p 5 GF 61, p 7
Possbonts andran	gle
Righmond Rasin	Ann 19, 11, pp 511–515
	uadrangle
in West Virginia Buckle	unnon quadrangle
Franklin augdrangle	GF 32, p 5
	gle
Monterey anadranal	GF 61, p 7
Piedmont anadranal	e
Possbontes andrens	gleGF 26, pp 4–5
Potomaa Rasin	
Oninniment Fire Cr	eek, description and analyses of Ann 17, 11, pp 491–493
	GF 44, pp 4-5
	Bull 119, pp 49–60
	n partAnn 21, iv, pp 582–584
(See, also, Coal fields.)	72.11.05
Juratrias	Bull 85, pp 36–43
	lity, nomenclature, etc., of theAnn 20, 11, pp 766-769
	Bull 85, pp 36–43
statistics of	Ann 1, pp 72–73; Ann 2, pp xxvi–xxxi; MR 1882,
	pp 1-107; MR 1883-84, pp 11-213; MR 1885, pp 10-73;
	MR 1886, pp 224–377; MR 1887, pp 168–382; MR
	1888, pp 168–394; MR 1889–90, pp 145–286; MR
	1891, pp 177–356; MR 1892, pp 263–550; MR 1893, pp
	187–414; Ann 16, 111, p 221; 1v, pp 1–217; Ann 17, 111, pp
	285–542; Ann 18, v, pp 351–632; Ann 19, vi, pp 273–543;
	Ann 20, vi, pp 295-507; Ann 21, vi, pp 113, 321-519

Coal, tests of, from Cook Inlet, Nanaimo, and CardiffAnn 17, 1, pp 831-832
(See, also, Lignite.)
Coal, anthracite, description of, as one of the educational series. Bull 150, pp 144-145
Coal, bituminous, description of, as one of the educational series. Bull 150, pp 143-144
Coal, cannel, description of, as one of the educational series Bull 150, pp 141-143
Coal and coal beds of Narragansett Basin
Coal and coal fields of Cook Inlet and Sushitna Basin, Alaska. Ann 20, vii, pp 21–24
Coal and lignite of Alaska, notes on
Coal area and output of the world, by countriesMR 1882, p 5; MR 1883–
84, p 13; MR 1885, pp 11-12; MR 1886, p 235; MR 1887,
p 189; MR 1888, p 208; MR 1889–90, p 22; MR 1891, p 73;
MR 1892, p 270; MR 1893, p 202; Ann 16, iv, p 21; Ann 17,
111, p 314; Ann 18, v, pp 136, 414; Ann 19, v1, pp 310-320;
Ann 20, vi, pp 332-341; Ann 21, vi, pp 113, 363-373
Coal ashes, analysis of, from Colorado, Elmoro district
Coal-bearing formations in California
Coal-bearing strata of Virginia
Coal beds, effect of igneous intrusions on
Coal field, Appalachian, extent of
bituminous, of Pennsylvania, Ohio, and West Virginia, stratigraphy of Bull 65
Coos Bay, Oregon, geology of
east Appalachian, original distribution of
McAlester-Lehigh, Indian Territory
Coal fields in arid region of United States
✓of ArkansasMR 1892, pp 303–306; Ann 16, 1v, pp 70–71; Ann 21, 11, pp 313–329
of Colorado
of Illinois
of Indiana
Yof Kansas
of Kentucky
of Maryland
of Michigan
of Montana
of New Mexico
of Ohio
of Oregon, western
of Pennsylvania, description and production of anthraciteMR 1882, pp 7-24
of Texas
MR 1892, pp 507–510; MR 1893, pp 384–385; Ann 16, 1v, p 193
reconnaissance in Rio GrandeBull 164
of United States, area and classification of theMR 1882, pp 4-5; MR 1888, pp
168–170; MR1889–90, pp 146–147; MR1891, pp 178–179; MR
1892, pp 263–265; MR 1893, pp 187–190; Ann 16, IV, pp 2–8;
Ann 17, 111, pp 287–291; Ann 18, v, pp 352–361; Ann 19, vi,
pp 274–282; Ann 20, vi, pp 297–304; Ann 21, vi, pp 322–330
of UtahMR 1892, pp 511–521
of VirginiaMR 1892, pp 521–528; Ann 16, IV, pp 195–197
of WashingtonAnn 16, IV, p 199
Puget Sound
of West Virginia
Potomac and Roaring Creek
of Wyoming
Coal Measures, nomenclature and classification of, history of development of Bull 80,
pp 83-107

	Coal Measures of Alabama
	of Alaska, Cape BeaufortBull 84, p 249
	of Appalachian region, correlation of
	fossils of
	of Illinois, altitude of base of
	X of Indian TerritoryAnn 16, IV, p 110
•	columnar section of
	of Ohio as a water bearer
	of Massachusetts and Rhode IslandMon xxxIII, pp 159–201, 205–208
	★ of Missouri
	flora of lower
	of Rhode Island and Massachusetts
	of Tennessee
	of Virginia, Richmond Basin
	thickness, proportionate, of divisions of, light on
	Coal mines of United States, wages and labor atMR 1889-90, pp 169-171;
	MR 1891, pp 203, 204; Ann 21, vi, pp 355-357, 517-519
	Coal mining, anthracite
	in West Virginia, Kanawha ValleyMR 1883-84, pp 131-143
	terms used in, to describe lay of the coal
	Coal-mining industry, general view of
	Coal seams in Rosslyn sandstone, Washington Ann 20, 11, pp 205–206
V	Coal series in Texas
	Coaledo formation of Coos Bay region, OregonAnn 19, 11, pp 320-321
	Coast Range of Alaska, features of
	of California, metamorphic rocks ofBull 19, pp 7-12
	of Oregon, features of
	stratigraphy of Bull 84, pp 200–217
	(See, also, California; Oregon.)
	Coast and Cascade ranges, structure of
	Coast, Cascade, and Sierra Nevada ranges, relation of
	Bull 33 np 19–20
	Coast swamp, an example of
	Coastal group of rocks of New Brunswick
٠.	Coastal Plain, configuration and general geology of
	T10 TT0 1 10 000 100
	description of, general
	geologic history and description of
	of Texas, general description of
	of United States, southeastern, formations of Ann 13 + n 104
	of United States, southeastern, formations of
	Mon t pp 23-170: Mon vt pp 87-124
	Cobalt, statistics of
	423; MR 1883–84, pp 544–549; MR 1885, pp 361–365; MR
	1886, pp 174–175; MR 1887, pp 130–131; MR 1888, pp 108,
	620-621; MR 1889-90, pp 124-126; MR 1891, pp 169-170;
	MR 1892, pp 254–257; MR 1893, pp 168–177; Ann 16, 111,
	pp 605, 606; Ann 17, 111, pp 253–260; Ann 18, v, pp 329–342;
	Ann 19, vi, p 250; Ann 20, vi, p 278; Ann 21, vi, pp 285–289
	Cobalt and nickel, argentiferous arsenide of, analysis of, from New Mexico,
	Grant County
	Cobalt bloom, analysis of, from Nevada, Churchill CountyMR 1885, p 362
	Cobalt ore, analysis of, from Nevada, Churchill County (earthy)MR 1885, p 362
	analysis of, from Nevada, Esmeralda CountyMR 1883-84, p 545
	y

Cobaltite, analysis of, from Nevada, Churchill CountyMR 1885, p 361
Cobbosseecontee River, Maine, flow of, measurements of
ıv, p 46; Ann 21, ıv, pp 53–55; WS 35, pp 28–33
Cochituate Lake, Massachusetts, yield of watershed of
Cochran conglomerate of Tennessee and North Carolina
p 3; GF 20, p 2; GF 25, p 2
Cockroaches, fossil, American
Cocksfield Ferry beds, Louisiana Bull 142, pp 21–22
Celacanthini from Triassic of New Jersey and ConnecticutMon xiv, pp 70-76
Coelenterata from Eocene of middle Atlantic slope
from Yellowstone Park
Celurus, description of
Cœur d'Alene Lake, Idaho, height of, measurements of
Coffee, method of cultivating and drying, in Porto Rico
Coffee group of Mississippi Bull 82, p 105
Coke, analysis of, from Alabama MR 1892, p 572
analysis of, from Alabama, Birmingham district
from Alabama, Cahaba district
Helena
Jefferson
Parksville MR 1887, p 206
St. Clair County
Tuscaloosa County
Warrior field
p 156; MR 1885, p 86; MR 1886, p 391; MR 1887, pp 195, 196
from Colorado, Crested Butte and El Moro
ıv, p 250; MR 1882, pp 41, 43; MR 1883–84, p 159; MR 1892, p 573
Leadville district
various localities
from England, Durham
from Georgia, Atlanta
from Illinois, Gallatin County
various localities
from Indian Territory, Alderson
McAlesterAnn 16, 1v, p 254; MR 1883–84, p 164; MR 1885, p 90;
MR 1887, pp 245, 400; MR 1888, p 261; MR 1892, p 576
from Indiana, Ayrshire
from Kansas, Jellico Mountain
from Kentucky
Bell County
Carter County
De Koven
Hopkins County
Mannington
St. Bernard
various localities
from Montana, BozemanMR 1883-84, p 169
from New Mexico, Purgatory Canyon (natural)Bull 42, p 147
from New York, Morris Run
from Ohio, Leetonia
Steubenville
Washingtonville
from Pennsylvania (used in steel making)Bull 25, p 34
Allegheny Mountains
MR 1887, p 414; MR 1888, p 419; MR 1892, p 586

	nalysis of, from Pennsylvania, Armstrong CountyMR 1883-84, p 191	
	lysis of, from Pennsylvania, Beaver FallsMR 1883-84, p.190	٠.
	from Pennsylvania, Blossburg district	
	Broad Ford	
	Broad Top district	
	ıv, p 282; MR 1883-84, p 187; MR 1885, p 106	
	Center County (Snow Shoe region)	
	Clarion County	
•	Coketon	
	Connellsville district	
	p 43; MR 1883–84, pp 167, 178, 179, 182, 187; MR 1886, p 356	
	Connellsville district, upper Ann 16, IV, pp 277, 278; MR 1892, p 585	
	Du Bois	
	Fairmount City	
	Gallitzin	
	Irvona	
	Jefferson County	
	· · · · · · · · · · · · · · · · · · ·	
	Latrobe	
	Monongahela River	
	Reynoldsville-Walston district	
	Snow Shoe district	
	Walston districtAnn 16, 1v, p 285; MR 1885, p 110	
	from Tennessee, Campbell CountyBull 64, p 55	
	Chattanooga district	
	Claiborne county	
	Dayton	
	Glen Mary	
	Marion CountyAnn 16, IV, p 289; MR 1883-84, p 198; MR 1887, p 354	
	Oakdale	
	Pioneer	
	Poplar Creek	
	Rockwood	
	Sewanee seam	
	various localitiesAnn 16,	
	ıv, p 290; MR 1885, p 67; MR 1886, pp 344, 345, 346	
	from Texas, Presidio CountyBull 164, p 88; MR 1893, p 385	
	from the South	
	from Utah, Castle Gate	
	Castle Valley	
	Cedar City	
	San Pete Valley districtMR 1892, pp 513, 517	
	from Virginia, Midlothian (natural)Bull 42, p 146; Bull 85, p 37	
	Pocahontas	
	Pocahontas (ash from)	
	. Richmond	
	Scott CountyBull 55, p 87	
	Wise County	
	from Washington, Cokedale	
	Ann 17, 111, p 610; MR 1893, p 453	
	Fair Haven	
	Tacoma	
	(ash from)	
	from West Virginia, Austen	
	MR 1883-84, p 212; MR 1886, p 429; MR 1892, p 599	
	Coketon	

Coke, analysis of, from West Virginia, Coketon, Davis seamAnn 14, 11, pp 587, 588
analysis of, from West Virginia, Custer mine
from West Virginia, DavisBull 90, p 75
Flat Top district
MR 1885, p 127; MR 1887, p 426; MR 1888, p 439
Kanawha district
MR 1885, p 121; MR 1887, p 424
Monongah (foundry)Ann 16, IV, p 297; MR 1892, p 599
Montana
New River district
MR 1883–84, p 210; MR 1892, p 597
PiedmontBull 60, p 169
Pocahontas, Flat Top district
Potomac coal basin
Preston County
Tucker CountyBull 64, p 54
various localities
in Virginia (natural)Bull 85, p 37
Richmond Basin
manufacture of, statistics of MR 1882, pp 48, 72, 98–101; MR 1883–84, pp 144–
213; MR 1885, pp 74–129; MR 1886, pp 378–438; MR 1887,
pp 383-435; MR 1888, pp 395-441; MR 1891, pp 357-402;
MR 1892, pp 551–602; MR 1893, pp 415–460; Ann 16, iv, pp
218-304; Ann 17, 111 cont, pp 543-620; Ann 18, v cont, pp
659-747; Ann 19, vi, pp 545-642; Ann 20, vi, pp 509-608;
Ann 20, vi cont, pp 227–228, 231–232; Ann 21, vi, pp 521–633
Coke fields in United States, extent and character of, and processes used inMR
1892, pp 551-554; MR 1893, pp 415-417; Ann 16, 1v, pp 219-225
Coke making; by-product, development of
vi, pp 597–585; Ann 20, vi, pp 544–554; Ann 21, vi, pp 558–567 in upper Potomac region
Coking in Europe and other countriesMR 1886, pp 430–437; MR 1887, pp 432–435
Coldbrook group of rocks of New Brunswick
Colemanite, analyses of, from California, Death ValleyBull 55, p 57
Coleoptera, adephagous and clavicorn, from Tertiary deposits at Florissant,
Colorado, with descriptions of a few other forms and a
systematic list of nonrhynchophorous Tertiary Coleoptera
of North AmericaMon xL
Coleoptera, rhynchophorous, Tertiary, of United States
Coles Brook limestone of western Massachusetts
Colfax quadrangle, California, geology of
Colloidal silver, contribution to knowledge of
Colloidal sulphides of goldBull 90, pp 56–61
Collyrite, chemical constitution of
Colombia, gold and silver production of, compared with that of other countriesMR
1883–84, pp 319, 320
iron and iron ore from, statistics of
manganese deposits and production of
III, pp 208–209, 224; Ann 18, v, pp 313–316, 328;
Ann 20, vi, pp 142, 156; Ann 21, vi, pp 151-152, 162
petroleum in

Colombia, platinum from, character of
steel
Color scheme for geologic cartography
pp xlix-lii; Ann 7, p 105; Ann 10, 1, pp 69-79 Colors and conventional symbols adopted for geologic maps and sectionsAnn 10, 1, pp 67-79
Colorimetric estimation of small amounts of chromium, with special reference
to the analysis of rocks and oresBull 167, pp 37-43
Colorado, altitudes in. (See "elevations," under this State.)  Animas River, flow of, measurements of
Ann 19, IV, pp 414–415; Ann 20, IV, pp 59, 403; Ann 21,
1v, p 301; Bull 140, pp 198–200; WS 11, p 72; WS 16,
p 146; WS 28, pp 139, 142, 145; WS 38, pp 310-311
profile of
Animas Valley, glaciation of
Anthracite and Crested Butte quadrangles, geology of
Arkansas River, flow of, measurements of
Ann 12, 11, pp 240, 242, 349, 360; Ann 13, 111, pp 19, 21,
94, 99; Ann 14, 11, pp 106–110; Ann 18, 1v, pp 224–231;
Ann 19, IV, pp 351–358; Ann 20, IV, pp 56–57, 330–339;
Ann 21, IV, pp 229–235; Bull 131, pp 34–40; Bull 140,
pp 153-160; WS 11, pp 60-61; WS 16, pp 117-122; WS
28, pp 110–112, 113, 114, 116, 117; WS 37; pp 257–264
irrigation problems relating to basin of
irrigation system of Great Plains Water Company in valley ofAnn 21,
IV, pp 240-243 mapping of, and surveying of reservoir sites inAnn 13, 111, pp 429-444
profile of
surveys for reservoir sites along
Aspen mining district, geology of
Aspen and West Aspen mountains, mines of
asphalt deposit and production of
Ann 19, vi cont, pp 190, 194; Ann 20, vi cont,
pp 254, 277; Ann 21, vi cont, pp 321, 323–324
atlas sheets of. (See pp 70-71 of this bulletin.)
Battlement Mesa Forest Reserve, report on
iv, pp 167–169; Ann 19, iv, p 317; Ann 20, iv, pp 54,
284–285; Ann 21, IV, p 204; Bull 140, pp 106–107; WS 11,
p 54; WS 15, p 90; WS 27, pp 81, 86; WS 37, pp 227-228
Big Thompson Creek, flow of, measurements of Ann 13, 111, pp 89, 93; Ann 18, 1v,
pp 174–175; Ann 19, IV, pp 321–322; Ann 20, IV, pp 55, 288–
289; Ann 21, IV, pp 209–210; Bull 140, pp 110–112; WS 11,
p 56; WS 15, p 94; WS 27, pp 83, 86, 89; WS 37, pp 233–234
Blue Mountains, geology of
rocks of
Boulder Creek, flow of, measurements of
iii, pp 87, 93; Ann 18, iv, pp 169–172; Ann 19, iv, pp
318-320; Ann 20, IV, pp 54, 286-288; Ann 21, IV, pp
206–208; Bull 140, pp 107–109; WS 11, pp 54–55; WS
15, pp 91–92; WS 27, pp 82, 86, 89; WS 37, pp 229–231

```
Colorado, boundary lines of, and admission of...Bull 13, pp 32, 123; Bull 171, p 130
  building stone from, at World's Columbian Exposition .... MR 1893, pp 561-562
     in Denver Basin ..... Mon xxvii, pp 392-401
     statistics of ..... MR 1882, p 451; MR 1883-84, p 674; MR 1885, p 398; MR
               1886, pp 538, 544; MR 1887, p 521; MR 1888, p 544; MR
               1889-90, pp 374, 383-385; MR 1891, pp 457, 458, 461, 464,
               465; MR 1892, pp 706, 710, 711; MR 1893, pp 544-545, 553,
               556; Ann 16, IV, p 437 et seq; Ann 17, III cont, p 760 et seq;
               Ann 18, v cont, p 950 et seq; Ann 19, vi cont, p 208 et seq;
               Ann 20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq
  Cambrian rocks in, correlation of .........Bull 81, pp 209-210, 234, 351-354, 384
  cement in Pueblo quadrangle......GF 36, p 6
     463; MR 1883-84, p 674; MR 1885, p 409; MR 1886, p 564;
               MR 1889-90, p 462; MR 1891, p 536; MR 1892, p 743; MR
               1893, p 621; Ann 16, IV, p 581; Ann 17, III cont, pp 884, 885
  of Pueblo quadrangle ......GF 36, p 6
     of Walsenburg quadrangle......GF 68, p 6
  473-474; MR 1883-84, p 701; MR 1885, p 423; MR 1886, p
                571; MR 1887, pp 535, 537, 541; MR 1888, pp 558, 566; MR
                1891, p 524; MR 1893, pp 613-614; Ann 16, IV, pp 518,
                519, 520, 521; Ann 17, 111 cont, pp 819 et seq, 858; Ann
                18, v cont, p 1077 et seq; Ann 19, vi cont, p 318 et seq;
                Ann 20, vr cont, p 466 et seq; Ann 21, vr cont, pp 362, 363
  Clear Creek, flow of, measurements of.....Ann 21, IV, p 205; WS 37, pp 228-229
  p xxviii; MR 1882, pp 38-48; MR 1883-84, pp 12, 24-38; MR
               1885, pp 11, 18-26; MR 1886, pp 225, 230, 243-250; MR 1887,
               pp 169, 171, 212-221; MR 1888, pp 169, 171, 226-239; MR
               1889-90, pp 147, 179-194; MR 1891, pp 180, 215-218; MR 1892,
               pp 264, 265, 267, 268, 311-365; MR 1893, pp 188, 189, 190, 194,
               195, 197, 199, 200, 251-261; Ann 16, IV, pp 7 etseq, 75-82; Ann
               17, III, pp 287 et seq, 373-380, 542; Ann 18, v, pp 354 et seq,
               473-481; Ann 19, vi, pp 278 et seg, 389-397; Ann 20, vi,
               pp 300 et seq, 402-404; Ann 21, vi, pp 325 et seq, 432-435
     of Elk Mountains.......GF 9, p 2
    of Denver Basin-development, mines, areas, etc..... Mon xxvII, pp 317-387
    coal fields of.......MR 1892, pp 319–365; Ann 16, IV, pp 75–77
  н, р 95; Ann 12, н, рр 226, 238–239, 348, 360; Ann 13, нг, рр
               18, 21, 94, 98; Ann 20, IV, pp 55, 290-293; Bull 131, pp
               30-32; Bull 140, p 112; WS 9, pp 16-27; WS 37, pp 235-237
```

Col	orado, Cache la Poudre Valley, irrigation, settlement, agricultural practice,
	underground water, etc, in
	coke in, manufacture ofMR 1883-84, pp 157-160; MR 1885, pp 80, 87-88;
	MR 1886, pp 378, 384, 392–393; MR 1887, pp 383, 389, 395–
	397; MR 1888, pp 395, 400, 407; MR 1891, pp 360, 377; MR
	1892, pp 555 et seq, 573–574; MR 1893, pp 418 et seq, 435–436;
	Ann 16, iv, pp 225 et seq, 247–251; Ann 17, iii cont, pp 543
	et seq, 573, 575; Ann 18, v cont, pp 661 et seq, 695-697; Ann
	19, vi, pp 548 et seq, 589–591; Ann 20, vi, pp 512 et seq, 557–
	558; vi cont, p 227; Ann 21, vi, pp 523 et seq, 570–572
	Conejos River, flow of, measurements of
	constitution of, extracts from the, relating to irrigation Ann 11, 11, pp 240-241
	copper from, statistics of . Ann 2, p xxix; MR 1882, pp 216, 227-228; MR 1883-84,
	pp 329, 341; MR 1885, p 210; MR 1886, p 112; MR 1887, p 69; MR 1888 p 54; MR 1889–90, p 60; MR 1891, pp 83,
	84; MR 1892, pp 96, 97; MR 1893, pp 64, 65; Ann 16, 111,
	pp 333, 334; Ann 17, 111, pp 83, 84, 85, 86; Ann 18, v, pp
	189, 190, 191; Ann 19, vi, pp 140, 141, 142, 143; Ann 20,
	vi, pp 161, 162, 163, 164, 165; Ann 21, vi, pp 166–170, 187
	Crested Butte and Anthracite quadrangles, geology of
	Cripple Creek district, general geology and mining industries ofAnn 16,
	и, pp 1–209; GF 7, pp 7–8
	ore deposits, comparison of, with those of Rosita and Silver CliffAnn 17,
	п, pp 469-470
	crops raised by irrigation in
	Custer County, mines of
	precious-metal production of
	Denver, rating station for meters at
	Denver Basin, artesian water in
	geology of
	Dolores River, flow of, measurements of Ann 18, IV, pp 261–264; Ann 19, IV,
	pp 407–409; Ann 20, 1v, pp 58, 392–395; Ann 21, 1v, pp 282–283; Bull 140, pp 191–193; WS 11, p 68; WS
	16, p 143; WS 28, pp 138, 142, 144; WS 38, pp 305–306
	profile of
	Dolores Plateau, description of
	geology of, descriptiveGF 60, p —
	Eagle River, profile of
	El Late Mountains, structure and rocks of
	elevations in
	Ann 19, 1, pp 264–270, 314–317; Ann 20, 1, pp 420–
	423; Bull 5, pp 55–70; Bull 76; Bull 160, pp 80–100
	Elk Mountains, geology, history, mineral resources, etc., ofGF 9, pp 1-3
	Elmoro quadrangle, geology of
	Fall Creek, flow of, measurements of
	fire clay in Elmoro quadrangle
	Florida River, flow of, measurements ofAnn 21, IV, p 300; WS 38, p 311
	Florissant, fossil butterflies of
	insects of special interest fromBull 93
	forest reserves in, the five, reports on
	fossil butterflies of Florissant
٠.	fossils from
	pp 290, 297, 300; Ann 6, pp 552, 553; Ann 8, 11,
	pp 911–913; Bull 29, pp 16–22; Bull 37, pp 38, 39, 55

	$oldsymbol{\cdot}$
Co	lorado, fossils from Denver Basin, vertebrate, and plantsMon xxvII, pp 466-550
	fossils from Ouray limestone of southwestern
	fuller's earth in, occurrence and production of
	pp 1353–1354; Ann 19, vr cont, p 655
	gas, illuminating and fuel, and by-products in, statistics of
	vi cont, pp 227, 240, 243, 245, 247, 249
	geographic positions in
	Ann 21, 1, pp 306-320; Bull 123, pp 133-135
	geologic maps of, listedBull 7, pp 131–133, 135, 136, 138, 171
	(See Map, geologic, of Colorado.)
	geologic sections in. (See Section, geologic, in Colorado.)
	geologic and paleontologic work in Ann 2, pp 19-20; Ann 3, pp 22, 26-27;
	Ann 4, pp 36-38, 41; Ann 5, pp 44-46, 49, 57; Ann 6, pp
	63-66, 72; Ann 7, pp 91-92, 112, 119; Ann 8, 1, pp 144-145,
	173; Ann 9, pp 78, 88–90, 114, 131; Ann 10, 1, pp 25–26,
	137–139, 159, 176; Ann 11, 1, pp 78, 87–88, 101, 107, 108,
	123–124; Ann 12, 1, pp 56, 96–98, 107, 114; Ann 13, 1, pp 129–
	130, 136–137; Ann 14, 1, pp 245, 249; Ann 15; pp 135–137,
	145–146, 165–166; Ann 16, 1, pp 25–26, 29–30, 32–33; Ann
	17, 1, pp 31–33, 39–45, 68, 69; Ann 18, 1, pp 40–43, 63; Ann 19,
	ı, pp 46–47; Ann 20, ı, pp 44–46; Ann 21, ı, pp 78–79
	geology and mining industry of Leadville
	pp 20–21; Ann 2, pp 201–290; Mon XII
	geology and physiography of a portion of northwestern Colorado and
	adjacent parts of Utah and Wyoming Ann 9, pp 677–712
	glaciation of Rocky Mountains in
	gold in Cripple Creek districtGF 7, p 8
	in Denver Basin, placer
	in La Plata quadrangle
	in Leadville district
	gold and silver of, statistics of Ann 2, p 385; MR 1882, pp 172, 174, 176, 177,
	178, 182; MR 1883–84, pp 312, 313, 314, 315; MR 1885, pp 201,
	203; MR 1886, pp 104, 105; MR 1887, pp 58, 59; MR 1888,
	pp 36, 37; MR 1889–90, p 49; MR 1891, pp 75, 77, 80; MR
	1892, pp 50-56, 63-69; MR 1893, pp 50, 51, 55, 57-61; Ann
	1002, pp 00 00, into 1000, pp 00, 01, 00, in or, inin
	17, 111, pp 72-77; Ann 18, v, pp 141-149; Ann 19, v1, pp
	127–133; Ann 20, vi, pp 103–109; Ann 21, vi, pp 121–127
	Golden, geologic structure of region about
	Goose Creek, flow of, measurements ofAnn 21, 1v, p 211; WS 37, pp 222-223
	Grand River, drainage area of
	flow of, measurements of
	399-401; Ann 20, IV, pp 58, 389; Ann 21, IV, pp 280-281;
	Bull 131, p 48; Bull 140, pp 186–187; WS 11, p 67; WS
	16, pp 137–138; WS 28, pp 135, 142, 144; WS 31, pp 293–296
	profile of
	granite production of, statistics of
	MR 1886, p 538; MR 1889–90, p 374; MR 1891, pp 457, 458;
	MR 1892, p 706; MR 1893, pp 544–545; Ann 16, IV, pp 437,
	442, 457, 458–459; Ann 17, 111 cont, pp 760, 761, 763, 764; Ann
	18, v cont, pp 950, 951, 954, 956, 957; Ann 19, vi cont, pp 208,
	209, 211, 213; Ann 20, vi cont, pp 271, 272, 273, 274, 275,
	276, 277; Ann 21, vi cont, pp 335, 336, 337, 338, 339, 340
	Greeley, irrigation canals and reservoirs near

0.1	i. Coming Director and the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the fol
Col	orado, Gunnison River, flow of, measurements of
	iv, pp 404-406; Ann 20, iv, pp 58, 390; Ann 21, iv, pp
	278–279; Bull 131, p 48; Bull 140, pp 189–191; WS 16,
	pp 140–141; WS 28, pp 136, 142, 144; WS 37, pp 297–298
	Gunnison River, profile of
	gypsum, deposits, industry, and statistics of MR 1882, p 528; MR 1883-84, p 812;
	MR 1885, p 463; MR 1886, p 622; MR 1887, p 601; MR 1889–90,
	pp 465, 466; MR 1891, pp 580, 581; MR 1892, p 802; MR 1893,
	p 715; Ann 16, IV, p 664; Ann 17, III cont, pp 979, 981; Ann 18,
	v cont, pp 1266, 1267; Ann 19, vi cont, pp 578, 579, 581, 582;
	Ann 20, vr cont, pp 658, 661; Ann 21, vr cont, pp 524, 526, 527
	in Pueblo quadrangle
	Hunter Park, geologic structure of
	insects of special interest from Florissant and other points in the Tertiaries
	of Colorado and Utah
	irrigation; engineering works in Arkansas BasinAnn 13, 111, pp 362-370
	near Greeley
	provisions relating to, in constitution of
	surveys, engineering, hydrography, segregations, etc., in Ann 10, 11, pp
	viii, 18, 58, 62-63, 68-71, 86, 93-98; Ann 11, 11, pp 133-144;
	Ann 12, 11, pp 55–127, 247–251; Ann 13, 111, pp 435–444 water storage for
	weir at head of Arapahoe Canal
	at head of Highline Canal
	at head of Monte Vista and Del Norte canalsAnn 13, 111, pp 229–230
	iron, iron ore, and steel from, statistics of
	pp 120, 125, 129, 130, 133, 134, 135, 136, 137, 144–147; MR
	1883–84, pp 252, 281–285; MR 1885, pp 182, 184, 186, 196;
	MR 1886, p 18; MR 1887, pp 11, 28–29, 52–54; MR 1888,
	pp 15, 33; MR 1889-90, pp 10, 17, 24, 35; MR 1891, pp
	12, 26; MR 1892, pp 12, 13, 15, 21, 26, 35, 36, 37; MR 1893,
	pp 15, 20, 26, 28, 35, 38, 39; Ann 16, 111, pp 31, 192, 194,
	199, 203, 208, 249, 250; Ann 17, 111, pp 26, 27, 39, 41, 47,
	48, 57, 60, 63, 68; Ann 18, v, pp 24, 37, 41, 42; Ann 19, vi,
	pp 26, 27, 29, 35, 66, 68, 72; Ann 20, vi, pp 29, 41, 43, 44,
	74, 75, 81, 84, 85; Ann 21, vi, pp 34, 48-49, 52, 53, 90, 92
	iron ore in Pueblo quadrangle
	occurrence of, in
	Jurassic invertebrates of Bull 128, pp 71–72
	kaolin from the Waterfall mine, Gunnison County, description and anal-
	ysis of
	La Plata dome, description of
	erosion of
	origin of
	glaciation of Mon xxxiv, pp 338–340
	structure and rocks of
	topography, drainage, etc., of
	La Plata quadrangle, geology of
	La Plata River, course and character of
	profile of
	laccolitic mountain groups of, Utah and ArizonaAnn 14, 11, pp 157-241
	Lake Creek, flow of, measurements of

Col	orado, lead from, statistics of MR 1882, pp 310-311; MR 1883-84, pp 412, 416, 419-422;
	MR 1885, pp 248, 250–257; MR 1886, pp 144–146; MR 1887,
	pp 105–107; MR 1888, p 87; MR 1889–90, p 80; MR 1891,
	p 105; MR 1892, p 124; MR 1893, p 93; Ann 16, 111, p 362;
	Ann 17, 111, pp 134, 152; Ann 18, v, p 240; Ann 19, v1,
	pp 201, 215; Ann 20, vr, pp 226, 228; Ann 21, vr, p 229
	Leadville, geology and mining industry of
	Lenado Canyon, Aspen district, geologic structure and mines of Mon xxxi,
	pp 117-126, 199-203
	limestones in Elk Mountains
	in Elmoro quadrangleGF 58, p 4
	in Pueblo quadrangle
	in Walsenburg quadrangle
	limestone production of, statistics of
	p 454; MR 1889–90, p 373; MR 1891, pp 464, 465; MR 1892,
	p 711; MR 1893, p 556; Ann 16, IV, pp 437, 494, 495, 496;
	Ann 17, 111 cont, pp 760, 787, 789, 790, 791–792; Ann 18,
	v cont, pp 950, 1044, 1045, 1046, 1049; Ann 19, vi cont, pp
	206, 280, 282, 283, 287; Ann 20, vt cont, pp 271, 342, 343,
	344, 345, 346; Ann 21, vi cont, pp 335, 357, 358, 359, 360
	Little Fountain Creek, flow of, measurements of
	Los Pinos River, flow of, measurements of
	ıv, pp 299–300; WS 38, pp 309–310 profile of
	profile of
	Lost Canyon reservoir site and natural dam
	lumber industry in
	magnetic declination in
	Mancos Canyon, reservoir sites in
	Mancos River, flow of, measurements of
•	Ann 21, IV, pp 284–286; WS 28, pp 137, 142, 144; WS 38, p 312
	profile of
	manganese-ore production of MR 1885, p 348; MR 1889-90, pp 127,
	131; MR 1891, pp 127, 132–133; MR 1892, pp 189, 194–195;
	MR 1893, pp 120, 121, 127–128; Ann 16, 111, pp 398, 407–410;
	Ann 17, 111, pp 189, 194-195; Ann 18, v, pp 301-305; Ann 19,
	vi, p 97; Ann 20, vi, pp 128, 132; Ann 21, vi, pp 132, 136–137
	manganiferous iron ores of, character of
	manganiferous silver ores in MR 1892, p 184
	maps, geologic, of. (See Map, geologic, of Colorado.)
	maps, topographic, of. (See Map, topographic, of Colorado.) marble production of, statistics of
	marble production of, statistics of
	519; MR 1891, p 469; Ann 18, v cont, pp 978–979; Ann
	19, vi cont, pp 206, 238, 239, 240, 242–243; Ann 20, vi
	cont, pp 282, 283; Ann 21, vi cont, pp 335, 341, 342, 343
	meridian marks in
	mineral species from, new Bull 20, pp 100–109
	mineral spring resorts in
	mineral springs of
	pp 188–193; MR 1883–84, p 980; MR 1885, p 537; MR 1886, p
	715; MR 1887, p 683; MR 1888, p 626; MR 1889–90, pp 522,
	525; MR 1891, pp 603, 604; MR 1892, pp 824, 826; MR 1893,
	pp 774, 776, 784, 787, 794; Ann 16, rv, pp 709, 711, 720; Ann 17,
	III cont, pp 1026, 1032, 1042; Ann 18, v cont, pp 1371, 1376-
	1377, 1387; Ann 19, vi cont, pp 661, 666, 678; Ann 20, vi
	cont, pp 749, 755–756, 767; Ann 21, vi cont, pp 599, 606, 620

Colorado, minerals from basalt of Table Mountain, Golden Bull	20, pp 13–39
minerals from neighborhood of Pikes PeakBull	20, pp 40-74
useful, of	7, pp 707–714
mining at Cripple Creeek, history of	r. pp 113–118
at Leadville Mon xi	nn 363_584
in Telluride quadrangle	7 PP 000-004
In Tenuride quadrangle	1, pp /40-600
Mosquito Range, structure and rocks of	i, pp 219–221
uplift in	GF 48, p 1
natural gas in, localities and statistics of	, pp 498–499;
Ann 16, IV, pp 415, 428-429; Ann 17, III cont,	, pp 734, 735,
748-749; Ann 18, v cont, pp 901, 903, 904, 915	; Ann 19, vi
cont, pp 169, 171, 172, 173, 181-182; Ann	
pp 207, 209, 210, 221; Ann 21, vi cont, pp 3	
Neocene beds of	
nickel.ore in	
ore deposits in Leadville district	
in Telluride quadrangleGF	57, pp 16–18
paint, mineral, production of MR 1889-90, p 508	; MR 1891, p
595; MR 1892, pp 816, 818; MR 1893, pp 760, '	
1v, pp 696, 698; Ann 17, 111 cont, pp 1013,	
1017; Ann 18, v cont, pp 1338, 1342; Ann 19, vi	cont nn 637
642; Ann 20, vr cont, pp 723, 728; Ann 21, v	
petroleum localities and statistics of	
MR 1883-84, pp 216-217; MR 1887, pp 438,	•
1888, pp 464–466; MR 1889–90, pp 292, 332–34	
pp 405, 407, 432; MR 1892, pp 604, 606, 611,	
1893, pp 465, 466, 507-508; Ann 16, 1v, pp 317,	318, 319, 320,
367, 368; Ann 17, 111 cont, pp 626, 627, 628, 6	
18, v cont, pp 750, 751, 753, 755, 840; Ann	
pp 5, 6, 7, 8, 9, 11, 101–102; Ann 20, vi	
6, 7, 9, 118–120; Ann 21, vi cont, pp 5, 6, 7, 8	
Piedra River, flow of, measurements of	
Ann 19, IV, pp 411-413; Ann 20, IV, pp 59,	
iv, pp 298–299; Bull 140, pp 197–198; W	S 11, p 71;
WS 16, p 145; WS 28, pp 139, 142, 145; WS 38	
Pikes Peak district, bibliography of	GF 7, p 5
Pikes Peak Forest Reserve, report on	pp 3-5,63-74
Pikes Peak quadrangle, geology of	GF 7
placer deposits of La Plata quadrangle	
plants, fossil, from Denver Basin	
Platte River, flow of, measurements of	
profile of	
Platte River Basin, hydrography of and irrigation inAnn 13,	
Plum Creek Timber-Land Reserve, report onAnn 20, v,	
Precious stones in, occurrence of	
pp 484, 486, 487, 490, 491, 492, 495, 497; MR	
724, 737, 740, 741, 752, 753, 757, 760, 762, 777;	MR 1885, pp
439, 440; MR 1887, p 559; MR 1888, p 582;	
p 445; MR 1891, p 548; MR 1892, p 764; MR	
Pueblo quadrangle, geology of	
Purgatory River, flow of, measurements ofAnn 11, 11, 11	
iv, pp 231–232; Ann 19, iv, pp 358–360; An	
57, 340-342; Ann 21, IV, pp 235-236; W	
WS 16, p 123; WS 28, pp 113, 116, 117; V	11 3 31, p 203

, ·
Colorado, rainfall at various points in
rainfall in Arkansas Basin
in southwestern
rainfall and run-off in basin of Arkansas RiverAnn 20, 1v, pp 325-330
in basin of Platte River
of Upper Colorado River
of Upper Rio Grande
reservoir sites in, for irrigation
in Mancos Canyon
reservoir sites and irrigable lands in, reported by topographersAnn 11,
п, pp 301–302, 310
reservoir surveys in
Rico Mountains, alluvial fans in
bedding faults in
deformation by faulting and folding in
erosion in
faults in
geologic history of, recent
geology of
glaciation of
igneous rocks in
landslides in
origin of
physiography of
Rio Grande, flow of, measurements of
Ann 12, 11, pp 250, 349, 360; Ann 13, 111, pp 94, 99; Ann
14, 11, pp 110-111; Ann 18, 1v, pp 246-249; Ann 19, 1v, pp
383–384; Ann 20, iv, pp 57, 360–364, 365; Ann 21, iv, pp 256–
257; Bull 131, pp 41-43; Bull 140, pp 169-172; WS 11, p 64;
WS 16, p 127; WS 28, pp 126, 129, 130; WS 37, pp 277–280
hydrography of basin of
irrigation problems relating to basin of
profile of
St. Vrain Creek, flow of, measurements of
Ann 18, IV, pp 172-174; Ann 19, IV, pp 320-321;
Ann 20, 1y, pp 54, 55, 285–286; Ann 21, 1v, pp 208–
209; Bull 140, pp 109–110; WS 11, p 55; WS 15,
p 93; WS 27, pp 83, 86, 89; WS 37, pp 232-233
San Juan Mountains, formation of
structure of
San Juan Plateau, denudation of
San Juan region, geography, topography, and geology of
San Juan River, flow of, measurements of
Ann 19, IV, pp 409-410; Ann 20, IV, pp 58, 400-401;
Ann 21, IV, pp 297–298; Bull 140, pp 195–196; WS 11, p 71;
WS 16, p 144; WS 28, pp 138, 142, 145; WS 38, pp 307–308
profile of
San Luis Valley, subirrigation in
San Miguel Mountains, structure and rocks of
San Miguel River, flow of, measurements of
iv, pp 264–265; Ann 19, iv, pp 406–407; Ann 20, iv, pp 58,
395-396; Ann 21, rv, pp 283-284; Bull 140, pp 193-194;
WS 16, p 142; WS 28, pp 137, 142, 144; WS 38, pp 306–307
sandstone in Elmoro quadrangle

Colorado, sandstone in Walsenburg quadrangle
(See "building stone," under this State.)
sanidine in certain rhyolites from, luster exhibited byBull 20, pp 75–80
Sawpit, ore beds of
sections, geologic, in. (See Section, geologic, in Colorado.)
seepage measurements on Thompson Creek
sewage-disposal plants in
silver in La Plata quadrangle
(See "gold and silver," under this State.) Silver Cliff and Rosita Hills, geology of
Silver Mountain, auriferous impregnations of
Smuggler Mountain, mines of
South Fork reservoir site
South Park, Antero reservoir site
South Platte Forest Reserve, report on
South Platte River, flow of, measurements ofAnn 18, 1v, pp 159–167; Ann 19,
ıv, pp 312–316; Ann 20, ıv, pp 54, 277–280, 293–294; Ann 21,
iv, pp 201–203, 210; Bull 140, pp 102–106; WS 11, pp 52–53;
WS 15, pp 87–89; WS 27, pp 84, 86, 89; WS 37, pp 223–227
Southern Ute Indian Reservation, water supply of, investigation ofAnn 20,
iv, pp 408-434
Spanish Peaks, structure of
stream measurements in, list of miscellaneous
Table Mountain, Golden, minerals from basalt ofBull 20, pp 13-39
Tarryall Creek reservoir site
Telluride mining district, history, statistics, etc., of Ann 18, 111, pp 752-758
Telluride quadrangle, geology of
mining industries of
Tenmile district, geology of
structure and rocks of
tin deposits of
topaz from, an unusual occurrence of
topographic maps of. (See Map, topographic, of Colorado.)
topographic work in
Ann 7, p 57; Ann 10, 11, pp 18, 68–71; Ann 11, 11, pp 299–301; Ann 12, 1, p 45; Ann 13, 1, pp 79, 80; Ann 14, 1, pp 178, 180;
Ann 15, pp 123–124; Ann 16, 1, pp 66, 68, 69–70, 71; Ann 17, 1,
pp 97, 103–104; Ann 18, 1, pp 94, 95, 107; Ann 19, 1, pp 89, 90,
104; Ann 20, 1, pp 100, 102, 116; Ann 21, 1, pp 120–121, 134
Tourtelotte Park, geologic structure and mines of
pp 84–117, 167–180
pp 84–117, 167–180 trees and shrubs in forest reserves of
v, pp 46-63, 109-115, 123-133, 195-209
triangulation in
tungsten in, occurrence of
Twin Lake Creek, flow of, measurements of
Twin Lakes irrigation reservoir and dam
III, pp 362–370; Ann 21, IV, pp 238–239
Uncompangre River, flow of, measurements of
17, pp 279–280; Bull 140, pp 188–189; WS 11, p 69; WS
16, p 139; WS 28, pp 136, 142, 144; WS 37, pp 296–297
profile of
· / F

Colorado, volcanic activity in Cripple Creek region, evidences, products, age,
etc., of
Walsenburg quadrangle, geology of
water in, legal control of
in Pueblo quadrangle
water, underground, in
of Arkansas Valley in eastern
water resources of a portion of Great Plains
water supply of, for public lands
well records in Bull 131, pp 106–114
wells, artesian, of Denver Basin, development, conditions, etc
ххүн, рр 401–465
West Denver quadrangle, physiography of
West Elk mountains, geology of
Wet Mountain Valley, description of
White River, flow of, measurements of
White and Yampa rivers, reconnaissance on
White River Plateau Timber-Land Reserve, report onAnn 20, v, pp 117-179
woodland area of
Yampa and White rivers, reconnaissance on
Colorado Basin, hydrography of
irrigation problems relating to
stream measurements in
Ann 19, 1v, pp 390–424; Ann 20, 1v, pp 58–59, 373–407; Bull
131, pp 47–52; Bull 140, pp 186–210; WS 11, pp 67–73; WS
16, pp 134-151; WS 28, pp 131-145; WS 38, pp 313-324
Colorado formation, character, extent, and invertebrate fossils ofBull 106
correlation ofBull 82, pp 170, 172–173, 176, 213, 225, 231, 233, 237, 239, 250, 261
fossils of
in Colorado GF 7, pp 2, 4
Aspen district
in Montana
in South Dakota
in Yellowstone ParkMon xxxii, 11, pp 37, 51, 53, 156, 605–606; GF 30, pp 2, 5 Colorado group, as a source of coal in Utah
in Montana
in Uinta Mountains
in Wyoming
Colorado River, Grand Canyon of, pre-Cambrian igneous rocks of Unkar ter-
rane
profile of
rainfall and run-off in basin of upper
(See, also, Grand Canyon.)
Colorado River, Texas, flow of, measurements ofAnn 18, IV, p 110; Bull 140, pp
83-84, 86; WS 28, pp 122-124, 129, 130; WS 37, pp 274-275
profile of
Coloradoite from California, mineralogic notes on
Columbellidæ of Miocene deposits of New Jersey
Columbia Basin, stream measurements in
330–361; Ann 19, IV, pp 444–500; Ann 20, IV, pp 469–516; Ann
21, IV, pp 403–436; Bull 131, pp 62–75; Bull 140, pp 235–249;
WS 11, pp 79–88; WS 16, pp 164–181; WS 28, pp 155–170

Columbia formation, correlation of
description of
in Delaware Bull 138, p 119
in District of Columbia
in Maryland
Bull 138, p 126; GF 13, p 2; GF 23 pp 1-2; GF 70, pp 4-5
in South CarolinaBull 138, p 210
in VirginiaBull 138, p 164; GF 13, p 2; GF 23, pp 1–2; GF 70, pp 4–5
relation of, to clays of Rhode Island and Massachusetts Ann 17, 1, p 1004
unconformity between Potomac formation and
Columbia River, profile of
Columbia River lava of Idaho
of Washington Ann 20, 11, pp 129–134; Bull 108, pp 20–22; WS 4, pp 40–50
Columbite, analysis of, from Dakota, Etta tin mine
analysis of, from North Carolina, Alexander County
from North Carolina, Mitchell CountyBull 74, p 73
Columnar jointing in lava, description of, as one of the educational series of
rock specimens
Columnar Juratrias lava of Sierra Nevada
Columnar structure of basalt in volcanic necks
of obsidian of Yellowstone Park
Comal River, Texas, flow of, measurements of
ıv, p 110; Bull 140, pp 84, 86; WS 28, p 130
Comanche Peak limestone of Texas
vи, pp 214-216, 223-227; GF 42, p 2; GF 64, p 1
Comanche series of Texas
192; Bull 164, pp 16–18; Bull 82, pp 116, 118, 119–121,
127, 130, 221, 223, 225, 229, 250, 253–254; GF 64, pp 1–2
Committees, various, appointment of
Compressibility of liquids
Compressibility and thermal expansion, investigations of Ann 14, 1, pp 154–156
Compression, Appalachian structure due to
Compsognathus, remarks on, and restoration of
Comstock lode, alteration of minerals in
decomposition products from chemical analyses of
description of
history of
mechanical appliances used on
Comstock lode and Washoe district, geology of
pp xxiv-xxvi, 291–330; Mon III Comstock mine waters, analyses of
Comstock mine waters, analyses of Mon III, p 152
Comstock mining and miners
Conasauga shale in Alabama, Georgia, and Tennessee
GF 6, p 1; GF 20, p 2; GF 25, p 3; GF 33, p 2; GF 35, p 2
origin of name
Concentration, natural, of iron ores in Penokee district
Conchifera of Bear River formation
of Chico-Tejon series of California
of Cretaceous of Vancouver Island
of Mesozoic of Alaska Peninsula
of North America (nonmarine fossil)
of Permian of Texas
of Puget group
Concho River, Texas, profile of
00mgno 10mg 20mm of 11. 11. 11. 11. 11. 11. 11. 11. 11. 11
Concretion in loess from Wray, Colorado, analysis of

Comparison colorance description of the made of the educational
Concretion, calcareous, description of the rock, as one of the educational series
in Champlain clays of Massachusetts
Concretion, ferruginous, description of the rock, as one of the educational series
Bull 150, pp 108–110
Concretion, marcasite, description of the rock, as one of the educational seriesBull
150, pp 110–111
Concretions, analysis of
in sandstone, origin of
Conduction, heat, investigations in
Conejos River, Colorado, flow of, measurements of
Conference of geologists and lithologists on geologic nomenclature and map
notation, in January, 1889
Congaree River, profile of
Congeria beds of Europe, eastern, correlation of
Conglomerate, analysis of, from Massachusetts, MarlboroBull 148,
p 77; Bull 168, p 33
description of the rock, as one of the educational seriesBull 150, pp 70–72
faulted pebble of Cretaceous, description of, as one of the educational seriesBull
150, pp 316-317
metamorphic, from Hoosac Mountain, Massachusetts, description of, as one
of the educational series
xxiii, pp 116-117
from Massachusetts, Stone Hill, Williamstown (quartzite)Mon xxIII,
pp 116–117
from New York, Ashley Hill (limestone)
from Vermont, Bird Mountain
volcanic, in Maine, Aroostook volcanic area
Conglomerates, andesitic pebbles of, in Denver Basin Mon xxvII, pp 315-316
basal, formation of, and phenomena liable to be mistaken forAnn 16,
ı, pp 721–724
Carboniferous, as products of glaciation
evidence from, as to periods of metamorphism
of Keweenaw series, description of
record value of
Conglomerate formation of Michigan, Sturgeon River tongue
111, pp 148-149; Mon xxxvi, pp 471-479
Conglomerate series of West Virginia, name proposed
Congress, international, of geologists, fifth triennial session, at Washington, in
August, 1891
Conichalcite, analysis of, from Spain
analysis of, from Utah, Tintic district Ann 19, 111, p 699; Bull 20, pp 84–85
Conidæ from clays and marls of New Jersey
of Amboy clays
of Coal Measures, Lower, of Missouri
of Cretaceous of Black Hills
of Dakota group
of Laramie group
of Mesozoic, of California
of Mesozoic, older, of North Carolina
of VirginiaMon vi, pp 85–89
of North America, extinct

Coniferæ of Potomac or younger Mesozoic	
Conjugate functions or conformal transformation, method of Ann 19, 11, pp 344-	350
Connasauga shale. (See Conasauga.)	
Connecticut, altitudes inBull 5, pp 71-72; Bull 76; Bull 160, pp 101-	111
atlas sheets of. (See p 71 of this bulletin.)	
boundary lines of	-75
brick industry ofMR 1887, pp 535, 537; MR 1888, pp 558,	566
building stone at World's Columbian Exposition	
statistics ofMR 18	
p 451; MR 1887, 513, 521; MR 1888, p 536; MR 1889-	·90 <b>,</b>
pp 374, 385; MR 1891, pp 457, 458, 464; MR 1892, pp 7	
707, 710, 711; MR 1893, pp 544, 545, 553, 556; Ann	
ıv, p 437 et seq; Ann 17, 111 cont, p 760 et seq; A	
18, IV cont, p 950 et seq; Ann 19, IV cont, p 206 et s	
Ann 20, IV cont, p 271 et seq; Ann 21, VI cont, p 335 et cement production of	
cession of territory to General Government	
566; MR 1891, p 502; Ann 16, IV, pp 518, 519, 520, 5	
Ann 17, 111 cont, p 819 et seq; Ann 18, v cont, p 1	
et seq; Ann 19, vi cont, pp 318 et seq, 354; Ann	
vi cont, pp 466 et seq, 515; Ann 21, vi cont, pp 362,	
cobalt deposit in	
coke in, manufacture of	
Connecticut River, flow of, measurements of	
11, pp 140-146; Ann 20, 1v, p 47; WS 35, pp 42	-44
deposition, deformation, and degradation in Triassic area of Ann 18, 11, pp 19-	
drainage lines, development of, in	184
elevations in. (See "altitudes," under this State.)	
feldspar from, statistics of	
pp 1365, 1367; Ann 19, vi cont, p 657; Ann 20, vi cont, p	
gas, illuminating and fuel, and by-products from, statistics of	
vi cont, p 227 et geographic dictionary ofBull	seq
geographic positions in	_44 _114
geologic and paleontologic investigations in	
p 36; Ann 7, p 61; Ann 9, p 76; Ann 11, 1, p 59; Ann 12, 1	
62, 66, 121, 125; Ann 13, 1, pp 94-95, 100, 101; Ann 14, 1, p	
Ann 15, pp 133, 147, 161; Ann 18, 1, p 25; Ann 21, 1, 1	
geologic maps of, listedBull 7, pp 52, 53	, 54
See Map, geologic, of Connecticut.	
geologic sections in. (See Section, geologic, in Connecticut.)	
glacial investigations in	
glacial modification of form and drainage in	
gold and silver from, statistics of	
v, pp 142, 146, 147, 149; Ann 19, vi, pp 127, 130, 131, 1 133; Ann 20, vi, pp 106, 107, 108, 109; Ann 21, vi, pp 121,	
granite production of	
MR 1893, pp 544, 545; Ann 16, IV, pp 437, 442, 457, 458,	159:
Ann 17, 111 cont, pp 760, 761, 762, 763, 764; Ann 18, v cont	
950, 951, 952, 954, 956, 957–960; Ann 19, vi cont, pp 206, 2	208,
209, 210, 211, 213–214; Ann 20, v1 cont, pp 271, 272, 273, 2	
275, 275, 277; Ann 21, vr cont, pp 335, 336, 337, 338, 349,	340

Co	nnecticut, granite quarries of
	harbors on coast of
	Housatonic River, profile of
	iron, iron ore, and steel from, statistics of
	p xxviii; MR 1882, pp 120, 125, 129, 131, 133, 135; MR
	1883–84, p 252; MR 1883–84, pp 270–271; MR 1885, pp 182,
	188; MR 1886, pp 14, 17, 42; MR 1887, pp 11, 16; MR 1888,
	pp 14, 17; MR 1889–90, pp 10, 17, 24, 35; MR 1891, pp 12, 27;
	MR 1892, pp 12, 15, 21, 26, 35, 36, 37; MR 1893, pp 15, 20, 26,
	28, 35, 38, 39; Ann 16, 111, pp 31, 41, 192, 194, 203, 208, 249, 254;
	Ann 17, 111, pp 26, 27, 39, 41, 47, 48, 57, 63, 68; Ann 18, v, pp
	24, 41, 42; Ann 19, vi, pp 26, 27, 29, 65, 68, 72; Ann 20, vi, pp
	29, 43, 44, 74, 75, 83, 85; Ann 21, vi, pp 34, 51, 52, 53, 90, 99
	lime production of
	limestone production ofMR 1892, p 711; MR 1893, p 556; Ann 16, IV, pp 437,
	494, 495, 496; Ann 17, 111, cont, pp 760, 788, 789, 790, 792;
	Ann 18, v cont, pp 950, 1044, 1045, 1046, 1049; Ann 19, vi
	cont, pp 206, 280, 282, 283, 287; Ann 20, vi cont, pp 271, 342,
	343, 344, 345, 346; Ann 21, vi cont, pp 335, 357, 358, 359, 360
	limestone quarries of western
	magnetic declination in
	maps, geologic, of. (See Map, geologic, of Connecticut.)
	maps, topographic, of. (See Map, topographic, of Connecticut; also p 71
	of this bulletin.)
	mica industry in
	mineral spring resorts in
	mineral springs of
	p 537; MR 1886, p 716; MR 1887, p 683; MR 1888, p 626; MR
	1889–90, pp 522, 526; MR 1891, p 604; MR 1892, pp 824, 826;
	MR 1893, pp 774, 776, 784, 787, 794; Ann 16, iv, pp 709, 712,
	720; Ann 17, 111 cont, pp 1026, 1032, 1041; Ann 18, v cont, pp
	1371, 1377, 1386; Ann 19, vi cont, pp 661, 667, 677; Ann 20,
	vi cont, pp 749, 756, 766; Ann 21, vi cont, pp 599, 607, 619
	minerals of, usefulMR 1882, pp 672–674; MR 1887, pp 714–716
	Naugatuck River, pollution of
	nickel production of
	Pomperaug Basin, drainage system, physiographic features, erosion history,
	and glaciation of
	Pomperaug Valley, Newark system of rocks of
	quartz from, statistics of
	cont, p 657; Ann 20, vi cont, p 745; Ann 21, vi cont p 595
	Quinnipiac River, pollution of
	sandstone production of MR 1892, p. 710; MR 1893, p 553; Ann 16, IV, pp 437,
	484, 485, 486; Ann 17, 111 cont, pp 760, 775, 776, 777, 779; Ann
	18, v cont, pp 950, 1012, 1013, 1014, 1017-1021; Ann 19, vi
	cont, pp 206, 264, 265, 266, 267–269; Ann 20, vi cont, pp 271,
	336, 337, 338, 339; Ann 21, vi cont, pp 335, 353, 354, 355, 356
	sections, geologic, in. (See Section, geologic, in Connecticut.)
	sewage-disposal plants in
	survey of, by cooperation of the State
	ı, pp 7, 88; Ann 11, ı, p 6; Ann 12, ı, p 5
	tin deposit in
	topographic maps of (see Map, topographic, of Connecticut; also p 71 of
	this bulletin.)

One of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of
Connecticut, topographic work in Ann 10, 1, pp 86, 88, 89; Ann 11, 1, p 35; Ann 12, 1, p 25
triangulation inBull 122, pp 19–24
Triassic formation of
tungsten in, occurrence of
uplands and lowlands of
woodland area in
Connecticut River, discharge of, measurements ofAnn 14, 11, pp 140–146; Ann 19,
ıv, pp 116-117; Ann 20, ıv, pp 47, 76-78; Ann 21,
ıv, pp 62–63; Bull 140, pp 37–41; WS 35, pp 40–44
profile of
rock formations of valley ofBull 80, pp 26-27
Connecticut River and tributaries, pre-Glacial course ofMon xxix, pp 513-515
Connecticut River sandstone in Massachusetts, western . Mon xxıx, pp 351–406,495–500
Connecticut Valley, fossil fishes and plants of Triassic rocks of
Newark system in, area of
structure of Triassic formation of
Triassic flora of, review of
(See, also, Massachusetts.)
Conoquenessing sandstone of PennsylvaniaBull 80, pp 100–101
Constitution of pectolite, pyrophyllite, calamine, and analcite, experiments
relative to
of tourmaline
Contact metamorphism in rocks of Colorado, Mosquito Range, not
marked
in rocks of Montana, Judith Mountains
of Sierra Nevada
synthesis in production of rock types illustrated by . Ann 18, 111, pp 307-308, 310
(See, also, Metamorphism.)
Contact phenomena in Penokee districtMon xix, pp 171-174, 184-185, 297-298
Contoocook River, New Hampshire, profile of
Contractions of substances due to cooling under pressureBull 92, pp 56-61
Conveyance of water in irrigation canals, flumes, and pipes
Convict labor in coal mines
Conway schists of Massachusetts, western
of Massachusetts and Connecticut
Cooling, effect of sudden, exhibited by glass and steelBull 42, pp 98–131
under pressure, contractions due to
Cook (G. H.), sketch of the geology of the Cretaceous and Tertiary formations
of New JerseyMon ix, pp ix-xiii
Cook Inlet, Alaska, coal in
gravels of, notes on
Cookeite, chemical constitution of
Coon Butte, Arizona, examination of
Cooper River marls, South Carolina, correlation of
Cooperation with States in topographic work
(See, also, State names.)
Coos Bay coal field, Oregon, description of
geology of
Coos Bay quadrangle, Oregon, forest conditions in
Coos conglomerate, correlation of
Coos group of New Hampshire
Coosa River, flow of, measurements of
ıv, pp 99-103; Ann 19, ıv, pp 246-249; Ann 20, ıv, pp 51,
184-188; Ann 21, IV, pp 148-150; WS 11, pp 30-36; WS
15, pp 51-55; WS 27, pp 53-55, 57, 58; WS 36, pp 148-152

Coosa River, profile ofWS 44, p 31
rainfall and run-off in basin of
Coosa shales of Alabama
Coosawattee River, Georgia, flow of, measurements of
IV, pp 96-98, 110; Ann 19, IV, pp 243-244; Ann 20, IV,
pp 51,191–192; Ann 21, IV, pp 146–147; WS 11, p 27;
WS 15, p 49; WS 27, pp 52, 57, 58; WS 36, pp 144–146
Copiapite, analysis of, from California, Lake County, KnoxvilleBull 61, pp 25-26
Copper; analysis of a sample containing tellurium
metallurgy of
of Alaska, Copper River district, deposits and mines, notes on
VII, pp 417-421 Copper River and other regions, notes on
pp 59-60, 71; Ann 21, pp 377-382, 437-439, 482
Tanana-White region, note on
of Arizona, cupola smelting of
of California, Colfax quadrangle
Jackson quadrangle
Smartsville quadrangle
of Idaho, Seven Devils
of Maryland-Virginia-West Virginia, Harpers Ferry quadrangleGF 10, p 4
of Montana
Butte district
Three Forks quadrangle
of Oregon, Roseburg quadrangle
of Philippine IslandsAnn 19, vi cont, pp 691-692; Ann 21, iii, pp 584-590
of Porto Rico
of Sierra Nevada Ann 17, 1, p 696
statistics of production, etc., of MR 1882, pp 213-
305; MR 1883–84, pp 322–410; MR 1885, pp 208–243; MR
1886, pp 109–139; MR 1887, pp 66–97; MR 1888, pp 43–77; MR 1889–90, pp 56–77; MR 1891, pp 81–102; MR 1892, pp
95–120; MR 1893, pp 62–88; Ann 16, 111, pp 332–358; Ann
17, III, pp 81–129; Ann 18, v, pp 185–235; Ann 19, vi, pp
137–196; Ann 20, vi, pp 159–220; Ann 21, vi, pp 163–223
Copper-bearing rocks of Lake Superior region
pp xxxi-xxxiv; Ann 3, pp 89-188; Mon
v; Bull 81, pp 195–199; Bull 86, passim
(See, also, Animikie; Cuprilerous series; Keweenawan; Nipigon.)
Copper minerals of Colorado, Cripple Creek district
of Utah, notes on certain rareBull 55, pp 38-47
Copper ores of Montana, Little Belt Mountains quadrangle
Copper ores, sulphureted, composition of typical MR 1882, pp 258 Copper ores and furnace products, roasting of MR 1882, pp 280–297
Copper ores and furnace products, roasting of
Copper River, Alaska, trails along
Copper River Valley, Alaska, topography of
Copper River district, Alaska, reconnaissance in, in 1898—routes, trails, topography, drainage, physiography
report on
Copper River greenstone or amphibolite-schist
Copper River silts and gravels character, origin, etc., of
vii, pp 410–412; Alaska (2), pp 58–59
Copper slags, analyses of
Copper smeltingBull 26

Copper smelting by natives of Philippine Islands, method ofAnn 21, 111, pp 58	87–589
Copper sulphide, solubility of	4, 474
Copperas, statistics ofMR	
p 607; MR 1883–84, pp 952–953; MR 1886, pp 68	
Coquina, analysis of, from Florida, various localities	ıll 60,
p 163; Bull 168, pp 25	
description of the rock, as one of the educational seriesBull 150, pp 12 Coral faunas, Eocene and Lower Oligocene, of United States, with descriptions	1-122
of a few doubtfully Cretaceous species	VVVIV
Coral limestone of AlabamaBull 84,	
Coral and shell rocks, analyses of, from Florida, various localities	
p 162; Bull 148, pp 259–260; Bull 168, pp 25	5-257
analyses of, from Hawaiian Islands, various localities	
p 164; Bull 148, p 276; Bull 168,	p 277
Coral-reef harbors, description of	30-134
Coral-reef soils	
Corbiculidæ of Great Basin, Pleistocene and recent.  Bull 1:	
Corbin conglomerate-lentil of Kentucky	
Corbulidæ of Bear River formation	
of marls of New JerseyMon 1x, pp 178-181, 239-241; Mon xxiv, pp	86-89
of North America (nonmarine fossil)	11-443
Corda (August Joseph), biographic sketch of	p 374
Cordaitales from the Lower Coal Measures of Missouri Mon xxxvii, pp 25	
Cordaiteæ, Carboniferous, of Missouri	)5-109
Brimfield	18_200
Cordierite-granitite of Massachusetts, western	
Cordierite-hornfels, analysis of, from Vermont, Mount AscutneyBu	
p 70; Bull 168	
Cordilleran region, map of, topographic, showing distribution of woods and	
forests	
Cordilleras, pre-Cambrian rocks of Ann 16, 1, pp 8	
Corea, fossil plants of, literature of	
of Amboy clays	
of Dakota group	
of Laramie groupBull 37, pp	52-56
of North America, extinct	24-126
of Yellowstone Park	
Cornfield Harbor clays of Maryland, correlation of	
Corniferous limestone in Ohio as a water carrier Ann 19, IV, pp 646, 6 Corrasion, analysis and laws of Ann 2, pp 157–158; Mon II, pp 2	
in Grand Canyon chasm	
(See, also, Degradation.)	
Corrasion and transportation, agency of, in shaping topographic formsMor	
	11-121
Correlation, fossils, use of, in establishing	
lithologic and physical characters, value of, for purposes of	
of American strata with one another and European systemsAnn 9, pp	
of Carboniferous formations of Appalachian regionBull 111, pp	94–104
of eruptive with intrusive rocks	50-658

0 1 1 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Correlation of formations of Alaska, table showing
of formations of Marquette, Crystal Falls, and Menominee districts of
MichiganAnn 19, 111, pp 15-18; Mon xxxvi, pp xxv-xxvii
of Penokee district of Michigan-Wisconsin
of Grand Canyon, Texas, Llano, and Lake Superior Algonkian series Ann 14,
и, р 519
of Lower Cambrian
of Marquette and Menominee series. Ann 15, pp 647-650; Mon xxvIII, pp 575-579
of metamorphic rocks of Coast Ranges of CaliforniaMon xIII, pp 182–188
of Missouri coal beds
of North American Tertiary horizons with one another and with those of
• western Europe
of Paleozoic formations in Acadian province
of Pleistocene deposits of Rhode Island and southeastern Massachusetts in
relation to glacial brick clays
of rock groups and unconformities of Lake Superior region
pp 440-441; Ann 10, 1, pp 458-464
of rocks in Massachusetts, general section showingMon xxix, pp 16–18
in Massachusetts, Green MountainsMon xxIII, pp 9-34
of sedimentary formations, nature of and work inAnn 14, 1, pp 72-83
of sedimentary series of AlaskaAnn 20, v11, pp 179-187, 316-317, 413, 482-483
of transition bedsBull 15, pp 13–17
of western terranes with eastern series by means of fossil plants, difficul-
ties inBull 98, pp 109–110
paleontologic, necessity of and work in
Paleozoic and Mesozoic types in Texas, mingling of
plan for discussion of, and work in
ı, pp 10–12, 108–113; Ann 13, ı, pp 97–98; Bull 80, pp 7–9
principles of, generalBull 85, pp 108–116
illustrated by phenomena of the Lake Superior regionAnn 7, pp 371-448
unconformities, use of, in establishing
Correlation essays published by the United States Geological Survey:
Archean and Algonkian, by C. R. Van HiseBull 86
Cambrian, by C. D. Walcott Bull 81
Cretaceous, by C. A. White
Devonian and Carboniferous, by H. S. Williams
Eocene, by W. B. Clark Bull 83
Neocene, by W. H. Dall and G. D. HarrisBull 84
Newark system, by I. C. Russell Bull 85
Corsicana beds of Texas
Cortlandt series of New YorkBull 86, pp 395, 397
Cortlandite, analysis of, from Maryland, Howard CountyAnn 15,
p 674; Bull 148, p 84; Bull 168, p 43
from Massachusetts, Belchertown, description and analysis of Mon xxix, p 347
from New York, Stony Point, description of, as one of the educational
series (hornblende-peridotite)Bull 150, pp 294–297
Corundophilite, analyses of, from Massachusetts, ChesterBull 126, pp 60, 61
chemical constitution ofBull 125, p 54
Corundum, abrasive efficiency of
manufacture and use of
occurrence of
Ann 19, vi cont, pp 503-504; Ann 20, vi cont, pp 569-573
of southern Appalachian region
origin of the gneiss-dunyte contacts of Corundum Hill, North Carolina, in
relation to

Corundum, statistics of
719, 733-736; MR 1885, pp 429-432; MR 1886, pp 585-586;
MR 1887, p 553; MR 1888, p 577; MR 1889–90, p 457; MR
1891, p 555; MR 1892, pp 751-752; MR 1893, pp 674-678;
Ann 16, iv, pp 590-592; Ann 17, iii cont, pp 933-935; Ann
18, v cont, pp 1227–1229; Ann 19, vi cont, pp 523–526; Ann
20, vi cont, pp 605-607; Ann 21, vi cont, pp 463, 466-467
Corundum gems, occurrence, etc., of
Coryphodon beds of Utah Bull 84, p 324
Cosalite from Colorado, La Plata County, description and analysis of Bull 20, pp 95-96
Costa Rica, geology of, sketch ofBull 84, p 188
Cosumnes River, California, profile ofWS 44, p 94
Coteau des Prairies, section across, etc
Coticule, or quartz-garnet rock, of Massachusetts, western
Cottonwood limestone of Nebraska
Country rock, alteration of, in Idaho Basin and Boise Ridge. Ann 18, 111, pp 638-647
alteration of, in Oregon, Bohemia mining region
altered and bleached, analyses of, from California, Nevada CountyBull 148,
pp 209, 210; Bull 168, p 195
influence of, on vein values in Colorado, Telluride district
пи, рр 815–818
Coutchiching series of rocks of Rainy Lake regionBull 86, pp 65-67, 162-167
Covellite, analysis of, from Montana, ButteBull 167, p 64; GF 38, p 6
Cow Creek beds of Texas
Cowgill (E. B.), irrigation practice on Great PlainsWS 5
Cowlitz Glacier, Mount Rainier, present condition of
Crag formation, England, correlation of
Craighill (W. P.), improvement of Great Kanawha RiverMR 1892, pp 540-546
Crandall Basin, Wyoming, dissected volcano of
Cranston beds of Narragansett Basin
Crassatellidæ of Colorado formationBull 106, p 96
of Cretaceous of Vancouver IslandBull 51, pp 39-40
of marl beds of New JerseyMon IX, pp 115-124; Mon XXIV, pp 60-61
Crater, an example of
Craters of Bonneville Basin, basaltic
of California, Mono Valley
of Uinkaret Plateau, basaltic
Crater Lake, Oregon, history of
special examination of
Crawfish as soil-makers
Crazy Mountain granite of Montana, Little Belt Mountains quadrangleGF 56, p 4
Crazy Mountains, Montana, description of
geology of, descriptive
rocks and structure ofGF 1, p 1
Credr eriaceæ, from Laramie groupBull 37, pp 96–100
from Yellowstone Park
Crepidula bed of AlaskaBull 84, p 324
Crested Butte, Colorado, structure and rocks of
Crested Butte and Anthracite quadrangles, Colorado, geology of
Cretaceous; a correlation essay, by C. A. White
Cretaceous base-level in McAlester-Lehigh region, Indian TerrAnn 19, III, p 433
Cretaceous fauna; Aucella of California
birds
Cephalopoda from marls of New Jersey
dinosaurs of North America

Cretaceous fauna; Foraminifera of New JerseyBull 88
from Denver Basin, vertebrate
from Pacific coast, Knoxville invertebrate fauna
Knoxville beds of CaliforniaBull 15, pp 19–22
Gasteropoda from marl beds of New JerseyMon xviii, pp 19–189
Mollusca of North America, nonmarine
North American invertebrate, catalogue and bibliography ofBull 102
of Bear River formation
of Colorado formationBull 106
of Puget group (Molluscan)
Ostreidæ of North America
relation of Upper, and Eocene on Pacific coast
Cretaceous flora of Black Hills
of Montana formationBull 163
of North America, the latter extinctMon xxxv
of Belly River formation
of Portugal
plants of North America, catalogue and bibliography of
Prints of North America, catalogue and offinography of
Potomac plants, geologic affinities of
Cretaceous fossils, description of
from Alaska Bull 4, pp 10–15
from CaliforniaBull 15; Bull 19; Bull 22; Bull 51, pp 11–27
from Texas, characteristic
from Vancouver Island regionBull 51, pp 33–48
from Yellowstone Park
Cretaceous history of Alaska, southwestern
of Black Hills
of Colorado, Elk Mountains
Pueblo quadrangle
of Montana, Fort Benton quadrangle
Little Belt Mountains quadrangle
of Sierra Nevada GF 3, p 1; GF 5, p 1; GF 11, p 1; GF 18, p 1; GF 31, p 1;
GF 37, p 1; GF 39, p 1; GF 41, p 1; GF 43, p 1, GF 51, p 1
Cretaceous movements in Rocky MountainsMon xxvII, pp 23-25, 26-27, 32-33
Cretaceous paleontology of Pacific coast
Cretaceous peneplain of Connecticut, origin, date, etc., of Ann 18, 11, pp 157-168
Cretaceous period, conditions in California and Oregon during. Ann 14, 11, pp 423–424
Dakota epoch, relations of Woodbineformation of Texas to. Ann 21, vII, pp 316–322
erosion of Great Plains during
Cretaceous plants of North America, catalogue and bibliography ofBull 152
Cretaceous plateau of Colorado, Telluride quadrangle
Cretaceous rocks; Albirupean of MarylandBull 82, pp 89–90, 94
Amboy clays, flora of
geologic place ofBull 82, p 215
Anacacho formation of Texas
и, pp 240-241; Bull 164, pp 31-33, 34; GF 64, p 2
of Texas, wells fromGF 64, p 6
analogies in lower, of Europe and America
Anona chalk of Texas
Antlers sands of Indian TerritoryAnn 21, v11, pp 195-196
of Texas
Apishapa formation of ColoradoAnn 17, 11, pp 567-571; GF 58, p 2; GF 68, p2
Arapahoe formation of Denver Basin
pp 31–32, 89, 151–155, 206–252; Bull 82, p 231
Arkadelphia beds of Arkansas and Texas
vii, pp 114, 341; Bull 83, p 75; Bull 84, p 320
Atane formation of GreenlandBull 82, p 203
Time formation of Groomand

Cretaceous rocks; Austin chalk of Texas	0;
Ann 21, vii, pp 329-336, Bull 164, pp 19-20; GF 64, p	2
Austin formation of Texas	
Basement sands of Texas	92
Belly River formation of north interior regionBull 82, pp 170, 173–177, 191, 23	
Deny fiver formation of north interior regionDull 62, pp 170, 175-177, 191, 20	שכ
Benton formation in ColoradoBull 82, p 191; GF 9, pp 6, 9; GF 58, p	
in Colorado, Aspen district	<del>1</del> 1
Denver Basin	
in Kansas, southwesternBull 57, pp 27–30; WS 6, pp 31–3	32
in Montana	2
Judith MountainsAnn 18, 111, p 40	82
in NebraskaAnn 19, IV, pp 737, 70	
southeastern WS 12, p	
in WyomingGF 30, p	
Bitter Creek series of Wyoming	
bituminous deposits of	
Brownstown beds of Texas Ann 21, vii, p 3	
Buda limestone of Texas	
Ann 21, vii, pp 288-290; Bull 164, p 18; GF 64, p	
Carlile formation of Black Hills	
Carlile shale of Colorado	1;
GF 36, p 3; GF 58, p 1; GF 68, p	1
Cascade formation of Montana	2
Ceratops beds of WyomingAnn 21, 1v, p 5-	
Chico beds, unconformity between the Knoxville andBull 19, pp 12-	
Chico formation of California and Sierra NevadaAnn 14, 11, pp 458–46	
Ann 17, 1, p 547; Mon XIII, pp 179, 294–29	
GF3, p 1; GF5, p 3; GF15, pp 1, 2; GF3	
p 1; GF 37, p 1; GF 43, p 1; GF 51, p	) I.
(See, also, main entry Chico-Tejon.)	
coal beds inBull 82, pp 180–18	
coal series of Texas	26
Coffee group of MississippiBull 82, p 1	05
Colorado formation, correlation ofBull 8	32,
pp 170, 172-173, 176, 231, 233, 237, 239, 250, 261; GF 7, pp 2	
in Colorado, Aspen district	
Denver Basin	
in Montana	. 2
in South Dakota	
in Yellowstone Park. Mon xxxII, II, pp 37, 51, 53, 156, 605-606; GF 30, pp 2	
Colorado formation and its invertebrate faunaBull 1	
Colorado group	
Comanche Peak limestone of Texas	00
Ann 21, vri, pp 214–216, 223–227; GF 42, p 2; GF 64, p	
Comanche series of Texas	
Bull 82, pp 116, 118, 119–121, 127, 130, 221, 223, 22	ဘ,
229, 250, 253–254; Bull 164, pp 16–18; GF 64, pp 1	-2
correlation of Bull	82
Corsicana beds of Texas	
Cow Creek beds of Texas	
Dakota; origin, definition, and application of the termAnn 21, vII, pp 316-3	
Dakota formation or group	
170-172, 176, 191, 211, 213, 225, 229, 231, 233, 237, 250, 257-2	58

Cretaceous rocks; Dakota formation or group, flora of
pp 702-709; Mon xvii
Dakota formation or group in Black Hills, water from Ann 21, IV, pp 564-567
in Colorado
Anthracite-Crested Butte quadranglesGF 9, pp 1, 6, 9
Aspen district
Denver BasinMon xxvII, pp 25–26, 62–64, 86, 106, 469–471
eastern
Elmoro quadrangle
La Plata quadrangle
Pikes Peak quadrangleGF 7, pp 2, 4
Pueblo quadrangleGF 36, pp 2-3, 5
Rico Mountains
Telluride quadrangleGF 57, p 4
Walsenburg quadrangle
in Dakotas, a water-bearing formationAnn 17, 11, pp 612-617
in Kansas, southwesternBull 57, p 27; WS 6, pp 30, 31, 38–43
in Montana, Fort Benton quadrangleGF 55, p 2
Judith MountainsAnn 18, 111, p 482
Little Belt Mountains quadrangleGF 56, pp 2-3
Livingston quadrangle
Three Forks quadrangle
in Nebraska
in South Dakota
in Yellowstone Park
pp 37, 38, 46, 48, 49, 51, 54, 156, 604; GF 30, pp 2, 5
of Newton, historical sketch of Ann 19, 11, pp 568-570, 590-592, 646-649
plants from
water, saline and alkaline, from
Del Rio clays of Texas
vii, pp 283–286; Bull 164, p 17; GF 42, pp 2–3; GF 64, p 2
Denison beds of Texas
Denton beds of Texas
Denver formation of Denver Basin, Colorado
pp 33–36, 89, 155–252, 311–316, 471–473; Bull 82, p 231
Dexter sands of Texas
Duck Creek formation of Texas
Eagle Ford formation of Texas
Bull 82, pp 116, 118, 122, 123, 127, 130, 221, 223; GF 64, p 2
Eagle Ford shales of Texas
Eagle formation of Montana
Eagle Pass beds of Texas
116, 117, 126, 127, 130, 138, 223; Bull 164, pp 21-28, 33-34, 35
Edwards limestone of Texas
pp 214–216, 227–240; Bull 164, p 16; GF 42, p 2; GF 64, p 1
of Texas, Uvalde quadrangle, wells fromGF 63, p 6
Escondido beds of TexasBull 164, pp 26–28
Eutaw group of Alabama and MississippiBull 82, pp 105, 106, 107, 114, 217, 219
faunal relations of upper, on Pacific coast
Foraminiferal limestone of Franciscan series, CaliforniaAnn 15, pp 419-420
Fort Benton group. (See Benton.)
Fort Pierre group. (See Pierre.)
Fort Union beds of MontanaGF 56, p 3

Cretaceous rocks; Fort Worth limestone of TexasAnn 18, 11, pp 235–236;
Ann 21, vii, pp 259–262; Bull 164, pp 16–17; GF 42, pp 2–3
Fox Hills formation in Black Hills
in Colorado, Anthracite-Crested ButteGF 9, pp 6, 7, 8
Denver Basin
in Montana
in North Dakota and South DakotaBull 144, pp 32, 55–56
in Wyoming
Fox Hills group
Bull 82, pp 145, 155, 156, 157, 158, 166, 191, 211, 229, 233, 237
in Colorado, eastern
Franciscan series, distribution, petrography, etc., ofAnn 15, pp 415-444
Fredericksburg division of Texas
Fuson formation of Black Hills
Galisteo group of New MexicoBull 84, p 325
Gay Head series of Marthas VineyardBull 84, p 326
geomorphology of Catoctin belt
Georgetown limestone of TexasAnn 21, vii, pp 262–266; GF 64, pp 1–2
Gillespie formation of Texas
Glen Rose formation of Texas
Ann 21, vii, pp 144-166, 374, 381; GF 42, p 2; GF 64, p 1
of Texas, Uvalde quadrangle, wells from
Goodland limestone of Texas
Graneros shale of Black Hills
of Colorado Ann 17, 11, pp 564, 571; GF 36, p 3; GF 58, p 1; GF 68, p 1
Grayson marl of Texas
Greenhorn limestone of Black Hills
of ColoradoAnn 17, 11, pp 564, 571; GF 36, p 3; GF 58, p 1; GF 68, p 1
gryphæas of Lower, of Texas regionBull 151
Gulf series of Texas
Hay Creek coal field compared with Potomac formation. Ann 19, 11, pp 570-579
Henry Fork group of UtahBull 82, p 235
Hensell sands of Texas
Holiknuk series of Alaska
Horsetown beds of California
Bull 19, pp 20–21; Bull 82, pp 184, 186, 187; Bull 133, pp 15–23
of California, fossils of
Kemp clay beds of Texas
Kiamitia clay of Texas
Knoxville beds of CaliforniaBull 82, pp 184, 185, 186, 187; Bull 133
of California, fossils of
comparison of Mariposa andBull 19, pp 18–20; Bull 133, p 25
unconformity between Chico and
Kolmakof series of Alaska
Kootanie formation of the great Interior area
145, 166, 168–170, 178, 187, 189, 190, 191, 197, 239, 250, 254–255
of Montana, Judith Mountains
Judith River section
Lakota formation of Black Hills
of Black Hills, water from
Laramie group of strata partly Cretaceous, partly Eocene
(See main entry Laramie.)

(See main entry Laramie.)

Oretaceous rocks; lavas of Alaska	
Lewis shale of Colorado, La Plata quadrangle	
Lewisville beds of Texas	
Livingston formation of MontanaGF 1, pp 1, 2; GF 24, pp 1, 3; GF 56, p 3	
Main Street limestone of Texas	
Mancos formation of Colorado, La Plata quadrangle	
Mancos shale of Colorado	
Mariposa beds, comparison of Knoxville beds with	
pp 18–20; Bull 133, p 25  Marl beds of New JerseyBull 82, pp 82–83, 215	
Mari beds of New Jersey	
Marthas Vineyard series	
Martinez group of California	
and its fauna	
Matanuska series, Alaska, character, etc., of	
vii, pp 307–311; Alaska (2), p 46	
Matawan formation of Maryland-D. CVirginia	
Mesaverde formation of Colorado, La Plata quadrangleGF 60, p 5	
Methow formation of Washington, northern	
Minnewaste limestone of Black Hills	
Mission Creek series, Alaska, distribution, correlation, etc., of	
пп, pp 175–184, 257–258	
Monmouth formation of Washington (D. C.) quadrangle	
Montana formation, flora of	
in Colorado	
Aspen district	
Denver Basin	
in Montana	
plants from	
in north Interior region	
pp 170, 175–177, 211, 225, 231, 239, 250, 261–262	
in Wyoming	
in Yellowstone Park Mon xxxII, II, pp 50-51, 53, 606-607; GF 30, pp 1, 5	
Myrtle formation of Oregon	
Nanaimo group of Vancouver district	
Navarro formation of Texas	
Niobrara formation or group in Black Hills region	
ıv, pp 534–535; Bull 82, pp 211, 229	
in Colorado	
Aspen district	
Denver Basin	
in Montana	
in Nebraska	
in Wyoming	
Niobrara group in Colorado	
in Kansas, southwestern	
of Alabama	
of Alaska	
correlation of	
of any State. (See, also, formation names under this heading.)	
of Atlantic slope, middle	
of Arctic America.  Bull 82, pp 202–203	
of Black Hills, as indicated by fossil plants	
historical review of	
of California	
Bull 51, pp 11–14; Bull 82, pp 182–198; Bull 133, pp 11–22	
distribution of	

		district
0	f California, northern, distribution of v	volcanie, metamorphic, andBull 33,
		pp 18–19
0	f Colorado, Anthracite and Crested Bu	tte quadranglesGF 9, p 6
	Aspen district	
		Ann 17, 11, pp 561–574
		GF 58, pp 1–2
		GF 60, p —
		Ann 9, pp 689–690
		GF 7, p 2
		GF 36, p 2
		Ann 21, 11, pp 77–78
		Ann 18, 111, p 759; GF 57, pp 3-4
		GF 68, pp 1–2
		Bull 82, pp 87–88
0	f District of Columbia	Bull 82, p 89; GF 70, pp 3–4
0	f glacial Lake Agassiz, area of	Mon xxv, pp 81–107
0	f Grand Canyon district	Ann 2,
		5-66, 76-77; Mon 11, pp 16, 31-34, 212-215
0		Ann 17, 11, pp 569–570
		Ann 16, 11, pp 577–578
0	f Gulf of Maxico ragion	Bull 82, pp 100–114
		Bull 82, pp 140–114
. О	I lowa, northeastern	
		Bull 57, pp 27–31; Bull 137, pp 23–24
		Bull 82, pp 84–86
		Bull 142, pp 12–14
0	f Maryland	Bull 82, pp 88–90
	Washington (D. C.) quadrangle	GF 70, pp 3-4
0	f Massachusetts, Marthas Vineyard	Ann 7,
		pp 325–326; Bull 82, pp 86–87, 93, 94, 96
o	f Mexico	Bull 82, pp 201–202
		Bull 82, pp 105–114
o	f Mississippi embayment (upper)	Ann 12, 1, pp 419–424
0	f Montana	Bull 105, pp 17–18; Bull 139, pp 44–53
•	Fort Benton quadrangle	GF 55, p 2
	Little Relt Mountains	Ann 20, 111, p 384
	Little Belt Mountains quadrangle	GF 56, p 2
		GF 1, p 2
		GF 24, p 3
		Bull 82, pp 78–84, 94, 99
		Bull 82, pp 84–86
-		Bull 82, pp 91–92, 98, 99
o	f north Mexican region	Bull 82, pp 130–140
o	of Oregon, northwestern	Ann 17, 1, p 456
		GF 49, pp 1–2
o	f Pacific border region	Bull 82, pp 181–198
. О	of Pennsylvania	Bull 82, pp 87–88
		n 6, pp 138–140, 166–167, 177–178, 185–188
		Bull 82, p 92; Bull 138, pp 208–209
		Ann 21, 111, pp 178, 180
		Ann 21, 1v, pp 526–541
	Great Sioux Reservation	Bull 21, pp 11–12
	southeastern	WS 34, pp 13–17
. 0	of States. (See, also, formation names	under this heading.)
	(,)	, , ,

	·
Cretaceous rocks of Texas	Ann 8, 1, pp 180–181;
Ann 18, 11, pp 217–243, 321; A	
45, pp 71–83; Bull 82, pp 114–13	
of Texas, analyses of	
Chamidæ, description of certain aberrant forms	
Nueces quadrangle	GF 42, p 2
relation of Eocene to	
Rio Grande coal fields	
of Utah, Uinta Basin	
Uinta Mountains region	Ann 9, pp 689–690
of Virginia	Bull 82, pp 90–91, 94
Washington (D. C.) quadrangle	GF 70, pp 3–4
of Wyoming	Bull 119, pp 22–25
Absaroka district	
Black Hills, southern part	Ann 21, iv, pp 526–541
of Yellowstone Park	Mon xxxII,
п, pp 37, 38, 46, 48, 49, 5	50-51, 53, 156; GF 30, pp 2, 5
Ohio formation of Colorado	GF 9, pp 6, 8
Oklune series of AlaskaAnn 20,	vii, pp 163–169, 181–182, 187
Paluxy formation of Texas	Ann 21, v11, pp 166–171
Patoot formation of Greenland	Bull 82, p 203
Pawpaw beds of Texas	
Pierre clay of Nebraska	
Pierre group in Colorado, Denver Basin	
in Colorado, eastern	Ann 17, 11, pp 567–569, 571
in North Dakota and South Dakota	
in Rocky Mountain regionBull 82, p	191; GF 36, p 3; GF 58, p 2
Pierre shale in Black Hills	
in Colorado	
in Montana	
in Nebraska, southeastern	WS 12, p 20
in South Dakota	
in Wyoming	GF 30, p 5; GF 52, p 3
west of glacial Lake Agassiz	
Pinyon conglomerate of Wyoming	GF 30, p 5; GF 52, p 3
Point of Rocks group of Uinta MountainsI	Bull 82 p 235: Bull 83 p 121
Ponderosa marls of TexasBull 82, pp 116, 1	18. 123. 124. 127. 130. 221. 223
Potomac flora, or younger Mesozoic	
Potomac formation Ann 10, p 174; Bull 82, pp 8	0-81, 90-91, 215, 250, 251-253
at head of Chesapeake Bay	Ann 7, pp 546, 613–616
comparison of, with Wealden of England	
fossil wood and lignite of	
geologic position of	Bull 145, pp 142–147
Hay creek coal field, Black hills, compared with	
location and geology ofAnr	
Ann 12, 1, pp 421–424; Mon xv,	
of Virginia and MarylandBull	145: GF 13. p 4: GF 23. p 3
of Washington (D. C.) quadrangle	GF 70. pp 3-4
stratigraphic and paleontologic relations of	
unconformity between Columbia formation and.	
Pottsboro beds of Texas	
Preston beds of Texas	
Puerco group of the Interior region	
Puget group of Washington	
ó ot	

Cretaceous rocks; Puget group of Washington, molluscan fauna of Bull 151, pp 49-63
Puget group of Washington, plants fromMon xxxv, passim
Pulliam formation of Texas
of Texas, Uvalde quadrangle, wells from
Quarry limestone of Texas
Queen Charlotte formation of Queen Charlotte IslandsBull 82, p 245
Radiolarian cherts of Franciscan series, CaliforniaAnn 15, pp 420-426
Raritan clay of New JerseyBull 82, p 215
of New Jersey, Brachiopoda and Lamellibranchiata from
plants from
Ripley formation or group of Alabama, Mississippi, and TexasBull 82,
pp 105, 106, 108, 114, 116, 117, 118, 124, 126, 127, 130, 217, 219, 221
Rockville conglomerate of Iowa
Rotten limestone group of Alabama and Mississippi
pp 105, 106, 107, 108, 111, 114, 217, 219
Roxton beds of Texas
Ruby formation of Colorado
Salt Wells group of UtahBull 82, p. 235
San Francisco sandstone of CaliforniaAnn 15, pp 417–419
San Miguel beds of Texas
Sassafras River greensand of Chesapeake Bay region
Shasta formation or group of California
Bull 15, pp 18–32; Bull 82, pp 182–189, 241, 250, 255–257
Shoal Creek limestone of Texas. (See Buda limestone.)
Similkameen formation. (See Methow formation.)
Sulphur Creek group of Uinta MountainsBull 82, p 235
Sycamore sands of Texas
Taylor formation of TexasAnn 18, 11, p 240; Ann 21, v11, pp 336-338
Timber Creek formation of Texas Bull 82, pp 116, 121–122, 123, 127, 130, 221, 223
Timpas formation of Colorado
и, pp 566, 571; GF 58, pp 1–2; GF 68, pp 1–2
Tombigbee sand of MississippiBull 82, pp 105–107, 114, 219
Tordrillo series of Alaska
Travis Peak formation of TexasAnn 18, 11, pp 219–221; Ann 21, v11, pp 140–144
Trinidad formation of Colorado
Trinity division of Texas
Trinity formation of Texas. Bull 82, pp 116, 118, 119, 125, 127, 128, 129, 130, 221, 223
Tuscaloosa group of Alabama. Bull 82, pp 105–108, 114, 217
Upson clays of Texas
Vancouver group of Vancouver Island Bull 82, p 195
Vineyard series of Massachusetts
pp 213–214; Bull 82, pp 182, 187, 192–193, 241
Walnut formation of Texas
Washington beds of Texas
Washita division of Texas
Webberville formation of TexasAnn 18, 11, pp 241–243; Ann 21, v11, p 344
Weno beds of Texas
Whitsett limestone-lentils of Oregon
Winthrop sandstone of Washington, northernAnn 20, 11, pp 117–118
Woodbine formation of Texas
Yellowstone formation of Montana
(See, also, Mesozoic.)
Cretaceous and Tertiary clays of Massachusetts, southeastern
1, pp 959–964, 999–1000
7.2.2

Cretaceous and Tertiary formations of New Jersey, geolog	wy of alrotals of Mon TV
Cretaceous and Ternary formations of New Jersey, geolog	gy of, sketch ofmon ix, pp ix-xiii
of Tuscaloosa, Tombigbee, and Alabama rivers	Bnll 43
Crinoidea of Colorado formation	Bull 106, p 52
of Devonian beds of New York	
of Mesozoic of United States	
Cripple Creek, Colorado, history of mining at	
Cripple Creek district, Colorado, general geology and min	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	и, pp 1–209; GF 7, pp 7–8
ore deposits of, comparison of, with those of Rosita and	
Croatan beds of North Carolina, correlation of	II, pp 469-470
Crocidolite, chemical constitution of	Bull 125, pp 91, 92, 106
occurrence of	3–84, p 775: MR 1887, p 563
Crocodilia from Eocene of middle Atlantic slope	Bull 141, p 58
Croffut (W. A.), suggestions for preparation of manuscrip	
bulletin.)	•
work in charge of, 1888–1894	
Ann 11, 1, pp 131–132; Ann 12,	
182–183; Ann 14, 1, pp 276–277; A	
Cronstedtite, analysis of	
chemical constitution of	
Cross (W.), an unusual occurrence of topaz	
descriptions of rock specimens in the educational seri	
	27, 231–233, 241–243, 261–264
general geology of Cripple Creek district, Colorado	Ann 16, 11, pp 13–109
geology of Cripple Creek district, Colorado	
geology of La Plata quadrangle, Colorado	
geology of Pikes Peak quadrangle, Colorado	
geology of Silver Cliff and the Rosita Hills, Colorado	Ann 17, 11, pp 263–403
geology of Telluride quadrangle, Coloradohypersthene-andesite and tryclinic pyroxene in augit	tie rooks Rull 1 np 10 29
igneous rocks of Uvalde quadrangle, Texas	
igneous rocks of Anthracite-Crested Butte quadrangle	e. Colorado GF 9. pp 4-6
laccolitic mountain groups of Colorado, Utah, Arizona	a Ann 14 11 nn 157–241
lists of ores, minerals, and mineral substances of indu	
several of the States	
luster exhibited by sanidine in certain rhyolites	Bull 20, pp 75–80
notes upon Henry Mountain rocks	Mon x11, pp 359–362
petrography of Leadville region	Mon x11, pp 315–362
quoted on San Juan formation of Colorado	Ann 18, 111, pp 761–763
work in charge of, 1892–1900	
Ann 16, 1, pp 32–33; Ann 17, 1, p Ann 19, 1, p 46; Ann 20, 1, pp	
Cross (W.) and Hillebrand (W. F.), minerals from basal	
Golden, Colorado	
minerals from neighborhood of Pikes Peak	
Cross (W.), Emmons (S. F.), and Eldridge (G. H.), geol	ogy of Denver Basin,
Colorado	Mon xxvii
Cross (W.) and Spencer (A. C.), geology of Rico Mounta	
Community of Manager	и, рр 7–165
Cross Timbers of Texas.  Crossite, chemical composition of	Rull 195 pp 09-71, 81-84
Orossue, chemical composition of	

•
Crossopterygidæfrom Devonian and Carboniferous rocks of North America. Mon xvi, pp 53-57, 112-120, 188-194
Croton River, flow of, measurements of
Ann 21, IV, pp 74–75; WS 35, p 62
Crushing of minerals in albitic granite of Massachusetts, westernMon xxix, p 329
Crushing tests of granite from Massachusetts, western
Crust of the earth, composition of, elementaryBull 78, pp 35–42
of the earth, deformation of, by the ice sheet
nature and physics of
relationship of, to the interior
relationship of, to the interior
Crusts formed on shores of Lake Tasch-Burun and Red Lake, Armenia, analy-
ses of
Crustacea; catalogue of American Paleozoic nontrilobitesBull 56, pp 149–177
catalogue of American Paleozoic TrilobitaBull 63, pp 79–148
of Bear River formation
of Cambrian, Lower
of Cambrian, Middle, of North America
of Devonian of Nevada, Eureka district
of New York
of Eocene of UtahBull 34, p 32
of Great BasinBull 11, p 23
of Jurassic of North AmericaBull 29, pp 23–24
of Nevada, Eureka district Mon vIII, pp 88, 204–206; Mon xx, pp 323, 330, 333
of Olenellus zone
of Wasatch groupBull 34, p 32
of Yellowstone Park
Paleozoic, bibliography of, from 1698 to 1889, including list of North Ameri-
can species and systematic arrangement of generaBull 63
Protocaris, a new genus from the Middle CambrianBull 10, pp 50-51
(See, also, Trilobita.)
Crustacea and Mollusca of Miocene formations of New Jersey
Crustaceans, sedimentation due to, in harbors
Cryolite from Pikes Peak, occurrence, composition, etc., ofBull 20, pp 41–49
of Greenland
statistics of
1886, pp 692–693; MR 1887, p 659; MR 1889–90, p 473; MR
1891, p 147; MR 1892, p 805; MR 1893, pp 746-747; Ann 16,
IV, p 659; Ann 17, III cont, pp 998–999; Ann 18, v cont,
p 1316; Ann 19, v1 cont, pp 614, 617; Ann 20, v1 cont, p 710
Cryophyllite, analysis ofBull 113, p 26
analyses of, from Rockport, MassachussettsBull 42, p 22
chemical constitution ofBull 125, p 48
Cryptogams, classification of
Cryptogams of Carboniferous basins of Missouri, vascularBull 98, pp 17–104
Cryptogans of Carbonnerous basins of Missouri, Vascular
of Dakota group
of Laramie flora Bull 37, pp 13–14
(See, also, Plants, fossil.)
Cryptolite, analysis of, from Norway, Arendal
Crystal Falls iron-bearing district, Michigan, geology of
III, pp 1–151; Mon xxxvi
ores of
Crystal Springs reservoir, California, discharge of, measurements of . Ann 18, IV, p 370
Crystalline rocks, ancient, relations of
subaërial decay of
,

Crystalline schists, metasomatic origin of
of Lake Superior region
of Michigan, Crystal Falls districtAnn 19, 111, pp 60-62; Mon xxxvi, pp 148-152
of Montana, Livingston quadrangleGF 1, p 3
Crystalline schists and older massive rocks of Philippine Islands
III, pp 497–510
Crystallization, degree of, nondependence of, on depth
development of, in igneous rocks of Nevada, WashoeBull 17
in granite of Lake Superior district
in intrusive rocks of Michigan, process and order of
pp 257–259, 262–263
influence of pressure on, in igneous magmasBull 66, p 25
of granitic magmas, course of
of igneous magmas, influence of conditions uponAnn 12, 1, pp 655-657
of Yellowstone Park rocks, correlation of grades of
п, pp 144–145, 265–266
Crystallographic determinations of pachnolite from near Pikes PeakBull 20, pp 50–52
Crystallographic study of thinolite of Lake LahontanBull 12
Crystallography of monazite
plagioclase determinations, methods of
Crystals of cinnabar from CaliforniaBull 61, pp 11–22
of thinolite, sections of
Cub River, Utah, flow of, measurements of
Cuba, iron and iron ore from, statistics of
iron-ore deposits of
iron-ore industry of
iron-ore shipments to United States from, 1884–1899Ann 21, vr, pp 84–85
manganese mines and deposits of
1889–90, p 130; MR 1891, pp 142–143; MR 1892, pp 212–214;
MR 1893, pp 138, 155; Ann 16, III, pp 439, 477; Ann
17, 111, pp 207, 224; Ann 18, v, pp 312–313, 328; Ann 19, vi,
p 107; Ann 20, vi, pp 139–140, 156; Ann 21, vi, pp 146, 162
petroleum localities inAnn 20, vi cont, p 134; Ann 21, vi cont, pp 182–183
survey of, estimates and recommendations concerningAnn 21, 1, pp 55–57, 58
Cucamonga quadrangle, California; topography, climate, water supplyTF 2, p 18
Cuchara beds of Colorado
Culsageeite, analyses of, from North Carolina, Culsagee
Cumberland and Georges Creek coal field, extent and production of Ann 14, 11, p 579
Cumberland Plateau and escarpment, brief description ofAnn 19, 11, pp 12, 13
Cumberland quartzites of Narragansett Basin
Cumberland River, profile of
Cummings (U.), American rock cement, statistics of
pp 576–579; Ann 17, 111, pp 889–893; Ann 18, v cont,
pp 1178–1182; Ann 19, vi cont, pp 495–496; Ann 20,
vi cont, pp 547-550; Ann 21, vi cont, pp 407-411
Cummingtonite, analyses of, from Massachusetts, Cummington
p 756; Bull 126, p 19
chemical constitution of
Cupriferous series of Great Lakes regionBull 86, pp 120–121, 122, passim
(See, also, Copper-bearing series; Keweenaw; Nipigon.)
Cupuliferæ from Alaska
from Dakota group
from Laramie group
Curculionidæ, Tertiary, of United States
Discourage, 2010an, pp 00-140

Currents as agents of littoral transportation
Curtis (J. S.), administrative report for 1884–85
mining geology of Eureka district, Nevada
quantitative determination of silver by means of microscope Ann 6, pp 323-352
silver-lead deposits of Eureka, Nevada
Cuspidine, chemical constitution of
Custor County, Colored mines of Apr. 17 rr no. 405, 479
Custer County, Colorado, mines of
Cuvier prize, award of, to Geological Survey, by Academy of Sciences of Insti-
tute of France
Cuyahoga shale of Ohio as a water bearer
Cyanite, analysis of, from Arizona, ClipBull 78, p 120
analysis of, from Massachusetts, ChesterfieldBull 126, p 65
from North Carolina, Gaston County and near StatesvilleBull 74, p 59
chemical constitution of
occurrence of
p 563; Ann 17, 111 cont, p 910; Ann 19, vi cont, p 508
thin section of, from Massachusetts, BecketBull 159, pp 26–27
Cycadaceæ of Alaska Ann 17, r, p 880
of Amboy claysMon xxvi, pp 44-46
of Cretaceous of Black Hills
of Dakota group
of Mesozoic of California
of Mesozoic, Older, from North Carolina
of North America (extinct)
of Triassic of Pennsylvania
of Virginia
Cycadean trunks of Black Hills
of Colorado and Wyoming, JurassicAnn 20, 11, pp 377–417
of Europe and America
Cyclic twistingBull 94, pp 33–39
Cylichnidæ from clays and marls of New Jersey
Cymatolite, analysis of, from Massachusetts, GoshenBull 126, p 67
Cyperaceæ from Alaska
from Yellowstone Park
Cypræidæ from clays and marls of New JerseyMon xviii, pp 120, 223
Cypridæ, Eocene, from Utah
Cyprinidæ from clays and marls of New JerseyMon 1x, pp 24–28, 144–152, 215–216
from Colorado formation
from Cretaceous of Pacific coast.  Bull 133, p 60
from Pleistocene of Great Basin
Cyprus, gypsum production ofAnn 19, v1 cont, p 585; Ann 20, v1 cont, p 666
ocher production of
cont, p 641; Ann 20, vi cont, p 727; Ann 21, vi cont, p 578
Cyrenidæ of Bear River formation
of Colorado formationBull 106, pp 101–104
of Laramie of UtahBull 34, pp 21–22
of North America, nonmarine fossil
of Puget group
Cyrtolite, analyses of, from Colorado, Pikes Peak region
chemical constitution of
Dacite, analysis of, from California, Lassen Peak regionBull 9, p 16;
Bull 148, p 193; Bull 150, p 215; Bull 168, pp 178, 179, 180
analysis of, from California, San Clemente Island
from Colorado, Bald Mountain, near Rosita
п, р 324; Bull 148, р 167; Bull 168, р 149

Dacite, analysis of, from Nevada, Eureka district	4
analysis of, from Nevada, Washoe district	3;
Bull 17, p 33; Bull 27, p 65; Bull 148, p 188; Bull 168, p 17	
from Wyoming, Garfield PeakBull 148, p 116; Bull 168, p 8	
from Yellowstone Park, Sepulchre MountainAnn 12, 1, p 648; Ann 14	
п, р 227; Mon xxxп, п, р 135; Bull 148, р 121; Bull 168, р 9	
analysis of secretions in, from California, Lassen Peak regionBull 148	
pp 193, 194; Bull 168, pp 178, 179	
	ð
from California, Bear Creek Falls, description of, as one of the educational	_
series	
Lassen Peak, description of, as one of the educational seriesBull 150	
pp 217–21	.9
from Nevada, Eureka County, description of, as one of the educational	_
seriesBull 150, pp 215–21	
of California, San Clemente Island	
Lassen Peak quadrangleGF 15, p	
of Colorado, Rosita Hills, Bald Mountain	
of Nevada, Eureka districtAnn 3, p 278; Mon xx, pp 236, 368–37	
of Philippine Islands	
of Yellowstone ParkMon xxxII, II, pp 172, 288-290; GF 30, pp 3,	6
thin section of, from California, Bear CreekBull 150, pp 214-21	.5
from Yellowstone Park	)5
Dacite-porphyry, analysis of, from California, Shasta CountyBull 64	
p 49; Bull 148, p 191; Bull 150, p 236; Bull 168, p 17	
analysis of, from Yellowstone Park, Birch Hills Mon xxxII, II, p 16	
from Yellowstone Park, Echo Peak	
,	
11, p 65; Bull 148, p 132; Bull 168, p 10	Ю
и, р 65; Bull 148, р 132; Bull 168, р 10 Mount Holmes	
Mount Holmes Mon xxxII, II, p 65; Bull 168, p 10	
Mount Holmes	)6
Mount Holmes	)6 36
Mount Holmes	06 86 12
Mount Holmes	06 36 12 6
Mount Holmes	06 12 6 33
Mount Holmes	06 36 12 6 33
Mount Holmes	06 12 6 33 30 3
Mount Holmes	06 36 12 6 33 30 3
Mount Holmes	06 36 12 6 33 30 3 31
Mount Holmes	06 36 12 6 33 30 3 31 91
Mount Holmes	06 36 12 6 33 380 3 81 91 32
Mount Holmes	06 36 12 6 33 30 3 31 91 32 37
Mount Holmes	06 36 12 6 33 30 3 31 91 32 37 7,
Mount Holmes	06 36 12 6 33 30 3 31 31 32 37 7, 1
Mount Holmes	06 36 12 6 33 30 3 31 32 37 7, 1
Mount Holmes	06 36 12 6 33 30 3 31 32 37 7, 1 41 71
Mount Holmes	06 36 12 6 33 30 3 31 32 37 7, 1 41 71 31 2
Mount Holmes	06 36 12 6 33 30 3 31 32 37 7, 141 71 32 32
Mount Holmes	06 36 12 6 33 30 3 31 32 37 7, 1 41 21 32 32 32
Mount Holmes	06 36 12 6 33 30 3 31 32 37 71 41 71 31 22 24
Mount Holmes	06 36 12 6 33 30 3 31 31 32 37 7, 1 41 71 31 2 32 32 34 73 73 74 74 75 76 76 77 77 77 77 77 77 77 77
Mount Holmes	06 36 12 6 33 30 3 31 32 37 7, 1 41 71 31 2 32 22 24 73 22
Mount Holmes	06 36 12 6 33 30 31 32 37 7, 1 41 71 32 22 22 22
Mount Holmes	06 36 12 6 33 30 31 32 37 7, 1 41 71 32 22 22 22
Mount Holmes	06 36 36 37 31 32 37 37 31 31 32 32 33 37 31 31 31 31 31 31 31 31 31 31

Dakota group in KansasBull 57, p 27; Bull 137, pp 23–24
in Utah, Uinta Mountains
of Newton, historical sketch of, etcAnn 19, 11, pp 568-570, 590-592, 646-649
plants from
Dakota Lake, the glacial, extent and character of
Bull 144, pp 52–53
Dakota sandstone in Colorado, Pueblo quadrangle
in Colorado, Rico Mountains
in Dakotas, a water-bearing formation
in Kansas, southwestern, water from, character, occurrence, artesian
properties, etc., of
in Montana
in Nebraska
in South Dakota
in WyomingGF 30, pp 2,5
water, saline, and alkaline, from
Dakotas, altitudes in theBull 5, pp 73–75; Bull 72, pp 195, 196, 201, 217–223; Bull 76
artesian waters in
· · · · · · · · · · · · · · · · · · ·
available for power
of a portion of, preliminary report on
artesian wells in, list of
boundary lines of, and formation of TerritoryBull 13, pp 31,121
building stone from, statistics ofMR 1882, p 451; MR 1889-90, pp 374, 429
Cambrian rocks of
cement production of
p 621; Ann 16, IV, p 581; Ann 17, III cont, pp 884, 885
coal area and statistics of
MR 1885, pp 11, 26; MR 1886, pp 225, 230, 250–251;
MR 1887, pp 169, 222; MR 1888, pp 169, 171, 240;
MR 1889–90, pp 147, 234; MR 1891, pp 180, 275;
MR 1892, p 265; MR 1893, pp 189, 190, 197
Cretaceous rocks ofBull 82, pp 145, 149, 158, 160, 166–179
geologic maps of, listedBull 7, pp 114, 115, 116
geologic and paleontologic investigations inAnn 3, pp 19, 21; Ann 4, p 24;
Ann 5, pp 21–22, 27, 28–29, 50, 56; Ann 6, pp
33-34; Ann 7, pp 76-77, 79, 81, 112; Ann 8, 1,
pp 143, 174; Ann 9, pp 72, 85, 86, 114; Ann 10,
1, p 159; Ann 11, 1, pp 75, 101, 102; Ann 12, 1, p 119
glacial investigations in
gold and silver from, statistics ofAnn 2, p 385; MR 1882, pp 172, 174, 176, 177,
178; MR1883–84, pp 312, 313, 314, 315; MR 1885, pp 201, 203;
MR 1886, pp 104, 105; MR 1887, pp 58, 59; MR 1888,
pp 36, 37; MR 1889–90, p 49; MR 1891, pp 78, 79; MR 1892,
pp 50, 57, MIL 1003-50, p 45, MIL 1031, pp 70, 75, MIL 1032,
pp 50, 52, 53, 54, 55, 69–71; MR 1893, pp 57, 58, 59, 60
irrigation, artesian, in
lead from, statistics of
lumber industry in
mica production of MR 1882, p 583; MR 1883-84, pp 909-910; MR 1888, p 614
mineral springs of Bull 32, pp 159–161
minerals of, useful
Neocene beds of
topographic work in
(See, also, North Dakota; South Dakota.)

Dale (T. N.), Mount Greylock, its areal and structural geologyMon XXIII, pp 119-203
Rensselaer grit plateau in New York
slate belt of eastern New York and western VermontAnn 19, 111, pp 153-307
structural details in the Green Mountain region and in eastern New
York
structure of Monument Mountain in Great Barrington, MassachusettsAnn 14,
11, pp 551–565
structure of the ridge between the Taconic and Green Mountain ranges
in Vermont
study of Bird Mountain, Vermont
work in charge of, 1892–1900
15, p 155; Ann 16, 1, p 16; Ann 17, 1, pp 19–20; Ann 18, 1,
pp 23-24; Ann 19, 1, p 32; Ann 20, 1, p 34; Ann 21, 1, p 69
Dale (T. N.), Pumpelly (R.), and Wolff (J. E.), geology of Green Mountains
in MassachusettsMon xxIII
Dall (W. H.), list of marine MolluscaBull 24
report on coal and lignite of Alaska
table of North American Tertiary horizons, correlated with one another
and with those of western Europe, with annotationsAnn 18,
и, pp 323–348
work in charge of, 1884–1900
120–122; Ann 8, 1, pp 181–184; Ann 9, pp 123–127; Ann 10, 1,
pp 166–169; Ann 11, 1, pp 109–113; Ann 12, 1, pp 115–118;
Ann 13, 1, pp 143–146; Ann 14, 1, pp 257–258; Ann 15, pp
184–186; Ann 16, 1, pp 39–40; Ann 17, 1, pp 66–67; Ann 18, 1,
p 65; Ann 19, 1, p 66; Ann 20, 1, pp 67–68; Ann 21, 1, pp 93–94
Dall (W. H.) and Harris (G. D.), Neocene of North America, a correlation
essayBull 84
Dalles group of Oregon
Dalton trail, Alaska, description of
Damourite, analysis of, from Maine, HebronBull 42, p 15
analysis and description of, from Maine, StonehamBull 9, p 11; Bull 27, p 10
Dams for irrigation purposes, diversion and reservoir
иг, рр 234–238, 321–325
for irrigation reservoirs, rock-fill, hydraulic, masonry, etc. Ann 18, iv, pp 627–726
101 firigation reservoirs, rock-int, nyuratine, masonry, etcAnn 10, 17, pp 027-720
on James River, description of
(See, also, Hydrography; Irrigation; Reservoirs.)  Dan River, Virginia, flow of, measurements of
Dan River, Virginia, flow of, measurements of
43–45; Ann 19, IV, pp 178–179; Ann 20, IV, p 50; Bull 140,
pp 66–68; WS 11, p 12; WS 15, pp 26–27; WS 27, pp 33, 44 profile of
' profile of
Dana (E.S.), crystallographic study of thinolite of Lake LahontanBull 12
Danalite, chemical constitution of Bull 125, pp 69, 104
Danburite, analyses of, from New York, St. Lawrence County
chemical constitution of Bull 125, pp 96–97, 106
chemical constitution of
Danian formation of Europe, correlation of
Dannemorite, chemical constitution ofBull 125, p 90
Danville quadrangle, Illinois-Indiana, geology of GF 67
Daphnite, analysis of
chemical constitution of
Darton (N. H.), artesian-well prospects in Atlantic Coastal Plain regionBull 138
bibliography of North American geology for 1886Bull 44
catalogue and index of contributions to North American geology, 1732-

Darton (N. H.), geology of Franklin quadrangle, West Virginia-VirginiaGF 32
geology of Monterey quadrangle, Virginia-West Virginia
geology of Staunton quadrangle, Virginia-West Virginia. GF 14
new developments in well boring and irrigation in eastern South Dakota,
1896
Pine Ridge timber, Nebraska
preliminary description of geology and water resources of the southern half
of the Black Hills and adjoining regions in South Dakota
and Wyoming
preliminary report on artesian waters of a portion of the DakotasAnn 17,
11, pp 603–694
preliminary report on geology and water resources of Nebraska west of the
one hundred and third meridianAnn 19, iv, pp 719–785
record of North American geology for 1887 to 1889
record of North American geology for 1890
record of North American geology for 1891
relations of the traps of the Newark system in the New Jersey regionBull 67
underground waters of a portion of southeastern Nebraska
work in charge of, 1893–1900
Ann 16, 1, p 22; Ann 17, 1, pp 25–26, 28–29, 37; Ann 18, 1, p 32;
Ann 19, 1, p 38; Ann 20, 1, pp 41, 42; Ann 21, 1, pp 74–75
Darton (N. H.) and Clarke (F. W.) on a hydromica from New JerseyBull 167,
pp 154–155
Darton (N. H.) and Keith (A.), geology of Washington (D. C.) quadrangleGF 70
Darton (N. H.) and McGee (W J), geology of Fredericksburg quadrangle,
Virginia-MarylandGF 13
geology of Nomini quadrangle, Maryland-VirginiaGF 23
Darton (N. H.), Taff (J. A.), and Willis (B.), geology of Piedmont quadrangle,
West Virginia-MarylandGF 28
Darwin (C. C.), work in charge of, 1884–1900 Ann 6, pp 97–101; Ann 7, pp 138–143;
Ann 8, 1, pp 203–209; Ann 9, pp 145–151; Ann 10, 1, pp 190–
198; Ann 11, 1, pp 137–140; Ann 12, 1, pp 142–144; Ann 13, 1,
pp 180–182; Ann 14, 1, pp 274–275; Ann 15, pp 209–210; Ann
16, 1, pp 86–88; Ann 17, 1, pp 119–120; Ann 18, 1, pp 128, 129;
Ann 19, 1, p 140; Ann 20, 1, pp 161–162; Ann 21, 1, p 188
Datolite, analysis of, from New Jersey, Bergen Hill
chemical constitution of
occurrence of
Davis (A. P.), hydrography of Nicaragua
irrigation near Phœnix, Arizona
report of progress of stream measurements for 1896
river heights for 1896
Davis (H. J.), pyrites, statistics of
Davis (W. M.), structure of Triassic formation of Connecticut Valley Ann 7,
pp 455–490
Triassic formation of Connecticut
Dawson (Sir John William), biographic sketch of
Day (D. T.), bromine, statistics ofMR 1883-84, pp 851-853; MR 1885, pp 486-487
chromium, statistics of
MR 1883-84, pp 567-573; MR 1885, pp 357-360
MR 1883-84, pp 567-573; MR 1885, pp 357-360 cobalt, statistics of
MR 1883-84, pp 567-573; MR 1885, pp 357-360 cobalt, statistics of
MR 1883-84, pp 567-573; MR 1885, pp 357-360 cobalt, statistics of MR 1883-84, pp 544-549; MR 1885, pp 361-365 feldspar, statistics of MR 1883-84, pp 933-934 iodine, statistics of MR 1883-84, pp 854-858; MR 1885, pp 488-490
MR 1883-84, pp 567-573; MR 1885, pp 357-360 cobalt, statistics of

```
Day (D. T.), mineral resources of United States in 1886, summary, etc.....MR 1886
 mineral resources of United States in 1889 and 1890, summary, etc...MR 1889-90
 mineral resources of United States in 1894, summary, etc.....Ann 16, 111 and 1V
 mineral resources of United States in 1895, summary, etc. Ann 17, 111 and 111 cont
 mineral resources of United States in 1896, summary, etc... Ann 18, v and v cont
 mineral resources of United States in 1897, summary, etc.. Ann 19, vi and vi cont
 mineral resources of United States in 1898, summary, etc., Ann 20, vi and vi cont
 mineral resources of United States in 1899, summary, etc., Ann 21, vi and vi cont
 phosphate rock, statistics of......MR 1883-84, pp 783-805; MR 1885, pp 445-455
 sulphur, statistics of MR 1883, pp 864–876
 MR 1883-84, pp 574-575; MR 1885, p 366
 Ann 10, 1, pp 182-188; Ann 11, 1, pp 130-131; Ann 12, 1,
          pp 129-134; Ann 13, 1, p 162; Ann 15, pp 203-209; Ann 16, 1,
          pp 49-61; Ann 17, I, pp 81-93; Ann 18, I, pp 82-91; Ann
           19, 1, pp 74-85; Ann 20, 1, pp 76-90; Ann 21, 1, pp 101-113
 zirconium, statistics of ......MR 1883-84, p 661; MR 1885, pp 393-394
production of an asphalt resembling gilsonite by the distillation of a mix-
         pp 373-440; MR 1891, pp 456-471; MR 1892, pp 704-711;
            MR 1893, pp 542-602; Ann 16, pp 436-510; Ann 17, III
            cont, pp 759-811; Ann 18, v cont, pp 949-1068; Ann
            19, vi cont, pp 205-309; Ann 20, vi cont, pp 269-464
 MR 1887, pp 503–551; MR 1888, pp 516–575
 MR 1886, pp 644-647; MR 1887, pp 604-610
De Lamar and other mining districts in Idaho, veins of......Ann 20, III, pp 65-256
Decay, subaerial, of rocks and origin of the red color of certain formations....Bull 52
of rocks.....Bull 52
   Washoe district. Ann 2, pp 295-297; Mon III, pp 72-80, 209-218, 369-372
 (See, also, Metamorphism.)
```

Decomposition area; effects, products, etc., in Nevada, Washoe districtMon 111, pp 72-80, 209-227, 238-240, 369-372, 383-385
Decomposition products from Nevada, Comstock lode, chemical analyses
of
of eruptive rocks of Colorado, Silver Cliff and Rosita Hills
Deep Creek beds of Montana
Deep River, North Carolina, flow of, measurements of
IV, pp 116–118; WS 27, pp 26, 35, 44; WS 36, pp 113–114
Deep River beds of Montana, correlation of
Deformation in Mississippi Valley
in Newark area of Connecticut, Pompéraug ValleyAnn 21, III, pp 83-136
in Triassic area of Connecticut
movements of rock materials under
of Newark strataBull 85, pp 78–100
of geoid by loading and unloadingMon 1, pp 376-377, 379-383; Bull 48
by removal, through evaporation, of the water of Lake Bonneville Mon 1,
pp 379–383, 421–424
(6)
(See, also, Diastrophism.)  Deformation and deposition, relation of
Degradation, agency of, in shaping topographic forms. Mon xxII, pp 110-111, 123-124
atmospheric
base-leveling, especially along New England coast Mon xxxIII, pp 42, 47-49, 75
by solution
cliffs due to
corrasion of Grand Canyon of the Colorado
cycles of, in Triassic area of Connecticut Ann 18, π, pp 153, 167–168
drainage system of Grand Canyon district in relation to uplift
pp 72-74, 187-188, 192-196, 218-220
elevation and, of the entire mountain and plateau region of the West in
Tertiary times
Ferrell's law of stream erosion
ice erosion of an isolated conical mountain, general laws governingAnn 18,
11, pp 379–385
illustration of process ofTF 2, p 4
in Alaska in Tertiary times
in Appalachian provinceGF 44, p 1
in Arizona-Utah
in Arkansas-Indian Territory, Poteau Mountain quadrangleTF 2, p 10
in Black Hills, stages of
in California, Big Trees quadrangleGF 51, p 7
Mono Basin (Glacial)
Piedmont region, in relation to uplift
in Coastal Plain
in Colorado, Anthracite quadrangle
Aspen district
Denver Basin, Pleistocene
eastern, with deposition
Elk Mountains
La Plata quadrangle GF 60, p —
Leadville region
Pueblo quadrangle GF 36, pp 1–2, 5
San Juan region
West Denver quadrangle

Degradation in Connecticut, Holyoke quadrangle (ice)	GF 50, p 6
in Connecticut, Pomperaug Basin	Ann 21, 111, pp 137–160
Triassic area	
n Connecticut Valley during later Mesozoic time	
the Glacial period	
in driftless area of Upper Mississippi, pre-Glacial.	
in Grand Canyon districtAnn 2, pp 95–103; Mo	
in Hawaiian Islands, island of Oahu	OF 45
in Idaho, Boise quadrangle	
in Indian Territory-Arkansas, Poteau Mountain qu	
in Kansas, Caldwell quadrangle	TF 1, p 2
in Kentucky, Richmond quadrangle	
in Maine; glacial sculpture of Mount Desert Island	
in Massachusetts, Cape Ann, Glacial and post-Glaci	
Holyoke quadrangle (ice)	GF 50, p 6
Marthas Vineyard (post-Glacial)	Ann 7, pp 347–351
Narragansett Basin (Glacial)	
in Michigan, Marquette district Ann 15, 1	
in New England, along coast	
in North Dakota, Cretaceous area in region of glac	
•	nn 102–107
in Pennsylvania, Harrisburg quadrangle	TF 2 n 8
in Rhode Island-Massachusetts, Narragansett Basi	n (Glacial) Mon
	#1 #A
in Sierra Nevada	GF 2 n 1
CE 5 n 1. CE 11 n 1. CE 19	3, p 1; GF 31, p 2; GF 37, p 2;
	GF 43, pp 1-2; GF 51, pp 1-2
in Tennessee, Cleveland quadrangle	
Pikeville quadrangle	
in Texas, Nueces quadrangle	
in Utah-Arizona	
in Virginia, Palmyra quadrangle	TF 1, p 2
in West Virginia, Charleston quadrangle	TF 1, pp 1–2
Huntington quadrangle	
in Wyoming, Crandall Volcano	Mon xxxII, II, pp 232-237
land forms, relations of	Ann 14, 1, pp 116–121
of Appalachian province	
of Appalachians, east and west, relative	Mon xxxIII, pp 40-46
eastern, extreme	
of Colorado River Basin Ann 2, pp 57-68, 95-	
of Grand Canyon of the Colorado	
in relation to climateMon 11, p	
in relation to volcanism	
of Great Plains, Cretaceous, Neocene, and later	App 16 vs pp 571 579
the tripartite	
of Lake Michigan, shore of	
on Atlantic coast, marine	
on Pacific coast, ancient base-level of . Ann 14, 11,	
Tertiary revolution in topography	
on Zuñi Plateau; sculpture	
principles, general, of	
rate of progress of	
relation of arkoses torock scorings of the great ice invasions	

Degradation; sculpture, subaerial and littoral, contrasted
troughs of the east Appalachians
(See, also, Drainage systems.)  Degradation and deposition, Glacial
Degradation and drainage, pre-Glacial, in MassachusettsMon xxix, pp 510-513
Degradation, intrusion and, experiments illustratingAnn 21, 111, pp 291-303
Degradation, transportation, and deposition, littoral
pp 29-60; Mon x1, pp 87-89 Del Norte irrigation canal, Colorado
Del Rio, Texas, flow of, measurements ofAnn 18, IV, p 110; Bull 140, pp 85, 86
Del Rio clay of Texas
283-286; Bull 164, p 17; GF 42, pp 2-3; GF 64, p 2
Delaware, altitudes in
Bull 5, p 76; Bull 76; Bull 160, pp 112–113
artesian-well prospects inBull 138, p 124
boundary lines of
brick industry of
MR 1891, pp 457, 458; MR 1892, pp 706, 707; MR 1893, pp
544, 545; Ann 16, IV, p 437 et seq; Ann 17, III cont, p 760 et
seq; Ann 18, v cont, p 950 et seq; Ann 19, vr cont, p 206 et
seq; Ann 20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq
clay products of, statistics of
Ann 16, IV, pp 518, 519, 520, 521; Ann 17, III cont, p 819 et seq; Ann 18, V cont, p 1077 et seq; Ann 19, VI cont, p 318 et
seq; Ann 20, vi cont, p 466 et seq; Ann 21, vi cont, pp 362, 363
coke in, manufacture of
Cretaceous deposits ofBull 82, pp 87–88
Eocene deposits in Bull 83, pp 43, 86; Bull 141
gabbros and associated rocks in
gas, illuminating and fuel, and by-products in, statistics of
geographic positions in
geologic formations in
geologic maps of. (See Map, geologic, of Delaware.)
geologic sections in. (See Section, geologic, in Delaware.)
geologic and paleontologic investigations inAnn 9, p 122; Ann 18, 1, p 31
granite production of, statistics ofMR 1889-90, pp 374, 386; MR 1891, pp 457, 458; MR 1892, pp 706, 707; MR 1893, pp 544, 545; Ann 16,
iv, pp 437, 442, 457, 458, 459; Ann 17, iii cont, p 760 et seq;
Ann 18, v cont, p 950 et seq; Ann 19, vi cont, p 206 et seq;
Ann 20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq
iron, iron ore, and steel from, statistics of
MR 1882, pp 120, 125, 133, 134, 135; MR 1886, p 18; MR 1887, p 11; MR 1888, p 14; MR 1889-90, p 12; MR 1891, p 61;
MR 1892, pp 15, 17, 36; MR 1893, p 15; Ann 16, 111, pp 31, 194;
Ann 17, 111, pp 48, 63; Ann 18, vi, pp 65, 72; Ann 20, vi, p 82
magnetic declination in

Delaware, maps, geologic, of. (See Map, geologic, of Delaware.)
maps, topographic, of. (See Map, topographic, of Delaware.)
mineral springs ofBull 32, p 51
minerals of, useful
Neocene beds of
paint, mineral, production of . MR 1891, p 597; MR 1892, p 818; Ann 16, IV, p 698
Potsdam rocks of
sections, geologic, in. (See Section, geologic, in Delaware.)
topographic maps of. (See Map, topographic, of Delaware.)
topographic work in
water horizons in
wells, deep, in
woodland area in
Delaware Bay as a harbor
Delaware River, elevations on, and drainage area, in New York WS 24, pp 46-47
flow of, measurements of Ann 19, IV, p 122; Ann 20, IV, pp 48, 84-86; Ann 21, IV,
pp 76–77; WS 15, p 7; WS 27, pp 16, 23, 24; WS 35, pp 62–63
profile of
Delessite, analysis of
chemical constitution of
Delhi formation of California
Delta harbors, description of
Delta swamps
Deltas, deposition of, by glacial streams and ordinary rivers
pp 55–57, 469–470
formation of
glacial marine, especially of Maine
of glacial Lake Agassiz
Deltas and beaches of the glacial Lake AgassizMon xxv, pp 276-381; Bull 39
Dendritic tufa of Mono Valley, California
Denison beds of Texas
Denmark, clay deposits and industry of
clay products of, at Paris Exposition
fossil plants of, literature of
Density and electrical resistance, relation between, when varying with temper
of steelBull 27, pp 30–50
Density, gravity, and pressure, terrestrial, table of variation ofAnn 13, 11, p 236
Dentaliidæ from clays and marls of New Jersey
from Cretaceous of Pacific coast
Denton beds of Texas
D 14: (0 D: 14: )
Denudation. (See Degradation.)  Denver Basin, Colorado, geology of
Denver Basin, Colorado, geology of
Denver beds, correlation of
in Denver Basin
Bull 82, p 231; Bull 83, pp 136–137, 145, 146; Bull 84, p 324
Deposit, analysis of, from Nevada, Providence mine, drain tunnelAnn 17, 11, p 123
analysis of, from Nevada, Pyramid LakeBull 168, p 276
Deposition, agency of, in shaping topographic forms
conditions of
in Arizona, Grand Canyon of the Colorado
in Newark areaBull 85, pp 45–53
cycles of, remarks on
effect of, on harbors
02000 02, 022 202 000 100 100 100 100 100 100 100

т.	and the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second o		4	100	100
De	position, experiments in	unn 1	4, 1, pp	102-	-103
	experiments in precipitation of fine sediments				
	pp 205–208; Bull 36;	Bull	60, pp	139-	-145
	genetic classification of glacial drift and associated deposits.	An	n 3, pp	296-	-309
	glacial and erosion				
	in Alabama, Gadsden quadrangle				
	Stevenson quadrangle		G	F 19	, p 2
	in Alaska, southwestern, Pleistocene, notes onAm	n 20,	vii, pp	255-	-257
	in Appalachian region				
	in California, Lassen Peak quadrangle				
	Mono Basin, glacial				
	Truckee quadrangle		.GF 3	9, pp	4–5
	in Colorado, eastern	nn 1'	7, 11, pp	575-	-580
	Elk Mountains				
	Pueblo quadrangle				
	in Connecticut, Triassic area of				
	in District of Columbia		.GF 70	). pp	1-2
	in fresh-water marshes				
	in Georgia, Stevenson quadrangle.				
:	in Kentucky, Estillville quadrangle		CTP 45	2, pp	4-0
	London quadrangle				
	Richmond quadrangle				
	in lakes		Ann	2, p	174
	in marine marshes				
	in Maryland, Harpers Ferry quadrangle		G.	10,	p 1
	Nomini quadrangle				
	Piedmont quadrangle				
	Washington (D. C.) quadrangle				1-2
	in Massachusetts, Cape Cod, amount of sedimentation on, s				
	ent level was established	A	nn 18,	п, р	585
	Cape Cod district, conditions of Tertiary		Ann 18	3, 1r,	519
	in Michigan, Marquette seriesAnn 15, pp 635-640; Mor	ı xxv	ии, рр	559-	-566
	Menominee district	6	F 62, 1	op 11	l <b>–</b> 12
	in Montana, Little Belt Mountains quadrangle				
	in North Carolina, Knoxville quadrangle				
	in Sierra Nevada GF 3, p 1; GF 5, p 1; GF 11, p 1; GF				
	GF 37, p 1; GF 39, p 1; GF 41, p 1; GI				
	in Tennessee, Briceville quadrangle				
	Cleveland quadrangle.				
	Estillville quadrangle				
	Kingston quadrangle				
	Knoxville quadrangle				
	Loudon quadrangle				
	McMinnville quadrangle		G1	7 22	n 1
	Morristown quadrangle		GI	. 22, 7 27	n I
	Pikeville quadrangle		G F 91	. Zi,	1_9
	Sewanee quadrangle				
	Standingstone quadrangle			T. 0,	1.9
	Stevenson quadrangle				
	Wartburg quadrangle	Λ		: ±∪,	h T
	Tintic district				
					4

•
Deposition in Virginia, Franklin quadrangle
in Virginia, Harpers Ferry quadrangle
Nomini quadrangleGF 23, p 1
Pocahontas quadrangle
Staunton quadrangle
Tazewell quadrangle
Washington (D. C.) quadrangle
in West Virginia, Buckhannon quadrangleGF 34, pp 1–2
Franklin quadrangleGF 23, p 1
Harpers Ferry quadrangleGF 10, p 1
Piedmont quadrangle
Pocahontas quadrangleGF 26, p 2
Staunton quadrangleGF 14, p 1
Tazewell quadrangle
in Yellowstone Park
in running water
littoral
90-99; Mon 1, pp 46-59, 65-72, 135-166; Mon x1, pp 90-98
loess, origin of
long era of, from Carboniferous to Tertiary, in Grand Canyon districtMon 11,
pp 208–209
of gold, metallic sulphides, etc., mode of
of Newark beds, conditions at time of
in Connecticut
of ore, theories of the test of
of perezonal formations
of saline matter by desiccation
Mon 1, pp 208–209; Mon x1, pp 223–230
of sand in dunes
pp 574–575; Mon 1, pp 59–60; Mon x1, pp 153–156
of travertine and sinter by vegetation of hot springsAnn 9, pp 619-676
of tufa in Lake Bonneville
in Lake Lahontan
pp 212–221; Mon x1, pp 188–222; Bull 12, pp 10–14
in Lake Mono, California
In Lake Mono, CamorniaAmi o, i, pp 205-250, 251, 511-515
petroleum and natural gas, accumulation of
11, pp 507-517; Ann 11, 1, pp 654-661
phosphatic deposits, origin of Bull 46, pp 12–15, 40–41, 44, 50–52, 69, 86–90
quicksilver ores, origin of
relation of characters of sediments to characters of marine faunasBull 3
relation of deformation and
spits on shore of Nantucket Island, origin ofBull 53, pp 12–15, 49–54
terraces due to
Mon 1, pp 55–57, 65–71, 81–83, 153–166
Depression and deposition in Connecticut, Triassic areaAnn 18, 11, pp 34–37
Des Moines River, profile of
Des Plaines River, flow of, measurements of
Ann 21, 1v, pp 172–174
Deschutes River Basin, stream measurements in
Ann 21, IV, pp 431–434; WS 16, p 181;
WS 28, pp 167, 169; WS 38, pp 377–379
Descloizite, analysis of, from Arizona, Tombstone Bull 64, p 27
analysis of, from Montana, Beaverhead County
pp 130–131, Bull 64, pp 24–28
from New Mexico, Grant CountyBull 64, p 26

Desert lands in Western States, amount of
Desert varnish from Utah, Tooele Valley, description of, as one of the educa-
tional series
Mon 1, pp 208–209, 229, 258; Mon x1, pp 224–230
Desiccation products, analyses of, from Utah, Sevier Lake
of Lahontan Basin
of Sevier Lake, Utah
Desmosite, thin section showing passage of spilosite into, from Michigan, Crystal
Falls district
Detrital rocks of Keweenaw series
Devils Head Mountain, Colorado, notes on occurrence of topaz atBull 20, pp 73-74
Devitrification, processes and results of
Devonian fauna; fishes
of Colorado, southwestern, Ouray limestone
of Maine, Mapleton sandstone
Moose River sandstoneBull 165, pp 88–92
of Nevada, Eureka district
of Nevada, New York, falls of Ohio, and Iowa, summary ofMon viii, p 6
of New York, Genesee section
Ontario County, the higherBull 16
upper
of New York and Pennsylvania, upper
of New Lork and Lennsylvania, upper
of North America, Mollusca, nonmarine
Devonian fossils of Alaska, Kuiu Island
of Alaska, notes on
of Nevada, Eureka district
Eureka district, systematic list of
of Pennsylvania, eastern, and New YorkBull 120
of Yellowstone Park
Devonian history of Virginia-Tennessee, Bristol quadrangle
Devonian rocks; Arlington formation of California
Bernardston formation of Massachusetts and Connecticut
bituminous deposits of
Catskill group, history of discussions concerning correlation ofBull 80,
pp 121–134, 181–182
Cedar Valley limestone of Iowa
Chattanooga shale of Alabama
Chautanooga shale of Alabama
of Georgia
of Kentucky
of North CarolinaGF 16, p 1
of TennesseeGF 2, p 1; GF 4, p 2; GF 6, p 1; GF 8, p 2; GF 12, p 2;
GF 16, p 1; GF 19, p 2; GF 20, p 3; GF 21, p 2; GF 22, p 2;
GF 25, p 4; GF 27, p 3; GF 33, p 2; GF 53, p 2; GF 59, p 4
of Virginia
Chemung group, history of discussions concerning correlation ofBull 80,
pp 121–134, 147–148, 158, 190–192, 262
Chitistone limestone of Alaska
Corniferous limestone of Ohio as a water bearer Ann 19, IV, pp 646, 682-683
correlation ofBull 80
Genesee beds of New York, petrography and paleontology ofBull 16, pp 13-34
Giles formation of Virginia and West VirginiaGF 44, p 3
goniatite limestone, history of discussions concerningBull 80, pp 161, 189–190

Devonian rocks; Grainger shale of KentuckyBull 111 p, 38; GF 12, p	р3
Grainger shale of North Carolina	р4
of TennesseeGF 12, p 3; GF 16, p 4; GF 25, p 4; GF 27, p 3; GF 59,	p 4
of VirginiaBull 111, p 38; GF 12, p 3; GF 59,	p 4
Hackberry shale of Iowa	314
Hamilton formation of Indiana	
Hampshire formation of VirginiaGF 14, p 2; GF 32, p 3; GF 61, 1	
of West Virginia	
Helderberg, upper, Ohio, IndianaAnn 8, pp 568-570; Ann 11, 1, pp 635-6	
Independence shale of Iowa	323
Jefferson formation, of Montana, descriptions and sections ofAnn	
ш, pp 287–289, 329, 339, 363, 368; Bull 110,	
27-32; GF 1, p 2; GF 24, p 2; GF 55, p	
Jennings formation of Maryland	
of Virginia	
of West Virginia	
GF 28, p 3; GF 32, p 3; GF 34, p 3; GF 61,	
Kimberling shale of Virginia and West VirginiaGF 26, pp 2-3; GF 44,	
limestone of Illinois, vicinity of Rock Island	
Mapleton sandstone of Maine, Aroostook volcanic areaBull 165, pp 136–	
Monarch formation of Montana	n 2
Monterey sandstone of MarylandGF 28,	
of Virginia	n 4
of West VirginiaGF 14, pp 1, 2; GF 28, p 3; GF 32, p 3; GF 61,	
Naples beds of New York, petrography and paleontology ofBull 16, pp 35-	
Nevada limestone, age, character, thickness, fossils, etc., of	
pp 253, 264-266; Mon xix, pp 63-	
of Alabama, Gadsden quadrangle	n 2
Stevenson quadrangle	
of Alaska	476
of California, Lassen Peak quadrangle	
of Colorado, northwestern	688
Rico Mountains	
of Connecticut, Holyoke quadrangle	
of Georgia, Ringgold quadrangle	
Stevenson quadrangle	
of glacial Lake Agassiz, area of	
of Illinois, northwestern Ann 17, 11, pp 832-	
of Indiana	
of Iowa, northeastern Ann 11, 1, pp 314-	
of Kentucky, Estillville quadrangle	
London quadrangle	
Richmond quadrangle	p 2
of Maine, northeastern	
of Maryland, Piedmont quadrangleGF 28,	
of Massachusetts, Holyoke quadrangle	n o
western	
of Michigan, lower peninsula	
of Missouri River region, upper	90
of Montana	
Fort Benton quadrangle	₽ Δ Δ7Λ
Judith Mountains	360 410
Little Belt Mountains	
Three Forks anadrangle GF 24	

Devonian rocks of Nevada, Eureka district	. Ann 3, pp 264–267; Mon xx, pp 63–98
of New York	Bull 16, pp 13–14, 35–66, 67–68
of New York and Pennsylvania (eastern)	Bull 120
of North Carolina, Knoxville quadrangle	
of Ohio	
shale as a water carrier	Ann 19, IV, pp 647, 684
of Pennsylvania, eastern, and New York	
of Tennessee, Briceville quadrangle	
	GF 59, p 4
	GF 6, p 1
	GF 20, p 3
	GF 12, pp 2–3
	GF 4, p 2
Knoxville quadrangle	GF 16, pp 1, 4
Loudon quadrangle	GF 25, p 4
	GF 22, p 2
	GF 27, p 3
phosphate region	Аnn 17, п, pp 521–522
Pikeville quadrangle	GF 21, p 2
	GF 2, p 1
	GF 8, p 2
	GF 53, p 2
	GF 19, p 2
of Virginia, Estillville quadrangle	GF 12, pp 2-3
	GF 32, p 3
	GF 61, p 4
	GF 26, p 2
	GF 14, pp 1, 2
	GF 44, p 3
of West Virginia, Buckhannon quadrangl	
	GF 61, p 4
	GF 28, p 3
	GF 26, p 2
	GF 14, pp 1, 2
of Wyoming, Absaroka region	
of Yellowstone Park	
	, 23, 26, 58, 153, 160, 206, 213; GF 30, p 4
Ogden quartzite, age, character, and thick	
Old red sandstone of Lake Superior region	Bull 86, pp 51, 52, 84 passim
Ouray limestone of Colorado, Rico Moun	tains Ann 21, 11, np 27, 45–47
Panola formation of Kentucky	
Parting quartzite series of Aspen district,	
Portage beds of New York, petrography a	
Portage sandstone of Western States	
Romney shale of Maryland	
of Virginia GF 14 pp 1 2: GF 26	p 2; GF 32, p 3; GF 44, p 3; GF 61, p 4
	GF 14, pp 1, 2;
GF 26 n 2 GF 28	p 3; GF 32, p 3; GF 44, p 3; GF 61, p 4
Schoharie formation of Indiana	Ann 11 1 nn 634_635
Tahkandit series of Alaska	
Zamitandia socios of Hillians	Ann 20, vii, pp 157–159, 179, 187, 235
Threeforks limestone of Wyoming	
THE OF THE PROPERTY OF A POSITION OF THE PERSON OF THE PER	Pa

Devonian rocks; Threeforks limestone of Yellowstone Park	
II, pp 7, 22, 23, 26, 58, 153, 160, 206, 213; GF 30, p 4  Threeforks shale of Montana	
Prayerse series (Hamilton) of Michigan	
Uinta sandstone of Colorado, northwestern	
West Fork series of Chandlar River, Alaska	
White pine shale of Nevada, age, character, thickness, fossils, etc., ofAnn 3, pp 253, 266-267; Mon xx, pp 68-69	
Devonian-Carboniferous history of Alaska, southwestern	
Devonian-Carboniferous system of Alaska, correlation ofAnn 20, vII, pp 179, 187	
Devonian and Carboniferous—a correlation essay, by H. S. WilliamsBull 80	
See, also, Paleozoic.	
Deweylite, chemical constitution ofBull 125, pp 74, 105	
Dexter sands of Texas	
Diabantite, analysis of	
chemical constitution of	
Diabase, analysis of, from California, Grass Valley	í
Bull 148, p 208; Bull 168, p 194	:
analysis of, from California, Mariposa County	
ı, p 694; Bull 148, p 220; Bull 168, p 209 from California, Mount Diablo. Bull 90, p 73; Bull 148, p 224; Bull 168, p 213	
Mount St. Helena (pseudo). Mon x111, p 98; Bull 148, p 222; Bull 168, p 211	
Sulphur Bank (pseudo). Mon XIII, p 99; Bull 148, p 222; Bull 168, p 211	
various localities	
from Connecticut, Lake Saltonstall	,
MiddlefieldBull 165, p 176	;
New Haven	5
from Maine, Aroostook Falls	,
from Maryland, Rocky RidgeBull 148, p 90; Bull 168, p 50	)
from Massachusetts, Leverett (altered)Bull 148, p 74; Bull 168, p 30	)
MedfordBull 150, p 381	
Middlesex County, residual sand ofBull 150, p 380	)
near BostonBull 107, p 26	E
from Michigan, Penokee-Gogebic Range	
p 47; Bull 148, p 103; Bull 168, p 73	,
various localities	,
Nevada, Comstock fode:  Nevada City and Grass Valley districts Ann 17, 11, pp 66, 71, 150	
from New Brunswick, Aroostook FallsBull 165, p 176	
from New York, Keene ValleyBull 107, p 26	į
from North Carolina, near Cranberry, garnetiferousBull 168, p 52	,
from Vermont, Mount AscutneyBull 148, p 69; Bull 168, p 21	
from Washington, Kittitas CountyBull 168, p 226	í
from Wisconsin, Menominee River Bull 55, p 85	)
from Yellowstone Park, Absaroka Range	į
from New Haven, Connecticut, description of, as one of the educational series	,
of Alaska	
Funters Bay	
Matanuska ValleyAnn 20, vii, p 310	
Yukon district	2
of California, Colfax quadrangle	3
Downieville quadrangle	Ļ
Jackson quadrangle	
Lassen Peak quadrangleGF 15, p 1	

Diabase of California, Marysville quadrangle
of California, Mother Lode district (meta)
Nevada City, Grass Valley, and Banner Hill districtsGF 29, pp 2-3
Placerville quadrangle
Sacramento quadrangleGF 5, pp 2–3
Smartsville quadrangle
Sonora quadrangle
of Colorado (enstatite-bearing)
Cripple Creek district
Pikes Peak quadrangle
Silver Cliff
of Connecticut-Massachusetts, Holyoke quadrangle
of Lake Champlain regionBull 107, pp 24–27
of Maine, Aroostook volcanic area, outcrop and petrography ofBull 165,
pp 114–116, 175
pp 114-116, 175 of Maryland-Virginia-West Virginia, Harpers Ferry quadrangleGF 10, p 2
of Massachusetts, Holyoke quadrangle
Narragansett Basin
western
of Michigan, Keweenaw series
pp 102–104, 106–107; Mon v, pp 37–50, 61–68
Keweenaw series (olivinitic)
Marquette region
Penokee iron-bearing series, petrographic character of
pp 348-359, 410-419
of Minnesota, Pigeon PointBull 109, pp 44–48
of Montana, Castle Mountain mining districtBull 139, pp 76–77, 117
Three Forks quadrangle
of Narragansett Basin
of Nevada, Washoe district. Ann 2, p 300; Mon III, pp 48-53, 112-116, 197-199, 381
of New Jersey, in traps
of Oregon, Roseburg quadrangle
of Rhode Island, Narragansett Basin
of Nione Needle Natragansett Dasin
of Sierra Nevada
of West Virginia-Wirginia-Maryland, Harpers Ferry quadrangleGF 10, p 2 relations of, to augite-andesite
relations of, to augme-andesite
residual sand of, from Medford, Massachusetts, description of, as one of the
educational seriesBull 150, pp 379–382
thin section of, from California, Grass Valley
from Massachusetts, Meriden (hyalopilitic)
from Michigan, Lower Quinnesec Falls
from Minnesota, Beaver Bay
Minnesota River ValleyBull 157, pp 152–153
Pigeon Point (from magnetite, idiomorphic secondary)Bull 109, p 45
showing amygdule and poikilitic structure in dikeBull
109, pp 46–47
Split Rock River
from Nevada, Washoe district Mon III, pp 150-151
from Sierra Nevada
Diabase and porphyrite group of California, Nevada City and Grass Valley districts
Diabase and soapstone of Michigan and Wisconsin, Penokee district. Mon XIX, p 357
Diabase agglomerate in relation to greenstone-schist, Michigan, Marquette
region
Diabase amygdaloid from Minnesota, Grand Marais, description of, as one of
the educational seriesBull 150, pp 355–357
500-557

```
Diabase amygdaloid, thin section of, from Massachusetts, South Holyoke, show-
             ing contact of clavey limestone and.....Mon xxix, pp 208-209
Diabase flows and dikes in Catoctin Mountains......Ann 14, 11, pp 315-318, 352-355
Diabase dike, thin section of, showing contact norite wall and, Trembleau
             Point, New York.....Bull 107, p 46
Diabase-porphyrite, analysis of, from California, Yuba County......Bull 148,
                                      p 228; Bull 168, p 217
  analysis of, from Montana, Crazy Mountains...Bull 148, p 143; Bull 168, p 121
  Truckee quadrangle .......GF 39, p 4
  pp 108-109; Mon v, pp 76-77
     Diabase-porphyry, analysis of, from California, Downieville quadrangle .... Ann 17,
                          ı, p 734; Bull 148, p 207; Bull 168, p 192
  Diabase-pseudamygdaloid, thin section of, from Michigan, Porcupine Moun-
             Diabase-tuffs of Michigan, and their metamorphism to greenstones......Bull 62,
                                          pp 133, 158-162
Diabasic rocks from Alaska, descriptions of species of ........Ann 20, vII, pp 211-216
Diadematidæ, Mesozoic, of United States ......Bull 97, pp 44–54
Diallage, analysis of, from Maryland, Gwynns Falls. Bull 28, pp 21, 44; Bull 150, p 280
  analysis of, from Minnesota, Pigeon Point......Bull 109,
                   p 36; Bull 148, p 106; Bull 150, p 277; Bull 168, p 76
     p 149; Bull 148, p 105; Bull 168, p 75
  thin section of, from Delaware, illustrating alteration into compact green
             hornblende.....Bull 59, p 26
     from Michigan, Sturgeon Falls (in gabbro), showing hornblende
            Diallage-bronzite rock, analysis of, from Maryland, Baltimore County..Bull 64, p 43
Diallage-gabbro, analysis of, from Minnesota, sec. 26, T. 64 N., R. 8 W .....Bull 148,
                                      p 111; Bull 168, p 81
Diallage serpentine, analysis of, from Russia, Ural ......Bull 113, p 27
Diamond Peak quartzite of Nevada, age, character, thickness, etc., of ........ Ann 3,
                                   pp 253, 268; Mon xx, p 85
Diamonds, occurrence and statistics of MR 1882, pp 484-
               485; MR 1883-84, pp 728-733, 781; MR 1885, pp 438, 443;
               MR 1886, pp 598-601, 604; MR 1887, pp 556, 557, 558-559,
               563-571; MR 1888, pp 580, 584-585; MR 1889-90, pp 446,
               447; MR 1891, pp 539, 540-542; MR 1892, pp 756-760, 781;
               MR 1893, pp 681, 682-692; Ann 16, IV, pp 595-599, 604,
               605; Ann 17, III cont, pp 896–904, 923; Ann 18, v cont, pp
               1183-1196, 1217; Ann 19, vr cont, pp 497-503, 513; Ann 20,
               vi cont, pp 557-568, 599; Ann 21, vi cont, pp 419-432, 461
  (See, also, Precious stones.)
```

Diaspore, analysis of, from Colorado, Custer County
Diastatic geology, especially of northeastern Iowa
Diastrophism; Appalachian structure, mechanics of
beaches of glacial lake Agassiz, changes in levels of
Charleston earthquake
cleavage, joints, shear zones, etc., in New York-Vermont slate beltAnn 19,
ш, pp 205–219
Connecticut River Trias, formation of basin of
Connecticut Triassic area, deformation of
deformation of geoid by loading and unloading
pp 376–377, 379–383; Bull 48
by removal, through evaporation, of water of Lake BonnevilleMon I,
pp 421–424
dislocation of Vineyard series, Massachusetts:
dislocations, effects of underlying rocks on
of Cretaceous and Tertiary strata on New England coastAnn 18,
и, рр 505–513
displacement along fall-line, character and cause of
dusing and faulting as illustrated an Con Clamente Island
drainage and faulting, as illustrated on San Clemente Island
п, pp 468–473
dynamic geology of Black Hills
of Little Belt Mountains, Montana
earthquake studies, and researches in deformationAnn 14, 1, pp 233-235
-earthquakes in California
Bull 95; in 1892, Bull 112; in 1893, Bull 114; in 1894, Bull
129; in 1895, Bull 147; in 1896-97, Bull 155; in 1898, Bull 161
elevation and subsidence inferred from Cenozoic and Mesozoic rocks of
AlabamaBull 43, pp. 136–138
· · ·
epeirogenic elevation, dependence of lake levels onMon xxv, pp 227-237
epeirogenic movements apparently dependent on glaciationMon xxv,
pp 492–501
relationship of, to glaciation
fault rock, thin section of, near contact of basalt and arkose conglomerate
in Connecticut
fault scarps and fault terraces
faulting, evidence of, sufficiency of, especially in Connecticut
п, pp 134–137
faulting and fissuring in Colorado, Telluride districtAnn 18, 111, pp 764-771
faulting and folding in Virginia, Richmond Basin, conditions ofAnn 19,
11, pp 409–411
faulting and landslides in California, Bidwell Bar area
ratiting and randshdes in Camorina, bidwen bar area
I, pp 553–554, 591–594
faults and flexures, post-Lahontan
faults and folds, analysis of, and diagrams for use in fault analysisMon xxvII,
pp 116–118
classification of
description and causes ofBull 150, pp 316–317
drainage, control of, by, in Connecticut
effect of, on trap ridges of Connecticut
geologic and geographic effects of
geometric relations of
in Alabama, Gadsden quadrangle
Bull. 177—01——19
Dun. 1(1—V1——13

District CE 4
Diastrophism; faults and folds in Appalachian province
p 3; GF 8, pp 2-3; GF 10, p 3; GF 12, p 3; GF 14, p 3; GF
16, p 5; GF 19, pp 2-3; GF 20, p 3; GF 21, pp 2-3; GF 25, p 4; GF 26, p 4; GF 27, pp 3-4; GF 28, p 4; GF 32, p 4;
GF 33, p 3; GF 34, p 3; GF 35, p 3; GF 40, p 2; GF 44, p 4
faults and folds in California, Bidwell Bar quadrangle
in California, Downieville quadrangle
in Catoctin belt
in Colorado, Anthracite quadrangle
Aspen district
Crested Butte quadrangle
Denver BasinMon xxvii, pp 48, 49–50, 90, 114, 115–119, 128–141
Elk MountainsGF 9, p 3
La Plata quadrangle
Rico Mountains
Tenmile districtGF 48, pp 3-4
in Connecticut, Pomperaug Basin, origin, etcAnn 21, 111, pp 85–132
in Georgia, Ringgold quadrangleGF 2, p 2
in Grand Canyon district
pp 117–118, 124–126, 132–133; Моп и, pp 13, 19–22, 93–94,
112-117, 122-123, 162-163, 177, 183-186, 191-192, 205, 228
in Hawaiian Islands, KilaueaAnn 4, pp 121–122
in Indian Territory
in Kentucky, Estillville quadrangleGF 12, pp 3-4
Richmond quadrangle
in Lake Lahontan Basin
in Lake Superior region, at margin of eastern sandstone. Ann 3, pp 152–155
between Keweenaw series and eastern sandstone
copper district
in Massachusetts, Berkshire County, easternBull 159, pp 89–94
in Michigan, Republic troughAnn 15, pp 620–625; Mon xxvIII, pp 541–547
in Montana, Little Belt Mountains quadrangle
Three Forks quadrangle
in Nevada, Comstock lode, theory of
рр 300–304; Моп III, рр 156–187, 377–378
in North Carolina, Knoxville quadrangleGF 16, p 5
in Tennessee, Briceville quadrangleGF 33, p 4
Bristol quadrangle
Chattanooga quadrangle
Cleveland quadrangle
Estillville quadrangle
Kingston quadrangleGF 4, p 3
Knoxville quadrangleGF 16, p 5
Loudon quadrangleGF 25, p 5
Morristown quadrangle
Ringgold quadrangleGF 2, p 2
in Texas, Uvalde quadrangle
in Utah, Tintic district
in Virginia, Bristol quadrangle
Estillville quadrangle
Harpers Ferry quadrangle
Pocahontas quadrangle
Richmond area

Diastrophism; origin of Lahontan Basin
orogenic forces and relations in Narragansett BasinMon xxxIII, pp 10-36
orogeny of Nevada, Eureka district
orographic movements in Colorado, Telluride quadrangle
principles of North American pre-Cambrian geologyAnn 16, 1, pp 571-843
Rocky Mountains, origin of the structure of
structural details in Green Mountain region and in eastern New YorkAnn 16,
ı, pp 543–570
structure of Catoctin belt
of Denver Basin, development of, movements producing, etc Mon xxvII,
pp 79–150
subsidence of Grand Canyon district
on coast of Nantucket Island, evidence of
Tertiary revolution in topography of Pacific coastAnn 14, 11, pp 397-434
uplift of Nantucket Island, post-Glacial
part taken by, in production of topographic formsMon xxii, pp 108-109
uplifts in Coastal P.ain
in Colorado, Anthracite quadrangle
Crested Butte quadrangle
Mosquito Range
Pueblo quadrangle
Telluride quadrangle
in Grand Canyon district
Mon 11, pp 69–77, 120–121, 191–192, 216–218
in Maryland, Harpers Ferry quadrangleGF 10, pp 1, 4
in Tennessee, Kingston quadrangle
Sewanee quadrangle
in Virginia, Harpers Ferry quadrangle
in Utah, Tintic districtGF 65, p 4
in West Virginia, Harpers Ferry quadrangleGF 10, pp 1, 4
warping in Alaska, recent, as shown by drainage peculiarities
ш, pp 276–289
in Connecticut, Triassic, relation of, to volcanismAnn 18, 11, pp 81–82
Diatom earth, description of the rock, as one of the educational seriesBull 150,
pp 136–137
Dicotyledons of Dakota group
of Laramie flora Bull 37, pp 18–104
the earliest, remarks on
Dictionary, geographic, of Connecticut.  Bull 117
of Massachusetts.  Bull 116
of New Jersey Bull 118
of Rhode IslandBull 115
(See also Gazetteer.)
Dietrich River, Alaska, distances along, table of
Differentiation of lavas
theory of the origin of magmas by
Dighton conglomerate group of Narragansett BasinMon xxxIII, pp 184-187
Diimidotriphosphate, tri-silver, penta-silver, and tri-sodium, analyses ofBull 167,
pp 110, 112
Diimidotriphosphoric acid, consideration of salts ofBull 167, pp 110-113
Dike, stock, sill, laccolith, definitions of
Dike andesites and basic dike rocks in Colorado, Cripple Creek districtAnn 16,
п, pp 48–50, 66, 67, 87, 93

Dike rock, analysis of, from California, northern partBull 78, pp 123, 124
analysis of, from California, Ophir
from California, Placer County
from Colorado, La Plata quadrangle (basic)
from Maryland, Howard CountyBull 148, p 87; Bull 168, p 47
from Montana, Castle Mountain district, monchiquite-likeBull 148, p 151
Crazy Mountains
from Nevada, New Ophir claim
from New York, near Ausable ForksBull 107, p 26
from Yellowstone Park, Absaroka Range
near Indian Peak
Stinkingwater RiverBull 168, p 102
various localities
Dike rocks, chemical variations of
classification of basicBull 107, pp 37–39
Dikes, features of
in Alaska, Fortymile and Rampart seriesAnn 18, 111, pp 146, 166, 225-239
Matanuska Valley, etc
southwestern
in California, Downieville quadrangle
Ophir district
Sonora quadrangle
in Colorado, Cripple Creek districtAnn 16, 11, p 138
Elmoro quadrangle
La Plata quadrangle
Pikes Peak quadrangle, diabase and syenite
graniticGF 7, p 1
sandstone in granite
Rico Mountains
Ruby Range
Silver Cliff and Rosita Hills
п, pp 280–284, 358–359, 382–383, 386–387
Telluride quadrangleGF 57, p 7
Walsenburg quadrangleGF 68, p 3
in Connecticut, Triassic area
in Grand Canyon of ColoradoAnn 14, 11, pp 516-517; Mon 11, pp 95-96
in Idaho, Boise quadrangleGF 45, p 2
Idaho Basin, associated with granite
western-central granite
in Lake Champlain region, trapBull 107
in Lake Superior regionMon v, pp 143-144, 370, 379, etc.
Penokee district, associated with iron oreMon xix, pp 271-275, 276-279
in Maine, Aroostook volcanic areaBull 165, pp 149–151
Mount Desert Island
in Massachusetts, Cape Ann district
western
in Michigan, Crystal Falls district, Archean
нг, рр 32–33, 122; Моп хххуг, рр 45–49
Marquette district
pp 505–509, 515–516; Mon xxvIII, pp 178–183, 506–514, 538
in Minnesota, southwestern
Fort Benton quadrangle
= dominante dominante de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de colon de c

Dikes in Montana, Judith Mountains, origin of
in Montana, Little Belt Mountains Ann 20, 111, pp 319 et seq, 349–360; GF 56, p $4$
porphyry
Yogo Peak, cutting shonkiniteAnn 20, 111, p 319
ın Narragansett Basin
in Nevada, Eureka district, intrusive
in New York-Vermont slate beltAnn 19, 111, pp 222-226, 270
in South Dakota, Black HillsAnn 21, 111, pp 200–205, 228–231
in Virginia, Monterey quadrangleGF 61, p 5
Richmond Basin
in Washington, Cascade Mountains
п, pp 106, 108, 109, 111, 121–122, 129, 135, 136
in West Virginia, Monterey quadrangleGF 61, p 5
in Wyoming, Black Hills
in Yellowstone Park and vicinity
11, pp 92–97, 128–133, 224–231, 240–259, 304–221
mineralizing influence of
Diller (J. S.), a late volcanic eruption in northern California and its peculiar
lavaBull 79
Bohemia mining region of western Oregon, with notes on Blue River
mining region and on structure and age of Cascade
Range
Coos Bay coal field, OregonAnn 19, 111, pp 309–376
educational series of rock specimens
geologic reconnaissance in northwestern Oregon
geology of Lassen Peak district
geology of Lassen Peak quadrangle, CaliforniaGF 15
geology of Roseburg quadrangle, Oregon
geology of Westfield, Massachusetts, and vicinityMon xxix, pp 654-656
notes on the geology of northern CaliforniaBull 33
peridotite of Elliott County, KentuckyBull 38
Tertiary revolution in topography of Pacific coastAnn 14, 11, pp 397-434
work in charge of, 1886-1900 . Ann 8, 1, pp 193-194; Ann 9, pp 98-100; Ann 10,
ı, pp 144–147; Ann 11, ı, pp 90–94; Ann 12, ı, pp 100–103;
Ann 13, 1, pp 131–133; Ann 14, 1, pp 246–248; Ann 15, pp
171–174; Ann 16, r, p 34; Ann 17, r, pp 49–53; Ann 18, r, pp
47-49; Ann 19, 1, p 50; Ann 20, 1, p 50; Ann 21, 1, p 83
Diller (J. S.) and Clarke (F. W.), turquoise from New MexicoBull 42, pp 39-44
Diller (J. S.) and Whitfield (J. E.), dumortierite from Harlem, New York,
and Clip, Arizona
Dimetasilicates, chemical constitution of
Dinoceras beds
Dinocerata, an extinct order of gigantic mammals—classification, bibliogra-
phy, descriptions of genera, etcAnn 5, pp 243–302; Mon x
Dinosaurs from Denver Basin, remains of
of North America—affinities, classification, etc
restorations of European
D'Invilliers (E. V.) and McCreath (A. S.), Clinch Valley coal fieldsMR 1892,
pp 591–596
Diopside, analysis of, from Maryland, near BaltimoreBull 78, p 122;
Bull 148, p 84; Bull 168, p 43
analysis of, from Wyoming, Leucite HillsBull 168, p 86
chemical constitution of

Diopside, occurrence and statistics of
MR 1883-84, pp 769, 781; MR 1885, p 443; MR 1886,
p 604; MR 1887, pp 556, 557; MR 1888, pp 584, 585; MR
1889–90, pp 446, 447; MR 1891, p 540; MR 1892, p 781; MR
1893, pp 681, 682; Ann 16, IV, pp 604, 605; Ann 17, III
cont, p 924; Ann 18, IV cont, p 1217; Ann 19, VI cont,
p 513; Ann 20, vi cont, p 599; Ann 21, vi cont, p 461
Diopside, ægirine-augite, and plagioclase, aqueous deposit of, from Massachu-
setts, Greenfield, thin section ofMon xxix, pp 430-431
Diopside-diabase of Massachusetts, western
Dioptase, chemical constitution of
Diorite, analysis of, from Alaska, Douglas and Kadiak islands, and Silver Bow
Basin
analysis of, from Alaska, Karluk
from Alaska, Sitka, and Turnagain Arm (pyroclastic)Ann 18, 111, p 45
Unalaska IslandAnn 20, 111, p 490; Bull 148, p 232; Bull 168, p 226
various localities
from Austria, Silesia
from California, Amador CountyBull 148, p 215; Bull 168, p 201
Bidwell Bar, Big Trees, and Smartsville quadranglesAnn 17, 1,
pp 702, 731
Butte County
KnoxvilleMon xIII, p 101; Bull 148, p 222; Bull 168, p 211
Shasta County
Sonora
Tuolumne CountyBull 148, p 218; Bull 168, p 204
from Colorado, Elk MountainsBull 150,
040 TO 11 140 155 TO 11 100 150
p 242: Biii 148, p 177: Biii 168, p 159
p 242; Bull 148, p 177; Bull 168, p 159
La Plata Mountains

296 INDEX TO PUBLICATIONS OF U. S. GEOL.	SURVEY. [BULL.177.
Diorite from Colorado, Middle Brush Creek, description of, educational series	
from Yellowstone Park, Electric Peak, description of, as or	ne of the educa-
tional series	
of Alaska, Koyukuk region	Ann 21, 11, pp 480–481
Matanuska Valley	
southern	
of California, Bidwell Bar quadrangle	
Colfax quadrangle	
Jackson quadrangle	
Lassen Peak quadrangle	
Mother Lode district (metadiorite)	
Nevada City and Grass Valley districtsAnn 17, 1	
Pyramid Peak quadrangle	
Sonora quadrangle	
Crested Butte quadrangle	
La Plata quadrangle	
Mosquito Range	
Silver Cliff and Rosita Hills	
Telluride quadrangle	
of Delaware	· -
of District of Columbia, Washington quadrangle	
of Idaho, Boise quadrangle	
of Maryland, near Baltimore, relation of, to gabbro	
Washington quadrangle	
of Massachusetts, western	Mon xxix, pp 342-345
of Michigan, Crystal Falls district	
Marquette regionB	
of Montana, Castle Mountain mining district, occurrence,	
microscopic petrography ofBu	ıll 139, pp 61–62, 89–91
Little Belt Mountains quadrangle	GF 56, pp 3, 4
Livingston quadrangle	
Three Forks quadrangle	
of Nevada, Washoe district	,
pp 299–300; Mon 111, pp 34–4	
of Sierra NevadaAnn 14, 11, p 477; Ann	
of Virginia, Washington quadrangle	
of Yellowstone Park and vicinity	
ı, pp 595–597; Mon xxxıı, 11, pp 97–10	
thin section of, from Massachusetts, Packards Mountain.	Mon xxix, pp 208-209
from Michigan, lower Quinnesec Falls and near Negau	
	pp 224–225, 230–231
from Minnesota, southwestern (porphyritic)	
from Nevada, Washoe district (granular and porphyrit	
from Yellowstone Park	pp 150–151
	и, рр 104–105, 250–251
Diorite family of rocks, scope and characteristics of	
Diorite stocks in Colorado, La Plata quadrangle	
Diorite-gneiss of District of Columbia, Washington quadrangle	
of Maryland, Washington quadrangle	
of Sierra Nevada	
of Virginia, Washington quadrangle	

Dispite meaning and being form Colorede Onlin Needles stock CE #7 n 6
Diorite-monzonite, analysis of, from Colorado, Ophir Needles stockGF 57, p 6
analysis of, from Colorado, San Juan region (gabbroitic)Bull 168, p 163
in Colorado, Telluride quadrangle
Diorite-porphyrite, analysis of, from Montana, Crazy MountainsBull 148, p 143;
Bull 168, p 121
of California, Nevada City and Grass Valley districts
Diorite-porphyry, analysis of, from California, Amador CountyBull 148, p 214;
Bull 168, p 200
analysis of, from California, Plumas County
from California, various localities
from Colorado, La Plata Mountains
Bull 148, p 181; Bull 168, p 161; GF 60, p 7
Tenmile district
from Montana, Little Belt MountainsBull 148, p 148; Bull 168, p 127;
Steamboat Mountain
from Yellowstone Park, Absaroka RangeBull 168, p 96
Electric Peak
of California, Bidwell Bar quadrangle
Big Trees quadrangleGF 51, p 5
of Colorado, Aspen district
La Plata quadrangle
Telluride quadrangle
Tenmile district
of Montana, Fort Benton quadrangleGF 55, p 3
Judith Mountains
Little Belt Mountains
of Yellowstone Park and vicinityMon xxxII, II, pp 242-246, 252-256
thin section of, from California, North Yuba RiverAnn 17, 1, pp 756-757
from Yellowstone Park
Diorite-pyroxenite of California, Nevada City district
Diorite-syenite-porphyry, analyses of, from Montana, Bear Park and Sheep
Mountain
Dioritic rocks from Alaska, descriptions of species ofAnn 20, v11, pp 204, 209
Diorthosilicates, chemical constitution of
Dioscoreaceæ from Dakota group
Dip, apparent divergent, of conformable strata in same cross section (Texas)
owing to increment
Diphenylamine, compressibility and thermal expansion of
Diplodocidæ of North America
Diplodocus, description of
from Denver Basin, remains of
Dipnoi from Carboniferous rocks of North America
Diracodon, remarks on
Discinidæ of Miocene marls of New Jersey
Disenchantment Bay, Alaska, exploration of
Disintegration resulting in soils
Dislocations, effects of underlying rocks on
Dismal conglomerate-lentil of Virginia and West Virginia
Dismal formation of Virginia and West Virginia
Dismal Swamp, Virginia–North Carolina, general description ofTF 2, p 2
description of (geology, topography, animal life, method of draining,
healthfulness, etc.), and fresh-water morasses of United
States
Displacements in Atlantic Coastal Plain and Piedmont regionAnn 7, pp 616-634
1,77

Displacements in Great Basin
in Lake Lahontan Basin, recent and more ancient Mon x1, pp 24-28, 274-283
in Plateau country, monoclinal nature of
in Texas
in Uinta Mountains region
(See, also, Diastrophism; Faults.)
Diplacodon bedsBull 84, p 324
Distillation, formation of pitch coal and other bitumens by Ann 19, 111, pp 373-376
Distillations, quantitative, convenient form of apparatus for, with method for
separation and estimation of boric acid Bull 42, pp 64–72
District of Columbia, altitudes in Bull 5, p 77; Bull 76; Bull 160, pp 114–115
boundary lines ofBull 13, pp 85-88; Bull 171, pp 91-94
building stone in
clay and brick industry of
MR 1887, pp 535, 537; MR 1888, p 558; MR 1891, p 504;
Ann 16, IV, pp 518, 519, 520, 521; Ann 17, III cont, p 819
et seq; Ann 18, v ont, p 1078 et seq; Ann 19, vr cont, p 318
et seq; Ann 20, vr cont, pp 466 et seq, 515-516; GF 70, p 7
coke in, manufacture of
gas, illuminating and fuel, and by-products in, statistics of Ann 20, vi cont,
pp 227, 240, 243, 245, 247, 248, 249
geographic positions in
geologic investigations in
Ann 7, p 109; Ann 8, 1, pp 166–167; Ann 9,
p 102; Ann 10, 1, pp 150–152; Ann 11, 1, pp
65, 68; Ann 18, 1, p 32; Ann 20, 1, pp 39, 41
geology of, Washington quadrangle
gold in
gold in
iron and steel from, statistics of

Dolerite, analysis of, from Connecticut, Lake Saltonstall (chloritic)Bull 165, p 176 analysis of, from New Jersey and Connecticut Valley, Newark systemBull 85,
pp 66–77
from North Carolina, Wadesboro (decomposed)
p 18; Bull 148, p 289; Bull 168, p 292
from Valmont, Colorado, description of, as one of the educational
series Bull 150, pp 261–264
of Sierra Nevada
Doliidæ from clays and marls of New Jersey
Dolomite, analysis of, from Alabama, Morrisvine
p 25; Bull 60, p 159; Bull 148, p 258; Bull 168, p 258
analysis of, from Colorado, Denver Basin, Niobrara
p 67; Bull 148, p 270; Bull 168, p 270
from Colorado, Leadville district
Pitkin, Garfield, and Summit countiesBull 148,
pp 272, 273, 274; Bull 168, pp 272, 273, 274
pp 212, 213, 214; Bull 108, pp 212, 213, 214 from Maryland, CockeysvilleBull 90, p 66
from Massachusetts, Charlemont and Webster. Bull 148, p 554; Bull 168, p 252
Lee
from Michigan, Felch Mountain Range. Ann 19, 111, p 112; Mon xxxvi, p 409
Gogebic districtBull 148, p 265; Bull 168, p 264
Michigamme Mountain area
from Missouri, JoplinBull 90, p 63; Bull 148, p 264; Bull 168, p 263
from New York, MoriahBull 64, p 43
Natural BridgeAnn 18, v cont, p 1062
PleasantvilleAnn 16, IV, p 468
TuckahoeBull 60, p 159
from Ohio, Fostoria and Fremont
Lima
various localities
from Wisconsin, Penokee regionBull 148, p 265; Bull 168, p 264
composition of
of Colorado, Aspen district
Mosquito Range
thin section of, from Massachusetts, Granville (changing into serpentine) Mon
xxix, pp 106-107
from Wisconsin, NW. 4 sec. 22, T. 44 N., R. 5 W. (tremolitic)
r, pp 472–473; Mon xrx, pp 480–481
(See, also, Marble.)
Dolomite formation of Michigan, Sturgeon River tongue
In, pp 149–150; Mon xxxvi, pp 479–482
Dolomite-limestone, analysis of, from Colorado, Park CountyBull 168, p 272  Dolomite-marble, analyses of, from Maryland, CockeysvilleBull 60,
p 159; Bull 148, p 255; Bull 168, p 253
analysis of, from New York, Westchester CountyBull 148, p 255; Bull 168, p 253
Dolomitic rock, analyses of, from Colorado, Aspen Mountain and Glenwood
Springs
Dolomitic sediments, discussion of
Dolomization in Colorado, Aspen district
Dolores formation of Colorado
п, pp 28, 67–73; GF 57, pp 2–3, 13; GF 60, pp 2–3
Dolores Plateau, Colorado, descriptive geology of
Dolores River, Colorado, flow of, measurements of
Ann 19, iv, pp 407–409; Ann 20, iv, pp 58, 392–395; Ann
21, iv, pp 282-283; Bull 140, pp 191-193; WS 11, p 68;
WS 16, p 143; WS 28, pp 138, 142, 144; WS 38, pp 305-306

Dolores River, Colorado, profile of
Dome structure, relation of faults and of intrusive rocks to, in Colorado, Rico
Mountains
Domes in Black Hills, physiographic form of erodedAnn 21, 111, pp 267-279
in Montana, Fort Benton quadrangleGF 55, p 4
Donacidæ from Colorado formation
Donacinidæ from lower marls of New Jersey
Donaldsonville quadrangle, Louisiana, river flood plains in
Donner Lake reservoir and canal line, Nevada, engineering plans and estimates
forAnn 11, 11, pp 173–174, 182; Ann 13, 111, pp 389–391
Dotson sandstone of Virginia and West Virginia
Double Mountain formation of Texas
Douglas (E. M.), work in charge of, 1894–1900
123, 124; Ann 16, 1, pp 65–66; Ann 17, 1, pp 103–104; Ann
18, I, pp 106–107, 143; Ann 19, I, pp 103–105, 281–383; Ann
20, r, pp 116–117, 119–121; Ann 21, r, pp 113, 151, 483, 486
Douglas (E. M.) and others; triangulation and spirit leveling data Ann 18, 1, pp
131-422; Ann 19, I, pp 145-408; Ann 20,
ı, pp 211–530; Ann 21, ı, pp 205–582
Douglas (J.), jr., cupola smelting of copper in ArizonaMR 1883-84, pp 397-410
metallurgy of copper
Downieville quadrangle, California, geology of
Drainage; divides, migration of, law of
glacial modification of, especially in ConnecticutAnn 18, 11, pp 179–184
in Appalachian provinceGF 4, p 1; GF 8, p 1; GF 10, p 1; GF 12, p 1; GF
14, p 1; GF 16, p 1; GF 19, p 1; GF 20, p 1; GF 21, p 1; GF
22, p 1; GF 25, p 1; GF 26, p 1; GF 27, p 1; GF 28, p 1; GF 32,
p1; GF 33, p1; GF 34, p1; GF 35, p1; GF 40, p1; GF 44, p1
in Arizona-Utah, Paria Plateau
in California, Smartsville quadrangleGF 18, p 3
in Colorado, Green River Basin, in relation to mountain structureAnn 9,
рр 703–712
in Connecticut, in relation to fault planes
in Great Basin, Pleistocene
in Ingiana, southwest, changes of, due to ice invasionMon xxxvIII, pp 97-104
in Kentucky, Estillville quadrangle
in Tennessee, Estillville quadrangle
in Texas region
in Virginia, Estillville quadrangle
in Washington, changes in, due to glaciation
influence of drift on, in region of Illinois glacial lobe. Mon xxxvIII, pp 460-541
rivers, origin and persistence of
stream basins in southern Appalachians, types of
(See, also, Degradation; Hydrography; Irrigation; Physiography.)
Drainage and topography, effect of drift upon, in IllinoisAnn 17, 11, pp 706–711
Drainage and topography, elect of title upon, in Titlinois
of Arkansas River
of Delaware River and tributaries in New York
of Grand River, Colorado
of Hudson River and tributaries
of Laramie River
of Loup River
of Potomac River
of St. Lawrence River, tributaries of
of Susquehanna River in New York
or susquarining rector in from formation formation for the first first first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first formation for the first f

Drainage areas in Kansas BasinBull 140, p 125
in Platte BasinBull 140, pp 95, 103, 114
Drainage basins, classification ofAnn 7, pp 558-562; Ann 12, II, pp 232-234
of western United States
Drainage districts of arid regions of United States, map showing. Ann 11, 11, ppx-xi
Drainage features of driftless area
Drainage lines in Triassic of Connecticut, development of Ann 18, 11, pp 154–157, 184
Drainage system of district about head of Chesapeake Bay. Ann 7, pp 550-551, 553-558
of Grand Canyon district, origin of
138-140; Mon II, pp 72-74, 187-188, 192-198, 218-220
Drainage systems of Indiana and Ohio
Drift, effect of, on topography and drainage in IllinoisAnn 17, 11, pp 706–711
in California, Downieville quadrangle
in Illinois, average thickness of
Danville quadrangle
in Indiana, Danville quadrangleGF 67, p 1
southeasternWS 26, p 56
in IowaBull 158, pp 85–91
in Lake Agassiz, region of
in Massachusetts, Cape Ann
western
in Montana, Fort Benton quadrangle
Little Belt Mountains quadrangleGF 56, p 3
in Nebraska
in Ohio, thickness of
in South Dakota, southeasternBull 158, pp 42–127
in United States, northeastern, map of
in Washington, Tacoma quadrangle
influence of, on drainage in region of Illinois glacial lobeMon xxxvIII,
pp 460–541
wells in, in Illinois
(See, also, Glacial; Pleistocene.)
Drift agencies, transportation and the, especially in MaineMon xxxiv, pp 10-22
Drift fragments, shapes of
Drift sheet, Illinoian, and its relations
Iowan, and associated deposits
Drift sheets in northeastern Iowa and in IndianaAnn 11, 1, pp 472-542, 639-641
Wisconsin, early and late
Driftless area of upper Mississippi ValleyAnn 6, pp 199–322
Drumlins, cause and localities of
formation of, theories of
in Connecticut, Holyoke quadrangle
in Maine
in Maine
in Massachusetts, Holyoke quadrangle
western
Dry Creek shale of Montana, description and sections of
. 328, 330, 340, 364, 368; Bull 110, p 24; GF 55, p 2; GF 56, p 2
Dry farming in Western States, areas in which attemptedAnn 16, 11, pp 486–487
Dryosaurus, remarks on
Dryptosauridæ of North America
Dryptosaurus, remarks on
Duchesne River, Utah, flow of, measurements of
Duck Creek formation of Texas
Dudley (W. L.), iridium, statistics of
· · · · · · · · · · · · · · · · · · ·

Dudleyite, chemical constitution of       Bull 125, p 51         Duluth group of Minnesota       Mon v, pp 275–279         Dumortierite, analyses of, from Arizona, Yuma County       Bull 60, p 134; Bull 64, p 134         chemical composition of       Bull 125, pp 20, 63, 102         from New York and Arizona       Bull 60, pp 133–135; Bull 64, pp 31–33         occurrence and statistics of       MR 1888, p. 582; MR 1889–90,         p 448; MR 1891, p 540; MR 1892, p 781; MR 1893,
pp 682, 697–698; Ann 16, IV, pp 604, 605; Ann 17, III
cont, p 924; Ann 18, v cont, p 1217; Ann 19, vi cont,
p 513; Ann 20, vi cont, p 599; Ann 21, vi cont, p 461
Dune sand, description of, as one of the educational seriesBull 150, pp 61-63
in Colorado, eastern
Dunes, formation of
in area of glacial Lake Agassiz
in Bonneville Basin, composed of gypsum
in Great Basin
in Massachusetts, Cape Ann districtAnn 9, pp 574–575
western-central
in Nebraska
stratification, etc., of
Dunes and drifting sand
Dundee limestone (upper Helderberg) of Michigan
Dungeness River, Washington, flow of, measurements of
IV, pp 63, 518-519; Ann 21, IV, pp 438-439; WS
16, p 182; WS 28, pp 174, 176; WS 38, pp 383–384
Dunite, analysis of, from North Carolina, Corundum Hill
pp 55, 56; Bull 148, p 91; Bull 168, p 54
Dunite-gneiss contacts of Corundum Hill, North Carolina, in relation to origin
of corundum
Duplin beds of North Carolina, correlation of
Durbachite, analysis of, from Germany, Schwarzwald
Duryee (E.), cement, tests, costs, etc., of
pp 712–713, 715–716
Dust, volcanic. See Volcanic dust.
Dutton (C. E.), Charleston earthquake Ann 9, pp 203-528
Hawaiian volcanoes. Ann 4, pp 75–219
Mount Taylor and Zuñi Plateau
quoted on contractional theory of folding
report on hydrographic and engineering branches of irrigation survey
during 1888–89
Tertiary history of Grand Canyon district
work in charge of, 1879–1888
Ann 2, pp 5–10; Ann 4, pp 22–23; Ann 5, pp 42–43, Ann 6, pp
59-62; Ann 7, pp 97-103; Ann 8, 1, pp 156-165; Ann 9, pp 96-98
Duty of water in irrigation
in southern California and elsewhere
Dyad metals, chemical constitution of orthosilicates of
Dynamic action, new rock structures produced byBull 62, pp 206–208
Dynamic geology of Black Hills
of Montana, Judith Mountains
Little Belt Mountains
(See Degradation; Deposition; Diastrophism; Metamorphism; Volcanism.)
Dynamic metamorphism in eruptive rocksBull 62

Dynamic movements in Colorado, Leadville district Ann 2, pp 211–214, 277
in Rocky Mountain region
Dynamic significance of stratigraphyAnn 21, 111, pp 177–178
Eagle City, Alaska, reconnaissance from Pyramid Harbor toAnn 21, 11, pp 331-391
Eagle Oily, Alaska, recomaissance from Lytainid Harbor 10.1. Ann 21, 11, pp 351-351
Eagle formation of Montana
Eagle Ford formation of Texas
323–328; Bull 82, pp 116, 118, 122, 123, 127,
130, 211, 223; Bull 164, pp 18–19; GF 64, p 2
Eagle Pass beds of Texas
116, 117, 126, 127, 130, 138, 223; Bull 164, pp 21–28, 33–34, 35
Eagle Pass and Eocene coal fields of Texas, Middle Rio GrandeBull 164, pp 13–72
Eagle quadrangle, Wisconsin, glacial phenomena in
Eakins (L. G.), kaolin from the Waterfall mine, ColoradoBull 60, p 136
new analyses of astrophyllite and tscheffkiniteBull 90, pp 41–44
seven new meteoritesBull 78, pp 91–97
triplite from the Black Hills, DakotaBull 60, pp 135–136
two new meteorites, description and analyses ofBull 90, pp 45-46
two sulphantimonites from ColoradoBull 60, pp 115–117
two surprismission contracts.
xanthitane from North CarolinaBull 60, p 135
Earth, crust of, composition of, elementaryBull 78, pp 35–42
crust of, deformation of, by ice sheet
nature and physics of
relationship of, to interior
rigidity of, considerations concerning, derived from study of Lake Bonne-
ville
Earth, white, analysis of, from Alabama, Talladega
Earths, residuary, character and constitution of
Earthquake, Charleston, of August 31, 1886
Earthquake studies
Earthquake waves, nature and mechanism of
Earthquakes in California during 1889–1898
Bull 114; Bull 129; Bull 147; Bull 155; Bull 161
instruments for measuringBull 155, pp 9–17
methods of recording
methods of recording
Earthquakes and fault scarps
Earthworks, aboriginal, in region of glacial Lake AgassizMon xxv, pp 643-645
Earthworms, action of, in producing soils
East Canada Creek, New York, flow of, measurements of
East Indies, petroleum production of
tin production of
p 377; MR 1888, p 215; MR 1889-90, p 121; MR 1891,
pp 164, 165; MR 1892, p 258; MR 1893, p 182; Ann
16, 111, pp 458, 459, 467–473; Ann 17, 111, pp 227–242
Eastern Choctaw coal field, Indian Territory, geology of
Eastern granite of Michigan-Wisconsin, Penokee district
Eastern green schist of Michigan-Wisconsin, Penokee districtMon x1x, pp 116-122
Eastern sandstone of Lake Superior region
Mon v, pp 351-365; Mon xix, pp 461-463
of Lake Superior region, junction between Keweenaw series andBull 23
origin of nameBull 81, p 252
reference to literature ofBull 81, pp 197, 198, 199
Ebenaceæ from Alaska
from Amboy clays
from Dakota group
from Laramie groupBull 37, pp 104–106

Ebenaceæ from Yellowstone Park
Echinidæ of United States, Mesozoic
Echinoconidæ of United States, MesozoicBull 97, pp 58–59
Echinodermata from Cambrian, lower
from Cambrian, middle, of North America
from Colorado formationBull 106, p 52
from Devonian, higher, of Ontario County, New YorkBull 16, pp 25, 63
from Mesozoic of United States
from Olenellus zone
from Paleozoic strata of Nevada, Eureka district
pp 212–213; Mon xx, pp 324, 331
from Yellowstone Park
Echinoidea from Colorado formationBull 106, p 52
from Yellowstone Park
of United States, Mesozoic
Eckart (W. R.), notes on mechanical appliances used in mining and milling
on Comstock lode
Economic geology. (See the various substances—Coal; Copper; Iron ore, etc.)
Ecphora bed of Florida
Ecuador, petroleum localities and statistics of MR 1893,
p 532; Ann 18, v cont, p 892; Ann 21, vi cont, p 184
platinum from, character of
Edingtonite, chemical constitution of
Educational series of rock specimens, bulletin descriptive of
completion and distribution of
Edwards limestone of Texas Ann 18, 11, pp 227–235; Ann 21, v11, pp 214–216,
227–240; Bull 164, p 16; GF 42, p 2; GF 64, p 1
wells from, in Uvalde quadrangle
Edwards Plateau, Texas, geographic features of
Edwardsite, analysis of, from Connecticut, Norwich
Eel River, Indiana, profile of
Efflorescence, analysis of, from Colorado, Cliff Creek (on sandstone)Bull 60, p 170
Efflorescences, saline, of Lahontan Basin
Effusive rocks of Alaska
of Alaska, Yukon gold district
of Montana, Little Belt Mountains
of Sierra Nevada Ann 14, 11, pp 484–493
Egypt, building stone from, at World's Columbian Exposition. MR 1893, pp 576–577
fossil plants of, literature of
iron-ore deposits in
petroleum fields and statistics ofMR 1886, pp 478–480; Ann 21, vi cont, p 289
El Late Mountains, Colorado, structure and rocks of
El Paso reservoir, surveys and plans for
Elæolite, analysis of, from Maine, Litchfield
Bull 148, p 66; Bull 168, p 21
analysis of, from New Hampshire, MoultonboroBull 148, p 67; Bull 168, p 23
chemical constitution of
occurrence of
Elæolite-syenite, analysis of, from Maine, LitchfieldBull 148, p 65; Bull 168, p 21
analysis of, from Montana, Crazy Mountains
Bull 148, p 145; Bull 168, p 123
from New Hampshire, MoultonboroBull 148, p 67; Bull 168, p 23
from New Jersey, BeemersvilleBull 148, p 80; Bull 168, p 39
association of basic dikes with
(See Nephelite-syenite.)

Elasmobranchii from Devonian and Carboniferous rocks of North AmericaMon		
xvi, pp 37-41, 195-210		
from Eocene of middle Atlantic slope		
Elba, iron ores from, analyses of		
Eldridge (G. H.), Alaskan coast from Lynn Canal to Prince William Sound. Alaska		
(2), pp 103–104		
extreme southeastern coast of Alaska		
geologic reconnaissance across Idaho		
geologic reconnaissance in northwest WyomingBull 119		
reconnaissance in Sushitna Basin and adjacent territory, Alaska, in 1898. Ann 20,		
VII, pp 1–29		
sedimentary formations of Anthracite and Crested Butte quadrangles,		
Colorado		
Sushitna drainage area		
uintaite (gilsonite) deposits of Utah		
work in charge of, 1890–1900		
pp 117-118; Ann 14, 1, p 250; Ann 15, pp 158-160; Ann 16, 1,		
pp 23, 29; Ann 17, 1, pp 29–39; Ann 18, 1, pp 32–33; Ann 19,		
1, pp 37, 47, 53, 116, 117; Ann 20, 1, p 41; Ann 21, 1, p 102		
Eldridge (G. H.) and Muldrow (R.), report of Sushitna expedition (1898),		
Alaska (2), pp 15–27		
Eldridge (G. H.), Emmons (S. F.), and Cross (W.), geology of Denver		
Basin, Colorado		
Electric activity of ore bodiesAnn 2, pp 320–324; Mon III, pp 309–367, 400–404		
Electric conductivity of mercury, effect of pressure on		
Electric conductivity and resistance, measurement of		
Electric conductivity and temperature, relation betweenBull 14, pp 15–27		
Electric observation and assays of Eureka ore deposits		
Electric Peak, Yellowstone Park, descriptive geology and intrusive rocks of		
Mon xxx11, 11, pp 50-55, 92-121, 138-148		
Electric Peak and Sepulchre Mountain, Yellowstone Park, eruptive rocks of		
Ann 12, 1, pp 569-664		
Electric pyrometers, calibration of		
Electric resistance and density, relation between, when varying with temper		
of steel		
Electric resistance, strain, temper, and viscosity		
Electric and magnetic properties of iron carburetsBull 14		
Electro-thermal measurement of high temperaturesAnn 4, pp 53–59; Bull 54		
Electrolysis in metallurgy of copper, lead, zinc, etcMR 1882, pp 627–658		
of their silver salts, indirect estimation of chlorine, bromine, and iodine by,		
with experiments on convertibility of silver salts by action		
of alkaline haloids		
Elements, chemical, relative abundance of		
Elevation of Bonneville Basin, surface of, by expansion due to change of cli-		
mate		
of California, northern Sierras		
of Piedmont region		
of each State and Territory, mean		
of Kansas		
of Mount Desert Island during and after Glacial periodAnn 8, 11, pp 1009-1034		
of United States, average		
(See; also, Altitudes; Height; Diastrophism.)		
Elevation and subsidence inferred from Cenozoic and Mesozoic rocks of Ala-		
hama Bull 43, nn 136–138		

Elevation and subsidence of Cape Ann district, evidences of recentAnn 9,
pp 567–574
of Dismal Swamp district
Elevations along forty-ninth parallel
in Dominion of CanadaBull 6
in Iowa, Nebraska, and South DakotaBull 158, pp 154–167
in North Dakota and South DakotaBull 144, pp 61–69
• in South Dakota, southeastern Red Lake region, along Big Sioux River,
etcBull 158, pp 38–39, 48–49, 59, 91–92, 108
in United States, dictionaries of
lists of. (See under names of States.)
Elizabeth or Gosnold Islands, glacial clays of
Elk Garden coal field, West Virginia, extent, production, etc. Ann 14, 11, pp 579-582
Elk Mountains, Colorado, Archean and Algonkian rocks of
geology, mineral resources, etc., ofAnn 14, 11, pp 177–203; GF 9, pp 1–3
Elkgarden formation of West Virginia and Maryland
Elkhorn River, Nebraska, flow of, measurements of
18, IV, pp 190–192, 193; Ann 19, IV, pp 334–335; Ann 20,
iv, pp 55, 296–297, 299; Ann 21, iv, pp 217–219; WS
15, pp 99-100; WS 27, pp 85, 88; WS 37, pp 243-245
Ellensburg quadrangle, Washington, forest conditions in Ann 21, v, pp 580-581
Ellensburg sandstone of Washington, northern
Ellis formation of Montana
of Yellowstone Park Mon xxxII, II, pp 37, 38, 48, 49, 51, 54, 156; GF 30, p 5
Elmoro quadrangle, Colorado, geology of
Elpasolite from Colorado, El Paso County, description and analysis of Bull 20, p 57
Elpidite, chemical constitution of
Elwha River, Washington, flow of, measurements of
1v, pp 63, 519-521; Ann 21, 1v, pp 439-441; WS
16, p 183; WS 28, pp 174, 176; WS 38, pp 384–385 Embankments and terraces, formation ofAnn 2, pp 171–172; Ann 3, pp 206–208;
Mon I, pp 36, 46–58, 78–86; Mon XI, pp 88–89 Embudo gaging station, New Mexico, measurements at, results of
pp 257–258
Emerald, occurrence and statistics of
· • ·
MR 1883-84, pp 738-740, 781; MR 1885, pp 437-438, 443;
MR 1886, p 604; MR 1887, pp 556, 557; MR 1888, pp 584, 585; MR 1889–90, pp 446, 447, 448; MR 1891, pp 539, 544;
MR 1892, pp 765–766, 781; MR 1893, pp 681, 682, 696–697;
Ann 16, IV, pp 600, 604, 605; Ann 17, III cont, p 923;
Ann 18, v cont, pp 1203, 1217; Ann 19, vi cont, p 513; Ann
20, vi cont, pp 576–577, 599; Ann 21, vi cont, pp 449–450, 461
Emeralds in North Carolina, discovery of
(See, also, Precious stones.)
Emerson (B. K.), geology of eastern Berkshire County, MassachusettsBull 159
geology of Holyoke quadrangle, Massachusetts-Connecticut
geology of old Hampshire County, Massachusetts, comprising Franklin,
Hampshire, and Hampden countiesMon xxix
mineralogic lexicon of Franklin, Hampshire, and Hampden counties,
Massachusetts
work in charge of, 1892–1900
Ann 16, I, pp 15–16; Ann 17, I, pp 18–19; Ann 18, I, p 23;
Ann 19, 1, pp 31–32; Ann 20, 1, p 33; Ann 21, 1, pp 68–69
Emery, analysis of, from Massachusetts

Emery and corundum, statistics ofMR 1882, pp 476–477; MR 1883–84, pp 714 720; MR 1885, pp 429–432; MR 1886, pp 585–586; MR 188 pp 553–554; MR 1888, pp 577–578; MR 1889–90, p 457; M 1891, pp 555–556; MR 1892, pp 751–752; MR 1893, pp 676 678; Ann 16, iv, pp 590–592; Ann 17, iii cont, pp 933–93 Ann 18, v cont, pp 1227–1229; Ann 19, vi cont, pp 523–52 Ann 20, vi cont, pp 605–607; Ann 21, vi cont, pp 463, 466–46	7, R 4– 5;
Emery bed and mine in Chester, Massachusetts, history, description, etcMon xxxx pp 117-14	х,
Emmons (E.), flora from the Mesozoic of North Carolina, reprint of descriptions of, by	23
fossil plants collected by, from the Older Mesozoic rocks of North Carolina,	
notes on	15
Emmons (S. F.), Aspen mining district, Colorado, development, production,	
etc., of	
compilation of data on Alaska	
geologic sketch of Buffalo Peaks, Colorado	1.7
geology of Elk Mountains, Colorado	-3
geology of Tenmile district, Colorado	
geology and mining industry of Leadville, Colorado	
mines of Custer County, Colorado	as 79
Oquirrh Mountains, Utah, geology and economic resources of	
и, рр 349-3	
progress of precious metal industry in United States from 1880 to 1892M	
1892, pp 46-	
quoted on glaciers of Mount RainierAnn 5, pp 335-3	
report of Tenth Census work	
work in charge of, 1879–1900	
Ann 3, pp 22-24; Ann 4, pp 34-39; Ann 5, pp 43-47; Ar	
6, pp 62-67; Ann 7, pp 91-93; Ann 8, 1, pp 144-146; Ann	
pp 87–91; Ann 10, 1, pp 137–140; Ann 11, 1, pp 87–89; År	
12, 1, pp 96–99; Ann 13, 1, pp 128–130; Ann 14, 1, pp 245–24 Ann 16, 1, pp 29–31; Ann 17, 1, pp 39–43; Ann 18, 1, pp 37–3	
Ann 19, 1, pp 40–42; Ann 20, 1, pp 43–45; Ann 21, 1, pp 77–	
Emmons (S. F.) and Tower (G. W., jr.), economic geology of Butte district, Mon-	10
tana	-8
Emmons (S. F.), Cross (W.), and Eldridge (G. H.), geology of Denver Basin,	
Colorado	VII.
Emmons (S. F.), Smith (G. O.), and Tower (G. W., jr.), geology and mining industry of Tintic district, Utah	65
Emmons Glacier, Mount Rainier, present condition ofAnn 18, 11, pp 378, 396-3	
Empire beds of Oregon, Coos Bay region	19
Enargite, analysis of, from Montana, Butte Bull 167, p	
of Montana, Butte district	6
Engineering, American irrigation	
Engineering operations for irrigation purposes	
pp 37, 45–48, 78–108; Ann 11, п, pp 111–2	
Engineering results of Irrigation Survey organized in 1888 Ann 13, 111, pp 351-4	
Engines, hot-air, gasoline, and steam, use of, in irrigation	50
England. (See Great Britain.)	00
Englewood limestone of Black Hills	20 UU
Engraving and printing, division of, organized in Geof. SurveyAnn 12, 1, p	JO

Engraving and printing, report of work in
1, pp 28–31, 54, 166–180; Ann 14, 1, pp 36–38; Ann 15, 1, pp 90–92:
Ann 16, I, pp 83–84; Ann 17, I, pp 116–117; Ann 18, I, pp 125–127;
Ann 19, 1, pp 137–139; Ann 20, 1, pp 155–157; Ann 21, 1, pp 175–184
Enlargements of mineral fragments in certain detrital rocks of Northwestern
States
of mineral fragments in certain rocks, secondary
Enstatite, analysis of, from California, San Bernardino County (meteoric)Bull 148,
p 241; Bull 168, p 238 analysis of, from Massachusetts, Granville
analysis of, from Massachusetts, Granville
p 757; Bull 148, p 72; Bull 168, p 28
from New York, Tilly Foster iron mine
from North Carolina, Macon CountyBull 42, p 54; Bull 74, p 43
chemical constitution of Bull 125, p 86
in diabase from ColoradoBull 1, p 35
occurrence of
from Granville, Massachusetts, thin section of (crystal altered to serpen-
tine)
Enstatite-diabase-porphyry, analysis of, from Colorado, Denver BasinBull 148,
p 159; Bull 168, p 141
Enstatite-serpentines of Massachusetts, westernMon xxix, pp 90–92, 101–114
Eocene, bibliography of works relating to Bull 83, pp 148–159
first application of term to American deposits
origin and etymology of termBull 84, p 325
Eocene fossils; Bridger groupBull 34, pp 11–12
butterflies from Colorado, Fiorissant
Cephalopoda from marls of New Jersey
Claibornian stage, coral faunas of
coral faunas of United States, with descriptions of a few doubtfully Creta-
ceous species
Dinocerata
fauna of Great Basin, relations of, to Laramie Bull 34
Gasteropoda from marl beds of New Jersey
Green River groupBull 34, pp 11–12
Lamellibranchiata from marls of New JerseyMon 1x, pp 222-242
Laramie Molluscan fauna, relation of, to that of succeeding fresh-water
Eocene and other groupsBull 34
Mollusca of North America, nonmarine
of western North America, marine, fresh-water Miocene, and otherBull 18
Molluscan fauna of Puget group
of Louisiana. Bull 142, pp 14–24
Ostreidæ of North America
Puerco groupBull 34, pp 11–12
Senonian and Laramie plants, table of distribution of, and discussion
thereof
Tejon (lower) species, descriptions of some
Wasatch group
Eocene history of Colorado, Pueblo quadrangle
of Sierra NevadaGF 3, p 1; GF 5, p 1; GF 11, p 1; GF 18, p 1; GF 31,
p 1; GF 37, p 1; GF 39, p 1; GF 41, p 1; GF 43, p 1; GF 51, p 1
Eocene horizons, correlation ofAnn 18, 11, pp 330–332, 340–348
Eocene island of FloridaBull 84, pp 181–182
Eocene period, features of
Eocene rocks; Altamaha grits of Georgia, correlation of

Eocene rocks; Amyzon beds of Nevada, correlation of Bull 83, pp 125, 141, 145, 146 Aquitanian formation of Europe, correlation of
Arago beds of Oregon, description, correlation, etc., of
1, pp 458–462; Ann 18, 11, p 343; Ann 19, 111, pp 319–320
Arapahoe beds of ColoradoBull 83, pp 135-136, 145, 146; Bull 84, p 320
Arkadelphia shales of Arkansas
Ashley and Cooper beds of South CarolinaBull 83, pp 51, 53-54; Bull 84, p 321
Astoria shales of Oregon, correlation of
Astringent clay of New Jersey
Atane or Atanekerdluk beds of Greenland, correlation of Ann 18, 11, p 346
Aturia bed of Oregon
Bartonian beds of England, correlation of
Basal clays of Wills Point, TexasBull 84, p 321
Bashi series of Alabama, correlation of Ann 18, 11, pp 345-346; Bull 84, pp 321, 338
Bear River beds of interior region
Bells Landing series of AlabamaBull 84, p 321
(See Tuscahoma series.)
Bitter Creek series of WyomingBull 83, pp 117, 118, 121; Bull 84, p 322
Black Bluff series of AlabamaBull 84, p 322
(See Sucarnochee series.)
Blue marl of New Jersey
boundaries of Bull 84, pp 20–21
Bowden beds of Jamaica, correlation of
Brandon formation of Vermont, Pennsylvania, and GeorgiaBull 83, pp 90-94
Bridger group of Wyoming, correlation of
Bull 83, pp 117, 120, 125, 141–142, 144, 145, 146; Bull 84, p 322
Browns Park group of Utah
Brule clay of Nebraska
Buff sand of Alabama Bull 84, p 322
Buhrstone (or Burrstone) formation of Southern States
bunrstone (or burrstone) formation of Southern States
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322
pp 51–52, 61–62, 68, 87–88; Bull 84, p 322 (See, also, Tallahatta formation. )
$\begin{array}{c} & \text{pp 51-52, 61-62, 68, 87-88; Bull 84, p 322} \\ \text{(See, also, Tallahatta formation.)} \\ \text{Calamite beds of Oregon} \\ & \text{Bull 84, p 323} \end{array}$
pp 51–52, 61–62, 68, 87–88; Bull 84, p 322 (See, also, Tallahatta formation. )
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322 (See, also, Tallahatta formation.)  Calamite beds of Oregon
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322 (See, also, Tallahatta formation.)  Calamite beds of Oregon
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322 (See, also, Tallahatta formation.)  Calamite beds of Oregon
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322 (See, also, Tallahatta formation.)  Calamite beds of Oregon
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322 (See, also, Tallahatta formation.)  Calamite beds of Oregon Bull 84, p 323 Calcaire ostrée of Southern Atlantic States Bull 84, p 323 Camden series of Arkansas Bull 83, pp 74-75; Bull 84, p 323 Cernaysian formation of France, correlation of Ann 18, 11, p 348 Chadron formation of Nebraska Ann 19, 1v, pp 736, 759 Chattahoochee beds of Florida, correlation of Ann 18, 11, p 340
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322 (See, also, Tallahatta formation.)  Calamite beds of Oregon Bull 84, p 323 Calcaire ostrée of Southern Atlantic States Bull 84, p 323 Camden series of Arkansas Bull 83, pp 74-75; Bull 84, p 323 Cernaysian formation of France, correlation of Ann 18, 11, p 348 Chadron formation of Nebraska Ann 19, 1v, pp 736, 759 Chattahoochee beds of Florida, correlation of Ann 18, 11, p 340 Chickasawan formation of the South, correlation of Ann 18, 11, pp 344-345
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322 (See, also, Tallahatta formation.)  Calamite beds of Oregon Bull 84, p 323 Calcaire ostrée of Southern Atlantic States Bull 84, p 323 Camden series of Arkansas Bull 83, pp 74-75; Bull 84, p 323 Cernaysian formation of France, correlation of Ann 18, 11, p 348 Chadron formation of Nebraska Ann 19, 1v, pp 736, 759 Chattahoochee beds of Florida, correlation of Ann 18, 11, p 340 Chickasawan formation of the South, correlation of Ann 18, 11, pp 344-345 Chico-Shasta group. (See Chico-Tejon series.)
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322 (See, also, Tallahatta formation.)  Calamite beds of Oregon
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322 (See, also, Tallahatta formation.)  Calamite beds of Oregon
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322 (See, also, Tallahatta formation.)  Calamite beds of Oregon
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322 (See, also, Tallahatta formation.)  Calamite beds of Oregon
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322 (See, also, Tallahatta formation.)  Calamite beds of Oregon
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322 (See, also, Tallahatta formation.)  Calamite beds of Oregon
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322 (See, also, Tallahatta formation.)  Calamite beds of Oregon
pp 51-52, 61-62, 68, 87-88; Bull 84, p 322 (See, also, Tallahatta formation.)  Calamite beds of Oregon
(See, also, Tallahatta formation.)  Calamite beds of Oregon
(See, also, Tallahatta formation.)  Calamite beds of Oregon
(See, also, Tallahatta formation.)  Calamite beds of Oregon
(See, also, Tallahatta formation.)  Calamite beds of Oregon
(See, also, Tallahatta formation.)  Calamite beds of Oregon
(See, also, Tallahatta formation.)  Calamite beds of Oregon
(See, also, Tallahatta formation.)  Calamite beds of Oregon
(See, also, Tallahatta formation.)  Calamite beds of Oregon

Eo	cene rocks; Coaledo formation of Oregon, Coos Bay regionAnn 19, 111, pp 320-321
	contact of Miocene rocks with
	Cooper and Ashley beds of South CarolinaBull 83, pp 51, 53–54, Bull 84, p 321
	Cooper River marls of South Carolina, correlation of
	Coral limestone of AlabamaBull 84, p 324
	correlation of
	Coryphodon beds
	Cuchara beds of Colorado Bull 84, p 324
	Danian formation of Europe, correlation of
	Denver group, correlation of Ann 18,
	п, р 348; Bull 83, pp 136–137, 145, 146; Bull 84, р 324
	Dinoceras beds
	Diplacodon beds Bull 84, p 324
	Eo-Lignitic Bull 84, p 325
	Flatwoods clay of Mississippi Bull 84, p 325
	Flatwoods group of Tennessee Bull 84, p 333
	Floridite phosphatic rock Bull 84, p 325
	Florissant lake beds of Colorado Bull 83, p 125
	Fort Union group, plants from
	of western interior region, correlation of
	п, р 348; Bull 83, pp 113, 114, 116, 120, 135; Bull 84, р 325
	Gatun beds of Colombia, correlation of
	Gay Head series of Marthas Vineyard
	Grand Gulf group of the South
	Great Carolinian marl bed Bull 84, p 326
	Great Lignitic group of North DakotaBull 84, p. 325
	(See, also, Fort Union group.)
	Green marl, upper, of New Jersey, correlation of
	Green River group, plants from
	of Wyoming, correlation of
	115, 116, 117, 119, 120, 125, 140, 144, 145, 146; Bull 84, p 326
	Green sand of Alabama
	Greggs Landing series of Alabama, correlation of
	Guallava sandstone of Costa Rica, correlation of
	Hatchetigbee series of Alabama, correlation of Ann 18, 11, p 345; Bull 84, p 326
	Hawthorne beds of Florida, correlation of
	Hickman group of KentuckyBull 83, pp 71–72; Bull 84, p 327
	Huerfano beds of Colorado Bull 83, pp 142–143, 145, 146; Bull 84, p 327
	Intermediate series of Colorado
	Jackson group of Louisiana and MississippiBull 83, pp 68, 76; Bull 84, p 327
	John Day beds of Oregon, correlation of
	John Day system of Washington, southeastern
	Judith River deposits of Montana
	113, 114, 115, 116, 120, 122, 126
	Kenai formation of A'aska
	pp 184–196, 258; Ann 20, vii, pp 16–17; Alaska (2), p 20
	Kenai group of the Northwest coast, correlation of
	Kenai series of Alaska
	Kittitas system of Washington, southeasternWS 4, p 40
•	La Grange group of KentuckyBull 83, p 71
	lake beds of Colorado, Pikes Peak quadrangleGF 7, pp 2, 4, 7
	Laramie group of strata, partly Cretaceous, partly Eocene Bull 82,
	pp 127, 148; Bull 83, pp 132–134

Eocene rocks; Lignitic group of Southern StatesBull 83, pp 57-61, 67-68, 72, 13	12,
113, 114, 117, 118, 120, 126, 144; Bull 84, p 3	
Ligurian formation of Europe, correlation of	
Lisbon beds of Alabama, correlation of	344
Mansfield group of LouisianaBull 83, p 76; Bull 84, p 3	329
Manti beds of Utah	329
Manzanilla beds of Trinidad, correlation of	344
Marks Mills beds of Arkansas, correlation of	
Martinez group of California, correlation of	
Martinez group of California and its fauna	
Matthews Landing series of AlabamaBull 84, p 3	:30
(See also Naheola series.)  Middle Park beds of Colorado	0=
Midway limestone of Alabama, correlation of	
Midway series of Alabama Bull 84, p 3	
Midway stage, correlation of	
Moodys Branch beds of Mississippi, correlation of	
Myrick formation of Texas	, 6
Naheola series of Alabama, correlation of Ann 18, 11, p 348; Bull 84, p 3	
Nanafalia series of Alabama, correlation ofAnn 18, 11, p 346; Bull 84, p 3	
Naparima beds of Trinidad, correlation of	
nomenclature of formations of	
Ocala limestone or group of Florida, correlation of	
Oakland limestone-lentil of Oregon	ν 5 OT
of Alabama	22
pp 57-66, 83, 87-88; Bull 84, pp 321, 322, 323, 324, 3	
of Alaska, correlation of	87
of America, correlation of Bull	
of any State. (See, also, formation names under this heading.)	-
of Atlantic slope, middleBull 141, pp 31-	-32
of ArkansasBull 83, pp 74–75, 83, 87; Bull 84, pp 320, 3	23
of CaliforniaAnn 6, pp 68–70, 73; Ann 17, 1, pp 1013–1036; Mo	
хит, pp 215-217, 237-238, 299-300, 461; Bull 15; Bull	
Lassen Peak district	22
of ColoradoAnn 9, pp 690-691; Bull 83, np 135-136, 145, 146; Bull 84, p 3	20
Pikes Peak quadrangleGF 7, pp 2, 4	
Walsenburg quadrangleGF 68, p	<b>2</b>
of DakotaBull	
of DelawareBull 82, p 43; Bull 1	
of District of Columbia, Washington quadrangleGF 70, p	<b>4</b>
of FloridaAnn 18, п, р 34	<del>1</del> 0;
Bull 83, pp 55–57, 82–83, 87–88; Bull 84, pp 101–1	.05
table of formationsBull 84, p 1	.57
of Georgia	94
of Grand Canyon district	
of Greenland	
of Idaho	
of interior region	
of Illinois	
of KentuckyBull 83, pp 71–73, 83, 87– of LouisianaBull 83, pp 75–76, 84, 87–88; Bull 142, pp 14–	00 04
or Louisiana	<b>4 1</b>

Eocene rocks of Louisiana; bibliography of paleontology of	Bull 142, pp 27–30
of MarylandBull 82, pp 43-4	
Washington quadrangle	
of Massachusetts, Marthas Vineyard	Ann 7, pp 326–328
of Mississippi Bull 83, r	on 66-70, 83, 87-88
of Missouri Bull 8	
of Nebraska	
of New Jersey	
of North Carolina	
of Oregon	
рр 340–343; Апп 19, 11, рр 319–320; В	
Roseburg quadrangle	
of Pacific coast	
of Pennsylvania	
of Philippine Islands	
of Plateau region	
of South CarolinaBull 83, pp 50–54, 81–82, 87; Bull 84, p 32	
phosphate deposits.	Bull 46
of States. (See, also, formation names under this heading.)	
of TennesseeBull 83, r	
of Texas	
Bull 45, pp 84–86; Bull 83, pp 76–79, 84,	
relation of Cretaceous to	
Rio Grande coal fields	
Uvalde quadrangle	
of United States, historical sketch of literature Bull 83, pp 17-3	37, 96–100, 112–131
list of names applied toB	Sull 84, pp 320–338
of Utah	Bull 84, p 322
Uinta Basin	Ann 17, 1, p 922
of Vermont	Bull 83, pp 90-93
of VirginiaMon xv, p 59; Bull 83, pp 46–48, 8	0-81, 86; Bull 141
Washington quadrangle	GF 70, p 4
of Washington, northernAnn	20, п, рр 123–127
of Wyoming	Ann 18, 11, p 343;
Bull 83, pp 117, 118, et al.; Bull 84, p. 322;	Bull 119, pp 25–27
of Yellowstone Park	
Oligocene, inapplicability of, in American nomenclature	
Oligocene history of Black Hills	21 rv pp 558-561
Oligocene horizons, correlation of	
Oligocene insects from Colorado and Utah	
Oligocene, Lower, and Eocene coral faunas of United States, wi	
tions of a few doubtfully Cretaceous species	
Oligocene rocks of Florida	
of Oregon, northwestern Ann	
Orbitoldes limestone of Alabama and FloridaBull 84, pp	
Orbitolite limestone of Southern States	
Oreodon beds of Nebraska.	buii 84, p 336
Ostrea sellæformis beds of Alabama, correlation ofAnn	
Pamunkey formation of Maryland and Virginia	
Bull 84, p 333; GF 13, p 3; GF 2	
Pinyon conglomerate of Wyoming and Yellowstone Park	
11, pp 184–188; GF 3	ou, p o; Gr oz, p 3

313

•
Eocene rocks; Poison Canyon formation of ColoradoBull 84, p 333; GF 68, p 2
Porters Creek group of TennesseeBull 83, p 71; Bull 84, p 333
Potosi rhyolite series of ColoradoGF 57, pp 5-6, 9, 14
Protoceras bed of South Dakota, correlation of
Puerco beds of New Mexico, correlation of
Bull 83, pp 119, 120, 122, 126, 127, 137–138, 145, 146
Puget group of Washington, character and age of
111, pp 400–404; GF 54, pp 2–3
correlation ofAnn 18, 11, p 347; Bull 83, pp 95, 107-110; Bull 84, p 33
Pulaski formation of Oregon, Coos Bay region
Red Bluff formation of Mississippi, correlation of Ann 18, 11, p 341; Bull 84, p 334
Roslyn sandstone of Washington, northernAnn 20, 11, pp 123–127
Sabine River beds of TexasBull 83, p 78
St. Stephens group of AlabamaBull 84, p 335
San Juan formation of ColoradoGF 57, pp 5, 8, 13
San Miguel formation of ColoradoAnn 18, 111, p 760; GF 57, pp 4, 8, 10, 13
correlation of
Santa Cruz formation of Patagonia, correlation of Ann 18, 11, p 342
Santee beds of South Carolina, correlation of
Bull 83, pp 51, 52-53; Bull 84, p 334
Shark River beds of New Jersey, correlation of
Shell Bluff group of Georgia, correlation of Ann 18, 11, pp 341, 342; Bull 84, p 334
Shiloh marl of New Jersey, correlation of
Sopchoppy limestone of FloridaBull 84, pp 119–122, 334
Sphinx conglomerate of Montana
Sucarnochee series of Alabama, correlation of
Suessonian formation of Europe, correlation of
Swauk sandstone of Washington, northern
Sweetwater group of Wyoming
Tallahatta or Orangeburg formation, correlation of
Tampa beds of Florida, correlation ofAnn 18, 11, p 340; Bull 84, pp 332, 335
Tejon group or formation of Pacific coast, localities and correlation ofAnn 14,
11, p 461; Ann 15, p 458; Ann 17, 1, p 659; Ann 18, 11,
pp 346–347; Mon XIII, pp 179, 299; Bull 83, pp 95,
98, 99, 100-106,108-110; Bull 84, p 335; GF 17, p 2;
GF31, p1; GF37, p1; GF41, p6; GF43, p1; GF51, p1
(See, also, Chico-Tejon and main entry Tejon.)
Timber-belt beds of Texas
Titanotherium bed of EuropeBull 84, p 336
Tongrian formation, correlation of
Tunnel Point beds of Oregon, correlation ofAnn 18, 11, p 340
Tuscahoma series of Alabama, correlation of
Bull 84, pp 321, 336
Tuscan formation of California
Tyee sandstone of OregonGF 49, p 3
Uinta group of Utah, correlation of
Bull 83, pp 143, 145, 146; Bull 84, p 336
Umpqua formation of Oregon
Unga conglomerate of Alaska
Vermilion Creek group of ColoradoBull 83, p 124; Bull 84, p 337
Vicksburg group of Mississippi and LouisianaBull 83,
pp 69-70, 76; Bull 84, pp 101-103, 337
Vicksburgian group, correlation of
Wasatch group of western United States, correlation of
п, p 345; Bull 83, pp 117, 125, 139, 144, 145, 146; Bull 84, pp 337, 338
, , , , , , , , , , , , , , , , , , ,

Eocene rocks; Washakie group of Wyoming, correlation of
п, р 343; Bull 83, pp 117, 118, 119
White Bluff marl of Arkansas, correlation of
White limestone of Southern StatesBull 83, pp 64-66; Bull 84, p 338
White River group of South Dakota, correlation of
II, p 341; Bull 84, p 338         Wilbur tuff-lentil of Oregon       GF 49, pp 2-3
Willow Cheels had at Colomba (name abandoned) Pull 04 n 220
Willow Creek beds of Colorado (name abandoned.)
Wills Point clays of TexasBull 83, p 78; Bull 84, p 321
Wilmington beds of North Carolina, correlation of
Wind River group of WyomingBull 83,
pp 113, 114, 120, 125, 140–141, 145, 146; Bull 84, p 338
(See Green River group.)
Woods Bluff series of AlabamaBull 84, pp 321, 338
(See Bashi series.)
Yentna beds of Alaska, southwestern, notes onAnn 20, vii, pp 172, 183, 187
Zeuglodon beds of Alabama, correlation of
The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
(See, also, Tertiary.)
Eocene and Upper Cretaceous rocks on Pacific coast, faunal relations ofAnn 17,
ı, pp 1005–1060
Eocene time, conditions in California and Oregon duringAnn 14, 11, pp 424–425
Eolian. (See Æolian.) Eo-Lignitic bedsBull 84, p 325
Eo-Lignitic bedsBull 84, p 325
Eparchean proposed as name for system of rocks between Archean and Paleo-
zoicAnn 7, pp 454–455; Bull 86, pp 148,461–462, 475, 493
Epeirogenic elevation, dependence of lake levels on
Epeirogenic movements, apparent dependence of, on glaciation. Mon xxv, pp 492–501
relationship of, to glaciation
Epeirogeny. (See Diastrophism.)
Epichiorite, analysis of
Epididymite, chemical constitution of
Epidiorite, analysis of, from California, San Francisco Peninsula (hornblende
facies)
from Michigan, Marquette regionBull 62, p 145
thin section of, from Michigan, Upper Quinnesec Falls Bull 62, pp 230-231
Epidote a product of mineralogic metamorphismBull 62, p 211
an alteration product of chlorite
of feldspar
Bull 28, pp 31-32; Bull 59, p 35; Bull 62, pp 108, 211
analysis of, from Austria, Untersulzbachthal
from Colorado, Gunnison CountyBull 113, p 112
from Maine, PhippsburgBull 167, p 70
from Maryland, Woodstock
from Massachusetts, Rowe
from North Carolina, Macon County
chemical constitution of
composition of Bull 150, p 43
formation of, circumstances favoring
not at the expense of feldspar
in Minnesota, southwestern, in gneisses of
in rocks of Pacific slope
occurrence and statistics of
Ann 17, 111 cont, p 924; Ann 18, v cont, p 1217; Ann 19, vi
cont, p 513; Ann 20, vi cont, p 599; Ann 21, vi cont, p 461

Epidote, thin section of crystals of, from Minnesota, Pigeon PointBull 109, p 74
thin section of gabbro-diorite showing, from Maryland, Mount Hope Bull 28,
pp 68-69
thin section of porphyritic diorite showing, from Nevada, Washoe dis-
trict
Epidote and chlorite, thin section of diorite-porphyry showing, from Nevada,
Ophir Ravine
Epidote-amphibolite, thin section of, from MassachusettsMon xxix, pp 306-307
Epidote-chlorite-schist, analysis of, from North CarolinaBull 168, p 53
Epidote-gneiss of Massachusetts, eastern Berkshire CountyBull 159, pp 24-27
Epidote-mica-gneiss from New Hampshire, Lebanon, description of, as one of
the educational seriesBull 150, pp 353–355
Epidote-schist of Sierra Nevada
Epidotic rock, analysis of, from Pennsylvania, Mount Alto furnace Bull 136, p 78
Epidotization a kind of mineralogic metamorphismBull 62, p 56
Epiphanite, analysis of
Epistilbite, analysis of
aspisurone, analysis of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the se
chemical composition of
Equilibrium of solids, chemical, in its relation to pressure and to temperatureBull
94, pp 109–135
Equisetaceæ from Alaska
from Cretaceous of Black Hills
from older Mesozoic of North Carolina
from Triassic of Pennsylvania
from Yellowstone Park
of North America, extinct
Equisetales from Missouri, Lower Coal Measures
Equiseteze from older Mesozoic of Virginia
from Potomac or younger Mesozoic
Equisetineæ from Carboniferous basins of southwestern MissouriBull 98, pp 17–43
Equus beds of the Great Basin, correlation of
Mon 1, pp 393-402; Bull 84, pp 283-285, 298-299, 317, 325
Ericaceæ from Alaska
from Amboy clays of New Jersey
from Dakota group
from Yellowstone Park
Erie Canal, decline of
history and description of
water power on
Erie, Lake, elevation of, mean monthly, at Buffalo
Erinite, analyses of, from Utah, Tintic mining district
иг, р 698; Bull 55, pp 40–41
Erodibility, relation of, to structure and forms of reliefAnn 19, 11, pp 18-19, 21
Erosion. (See Degradation.)
Erosional forms in the Hawaiian Islands
Eruptions in Nevada, Eureka district, age of
Emphons in Nevada, Edieka district, age of the Aparthy and Dull 64 is 40.
Eruptive rock, analysis of, from Arkansas, Hot Springs
analysis of, from California, Pit River, Great Bend of
from Colorado, various localities
from Kentucky, Crittenden CountyBull 90, pp 67–68
from Montana, Castle MountainBull 64, p 49
Madison County, Bear CreekBull 78, p 123
Madison County, Bear Creek Bull 78, p 123 from New Mexico, near Grants Bull 27, p 65
from New Mexico, near GrantsBull 27, p 65
Madison County, Bear Creek Bull 78, p 123 from New Mexico, near Grants Bull 27, p 65 San Mateo Mountains Bull 27, p 64 from Utah, Henry Mountains Bull 60, p 154

Eruptive rocks of Colorado, Mosquito RangeMon x11, pp 74-89, 292-313, 322-354
of Idaho
of Michigan-Wisconsin, Penokee series
of Sierra Nevada, western slopeBull 89
of Yellowstone Park
origin of, especially those of California
(See, also, Igneous rocks.)
Eruptive and sedimentary rocks of Minnesota, Pigeon Point, and their contact
phenomenaBull 109
Escondido beds of TexasBull 164, pp 26–28
Eskers of Illinois, northwestern
reticulatedMon xxxiv, pp 448–467
(See Glaciology, Kames, Osars.)
Eskimos and Indians of Alaska, southwestern, notes on Ann 20, vii, pp 71-76
Esmeralda formation of Nevada, character, distribution, age, and fossil con-
tents of
Española Valley, New Mexico, irrigation in
Essexite, analysis of, from Massachusetts, Salem Neck
analysis of, from Norway Bull 165, p 176
Essonite, occurrence and statistics of
Estillville quadrangle, Kentucky-Virginia-Tennessee, geology of
Estimation, colorimetric, of small amounts of chromium, with special refer-
ence to the analysis of rocks and oresBull 167, pp 37-43
Estimation, volumetric, of vanadium in presence of small amounts of chro-
mium, with special reference to the analysis of rocks and
ores
Ether, compressibility and thermal expansion ofBull 92, pp 28-30
Etowah River, Georgia, flow of, measurements of
IV, pp 94–96, 108–109; Ann 19, 1v, pp 242–243; Ann 20,
iv, pp 51, 189–190; Ann 21, iv, pp 144–145; WS 11, pp
25-27; WS 15, p 48; WS 27, pp 51, 57, 58; WS 36, pp 143–144
profile of
Ettingshausen (Constantin, Freiherr von) biographic sketch ofAnn 5, pp 380-381
Euchlorite, analyses of, from Massachusetts, ChesterBull 126, p 40
Euclase, chemical constitution of
occurrence of
Eucolite, chemical constitution of
Eucryptite, chemical constitution of
Eudialyte, chemical constitution of
Eudidymite, chemical constitution of
Eulimidæ from clays and marls of New Jersey
Eulytite, chemical constitution of
Euralite, analysis of
chemical constitution of
Eureka district, Nevada, description and history of
pp 32–35, 38; Ann 2, pp 21–34; Mon vii, pp 1–4
geology of
Ann 2, pp xvIII-xx; Ann 3, pp 237-290; Mon xx and atlas
mining geology of
paleontology of
silver-lead deposits ofMon vii
Eureka limestone of Utah
Eureka quartzite of NevadaAnn 3, pp 253, 262; Mon VII, p 8; Mon XIX, pp 54-57

Eureka series of NevadaBull 86, p 305
Europe, Cambrian rocks of, compared with those of AmericaBull 81, pp 373-377
continent of, during deposition of sediment now forming Olenellus zone. Ann 10,
ı, pp 562–564
fossil plants of, literature of
kaolins and fire clays of
Lower Cambrian of, literature of
quicksilver deposits of
(See, also, the various countries thereof.)
Eutaw group of Alabama and MississippiBull 82, pp 105, 106, 107, 114, 217, 219
Eutectic substances in relation to rock magmas
p 34; Ann 12, 11, p 235; WS 2, pp 83–84; WS 33, pp 32–33
in California, various localities
Bull 140, pp 325–326; WS 18, pp 74–78; WS 39, pp 430–431
in Colorado
in Illinois, Desplaines River, watershed of
in Kansas, at GoodlandBull 140, p 350
in MontanaAnn 11, 11, p 34
in Nebraska, near KearneyAnn 19, 1v, pp 336–337; Bull 140, p 349
in New MexicoAnn 11, 11, p 34
in New York, Genesee River, watershed of
Oatka Creek, drainage area of
in Ohio, Muskingum River, watershed ofWS 24, pp 55-56
in Texas Ann 11, 11, p 34; Ann 12, 11, p 235; Ann 14, 11, pp 154-155
in UtahAnn 11, 11, p 34;
Ann 12, 11, pp 235, 238; Ann 14, 11, pp 154–155; WS 7, pp 17–24
on Great Plains
Evaporation and seepage as related to irrigation construction. Ann 13, 111, pp 152-155
Everglades of FloridaBull 84, pp 99–101
Everglades limestone of FloridaBull 84, pp 154, 325
Everts, Mount, Yellowstone Park, intrusive sheets ofMon xxxII, II, pp 85-86
Evigtokite, analysis of, from GreenlandBull 20, p 61
Exchanges of geologic and geographic publications, etc., list of Ann 20, 1, pp 163-209
Expansion, thermal, of certain rocks, note on coefficients ofBull 78, pp 109-118
relations of, to compressibility
Experiments relative to constitution of pectolite, pyrophyllite, calamine, and
analciteBull 167, pp 13–25
with windmillsWS 20
Extrusive rocks of Montana, Castle Mountain, petrography ofBull 139, pp 118-131
Factory wastes in Massachusetts, experiments on purification ofWS 22, pp 27-35
Fagaceæ from Amboy clays of New Jersey
from Cretaceous of Black Hills
from Yellowstone ParkMon xxxII, II, pp 700-711
of North America, extinct
Fairfax formation of West Virginia and MarylandGF 28, p 4
Fall Creek, Colorado, flow of, measurements of
Fall River, Idaho, flow of, measurements of
Ann 12, 11, pp 344, 356, 361; Ann 13, 111, pp 97, 99
Falls and rapids of irrigation canals
Fargo quadrangle, North Dakota-Minnesota, physiography of
Farish (J. B.), quoted on ore deposits near Rico, ColoradoAnn 21, 11, pp 18, 108
Farming. (See Agriculture.)
Fasciolariidæ from Chico-Tejon series of CaliforniaBull 51, p 22

Fasciolariidæ from clays and marls of New JerseyMon xvIII, pp 65-76, 202-205
from Miocene deposits of New Jersey
Faujasite, chemical constitution of Bull 125, pp 42–43, 103
Fault, throw, hade, strike, etc., definitions of
Fault basins in western United States
Fault blocks on San Francisco Peninsula, two dominant
Fault planes, Colorado, fissures as, in Cripple Creek districtAnn 16, 11, pp 141–143
Fault rock, thin section of, from Connecticut, near contact of basalt and arkose
conglomerate
Faulting in Colorado, Telluride quadrangle
in Connecticut, evidence of, sufficiency of
in Connecticut Valley
in Great Basin
of Sierra Nevada, age of Bull 33, pp 15–16
on Comstock lode, structural results of, discussion of principles involvedAnn 2,
pp 300–304; Mon III, pp 156–187, 376–380
topography due to, in Great Basin
(See, also, Diastrophism.)
Faulting and folding in Alaska, Fortymile and Rampart series
ш, pp 148–150, 166
in Virginia, Richmond Basin, conditions of
Faulting and landslides in Sierra Nevada
Faulting and uplifting of Sierras, relation of, to volcanic phenomena Ann 8, 1,
pp 426-430
Faults and folds; analysis of, and diagrams for use in fault analysisMon xxvII,
pp 116-118
classification of
description and causes of
drainage, control of, by, in Connecticut
effect of, on trap ridges in Connecticut
geologic and geographic effects of
geometric relations of
in Alabama, Gadsden quadrangle
Tertiary and Cretaceous strata
in Appalachian province
GF 8, pp 2-3; GF10, p 3; GF12, p 3; GF14, p 3; GF16, p 5;
GF 19, pp 2–3; GF 20, p 3; GF 21, pp 2–3; GF 25, p 4; GF
26, p 4; GF 27, pp 3-4; GF 28, p 4; GF 32, p 4; GF 33,
p 3; GF 34, p 3; GF 35, p 3; GF 40, p 3; GF 44, p 4
in California, Bidwell Bar quadrangleGF 43, p 6
Downieville quadrangleGF 37, p 8
in Catoctin belt
in Colorado, Anthracite quadrangle
Aspen district
Crested Butte quadrangleGF 9, p 8
Denver Basin
Elk MountainsGF 9, p 3
La Plata quadrangleGF 60, p 8
Mosquito Range regionAnn 2,
рр 213–214, 244–252, 265–268; Мол хи, рр 284–292
Rico Mountains
Tenmile district
in Connecticut, Triassic area
Pomperaug Basin
in Georgia-Tennessee, Ringgold quadrangleGF 2, p 2

Fau	ults and folds in Grand Canyon district
	рр 117–118, 124–126, 132–133; Моп п, рр 13, 19–22, 93–94,
	112-117, 122-123, 162-163, 177, 183-186, 191-192, 205, 228
	in Hawaiian Islands, Kilauea
	in Indian Territory
	in Kentucky, Estillville quadrangleGF 12, pp 3-4
-	Richmond quadrangle
	in Lake Lahontan Basin
	in Lake Superior region, at margin of Eastern sandstoneAnn 3, pp 152–155
	between Keewenaw series and Eastern sandstone
	copper district
	in Maryland-West Virginia-Virginia, Harpers Ferry quadrangleGF 10, p 4
	in Massachusetts, eastern Berkshire CountyBull 159, pp 89–94
	in Michigan, Republic troughAnn 15, pp 620-625; Mon xxvIII, pp 541-547
	in Michigan-Wisconsin, Penokee district
	in Montana, Little Belt Mountains quadrangleGF 56, pp 5, 6
	Three Forks quadrangle
	in Nevada, Comstock lode, theory of
	nn 200 204: Mon tre nn 156 197 277 279
	рр 300–304; Моп III, pp 156–187, 377–378 Eureka mining district
	pp 288–289; Mon vii, pp 20, 24–35, 38–40, 46–50, 170,
	180–183; Mon xx, pp 14–19, 100–101, 159–160, 210–217
	in New Mexico, at Nutria
	in North Carolina-Tennessee, Knoxville quadrangle
	in Tennessee, Briceville quadrangle
	Bristol quadrangle
	Chattanooga quadrangleGF 6, p 2
	Cleveland quadrangle
	Estillville quadrangleGF 12, pp 3-4
	Kingston quadrangleGF 4, p 3
	Knoxville quadrangleGF 16, p 5
	Loudon quadrangle
	Morristown quadrangle
	Ringgold quadrangleGF 2, p 2
	Sewanee quadrangle
	in Texas, Uvalde quadrangle
	in Utah, Tintic district
	in Virginia, Bristol quadrangle
	Estillville quadrangle
	Harpers Ferry quadrangleGF 10, p 4
	Monterey quadrangleGF 61, pp 6-7
	Pocahontas quadrangleGF 26, p 4
	Richmond area
	Tazewell quadrangleGF 44, p 4
	in West Virginia, Harpers Ferry quadrangle
	Monterey quadrangle
	Pocahontas quadrangleGF 26, p 4
	Tazewell quadrangleGF 44, p 4
	lateral displacement in
	measurement of
	origin and relations of
	outcrops, crescentic offsetting of
	relation of, to dome structure in Rico Mountains, ColoradoAnn 21,
	и, pp 23–24, 105–107, 112–114
	systems of, in various regions
	theory of, especially those in Pomperaug Basin, ConnecticutAnn 21, 111, p 124

Faults and folds; throw, distribution of, over a zone of parallel faults. Ann 21, 111, p 95
tilting of orographic blocks
topography in Great Basin due to
Faults and serpentinization in Massachusetts, western Mon xxix, pp 95-96
Fauna in America, vertebrate, section to illustrate
of Braintree argillites, MassachusettsBull 10, pp 43–49
of Colorado formation, invertebrateBull 106
of Lower Cambrian or Olenellus zone
of Puget Sound region, Molluscan
of St. John formation contained in Hartt collection at Cornell University,
review of
relation of Laramie Molluscan, to that of succeeding fresh-water Eocene
and other groups
Fauna and flora of Washington, Tacoma quadrangle
Faunal relations of Pacific Eocene and Upper CretaceousAnn 17, 1, pp 1005–1060
Faunas, Cambrian, of North America, studies of
Devonian, higher, of New York, Ontario County
Devonian, upper, from Tompkins County, New York, to Bradford County,
PennsylvaniaBull 3
of New York, Genesee sectionBull 41
Paleozoic, of MaineBull 165, pp 15–92
recent, of different temperature zones, tables showing number of shell-
bearing marine species of mollusks contained in Bull 84, p 26
Favas, analyses of, from Brazil
Fayalite, analysis of, from Yellowstone Park
chemical constitution ofBull 125, pp 68, 104
composition of
in lithophysæ from Yellowstone Park
in rhyolite, origin of
Fayette beds of Texas Bull 84, pp 172–175, 325
Fayette sandstone in southern Appalachians, relation of, to the PottsvilleAnn 20,
II, p 818
of West Virginia, along New-Kanawha River
Feather River, California, profile of
Felch Mountain series of Michigan
Feldspar a product of mineralogic metamorphismBull 62, p 209
alteration of, during metamorphism of massive rocksBull 62, pp 214-216
to zeoliteBull 28, pp 52–53
analysis of, from Arkansas, Little Rock
from California, Downieville quadrangle (from diabase-porphyry)Ann
17, 1, p 645
from Canada, various localitiesBull 107, p 21
from Delaware, Brandywine Creek (from gabbro)Bull 55, p 80;
Bull 59, p 12; Bull 148, p 82; Bull 168, p 41
Iron Hill (from gabbro-diorite)Bull 59, p 28;
Bull 148, p 82; Bull 168, p 41
Wilmington (from hypersthene-gabbro)Bull 55, p 80;
Bull 148, p 82; Bull 168, p 41
from Georgia, Laurel Creek (altered) Bull 42, p 138
from Maine, Litchfield (potash). Bull 90, p 65; Bull 148, p 65; Bull 168, p 21
from Maryland, Baltimore, Jones's Falls
Gwynns Falls
Mount Hope Station (powder)Bull 28, p 2 ^{\gamma} ; Bull 150, p 280
near Pikesville (powder)Bull 28, p 30; Bull 150, p 368

Fel	ldspar, analysis of, from Massachusetts, Greylock Mountain (from micaschist)
	p 187; Bull 55, p 79; Bull 148, p 78; Bull 168, p 34
	analysis of, from Massachusetts, Hampshire County (siliceous)Bull 126, p 11
	from Massachusetts, Hoosac Mountain (from feldspathic schist). Mon XXIII,
	p 60; Bull 55, p 79; Bull 148, p 78;
	Bull 150, p 325; Bull 168, p 34
	from Michigan, Penokee-Gogebic range
	Bull 64, p 47; Bull 148, pp 103, 104; Bull 168, p 73
	from Minnesota, Pigeon Point
	Bull 148, p 107; Bull 168, p 77
	various localities (from gabbros)Bull 78, p 122;
	Bull 148, p 112; Bull 168, p 82
	from Nevada, Mount Rose
	from New Mexico, Mount Taylor region, near Grant's (from basalt)Bull
	148, p 185; Bull 168, p 170 from New York, Bedford (commercial)
	from New York, Bedford (commercial)Ann 17, 111, p 846
	from Oregon, Mount ThielsenBull 9, p 15; Bull 148, p 230; Bull 168, p 220
	from Pennsylvania, Brandywine (commercial)
	from Texas, Fayette County (commercial)
	from Wisconsin, Ashland County (from gabbro)Bull 60, p 149;
	Bull 148, p 105; Bull 168, p 75
	Green Lake County (from metarhyolite)Bull 150, p 166
	Penokee-Gogebic range
	p 352; Bull 64, p 48; Bull 148, p 104; Bull 168, p 74
	from Yellowstone Park, Obsidian Cliff
	biotite and quartz yielded by, on decomposition in granite Ann 10, 1, p 355
	chemical constitution of Bull 125, pp 28–32
	composition of
	of the more important varieties of
	determinations of, by Szabó's method
	enlargement of fragments of, in certain Keweenawan sandstones. Bull 8, pp 44-47
	secondary, in sandstones
	epidote an alteration product of
	Bull 28, pp 31–32; Bull 59, p 35; Bull 62, pp 108, 211
	from Minnesota, southwestern (in gneiss)Bull 157, pp 51–53
	from Yellowstone Park, Electric Peak (in porphyrite and in diorite). Ann 12, 1,
	pp 592, 601–603
	in rocks of Pacific slope
	production of, statistics of
	pp 933-934; MR 1885, p 523; MR 1886, p 701; MR 1887,
	pp 5, 6, 8-9; MR 1888, pp 6, 8, 10-11; MR 1889-90, p 6;
	MR 1891, pp 474, 500; Ann 17, 111 cont, pp 839–840, 845–
	846; Ann 18, v cont, pp 1365–1367; Ann 19, vi cont, p
	657; Ann 20, vi cont, p 745; Ann 21, vi cont, pp 593–595
	thin section of, from Delaware, Iron Hill, showing inclusions within. Bull 59, p 30
	from Michigan, Crystal Falls district (sheaf-like aggregates)Mon xxxvi,
	pp 282-283
	Upper Quinnesec Falls (crystal faulted in crushed greenstone)Bull 62,
	p 105
	from Nevada, Eureka district (from rhyolite)Mon xx, pp 396–397
	Eureka district (from pyroxene-andesite) Mon xx, pp 396–397
	(plagioclase from hornblende-mica-andesite)Mon xx,
	pp 400–401, 402–403
	Washoe district (from hornblende-andesite)Mon III, pp 150-151
	Bull, 177—01——21

Feldspar, thin section of, from Pennsylvania, South Mountain (from quartz-
porphyry)Bull 136, pp 96–97, 98–99, 100–101
thin section of, from Yellowstone Park (microlites of) Mon xxxII, II, pp 422-423
Feldspar-porphyry, analysis of, from Montana, Castle Mountain districtBull 139,
pp 135, 136; Bull 148, p 151; Bull 168, p 130
Feldspar rocks, igneous, a classification of
Feldspathic magma of Nevada, Eureka district
Feldspathic rocks, thermal effect of action of aqueous vapor on
рр 325–330; Моп ил, рр 290–308, 397–400
Felsite, analysis of, from Pennsylvania, South Mountain (laminated). Bull 136, p 34
analysis of, from Virginia, near Monterey (porphyritic)Bull 168, p 51
of Keweenaw series
of Narragansett Basin
of Northwestern States. Ann 5, p 214
thin section of, from Minnesota, sec. 28, T. 56 N., R. 7 WMon v, pp 100-101
Felsite-porphyry of Montana, microscopic petrography ofBull 139, pp 103–106
Felsophyre, analysis of, from Virginia, near Monterey
Fergusonite, analysis of, from North Carolina, Burke CountyBull 74, p 75
Fernandan system of rocks of TexasBull 86, pp 267–269, 474, 504
Fernow rhyolite of Utah, Tintic district
Ferns, Devonian
of Cretacous of Black Hills
of Mesozoic of California
of Mesozoic of Camornia
of Mesozoic, older, of North Carolina
of Triassic of Pennsylvania
(See, also, Filices.)
Ferration in Colorado, Aspen district
Ferrell's law of stream erosion
Ferric sulphates, basic, analyses of
Ferrodolomite, analysis of, from Michigan, Marquette districtBull 148,
p 268; Bull 168, p 267
Ferromagnesian minerals in rocks, decomposition of
Ferromanganese, analysis of
Ferromanganese and spiegeleisen, production of, 1872–1899
Fertilizer trade of North Carolina in 1886
Fertilizers, analyses of, from various localities
pp 816–819, 821; MR 1885, pp 471–473; MR 1887, pp 593–594
of Porto Rico, occurrence of
statistics ofMR 1882, pp 504-531; MR 1883-84, pp 783-826; MR 1885,
pp 445–473; MR 1886, pp 606–627; MR 1887, pp 580–594;
MR 1888, pp 586–596; MR 1889–90, pp 449–455; MR 1891,
pp 557–563; MR 1892, pp 782–784; MR 1893, pp 703–712;
Ann 16 iv, pp 606-635; Ann 17, iii cont, pp 951-957;
Ann 18, v cont, pp 1233–1242; Ann 19, vi.cont, pp 535–556;
Ann 20, vi cont, pp 619-639; Ann 21, vi cont, pp 481-502
value of, commercial
Ferruginous gravel of Florida
Fibrolite, analysis of, from France, BrittanyBull 60, p 127
Fibrolite and fibrolite-schist inclusions in Massachusetts Mon xxix, pp 229, 246–248
Field work, geologic, in complexly folded districts, practical methods ofAnn 16,
I, pp 739–742
Filicales from Coal Measures of Lower Missouri
from Cretaceous of Black HillsAnn 19, 11, pp 651-664, 704
•

Filices from Alaska	nn 17, 1, pp 877–878
from Dakota group	Mon xv11, pp 24-25
from Mesozoic of California	in 20, 11, pp 343–353
from Mesozoic, older, of North CarolinaAn	n 20. II. pp 280–288
of Virginia	Mon vr nn 18-63
from Potomac or younger Mesozoic	
from Triassic of PennsylvaniaAn	in 20, 11, pp 255–241
from Yellowstone Park	
Filicinæ of Amboy clays of New Jersey	
of Carboniferous basins of Missouri, southwestern	.Bull 98, pp 43-103
of North America, extinct	Mon xxxv, pp 1-14
Filters, water, and related devices	Ann 14, 11, pp 27–30
Filtration by means of easily soluble and easily volatile filters	Bull 27, pp 27–29
of water through soil, rate of	
Finland, clay products of, at Paris Exposition of 1900	nn 21 vi cont n 376
Fiord coast, an example of	
Fiord or glacial harbors, description of	19 114 110
Fiords and submarine river valleys, preglacial elevation of No	orth America
shown by	Ion xxv, pp 501–505
Fire clay. (See Clay, fire.)	
Fires, forest. (See Forests.)	
Firestone, analysis of, from Pennsylvania, Meriontown	MR 1893, p 571
Fish Creek, New York, flow of, measurements of	.WS 36, pp 186-188
Fish-scale bed, analysis of, from Virginia, Midlothian	Ann 19, 11, p 432
Fisher (F. R.), account of Charleston earthquake by	
Fisher (O.), quoted, on contraction of earth's crustAr	
Fishes from Carboniferous of North America	
from Devonian of North America	
from Devonian, higher, of New York	Rull 16
nn 17-90 40-4	3; Bull 41, pp 62–63
from Esmeralda formation of NevadaAr	o, Duit 41, pp 02-00
from Newark system	
from Silurian, upper, of North America	Mon www mp 17 20
from Triassic rocks of New Jersey and Connecticut Valley	
of genera and species	
Fissility and cleavage, principles and causes of, and relations to	
turesAnn 16, 1, pp 633-6	
Fissurellidæ from Chico-Tejon series of California	
from Cretaceous of Pacific coast	
from Miocene deposits of New Jersey	
Fissure veins, gold-bearing, types of	ın 18, 111, pp 647–650
Fissures in California, systems of Nevada City and Grass Valley	
·	11, pp 164–170, 259
in Colorado, Cripple Creek districtAnn 16, 11, pp	
Custer County, ore-bearingAr	
La Plata quadrangle	
Telluride quadrangleAnn 18, 111, pp 764-7	
faulting of	
in Montana, Butte district	
Fissures and joint planes in rocks of Utah, Mercur district, no	
of	
Fissuring, effect of country rock on, in ColoradoAn	
relation of, to ore veins	
101000000000000000000000000000000000000	

	Fitch (C. H.), forest conditions in Sonora quadrangle, California. Ann 21, v, pp 569-571
	forest conditions in Yosemite quadrangle, California Ann 21, v, pp 571–574
	triangulation and spirit leveling in Indian TerritoryBull 175
•	woodland of Indian Territory
	work in charge of, 1894–1899
	Ann 17, 1, pp 106–109; Ann 18, 1, pp 110–112; Ann 19, 1,
	pp 114–116; Ann 20, 1, pp 125–126; Ann 21, 1, pp 96, 158, 483
	Fitton (W. H.), reproduction of section of Portland quarry, fromAnn 16, 1, p 489
	Flanagan chert of Kentucky
	Flat River lead mines, Missouri, workings at Bull 132, pp 21–24
	Flathead Forest Reserve, report on
	Flathead formation of Montana, near Three ForksBull 110, pp 20–22
	of Yellowstone Park and Wyoming
	pp 8, 21, 22, 23, 154, 206, 212, 214; GF 30, p 4; GF 52, p 2
	Flathead Lake, Montana, description of
	Flathead quartzite of Montana
	Flathead River, profile of
	Flathead sandstones of Montana, description and sections of
	111, pp. 285, 364; GF 55, p 2
	Flathead shales of Montana, intrusive rocks in
	Flatwoods clay of Mississippi
	Flatwoods group of TennesseeBull 84, p 333
	Flexibility and frangibility of sedimentary deposits
	Flexures. (See Faults and folds.)
	Flint, analysis of, from Colorado, Buffalo Peaks Mon x11, p 607; Bull 1, p 15
	analysis of, from Illinois, Lasalle County (potters')
	from Kentucky, Calloway County (potters')Ann 17, 111, p 847
	from Tennessee, Cumberland River (potters')Ann 17, 111, p 847
	description of the rock, as one of the educational series Bull 150, pp 119-121
	sources of supply, uses, and statistics ofAnn 17, 111 cont, pp 838-839, 846-847
	Flint River, Georgia, flow of, measurements of
	ıv, pp 233–234; Ann 20, ıv, pp 51, 184; WS 15, p 45;
	WS 27, pp 47, 49–50, 57, 58; WS 36, pp 138–139
	Flood plains, river, in Louisiana, Donaldsonville quadrangleTF 1, pp 3-4
	Flood plains and flood-plain soils
	Floods on Lower Mississippi River, discussion of
	Flora, fossil. (See Plants, fossil.)
	Floras, fossil, of Lower Cretaceous of Europe and America, comparison ofAnn 16,
	ı, pp 480–500
	of North America, later extinct
	Florida, altitudes in
	atlas sheets of. (See p 72 of this bulletin.)
	boundary lines of Bull 13, pp 101–102; Bull 171, pp 107–108
	building stone from, statistics of
	pp 437, 494, 495, 496; Ann 17, III cont, pp 760, 788, 789, 790;
	Ann 18, v cont, pp 950, 1044, 1045, 1046, 1049; Ann 19, vi
	cont, pp 206, 280, 282, 283, 287; Ann 20, vi cont, pp 271,
	337, 342, 343, 344, 345, 346; Ann 21, vi cont, p 335 et seq. cement production ofAnn 20, vi cont, pp 547, 549-550; Ann 21, vi cont, p 407
	clay deposits, products, and statistics of MR 1891, p 507; MR 1893, pp 614–615;
	Ann 16, iv, pp 518, 519, 520, 521; Ann 17, iii cont, p 819 et
	seq; Ann 18, v cont, p 1078 et seq; Ann 19, vı cont, p 318 et
	seq; Ann 10, v cont, p 1078 et seq; Ann 19, v1 cont, p 310 et seq; Ann 21, v1 cont, pp 362, 363
	elevations in. (See "altitudes" under this State.)
	fuller's earth in
	2010 2 301 III 11 11 11 11 11 10 10 10 10 10 10 10 10

	•
Florida, geographic positions in	
geologic maps of. (See Map, geologic,	
geologic sections in. (See Section, geol	· · · · · · · · · · · · · · · · · · ·
	as in Ann 6, p 74; Ann 8, p 182; Ann 9, pp
	0, 1, pp 119, 167; Ann 11, 1, pp 67, 102, 111;
	2–53, 55, 71, 75, 82–84, 117; Ann 13, 1, pp
	p 212; Ann 15, pp 132–133, 141–142, 160;
	3, 37; Ann 20, 1, p 41; Ann 21, 1, pp 94, 98
	Ann 20, vi cont, pp 662–663
	MD 1909 p 556. App 16 pp 185-192
	MR 1893, p 556; Ann 16, IV, pp 437,
	n 17, 111 cont, pp 760, 788, 789, 790; Ann
	, 1044, 1045, 1046, 1049; Ann 19, vi cont,
	283, 287; Ann 20, vi cont, pp 271, 342,
	Ann 21, vi cont, pp 335, 357, 358, 359, 360
	Ann 17, 1, pp 323–325
maps, geologic, of. (See Map, geologic,	
maps, topographic, of. (See Map, topog	graphic, of Florida; also list on p 72.)
	Ann 14, 11, p 82
mineral springs ofBull 32, pp 85	5–87; MR 1891, pp 603, 604; MR 1892, pp
824, 826; MR 1893	, pp 774, 776, 784, 787, 794; Ann 16, iv, pp
709, 712, 720; Ann	17, 111 cont, pp 1032, 1041; Ann 18, v cont,
	3; Ann 19, vi cont, pp 661, 667, 677; Ann
	756, 766; Ann 21, vi cont, pp 599, 607, 619
	MR 1882, p 675; MR 1887, pp 719–720
	Bull 84, pp 130–131
	8-79; MR 1883-84, pp 793-794; MR 1885,
	86, pp 617–618; MR 1888, pp 592–593; MR
	4; MR 1891, p 562; MR 1892, pp 783–784;
	-709; Ann 13, 1, pp 117–118; Ann 16, 1v,
	cont, p 951; Ann 18, v cont, pp 1233, 1234,
	9, vr cont, pp 535, 536, 537–545; Ann 20, vr
	329; Ann 21, vi cont, pp 481, 482, 488, 494
	Bull 13, p 21; Bull 171, pp 23–24
	Ann 21, IV, p 668
sections, geologic, in. (See Section, ge	
etrationanhy of	Bull 84, pp 101–158
etreem measurements in list of miscell	aneous
timber in estimates of	
topographic maps of. (See Map, topog	
	Ann 11,
	ı, p 173; Ann 18, ı, p 95; Ann 19, ı, p 90
	Bull 84, pp 86–101
	Ann 19, v, p.6
Florida River, Colorado, flow of, measurem	
Floridian group of Florida	
Floridite phosphate rock	
Florissant, Colorado, and other points in th	
	interest fromBull 93
	Ann 8, 1, pp 433–474
Flow and fracture of rocks as related to stru	
Flows and sills, distinctive features, etc., of	
Floyd shale of Georgia and Tennessee	
Fluid inclusions in minerals of igneous rock	
2 1 inclusions in minerals of ignoods fock	pp 79, 119, 371
	PP 10, 110, 011

·
Fluid volume, its dependence on pressure and temperatureBull 92, pp 17-67
Fluids, flow of, through porous media, investigations ofAnn 19, 11, pp 107-206
Flumes, conveyance of water in irrigation canals, pipes, and
Flumes, siphons, etc., in irrigation works
Fluoriferous hydrogen peroxide, warning against use of, in estimating tita-
niumBull 167, p 56
Fluorite, composition ofBull 150, p 31
in ores of Colorado, Cripple Creek districtAnn 16, 11, pp 126, 157–158
occurrence and statistics of
776-777; MR 1888, p 583; MR 1889-90, p 448; MR 1891,
p 540; MR 1892, p 781; MR 1893, p 682; Ann 16, IV, p 605
Fluorspar, statistics of MR 1882, p 587; MR 1885, p 518; MR 1886, pp 692-693;
MR1887, p659; MR1889-90, pp468-473; MR1891, p586; MR
1892, p 805; MR 1893, p 746; Ann 16, tv, pp 658–659; Ann 17,
111 cont, p 998; Ann 18, v cont, p 1315; Ann 19, v1 cont, pp
613-614; Ann 20, vi cont, p 709; Ann 21, vi cont, pp 559-560
Foerste (A. F.), Shaler (N. S.), and Woodworth (J. B.), geology of Narrangan-
sett Basin Mon xxxIII
Folded districts, field work in, practical methods of
Folding in Alaskan regions in Tertiary time
in Lake Superior iron-ore region
in Massachusetts, western
in Michigan, Crystal Falls district, of Archean and Huronian series Ann 19,
ш, pp 14, 65-66; Mon xxxvi, pp xxiii, 158-162
Marquette iron-bearing district
pp 518, passim, 640-644; Mon xxvIII, pp 3-4, passim, 566-571
Menominee district
in Narrangansett BasinMon xxxIII, pp 10-27, 101, 121-123, 156-158, 183, 355
in Utah-Colorado, Uinta and Park ranges, region of
relations of, to unconformity
(See, also, Faulting.)
Folds, analysis of, etc
in Appalachian provinceGF 4,
p 3; GF 8, pp 2-3; GF 10, p 3; GF 12, p 3; GF 14, p 3;
GF 16, p 5; GF 19, pp 2-3; GF 20, p 3; GF 21, pp 2-3;
GF 25, p 4; GF 26, p 4; GF 27, p 3; GF 28, p 4; GF 32, p 4;
GF 33, p 3; GF 34, p 3; GF 35, p 3; GF 40, p 3; GF 44, p 4
in Alabama, Gadsden quadrangle
Stevenson quadrangle
in Colorado, Crested Butte quadrangle
Tenmile district
in Georgia, Ringgold and Stevenson quadranglesGF 2, p 2; GF 19, p 2
in Kentucky, Estillville quadrangle
in Maryland, Harpers Ferry quadrangle
Piedmont quadrangle
in Montana, Three Forks quadrangle
in New York, eastern, and the Green Mountain region, inclined, overturned,
and transverse
in North Carolina, Knoxville quadrangle
in Tennessee, Briceville quadrangle
Chattanooga quadrangle
Cleveland quadrangle GF 20, p 3
Estillville quadrangle
Knoxville quadrangle
Loudon quadrangle
20, p

Folds in Tennessee, Morristown quadrangle
in Tennessee, Ringgold quadrangle
Stevenson quadrangle
Wartburg quadrangle
in Utah, Tintic district
in Virginia, Estillville quadrangleGF 12, pp 3–4
Franklin quadrangle
Harpers Ferry quadrangleGF 10, p 4
Pocahontas quadrangleGF 26, p 4
Staunton quadrangle
Tazewell quadrangle GF 44, p 4
in Washington, Tacoma quadrangle
in West Virginia, Buckhannon quadrangleGF 34, p 3
Franklin quadrangleGF 32, pp 4-5
Harpers Ferry quadrangleGF 10, p 4
Piedmont quadrangle
Pocahontas quadrangle
Staunton quadrangle
Tazewell quadrangle
types and varieties of
(See also Diagtrophism: Faults and folds)
Folsom irrigating canals, California
Fontaine (W. M.), notes on fossil plants collected by Dr. E. Emmons from
older Mesozoic rocks of North Carolina . Ann 20, 11, pp 277–315
notes on Lower Cretaceous plants from Hay Creek coal field, WyomingAnn
19, II, pp 645–702
notes on Mesozoic plants from Oroville, CaliforniaAnn 20, 11, pp 342–368
older Mesozoic flora of Virginia
report on Juratrias plants from near Oroville, CaliforniaAnn 17, 1, pp 548–549
Potomac formation in Virginia
Potomac or younger Mesozoic flora
work in charge of, 1884–1892, 1900
12, I, p 125; Ann 13, I, p 155; Ann 21, I, pp 91–92
Fontaine (W. M.) and Wanner (A.), Triassic flora of York County, Pennsylvania
Footprints in Connecticut sandstone, dinosaurian, and the "bird tracks"Ann
16, r, p 151 in Newark strataBull 85, pp 61–62
Foraminifera of New Jersey Cretaceous Bull 88
Foraminiferal limestone of Franciscan series. Ann 15, pp 419–420
Foresite, chemical constitution of Bull 125, pp 34, 35, 45, 103  Forest réserves, fires in, causes, etc., of Ann 19,
v, pp 81-86, 170-171, 177-179, 250, 275-278, 306-311,
344–348, 354, 362; Ann 20, v, pp 44, 69, 77, 96, 144–
152, 222–232, 385–392, 427–428, 452–454, 477; Ann
21, v, pp 47–50, 133–137, 155–156, 276–293, 557–560
instructions to surveyors of
names, locations, and areas of
Ann 20, v, pp 1–3; Ann 21, I, pp 15–17; v, pp 13–14
reports on
surveys of, appropriations, plans, and progress of theAnn 18, 1, pp 13, 115–117;
Ann 19, 1, pp 12–19, 86, 93–95, 108–113, 122–127; Ann 20, 1,
pp 11-12, 105-106, 119-125, 138-140; Ann 21, 1, pp 11-17

Forest reserves; timber, destruction of, by depredation, fires, etc., inAnn 20,
v, pp 137–152, 215–232, 257–315 (pas-
sim), 385-392, 427-428, 452-454, 477
Forestry; investigations in the Appalachian region
Ann 6, p 93; Ann 7, pp 135–136; Ann 8, I, pp 201–202 of India
of Porto Rico
Forestry work in 1899–1900, summary of
Forests; fires, effect of, on reproduction
fires in northern Idaho, timber destroyed by, amount ofAnn 19, v, pp 375–384
management of, especially in Black Hills
of arid region, area, timber, destruction, etc
of Maine, resources of
of Montana, Judith Mountains
of United States, résumé of dataAnn 19, v, pp 1–66; Ann 20, v, pp 1–37
products of, in 1890, amount and value of
of Washington, conditions of and standing timber in
northern, Cascade Mountains
Tacoma quadrangle
of Western States, character of and map showingAnn 19, v, pp 22–26, pl ii
woodlands, irrigated areas, and relative location and areas ofAnn 16,
11, pp 480–483
preservation of, remarks on
trees, defects and diseases of
trees in Colorado reserves
growth of, rate of
species of, in forest reserves
v, pp 244–247, 267–268, 279–280, 289–293, 331–344, 357, 364–
365, 370–371; Ann 20, v, pp 46–63, 195–196, 247–248, 329, 421,
441–451, 468–469; Ann 21, v, pp 41, 98, 155, 235–236, 516–517
trees and shrubs of basin of Red River of the NorthMon xxv, pp 603-606
Forests, fossil, of Arizona
of Black Hills
of Europe and America
of Yellowstone Park
Formation, relation of relief to, in Texas regionAnn 21, vII, pp 30-37; TF 3, pp 2-3
Formulas and tables to facilitate the construction and use of mapsBull 50
Forrester (R.), coal fields of Utah
Forsterite, chemical constitution of
Fort Benton formation. (See Benton.)
Fort Benton quadrangle, Montana, geology of
Fort Ellis beds of Montana Bull 84, p 287
Fort Payne chert of Alabama
of Georgia
of Tennessee
Fort Pierre. (See Pierre.)
Fort Riley Military Reservation, Kansas, geology of
Fort Union beds, correlation of
of Missouri River region, upper, correlation of
pp 113, 114–130, 135; Bull 84, p 325
of MontanaBull 105, pp 35–36; GF 56, p 3

· · ·
Fort Union beds, plants from
Fort Washakie hot springs, WyomingBull 119, p 68
Fort Worth limestone of Texas
Ann 21, vii, pp 259-262; Bull 164, pp 16-17; GF 42, pp 2-3
Fortier (S.), conveyance of water in irrigation canals, flumes, and pipes WS 43
seepage waters of northern Utah
Fortymile expedition (1898), Alaska, report on
Fortymile gold region of Alaska
Fortymile quadrangle, Alaska, forest conditions in
Fortymile River, Alaska, features of
Fortymile series of Alaska, nature, distribution, etc., of
111, pp 145–155, 255–256; Alaska (1), p 23
Fossil bones, analysis of, from Massachusetts, Marthas Vineyard Ann 7, p 360
Fossiliferous deposits of NantucketBull 53, pp 28-42
Fossils, use of, in classification and correlation of strata
pp 372–377; Ann 11, 1, pp 273–275
(See, also, Invertebrates; Vertebrates; Paleontology; Plants, fossil; Insects, fos-
sil; Bryozoa; Mollusca; Paleozoic fossils; Cambrian fossils, etc.)
Fountain formation of Colorado
Fourchite, analysis of, from Arkansas, Fourche MountainAnn 20, III, p 548
of California, Nevada City district
of Lake Champlain region
Fowlerite, chemical constitution ofBull 125, p 86
Fox Hills formation or group, correlation ofBull 82, pp 211, 229, 233, 237
features of
in Colorado, Anthracite-Crested Butte district
Denver Basin
eastern Ann 17, 11, p 569
in Montana
in North Dakota and South Dakota
Black Hills
in Utah, Uinta MountainsAnn 9, pp 689–690
in WyomingBull 119, p 24; GF 30, p 5; GF 52, p 3
Fracture and flow of rocks as related to structureAnn 16, 1, pp 845-874
Fractures in Utah, Tintic district, relation of, to ore bodies, etc
111 pp 676–683
Fracturing and mashing of mineral particles
France, aluminum production of
antimony production of
asphaltum production ofAnn 18, v cont, p 945; Ann 19, vi cont, pp 198–199,
201; Ann 20, vi cont, pp 265, 268; Ann 21, vi cont, pp 329–330
Auvergne minerals
bauxite deposits in
Cambrian rocks of, correlation of, with those of Wales
clay deposits and industry of
clay products of, at Paris Exposition of 1900Ann 21, vi cont, pp 376-384
coal area and output of, compared with those of other countriesMR 1882,
p 5; MR 1883-84, p 13; MR 1885, p 11; MR 1886, p 235; MR
1887, p 189; MR 1888, p 208; MR 1891, p 73; MR 1892, p 270;
MR 1893, p 202; Ann 16, 111, pp 238, 248; 1v, p 21; Ann 17, 111,
pp 314, 316; Ann 18, v, pp 106-107, 136, 414, 416; Ann 19, vi, pp
² 11, 313; Ann 20, vi, pp 332, 334; Ann 21, vi, pp 113, 363, 367

France, copper production of, statistics of
84, pp 371–372; MR 1885, p 241; MR 1886, pp 138–139; MR
1888, pp 73, 77; MR 1889-90, p 77; Ann 21, vi, pp 213-215
fossil plants of, literature of
gold-bearing conglomerate in
graphite production of
gypsum production of
iron, iron-ore, and steel production of, statistics of
1883–84, p 257; MR 1885, p.193; MR 1886, p 21; MR 1887, p
18; MR 1888, pp 28, 29, 30, 31; MR 1889-90, p 21; MR 1891,
pp 46, 73; Ann 16, 111, pp 22, 23, 24, 25, 26, 27, 28, 89–94, 237–
239, 248; Ann 18, v, pp 104–111, 136, 137; Ann 19, vi, pp 82,
83, 86–87; Ann 20; vi, pp 93, 101; Ann 21, vi, pp 113, 114, 115
iron-ore deposits of Ann 16, 111, pp 89–94
lead production of, statistics of
Ann 17, 111, pp 156, 158; Ann 18, v, pp 256, 257, 258; Ann 19, vi, p 220; Ann 20, vi, p 246; Ann 21, vi, pp 245, 246, 247
manganese production ofMR 1888, p 141; MR 1889-90, p 130; MR 1892,
p 224; MR 1893; pp 146, 155; Ann 16, 111, pp 445, 457; Ann
17, 111, pp 210–211, 224; Ann 18, v, pp 317, 328; Ann 19, vr,
p 111; Ann 20, vi, pp 147–148, 156; Ann 21, vi, pp 153, 162
mining law of
nickel from, statistics of
ocher production of, statistics of
Ann 20, vi cont, p 727; Ann 21, vi cont, p 578
petroleum localities and statistics of
phosphorites and phosphates of
pyrites mines of
pyrites production of, statistics ofAnn 18, v cont, p 1260; Ann 19, v1 cont,
p 573; Ann 20, v1 cont, p 655; Ann 21, v1 cont, p 552
quicksilver occurrences in
salt production of
sewage utilization in
tin deposits of
zinc production of, statistics of
MR 1885, pp 277, 282; MR 1886, p 169; MR 1887, p 117;
MR 1888, p 95; MR 1889–90, p 92; MR 1891, pp 113, 114; MR
1892, pp 135, 136; MR 1893, pp 107, 108; Ann 16, III, p 383;
Ann 17, 111, pp 171, 173; Ann 18, v, pp 274, 276, 278; Ann 19,
vi, pp 234, 236; Ann 20, vi, pp 263, 265; Ann 21, vi, p 266 Franciscan series, petrography, correlation, etc., of
Francoia overlap, description and age of
Frangibility and flexibility of sedimentary deposits
Franklin, Hampshire, and Hampden counties, Massachusetts, mineral lexicon
of
Franklin quadrangle, West Virginia-Virginia, geology of
Franklin white limestone of New Jersey, Sussex County, age of
II. pp 425–457. Bull 86. pp 399-403–404
Franklinite, occurrence of
Fredericksburg division of Texas
Fredericksburg quadrangle, Virginia-Maryland, geology of
Fremont limestone of Colorado
· · · · · · · · · · · · · · · · · · ·

French Broad River, flow of, measurements of
p 116; Ann 19, IV, pp 256–259; Ann 20, IV, pp 52, 205;
Ann 21, IV, pp 160–161; Bull 140, pp 80–81; WS 11, p 42;
WS 15, p 60; WS 27, pp 62, 65, 66; WS 36, pp 165–166
profile of
Frenchman River, flow of, measurements of
. iv, pp 196–199; Ann 20, iv, p 299; Bull 131, pp 33–34; Bull
140, pp 131–136; WS 11, p 56; WS 28, p 88; WS 39, p 439
seepage on, measurements of
Freshening of lakes by desiccation
pp 224–230; Mon 1, pp 208–209, 229, 258; Mon xr, pp 224–230
Fresno, California, irrigation near
Friedelite, chemical constitution of
Front Range of Colorado, geology of, literature ofBull 86, pp 308-313, 314-315, 325, 506
rocks of, pre-Cambrian
Fruits, fossil, from Cretaceous of Black Hills
Fruits, gymnospermous, from Potomac or younger Mesozoic Mon xv, pp 262–273
Fry-pan deposits of Texas
Fuchsite, analysis of, from Maryland, Montgomery County
chemical constitution of Bull 125, p 46
Fulgurite, analysis of, from Illinois, Whiteside CountyBull 42, p 140
analysis of, from Oregon, Mount ThielsenBull 9,
p 16; Bull 148, p 230; Bull 168, p 220
p 16; Bull 148, p 230; Bull 168, p 220 from Colorado, Mount Lincoln
Fuller's earth, analysis of, from Austria, Cilly
analysis of, from EnglandAnn 17, 111 cont, p 880
from England, SurreyAnn 18, v cont, p 1356; Ann 19, v1 cont, p 656
Woburn sands
from Florida, OcalaAnn 19, v1 cont, p 656; Ann 20, v1 cont, p 742
Tampa
• various localities
from Georgia, Decatur County
from Nebraska, Valentine
from Oklahoma, Enid
from South Dakota, various localities
иг, р 880; Ann 18, v cont, pp 1352, 1355; Ann 21, iv, р 589
in South Dakota, Black Hills, southern partAnn 21, 1v, pp 588-590
occurrence and statistics of
Ann 18, v cont, pp 1351–1359; Ann 19, vi cont, pp 655–656;
Ann 20, vi, cont, pp 741–743; Ann 21, vi cont, pp 589–592
Fumarole action of Cripple Creek Volcano, evidence of
Fumaroles in California, Mono Valley
in Colorado, lavas of Custer County
Fungi from Lower Coal Measures of Missouri
Furnaces, iron, in blast from 1894 to 1899
from Colorado formation
Fusion, igneous, as related to pressure, investigation ofAnn 14, I, pp 157–158
Fusion of rocks, experimental work in
Fuson formation of Black Hills
Gabbro, analysis of, from Alaska, Douglas Island, Treadwell mine Ann 18, 111, p $47$

	•
Gabbro, analysis of, from Californ	ia, Bidwell Bar quadrangle. Ann 17, 1, pp 570, 734
	Ownieville quadrangleAnn 17, 1, pp 642, 734
	iabloBull 148, p 225; Bull 168, p 214
Placer County	Bull 148, p 212; Bull 168, p 198
	Ann 14, 11, p 473
	untainGF 57, p 7
from Idaho, Hailey	Ann 20, 111, p 81; Bull 168, p 137
	from 23 specimens)Bull 28, p 39
	Ann 15, p 673
from Michigan, Menomin	ee RiverBull 55, p 81
Sturgeon Falls	Bull 55, p 81; Bull 62, p 76
	Mon v, p 270
Granite Falls (garnet	iferous)Bull 148, p 113;
	Bull 150, p 286; Bull 168, p 83
sec. 35, T. 61 N., R. 12	WBull 148, p 112; Bull 168, p 82
	ack regionBull 168, pp 36, 37
	ountyBull 168, p 59
	s County
	nee RiverBull 55, p 81
	bsaroka Range
п,	pp 260, 261, 340; Bull 148, p 123; Bull 168, pp 93, 95
	ta, description of, as one of the educational
series (garne	tiferous)Bull 150, pp 282–286
	e, description of, as one of the educational
series	Bull 150, pp 278–282
	with titaniferous iron ores. Ann 19, 111, pp 397–399
	Ann 18, 111, p 47
	drangleGF 43, p 3
	GF 51, p 5
	GF 66, p 3
Downieville quadrangle	GF 37, p 4
	GF 11, p 4
	lley districtsAnn 17, 11, pp 51-52; GF 29, p 4
	GF 3, p 2
Pyramid Peak quadrangle	GF 31, p 5
Sonora quadrangle	GF 41, pp 4–5
	GF 39, p 4
	eksBull 59
	Ann 3, pp 102–105; Mon v, pp 50–56
	and associated hornblende rocksBull 28
	triet
of Minnesota, Pigeon Point	Bull 109, pp 22–43, 60–66, 98–102, 105–118
	angleGF 1, p 3
	ii, pp 474–476; Ann 17, 1, pp 575–576, 641–642, 670
	nityMon xxxII, II, pp 246–252
	an, Sturgeon Falls, showing hornblende
	ge
	Falls, veins filled with secondary albite
	Bull 62, p 69
from winnesota, Granite	Falls (garnetiferous)Bull 150,
Charles Wallet Attents	pp 278–279; Bull 157, pp 146–147
	t, showing contact of finely granular dike
	ene-free gabbroBull 157, pp 154–155
1.800H 10HH / MILETEO	y pp 00 01, 42-40

•
Gabbro, thin section of, from Minnesot , sec. 12, T. 115 N., R. 39 W. (altered) Bull
157, pp 146–147
thin section of, from New York, AdirondacksAnn 19, 111, pp 402-403
from New York, Lincoln Pond
from Sierra Nevada
(poikilitic)
from Yellowstone Park
Gabbro family of rocks, scope and characteristics of
Gabbro-diorite, analysis of, from Maryland, Ilchester
p 673; Bull 148, p 85; Bull 168, p 44 analysis of, from Maryland, near Baltimore
from Maryland near Pikesville Bull 28, p 37; Bull 150, p 369
from Minnesota, Minnesota FallsBull 148, p 113; Bull 168, p 83
from Wisconsin, Lower Quinnesec FallsBull 146, p 115, Bull 166, p 89;
Bull 148, p 101; Bull 168, p 71
of California, Bidwell Bar quadrangleGF 43, p 3
Jackson quadrangle
Placerville quadrangle
Sacramento quadrangle
Smartsville quadrangle
of Colorado, Telluride quadrangle
of Delaware Bull 59, pp 15–19
of Maryland, near Baltimore
pp 32-49
thin section of, from Maryland, Liberty roadBull 28, pp 64–65
from Maryland, Mount Hope, from transitional zone between hyper-
sthene-gabbro and Bull 28, pp 60-61
from Minnesota, Minnesota Falls
Gabbro-gneiss, analysis of, from Minnesota, Yellow Medicine CountyBull 150, p 372
Gabbro-granite from Delaware Bull 59, pp 19–21
from Minnesota, Minnesota Falls, description of, as one of the educational
series, hornblendic (gabbro-diorite) Bull 150, pp 369–372
Gabbro-porphyry, analysis of, from Colorado, near Mount SneffelsBull 168,
p 163: GF 57, p 7
analysis of, from Yellowstone Park, Absaroka Range
11, p, 260; Bull 148, p 122; Bull 168, pp 92, 97
of Yellowstone Park and vicinity
Gabbro-pyroxenite of California, Jackson quadrangle
Gabbro-schist, thin section of, from Minnesota, southwestern (hypersthene-free)Bull 157, pp 140–141, 142–143, 148–149
thin section of, from Minnesota, Wabasha Creek area (altered hypersthene-
bearing)Bull 157, pp 148–149
Gabbro-schists, gneisses, and associated rocks of Minnesota, southwestern Bull 157
Gadolinite, analysis of, from Texas, Llano County
chemical constitution of
occurrence and statistics ofMR 1888, pp 582-583; MR 1889-90, p 448; MR 1891,
p 540; MR 1892, p 781; MR 1893, p 682; Ann 16, IV, p 605
Gadsden purchase, account of Bull 171, pp 26–27
from North Carolina Mitchell County Dull 74 - 22
Gale sands of Washington GF 54, p 5
Galena, alteration products of analysis of from Colorado. Leadville - Mon xu, p 606
Gadsden quadrangle, Alabama, geology of
analysis of, from Massachusetts, RoweBull 126, p 82
from North Carolina, Mitchell CountyBull 74, p 33
Gale sands of Washington GF 54 n 5
Carlo States of Transmington
Galena, alteration products of, analysis of, from Colorado, Leadville Mon x11, p 606 (See Lead ore.)

Galena and cerussite, relative richness of
Galena and pyrite, alteration products of, analysis of
Galena limestone of Canada
of Illinois, thickness, etc., of
of Iowa
Galisteo group of rocks of New MexicoBull 84, pp 301–303, 317, 325
Gallatin formation of Montana, Castle Mountain district
of Montana, Livingston and Three Forks quadranglesGF 1, p 2; GF 24, p 2
near Three ForksBull 110, pp 22–25
of WyomingGF 52, p 2
of Yellowstone Park. Mon xxxII, II, pp 8, 22, 23, 58, 153, 206, 212, 214; GF 30, p 4
Gallatin Mountains, geology and intrusive rocks of
Gallatin quadrangle, Wyoming. (See Yellowstone Park.)
Gallatin Range, Montana, rocks of
Gallatin River, flow of, measurements ofAnn 11, 11, p 93; Ann 12, 11, pp 228, 346,
360; Ann 13, 111, pp 43, 92, 98; Ann 14, 11, pp 101–102; Ann
18, iv, pp 124–126, 128–131; Ann 19, iv, pp 271–278; Ann 20,
• • • • • • • • • • • • • • • • • • • •
IV, pp 52, 53, 239–242; Ann 21, IV, pp 184–185; Bull 131, pp
14-18; Bull 140, pp 86-88, 89-91; WS 11, pp 47, 48; WS 15, pp
66, 68; WS 27, pp 69, 70, 74, 75; WS 36, pp 195–196, 197–198
hydrography of basin of
hydrography and irrigation in valley of
profile of
seepage measurements on
Galvanic, thermo-electric, and magnetic properties of wrought iron, steel, and
cast iron in different states of hardnessBull 14
Gamopetalæ of Laramie floraBull 37, pp 104–115
Gangue, analysis of, from Connecticut, Monroe (schistose)Bull 55, p 28
analysis of, from New Hampshire, Orford (schistose)Bull 55, p 28
in California, Nevada City and Grass Valley districts, origin and solubility
of
in Oregon, veins of Bohemia region
Gangue minerals of Alaska known to occur in mines
Gannett (H.), altitudes in AlaskaBull 169
average elevation of United States
boundaries of United States and of the several States and Territories, with
historical sketch of Territorial changesBull 13
boundaries of United States, States, and Territories, with outline of history
of important changes (2d ed.)Bull 171
classification of lands
corundum and emery
dictionary of altitudes in United StatesBull 5
dictionary of altitudes in United States (2d ed.) Bull 76
dictionary of altitudes in United States (3d ed.)Bull 160
dictionary of geographic positions in United StatesBull 123
forests of United States
gazetteer of Kansas
gazetteer of UtahBull 166
geographic dictionary of ConnecticutBull 117
geographic dictionary of Massachusetts
geographic dictionary of New JerseyBull 118
geographic dictionary of Rhode IslandBull 115
magnetic declination in United States
manual of topographic methods

Gannett (H.), physiogra	aphic types	TF 1
physiographic types	s (continued)	TF 2
profiles of rivers in	United States	WS 44
results of primary to	riangulation	Bull 122
	y work in 1899–1900Ann 21	
	y triangulation by the Survey between 1882 and	
• =	16 r	nn 975 995
work in charge of	1882–1900Anı	1 4 nn 3-16
work in charge of,	Ann 5, pp 3–14; Ann 6, pp 3–17; Ann 7, pp 45–6	
•	pp 97–120; Ann 9, pp 49–67; Ann 10, 1, pp 83–10	
•		
	pp 33–48; Ann 12, 1, pp 23–42; Ann 13, 1, pp 69-	
	1, pp 169–175; Ann 15, pp 111–119; Ann 16,	
	Ann 17, 1, pp 93–109; Ann 18, 1, pp 115–117;	
	pp 121-127; Ann 20, 1, pp 138-140; Ann 21, 1,	
Gannett (S. S.), work in	charge of	
	Ann 19, 1, p 120; Ann 20, 1, p 137; Ann 21, 1	
Ganoidei of Devonian a	geMon x	vı, pp 41–45
Ganomalite, chemical co	onstitution ofBull 12	5, pp 81, 105
Ganophyllite, analysis of	ofB	ull 125, p 52
chemical constitution	on ofBull 125, p	p 51-52, 103
	n Colorado, Gunnison CountyBu	
	aho, "Seven Devils" (lime alumina iron)	
	F, Elliott County dikeBull 148, p 92; B	
	setts, GoshenB	
from Wisconsin	n, Penokee GapB	ull 60 p 149
	on of	
	lope	
	istics of	
occurrence and stat.		
•	pp 745–748, 781; MR 1885, pp 440, 443; I	
	596, 604; MR 1887, pp 556–557, 559; MR 1	
	585; MR 1889–90, pp 446, 447, 448; MR 18	
	550–551; MR 1892, pp 767–770, 781; MR 1893	
	697; Ann 16, IV, pp 603, 604; Ann 17, III cont,	
•	923; Ann 18, v cont, pp 1204, 1217; Ann 19, vi	
٠.	513; Ann 20, vi cont, pp 584–585, 599; Ann 21,	
	n Massachusetts (from pegmatite)Mon xxix	
	osition ofBull 1	50, pp 31–32
(See, also, Precious		
Garnet, abrasive, occurre	ence and statistics of	
•	pp 593–594; Ann 17, 111 cont, pp 948–9	
	v cont, pp 1230-1231; Ann 19, vi cont	
	20, vi cont, p 608; Ann 21, vi cont, pp	
	Texas, description and analysis ofBull	
Garnet-amphibolite, thi	in section of, from Massachusetts, Plainfield (ca	ılcare-
	s)Mon xxix	
	Massachusetts, western	
Garnet-epidote lode in S	Sierra NevadaAnr	1 17, 1, p 706
Garnet-graphite-amphil	polite, thin section of, from Massachusetts, Lever	ettMon
	XXIX	, pp 302–303
Garnetiferous gabbro fi	rom Minnesota, Granite Falls, description of, a	s one
of	the educational seriesBull 150	, pp 282–286
	de-schist from New Hampshire, Hanover, descr	
	as one of the educational seriesBull 150	
Garrard sandstone of K	entucky	GF 46, p 2
•		

Garrison (F. L.), alloys of iron and chromium
alloys of iron and tungsten
Gas, hot spring, analysis of, from California
Gas, illuminating and fuel, and by-products, statistics of Ann 20, vi cont, pp 225–250
Gas, natural, analysis of, from California, Mayacmas districtMon XIII, p 373
analysis of, from California, Stockton
from Canada, Petrolia
from Caspian Sea, Baku
from Indiana, various localities Ann 8, 11, pp 592, 646; Ann 11, 1, p 594
from Indiana and Ohio
from Kansas, Iola
from New York, various localities
from Ohio, Findlay, Fostoria, and St. Marys
591, 592; Ann 11, 1, p 594; MR 1888, p 490; MR 1892, p 654
from Ohio and IndianaAnn 11, 1, p 592
from Pennsylvania, various localities MR 1883-84, p 235; MR 1892, p 653
from South Wales
from Utah, near Salt Lake City
111 cont, p 749; Ann 18, v cont, p 915
from West Virginia; Wirt CountyMR 1883–84, p 235
conditions and modes of accumulation of
11, pp 507–519; Ann 11, 1, pp 654–661
history of use, geologic distribution, storage, transportation, etc., ofMR 1885,
pp 169–173; MR 1892, pp 658–676; Ann 16, rv, pp 405–421
in California, Marysville quadrangle
in Indiana
in Japan MR 1888, pp 511–512
in Ohio and Indiana, and petroleum, Trenton limestone as source of Ann 8,
II, pp 475–662
in Pennsylvania, horizons of
in West Virginia, horizons of
origin of, theories respecting
origin, constitution, future, etc., of
pressure and measurement of Ann 8, 11, pp 593-603; Ann 11, 1, pp 662-675
production of, geologic factors in
record of wells, generalized
statistics of MR 1383-84, 10 233-245; MR
1885, pp 155–179; MR 1886, pp 483–516; MR 1887, pp 464–
502; MR 1888, pp 481–512; MR 1889–90, pp 366–372; MR
1891, pp 436–451; MR 1892, pp 652–698; MR 1893, pp 534–
541; Ann 16, iv, pp 405–429; Ann 17, iii cont, pr 733–750;
Ann 18, v cont, pp 895-918; Ann 19, vi cont, pp 167-185;
Ann 20, vi cont, pp 203-224; Ann 21, vi cont, pp 293-318
storage and pumping of
transportation of
Gas liquor, analyses of
Gas rock, analyses of, from Indiana, various localitiesAnn 8, 11, pp 556, 641, 661
analyses of, from Ohio, various localities
п, pp 550–555, 661; Bull 148, p 261; Bull 168, p 259
Gas wells, care of
of Illinois
pressure and production of
Gases, discharge of, from clay beds
from pyrites burners, analysis of
nom prince buttlets, analysis of

Gases used in steel making, analysis of
viscosity of Bull 54, pp 239–306 Gassy Creek, Colorado. (See Grassy Creek.)
Gastaldite, chemical constitution ofBull 125, p 92
Gasteropoda from Bear River formation Bull 128, pp 41–61
from Cambrian, lower
from Cambrian, middle, of North America
from Carboniferous of Nevada, Eureka district
from Chico-Tejon series of CaliforniaBull 51, pp 15–26
from Colorado formationBull 106, pp 127–163
from Cretaceous of New Jersey recognized at other localities, table showing
Mon xyul, p 30
of Pacific coast
of Vancouver IslandBull 51, pp 44–47
from Devonian of Nevada, Eureka district
from Devonian, higher, of New York, Ontario CountyBull 16, pp 22-23, 52, 55
from EoceneBull 83
of middle Atlantic slopeBull 141, pp 63–72
from Great BasinBull 11, pp 16–22
from marl beds of New Jersey, table showing number of genera and species
under each family Mon xxvIII, p 26
from Miocene deposits of New Jersey
from Nevada, Eureka district
pp 78–85, 182–196, 254–261; Mon xx, pp 323, 329, 332–333
from Olenellus zone
from Permian of TexanBull 77, pp 24–26
from Pleistocene and Recent of Great BasinBull 11, pp 16–22
from Puget group
from Raritan clays and greensand marls of New JerseyMon xvIII
from Silurian, lower, of Nevada, Eureka district
from Yellowstone ParkMon xxxII, II, pp 505-507, 629-630, 632-633, 639
of North America, nonmarine fossil
Gastrochænidæ from marls of New Jersey
Gates, regulator, in irrigation works
Gatun beds of Colombia, correlation of
Gauley River, West Virginia, profile of
Gavilan limestone of California
Gay Head sands and gravels of Marthas Vineyard, correlation of
11, pp 337, 339; Bull 84, pp 35–37, 326
Gaylussite, occurrence and analysis of, from Nevada, near RagtownMon xi, p 76
pseudomorphs of, relation of Lahontan thinolite toBull 12, pp 25–28
Gazetteer of Kansas
of Utah
(See, also, Dictionary, geographic.)
Gearksutite from near Pikes Peak, Colorado, general description and chemical investigation of
Gedrite, analysis of, from Massachusetts, Warwick Bull 126, p 86
Gehlenite, analysis of, from Hungary
chemical constitution of
Gems; collections, behavior with Roentgen rays, literature, etc., of
III cont, pp 919–923; Ann 18, v cont, pp
1213–1215; Ann 19, vi cont, pp 508–512
in Montana, Little Belt Mountains quadrangleGF 56, p 9
Bull. 177—01——22

Gems, statistics of
482–503; MR 1883–84, pp 723–782; MR 1885, pp 437–444;
MR 1886, pp 595-605; MR 1887, pp 555-579; MR 1888,
pp 580–585; MR 1889–90, pp 445–448; MR 1891, pp 539–551
(See, also, Precious stones.)
Geinitz (Hans Bruno), biographic sketch of
Genesee beds of New York, petrography and paleontology ofBull 16, pp 13-34
Genesee River, flow of, measurements of
Ann 20, IV, pp 52, 225–227; WS 24, pp 70–75
Genesee section of New York, fossil faunas of
Genevieve group, geologic name proposed
Genth (F. A.), minerals of North Carolina
Genthite, analysis of, from Oregon, Douglas CountyBull 148, p 231; Bull 168, p 22
chemical constitution of
Geode, description of, as one of the educational seriesBull 150, pp 111–113
Geographic dictionary. (See Dictionary, geographic; also Gazetteer.)
Geographic distribution of fossil plants
Geographic names in Alaska, list of
Geographic positions in United States, dictionary of
Geographic. (See, also, Topographic.)
Geoid, form and position of
Geologic folios published by Geological Survey, list of. (See pp 64-66 of this
bulletin.)
Geologic investigations in States and Territories. (See each State and Territory.)
Geologic map of United States. (See notes on pp 12, 17, 31.)
plan for
Geologic maps of portions of United States and of the world. (See Map, geologic,
in this index.)
Geologic nomenclature and map notation, conference of geologists and lithol-
ogists on, in January, 1889
Geological Survey, laws establishing and extendingAnn 1, pp 3-4; Ann 4, p xiii
organization of, in 1900 and 1901
plan and organization of, in earlier years
Ann 7, pp 3–17; Ann 8, 1, pp 3–69
Geomorphic geology, domain and processes of
Geomorphogeny of Chattanooga district
Geomorphology, a new field in geology
Cape Cod Peninsula, origin of
climate, effect of, on form
divides, migration of, laws of
drainage, relations of, to geomorphogeny
erosion, marine, on Atlantic coast
glacial modification of form and drainage
gradation and stream adjustment, cycles of, in Chattanooga districtAnn 19,
п, pp 37–58
harbors, geologic history of
land sculpture, general principles of
monadnocks in Chattanooga districtAnn 19, 11, pp 28, 30
of Catoctin belt
of Chattanooga district
of Connecticut; Triassic trough, origin of
of San Francisco Peninsula
peneplains, classification of relief with reference toAnn 19, 11, pp 23–31
,

Geomorphology; peneplains, origin of
George River limestone of Nova Scotia and Cape Breton Bull 86, pp 242, 243 Georges Creek and Cumberland coal field, extent and production of Ann 14,  11, p 579
Georgetown limestone of Texas
Altamaha Basin, water powers in
artesian and other wells in
boundary lines of, and cession by, of territory to General GovernmentBull 13,
brick industry of
building stone in Ringgold quadrangle
457, 458; MR 1892, pp 706, 707, 709, 710; MR 1893, p 544 et seq; Ann 16, IV, p 437 et seq; Ann 17, III cont, p 760 et seq; Ann 18, V cont, p 950 et seq; Ann 19, VI cont, p 206 et seq; Ann 20, VI cont, p 271 et seq; Ann 21, VI cont, p 335 et seq
cement production of, statistics of
Chattahoochee River, flow of, measurements of
Chestatee River, flow of, measurements of Ann 18, 1v, p 92 clay in Ringgold quadrangle GF 2, p 3

```
Georgia: clay deposits and products of, statistics of....MR 1892, p 734; MR 1893, pp
                 615-616; Ann 16, IV, pp 518, 519, 520, 521; Ann 17, III cont,
                 pp 819 et seq; Ann 18, v cont, pp 1078 et seq; Ann 19, vi
                 cont, pp 318 et seq, 355; Ann 20, vi cont, pp 466 et seq, 517
  coal, area and statistics of .... Ann 2, p xxviii; MR 1883-84, pp 12, 39; MR 1885,
                 pp 11, 26; MR 1886, pp 225, 230, 252; MR 1887, pp 169, 223;
                 MR 1888, pp 169, 171, 240-241; MR 1889-90, pp 146, 194;
                 MR 1891, p 218; MR 1892, pp 264, 267, 268, 366; MR 1893,
                 pp 188, 189, 194, 195, 197, 199, 200, 261; Ann 16, IV, pp 7 et
                 seq, 82-83; Ann 17, III, pp 287 et seq, 380-381; Ann 18, v, pp
                 353 et seg, 481-482; Ann 19, vi, pp 277 et seg, 397-398; Ann
                 20, vi, pp 299 et seg, 405; Ann 21, vi, pp 324 et seg, 435-436
     1886, pp 378, 384, 393-394; MR 1887, pp 383, 389, 397-398;
                 MR 1888, pp 395, 400, 408; MR 1891, pp 360, 366, 378; MR
                 1892, pp 555 et seq, 574-575; MR 1893, pp 418 et seq, 436;
                 Ann 16, IV, pp 225 et seq, 251-252; Ann 17, III cont, pp 543
                 et seq, 575-577; Ann 18, v cont, pp 661 et seq, 697-698;
                 Ann 19, vi, pp 548 et seq, 591-592; Ann 20, vi, pp 512 et seq,
                 559-560; vi cont, p 227; Ann 21, vi, pp 523 et seg, 572-574
  Coosa River, flow of, measurements of ...... Ann 20, iv, pp 51, 185-186; Ann 21,
                 IV, pp 148-149; WS 27, pp 48, 53, 57, 58; WS 36, pp 148-149
  iv, pp 96-98, 110; Ann 19, iv, pp 243-244; Ann 20, iv,
                    pp 51, 191-192; Ann 21, IV, pp 146-147; WS 11, p 27;
                    WS 15, p 49; WS 27, pp 52, 57, 58; WS 36, pp 144-146
  pp 715, 716-717; MR 1885, p 429; MR 1886, p 585; MR 1887,
                 p 553; MR 1888, p 577; MR 1889-90, p 457; MR 1891, p 555
  elevations in, lists of. Ann 18, 1, pp 311-323; Ann 19, 1, pp 249-253; Ann 20, 1, pp
                 370-383, 387; Bull 5, pp 79-83; Bull 76; Bull 160, pp 122-131
  IV, pp 94-96, 108-109; Ann 19, IV, pp 242-243; Ann 20, IV,
                  pp 51, 189-190; Ann 21, IV, pp 144-145; WS 11, pp 25-27;
                  WS 15, p 48; WS 27, pp 51, 57, 58; WS 36, pp 143-144
     IV, pp 233-234; Ann 20, IV, pp 51, 184; WS 15, p
                      45; WS 27, pp 47, 49-50, 57, 58; WS 36, pp 138-139
  vi cont, pp 227, 230, 240, 243, 245, 247, 249
  Ann 9, pp 78, 122; Ann 10, 1, p 120; Ann 12, 1, pp 54, 71, 79, 117
                 Ann 13, 1, p 136; Ann 14, 1, p 212; Ann 15, pp 130, 141, 148-149;
                 Ann 16, 1, p 22; Ann 17, 1, pp 26-28; Ann 18, 1, pp 29-30;
                 Ann 19, 1, pp 34-35, 38; Ann 20, 1, p 38; Ann 21, 1, p 72;
  geologic maps of, listed.....
                            .....Bull 7, pp 102, 103
     (See Map, geologic, of Georgia.)
  geologic sections in. (See Section, geologic, in Georgia.)
```

	•
gold and silver from	history of
granite production o	f, statistics ofMR 1892, pp 706, 707;
	MR 1893, pp 544, 545; Ann 16, IV, pp 437, 442, 457, 458, 459;
	Ann 17, 111 cont, pp 760, 761, 762, 763, 764; Ann 18, v cont,
•	pp 950, 951, 952, 954, 956, 960–961; Ann 19, vi cont, pp 206,
•	208, 209, 210, 211, 215; Ann 20, vi cont, pp 271, 272, 273, 274,
hambana an accet of	275, 276, 277; Ann 21, vi cont, pp 335, 336, 337, 338, 339, 340
	Ann 13, 11, pp 183–184 statistics of Ann 2, p xxviii; MR 1882, pp
non and steel nom,	120, 129, 130, 131, 133, 134, 135, 136, 137; MR 1883-84, pp
	252, 278; MR 1885, pp 182, 184; MR 1886, pp 18, 33, 84–85,
	98; MR 1887, p 11; MR 1888, pp 14, 23; MR 1889–90, pp. 10,
	17, 24, 32, 35; MR 1891, pp 12, 26, 54, 55, 61; MR 1892, pp 12,
	13, 15, 21, 26, 35, 36, 37; MR 1893, pp 15, 20, 26, 28, 35, 38, 39;
	Ann 16, 111, pp 31, 37, 192, 194, 200-201, 203, 208, 249, 250;
	Ann 17, 111, pp 26, 27, 39, 41, 47, 48, 57, 68; Ann 18, v, pp 24,
	41, 42; Ann 19, vi, pp 26, 27, 29, 34, 56, 68, 72; Ann 20, vi, pp
	29, 41, 43, 44, 74, 75, 85; Ann 21, vr, pp 34, 49–51, 52, 53, 90
	quadrangle
	adrangleGF 19, p 3
	ld quadrangle
production of	
	18, v cont, pp 950, 1044, 1045, 1046, 1049; Ann 19, vi cont,
	pp 206, 280, 282, 283, 287–288; Ann 20, vi cont, pp 271, 342,
	343, 344, 345, 347; Ann 21, vi cont, pp 335, 357, 358, 359, 360
	in
manganese ore, depo	osits and production of, statistics of
	pp 424, 425; MR 1883-84, p 552; MR 1885, pp 305, 328-
	332; MR 1886, pp 181, 185–188; MR 1887, pp 145, 146,
1	150–151; MR 1888, pp 124, 125, 127; MR 1889–90, pp
	127, 133–134; MR 1891, pp 127, 128, 133–134; MR 1892, pp 189, 190, 195–196; MP 1893, pp 120, 128–129; Ann 16,
	III, pp 395, 410–412; Ann 17, III, pp 187, 188, 196; Ann
	18, v, pp 292, 293, 305–307; Ann 19, vi, pp 91, 92, 98;
`	Ann 20, vi, pp 126, 127, 132-133; Ann 21, vi, pp 130, 137
	egion, character of
	drangleGF 2, p 3
	ee Map, geologic, of Georgia.)
	(See Map, topographic, of Georgia; also pp 72–73.) f, statistics of
marble production o	pp 468, 469; MR 1892, p 709; MR 1893, pp 547, 548; Ann 16,
	1v, pp 437, 463, 464–467; Ann 17, 111 cont, pp 760, 766, 767,
	768; Ann 18, v cont, pp 950, 975, 977, 978, 980; Ann 19,
	vi cont, pp 206, 238, 239, 240, 243; Ann 20, vi cont, pp 271,
	281, 282, 283, 284; Ann 21, vi cont, pp 335, 341, 342, 343
mineral spring resor	ts in

```
Georgia, mineral springs of .. Bull 32, pp 81-85; MR 1883-84, p 981; MR 1885, p 537;
              MR 1886, p 716; MR 1887, p 683; MR 1888, p 626; MR
              1889-90, p 526; MR 1891, pp 603, 604; MR 1892, pp 824, 826;
              MR 1893, pp 774, 776, 784, 787, 794; Ann 16, IV, pp 709, 712;
              720; Ann 17, 111 cont, pp 1026, 1032, 1041; Ann 18, v cont,
              pp 1371, 1377, 1386; Ann 19, vi cont, pp 661, 667, 677; Ann
              20, vi cont, pp 749, 756, 766; Ann 21, vi cont, pp 599, 607
  ocher production of .......MR 1891, p 595
  18, IV, pp 79-84; Ann 19, IV, pp 230-233; Ann 20, IV,
              pp 51, 171-172; Ann 21, IV, pp 138-139; WS 11, pp 21-23;
              WS 15, p 44; WS 27, pp 43, 44, 46; WS 36, pp 136-137
    18, IV, pp 78-79; Ann 19, IV, pp 227-229; Ann 20, IV,
              pp 51, 170-171; Ann 21, IV, pp 136-137; WS 11, pp 19-21;
              WS 15, pp 41-42; WS 27, pp 43, 44, 46; WS 36, pp 133-134
    IV, pp 98-99, 108-109; Ann 19, IV, pp 245-246; Ann 20, IV,
              pp 51, 190-191; Ann 21, rv, pp 147-148; WS 11, pp 28-30;
              WS 15, p 50; WS 27, pp 52, 57, 58; WS 36, pp 146-147
  1893, pp 759, 760; Ann 16, IV, pp 695, 696; Ann 17, III
                cont, pp 1013, 1014; Ann 18, v cont, pp 1337, 1338, 1339;
                Ann 19, vi cont, pp 636, 637, 638; Ann 20, vi cont,
                pp 722, 723, 724; Ann 21, vi cont, pp 572, 573, 574
  rainfall and run-off in Chattahoochee and Coosa basins...Ann 20, IV, pp 177-181
    road material in Ringgold quadrangle.......GF 2, p 3
    in Stevenson quadrangle......GF 19, p 3
  pp 437, 484, 485, 486; Ann 17, III cont, pp 776, 777; Ann 18,
              v cont, pp 950, 1012, 1013, 1014; Ann 19, vi cont, pp 265, 266;
              Ann 20, vi cont, pp 337, 338; Ann 21, vi cont, pp 355, 356
  II, pp 147-149; Ann 18, IV, pp 75-77; Ann 20, IV, pp
                  50-51, 165; Ann 21, IV, p 135; Bull 140, pp 72-74;
                 WS 27, pp 28-31, 41-42, 44, 46; WS 36, pp 130-131
    sections, geologic, in. (See Section, geologic, in Georgia.)
  slate production of......MR 1891, p 472; MR 1892, p 710; MR 1893, p 550; Ann
              16, IV, pp 437, 476, 477–478; Ann 17, III cont, pp 760, 770, 771,
              772,773,774; Ann 18, v cont, pp 950, 992, 994, 995, 996, 997–998;
              Ann 19, vi cont, pp 251, 252, 253, 254; Ann 20, vi cont, pp 271,
              294, 295, 296, 297, 298, 299; Ann 21, vi cont, pp 335, 344-349, 351
  soils in Ringgold quadrangle .......GF 2, p 3
```

Georgia; soils in Stevenson quadrangle
Stevenson quadrangle, geology of GF 19
stream measurements in, list of miscellaneous
streams in, general discussion of
timber in, estimates of
tin deposits of
Toccoa River, flow of, measurements of
ıv, pp 166–167; WS 27, pp 60, 64, 65, 66; WS 36, pp 171–172
topographic maps of. (See Map, topographic, of Georgia; also pp 72–73.)
topographic work in
Ann 8, p 102; Ann 9, p 53; Ann 10, 1, pp 91, 92; Ann 11,
I, p 37; Ann 12, I, p 24; Ann 16, I, pp 64, 68, 69, 71; Ann 17,
1, pp 97, 100-101; Ann 18, 1, pp 94, 95, 103; Ann 19, 1, pp 89,
90, 99–100; Ann 20, 1, pp 100, 102, 112; Ann 21, 1, pp 119, 128
Towaliga River, flow of, measurements of
triangulation in
Tugaloo River, water powers on
woodland area in
Yellow River, flow of, measurements of Ann 19, iv, pp 229-230; Ann 21, iv, pp
137-138; WS 15, p 43; WS 27, pp 31-32; WS 36, pp 134-135
water powers on
Georgia formation of Vermont, thickness, fossils, age, etc., ofBull 30, pp 13-24
Georgia slates of Vermont, literature concerningBull 81, pp 98-114
origin of name Bull 81, pp 249–250
Gering formation of Nebraska
Germany, aluminum production of MR 1892, p 228 antimony production of, statistics of MR 1883–84, pp 645–646
asphaltum production of, statistics of MR 1893, pp
666, 667; Ann 18, v cont, p 946; Ann 19, vi cont, pp 199-
201; Ann 20, vi cont, pp 266, 267; Ann 21, vi cont, p 330
building-stone industry in, statistics of
clay deposits and industry of, statistics of
coal production of, statistics of
1883–84, p 13; MR 1885, p 11; MR 1886, p 235; MR 1887, p
189; MR 1888, p 208; MR 1891, p 73; MR 1892, p 270; MR
1893, p 202; Ann 16, 111, pp 236, 248; IV, p 21; Ann 17, 111,
pp 314, 316; Ann 18, v, pp 100, 136, 414, 416; Ann 19, vr, pp
311, 313; Ann 20, vi, pp 332, 334; Ann 21, vi, pp 113, 363, 366
copper production of, statistics ofMR 1882, pp 255–256; MR 1883–84, pp 356, 368–370; MR 1885, pp 228, 238–240; MR 1886, pp
128, 135–138; MR 1887, p 87; MR 1888, p 73; MR 1889–90, p
73; MR 1891, p 100; MR 1892, p 114; MR 1893, p 86; Ann
16, III, p 352; Ann 17, III, pp 117, 118, 126–127; Ann 18, v,
pp 219, 220, 230–232; Ann 19, vi, pp 176, 177, 188–190; Ann
20, vr, pp 202, 203, 215; Ann 21, vr, pp 204, 205, 215–217
fossil plants of, literature of
gold and silver production of, compared with that of other coun-
triesMR 1883-84, pp 319, 320; MR 1889-90, p 49
graphite production of, statistics of
iron, iron-ore, and steel production of, statistics of
MR 1883–84, p 257; MR 1885, p 193; MR 1886, p 21;
MR 1887, p 18; MR 1888, pp 28, 29, 30, 31; MR 1889–90,
pp 20, 21, 22; MR 1891, pp 46, 73; Ann 16, 111, pp
22, 23, 24, 25, 26, 28, 134–139, 235–237, 248; Ann 18,
v, pp 98-103, 136, 137; Ann 19, vi, pp 82, 83, 86; Ann
20, vr, pp 91-92, 101; Ann 21, vr, pp 113, 114, 115

Common in a series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the seri
Germany, iron-ore deposits of, character and location of
lead production of, statistics of MR 1882, pp 322–323;
MR 1883-84, pp 434, 436-438; MR 1885, pp 264, 267-268; MR
1893, p 99; Ann 16, III, pp 372, 374–375; Ann 17, III, pp 156,
160; Ann 18, v, pp 256, 257, 261; Ann 19, vi, pp 220, 221-
222; Ann 20, vi, p 246; Ann 21, vi, pp 245, 246, 247
manganese production of, statistics of
MR 1887, p 161; MR 1892, p 225; MR 1893, pp 147–148,
155; Ann 16, III, pp 448-449, 457; Ann 17, III, pp 211-212,
224; Ann 18, v, pp 316-317, 328; Ann 19, vi, pp 109-110;
Ann 20, vi, pp 148–149, 156; Ann 21, vi, pp 154–155, 162
mining law of
nickel production of, statistics of
MR 1883–84, p 540; Ann 20, vr, p 281; Ann 21, vr, p. 289
ocher production of, statistics of Ann 19, vi cont, p 641; Ann 20, vi cont, p 727
petroleum localities and statistics of
Ann 16, iv, pp 395–397; Ann 17, iii cont, p 715; Ann 18,
v cont, pp 868-871; Ann 19, vi cont, pp 144-146; Ann
20, vi cont, pp 168–171; Ann 21, vi cont, pp 227–234
pyrite mines of
quicksilver deposits of
salt production of, statistics ofMR 1883-84, p 849; Ann 19, vi cont, p 611
sewage utilization in
tin deposits and production of, statistics of
p 618; Ann 16, 111, pp 460, 465, 512-514
zinc production of, statistics of MR 1882, pp 356–357; MR 1883–84, pp 480, 481–
486; MR 1885, pp 277–280; MR 1886, p 159; MR 1887, p 117;
MR 1888, pp 95, 96; MR 1891, pp 113–114; MR 1892, pp
135, 136; MR 1893, pp 107, 108; Ann 16, 111, pp 383, 385–388;
Ann 17, 111, pp 171, 172, 174, 175; Ann 18, v, pp 274, 275, 277,
279; Ann 19, vi, pp 234, 235, 237; Ann 20, vi, pp 263, 264
Geyser Basin, upper, of Yellowstone Park, Firehole RiverAnn 9, pp 651-669
Geyser waters, analyses of Ann 9, p 665
Geyserite, analysis of, from Iceland
analysis of, from New Zealand, RotoruaBull 64, p 45
occurrence of
Geysers of Yellowstone Park
Geysers and hot springs, laboratory experiments relating toAnn 14, 1, pp 158-159
Gignoux (J. E.), manufacture of bluestone at Lyon mill, Dayton, Nevada. MR 1882,
pp 297–305
Gila Basin, Arizona, evaporation in
hydrography of
Ann 12, 11, pp 292–316; Ann 21, 1v, pp 334–358
irrigation problems relating to
rainfall, area, temperature, water supply, wind, canals, etc., in
11, pp 300-301, 307; WS 2, pp 16-55; WS 33, pp 18-21
Gila River, Arizona, flow of, measurements of
и, р 100; Ann 12, и, 306, 360; Ann 13, ии, рр 95, 99;
Ann 18, IV, pp 286–292; Ann 19, IV, pp 415–417; Ann 20,
iv, p 59; Ann 21, iv, pp 331–332; Bull 140, pp 204–206,
207; WS 2, pp 40–41; WS 11, p 72; WS 16, pp 147–148;
WS 28, pp 140, 142; WS 33, pp 22–32; WS 38, pp 313–319
silt carried by
storage of water on

Gila River Indian Reservation, water supply, conditions, etc., of WS 33, p	p 9–18
Gilbert (G. K.), descriptions of rock specimens in educational seriesBu	
pp 58-59 geology of Pueblo quadrangle, Colorado	GF 36
Lake Bonneville, geologic history of	Mon 1
new method of barometric hypsometry	
recent earth movement in Great Lakes region	
sketch of Quaternary lakes of Great BasinBull 11, p	
topographic features of lake shores	
underground water of Arkansas Valley in eastern Colorado	
II, pp 5	
work in charge of, 1879–1900 Ann 1, pp 23–28; Ann 2, pp 10–17; Ann 3, pp	
Ann 4, pp 19–21; Ann 5, pp 30–34; Ann 6, pp 22–25;	
pp 65–68; Ann 8, 1, pp 128–132; Ann 9, pp 76–78; An	
pp 108–113; Ann 11, 1, pp 49–62; Ann 12, 1, pp 52–68	
13, 1, pp 83–98; Ann 14, 1, pp 182–187; Ann 15, pp 14	
Ann 16, 1, pp 25–27; Ann 17, 1, pp 31–34; Ann 18, 1,	
60; Ann 19, 1, pp 54–56; Ann 20, 1, p 36; Ann 21, 1, pp	
Giles formation in Virginia and West VirginiaGF 26, p 2; GF	
Gill (D. W.), work in charge of, 1889–1898	
Ann 12, 1, pp 136–138; Ann 13, 1, pp 164–165; Ann 1	
270-272; Ann 15, pp 199-200; Ann 16, 1, pp 78-79; A	
ı, pp 109–110; Ann 18, ı, pp 117–118; Ann 19, ı, pp 1	.27-1.28
Gillespie formation of Texas	r, p 221
Gilsonite, analyses of	40, 941
conditions of impregnationAnn 17,	г, р 938
deposits of, in Utah	09-949
uses of, in commerce	47-949
Girdled Glacier, Alaska, moraines and velocity of Ann 16, 1, pp 4	46-448
Ginkgoaceæ, from Mesozoic of CaliforniaAnn 20, 1	г, р 361
from older Mesozoic of North CarolinaAnn 20, 1	
from Triassic of Pennsylvania	г, р 249
Girty (G. H.), Devonian fossils from southwestern Colorado: fauna of Ouray	r
limestoneAnn 20, 11, p	o 25 <b>-81</b>
Devonian and Carboniferous fossils of Yellowstone ParkMon	xxxII,
	79-599
preliminary report on Paleozoic invertebrate fossils from region of	£
McAlester coal field, Indian Territory Ann 19, 111, pp 5	39-600
work in charge of, 1896–1900	ı, p 62;
Ann 19, 1, p 62; Ann 20, 1, p 61; Ann 21	, ı, p 90
Gismondite, chemical constitution ofBull 125, pp 34–35,	
Glacial action in Maine, Mount DesertAnn 8, 11, pp 100	2-1009
in New England, effects of, in development of shore swampsAnn 6, pp 3	362-363
in Sierra Nevada, evidences of	594–597
land forms produced byAnn 11, 1, pp 2	249-256
perturbation of drainage by, so as to produce swampsAnn 10, 1, pp 2	295-303
Glacial boundary in western Pennsylvania, Ohio, Kentucky, Indiana and Illi	<b>-</b> .
nois	
Glacial cirques, mode of origin of	
Glacial clay, analysis of, from Wisconsin, Milwaukee	
p 250; Bull 42, pp 143, 144; Bull 148, p 294; Bull 168	
Glacial dam at Cincinnati, hypothesis ofBull 58, pp	76–101
Glacial deposition, agency of, in modifying topographic forms. Mon xxII, pp	22-123
Glacial deposit of Atlantic slope, middle	7, p 611

Glacial deposit of Marthas Vineyard	5
Glacial epoch, cause of	'n
in Grand Canyon district, character and effect of	q
in Massachusetts, western	
in North America, review of	
Pleistocene lakes of Great Basin regarded as contemporaries of Ann 2, pp 187, 18	
terminal moraine of second	
Glacial epochs, rock-scorings of	
(See, also, Pleistocene.)  Glacial formations, investigations of	c
Glacial formations, investigations of	0
Glacial gravel, description of, as one of the educational seriesBull 150, pp 58-5	
Glacial gravels of Maine and their associated deposits	
Glacial history of California, Mono Basin	
of Illinois-Indiana, Danville quadrangle	1
of Massachusetts, Cape Cod district	
Glacial history and phenomena of Iowa, northeastern Ann 11, 1, pp 472-57	7
Glacial Lake Agassiz, monograph on	
upper beaches and deltas ofBull 3	
Glacial Lake Chicago, beaches, etc., of	
Glacial lakes associated with Lake Agassiz	
evidences of	
of Massachusetts, western-central	
of United States, northern, and Canada, the principal Mon xxv, pp 202-20	
Glacial lobe, the Illinois	ΙI
Glacial masses, modification of sea level by attraction ofBull 48, pp 60-7	9
Glacial modification of form and drainage, especially in ConnecticutAnn 18	3,
п, рр 179–18	4
Glacial-moraine harbors, description of	0
Glacial-moraine harbors, description of	0
Glacial-moraine harbors, description of	8
Glacial-moraine harbors, description of	0 8 7
Glacial-moraine harbors, description of	0 8 7 7
Glacial-moraine harbors, description of	0 8 7 7 8
Glacial-moraine harbors, description of	0 8 7 7 8 4
Glacial-moraine harbors, description of	0 8 7 7 8 4
Glacial-moraine harbors, description of	0 8 7 7 8 4 0
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0 7 9
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0 7 9
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0 7 9 3
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0 7 9 3 1 5
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0 7 9 3 1 5 ;
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0 7 9 3 1 5 ;;;
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0 7 9 3 1 5 ;; -
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0 7 9 3 1 5 ;; - n
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0 7 9 3 1 5 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0 7 9 3 1 5 ;; - n p;
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0 7 9 3 1 5 ;; - n p;;,
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0 7 9 3 1 5 ;; - n p; ; 6
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0 7 9 3 1 5 ;; - n p; ; 6
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0 7 9 3 1 5 ;; - n p; ; 6 9
Glacial-moraine harbors, description of	0 8 17 7 8 4 0 0 7 9 3 1 5 ;; - n p; ; 6 9 4
Glacial-moraine harbors, description of	0 8 17 7 8 4 0 0 7 9 3 1 5 ;; - n p; ; 6 9 4 9
Glacial-moraine harbors, description of	0 8 7 7 8 4 0 0 7 9 3 1 5 ;; - n p; ; 6 9 4 9 2

Cla	lociation. duift in Torre	D. 11 150 05 01
Gia	aciation; drift in Iowa	Man ware on 525 549
	drift in Massachusetts, western	
	in Montana, Fort Benton quadrangle	
	Little Belt Mountains quadrangle	
	in Nebraska	
	in Ohio, thickness of	
	in South Dakota	
	influence of, on drainage in region of Illinois glad	
	moraines, etc., in Indiana, extent of	xxxvIII, pp 460–541
	moraines, etc., in Indiana, extent of	WS 21, pp 9-13
	drift deposits in region of glacial Lake Agassiz M	on xxv, pp 132–190, 249–250
	drift sheet, the Illinoian, and its relations	
	the Iowan, and associated deposits	
	drift sheets, the Wisconsin	
	driftless area of upper Mississippi Valley	Ann 6, pp 199–322
	drumlins in Massachusetts, western	
	eskers of Illinois, northwestern	
	ground-ice formation of Alaska	
	ice sheet, the continental, and its recession	
	Illinois glacial lobe	
	in Alaska—Kenai Peninsula, Matanuska, Copper, and	d Delta valleysAnn 20,
		vii, pp 324–331
	Pyramid Harbor to Eagle City	Ann 21, 11, pp 364–365
	southern, notes on	Ann 18, 111, pp 59–60
	southwestern, notes on	
	in California, Bidwell Bar quadrangle	GF 43, p 5
	Big Trees quadrangle	GF 51, p 7
	Colfax quadrangle	GF 66. p 7
	Downieville quadrangle	GF 37. p 7
	Lassen Peak quadrangle	GF 15. p 2
	Pyramid Peak quadrangle	GF 31, pp 7–8
	Truckee quadrangle	GF 39, pp 6–7
	Yosemite Valley, evidence of	Ann 10. r. pp 142–143
	in Colorado, Aspen district	Mon xxxi pp 244–250
	Leadville districtAnn 2, pp 228–230; Mon XII,	
	Pikes Peak quadrangle	
	Rico Mountains	
•	Telluride quadrangle	
	in Connecticut-Massachusetts, Holyoke quadrangle.	GF 50 n 6
	in far North, latest	Mon vvv n 198
	in Greenland, snow and ice, remarks on	Mon xxxiv pp 269-270
	in Idaho in Pleistocene time	
	in Maine; bowlders of glacial gravels	
	classification of glacial sediments	
	was there more than one	Mon xxxiv, pp 303-489
	in Massachusetts, Cape Ann	Ann 9 nn 546-559
	Holyoke quadrangle	
	Nantucket	Bull 53 pp 15_28 42_47
	western	GF 50 n 3
	in Montana, Castle Mountain	Rull 120 pp 142 147
	Fort Benton quadrangle	
	Livingston quadrangle	CTF 1 - 1
	Three Forks quadrangle	(4F 94 nn 1 2
	in Narragansett Basin	Mon vxxIII nn 67-71 109
	TIT TITTE CONTINUE TO THE TITLE TO THE TITLE TO THE TOTAL TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE TO THE TITLE	

Glaciation in Rocky Mountains	
in Washington, Cascade Mountains, evidences of previous intenseAnn 20,	
п, pp 150–173	
Cascade RangeGF 54, p 3	
centralBull 108, p 25	
Mount Rainier, interglaciers aboutAnn 18, 11, pp 381, 405-407	
Tacoma quadrangleGF 54, p 2	
in Wisconsin, Eagle quadrangleTF 1, p 3	
Sun Prairie quadrangleTF 1, p 3	
in Wyoming, Absaroka district	
in Yellowstone Park	
in Yellowstone ValleyBull 104	
interglaciers about Mount Rainier	
Iowa and Illinois ice lobes, relation of	
loess in Massachusetts, western-central	
loess, Iowan, structure, mode of deposition, etc., ofMon xxxvIII, pp 153-184	
Mississippi River, temporary displacement of, by the ice. Mon xxxvIII, pp 89-97	
moraines of Cape Cod district	
moraines, terminal, of region of glacial Lake Agassiz Mon xxv, pp 139-179	
moraines and bowlder trains in Massachusetts, western	
morainic systems within region of Illinois glacial lobe. Mon xxxvIII, pp 192-417	
osar border clay of Maine	
osar streams and osars in Alaska	
Peorian soil and weathered zone	
Sangamon soil and weathered zone	
in Hudson Bay and Lake Superior region and westward, table of Mon xxx,	
pp 633-642	
in Minnesota River ValleyBull 157, p 45	
in South Dakota, Coteau des Prairies regionBull 158, pp 110–112	
southeastern Bull 158, p 68–69	
in United States, eastern, map of	
striæ, grooves, and notches in Massachusetts, western, list of	
pp 522–531	
till in Massachusetts, western	
in region of glacial Lake Agassiz	
in South Dakota, southeastern	
Kansan, pre-Illinoian, etc	
valley drift of Maine	
water, volume of, received and discharged by Lake AgassizMon xxv, p 252	
Yarmouth soil and weathered zoneMon xxxviii, pp 119–124	
Glacier, description of a	
Glacier Bay, Alaska, and its glaciers	
Glaciers, Muir and Girdled, velocity, melting, etc., of	
Glaciers of Alaska. Ann 5, pp 348-355; Ann 13, 11, pp 1-91; Mon xxxiv, pp 355-358	
of Alaska, Glacier Bay	
Mount Shasta	
of Sierra Nevada, ancient	
former and existing, topographic sketch of	
of United States, existing	
of Washington, Cascade Mountains, existing	
Mount Rainier	
Glaciology; abrasion, condition of, in glacial action	
beaches and deltas of glacial Lake Agassiz, locations and changes in levels	
of	

Glaciology; conglomerates, Carboniferous, as products of glaciationMon xxxIII,
pp 64–67
contortion, jointing, and faulting in clay and sand, produced by ice in
Massachusetts, western-central
correlation of lake maxima with glaciation
drift agencies and transportation, especially in MaineMon xxxiv, pp 10-22
drift fragments, shapes of
drumlins, formation of, theories of
englacial and subglacial streams, tunnels, and channelsMon xxxiv, pp 296–301
epeirogenic movements, relationship of, to glaciationMon xxv, pp 516-521
erosion, ice, of an isolated conical mountain, general laws governing Ann
18, п, рр 379–385
eskers or kames, reticulated
fiord or glacial harbors, description of
glacier, description of a
glaciers, absence of, almost total, in northern half of Great Basin during
Pleistocene time
cause, movement, etc., of
movements of
testimony of, regarding Pleistocene climate of Great basinMon x ₁ ,
pp 265–268
holes in surface of glaciers, explanations of
kames and osars, formation and characters of, especially in MaineMon xxxiv,
pp 330–333, 359–369, 413–448
Lake Agassiz, changes of level of, causes of
lakes, Pleistocene, two classes of
lenticular shape of coastal gravel masses
moraine, ground, theories of, discussion of
osars, deposition of, by subglacial or superficial streamsMon xxxiv, pp 420-440
oscillations of land and sea associated with glaciationMon xxv, pp 501-512
potholés, glacial, conditions for formation of, etcMon xxxiv, pp 324-330
recession and shrinkage of glaciers of Mount RainierAnn 18, 11, pp 407-409
retreatal phenomena in Maine
river courses in Washington Territory, changes in, due to glaciationBull 40
soils and glaciation, relation of
solar energy, effect of, on glaciation
temperatures, internal, of ice sheets
time relations, or glacial succession, outline ofMon xxxvIII, pp 19-23
transportation by glaciers
of bowlders
Glacio-natant drift in Denver Basin
Gladeville sandstone of Kentucky
of Topposes
of Tennessee
of Virginia
Glass, analysis of, from Colorado, Mount Tyndall (rhyolitic residual)Bull 148, p 170
electric resistance of stressed
of Yellowstone Park (globulitic and microlitic)Mon xxxII, II, pp 405-410
thermal expansion and compressibility of Bull 96, pp 54-55
thin section of, from Massachusetts, Meriden
from New York, Split Rock (from ore)
from Yellowstone Park (rhyolitic)
viscosity of electrolyzing
Glass, volcanic, analysis of, from Idaho, Marsh Creek Valley (pumiceous). Bull 148,
p 141; Bull 168, p 115
analysis of, from Montana, Devils Pathway and Little Sage Creek (pumi-
ceous)Bull 148, p 141; Bull 168, p 115

Glass and sand breccia, thin section of, from Massachusetts, GreenfieldMon
Glass and steel, effect of sudden cooling exhibited by
Class and steel, enect of sudden cooling exhibited by
Glass materials, statistics ofMR 1883-84, pp 958-977; MR 1885, pp 544-557
Glass-pot clay. (See Clay, glass-pot.)
Glass sand of New Jersey Bull 84, pp 42, 43
Glass sands, analyses of MR 1883-84, p 962
Glauconite, analysis of, from New Jersey
composition of
Glaucophane, chemical constitution of
in metamorphic rocks of Coast ranges of California
Glaucophane-schist, analysis of, from California, Mount DiabloBull 148,
p 224; Bull 168, p 213 analysis of, from California, Sulphur Bank
analysis of, from California, Sulphur Bank
p 104; Bull 148, p 222; Bull 168, p 211
Glaucophane-schists of the Coast Ranges of California
Glazes, majolica, analyses of
Glen Rose formation of Texas
Ann 21, vii, pp 144–166, 374, 381; GF 42, p 2; GF 64, p 1
of Texas Uvalde quadrangle, wells fromGF 64, p 6
Glenn (W.), chrome ores of TurkeyAnn 19, vi, pp 261-264
iron, chromic, occurrence, character, uses, etc., ofAnn 17, 111, pp 261–273
Globe Hill, Cripple Creek district, Colorado, character of ore deposits inAnn 16,
и, pp 170–172
Globe and Ironclad hills, Colorado, rocks of
Globigerinidæ, Cretaceous, from New JerseyBull 88, pp 63-64
Glossary of rock namesGF 3, p 2; GF 5, p 2; GF 11, p 2; GF 18, p 2; GF 31, p 2;
GF 37, p 2; GF 39, p 2; GF 41, p 2; GF 43, p 2; GF 51, p 2
Gmelinite, analysis ofBull 125, p 37
chemical constitution ofBull 125, pp 36–37, 44, 102
Gnathodon bed of MississippiBull 84, p 326
Gneiss, analysis of, from California, Big Trees quadrangleAnn 17, 1, p 702
analysis of, from District of Columbia
p 670; Bull 148, p 88; Bull 168, p 48 from Italy, PiedmontBull 109, p 107
from Italy, PiedmontBull 109, p 107
from Manyland, Cabin John Pridge (ablantic)
p 670; Bull 148, p 88; Bull 168, p 48
p 670; Bull 148, p 88; Bull 168, p 48  Dorsey Run
pp 697, 722; Bull 90, p 67; Bull 148, p 87; Bull 168, p 47
Great FallsAnn 15, p 670; Bull 148, p 88; Bull 168, p 48
from Massachusetts, Monson
from Michigan, Crystal Falls districtBull 168, p 66
Felch Mountain district
Marquette district (schistose)
p 217; Bull 148, p 99; Bull 168, p 65
from Minnesota, near New Ulm (granitoid)
from North Carolina, Corundum Hill (altered)
p 50; Bull 148, p 91; Bull 168, p 54
from Vermont, Little Peco and near Lincolns (granitoid)Bull 148,
p 71; Bull 168, p 27
from Massachusetts (granitoid), Hoosac Mountain, description of, as one
of the educational seriesBull 150, pp 349–353
of California, Big Trees quadrangle
of Colorado, Mosquito Range

Gneiss of Colorado, Pikes Peak quadrangleG	F 7, pp 1, 3, 4, 7
of Colorado, Telluride quadrangle	GF 57, p 7
of Connecticut-Massachusetts, Holyoke quadrangle	GF 50, p 4
of Lake Superior district, character of	10, 1, pp 358–360
of Massachusetts, Berkshire County (blue quartz)Bull	159, pp 27, 37–39
of Michigan, Crystal Falls districtAnn 19, 111, pp	
of Minnesota, southwestern	
of Montana, Bridger RangeB	ull 110, pp 47–49
Fort Benton quadrangle	
Little Belt Mountains quadrangle	
of New Jersey, northernAnn 1	
of Northwestern States	Ann 5, p 213
of Sierra Nevada, ArcheanAnn 17, 1, pp	533-537, 700-705
of Wisconsin, northern, ArcheanAnn	
residual clay of, from Delaware, Hockessin, description of, as	
educational seriesBul	
thin section of, from Massachusetts, Hinsdale	
from Massachusetts, Hoosac Mountain Mon	
PeruB	
WashingtonB	
from Minnesota, sec. 10, T. 112 N., R. 34 W. (chloritic)Bu	
from Wisconsin, sec. 23, T. 44 N., R. 5 W. (biotitic granitoid	)Mon xıx,
	pp 476–477
Gneiss and granite of Colorado, Cripple Creek district, areas ofAn	
of Colorado, Silver Cliff and Rosita HillsAnn 17, 11, pp 275	
Gneiss-dunyte contacts of Corundum Hill, North Carolina, in relatio	
of corundum	Bull 42, pp 45-63
Gneisses, genesis of certain Maryland	
Gneissic series of Tanana and White basins, Alaska	
of AlaskaAnn	
Godiva•limestone of Utah	4–625; GF 65, p 1
Gogebic series. (See Penokee series.)	
Gold, analysis of, from Persia (native)	
auriferous gravels of California	
auriferous slate series of California, Lassen Peak districtAnn	
colloidal sulphides of	Bull 90, pp 56-61
discovery of, in California and Nevada.	
in Alaska	-437, 482-485, 486
deposits and districts of, notes on	
36, 47–48, 60–61, 70–71, 80, 91–95, 101–102,	
production of, in 1896, 1897, and 1898, by districts	
Nome region, preliminary report on	Nome
(See, also, Precious metals, gold.)	CTF 42 m 6
in California, Bidwell Bar quadrangle Big Trees quadrangle	GF 51 nn 7-8
Colfax quadrangle	GF 66 nn 7~10
Downieville quadrangle	
Jackson quadrangle	(4F 11, p 6
Marysville quadrangle	GF 17. p 2
Mother Lode district	
Nevada City, Grass Valley, and Banner Hill districts	GF 29, pp 5-6
Placerville quadrangle	
production of, table of	Ann 17, 11, p 26
Pyramid Peak quadrangle	GF 31, p 8
Sacramento quadrangle	GF 5, p 3
·	·

Gold in California, Smartsville quadrangle	
in California, Sonora quadrangle	
Truckee quadrangle	GF 39, p 8
in Colorado, Cripple Creek district	
Cripple Creek district, free, tellurides of, etcAr	
Leadville district	
in Idaho, Boise quadrangle	GF 45, pp 5–6
in Montana	Bull 139, pp 150-156
Butte district	GF 38, p 5
Fort Benton quadrangle	GF 55, pp 5–6
Livingston quadrangle	
Three Forks quadrangle	
in Nevada, in deposits of EurekaMon vii, pp 120, 131-1	
in North Carolina-Tennessee, Knoxville quadrangle	
in Oregon, Roseburg quadrangle	GF 49, p 4
in Philippine Islands, occurrence of	
in Porto Rico, occurrence of	
in pyrite and quartz, thin section showing, from California, Gr	
in pyrite and quarte, than sooned showing, from cantornat, or	и, рр 134–135
in Tennessee-North Carolina, Knoxville quadrangle	
in Texas, Uvalde quadrangle	
in Utah, Tintic district, production of	
solubility of	400 very no 499 474
solubility and precipitation of	nn 17, 11, pp 179, 181
(See, also, Precious metals.)	100 104
Gold and metallic sulphides, deposition of, mode ofA	
Gold and silver, conversion tables	
discovery of, in Colorado	
in California, production of, Nevada City and Grass Valley of	
	п, рр 27, 262
in Colorado, Leadville region	
in Idaho, mining districts	
in Nevada, Comstock lode	
in United States, production of, since 1792 and 1804	MR 1891,
	4–75; MR 1888, p 38
production of, statistics of	Ann 2, pp 331–401;
MR 1882, pp 172–185; MR 1883–8	34. pp 312–321; MR
1885, pp 200–207; MR 1886, pp	
pp 58-65; MR 1888, pp 36-42; MR	
MR1891,pp74–80; MR1892,pp 46–94	
Ann 17, 111, pp 72–79; Ann 18, v, pp	
pp 127–135; Ann 20, vi, pp 103–111; A	
**	1111 21, v1, pp 110-121
(See, also, Precious metals.) Gold-bearing veins of Alaska, sketch of	Marie (0) mm 01 00
Gold belt in California, extent and geology of	
GF 11, pp 1–2; GF 18, pp 1–2; GF 21, pp	
GF 39, pp 1–2; GF 41, pp 1–2; GF 43, pp	
in Georgia	ın 10, III, pp 293–300
in North Carolina	
in South Carolina	
Gold fields of southern Appalachians, geography, history, geology	ur. pp 251-331
Gold gravels and vein deposits of Sierra Nevada	· • •
ı, pp 586–590, 653–654, 675–677, 6	
/ A A A A A A A A A A A A A A A A A A A	

:	·
Gold Hill, Cripple Creek district, Colorado, and adjacent ridges,	
character of ore deposits in Ann 16,	н, рр 91–94, 173–174
Gold ledge of Mercur district, Utah	nn 16, 11, pp 403–455
Gold-mining industry in western Oregon	Ann 17, 1, pp 515–520
Gold mining and metallurgy in Southern States, history ofA	nn 20, vr, pp 111–123
Gold ore, analysis of, from Colorado, Leadville district	
analysis of, from Utah, Mercur mine (oxidized)	Ann 16, II, p 426
Gold ores of Mercur district, Utah, theory of genesis ofA	
Gold quartz (precious stone), occurrence and statistics of MR	
MR 1891, p 540; MR 1892, p 781; MR 189	
pp 604, 605; Ann 17, III cont, p 924; A	
Gold-quartz veins in Appalachians, southern	
in California, Colfax quadrangle	
Mother Lode district.	
Nevada City and Grass Valley districts	
Ophir	
in Colorado, Cripple Creek district	
in Colorado, Crippie Creek district	M 10, 11, pp 144-130
Leadville district	Mon XII, pp 513-515
TellurideAnn 18	, пп, рр 771–781, 800
in Idaho	
In Montana, Boulder Hot Springs	an 21, п, pp 233–255
in Nevada, Comstock lode	
in Oregon, Bohemia mining district	
Goniatite limestone, history of discussions concerningBul	
Gooch (F. A.), filtration by easily soluble and volatile filters	
separation and estimation of boric acid, with account of con	venient form
of apparatus for quantitative distillations.	
separation of sodium and potassium from lithium by action of	
on chlorides, with some reference to simil	
of same from magnesium and calcium	
separation of titanium and aluminum, and titanium and iron	
Gooch (F. A.) and Whitfield (J. E.), analyses of waters of Yello	owstone Park,
with account of methods of analysis employ	yedBull 47
Goode (R. U.), survey of Idaho-Montana boundary line from	international
boundary to crest of Bitterroot Mountains.	Bull 170
work in charge of, 1894–1900	nn 17, 1, pp 104–106;
Ann 18, 1, pp 108-110, 143; Ann 19,	ı, pp 105–108, 353–
408; Ann 20, 1, pp 117–119, 121–125; A	
Goode (R. U.) and others; triangulation and spirit-leveling data	Ann 18,
ı, pp 131–422; Ann 19	, ı, pp 145–408; Ann
20, r, pp 211–530; Ar	
Goodland limestone of TexasAn	а 21, ун, рр 216–222
Goodrich (H. B.), history and condition of Yukon gold distri	ct, Alaska, to
1897	n 18, пг, pp 103–133
recent warpings in Yukon district, Alaska, as shown	
peculiaritiesAr	
Goodrich quartzite, relations, petrographic character, etc., of	
рр 591–596, 616–618; Моп ххунг,	
Goose Creek, Wyoming, flow of, measurements of	n 18, IV, pp 136–138;
Ann 19, IV, pp 295–297; An	
140, p 94; WS 11, pp 49	
Göppert (Heinrich Robert), biographic sketch of	
Gore (J. H.), administrative report for 1881–82	
Gorman (M. W.), eastern part of Washington Forest ReserveA	nn 19, v, pp 315-350
Bull. 177—01——23	

Goshen schist or flags in New EnglandMon xxix, pp 177-183; GF 50, pp 2, 5
Gossan and mundic ores of Virginia, analyses of
Gothic mountain, Colorado, structure and rocks of
Gould (E. R. L.), mining law of States east of the MississippiMR 1886, pp 722-790
Graded river, example of
Credient become stric discussion of Apr. 2 and 410, 420, 526, 540
Gradient, barometric, discussion of
Grahamite, West Virginia and Mexican veins of, accounts of . Ann 17, 1, pp 939-941
Grain of slates of New York, Vermont, and other regions Ann 19, 111, pp 209, 219, 285
Grainger shale of KentuckyBull 111, p 38; GF 12, p 3
of North CarolinaGF 16, p 4
of TennesseeGF 12, p 3; GF 16, p 4; GF 25, p 4; GF 27, p 3; GF 59, p 4
of VirginiaBull 111, p 38; GF 12, p 3; GF 59, p 4
Gramineæ of Alaska
of Dakota group
of Laramie group
of North America, extinct
of Triassic of Pennsylvania
Granby tuff of Massachusetts and ConnecticutMon xxix, p 369; GF 50, p 5
Grand Canyon district, description of
physical geology of
Tertiary history of
(See, also, Arizona; Utah.)
Grand Canyon group of rocks in Arizona, literature ofBull 86, pp 327-332, 507
Grand Canyon of the Colorado, pre-Cambrian and Cambrian ofAnn 16, 1, p 825
pre-Cambrian igneous rocks of Unkar terraneAnn 14, 11, pp 497–524
Grand Canyon sections
Bull 30, pp 42–43; Bull 81, pp 356, 357; Mon xx, p 207
Grand Gulf group of Southern States, correlation, physical history, etc., of Ann 12,
r, pp 408–410; Bull 84, pp 159, 161–165, 167–170, 172–175, 187–189
Grand Gulf stage, geologic and topographic conditions duringBull 84, pp 187–189
Grand River, Colorado, flow of, measurements of
Ann 19, IV, pp 399-401; Ann 20, IV, pp 58, 389; Ann 21, IV, pp
280–281; Bull 131, p 48; Bull 140, pp 186–187; WS 11, p 67;
WS 16, pp 137–138; WS 28, pp 135, 142, 144; WS 37, pp 293–296
profile of
Grand River, Indian Territory, flow of, measurements of
Grand and Black prairies, Texas, geography and geology of
Grande Ronde River, Washington, description of
Graneros shale of Black Hills
of ColoradoAnn 17, 11, pp 564, 571; GF 36, p 3; GF 58, p 1; GF 66, p 1
Granite, alteration of, to biotite-quartz-schist
analysis of, from Arkansas, Fourche Mountain
from California, Bidwell Bar, Big Trees, and Downieville quadran-
glesAnn 17, 1, pp 570, 633, 702
ExeterAnn 19, vi cont, p 212
Mariposa County, Mount Dana (porphyritic)Ann 17,
ı, p 721; Bull 148, p 219; Bull 150, p 339; Bull 168, p 207
Merced-Mariposa district
Placer CountyBull 148, p 212; Bull 150, p 172; Bull 168, p 198
Plumas County
Tulare County
from Coloredo Tittle Cottonwood Commercial Management 20, v1 cont. p 500
from Colorado, Little Cottonwood Canyon
Pikes Peak district
Platte Canyon

Consider a design of the Constraint New York County
Granite, analysis of, from Connecticut, New London County
vi cont, p 214; Ann 20, vi cont, p 364 analysis of, from Delaware, Rockford . Ann 19, vi cont, p 214; Ann 20, vi cont, p 371
from District of Columbia
rom District of Columbia
near Washington (residual sand of)
from Kentucky, Elliott County
Bull 148, p 92; Bull 168, p 56
from Maine, Bluehill and Freeport
Ann 19, vi cont, pp 215, 216
Cumberland, Franklin, Hancock, and Lincoln countiesAnn 20,
vi cont, pp 389, 391, 392, 393 North Jay
from Maryland, Brookville
Cecil County
Dorsey Run
Howard County
Bull 90, p 67; Bull 148, p 86; Bull 168, p 46
Montgomery County (white)Bull 148, p 86; Bull 168, p 46
Port Deposit
various localities
from Massachusetts, Becket
Bradford
Chester
Essex County
Florence Mon xxix, p 316
Milford
Monson
Quincy
Worcester County
from Michigan, Crystal Falls district
Felch Mountain district
from Minnesota, Pigeon Point
Bull 109, p 90; Bull 148, p 110; Bull 168, p 80 from Missouri, Graniteville region
Bull 90, p 68; Bull 148, p 95; Bull 168, p 59
from Montana, Boulder
Butte district, Helena and WalkervilleBull 168, pp 116, 117, 118
Castle Mountain district
pp 96, 135, 136; Bull 148, p 150; Bull 168, p 129
Cottonwood Creek (mass included in)Bull 139, p 88
Elk PeakBull 139, p 84
from Nevada, Washoe County. Ann 18, v cont, p 969; Ann 20, vr cont, p 416
from New Hampshire, Carroll, Cheshire, and Hillsboro countiesAnn 20,
vi cont, pp 417, 418
from New York, Rockland County
from North Carolina, near Greensboro (Mount Airy)Ann 18, v cont, p 970
from Pennsylvania, Lackawanna CountyAnn 18, v cont, p 973
from Sweden, BejbyBull 109, p 56
from Vermont, BarreAnn 19, vi cont, p 224; Ann 20, vi cont, p 445
East Clarendon section (chloritic)Bull 148, p 71; Bull 168, p 27
from Virginia, PetersburgAnn 19, vI cont, p 227; Ann 20, vI cont, p 457
from Wisconsin, Green Lake County
Menominee RiverBull 55, p 81
•

Granite, analysis of, from Wisconsin, Waushara County
v cont, p 975; Ann 19, vi cont, p 228; Ann 20, vi cont, p 460
classification, composition, geographic distribution, methods of quarrying,
uses, etc
from California, Rocklin, description of, as one of the educational seriesBull 150, pp 170–172
from District of Columbia, residual sand of, description of, as one of the
educational series
of Alaska
intrusive
southern, notes on
Sushitna Basin
Yukon district (basal)
of California, Big Trees quadrangle
Colfax quadrangle
Coast Ranges
Downieville quadrangle
Jackson quadrangle
origin of
Pyramid Peak quadrangle
Truckee quadrangle
of Catoctin belt
of Colorado, Aspen district
Crested Butte quadrangleGF 9, p 5
Mosquito Range
Pikes Peak quadrangleGF 7, pp 1, 3, 4, 7
Telluride quadrangleGF 57, p 7
of Connecticut-Massachusetts, Holyoke quadrangle
of Idaho, alteration of, hydrothermal
Boise quadrangle
Idaho Basin
western-central
of Maine, Aroostook volcanic area, outcrops and petrography ofBull 165,
pp 105–107, 146–152
of Maryland, central, origin and relations of
Harpers Ferry quadrangleGF 10, p 2
of Massachusetts, Berkshire County, easternBull 159, p 99
Holyoke quadrangleGF 50, p 6
western, crushing tests of
of Michigan, Crystal Falls district
Mon xxxvi, pp 190–198, 387–390, 463–464
Keweenaw series
Marquette district
Mon xxvIII, pp 169-176, 209-211; Bull 62, pp 147-148
Penokee iron-bearing series
of Montana, Butte district
Castle Mountain mining district, features and microscopic petrog-
raphy of
Little Belt Mountains quadrangle
Three Forks quadrangle
of Nevada, Eureka district
Steamboat Springs
Washoe district

· · · · · · · · · · · · · · · · · · ·
Granite of New England, notes on
537-538; MR 1887, pp 512-515; MR 1888, pp 536-544; MR
1889–90, pp 373–440; MR 1891, pp 456–460; MR 1892, pp 705–
709; MR 1893, pp 543, 544–547; Ann 16, iv, pp 436, 437, 438–
462; Ann 17, 11 cont, pp 759, 760–766; Ann 18, v cont, pp 949,
950, 951–975; Ann 19, v1 cont, pp 206–237; Ann 20, v1 cont,
pp 270, 271, 272–281; Ann 21, v1 cont, pp 334, 335, 336–340
thin section of, from California, near Lake TenayaAnn 17, 1, pp 748-749
from Maryland
Ellicott City
Guilford, Ilchester, and Woodstock
from Michigan, Crystal Falls district (contact)
pp 296–297, 300–301
from Montana, Elk PeakBull 139, pp 86–87
(See Building stone.)
Granite and gneiss of Colorado, Cripple Creek district
п, pp 20–23, 62, 84, 94, 97–99
of Colorado, Silver Cliff and Rosita Hills
и, pp 275–280, 333–338, 384
Granite and quartz-diorite of Sierra NevadaAnn 17, 1, pp 550, 570–571, 632–634
Granite family of rocks, scope and characteristics of
Granites and metamorphic rocks of Idaho
Granite-felsophyre of Colorado, Walsenburg quadrangle
of Virginia-West Virginia, Monterey quadrangle
Granite-gneiss, analysis of, from Colorado, Pikes Peak quadrangleBull 148,
p 160; Bull 168, p 142 analysis of, from Minnesota, Ortonville
analysis of, from Minnesota, Ortonville
Granite-porphyry, analysis of, from California, Mariposa CountyAnn 14, 11,
p 482; Ann 17, 1, p 721; Bull 148, p 219; Bull 168, p 207
analysis of, from Colorado, Tenmile districtBull 148, p 176; Bull 168, p 158
from Montana, Barker MountainAnn 20, 111,
pp 505, 559, 560, 574, 580; Bull 148, p 147; Bull 168, p 125
Big Baldy MountainAnn 20, 111, p 580; Bull 148, p 148; Bull 168, p 126
Crazy MountainsBull 148, p 142; Bull 168, p 120
Thunder Mountain
Wolf ButteAnn 20, 111,
pp 499, 559, 560, 574, 580; Bull 148, p 146; Bull 168, p 125
Yogo Peak
from Nevada, Eureka district
from Vermont, Mount AscutneyBull 148, p 69; Bull 168, p 25
Mount Ascutney (basic segregation in)Bull 168, p 25
, P 11
from Yellowstone Park, Absaroka RangeBull 168, p 96
from Yellowstone Park, Absaroka RangeBull 168, p 96 of California, Nevada City, and Grass Valley districtsAnn 17, 11, pp 45–46

Granite-porphyry of Colora'do, Telluride quadrangleGF 57, pp 7, 9
of Maine, Aroostook volcanic areaBull 165, pp 150–151
of Montana, Castle Mountain mining district, microscopic petrography
ofBull 139, pp 85–87
Fort Benton quadrangleGF 55, p 3
Judith Mountains
Little Belt Mountains
of Nevada, Eureka district Ann 3, pp 274–276; Mon xx, pp 221–229, 339–345
of Sierra NevadaAnn 14, 11, pp 478–480; Ann 17, 1, pp 572, 634
thin section of, from California, near Lake TenayaAnn 17, 1, pp 750-751
from Montana, Castle Mountain districtBull 39, pp 86–87
from Nevada, Eureka district
Granite-schist of Alaska
Granite-syenite-aplite, analysis of, from Montana, Little Belt Mountains and
Sheep Creek
Granite-syenite-porphyry, analysis of, from Montana, Big Baldy Mountain. Ann 20,
ш, pp 559, 560
analysis of, from Montana, Little Belt MountainsBull 148, p 148;
Bull 168, p 127
from Montana, Little Rocky MountainsBull 148, p 155; Bull 168, p 134
of Montana, Little Belt Mountains
Granitell from Keweenaw seriesAnn 3, pp 114–115; Mon v, pp 112–124
thin section of, from Minnesota, sec 32, T. 56 N., R. 7 W. (augitic)Mon v,
pp 114–115
Granitic porphyry. (See Porphyry, granitic.)
Granitic rocks from Alaska, descriptions of species ofAnn 20, vii, pp 195–204
in middle Atlantic Piedmont Plateau, general relations ofAnn 15, pp 657–684
Granitite, analysis of, from California, Eldorado CountyBull 148, p 213;
Bull 168, p 199
analysis of, from Colorado, Pikes Peak quadrangleBull 148, p 160;
Rull 169 no 141 149
from Maryland, SykesvilleBull 90, p 67
from Michigan, the Horse Race
from Montana, Crazy MountainsBull 148, p 142; Bull 168, p 120
from Prussia, Landsberg
from Vermont, Mount AscutneyBull 148, p 68; Bull 168, p 24
from Vermont, Mount AscutneyBull 148, p 68; Bull 168, p 24  Mount Ascutney (basic segregation in)Bull 148, p 68; Bull 168, p 24
from Vermont, Mount AscutneyBull 148, p 68; Bull 168, p 24 Mount Ascutney (basic segregation in)Bull 148, p 68; Bull 168, p 24 of Massachusetts, westernMon xxix, pp 318–323
from Vermont, Mount Ascutney
from Vermont, Mount Ascutney.  Bull 148, p 68; Bull 168, p 24  Mount Ascutney (basic segregation in) Bull 148, p 68; Bull 168, p 24  of Massachusetts, western.  Mon xxix, pp 318-323  of Michigan, Crystal Falls district.  Ann 19, III, pp 29-32;  Mon xxxvi, pp 40-44, 190-193  Granitoid rocks of Sierra Nevada  Ann 17, I, pp 699-700  Granodiorite, analysis of, from California, Butte County.  Bull 148, p 204;  Bull 168, p 190
from Vermont, Mount Ascutney.  Bull 148, p 68; Bull 168, p 24  Mount Ascutney (basic segregation in) Bull 148, p 68; Bull 168, p 24  of Massachusetts, western.  Mon xxix, pp 318-323  of Michigan, Crystal Falls district.  Ann 19, III, pp 29-32;  Mon xxxvi, pp 40-44, 190-193  Granitoid rocks of Sierra Nevada  Ann 17, I, pp 699-700  Granodiorite, analysis of, from California, Butte County.  Bull 148, p 204;  Bull 168, p 190  analysis of, from California, Eldorado County.  Bull 148, p 213; Bull 168, p 199
from Vermont, Mount Ascutney
from Vermont, Mount Ascutney
from Vermont, Mount Ascutney
from Vermont, Mount Ascutney
from Vermont, Mount Ascutney
from Vermont, Mount Ascutney
from Vermont, Mount Ascutney
from Vermont, Mount Ascutney
from Vermont, Mount Ascutney

Granodiorite of California, Bidwell Bar quadrangle
of California, Big Trees quadrangleGF 51, p 4
Colfax quadrangleGF 66, p 4
Downieville quadrangleGF 37, p 4
Jackson quadrangleGF 11, p 4
Mother Lode districtGF 63, p 4
Nevada City and Grass Valley districts Ann 17, 11, pp 35-44, 150-152
Nevada City, Grass Valley, and Banner Hill districts
Ophir district
Placerville quadrangleGF 3, p 2
Pyramid Peak quadrangle
Sacramento quadrangle
Smartsville quadrangle
Sonora quadrangleGF 41, p 5
Truckee quadrangle
of Sierra Nevada
thin section of, from California, Nevada City, showing metasmatic replace-
ment of quartz in
Granodiorite-porphyry, analysis of, from Washington, Kittitas CountyBull 168,
p 224
•
Granophyre, thin sections of, from Yellowstone Park
Granophyre groups, relation of, to spherulites
"Granular quartz," account of literature concerningBull 81, pp 91-96
origin of name
Granulite, analysis of, from California, Bidwell Bar quadrangle Ann 17, 1, p 572
analysis of, from California, Downieville quadrangleAnn 17, 1, pp 635, 721
from California, Sierra CountyBull 68, p 92; Bull 148, p 206
from Sierra NevadaAnn 17, 1, p 732
of California, Downieville quadrangle
thin sections of, from Sierra NevadaAnn 17, 1, pp 744-745, 746-747
Graphite, analysis of, from Bavaria
analysis of, from Canada, Buckingham and Grenville
from India, Ceylon
composition ofBull 150, p 34
foreign sources of
occurrence of, in the South
production of, statistics ofMR.1882, pp 590-594; MR 1883-84, pp 915-919;
MR 1885, p 533; MR 1886, pp 686–689; MR 1887, pp 672–
673; MR 1888, pp 152, 361; MR 1889–90, p 507; MR 1891,
pp 589–590; MR 1892, pp 806–807; MR 1893, pp 767–769;
Ann 16, 111, p 11; Ann 17, 111 cont, pp 1007-1010; Ann 18,
v cont, pp 1332-1334; Ann 19, vi cont, pp 627-631;
Ann 20, vi cont, pp 715–718; Ann 21, vi cont, pp 565–568
uses of       MR 1893, pp 767–769; Ann 18, v cont, p 1334         Graptolite shales, faunas of       Bull 165, pp 45–46
Graptolite shales, faunas of
Grass Valley and Nevada City districts, California, gold-quartz veins ofAnn 17,
ır, pp 1–262
Grass Valley, Nevada City, and Banner Hill districts, California, geology of GF 29
Grassy Creek, Colorado, rocks of
Gravel, beach, description of, as one of the educational seriesBull 150, pp 56-58
Gravel, coquina, analysis of, from Florida, Key West and Tortugas Bull 60, p 162
Gravel, glacial, description of, as one of the educational seriesBull 150, pp 58-59
Gravels of Alaska, beach and stream
of Alaska, Kenai Peninsula, Matanuska Valley, etcAnn 20, vii, pp 315-316

Gravels of Maine, glacial, and associated deposits
11, pp 465–469; Ann 17, 1, pp 556–566, 599–61_, 658–659
Gravels and stream terraces in northern Washington, post-GlacialAnn 20,
m, pp 173–189 Graves (H. S.), report on Black Hills Forest Reserve
Gravity. specific, of lampblack
Gravity, density, and pressure, terrestrial, table of variation of Ann 13, 11, p 236
Gray porphyry of Colorado, Leadville district
pp 243–244: Mon XII, pp 80–81, 330–332
pp 243–244; Mon x11, pp 80–81, 330–332 Grayson marl of Texas
Graywacke, analysis of, from Wisconsin, Hurley
p 105; Bull 150, p 87; Bull 168, p 75
description of the rock, as one of the educational seriesBull 150, pp 84-87
of Lake Superior region
of Michigan, Crystal Falls district
of Northwestern States
of Wisconsin, SE. 4 sec. 15, T. 45 N., R. 1 W. (biotitic) Mon xix, pp 512-513
thin section of, from Wisconsin, HurleyBull 150, pp 86–87
from Wisconsin, T. 44 N., R. 3 W, sec. 11 (biotitic and muscovitic)
Ann 10, 1, pp 502–503; Mon x1x, pp 512–513, 514–515
T. 45 N., R. 1 W., sec. 11, SE. $\frac{1}{4}$ (micaceous)
sec. 12 (biotitic and chloritic)
ı, pp 500–501; Mon xıx, pp 512–513
sec. 15 (biotitic)
Graywacke slate of Northwestern States
thin section of, from Michigan, sec. 10, T. 47 N., R. 45 W
pp 476–477; Mon xix, pp 484–485 Grazing lands in forest reserves
v, pp 71, 183–185, 264–265, 322–324; Ann 20, v, pp 71,
79-81, 100-102, 172-176, 236-240, 325-328, 416, 436, 462;
Ann 21, v, pp 39–41, 80, 140–143, 157, 510–511, 552–557
in Western public-land States
description of
*
Paleozoic rocks of
Pleistocene lakes of, sketch of Bull 11, pp 9–12
Pleistocene and recent Mollusca of
structure of mountain ranges ofAnn 2, pp xviii, 198-200; Ann 3, pp 196-197;
Mon I, pp 340-362; Mon XI, pp 24-28; Mon XX, pp 10, 211 (See, also, California; Nevada; Oregon; Utah.)
Great Britain, aluminum production of
building stone from, statistics of
pp 551–552; Ann 18, v cont, pp 1009–1012
building-stone industry in England and ScotlandMR 1893, pp 582-595
Cambrian rocks and fauna of
clay deposits and industry of
coal area and output of, compared with those of other countriesMR 1882,
p 5; MR 1883–84, p 13; MR 1885, p 11; MR 1886, p 235;
MR 1887, p 189; MR 1888, p 208; MR 1889–90, p 20;
MR 1891, p 73; MR 1892, p 270; MR 1893, p 202; Ann 16,
III, pp 232, 248; IV, p 21; Ann 17, III, pp 314, 315; Ann 18,
v, pp 92-93, 136, 414, 415; Ann 19, vi, pp 311, 312;
Ann 20, vi, pp 332, 333; Ann 21, vi, pp 113, 363, 365

```
Great Britain, copper production of. MR 1882, pp 245-252; MR 1883-84, pp 356-363;
                  MR 1885, pp 228, 230-234; MR 1886, pp 128, 129-132; MR
                  1887, pp 87, 88–92; MR 1888, pp 73, 74–77; MR 1889–90, p 73;
                  MR 1891, p 100; MR 1892, p 114; MR 1893, p 86; Ann 16,
                  пп, pp 352, 353-356; Ann 17, пп, pp 117, 118, 120-126; Ann
                  18, v, pp 219, 220, 223-227; Ann 19, vi, pp 176, 177, 180-185;
                  Ann 20, vi, pp 202, 203; Ann 21, vi, pp 204, 205, 208-212
   iodine production of Scotland .... MR 1883-84, pp 854-855; MR 1885, pp 489-490
   iron, iron-ore, and steel production of, compared with that of other
               countries ...... MR 1882, p 109; MR 1883-84, p 257;
                  MR 1885, p 193; MR 1886, p 21; MR 1887, p 18; MR 1888,
                  pp 28, 29, 30, 31; MR 1889-90, pp 11, 18, 22, 35; MR 1891, pp
                  58, 59, 73; Ann 16, 111, pp 22, 23, 24, 25, 26, 27, 28, 70-89,
                  231–235, 248; Ann 18, v, pp 91–98, 136, 137; Ann 19, vr, pp 82,
                  83, 84–86; Ann 20, vr, pp 90–91, 101; Ann 21, vr, pp 113–118
  iron-ore deposits-character, geologic relations, history of mining, etc...Ann 16,
                                                    ти, рр 70-89
   lead production of, statistics of.....
                                      ......MR 1882,
                  p 321; MR 1883-84, pp 434, 435; MR 1885, pp 264, 268-269;
                  MR 1893, pp 99, 100-101; Ann 16, 111, pp 372-374; Ann 17,
                  111, pp 156, 158-160; Ann 18, v, pp 256, 257, 258-261; Ann 19,
                  vi, p 220; Ann 20, vi, p 246; Ann 21, vi, pp 245, 246, 247
  pp 199-200; MR 1887, pp 154-159; MR 1888, p 140; MR
                  1889-90, p 130; MR 1891, pp 143-145; MR 1892, pp 219-223;
                  MR 1893, pp 145, 155; Ann 16, III, pp 445, 457; Ann 17,
                  111, pp 212-213, 224; Ann 18, v, pp 317-318, 328; Ann
                  19, v<sub>1</sub>, p 109; Ann 20, v<sub>1</sub>, p 147; Ann 21, v<sub>1</sub>, pp 152-153
  nickel production of, statistics of ...........MR 1882, p 410; MR 1883-84, p 539
  ocher production of, statistics of....Ann 19, vr cont, p 641; Ann 20, vr cont, p 727
  petroleum localities and statistics of England.......MR 1893, pp 527-528,
                  532; Ann 16, IV, pp 397-399; Ann 17, III cont, pp 715-716;
                  Ann 18, v cont, pp 871-872; Ann 19, vi cont, pp 163-166;
                  Ann 20, vi cont, pp 176-179; Ann 21, vi cont, pp 241-248
  vi cont, p 611; Ann 20, vi cont, p 687; MR 1883-84, p 848
  slate production of ..........MR 1893, pp 551-552; Ann 18, v cont, pp 1009-1012
  pp 615-617; MR 1885, pp 376, 377; MR 1892, p 258;
                        MR 1893, p 182; Ann 16, 111, pp 460, 465, 509-512
  MR 1883-84, pp 480, 486-488; MR 1885, pp 277, 281-282;
                  MR 1886, p 159; MR 1887, p 117; MR 1888, pp 95, 96; MR
                  1889-90, p 92; MR 1891, pp 113-114; MR 1892, pp 135, 136;
                  MR 1893, pp 107, 108; Ann 16, 111, pp 383, 388; Ann 17, 111,
                  pp 171, 173, 174-175; Ann 18, v, pp 274, 276, 277-278; Ann 19,
                  vi, pp 234, 236; Ann 20, vi, pp 263, 264-265; Ann 21, vi, p 266
```

Great Carolinian marl bed	
Great Lakes, harborages of	Ann 13, 11, pp 203–204
oscillations of	
Great Lakes region, recent earth movement in	
Great Lakes watershed, stream measurements in	Ann 19,
	v, pp 216–227; Ann 21, IV,
pp 179–182; WS 27, pp	66–68; WS 36, pp 177–193
(See, also, names of individual streams.)	
Great Lignitic group. (See Fort Union group.)	
Great Pedee River, profile of	WS 44, pp 25–26
Great Plains, Cretaceous rocks of, classification of	Ann 17, 11, pp 569–570
irrigation practice on	
origin and structure of	
relation of arid region to	Ann 21, IV. p 609
water resources of portion of	
(See, also, High Plains and names of individual States.	
Great Plains region in Texas	
Great Salt Lake, analysis of water of	Mon t pp 959 954 955
fresh waters in basin of, analyses of	
height of, measurements of	
hydrography of basin of	Ann 11, 11, pp 00–77, 109
rainfall and run-off in basin of	Ann 20, IV, pp 454-459
saline deposits of	Mon XI, pp 185–186
stream measurements in basin of	
iv, pp 459–469; Bull 131, pp 53–	
WS 11, pp 76-79; WS 16, pp 157	7–163; WS 38, pp 345–348
(See, also, names of individual streams.)	
surveys, oscillations, fauna, etc., of	
Great Sioux Indian Reservation, sections, geologic, in	
Greece, fossil plants of, literature of	
iron and iron ore from, statistics of	
111, pp 23, 28, 157-	158, 246; Ann 20, vi, p 97
lead production of, statistics of	MR 1883-84, p 434;
MR 1885, pp 264, 270; MR 189	3, p 99; Ann 16, 111, p 372;
Ann 17, 111, p 156; Ann 18,	v, pp 256, 257; Ann 19,
vi, p 220; Ann 20, vi, p 246; A	nn 21. vi. pp 245. 246. 247
manganese production of, statistics of	
p 203; MR 1889-90, p 130; M	R 1893, pp 151-152, 155;
Ann 16, III, pp 447, 457; Ann	
18, v, p 328; Ann 19, vi, p 121	; Ann 21, vi, pp 160, 162
mining law of	MR 1883-84, p 999
zinc production of, statistics of	
Greeley, Colorado, irrigation near	WS 9
Green marl of New Jersey, upper, correlation of	Ann 18, 11, р 348
Green Mountains, geology of, literature ofBu	ll 86, pp 355–356, 360, 371
in Massachusetts, geology of	Mon xxiii
of Vermont, pre-Cambrian rocks in	Ann 16, 1, pp 827–829
structure ofA	nn 10, 1, pp 13–14, 114–115
Green Mountains and eastern New York, structural details	
Green porphyry of Colorado, Leadville district	
Green River, flow of, measurements of	
pp 272–278, 279; Ann 19, IV, pp 3	
380–383, 387–388; Ann 21, iv, pp	
Bull 140, pp 200–201, 202–203; \	
135–136; WS 28, pp 134, 142, 144; \	w 5 57, pp 286–287, 292–293

Green River formation or group, correlation of
fauna of
of Uinta Mountains
plants from
Greenbrier limestone of Maryland
of VirginiaGF 26, p 3; GF 32, p 4; GF 44, p 3; GF 61, p 5
of West Virginia
GF 28, p 3; GF 32, p 4; GF 34, p 2; GF 44, p 3; GF 61, p 5
Greenbrier River, flow of, measurements of
ıv, pp 111–113; Ann 19, ıv, pp 253–254; Ann 20, ıv, pp 51,
204; Ann 21, IV, pp 158-159; Bull 140, pp 77-78; WS 11,
p 41; WS 15, p 58; WS 27, pp 61, 65; WS 36, pp 163–164
profile of
Greenhorn limestone of Black Hills
of ColoradoAnn 17, 11, pp 564-571; GF 36, p 3; GF 58, p 1; GF 68, p 1 Greenland, cryolite production of
p 608; MR 1883–84, p 954; MR 1886, p 692; MR 1887,
p 659; MR 1889-90, p 473; Ann 19, vi cont, pp 615-617 fossil plants of, literature of
petroleum in Ann 21, vi cont, p 179
snow and ice in, remarks on
Greensand, analysis of, from Alabama, various localitiesMR 1883–84, pp 798–799
analysis of, from Massachusetts, Marthas Vineyard . Ann 7, p 360; Bull 55, p 90
description of the rock, as one of the educational seriesBull 150, pp 63-64
of Alabama Bull 84, p 326
of Massachusetts, Marthas VineyardBull 84, p 36
of middle Atlantic slope, origin ofBull 141, pp 37–39
Greenstone, analysis of, from California, Bidwell Bar quadrangle (altered
lava)
analysis of, from Michigan, Lower Quinnesec FallsBull 62,
pp 91, 104; Bull 148, p 101; Bull 168, p 71
from Michigan, Marquette district
p 495; Bu'l 148, p 98; Bull 168, p 64 Sturgeon FallsBull 62, p 104
Sturgeon FallsBull 62, p 104
Upper Quinnesec FallsBull 62, p 104; Bull 148, p 102; Bull 168, p 72
from Wisconsin, Lower Quinnesec Falls (schistose)Bull 55,
p 81; Bull 148, p 101; Bull 168, p 71
of Alaska, Alaskan Range
of Michigan (aphanitic)
Marquette iron-bearing district
of Northwestern States
of Washington, northern
from Michigan, Lower Quinnesec Falls (stretched)Bull 62, pp 228–229
Negaunee (aphanitic)Bull 62, pp 226–227
Republic Mountain
Greenstone conglomerate of Penokee iron-bearing series Mon xix, pp 374–387
thin section of, from Michigan, SE. 4 secs. 14 and 15, T. 47 N., R. 44 W. Mon xix,
pp 518–519
Greenstone-schist of Alaska, Copper Mountain and Upper Tanana BasinAnn 20,
· vii, pp 414–415, 470
of Alaska, White and Tanana valleys
of California, Chico area

Greenstone-schist of Michigan, Marquette district
thin section of, from Michigan, MarquetteBull 62, pp 238-239
Greenstone-schist areas of Menominee and Marquette regions of Michigan, a contribution to subject of dynamic metamorphism in
eruptive rocksBull 62
Greggs Landing series of Alabama, correlation of
of clastic rocks of Aroostook CountyBull 165, pp 93–188
Grenville series of rocks of CanadaBull 86, pp 27–35, 451, 497
Grewingk and Bogoslof islands, Alaska
Grey Bull River, Wyoming, flow of, measurements of
Greylock, Mount, Massachusetts, geology of
lithologic horizons in, succession and correlation of
Greylock schist of Mount Greylock, MassachusettsMon xxiii, pp 186–188, 190
thin section of, showing cross fissilityAnn 16, 1, p 833; Mon xxiii, p 145
Greyson shale of Montana, description and section ofAnn 20, 111, pp 282, 283
Grindstone, analysis of, from Ohio, Amherst and Berea
Grindstones, statistics ofMR 1882, p 479; MR 1883-84, pp 713-714; MR 1885, pp
428–429; MR 1886, pp 582–585; MR 1887, pp 552–
553; MR 1888, pp 576–577; MR 1889–90, p 458;
MR 1891, pp 552–553; MR 1892, p 749; MR
1893, p 671-672; Ann 16, IV, pp 587-588; Ann 17,
m cont, pp 929-930; Ann 18, v cont, pp 1222-
1224; Ann 19, vi cont, pp 517-520; Ann 20, vi
cont, pp 609-612; Ann 21, vi cont, pp 463, 468-471
Griqualandite, chemical constitution ofBull 125, p 92
Grit of the Great Plains, Tertiary, a water-bearing formation . Ann 16, 11, pp 580–584
of the Great Plains, Tertiary, topography of
thin section of, from New York, near Alps
Grizzly formation of California
localities of
Gros Ventre and Wyoming ranges, Archean and Algonkian rocks of Bull 86, p 280
Grossularite, chemical constitution of
occurrence of
Ground-ice formation of Alaska
of Alaska, character and origin of
correlation of
remarks on
Ground moraine, theories of, discussion of
Ground water, geologic conditions governing, and method of locating. WS 6, pp 15-16
in Colorado, eastern, general conditions, etc., of
in Illinois. wells dependent on
in United States, eastern
on Great Plains
supplies of, for irrigation
(See, also, Water.)
Grouse Mountain, Colorado, rocks of
Groveland formation of Michigan, Crystal Falls districtAnn 19, 111, pp 115–121, 137–
139; Ann 21, 111, pp 385–387; Mon xxxv1, pp 415–423 446–450
Growth of forest trees, rate of

Grünerite-magnetite-schist, analysis of, from Michigan, Marquette district . Ann 15, p 569; Mon xxvIII, p 338; Bull 148, p 98; Bull 168, p 64
of Lake Superior iron-bearing districts
р 569; Моп ххупт, рр 337–344, 368–369
Grunsky (C. E.), irrigation near Bakersfield, California
irrigation near Fresno, California
irrigation near Merced, California
Gryphæas, Lower Cretaceous, of Texas regionBull 151
Guadalupe River, Texas, flow of, measurements of
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Guallara sandstone of Costa Rica, correlation of
Guano, analyses of, from Africa, Arabia, Australia, South America, Cuba, and
various islands
deposits and statistics of
Guatemala, Azoic formations in
Guertie sand of Indian Territory
Guiana, diamonds in, occurrence of
Guitermanite from Colorado, San Juan County, description and analyses
ofBull 20, pp 105–107
Gulf group of Southern States
of TexasAnn 18, 11, pp 238–243; Ann 21, v11, pp 292–344; GF 64, p 2
Gulf of Mexico watershed, stream measurements inAnn 18, IV, pp 84-111;
Ann 19, IV, pp 233–253; Ann 20, IV, pp 51–52, 182–195; Ann
21; iv, pp 140–153, 254–277; WS 15, pp 45–57; WS 27, pp 47–58
(See, also, names of individual streams.)  Gulf slope, geologic section of coastal plain in eastern part of
- C. 90 / . 10m\
Gulf States, geologic section of
Gumbo in Illinois, Iowa, Kansas, and Missouri
Gummite, analysis of, from North Carolina, Mitchell County
vi, p 310; Bull 74, p 39
Gunnison formation of Colorado, Anthracite-Crested Butte quadranglesGF 9,
pp 6, 8, 9
of Colorado, Aspen district
Gunnison River, flow of, measurements of
ıv, pp 404–406; Ann 20, ıv, pp 58, 390; Ann 21, ıv, pp
278–279; Bull 131, p 48; Bull 140, pp 189–191; WS 16,
pp 140–141; WS 28, pp 136, 142, 144; WS 37, pp 297–298
profile of
Gunung Pepandajan Volcano, in Java, eruption of
Guts of Mississippi River
Guyard (A.), metallurgy of Leadville region, Colorado
pp 285–290; Mon xII, pp 609–751 Guyot Hill, Cripple Creek district, Colorado, rocks of, and character of ore
deposits in
pp 105–109
from Potomac or younger Mesozoic, fossil fruits ofMon xv, pp 262-273
(See, also, Coniferae; Cycadeæ; Zamieæ, etc.)
Gypsum, analysis of
analysis of, from Colorado, near Woody Creek
from Florida, Bear Island
from Kansas, various localities
from South Dakota, Hot Springs

Gungum composition of Rull 150 n 40	
Gypsum, composition of	
in Hawaii, occurrence of	
in Kansas	
in Montana, Butte district	
Fort Benton quadrangleGF 55, p 6	
in OhioMR 1887, pp 596–600	
in Porto Rico	
production of, statistics ofMR 1882, pp 526-531; MR 1883-84, pp 809-815;	
MR 1885, pp 458-464; MR 1886, pp 620-623; MR 1887, pp	
595–603; MR 1888, pp 6, 8, 10, 11; MR 1889–90, pp 465–467;	
MR 1891, pp 580–583; MR 1892, pp 801–804; MR 1893, pp	
713–716; Ann 16, IV, pp 662–666; Ann 17, III cont, pp 978–983;	
Ann 18, v cont, pp 1263-1271; Ann 19, vi cont, pp 577-585;	
Ann 20, vi cont, pp 657-666; Ann 21, vi cont, pp 523-530	
Gypsum plains district, New Mexico, irrigation possibilities in	
п, pp 281–282	
Gypsum playa and dunes in Bonneville Basin	
Gyrolite, analysis of, from California, New Almaden quicksilver mine. Bull 64, p 22	
analysis of, from Nova Scotia.  Bull 64, p 22	
chemical constitution of	
occurrence of, new	
Habitus, value of, in rock determinations	
Hackberry shale of Iowa	
Hade, fault, strike, etc., definition of	
Hague (A.), biographic sketch of O. C. Marsh	
general geology of Yellowstone Park (Gallatin, Canyon, Lake, and Sho-shone quadrangles)	
geology of Absaroka district, Wyoming	
geology of Eureka district, NevadaAnn 3, pp 237–290; Mon xx and atlas	
quoted on glaciers of Mount Hood	
quoted on Paleozoic series in western Nevada	
work in charge of, 1879–1900	
pp 10-14; Ann 4, pp 16-18; Ann 5, pp 15-19; Ann 6, pp	
54-59; Ann 7, pp 87-91; Ann 8, 1, pp 149-153; Ann 9, pp	
91–96; Ann 10, 1, pp 132–137; Ann 11, 1, pp 83–87; Ann 12,	
ı, pp 92–96; Ann 13, ı, pp 125–127; Ann 14, ı, pp 188–191;	
Ann 15, pp 167-169; Ann 16,1, p 33; Ann 17, 1, pp 45-46; Ann	
18, 1, p 43; Ann 19, 1, pp 43–46; Ann 20, 1, p 47; Ann 21, 1, p 80	
Hague (A.) and Iddings (J. P.), development of crystallization in igneous rocks	
of Washoe, Nevada, with notes on geology of district Bull 17	
Hague (A.), Weed (W. H.), and Iddings (J. P.), geology of Livingston quad-	
rangle, MontanaGF 1	
Hague (A.) and others; descriptive geology, petrography, and paleontology of	
Yellowstone ParkMon xxxII, II	
Hahn (O. H.), smelting of argentiferous lead in the WestMR 1882, pp 324-345	
Hall (C. W.), gneisses, gabbro-schists, and associated rocks of southwestern	
Minnesota Bull 157	
Hall (Sir J.), quoted, on experiments to simulate folded strata	
п, рр 231–232	
Hallite, analysis of, from Pennsylvania, Chester CountyBull 90, p 15	
Hallock (W.), chemical action between solids	
flow of solids, or behavior of solids under high pressure	
pp 67–75; Bull 64, pp 38–39	
new method of making alloys	
new method of making thoys	

Hallock (W.), preliminary note on coefficients of thermal expansion of certain rocksBull 78, pp 109-118
10 10 10 10 10 10 10 10 10 10 10 10 10 1
specific gravity of lampblackBull 42, pp 132–135
Hallopus, description ofAnn 16, 1, pp 153–155; Mon xxvII, pp 481–483
Hallopus beds in Denver Basin
Halloysite, analysis of, from California, near Mono LakeBull 9, p 13
analysis of, from Nevada, Elko CountyBull 148, p 300; Bull 168, p 303
from North Carolina, Chatham CountyBull 74, p 64
chemical constitution of
Halotrichite, analysis of, from New Mexico, Grant CountyBull 9, p 14
Hamamelidaceæ of Alaska
of North America, extinct
Hamamelideæ of Dakota group
of Laramie group
Hamburg limestone and shale of Eureka, Nevada. Ann 3, pp 253–256; Mon vii, pp 7–8;
Mon xx, pp 39–41; Bull 81, pp 246, 315–316  Hamilton formation of Indiana
Hamilton formation of Indiana
Hamilton quadrangle, Montana-Idaho, forest conditions in Ann 21 y n 596
Hampden diabase of Massachusetts and Connecticut
Hampshire formation of Maryland
of Virginia
of West VirginiaGF 14, p 2; GF 28, p 3; GF 32, p 3; GF 34, p 2; GF 61, p 4
Hampshire, Hampden, and Franklin counties, Massachusetts, geology of Mon xxix
mineral lexicon of
Hampson (T.), death and biographic sketch of
rules for preparation of manuscript
Hampton shale of Virginia and Tennessee
Hanbury slate of Michigan, Menominee district
Hancock limestone of Kentucky
of Virginia and Tennessee
Harbors, geologic history of
nature and origin of
of North America, review of
Harding sandstone of Colorado
Hardistonville quartzite of northern New Jersey Ann 18, 11, pp 442-443, 454-456
Hardwick gneiss or granite of western MassachusettsMon xxix, pp 239-241
Harian sandstone of Kentucky, Virginia, and TennesseeBull 111,
pp 31–33; GF 12, p 3
Harmotome, analysis ofBull 125, p 41
chemical constitution of Bull 125, pp 41, 42, 102
Harpers Ferry quadrangle, Virginia-Maryland-West Virginia, geology of GF 10
Harpers shale in Catoctin belt
in Virginia, Maryland, and West VirginiaGF 10, p 3
Harris (G. D.) and Dall (W. H.), Neocene of North America, a correlation  essay
Harrisburg quadrangle, Pennsylvania, physiography of
Harroun (P. E.), Rio Grande Valley, near Albuquerque, irrigation inBull 140,
pp 180–186
Harstigite, chemical composition ofBull 102, pp 64, 103
Hartshorne sandstone of Indian Territory
пі, pp 436, 441; Ann 21, п, pp 274–275
Hartt collection at Cornell, fauna of St. John formation inBull 10, pp 9–42
Hassayampa disaster, Arizona (Feb. 22, 1890), causes of
11, pp 228-229; Ann 13, 111, pp 297-302

Hassayampa River, Arizona, new Walnut Grove dam on
Hastings series of rocks of Canada, succession, correlation, etc., of
Hatchetighee series of Alabama, correlation of Ann 18, 11, p 345; Bull 84, p 326
Hatchettolite, analysis of, from North Carolina, Mitchell CountyBuli 74, p 72
Haüynite, chemical constitution of
composition of
Haw River, North Carolina, flow of, measurements of Ann 21, IV, pp 114-115;
WS 27, pp 25–26, 35, 44; WS 36, pp 112–113
Hawaiian Islands, climate, vegetation, and geography of
mineral resources, geography, population, etc., ofAnn 19, vi cont, pp 681-686
survey of, estimates and recommendations concerningAnn 21, I, pp 51-52, 57
volcanoes in
Hawley schist of Massachusetts and Connecticut
pp 163–171; GF 50, p 215
Haworth (E.), underground waters of southwestern Kansas
Hawthorne beds of Florida, correlation of Ann 18, 11, p 340; Bull 84, pp 107-111, 326
Hay (R.), geologic reconnaissance in southwestern Kansas
geology of Fort Riley Military Reservation and vicinity, KansasBull 137
water resources of portion of Great Plains
Hay Creek coal field, Wyoming, lower Cretaceous plants from, notes onAnn 19,
II, pp 645–702
Hayden (F. V.), death and biographic sketch of
pp 42–44; Ann 5, pp 28–30; Ann 6, pp 48–53; Ann 7, pp 85–87
Hayes (C. W.) accompanies Schwatka to Yukon Valley
Arkansas bauxite deposits
bauxite deposits, occurrence, geology, origin, etc., of Ann 16, 111, pp 547–597
bauxite deposits, origin, structure, location, etc., ofMR 1893, pp 159-167
brief reconnaissance of Tennessee phosphate fieldsAnn 20, v1 cont, pp 633-638
explorations in Alaska by
geology of Chattanooga quadrangle, Tennessee
geology of Cleveland quadrangle, Tennessee
geology of Gadsden quadrangle, AlabamaGF 35
geology of Kingston quadrangle, Tennessee
geology of McMinnville quadrangle, Tennessee
geology of Pikeville quadrangle, Tennessee
geology of Euriggord quartangle, Georgia-Tennessee GF 8 geology of Sewanee quadrangle, Tennessee GF 8
geology of Stevenson quadrangle, Alabama-Georgia-Tennessee
phosphate of Tennessee, classification, origin, etc., ofAnn 16, iv, pp 610–630
physiography of Chattanooga district
Tennessee phosphates
Tennessee white phosphate, origin, varieties, etc., ofAnn 21, 111, pp 473-485
work in charge of, 1893–1900
Ann 16, 1, pp 18-20; Ann 17, 1, pp 26-28; Ann 18, 1, pp
29-30; Ann 19, 1, p 34; Ann 20, 1, p 38; Ann 21, 1, pp 72-73
Hayes River beds of Alaska, southwestern, notes on. Ann 20, vii, pp 172–173, 184, 187
Hazel slate of Tennessee and North Carolina
Health, effect of soils on Ann 12, 1, pp 340–344
Heat, conduction of, in steel
conduction of, investigations in
111 11 11 11 11 11 11 11 11 11 11 11 11

Heat, effect of, on solubility of sulphate of lime	
expansion due to, literature on	20
of Comstock lode, NevadaAnn 2, pp 310-31	4;
Mon 111, pp 228-265, 387-392; Mon 1v, pp 389-4	00
of lava, etc., source of	.11
(See, also, Temperature; Thermal.)	TT
	00
Hedenbergite, chemical constitution of	
Heer (Oswald), biographic sketch of	
Heights between Lake Superior and Rocky MountainsBull	
in Bonneville Basin	19
new method of measuring, with barometerAnn 2, pp xxxviii-xl, 403-5	66
(See, also, Elevations.)	
Heilprin (A.), North American Tertiary Ostreidæ	16
Helderberg, Lower, in Indiana	34
in Ohio	
Helicidæ of Bear River formation	
of Eocene of New Mexico	
of John Day group of OregonBull 18, pp 14-	-16
of North America, nonmarine fossil	55
of Pleistocene of Great BasinBull 11, p	22
Heliobatis bedsBull 84, p 3	
Helvetian formation, correlation of	39
Helvite, chemical constitution of	
Hematite, analysis of, from Alabama, various localities (red)MR 1882, p 1	
analysis of, from Colorado, Leadville district (siliceous)Mon XII, pp 557, 6	
from Colorado, southeastern (brown)	
from Maryland, central (brown)	
from Minnesota, Mesabi range (brown)	
Vermilion rangeMR 1887, p	
from Montana, Willow Creek (specular)	35
from New Mexico, Mora County (nodule)Bull 78, p 1	27
from Pennsylvania, various localities	
from Tennessee, eastern belt (brown)	
from Virginia (brown)	
composition of	
from Marquette County, Michigan, description of, as one of the educational	Oπ
	200
series (magnetic specular)Bull 150, pp 307-	
occurrence and statistics of	192
(See, also, Iron ore.)	ı'.
Hemlock formation of Michigan, Crystal Falls district	
111, pp 45-63, 133-137; Mon xxxvi, pp 73-154, 440-4	
Henry Fork, Idaho, flow of, measurements of	12,
н, pp 344, 355, 361; Ann 13, нг, pp 97,	99
Henry Fork group of Uinta MountainsBull 82, pp 156, 2	235
Henry Mountains, Utah, structure, rocks, etc., ofAnn	14,
п, pp 169–177; Моп хи, pp 359–3	362
Hensell sands of Texas	
Hepaticæ of Amboy claysMon xxvi, p	35
Heptaphosphonitrilic chloride, analysis of	133
Herendeen Bay, Alaska, coal at	
Hermansville limestone of Michigan, Menominee districtGF 62, p	11
Hermosa formation in Colorado, Rico Mountains	-59
Hesperornis, description and restoration of	-69
Hesse sandstone of Tennessee and North Carolina	
· · · · · · · · · · · · · · · · · · ·	

Hessite, analysis of, from Mexico, San Sebastian
Heulandite, analysis of, from Colorado, Gunnison County
chemical constitution of
Hewitt (G. C.), coal fields of Wyoming
Hexacoralla from Eocene of Middle Atlantic slope
Hexametaphosphimate, silver, analysis of
Hexametaphosphimate, sodium, analysis of
Hexametaphosphimic acid, constitution, salts, decomposition products, etc.,
ofBull 167, pp 149–151
Hexaphosphonitrilic chloride, analysis of
Hickman group of KentuckyBull 83, pp 71–72; Bull 84, p 326
Hickory series of Texas, origin of name. Bull 81, p 246
Hidden (W. E.), discovery of emeralds in North CarolinaMR 1882, pp 500-502
hiddenite, the new emerald-green gemMR 1882, pp 502–503
Hiddenite, analysis of, from North Carolina, Alexander County Bull 74, p 44;
MR 1882, p 503 occurrence and statistics of
437–438, 443; MR 1886, p 604; MR 1887, pp 556, 557, 560;
MR 1888, pp 584, 585; MR 1889-90, pp 446, 447; MR 1891,
p 539; MR 1892, p 781; MR 1893, p 681; Ann 16, IV, p 604
High Park lake beds and grits, Colorado, description and relations ofAnn 16,
High Plains and their utilization. Ann 21, 1v, pp 601-741
climate of, deficiencies of
rainfall of
(See, also, Great Plains.)
Highbridge limestone of Kentucky
Highland Rim, west of Cumberland Plateau, description of Ann 19, II, pp 13–14
Highlands of New Jersey and New York, literature of geology ofBull 86,
pp 386, 387, 390, 391, 392, 396, 399, 400, 401, 402, 413, 414, 415
Highline irrigation canal, Colorado
Highways. (See Roads.)
Highwood Mountains, Montana, structure and igneous rocks ofGF 55, pp 1, 3
Highwood syenite of Montana, Fort Benton quadrangleGF 55, p 3
Hilgard (E. W.), asphaltum deposits of CaliforniaMR 1883-84, pp 938-948
salines of Louisiana MR 1882, pp 554–565
Hill (R. T.), clay materials of the United States
pp 474–528; MR 1892, pp 712–738; MR 1893, pp 603–617
coal fields of Texas
geography and geology of Black and Grand prairies, Texas
mineral resources of Porto Rico
physical geography of Texas region
present condition of knowledge of geology of TexasBull 45
work in charge of, 1893-1900
ı, pp 27-28; Ann 17, ı, pp 34-37; Ann 18, ı, pp 35-37;
Ann 19, 1, pp 38–39; Ann 20, 1, pp 42, 55; Ann 21, 1, p 76
work of, in Porto Rico
Hill (R. T.) and Vaughan (T. W.), geology of Edwards Plateau and Rio
Grande Plain adjacent to Austin and San Antonio, Texas,
with reference to underground watersAnn 18, 11, pp 193-321
geology of Texas, Nucces quadrangle
lower Cretaceous gryphæas of Texas regionBull 151

Hillebrand (W. F.), analyses of descloizites from new localitiesBull 64, pp 24-28 associated rare minerals from UtahBull 20, pp 83-88
chemical composition of calaverite from Cripple Creek, ColoradoAnn 16,
II, pp 133-135 chemical notes on the composition of the roofing slates of eastern New York.
and western Vermont
chemistry of rocks and ores of Leadville, ColoradoMon XII, pp 585-608 composition of rowlandite and mackintoshiteBull 113, pp 44-48
colorimetric estimation of small amounts of chromium, with special refer-
ence to the analysis of rocks and oresBull 167, pp 37-43
descloizite (?) from Beaverhead County, Montana
rocks of the United StatesBull 167, pp 49-55
further example of the isomorphism of thoria and uranium dioxideBull 113,
pp 41–43 mineralogic notesBull 55, pp 48–55; Bull 167, pp 57–76
miscellaneous mineral notesBull 20, pp 89–99
new analysis of uraniniteBull 90, pp 22–25
new mineral species from Colorado
in generalBull 78, pp 43–79
preparation and specific gravity of crystallized uranium dioxide. Bull 113,
pp 37-40 some principles and methods of rock analysisBull 176
uraninites, North American, preliminary remarks onBull 60, pp 131–133
volumetric estimation of vanadium in presence of small amounts of chro- mium, with special reference to the analysis of rocks and
oresBull 167, pp 44–48
warning against the use of fluoriferous hydrogen peroxide in estimating
titanium
Hillebrand (W. F.) and Clarke (F. W.), analyses of rocks and analytical
methods
Rocky MountainsBull 20
minerals from the basalt of Table Mountain, Golden, Colorado. Bull 20, pp 13-39
minerals from the neighborhood of Pikes PeakBull 20, pp 40-73 Hillebrand (W. F.) and Melville (W. H.), on the isomorphism and composi-
tion of thorium and uranous sulphates Bull 90, pp 26-33
Hillebrand (W. F.) and Washington (H. S.), notes on certain rare copper minerals from UtahBull 55, pp 38-47
Hillers (J. K.), work in charge of, 1883-1899Ann 5, pp xxxv-xxxvi;
Ann 6, pp 96–97; Ann 7, p 137; Ann 8, 1, pp 202–203;
Ann 9, p 144; Ann 10, 1, p 190; Ann 11, 1, p 134; Ann 12, 1, pp 137–138; Ann 13, 1, p 165; Ann 14, 1, pp 271–
272; Ann 15, p 200; Ann 16, 1, p 79; Ann 17, 1, p 110;
Ann 18, 1, p 118; Ann 19, 1, p 128; Ann 20, 1, pp 140–141 Hills (R. C.), coal fields of Colorado
geology of Elmoro quadrangle, Colorado
geology of Walsenburg quadrangle, Colorado
work in charge of, 1894–1899
Hinckley (F. C.), notes on animal and vegetable life of the region of Sushitna and Kuskokwim rivers, Alaska
notes on Yukon-Kuskokwim water route

Hinsdale gneiss of Massachusetts
11, pp 487–489; GF 26, p 3; GF 44, p 3
II, pp 487–489; GF 26, p 3; GF 44, p 3 Hiörtdahlite, chemical constitution of
Hisingerite, analysis of, from North Carolina, Alexander CountyBull 74, p 64
chemical constitution of
Historical geology. (See Archean, Algonkian, Cambrian, etc.)
Hitchcock (C. H.), quoted on albertite at Hillsborough, New BrunswickAnn 17,
ı, pp 941–942
Hiwassee River, flow of, measurements of
Ann 19, IV, pp 259–260; Ann 20, IV, pp 52, 208–209;
Ann 21, rv, pp 164–165; Bull 140, p 82; WS 11, p 43;
WS 15, p 63; WS 27, pp 64, 65, 66; WS 36, pp 169–171
profile of
Hobbs (W. H.), Newark system of Pomperaug Valley, ConnecticutAnn 21, 111, pp 7–162
pp 7–162 work in charge of, 1895–1897, 1899
work in charge of, 1899–1897, 1899
ı, pp 20–21; Ann 18, ı, p 25; Ann 21, ı, p 70
Hoffman (H. O.), recent improvements in desilverizing lead in the United
States
Hogbacks, examples of
in Colorado, Pueblo quadrangle
in New York-Vermont slate quarriesAnn 19, 111, pp 212, 213, 219, 270
Hog-wallow mounds of California
Holasteridæ, Mesozoic, of United StatesBull 97, pp 74–78
Holden (E. S.), earthquakes in California in 1890 and 1891Bull 95
Holiknuk series of pre-Tertiary rocks, AlaskaAnn 20, vii, pp 159–161, 182, 187
Holland, clay products of, at Paris Exposition of 1900Ann 21, vi cont, p 386
Hollick (A.), editor, flora of Amboy clays, by Newberry
later extinct floras of North America, by Newberry
Holmes (J. A.), corundum deposits of the southern Appalachian regionAnn 17,
III cont, pp 935–943
mica deposits in United States, nature, quality, value, etc., of
vi cont, pp 691-707
Holmes (W. H.), quoted on glaciers in Rocky MountainsAnn 5, pp 344-347
work in charge of, 1884–1889Ann 6, pp 94–97; Ann 7, pp 136–137; Ann 8,
ı, pp 202–203; Ann 9, pp 143–144; Ann 10, ı, pp 189–190
Holocephali of Devonian age
Holston River, profile of
Holyoke diabase of Massachusetts and Connecticut
pp 418–464; GF 50, p 6 Holyoke quadrangle, Massachusetts-Connecticut, geology of
Homewood sandstone of Ohio as a water bearerAnn 19, 1v, pp 649, 690-693
Homilite, chemical constitution of
Homogeny, correlation by means of
The selection of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of Tennesses of T
Honaker limestone of Tennessee
of Virginia and West Virginia
Honduras, fossil plants of, literature of
Hood (O. P.), new tests of certain pumps and water lifts used in irrigationWS 14
Hood River, flow of, measurements of
WS 16, p 181; WS 28, pp 168, 169; WS 38, p 380
irrigation from

TT 35 12 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Hoosac Mountain, literature of geology of
Hoosac Mountain and adjacent territory, geology of
Hoosac schist in Connecticut
in Hoosac Mountain
in MassachusettsMon xxix, pp 66–75; Bull 159, pp 81–83; GF 50, pp 1–2, 4
Hoosac tunnel, rock formations observed in
Hope Valley, Nevada, engineering plans and estimates for reservoir inAnn 13,
ш, pp 395–397
irrigation surveys in
Hopkins (T. C.), brownstones of Pennsylvania—properties, chemical composi-
tion, structural and textural features, occurrence, use,
etc
sandstones of western Indiana
Hopkins (T. C.) and Siebenthal (C. E.), Bedford oölitic limestone
v cont, pp 1050–1059
Hornblende a product of mineralogic metamorphismBull 62, p 210
alteration of, during metamorphism of massive rocksBull 62, p 216
analysis of, from District of ColumbiaBull 27, p 62
from California, Grass Valley
from Maryland, Gwynns Falls (fibrous)Bull 28, p 44
from Montana, Highwood MountainsBull 90, p 70;
Bull 148, p 155; Bull 168, p 134
from New York, PierrepontBull 78, p 119
"black border" of, in igneous rocks Mon 111, pp 59-61
chemical constitution of
in diorite, from Wyoming, Electric Peak
in gneisses of Minnesota, southwesternBull 157, pp 55–57
in porphyrite, from Wyoming, Electric PeakAnn 12, 1, pp 592-593
in porphyritic diorite, from Nevada, Washoe district, passing into chlo-
riteMon 111, pp 150–151
in rocks of Pacific slopeMon x111, pp 75-76
thin section of, from Delaware, illustrating alteration of diallage into com-
pact green hornblendeBull 59, p 26
from Delaware, illustrating alteration of fibrous into compact green
hornblendeBull 59, p 29
illustrating alteration of hypersthene into tremolite and fibrous
green hornblendeBull 59, p 23
from Michigan, Lower Quinnepec Falls (in porphyrite-diorite)Bull 62, p 79
Menominee region, showing cores of hornblende surrounded by
fibrous border
Sturgeon Falls (around diallage in gabbro)
from Minnesota, Pigeon Point (fibrous green)Bull 109, pp 40–41
Pigeon Point (pseudamygdule in altered gabbro)Bull 109, pp 42–43
from Nevada, Silver City (from hornblendic andesite) Mon 111, pp 150–151
Washoe district (from metamorphic diorite)Mon 111, pp 150–151
(passing into chlorite, from hornblende-andesite)Mon III,
pp 150-151
Hornblende phenocrysts, thin section of, from Nevada, Eureka districtMon xx,
pp 404–405
Hornblende rocks of Colorado, Telluride quadrangle
of Maryland, near Baltimore, gabbros and associated
Hornblende and augite intergrown, analysis of, from Colorado, Blue Moun-
tains
Eureka district
Euroga district pp 550-557

·
Hornblende and pyroxene, intergrowth of, in glassy rocks Ann 12, 1, pp 610-617
Hornblende and quartz, alteration products of feldspar
Hornblende-andesite, analysis of, from Alaska, Bogoslof IslandBull 27,
pp 63, 64; Bull 148, p 233; Bull 168, p 227
analysis of, from California, Lassen Peak region. Bull 148, p 195; Bull 168, p 181
from California, Mount ShastaBull 148,
p 190; Bull 150, p 223; Bull 165, p 171; Bull 168, p 176
Plumas CountyBull 148, p 202; Bull 168, p 188
from Nevada, Washoe district
opp p 152; Mon xx, p 282; Bull 17, p 33
from Yellowstone Park, Sepulchre Mountain
p 648; Mon xxxII, II, p 135; Bull 148, p 120; Bull 168, p 90
Tower Creek
from California, Mount Shasta, description of, as one of the educational
series
of California, Lassen Peak quadrangleGF 15, pp 1-2
Mother Lode district (meta-)
of Maine, Aroostook volcanic area, petrography ofBull 165, pp 172-173
of Nevada, Eureka district
Washoe district
66-70, 116-125, 130-134, 199-201, 203-205; Bull 17, pp 23-26
of Yellowstone Park
relation of, to pyroxene-andesiteBull 17, p 34
thin section of, from Nevada, Washoe district
Hornblende-andesite-porphyry, analysis of, from Yellowstone Park, Electric
Peak
of Yellowstone Park
Hornblende-augite-andesite, analysis of, from Yellowstone Park, Absaroka
Range Bull 168, p 97
Hornblende-basalt, analysis of, from California, Lassen Peak region Bull 148,
p 200; Bull 168, p 186
analysis of, from Yellowstone Park, Stinkingwater CanyonMon xxxII, II, p 340
Hornblende-bearing biotite-granite from Maine, Fox Island, description of, as
one of the educational seriesBull 150, pp 177–179
Hornblende-biotite-gneiss, analysis of, from Minnesota, MortonBull 157, p 75
of Minnesota, southwesternBull 157, pp 72–76
thin section of, from Minnesota, southwesternBull 157, pp 142–143
from Minnesota, VestaBull 157, pp 138–139
Hornblende-biotite-granite-gneiss of Minnesota, southwesternBull 157, pp 60-66
thin section of, from Minnesota, Ortonville
from Minnesota, southwesternBull 157, pp 138–139
Hornblende-biotite-syenite, thin section of, from Michigan, sec. 27, T. 47 N.,
R. 47 W
Hornblende-dacite, analysis of, from Greece, ÆginaBull 165, p 171
Hornblende-diorite, analysis of, from District of ColumbiaBull 148,
p 85; Bull 168, p 44
of Colorado, Telluride quadrangleGF 57, p 7
of Sierra Nevada
Hornblende-diorite-porphyry, analysis of, from ColoradoBull 150, p 232
from Colorado, Buckskin Gulch, description of, as one of the educational
series
Hornblende-gabbro, analysis of, from Michigan, Crystal Falls districtMon xxxvi,
pp 242, 263; Bull 168, p 67
analysis of, from Minnesota, DuluthBull 109, p 37
of Michigan, Keweenaw series

Hornblende-gabbro of Sierra NevadaAnn 17, 1, pp 576, 583
thin section of, from Michigan, Crystal Falls district (poikilitic, schistose,
etc.)Mon xxxvi, pp 312–313, 314–315, 316–317, 318–319
from Wisconsin, Ashland County, and English LakeMon v, pp 56-57
Hornblende-gabbro-gneiss from Maryland, Franklin, description of, as one of
the educational series (gabbro-diorite) Bull 150, pp 367–369
thin section of, from Minnesota, Minnesota FallsBull 150, pp 360-361
Hornblende-gneiss, derivation of, from eruptive rocksAnn 10, 1, pp 360–362
of Michigan, Crystal Falls district
пі, рр 104–105; Моп хххуі, рр 395–397
thin section of, from Michigan, sec. 16, T. 47 N., R. 45 WMon xix, pp 478-479
from Wisconsin, sec. 33, T. 46 N., R. 2 E
i, pp 470–471; Mon xix, pp 476–477
Hornblende-granite, analysis of, from Vermont, East Clarendon section Bull 148,
p 71; Bull 168, p 27
from Massachusetts, Cape Ann, description of, as one of the educational
series (biotite-bearing)Bull 150, pp 179–181
thin section of, from Michigan, NE. † SW. † sec. 23, T. 47 N., R. 47 WAnn 10,
ı, pp 468–469; Mon xix, pp 478–479
Hornblende-granitite, analysis of, from Montana, Big Timber CreekBull 148,
p 142; Bull 168, p 120
Hornblende-mica-andesite, analysis of, from Nevada, Eureka district Mon xx,
p 264; Bull 150, p 221
analysis of, from Nevada, Washoe district
from Yellowstone Park, Crescent HillBull 148, p 134; Bull 168, p 108
Sepulchre Mountain
Mon xxxII, II, p 135; Bull 148, p 121; Bull 168, p 91
from Nevada, Hoosac Mountain, description of, as one of the educational
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series
from Nevada, Hoosac Mountain, description of, as one of the educational series

Hornblende-porphyrite, analysis of, from Colorado, El Late MountainsAnn 14, 11, p 227; Bull 148, p 130; Bull 168, p 164
analysis of, from Utah, Henry Mountains
п, р 227; Bull 148, р 183; Bull 168, р 167
from Yellowstone Park, Electric Peak Bull 148, p 119; Bull 168, p 89
of California, Jackson quadrangle
Placerville quadrangle
Sonora quadrangle
thin section of, from Colorado, Leadville district
Hornblende-porphyry, analysis of, from Yellowstone Park, Electric Peak Bull 148,
p 119; Bull 168, p 89
Hornblende-pyroxene of California, Sonora quadrangleGF 41, p 5
Hornblende-pyroxene-andesite, analysis of, from California, Plumas County. Bull 89,
p 67; Bull 148, p 202; Bull 168, p 188
analysis of, from California, Sierra County Bull 148, p 207; Bull 168, p 193
from Yellowstone Park, Absaroka RangeBull 168, p 96
Sepulchre Mountain
Mon xxxII, II, p 135; Bull 148, p 120; Bull 168, p 90
from Nevada, Virginia City, description of, as one of the educational
series
of California, Downieville quadrangle
of New Mexico, Tewan Mountains
of Wyoming, Sepulchre Mountain
of Yellowstone Park and vicinity
thin section of, from California, Downieville areaAnn 17, 1, pp 758-759
Hornblende-pyroxene-andesite-porphyry of Yellowstone ParkMon xxxii, ii, p 80
Hornblende-schist, analysis of, from Massachusetts, AmherstMon xxix, p 221
from New Hampshire, Hanover, description of, as one of the educational
series (garnetiferous)Bull 150, pp 362–365
from New York, Manhattan Island, description of, as one of the educa-
tional seriesBull 150, pp 331–332
of Michigan, Marquette district
of Sierra Nevada
thin section of, from Wisconsin, sec. 35, T. 46 N., R. 2 EMon xix, pp 476–477
Hornblende-syenite, analysis of, from California, Inyo CountyAnn 17, 1, p 727
Hornfels, analysis of, from California, Mariposa County
Bull 148, p 221; Bull 168, p 210 from California, Genesee Valley, description of, as one of the educational
series
Hornstone, analysis of, from Maryland, Sykesville, also of dissolved inclusion
in
analysis of, from Montana, Crazy MountainsBull 148, p 144; Bull 168, p 122
Horseshoe Creek, Wyoming, reservoir sites on
Horsetown beds of California
Bull 19, pp 20–21; Bull 82, pp 184, 186, 187 of California, fossils of
of California, fossils of
Horton (R. E.), report on run-off and water power of Kalamazoo RiverWS 30,
pp 22–38 Hoskins (L. M.), flow and fracture of rocks as related to structureAnn 16,
i, pp 845–874
Hot-spring deposit, analysis of, from Montana, Boulder Hot SpringsAnn 21,
п, pp 244
analysis of, from Nevada, Steamboat Springs (metalliferous)Mon xIII, p 344
Hot-spring waters, analysis of Bull 9, pp 24, 27, 28, 30–35; Bull 42, p 148; Bull 60, p 174

Hot-spring waters of Yellowstone Park, character of
Hot springs, association of, with cinnabar
of California, Colusa County
Mono Lake
Sulphur Bank
of Nevada, Lahontan Basin
of Utah, Fumarole Butte
of Wyoming
travertine and siliceous sinter of
Hot water, deposits from Mon XIII, pp 260–261
Hot waters of Comstock lode, Nevada
vegetation of
Housatonic River, profile of
Howe (E.), experiments illustrating intrusion and erosion . Ann 21, 111, pp 291-303
Howe (H. M.), copper smeltingBull 26
Howland Islands, analysis of guano from, leachedBull 46, p 125
Hübnerite, description and analysis of, from Colorado, Ouray CountyBull 20, p 96
description and analysis of, from Montana, near PhillipsburgBull 20, p 96
Huckleberry Mountain and Big Game Ridge, Yellowstone Park, geology ofMon
хххи, и, pp 165–202
Hudson Bay, pre-Cambrian rocks of region aboutBull 86, pp 209–213, 500
Hudson grits of New York-Vermont slate belt
Hudson quartzites of New York-Vermont
Hudson River, drainage area of, water powers and elevations on tributaries of WS
24, pp 33-43 flow of, measurements of Ann 19, iv, pp 117-122; Ann 20, iv, pp 47, 78-81;
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61
Ann 21, 1v, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, 1v, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of
Ann 21, IV, pp 71–73; WS 24, pp 79–82, 97–98; WS 35, pp 58–61 profile of

•
Humidity as a disturbing factor in barometric hypsometryAnn 2, pp 425-427
is it increased by irrigation?
Humite, chemical constitution of
Hungary. (See Austria-Hungary.)
Hunt (A. E.), aluminum, manufacture of, in EuropeAnn 17, 111, pp 245-251
aluminum, statistics of
Hunt (T. S.), system of classification for pre-Paleozoic groupsAnn 7, pp 381-389;
Bull 86, pp 462–466
Huntington quadrangle, West Virginia-Ohio, geology of
Huntley (D. B.), list of ores, minerals, and mineral substances of industrial
importance in Arizona and UtahMR 1882,pp 760-764, 773-775
mining districts of Arizona MR 1882, pp 765–766
Huronian, definition of Bull 86, p 463
Huronian district, the original, Lake Superior region, succession, correlation,
etc., in
16, 1, pp 775–780; Bull 86, pp 23–50, 498–499
Huronian quartzites, genesis of and metamorphism in
pp 236–237; Bull 8, pp 48–52
Huronian rocks, enlargements in
of Great Lakes region
Ann 5, pp 189-194; Ann 10, 1, p 348; Ann 15, p 647; Ann 19,
п, pp 10–14, 34–80, 121–122; Ann 21, п, pp 354–360; Mon v,
pp 386-394, 402-409; Mon xix, passim; Mon xxviii, passim;
Mon xxxvi, pp xviii-xxiv, 50-186; Bull 86, passim; GF 62
of Northwestern States, metamorphism in
the original
A 10 PM TO 11 00 00 MO 100 100
Ann 16, 1, p 775; Bull 86, pp 23-50, 498-499
Ann 16, 1, p 775; Bull 86, pp 23–50, 498–499 (See, also, Algonkian rocks.)
(See, also, Algonkian rocks.)
(See, also, Algonkian rocks.)  Huronian system, history of termBull 86, pp 470–474
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term
(See, also, Algonkian rocks.)  Huronian system, history of term

Hydrography; flow of water through porous soils or rock, theoretical investi-
gation of
Illinois, water resources of
Indiana and Ohio, water resources of
instruments and methods
jetties at mouth of Mississippi
Kansas, Fort Riley Military ReservationBull 137, pp 32–33
legislation authorizing investigationsBull 131, pp 10–13
loss of water from artificial channels in New York
meters, methods of rating
rating of, in 1896
rating tables for
various kinds of
of Colorado, Denver Basin, rainfall, run-off, evaporation, etc
xxvii, pp 413–412
White and Yampa rivers, reconnaissance on
of Great Plains, portion of
of Nicaragua
of United States arid region
и, pp 36, 78–90; Ann 11, и, pp 1–110; Ann 12, и, pp 213–261
potable waters of eastern United States
pumping water in Georgia
rating stations for meters, descriptions of
river heights for 1896
river stations, operations at, in 1897, 1898, and 1899
27, 28; 35, 36, 37, 38, 39
rivers, profiles of, in United StatesWS 44
sand areas of Long Island, New York, water yield ofWS 25, pp 191-198
silting in Texas, Lake McDonald
springs in Idaho, Boise quadrangleGF 45, p 7
storage capacity in New York, Croton watershed
storage of water in Arizona on Gila RiverWS 33
streams in California, average flow of
in Georgia, Apalachicola Basin, list of
subterranean drainage lines, especially in Indiana and OhioAnn 18, iv, p 483
topographic forms, classification of, on basis of
water of eastern United States (potable)
ownership of, in New York
uses of
water horizons in southeastern Nebraska
water measurements, tables for converting units used in
waters, ownership of inland, by State of New YorkWS 25, pp 186-188
well boring and irrigation in South Dakota, eastern, in 1896
ıv, pp 561–615
wells in ArizonaWS 2, pp 86–90
work in, 1890–1900, reports on
Ann 13, 1, pp 52–53,163; Ann 14, 1, pp 45–47, 269–270; Ann 15,
pp 74–76, 196–198; Ann 16, 1, pp 43–49; Ann 17, 1, pp 70–80;
Ann 18, 1, pp 70-82; 1v, pp 1-418; Ann 19, 1, pp 69-74; 1v,
pp 1-632; Ann 20, 1, p 69; 1v, pp 1-562; Ann 21, 1, pp 96-
100; iv, pp 9-488; Bull 131; Bull 140; WS 15; WS 16;
WS 27; WS 28; WS 35; WS 36; WS 37; WS 38; WS 39
(See, also, Artesian water; Drainage; Evaporation; Irrigation; Rainfall;
Reservoirs; Seepage; Stream measurements; Water;
Wells.)
•

Hydrolite, occurrence of
Hydromica from New Jersey, analysis and constitution ofBull 167, pp 154–155
Hydromica-schist of Massachusetts, western
of Northwestern States
Hydronephelite, analysis of, from Maine, LitchfieldBull 42,
pp 31–34; Bull 148, p 66; Bull 168, p 21
chemical constitution of
Hydrophlogopite, chemical constitution of
Hydroplastic rocks Bull 86, p 440
Hydrosol, analysis of impure
Hydrothermal alteration of granite, basalt, and rhyolite of Idaho
III, pp 174–186
Hydrozoa of Cambrian, lower
of Cambrian, middle, of North AmericaBull 30, pp 51, 91–94
of Olenellus zone
Hyperite, analysis of, from Sweden
Hypersthene, analysis of, from Colorado, Buffalo Peaks
Bull 1, p 29; Bull 148, p 171; Bull 150, p 226; Bull 168, p 153
analysis of, from Greece, SantorinBull 1, p 29
from Labrador, St. Pauls Island
from Maryland, BaltimoreBull 28, pp 23, 44; Bull 150, p 281
Gwynns Falls
from Minnesota, sec. 20, T. 65 N., R. 4 W Bull 148, p 111; Bull 168, p 81 from Oregon, Mount Thielsen
from Pacific coast
chemical constitution of
from Nevada, Eureka district, partly altered
in basalt
in daciteMon xx, p 369
in diorite from Wyoming, Electric Peak
in pyroxene-andesite
in rhyolitic pumice
methods of isolation of
thin section of, from Delaware, showing alteration into tremolite and
fibrous green hornblende Bull 59, p 23
from Nevada, Eureka district, from andesite perliteMon xx, pp 396-397
Hypersthene-andesite, analysis of, from Arizona, San Francisco Mountains. Bull 42, p 139; Bull 148, p 188; Bull 168, p 174
analysis of, from California, Bidwell Bar quadrangle
1, pp 569, 731; Bull 148, p 202; Bull 168, p 188
from California, Downieville quadrangle
ı, p 731; Bull 148, p 207; Bull 168, p 193
Lassen Peak region
pp 196, 197; Bull 165, p 171; Bull 168, pp 182, 186
Mount ShastaBull 148, p 190; Bull 150, p 228; Bull 168, p 173
from Colorado, Buffalo Peaks
Bull 148, p 171; Bull 150, p 227; Bull 168, p 153
from Montana, near Red Bluff. Bull 90, p 70; Bull 148, p 140; Bull 168, p 114
from Washington, Mount Rainier
from California, Mount Shasta, description of, as one of the educational series
from Colorado, Buffalo Peak, description of, as one of the educational seriesBull
150, pp 224–227
200, PP 221 22.

Hypersthene-andesite in augitic rocks
p 230; Bull 168, p 220 analysis of, from Virginia, Culpeper County
Hypersthene-gabbro, analysis of, from Maryland, Gwynns Falls
n 679 · Bull 98 n 97
analysis of, from Maryland, Mount Hope CutBull 28, p 37
from Maryland, Wetheredville
p 673; Bull 148, p 85; Bull 150, p 372; Bull 168, p 44
from Minnesota, Granite Falls (porphyritic hornblendic)Bull 157, p 89 sec. 20, T. 65 N., R. 4 W (granulitic)Bull 90,
p 68; Bull 148, p 111; Bull 168, p 81
of DelawareBull 59, pp 10–15
of Maryland, near Baltimore Bull 28, pp 18–26, 32–49
of Minnesota, near OdessaBull 157, pp 136–137
thin section of, from transitional zone between gabbro-diorite and, from
Maryland, Mount HopeBull 28, pp 670-671
from Minnesota, Minnesota FallsBull 157, pp 144–145
Hypozoic rocksBull 86, pp 357, 404
(See Archean.)
Hypsilophodon, remarks on and restoration of
Hypsometry, barometric, new method of
Ice, floating, transportation by
Ice age. (See Glacial; Pleistocene.)
Ice dam, Pleistocene, of the OhioBull 58, pp 17–38, 76–101
Ice invasions, the great, rock scorings of
Iceland, fossil plants of, literature of
quicksilver deposits in
Ichnology of Massachusetts, western
Ichthyornis, description and restoration of
Icy Bay, Alaska, description of
Idaho, abrasive material in Boise quadrangle
agricultural land in Priest River Forest Reserve
altitudes in
1, pp 355–356; Ann 20, 1, pp 471–474; Ann 21, 1, pp 517–524;
Bull 5, pp 84–86; Bull 72, p 225; Bull 76; Bull 160, pp 132–135
Alturas (Blaine) County, gold, silver, and lead production of, 1880–1898. Ann
20, III, p 192
Bear River, flow of, measurements of
п, р 102; Ann 12, п, рр 330, 352, 360; Ann 13, п, рр
96, 99; Ann 14, 11, pp 118-119; Ann 18, tv, pp 311-316; Ann
19, IV, pp 431–433; Ann 20, IV, pp 60, 459–460; Ann 21, IV, p
394; Bull 131, pp 53–55; Bull 140, pp 224–227; WS 11, p 76;
WS 16, p 157; WS 28, pp 149, 153, 154; WS 38, pp 332–334
Bear River formation in
Bitterroot Forest Reserve—lands, timber, fires, etcAnn 19, v, pp 57-59, 253-282 report on
Black Hornet mining district, geology, mineral deposits, etc., of
III, pp 703–705
, pp 100 100

```
IV, pp 330-333; WS 28, pp 163, 168, 170
  Boise, latitude and longitude of, determination of ......Ann 11, 1, p 129; Bull 70
  IV, pp 451-454; Ann 20, IV, pp 62, 483; Ann 21, IV, pp 411-
                412; Bull 131, p 66; Bull 140, pp 236-237; WS 11, pp 81-82;
                WS 16, p 168; WS 28, pp 161, 168, 169; WS 38, pp 356-359
  boundary line between Montana and, survey of, from international bound-
              ary to crest of Bitterroot Mountains. Ann 18, 1, p 13; Bull 170
  boundary lines of, and formation of Territory.....Bull 13,
                       pp 32, 127; Bull 170, p 16; Bull 171, pp 134-135
  IV, pp 339-340, 341; Ann 19, IV, pp 450-451; Ann 20, IV, pp
                62, 481-482; Ann 21, IV, pp 409-410; Bull 140, pp 239-241;
                WS 11, p 81; WS 16, p 167; WS 28, pp 161, 169; WS 38, p 356
  in Boise quadrangle .......GF 45, p 6
     pp 710, 711; MR 1893, pp 547, 548, 553, 556; Ann 16,
                  IV, pp 437, 463, et seq; Ann 17, III cont, p 760 et seq; Ann
                 18, v cont, p 950 et seq; Ann 19, vi cont, p 206 et seq;
                  Anu 20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq
  521; Ann 17, III p 819 et seq; Ann 18, v cont, p 1078 et seq;
                Ann 19, vi cont, p 318 et seq; Ann 20, vi cont, p 466 et seq
  pp 12, 39; MR 1885, pp 11, 26; MR 1886, pp 225, 230, 252;
                MR 1887, pp 169, 223; MR 1888, pp 169, 171, 241; MR 1889-
                90, pp 147, 195; MR 1892, pp 265, 366-368; MR 1893, pp
                189, 190, 197, 199, 200; Ann 16, 11, pp 274-275; IV, pp 7, 301,
                14, 15, 16; Ann 17, 111, pp 288, 289, 291, 301, 302, 303, 304, 305;
                Ann 18, v, pp 354, 368, 369; Ann 19, vi, pp 278 et seq, 398; Ann
                Ann 20, vi, pp 300 et seq, 406; Ann 21, vi, pp 325-329, 335 et seq
     Cœur d'Alene Lake, flow of, measurements of..................WS 38, pp 369-370
  p xxix; MR 1882, p 229; MR 1883-84, pp 329, 342; MR
                1885, p 210; MR 1886, p 112; MR 1887, p 69; MR 1888,
                p 54; MR 1889-90, p 60; MR 1891, pp 83, 84; MR 1892, pp
                96, 97; MR 1893, pp 64, 65; Ann 16, III, pp 333, 334, 343;
                Ann 17, 111, pp 83, 84, 85, 86; Ann 18, v, pp 189, 190, 191;
                Ann 19, vr, pp 140, 141, 142, 143, 160; Ann 20, vr, pp 161,
                162, 163, 164, 165, 182-184; Ann 21, vi, pp 166-170, 188
  355-356; Ann 20, I, pp 471-474, 522; Ann 21, I, pp 517-524;
                Bull 5, pp 84-86; Bull 72, p 225; Bull 76; Bull 160, pp 132-135
  105-110; Ann 12, 11, pp 344, 356, 361; Ann 13, 111, pp 97, 99
  Florence gold-mining district, history, production, veins, etc., of ......Ann 20,
                                             ш, pp 232-237
```

Idaho; Florida Mountain, silver veins ofAnn 20, 111, pp 134–147, 160–16	
,, pp, pp	1
forested areas in northern, condition of	ß
geographic positions in	Š
ı, pp 174–179; Ann 20, ı, pp 278–283; Bull 123, pp 141–14	Z
geologic investigations in	8
geologic maps of. (See Map, geologic, of Idaho.)	
geologic reconnaissance across	6
geologic sections in. (See Section, geologic, in Idaho.)	
geologic and paleontologic work in	١.
Ann 18, r, pp 44–45; Ann 20, r, p 48; Ann 21, r, pp 80–8	
geology of western-central	
glacial investigations in	
gold in Boise quadrangle	
gold and silver, production of, in Owyhee County, 1863–1898	١,
ш, pp 111–11:	2
production of, statistics of	R
1882, p 172 et seq; MR 1883-84, p 312 et seq; MR 1885	
pp 201, 203; MR 1886, pp 104, 105; MR 1887, pp 58, 59	
MR 1888, pp 36, 37; MR 1889-90, p 49; MR 1891, pp 75	
76, 77; MR 1892, p 50 et seq; MR 1893, p 50 et seq; An	
17, 111, p 72 et seq; Ann 18, v, p 141 et seq; Ann 19, vi, j	р
127 et seq; Ann 20, vi, p 103 et seq; Ann 21, vi, p 121 et se	q
granite production of, statistics of	
761, 763; Ann 18, v cont, pp 950, 951, 954, 956; Ann 19	
vi cont, pp 206, 208, 209, 211, 215; Ann 20, vi cont, p 270	
Hamilton quadrangle, forest conditions in	
Henry Fork, flow of, measurements of	
рр 344, 355, 361; Ann 13, 111, pp 97, 99 Idaho Basin, geologic history of	9
Idaho Basin, geologic history of	•
precious metals in, discovery, production, etc., ofAnn 18, 111, pp 651-550	6
	6
precious metals in, discovery, production, etc., ofAnn 18, 111, pp 651–550  Idaho formation, fauna of	6 9
precious metals in, discovery, production, etc., ofAnn 18, 111, pp 651-550 Idaho formation, fauna of	6 9 9
precious metals in, discovery, production, etc., ofAnn 18, 111, pp 651-550 Idaho formation, fauna of	6 9 9
precious metals in, discovery, production, etc., of	6 9 3 6
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651-556 Idaho formation, fauna of Ann 20, 111, pp 98-99 Idaho City gold belt Ann 18, 111, pp 684-689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198-200 iron in Boise quadrangle GF 45, p 6 iron ores from, statistics of MR 1892, p 36	6 9 3 6 ;
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p 6 iron ores from, statistics of MR 1892, p 36 MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 4	6 9 3 6 ;
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p 69 iron ores from, statistics of MR 1892, p 36 MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 41 irrigation, dam at head of Idaho canal Ann 13, 111, pp 235–236	6 9 3 6 ; 1 6
precious metals in, discovery, production, etc., of	6 9 3 6 7
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p 6 iron ores from, statistics of MR 1892, p 36 MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 4 irrigation, dam at head of Idaho canal Ann 13, 111, pp 235–230 Pocatello canal, surveys for Ann 13, 111, pp 422–42' problems along Bear and Snake rivers Ann 11, 11, pp 238–238	6 9 3 6 7 9
precious metals in, discovery, production, etc., of	6 9 3 6 7 9 8
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p 6 iron ores from, statistics of MR 1892, p 36 MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 4 irrigation, dam at head of Idaho canal Ann 13, 111, pp 235–230 Pocatello canal, surveys for Ann 13, 111, pp 422–42' problems along Bear and Snake rivers Ann 11, 11, pp 238–238	6 9 3 6 7 9 8
precious metals in, discovery, production, etc., of	6 9 9 3 6 7 9 8 4
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p 69 iron ores from, statistics of MR 1892, p 36 MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 40 irrigation, dam at head of Idaho canal Ann 13, 111, pp 255–230 Pocatello canal, surveys for Ann 13, 111, pp 238–230 problems along Bear and Snake rivers Ann 11, 11, pp 238–230 reservoir sites, survey of, in 1891–92 Ann 13, 111, pp 452–450 Snake River drainage Ann 12, 11, p 34 surveys, engineering, hydrography, segregations, etc., in Ann 10, 11	6 9 9 3 6 ; 1 6 7 9 8 4 ;
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556  Idaho formation, fauna of Ann 20, 111, pp 98–99  Idaho City gold belt Ann 18, 111, pp 684–689  Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200  iron in Boise quadrangle GF 45, p 69  iron ores from, statistics of MR 1892, p 36  MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 40  irrigation, dam at head of Idaho canal Ann 13, 111, pp 235–230  Pocatello canal, surveys for Ann 13, 111, pp 422–422  problems along Bear and Snake rivers Ann 11, 11, pp 238–233  reservoir sites, survey of, in 1891–92 Ann 13, 111, pp 452–450  Snake River drainage Ann 12, 11, pp 344  surveys, engineering, hydrography, segregations, etc., in Ann 10, 11  pp viii, 58, 88–89, 106–108; Ann 11, 11, pp 79–86, 102, 105, 106, 116	6 9 9 3 6 ; 1 6 7 9 8 4 , 0
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p 6 iron ores from, statistics of MR 1892, p 36  MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 41 irrigation, dam at head of Idaho canal Ann 13, 111, pp 255–230 Pocatello canal, surveys for Ann 13, 111, pp 238–231 problems along Bear and Snake rivers Ann 11, 11, pp 238–232 reservoir sites, survey of, in 1891–92 Ann 13, 111, pp 452–450 Snake River drainage Ann 12, 11, p 34 surveys, engineering, hydrography, segregations, etc., in Ann 10, 11 pp viii, 58, 88–89, 106–108; Ann 11, 11, pp 79–86, 102, 105, 106, 116 lead from, statistics of MR 1882, p 311; MR 1883–84	6 9 9 3 6 ; 1 6 7 9 8 4 , 0 ,
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p 6 iron ores from, statistics of MR 1892, p 36  MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 4 irrigation, dam at head of Idaho canal Ann 13, 111, pp 255–230 Pocatello canal, surveys for Ann 13, 111, pp 255–230 Pocatello canal, surveys for Ann 13, 111, pp 238–232 reservoir sites, survey of, in 1891–92 Ann 13, 111, pp 452–452 Snake River drainage Ann 12, 11, p 34 surveys, engineering, hydrography, segregations, etc., in Ann 10, 11 pp viii, 58, 88–89, 106–108; Ann 11, 11, pp 79–86, 102, 105, 106, 110 lead from, statistics of MR 1882, p 311; MR 1883–84  pp 416, 424, 425; MR 1885, pp 248, 258; MR 1886, p 146; ME	69936;167984,0,3
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p 0 iron ores from, statistics of MR 1892, p 36  MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 4 irrigation, dam at head of Idaho canal Ann 13, 111, pp 255–230 Pocatello canal, surveys for Ann 13, 111, pp 255–230 Pocatello canal, surveys for Ann 13, 111, pp 238–232 reservoir sites, survey of, in 1891–92 Ann 13, 111, pp 452–452 Snake River drainage Ann 12, 11, pp 344 surveys, engineering, hydrography, segregations, etc., in Ann 10, 11 pp viii, 58, 88–89, 106–108; Ann 11, 11, pp 79–86, 102, 105, 106, 110 lead from, statistics of MR 1882, p 311; MR 1883–84  pp 416, 424, 425; MR 1885, pp 248, 258; MR 1886, p 146; ME 1887, pp 107–108; MR 1888, p 88; MR 1889–90, p 80; ME	69936;167984,0,33
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p 6 iron ores from, statistics of MR 1892, p 36  MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 4 irrigation, dam at head of Idaho canal Ann 13, 111, pp 255–230 Pocatello canal, surveys for Ann 13, 111, pp 255–230 Pocatello canal, surveys for Ann 13, 111, pp 238–232 reservoir sites, survey of, in 1891–92 Ann 13, 111, pp 452–452 Snake River drainage Ann 12, 11, pp 34 surveys, engineering, hydrography, segregations, etc., in Ann 10, 11 pp viii, 58, 88–89, 106–108; Ann 11, 11, pp 79–86, 102, 105, 106, 110 lead from, statistics of MR 1882, p 311; MR 1883–84  pp 416, 424, 425; MR 1885, pp 248, 258; MR 1886, p 146; ME 1887, pp 107–108; MR 1888, p 88; MR 1889–90, p 80; ME 1891, p 105; MR 1892, pp 121, 124; MR 1893, pp 93–94	69936;167984,0,33;
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p 6 iron ores from, statistics of MR 1892, p 36  MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 4 irrigation, dam at head of Idaho canal Ann 13, 111, pp 255–230 Pocatello canal, surveys for Ann 13, 111, pp 255–230 Problems along Bear and Snake rivers Ann 11, 11, pp 238–230 reservoir sites, survey of, in 1891–92 Ann 13, 111, pp 452–450 Snake River drainage Ann 12, 11, pp 34 surveys, engineering, hydrography, segregations, etc., in Ann 10, 11 pp viii, 58, 88–89, 106–108; Ann 11, 11, pp 79–86, 102, 105, 106, 110 lead from, statistics of MR 1882, p 311; MR 1883–84  pp 416, 424, 425; MR 1885, pp 248, 258; MR 1886, p 146; ME 1887, pp 107–108; MR 1888, p 88; MR 1889–90, p 80; ME 1891, p 105; MR 1892, pp 121, 124; MR 1893, pp 93–94 Ann 16, 111, p 362; Ann 17, 111, p 134; Ann 18, v, p 240; Ann	6 9 9 3 6 ; 1 6 7 9 8 4 , 0 , 3 3 ; 1
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p 6 iron ores from, statistics of MR 1892, p 36  MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 4 irrigation, dam at head of Idaho canal Ann 13, 111, pp 255–230 Pocatello canal, surveys for Ann 13, 111, pp 255–230 Pocatello canal, surveys for Ann 13, 111, pp 238–232 reservoir sites, survey of, in 1891–92 Ann 13, 111, pp 452–452 Snake River drainage Ann 12, 11, pp 34 surveys, engineering, hydrography, segregations, etc., in Ann 10, 11 pp viii, 58, 88–89, 106–108; Ann 11, 11, pp 79–86, 102, 105, 106, 110 lead from, statistics of MR 1882, p 311; MR 1883–84  pp 416, 424, 425; MR 1885, pp 248, 258; MR 1886, p 146; MR 1887, pp 107–108; MR 1888, p 88; MR 1889–90, p 80; MR 1891, p 105; MR 1892, pp 121, 124; MR 1893, pp 93–94 Ann 16, 111, p 362; Ann 17, 111, p 134; Ann 18, v, p 240; Ann 19, v1, pp 201, 215; Ann 20, v1, pp 226, 228; Ann 21, v1, p 226	69936;167984,0,33;19
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p 6 iron ores from, statistics of MR 1892, p 36  MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 4 irrigation, dam at head of Idaho canal Ann 13, 111, pp 235–230 Pocatello canal, surveys for Ann 13, 111, pp 238–232 reservoir sites, survey of, in 1891–92 Ann 11, 11, pp 238–233 reservoir sites, survey of, in 1891–92 Ann 13, 111, pp 452–455 Snake River drainage Ann 11, 11, pp 79–86, 102, 105, 106, 110 lead from, statistics of MR 1882, p 311; MR 1883–84  pp 416, 424, 425; MR 1885, pp 248, 258; MR 1886, p 146; MR 1887, pp 107–108; MR 1888, p 88; MR 1889–90, p 80; MR 1891, p 105; MR 1892, pp 121, 124; MR 1893, pp 93–94 Ann 16, 111, p 362; Ann 17, 111, p 134; Ann 18, v, p 240; Ann 19, v1, pp 201, 215; Ann 20, v1, pp 226, 228; Ann 21, v1, p 226 limestone in Boise quadrangle GF 45, p 6	69936;167984,0,33;196
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p. 6 iron ores from, statistics of MR 1892, p 36  MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 4 irrigation, dam at head of Idaho canal Ann 13, 111, pp 255–230 Pocatello canal, surveys for Ann 13, 111, pp 238–233 reservoir sites, survey of, in 1891–92 Ann 13, 111, pp 452–452 Snake River drainage Ann 12, 11, pp 344 surveys, engineering, hydrography, segregations, etc., in Ann 10, 11 pp viii, 58, 88–89, 106–108; Ann 11, 11, pp 79–86, 102, 105, 106, 110 lead from, statistics of MR 1882, p 311; MR 1883–84  pp 416, 424, 425; MR 1885, pp 248, 258; MR 1886, p 146; MF 1887, pp 107–108; MR 1888, p 88; MR 1889–90, p 80; MF 1891, p 105; MR 1892, pp 121, 124; MR 1893, pp 93–94 Ann 16, 111, p 362; Ann 17, 111, p 134; Ann 18, v, p 240; Ann 19, v1, pp 201, 215; Ann 20, v1, pp 226, 228; Ann 21, v1, p 220 limestone in Boise quadrangle GF 45, p 6 limestone production of, statistics of MR 1892, p 711; MR 1893, p 556	69936;167984,0,33;196;
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p 6 iron ores from, statistics of MR 1892, p 36  MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 4 irrigation, dam at head of Idaho canal Ann 13, 111, pp 235–230 Pocatello canal, surveys for Ann 13, 111, pp 238–232 reservoir sites, survey of, in 1891–92 Ann 11, 11, pp 238–233 reservoir sites, survey of, in 1891–92 Ann 13, 111, pp 452–455 Snake River drainage Ann 11, 11, pp 79–86, 102, 105, 106, 110 lead from, statistics of MR 1882, p 311; MR 1883–84  pp 416, 424, 425; MR 1885, pp 248, 258; MR 1886, p 146; MR 1887, pp 107–108; MR 1888, p 88; MR 1889–90, p 80; MR 1891, p 105; MR 1892, pp 121, 124; MR 1893, pp 93–94 Ann 16, 111, p 362; Ann 17, 111, p 134; Ann 18, v, p 240; Ann 19, v1, pp 201, 215; Ann 20, v1, pp 226, 228; Ann 21, v1, p 226 limestone in Boise quadrangle GF 45, p 6	69936;167984,0,33;196;
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p. 6 iron ores from, statistics of MR 1892, p 36  MR 1893, p 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 4 irrigation, dam at head of Idaho canal Ann 13, 111, pp 255–230 Pocatello canal, surveys for Ann 13, 111, pp 238–233 reservoir sites, survey of, in 1891–92 Ann 13, 111, pp 452–452 Snake River drainage Ann 12, 11, pp 344 surveys, engineering, hydrography, segregations, etc., in Ann 10, 11 pp viii, 58, 88–89, 106–108; Ann 11, 11, pp 79–86, 102, 105, 106, 110 lead from, statistics of MR 1882, p 311; MR 1883–84  pp 416, 424, 425; MR 1885, pp 248, 258; MR 1886, p 146; MF 1887, pp 107–108; MR 1888, p 88; MR 1889–90, p 80; MF 1891, p 105; MR 1892, pp 121, 124; MR 1893, pp 93–94 Ann 16, 111, p 362; Ann 17, 111, p 134; Ann 18, v, p 240; Ann 19, v1, pp 201, 215; Ann 20, v1, pp 226, 228; Ann 21, v1, p 220 limestone in Boise quadrangle GF 45, p 6 limestone production of, statistics of MR 1892, p 711; MR 1893, p 556	69936;167984,0,33;196;
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt	69936;167984,0,33;196;
precious metals in, discovery, production, etc., of Ann 18, 111, pp 651–556 Idaho formation, fauna of Ann 20, 111, pp 98–99 Idaho City gold belt Ann 18, 111, pp 684–689 Idaho Mining and Irrigating Company's canal Ann 13, 111, pp 198–200 iron in Boise quadrangle GF 45, p. 6 iron ores from, statistics of MR 1892, p. 36  MR 1893, p. 26; Ann 16, 111, pp 31, 194; Ann 17, 111, pp 27, 39, 4 irrigation, dam at head of Idaho canal Ann 13, 111, pp 255–230 Pocatello canal, surveys for Ann 13, 111, pp 238–233 reservoir sites, survey of, in 1891–92 Ann 13, 111, pp 452–452 Snake River drainage Ann 12, 11, pp 345 surveys, engineering, hydrography, segregations, etc., in Ann 10, 11 pp viii, 58, 88–89, 106–108; Ann 11, 11, pp 79–86, 102, 105, 106, 110 lead from, statistics of MR 1882, p. 311; MR 1883–84	69936;167984,0,33;196;

```
Idaho; Little Camas Creek, flow of, measurements of .. Ann 18, IV, p 336; WS 11, p 80
 pp 337, 339; Ann 19, IV, p 449; Ann 21, IV, pp 406-407; WS
           11, p 81; WS 16, p 166; WS 28, pp 160, 168, 169; WS 38, p 353
 Malade River, flow of, measurements of .... Ann 18, IV, pp 337, 338; Ann 19, IV,
         pp 448-449; Ann 20, iv, pp 62, 477; Ann 21, iv, pp 407-409; WS
         11, p79; WS16, p166; WS28, pp160, 168, 169; WS38, pp354-355
 maps, geologic. (See Map, geologic, of Idaho.)
 maps, topographic. (See Map, topographic, of Idaho; also list on p 73.)
 mineral deposits of, character, classification, etc., of.....Ann 20, III, pp 101-106
 mineral springs of......Bull 32, pp 181-182; MR 1891, p 604; MR 1892, pp 824,
           827; MR 1893, pp 774, 777, 784, 787, 794; Ann 16, IV, pp 709,
           712, 720; Ann 17, 111 cont, pp 1032, 1042; Ann 18, v cont, pp
           1371, 1377, 1387; Ann 19, vi cont, pp 661, 667, 678; Ann
           20, vi cont, pp 750, 756, 767; Ann 21, vi cont, pp 607, 620
 mountains, canyons, and intermontane valleys of......Ann 16, 11, pp 219-223
 Neal mining district, topography, geology, etc., of ......Ann 18, 111, pp 699-703
 Ann19, IV, pp 455-456; Ann 20, IV, p 62; Bull 131, p 66; Bull
           140, pp 237-238; WS 11, p 83; WS 16, p 170; WS 39, p 359
   origin and age of .......GF 45, p 3
 20, IV, pp 61, 475-476; Ann 21, IV, pp 404-405; WS 11, p 79;
           WS 16, p 164; WS 28, pp 159, 168, 169; WS 38, pp 350-351
 Priest River Forest Reserve, forest conditions, timber, fires, etc., of
         p 710; MR 1893, p 553; Ann 16, IV, pp 437, 484, 485, 486;
           Anh 17, 111 cont, pp 760, 775, 776, 777; Ann 18, v cont,
           pp 950, 1012, 1013, 1014, 1022; Ann 19, vi cont, pp 265,
           266; Ann 20, vi cont, pp 337, 338; Ann 21, vi cont, pp 355, 356
 sections, geologic, in. (See Section, geologic, in Idaho.)
```

Shaw Mountain mining district, general description of......Ann 18, III, p 707

Idahar Cilian City. De Taman and other prining districts in gold and silver
Idaho; Silver City, De Lamar, and other mining districts in, gold and silver veins of
silver deposits in Boise Mountains
in Boise quadrangle
Snake River, description and history of
flow of, measurements of
и, pp 344, 357, 361; Ann 13, ии, pp 98, 99; Ann 14, и, pp
127-130; Ann 18, IV, pp 334-336; Ann 19, IV, pp 447-448;
Ann 20, IV, pp 61–62, 474–490; Ann 21, IV, pp 405–406;
Bull 131, pp 64–65; Bull 140, p 241; WS 11, p 80; WS
16, p 165; WS 28, pp 160, 168, 169; WS 38, pp 351–352 geologic features and events in valley ofAnn 18, 111, pp 625–626, 630–637
geologic history of valley of
profile of
reservoirs and canal lines along, survey of, for irrigation purposesAnn 11,
п, pp 190–200
Snake and Columbia rivers, drainage systems of
soils of Boise quadrangleGF 45, p 7
South Mountain district, mineral deposits of
springs in Boise quadrangle
Teton River, flow of, measurements of
97, 99; Ann 20, 1v, p 61; Bull 131, pp 62–63
timber, standing, in
tin deposits of
topographic maps of. (See Map, topographic, of Idaho; also list on p 73.)
topographic work in
r, p 47; Ann 13, r, p 79; Ann 14, r, p 179; Ann 15, pp 125-
126; Ann 16, 1, pp 66, 68, 70, 71; Ann 17, 1, pp 97, 104–105;
Ann 18, 1, pp 94, 95, 108; Ann 19, 1, pp 90, 110–111; Ann 20, 1, pp 100, 101, 117, 121–122; Ann 21, 1, pp 136, 142–143
trees and shrubs in Bitterroot Forest ReserveAnn 20, v, pp 329-357, 392-405
triangulation in
War Eagle Mountain, gold and silver veins ofAnn 20, 111, pp 147-161-163
Warren gold-mining district, history, veins, etc., of Ann 20, 111, pp 237–249
water supply for public lands
of Bitterroot Forest Reserve
Weiser River, flow of, measurements of
п, р 106; Апп 12, п, рр 344, 358, 360; Апп 13, п,
pp 98, 99; Ann 18, IV, pp 352-354; Ann 19, IV, pp 456-
458; Ann 20, 1v, pp 62, 488–489; Ann 21, 1v, pp 412–413;
Bull 131, p 66; Bull 140, pp 238–239; WS 11, p 84; WS
16, p 171; WS 28, pp 162, 168, 170; WS 38, pp 359–360
wells, artesian, in Boise quadrangle
of
woodland area of
Wood River, flow of, measurements of
Wood River district, mineral deposits and mines of Ann 20, 111, pp 190-231
Idaho formation, fauna of Ann 20, III, pp 98–99
Idaho group, correlation of
Total of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state

Idaho-Montana boundary line, law relating to survey of
Iddings (J. P.), a group of volcanic rocks from New Mexico, Tewan Moun-
tains, and the occurrence of primary quartz in certain
basaltsBull 66 descriptions of rock specimens in the educational seriesBull 150,
pp 146–148, 151–163, 177–181, 194–197, 209–211,
215-217, 219-221, 223-224, 228-231, 233-241,
243–244, 254–261, 298, 301–302, 331–333, 353–355
eruptive rocks of Electric Peak and Sepulchre Mountain, Yellowstone
National Park
igneous rocks of Yellowstone National ParkGF 30, p 6
microscopic petrography of the eruptive rocks of Eureka district, Ne-
vadaMon xx, pp 335–406
Obsidian Cliff, Yellowstone National ParkAnn 7, pp 249–295
petrographic character of pre-Cambrian lavas of Grand CanyonAnn 14,
п, pp 520–524
Iddings (J. P.) and Hague (A.), development of crystallization in igneous rocks
of Washoe, Nevada, with notes on the geology of the dis-
trict
ogy of the Yellowstone National ParkMon xxxII, II
Iddings (J. P.), Weed (W. H.), and Hague (A.), geology of the Livingston
quadrangle, MontanaGF1
Idocrase, occurrence and statistics of
Igelströmite, chemical constitution of
Igneous fusion as related to pressure, investigation of
Igneous fusion and ebullition, experiments inBull 103
Igneous injections, effect of, on carbonaceous strata in Richmond BasinAnn 19,
II, pp 411-413
Igneous phenomena of Colorado, La Plata quadrangle
Igneous rocks; alteration, hydrothermal, of granite, basalt, and rhyolite in  Idaho
analysis of, from Čalifornia, Mariposa CountyBull 148, p 220; Bull 168, p 209
from Utah, Tintic mining district
assimilation of sedimentary masses by, discussion of Mon XII, pp 308-313
classification of, discussion of
facts bearing on, derived from study of rocks of Electric Peak and
Sepulchre Mountain, Yellowstone ParkAnn 12, 1, pp 660-663
from Alaska, according to compositionAnn 20, vII, pp 188-194
from Montana, Little Belt Mountains
crystalline rocks, ancient, relations ofAnn 14, 1, pp 99-101
crystallization in, of Nevada, Washoe, development ofBull 17
granite and pegmatite in process of differentiation or segregationAnn 18,
physical conditions in relation toBull 66, pp 23–29
unusual course of, in granitic magma
decomposition of, in Colorado, Mosquito Range
in Nevada, Washoe district, character of Mon 111, pp 72–80, 209–218, 369–372
of constituents of, by weathering
dike, stock, sill, laccolith, definitions of
effusive rocks of Montana, Little Belt MountainsAnn 20, 111, pp 556-557
of Sierra Nevada
eruptive origin of certain Maryland granites Ann 15 pp 731-734

Igneous rocks; eruptive rocks of IdahoAnn 16, 11, pp 234-247
flow and fracture of rocks as related to structure
fluid inclusions, secondary origin of
intrusion in Black Hills, history of
intrusion and erosion, experiments illustrating
intrusive masses, contact metamorphism not marked about Mon xII, p 307
force of intrusion, discussion of
of Alaska
of Black Hills
of California, Sonora area
of Colorado, Aspen district
La Plata MountainsGF 60, pp 8–10
Mosquito Range and Leadville districtAnn 2,
p 226; Mon XII, pp 295–306
Rico Mountains
Telluride quadrangle
of Michigan, Crystal Falls district
и, pp 81–83; Mon хххvи, pp 187–265 northern complex
of Montana, Fort Benton quadrangleGF 55, p 4
Little Belt MountainsAnn 20, 111, pp 302–303, 313–316, 342–343, 349–360
of New JerseyBull 67
of Rocky Mountains
of Sierra Nevada
of Wyoming, Absaroka district
of Yellowstone Park, Electric Peak
Gallatin Mountains, Bunsen Peak, and Mount EvertsMon xxxII,
11, pp 60–88
traps of New JerseyBull 67
(See, also, Laccoliths.)
magmas, absorption of sediments by
considered as solutionsBull 66, pp 26–29
discussion of, by graphic methods
metamorphism of
development of, in Catoctin belt
general discussion ofBull 62, pp 34–63
mineral composition, gradations in, between members of a group ofBull 66,
pp 17–19
of rocks of Montana, Yogo Peak, variation inAnn 20, III, pp 567-568
mineralogic relations of pegmatites and quartz veins toAnn 18, 111, p 313
nomenclature of; name asperite proposed
Survey rules concerning
of Alaska
360–363, 364, 365–366, 430, 471–472, 479–482
classification and descriptions of
Matanuska Valley
Prince William Sound and Copper River district Ann 20, v11, pp 414-417
southwestern
Sushitna Basin, notes on
Yukon district
of Arizona, Grand Canyon, Unkar terrane, pre-Cambrian Ann 14, 11, pp 497–524
of California, Bidwell Bar quadrangle
Big Trees quadrangle
Colfax quadrangleGF 66, pp 3-4

Igneous rocks of California, Downieville quadrangle
of California, Jackson quadrangle
Lassen Peak quadrangle
Marysville quadrangleGF 17, p 1
Merced-Mariposa areaAnn 17, 1, pp 692–694
Mother Lode district
Nevada City and Grass Valley districts
Nevada City, Grass Valley, and Banner Hill districtsGF 29, pp 2-4
Ophir district
Placerville quadrangleGF 3, p 2
Pyramid Peak quadrangleGF 31, pp 4-5
Sacramento quadrangleGF 5, pp 2, 3
San Clemente Island
San Francisco Peninsula
Sierra Nevada, western slope of
Smartsville quadrangle
Sonora quadrangle
Truckee quadrangle
of Catoctin belt
of Colorado, Anthracite quadrangle
Crested Butte quadrangle
Cripple Creek district
Denver Basin
Elmoro quadrangle
La Plata quadrangle
Pikes Peak quadrangle GF 7, pp 2–3, 4, 7
Telluride quadrangle
Tenmile district
Walsenburg quadrangle
of Connecticut, Holyoke quadrangle
Triassic area
of Lake Superior district
of Maine, Aroostook volcanic areaBull 165, pp 105–117, 146–185
of Maryland, Harpers Ferry quadrangleGF 10, p 2
of Massachusetts, Holyoke quadrangle
western
of Michigan, Crystal Falls district
pp 50-55, 73-74, 81-83, 122, 150-151; Mon xxxvi,
pp 80–148, 174, 187–265, 426, 469–470, 482–487
Marquette district
pp 618, 644; Mon xxviii, pp 178–186, 218, 460, 524, 571
of Minnesota, Pigeon PointBull 109
of MontanaBull 110, pp 43–45; Bull 139, pp 56–142
Barker district
Butte district
Castle Mountain district
Fort Benton quadrangle
Highwood MountainsGF 55, p 3
Judith Mountains
Little Belt Mountains
Little Belt Mountains quadrangle
Livingston quadrangle
Neihart district
Three Forks quadrangle

Igneous rocks of Narragansett Basin
of Newark system, associated
of Oregon, Bohemia mining regionAnn 20, 111, pp 11-15
northwestern
Roseburg quadrangleGF 49, p 3
of Pennsylvania, South MountainBull 136
of Sierra Nevada
570-586, 613-620, 632-653, 663-675, 683, 692-694, 697-699
GF 3, p 2; GF 5, p 2; GF 11, p 2; GF 18, p 2; GF 31, p 2
GF 37, p 2; GF 39, p 2; GF 41, p 2; GF 43, p 2; GF 51, p 2
of Tennessee, Chattanooga district
of Texas, kinds and mode of occurrence of
near Austin and Rockwall
relief features of
San Carlos coal field Bull 164, pp 88–95
Uvalde quadrangle
of Utah, Henry Mountains, correspondence of, to rocks of ColoradoMon xIII
pp 305–306, 359–368
Mercur district
Oquirrh Mountains
Tintic district
of Virginia, Harpers Ferry quadrangle
Monterey quadrangle
Richmond Basin
Staunton quadrangle
Mount Rainier
wrount warmer
southeastern WS 4, pp 40–50 Tacoma quadrangle GF 54, p 8
of West Virginia, Harpers Ferry quadrangle
Monterey quadrangle
Staunton quadrangle
of Wyoming, Absaroka district
of Yellowstone Park and vicinity
pp 60-148, 215-439; GF 30, p 6
origin of
of differences in
of massive rocks of California
petrographic description of, from California, Coast Ranges
pp 140–164 from Colorado, Leadville district
Mosquito Range
from DelawareBull 59
from Maryland, near BaltimoreBull 28
from Michigan, Menominee and Marquette regionsBull 62
from Michigan-Wisconsin, Keweenaw series Ann 3
pp 101–115; Mon v, pp 34–133
from Neyada, Eureka district
pp 273–280: Mon xx, pp 218, 335–394
Washoe district
from Utah, Henry Mountains
relations between gabbro and diorite in Baltimore regionBull 28, pp 34-49
relations of
in Nevada, Washoe
of gneiss to granite, in Wisconsin, northern
of traps of Newark system, New JerseyBull 67
to ore deposits

Igneous rocks, segregation or differentiation in, process and phenomena ofAnn 18			
ш, pp 301–312			
structural features of Keweenaw seriesAnn 3, pp 116–131; Mon v, pp 134–151			
definition ofBull 17, pp 14–15			
discussion on			
distinct from those of clastic rocksBull 62, p 196			
importance of understandingBull 62, p 196			
lamination of acid lavas, cause of			
lithophysæ, origin of			
micropegmatite (granophyre) in relation to spherulitesAnn 7, pp 274–276			
spherulites, character and origin of			
transitions in			
structures of, amygdaloidal			
structures of, columnar, in basalt of volcanic necks			
in obsidian			
structures of, granitoid and porphyritic			
structures of, poikilitic			
succession of, in Coast Ranges of California			
in Keweenaw series			
in Nevada, Eureka district			
Washoe district			
means of determiningMon III, p 188			
synthesis or mixing in, processes of			
Tertiary and Keweenawan eruptives, comparison of			
work of Survey on, summary of Ann 10, 1, pp 45-49; Ann 14, 1, pp 87-98			
(See, also, Eruptive rocks; Lava; Rocks; Volcanic; and names of the vari-			
ous kinds of igneous rocks.)			
Iguanodon, remarks on, and restoration of			
Ihlseng (M. C.), phosphate prospect in PennsylvaniaAnn 17, 111 cont, pp 955-957			
Ihlseng (M. C.), phosphate prospect in PennsylvaniaAnn 17, 111 cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in PennsylvaniaAnn 17, 111 cont, pp 955-957			
Ihlseng (M. C.), phosphate prospect in PennsylvaniaAnn 17, 111 cont, pp 955-957 lles (M. W.), lead slagsMR 1883-84, pp 440-462			
Ihlseng (M. C.), phosphate prospect in PennsylvaniaAnn 17, 111 cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, 111 cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, 111 cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, 111 cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, 111 cont, pp 955–957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, III cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, III cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, III cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, III cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, III cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, 111 cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, 111 cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, III cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, III cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, 111 cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, III cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, III cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, III cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, 111 cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, 111 cont, pp 955-957 Iles (M. W.), lead slags			
Inlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, 111 cont, pp 955-957 Iles (M. W.), lead slags			
Ihlseng (M. C.), phosphate prospect in Pennsylvania Ann 17, 111 cont, pp 955-957 Iles (M. W.), lead slags			

•	
Illinois; Chicago, rainfall at	1
Chicago outlet, effect of, on size of Des Plaines and Illinois rivers Ann 17	7.
ır, pp 711–71	
Chicago outlet and beaches of the glacial Lake Chicago	
· · · · · · · · · · · · · · · · · · ·	
хххун, рр 418-45	שו
cities and villages using surface water, shallow wells in valleys, wells	
from glacial drift, shallow wells in rock, and water from	
deep wells	4
clay, brick, and pottery industry in, statistics ofMR 1882, pp 467	7,
471; MR 1883-84, p 700; MR 1886, p 568; MR 1887	
pp 535, 537, 546; MR 1888, pp 558–559, 566; MR 1891	
p 510; MR 1892, p 735; Ann 16, IV, pp 518, 519, 520	
521; Ann 17, 111 cont, pp 819 et seq, 858; Ann 18, v con	
p 1078 et seq; Ann 19, vi cont, pp 318 et seq, 356; Ann 20	
vi cont, pp 466 et seq, 518; Ann 21, vi cont, pp 362, 36	
coal, area and statistics of	
xxviii; MR 1882, pp 49-51; MR 1883-84, pp 12, 39-43; M	R
1885, pp 11, 27–28; MR 1886, pp 225, 230, 253–261; MR 1887	7.
pp 169, 171, 224–237; MR 1888, pp 169, 171, 242–256; MR	
1889–90, pp 195–205; MR 1891, pp 179, 219–226; MR 1892	
pp 264, 267, 268, 368–383; MR 1893, pp 188, 189, 194, 195	
197, 199, 200, 261–276; Ann 16 iv, pp 7 et seq, 83–105; An	
17, III, pp 287 et seq, 381-413; Ann 18, v, pp 354 et sec	
483-506; Ann 19, vi, pp 277 et seq, 399-410; Ann 20, vi	
pp 299 et seq, 406-409; Ann 21, vi, pp 324 et seq, 437-44	1
in Danville quadrangleGF 67, pp 6-	7
coal fields of	
coke in, manufacture of, statistics of	
MR 1885, pp 80, 89-90; MR 1886, pp 378, 384, 394-395	
MR 1887, pp 383, 389, 398; MR 1888, pp 395, 400, 408–409	
MR 1891, pp 360, 361, 378–379; MR 1892, pp 555 et sec	
575–576; MR 1893, pp 418 et seq, 437; Ann 16, 1v, p	
225 et seq, 252-253; Ann 17, III cont, pp 543 et seq, 577	
579; Ann 18, v cont, pp 661 et seq, 699–700; Ann 19, v	
pp 548 et seq, 593-594; Ann 20, vi, pp 512 et seq, 560	<b>)</b> —
561; vi cont, p 227; Ann 21, vi, pp 523 et seq, 574-57	6
Danville quadrangle, geology of	7
Des Plaines River, flow of, measurements of	
iv, pp 52, 218-223; Ann 21, iv, pp 172-17	
rainfall, run off, and evaporation in watershed of	
drainage and topography in, effect of drift uponAnn 17, 11, pp 706-71	
drainage basins of	
driftless area of Upper Mississippi Valley	9
elevations in Ann 18, 1, pp 324–325; Ann 19, 1, pp 254–257; Ann 20, 1, p 412	
Bull 5, pp 87–94; Bull 72, p 205; Bull 76; Bull 160, pp 136–17	
eskers of northwestern	
gas, illuminating and fuel, and by-products in, statistics of	
vi cont, p 227 et se	
gas wells of	
geographic positions in	ι;
Ann 19, 1, p 158; Bull 123, pp 103-10	7
geologic maps of. (See Map, geologic, of Illinois.)	
geologic sections in. (See Section, geologic, in Illinois.)	

A REAL

```
pp 21, 23; Ann 6, p 35; Ann 7, p 84; Ann 8, 1, p 142; Ann
                   10, I, p 129; Ann 11, I, p 75; Ann 12, I, p 88; Ann 13, I,
                   pp 121, 123; Ann 14, 1, p 193; Ann 17, 1, pp 61-62; Ann
                   18, I, pp 55-56; Ann 19, I, p 54; Ann 21, I, pp 25, 30, 31
  glacial boundary in western Pennsylvania, Ohio, Kentucky, Indiana, and
              Illinois ......Bull 58
  Ann 7, p 157; Ann 8, 1, p 142; Ann 9, p 85; Ann 10, 1, p
                129; Ann 11, 1, pp 74, 75; Ann 12, 1, pp 88, 89; Ann 13, 1, p
                121; Ann 14, r, p 193; Ann 15, pp 179, 180; Ann 16,
                1, pp 24, 25; Ann 17, 1, pp 61, 62; Ann 18, 1, pp 55, 56;
                Ann 19, 1, p 54; Ann 21, 1, pp 66, 85, 86; Mon xxxvIII
  iron and steel from, statistics of...MR 1882, p 120 et seq; MR 1883-84, p 252; MR
                1885, pp 182, 184, 186; MR 1886, p 18; MR 1887, p 11; MR
                1888, pp 14, 23, 25; MR 1889-90, pp 10, 12, 17; MR 1891, pp
                54, 55, 61; MR 1892, p 12 et seq; MR 1893, pp 15, 20; Ann
                16, III, pp 31, 194, 249, 250; Ann 17, III, p 47 et seq; Ann 19,
                vi, p 66 et seq; Ann 20, vi, p 74 et seq; Ann 21, vi, p 90 et seq
  p 312; MR 1883-84, pp 416, 426; MR 1885, p 248; Ann 18, v,
                p 240; Ann 19, vi, p 201; Ann 20, vi, p 226; Ann 21, vi, p 229
  MR 1892, p 711; MR 1893, p 556; Ann 16, IV, pp 437, 494,
                495, 497–498; Ann 17, III cont, pp 760, 788, 789, 790, 792; Ann
                18, v cont, pp 950, 1044, 1045, 1046, 1049; Ann 19, vi cont,
                pp 206, 281, 282, 283, 288-289; Ann 20, vi, cont, pp 271,
                342, 343, 344, 345, 347; Ann 21, vr cont, pp 335, 357-360
  maps, geologic, of. (See Map, geologic, of Illinois.)
  maps, topographic, of. (See Map, topographic, of Illinois; also pp 73-74 of this
                bulletin.)
  MR 1883-84, p 981; MR 1885, p 537; MR 1886, p 716; MR
                1887, p 683; MR 1888, p 626; MR 1889-90, p 526; MR 1891,
                pp 603, 605; MR 1892, pp 824, 827; MR 1893, pp 774, 777,
                784, 788, 794; Ann 16, IV, pp 709, 712, 720; Ann 17, III cont,
                pp 1026, 1032-1033, 1041; Ann 18, v cont, pp 1371, 1377-
                1378, 1386; Ann 19, vi cont, pp 661, 667-668, 677; Ann 20, vi
                cont, pp 749, 757, 767; Ann 21, vi cont, pp 599, 607-608, 619
  natural gas localities and statistics of ......MR 1885, pp 167–168; MR 1886, pp
                511-513; MR 1887, pp 466, 494; MR 1889-90, p 367; MR
                1891, p 438; MR 1892, p 676; MR 1893, p 536; Ann 16, IV,
                pp 415, 418, 419, 425; Ann 17, 111 cont, pp 734, 735, 738, 739,
                745-746; Ann 18, v cont, pp 900, 901, 903, 904, 911; Ann 19,
                vicont, pp 168, 169, 171, 172, 173, 177-178; Ann 20, vi cont, pp
                207, 209, 210, 222; Ann 21, vi cont, pp 299, 301, 302, 304, 315
```

Illinois, navigable waters of					
petroleum localities and statistics of	3,				
pp 465, 466; Ann 16, iv, pp 317, 319, 320, 379-380; Ann 17,	ш				
cont, pp 626, 629, 630, 701-702; Ann 18, v cont, pp 750, 75					
754, 755, 850; Ann 19, vicont, pp5, 6, 10, 11, 96–97; Ann 20,					
cont, pp 5, 7, 9, 111; Ann 21, vi cont, pp 6, 7, 11, 12, 143–1					
physical features of					
rainfall at Chicago					
rainfall in, records of					
rock gorges of northwestern					
Rock Island and vicinity, Paleozoic rocks explored by deep borings atAnn 1	.7,				
п, pp 829–8					
Rock River, drainage basin of	93				
profile of					
rocks in, classification of					
run-off of					
Sabine River drainage basin					
salt from, statistics of					
Ann 16, IV, p 647 et seq; Ann 17, III cont, p 985 et se					
Ann 18, v cont, p 1274 et seq; Ann 19, vi cont, p 588					
seq; Ann 20, vi cont, p 670 et seq; Ann 21, vii cont, pp 540, 5					
sandstone production of, statistics ofMR 1892, p 710; MR 1893, p 55	i3;				
Ann 16, iv, pp 437, 484, 485, 486; Ann 17, iii cont, pp 76	30,				
775, 776, 777; Ann 18, v cont, pp 950, 1012, 1013, 1014, 102					
Ann 19, vi cont, pp 206, 264, 265, 266, 269; Ann 20, vi cor					
pp 271, 336, 337, 338, 339; Ann 21, vi cont, pp 335, 353–3					
sections, geologic, in. (See Section, geologic, in Illinois)	00				
	70				
sewage-disposal plants in					
soils of, sources, classes, etc., of					
stream measurements in					
topographic maps of. (See Map, topographic, of Illinois; also pp 73-74 of the	nis				
bulletin.)					
topographic work in					
p 29; Ann 13, 1, p 73; Ann 18, 1, pp 94, 95, 104–105; Ann 1	.9,				
ı, pp 89, 90, 101; Ann 20, ı, pp 100, 102, 115; Ann 21, ı, p 1	31				
Wabash River drainage basin	37				
water power of					
water resources of					
water supply for towns in					
wells of, detailed discussion of, by counties					
wells, artesian and other, of					
woodland area in					
zine and zine works in, statistics of					
·	,				
p xxix; MR 1882, pp 346, 347, 365–367, 378–381; M					
1883–84, p 475; MR 1885, p 273; MR 1886, pp 154, 155; M					
1887, p 113; MR 1888, p 92; MR 1889-90, p 89; MR 189					
рр 130, 131; MR 1893, рр 103, 104; Ann 16, 111, р 379; Ан					
17, 111, pp 163, 164; Ann 18, v, pp 264, 265; Ann 19, vi, p 22					
Ann 20, vi, pp 250, 251, 252–253; Ann 21, vi, pp 249–250, 2					
Illinois glacial lobe, monograph on					
Illinois and Iowa ice lobes, relation of					
Illinois River, drainage basin of	23				
flow of, measurements of					
profile of					
Illuminating and fuel gas and by-products, statistics of Ann 20, vi cont, pp 225-2					

	Ilmenite, analysis of, from Illinois, Macon County	
	analysis of, from Kentucky, Elliott County dikeBull 38,	
	pp 24–25; Bull 42, p 136; Bull 148, p 92; Bull 168, p 56	
	from MassachusettsBull 126, p 107	
	composition of	
	in rocks of Pacific slope	
	occurrence of	
	thin section of, from Nevada, Washoe district (from augite-andesite)Mon III,	
	pp 150–151	
	Ilmenite and titaniferous magnetite, chemical composition of, considered as	
	minerals	
	Ilvaite, chemical constitution ofBull 125, p 70	
	occurrence of	
	Imidodiphosphate (tri- and tetra-silver), analyses of	
	Imidodiphosphoric acid, analysis of	
	salts of	
	Impregnation, deposition of ore by	
	Inclusion in any substance. (See name of substance.)	
	Incrustation, analysis of, from Florida, Everglades (formed by evaporating	
	waters)Bull 60, p 163	
	analysis of, from Nevada, old Walker Lake and near Black RockBull 27, p 70	
	from Pennsylvania, Kiskiminitas River (from casing of "gravel-bar	
	gas well'')	
	Independence Lake, California, survey of, and plans and estimates for, as a	
	reservoir site. Ann 11, 11, pp 174–175, 181; Ann 13, 111, pp 391–392	
	Independence shale of Iowa	
	Index, bibliographic, of North American Carboniferous invertebratesBull 153	
	Index and bibliography of North American geology, paleontology, petrology,	
	and mineralogyfor 1895, Bull 146; for 1896, Bull 149;	
	for 1897, Bull 156; for 1898, Bull 162; for 1899, Bull 172	
	Index and catalogue of contributions to North American geology, 1732–1891. Bull 127	
	of publications of United States Geological Survey (1880–1893)Bull 100	
India, Cambrian rocks of Bull 81, p		
	coal area and output of, compared with those of other countriesMR 1882,	
	p 5; MR 1885, p 11; MR 1886, p 235; MR 1887,	
	p 189; Ann 16, III, p 247; Ann 17, III, p 320; Ann	
	18, v, pp 414, 420; Ann 19, vi, pp 311, 319; Ann	
	20, vi, pp 332, 340; Ann 21, vi, pp 113, 363, 372	
	corundum, occurrence, etc., of	
	diamond mines of	
	fossil plants of, literature of	
	graphite production of, statistics ofAnn 19, vi cont, p 631	
	gypsum production of, statistics of	•
	vi, cont, p 585; Ann 20, vi cont, p 666	
	iron and iron ore from, statistics of Ann 16, III, p 23, 160-168; Ann 21, vI, p 113	
	iron-ore deposits of, distribution, method of working, etcAnn 16, 111, pp 160-168	
	irrigation in	
	manganese-ore deposits and production of, statistics of Ann 17, 111, pp 220–221;	
	Ann 18, v, p 328; Ann 19, vi, pp 124–125; Ann	
	20, vi, pp 154–155, 157; Ann 21, vi, pp 160, 162	
	mica production of, statistics of	
	petroleum localities and statistics of	
	720; Ann 18, v cont, pp 876–877; Ann 19, vi cont, pp 161–163;	
	Ann 20, vi cont, pp 196–202; Ann 21, vi cont, pp 282–288	

	ofAnn 21, v1 cont, p 553
	ogy, meteorology, and forestry ofAnn 12, 11, p 399
	zed, solution ofBull 92, pp 85–94
	tudes inBull 5, p 104; Bull 76; Bull 160, pp 192–196
asphaltum produc	etion of, statistics of
	Ann 20, vi cont, pp 254, 260; Ann 21, vi cont, pp 321, 324
	(See p 74 of this bulletin.)
	flow of, measurements of
profile of	WS 44, p 66
Choctaw coal field	ds, description of
	ıı, pp 271–279; MR 1889–90, pp 207–214 istics of
coal area and stat	
	1882, pp 51–52; MR 1883–84, pp 12, 45; MR 1885, pp 11, 29;
	MR 1886, pp 225, 330, 265–266; MR 1887, pp 169, 171, 244–
	245; MR 1888, pp 169, 171, 260–261; MR 1889–90, pp 207–
	214; MR 1891, pp 180, 232–233; MR 1892, pp 265, 267, 268,
•	390; MR 1893, p 189 et seq; Ann 16, IV, pp 7 et seq., 110-
	112; Ann 17, 111, pp 287 et seq., 419-421, 542; Ann 18, v, pp 354
	et seq., 513-515; Ann 19, vi, pp 278 et seq., 417-419; Ann 20,
	vi, pp 300 et seq., 412-416; Ann 21, vi, pp 325 et seq., 444-445
coal measures of .	
	tion of
	ture of, statistics of
,	p 164; MR 1885, pp 80, 90-91; MR 1886, pp 378, 384, 397;
	MR 1887, pp 383, 389, 400; MR 1888, pp 395, 400, 409–410; MR
	1891, pp 360, 366, 380; MR 1892, pp 555 et seq., 576-577; MR
	1893, pp 418 et seq., 438; Ann 16, iv, pp 225 et seq., 254–255;
	Ann 17, 111 cont, pp 544 et seq., 580-581; Ann 18, v cont, pp 661
•	et seq., 702-703; Ann 19, vi, pp 548 et seq., 595-597; Ann 20,
	vi, pp 512 et seq., 562–563; Ann 21, vi, pp 523 et seq., 578–579
eastern Choctaw o	coal field in, geology of
	of
elevations in. (S	ee "altitudes" under this heading.)
faults in	
	occurrence and composition of Ann 18, v cont, pp 1354–1356
	ons in
	(See Map, geologic, of Indian Territory.)
	n. (See Section, geologic, in Indian Territory.)
	ontologic investigations inAnn 13, 1, p 123; Ann 18, 1, pp
	35-36; Ann 19, 1, p 40; Ann 20, 1, pp 43, 61; Ann 21, 1, p 77
Grand River, flow	v of, measurements of
	on of
	· of
McAlester-Lehigh	coal field, fossil plants and invertebrate fossils fromAnn 19,
ŭ	III, pp 457–600
geology of	Ann 19, 111, pp 423–456
magnetic declinat	ion in
	oduction of, statistics of
	pp 127, 134-135; MR 1892, pp 189, 196-198; MR 1893, pp
	120, 129; Ann 16, 111, pp 413-414; Ann 17, 111, pp 196-197
maps, geologic, of.	
maps, topographic	e, of. (See Map, topographic, of Indian Territory; also
	p 74 of this bulletin.)
mineral springs of	Bull 32, p 123

```
Indian Territory, minerals of, useful.................MR 1882, p 681; MR 1887, p 730
  612; MR 1893, pp 465, 466; Ann 16, IV, pp 317, 319, 320,
                 380; Ann 17, III cont, pp 626, 629, 631, 702; Ann 18, v cont,
                 pp 750, 751, 754, 755; Ann 19, vi cont, pp 5, 6, 10, 11, 97; Ann
                 20, vi cont, pp 5, 7, 9, 114-115; Ann 21, vi cont, pp 12, 147-148
  Poteau Mountain quadrangle, physiography of......TF 2, p 10
  sections, geologic, in. (See Section, geologic, in Indian Territory.)
  17, I, pp 97, 106–109; Ann 18, I, pp 12, 94, 95, 110–112; Ann
                 19, I, pp 11-12, 89, 90, 95, 114-116; Ann 20, I, pp 104, 125-126
  topographic maps of. (See Map, topographic, of Indian Territory; also
                 p 74 of this bulletin.)
  triangulation and spirit leveling in......Bull 175
  Indiana, altitudes in. (See "elevations in.")
  atlas sheets of. (See p 74 of this bulletin.)
  boundary lines of, and formation of State from territory northwest of Ohio
              River......Bull 13, pp 28, 29, 111, 112; Bull 171, pp 117–118
  building stone from, at World's Columbian Exposition......MR 1893, p 562
     MR 1887, p 516; MR 1888, p 540; MR 1889-90, pp 374, 390-
                 393; MR 1891, pp 461, 462, 464, 465; MR 1892, pp 710, 711;
                 MR 1893, pp 553, 556-557; Ann 16, IV, p 437 et seq;
                 Ann 17, 111 cont, p 760 et seq; Ann 18, v cont, pp 950,
                 1012 et seq; Ann 19, vi cont, pp 207, 264 et seq; Ann 20,
                 vi cont, pp 271, 336 et seq; Ann 21, vi cont, p 335 et seq
  pp 739, 743; MR 1893, pp 619, 621; Ann 16, iv, pp 577, 581;
                 Ann 17, 111 cont, pp 884, 891; Ann 18, v cont, pp 1170,
                 1178; Ann 19, vi cont, pp 487, 492, 493, 495; Ann 20, vi
                 cont, pp 539, 544, 547, 550; Ann 21, vi cont, pp 393, 400, 407
  pp 467, 471; MR 1883-84, pp 696, 701; MR 1885, pp 416,
                 421; MR 1886, pp 568, 575; MR 1887, pp 535, 537, 547; MR
                 1888, pp 559, 566; MR 1891, p 510; Ann 16, IV, pp 518, 519,
                 520, 521; Ann 17, 111 cont, pp 819 et seq, 858-860; Ann 18, v
                 cont, p 1078 et seq; Ann 19, vi cont, pp 318 et seq, 357; Ann
                 20, vi cont, pp 466 et seq, 519; Ann 21, vi cont, pp 362, 363
  pp 1137-1139; Ann 19, vi cont, pp 472-473
  MR 1882, pp 52-55; MR 1883-84, pp 12, 43-45; MR 1885,
                 pp 11, 29; MR 1886, pp 225, 230, 261-265; MR 1887, pp 169,
                 171, 237-243; MR 1888, pp 169, 171, 256-260; MR
                 1889-90, pp 146, 205-207; MR 1891, pp 180, 226-232; MR
                 1892, pp 264, 267, 268, 383-389; MR 1893, pp 188 et seq,
                 276-284; Ann 16, IV, pp 7 et seq, 106-109; Ann 17, III,
                 pp 287 et seq, 413-419, 542; Ann 18, v, pp 354 et seq,
                 506-513; Ann 19, vi, pp 277 et seq, 411-417; Ann 20, vi,
                 pp 299 et seq, 409-412; Ann 21, vi, pp 324 et seq, 441-444
```

	e quadrangleGF 67, pp 6-7
coal fields of	
coke in, manufacture	e of, statistics of
	pp 163–164; MR 1885, pp 378, 384, 395–397; MR 1887, pp 383,
	389, 398–400; MR 1888, pp 395, 400, 409; MR 1891, pp 360,
•	366, 379; MR 1892, pp 555 et seq, 576; MR 1893, pp 418 et seq,
	437; Ann 16, IV, pp 225 et seq, 253–254; Ann 17, III cont, pp 544
	et seq, 579–580; Ann 18, v cont, pp 661 et seq, 700–701; Ann
	19, vi, pp 548 et seq, 594-595; Ann 20, vi, pp 512 et seq,
	561-562; vi cont, p 227; Ann 21, vi, pp 523 et seq, 576-577
Danville quadrangle,	geology ofGF 67
drainage in southeas	tern, changes of, due to ice invasionMon
•	xxxv111, pp 97-104
drainage systems of .	Ann 18, IV, pp 438–472
drift in southeastern	WS 26, p 56
	Ann 18, IV, p 426
•	Bull 5, pp 95–103; Bull 76; Bull 160, pp 171–191
gas illuminating and	I fuel, and by-products in, statistics of
	vi cont, p 227 et seq
gas, inflammable, an	d petroleum in Ohio and Indiana, Trenton limestone
	as a source of
	in
geologic maps of, list	edBull 7, pp 80, 82, 87, 88
	geologic, of Indiana.)
geologic sections in.	(See, also, Section, geologic, in Indiana.)
geologic and paleont	ologic investigations inAnn 3,
	pp 322, 328, 330-333; Ann 5, pp 21, 23; Ann 6, p 35; Ann 7,
	pp 157, 207; Ann 8, 1, p 142; Ann 9, pp 85, 86, 105; Ann 10,
	I, p 149; Ann 11, I, p 74; Ann 12, I, p 88; Ann 13, I, p
	121; Ann 14, 1, p 227; Ann 17, 1, p 60; Ann 18, 1, p 55
geologic structure of	
	vestern Pennsylvania, Ohio, Kentucky, Indiana, and
g.wo.u. bounum.j	IllinoisBull 58
glacial drift, moraine	es, etc., in, extent of
	in. (See "geologic and paleontologic investigations.")
	ois, a monograph on
	Ann 18, IV, pp 434–438
	nonograph on
	tatistics of
from and steel from,	
	MR 1883-84, p 252; MR 1885, pp 182, 184, 186; MR 1886, p
	18; MR 1887, p 11; MR 1888, pp 14, 23; MR 1889-90, pp
	10, 12, 17; MR 1891, pp 54, 55, 61; MR 1892, p 12 et seq;
	MR 1893, pp 15, 20; Ann 16, 111, pp 31, 194, 249, 250;
	Ann 17, 111, pp 47, 48, 62, 63, 68; Ann 19, vi, pp 66, 72;
	Ann 20, vi, pp 82, 83, 84, 85; Ann 21, vi cont, pp 99, 104
	inage system
	Ann 18, IV, pp 472–474
	MR 1887, p 533; MR 1888, p 555; MR 1889–90, p 392
limestone, Bedford o	öliticAnn 18
	v cont, pp 1050–1059; Ann 19, vi cont, pp 292–296
	(See Map, geologic, of Indiana.)
maps, topographic,	
	of this bulletin.)

```
Indiana, limestone production of, statistics of ......MR 1891, pp 464, 465; MR 1892,
               p 711; MR 1893, pp 556-557; Ann 16, IV, pp 437, 494, 495,
               498-499; Ann 17, 111 cont, pp 760, 788, 789, 790, 792; Ann
               18, v cont, pp 950, 1044, 1045, 1046, 1049-1057; Ann 19, vi
               cont, pp 207, 281, 282, 283, 289-296, Ann 20, vi cont, pp 271,
               342, 343, 344, 345, 347; Ann 21, vi cont, pp 335, 357-360
  p 981; MR 1885, p 537; MR 1886, p 716; MR 1887, p 683;
               MR 1888, p 626; MR 1889-90, p 526; MR 1891, pp 603, 605;
               MR 1892, pp 824, 827; MR 1893, pp 774, 777, 784, 788, 794;
               Ann 16, IV, pp 709, 712, 720; Ann 17, III cont, pp 1026,
               1033, 1041; Ann 18, IV, pp 493-495; Ann 18, V cont, pp
               1371, 1378, 1386; Ann 19, vi cont, pp 661, 668, 677; Ann 20,
               vi cont, pp 749, 757, 767; Ann 21, vi cont, pp 599, 608, 619
  minerals of, the useful .............MR 1882, pp 679-681; MR 1887, pp 727-730
  pp 508-511; MR 1887, pp 466, 485-489; MR 1888, pp 485-
               486, 499-506; MR 1889-90, pp 367-372; MR 1891, p 438;
               MR 1892, pp 676, 690-696; MR 1893, pp 536, 537, 539;
               Ann 16, IV, p 415 et seq; Ann 17, III cont, p 734 et seq;
               Ann 18, v cont, p 900 et seq; Ann 19, vi cont, p 168 et seq;
               Ann 20, vi cont, p 207 et seq; Ann 21, vi cont, p 299 et seq
  pp 405, 407, 433-434; MR 1892, pp 604, 606, 611, 640-643;
               MR 1893, pp 465, 466, 504-507; Ann 16, rv, pp 317, 318, 319,
               320, 366-367; Ann 17, III cont, pp 626, 627, 628, 630, 692-
               698; Ann 18, v cont, pp 750, 751, 753, 755, 828-835; Ann
               19, vi cont, pp 5, 6, 7, 8, 9, 11, 86-95; Ann 20, vi cont, pp 5,
               6, 7, 9, 82-89, 100-111; Ann 21, vi cont, pp 2-8, 12, 132-143
  at Logansport......WS 24, p 51
     794; MR 1893, p 720; Ann 16, IV, p 648; Ann 17, III cont,
               p 988; Ann 19, vi cont, p 611; Ann 20, vi cont, pp 674, 675
  462; MR 1892, p 710; MR 1893, p 553; Ann 16, IV, pp 437,
               484, 485, 486-487; Ann 17, 111 cont, pp 760, 775, 776, 777,
               779, 780–787; Ann 18, v cont, pp 950, 1012, 1013, 1014, 1022;
               Ann 19, vi cont, pp 207, 264, 265, 266, 269; Ann 20, vi cont,
                pp 271, 336, 337, 338, 339; Ann 21, vi cont, pp 335, 353-356
                 (See Section, geologic, in Indiana.)
  sections, geologic, in.
  topographic maps of.
                 (See Map, topographic, of Indiana; also p 74 of
               this bulletin.)
  Ann 20, I, p 101; Ann 21, I, pp 115, 116, 120, 132
```

Indiana, Trenton limestone as a source of petroleum and inflammable gas inAnn 8,
II, pp 475-662; MR 1892, pp 690-695 Wabash River, drainage system of
Wabash River, drainage system of
profile of
water resources of
water supplies for cities and villages in
wells, ground-water, drift, rock, etc., in
of northernWS 21
of southernWS 26
whetstone quarries in
Whitewater River drainage system
woodland area in
zinc from, statistics of
131; MR 1893, pp 103, 104; Ann 16, 111, p 379; Ann 18, v,
pp 264, 265; Ann 19, vi, pp 225; Ann 20, vi, pp 250, 251
Induration of sandstones by enlargement of quartz fragmentsBull 8, pp 13–17 of sandstones by weatheringBull 8, pp 12, 16, 42, 49
Inesite, analysis of Bull 125, p 82
chemical constitution of Bull 125, pp 82, 105
Infusorial earth, analysis of, from Maryland, Popes CreekMR 1887, p 554
analysis of, from Nevada MR 1882, p 479
from New Jersey, Morris County
from Virginia, near Richmond
description of the rock, as one of the educational seriesBull 150, pp 136-137
of Virginia
pp 479–480; MR 1883–84, pp 720–721; MR 1885, p 433;
MR 1886, pp 587–588; MR 1887, p 554; MR 1888, pp 578–
579; MR 1889-90, p 459; MR 1892, p 752; MR 1893, p 678;
Ann 16, iv, pp 592-593; Ann 17, iii cont, pp 947-948; Ann
18, v cont, pp 1229–1230; Ann 19, vi cont, pp 527–528; Ann
20, vi cont, pp 612–613; Ann 21, vi cont, pp 463, 471–472
Infusorial earth and bog iron ore in swamps
Ingraham Glacier, Mount Rainier, present condition ofAnn 18, 11, pp 397–398
Insects, fossil
Aphidæ, American Tertiary, with list of American fossil plant liceAnn 13,
п, pp 341–366
bibliography of, classed and annotatedBull 69
cockroaches, AmericanBull 124
Coleoptera, Tertiary rhynchophorous, of United States
history and distribution of
importance and bearing of study of
in different Western deposits, relative abundance of orders ofMon xxi, p 8
index to the known, including myriapods and arachnidsBull 71
of Florissant, Colorado, and other points in Tertiaries of Colorado and
UtahBull 93
of Massachusetts, western
of Rhode Island coal fieldMon xxxIII, pp 202–203; Bull 101
review, systematic, of present knowledge of, including myriapods and
arachnids
study of, importance and bearing of
(See Invertebrates, fossil.)
Insular surveys, estimates and recommendations concerningAnn 21, 1, pp 47–58
Intergrowth of hornblende and pyroxene in glassy rocks Ann 12, 1, pp 610-617

Intermediate series of Colorado
Intraformational shale conglomerate of Connecticut
Intrusion and erosion, experiments illustrating
Intrusive rock, analysis of, from Montana, near East Gallatin RiverBull 110, p 52
analysis of, from Yellowstone Park, Electric Peak
ı, р. 627; Mon хххи, н, р 83
from Yellowstone Park, various localities
Intrusive rocks, contact metamorphism not marked aboutMon xII, p 308
force of intrusion, discussion of
of Alaska
of Black Hills
of California, Sonora areaAnn 17, 1, p 663
of Colorado, Aspen district
La Plata Mountains
relation of, to dome structure in Rico Mountains Ann 21, 11, pp 24–25
· · · · · · · · · · · · · · · · · · ·
Mosquito Range and Leadville district Ann 2, p 226; Mon XII, pp 295–306
Rico Mountains
Telluride quadrangleGF 57, pp 6–7
of Michigan, Crystal Falls district Ann 19, 111, pp 81-83; Mon xxxv1, pp 187-265
northern complex
of Montana, Fort Benton quadrangle
Little Belt Mountains Ann 20, 111, pp 302-303, 313-316, 342-343, 349-360
of New JerseyBull 67
of Rocky MountainsMon x11, p 305
of Sierra Nevada
of Wyoming, Absaroka districtGF 52, pp 5–6
of Yellowstone Park, Electric Peak
Gallatin Mountains, Bunsen Peak and Mount EvertsMon xxxII,
11. np. 80–88
traps of New JerseyBull 67
(See, also, Laccoliths.)
Inundated lands in the several States, approximate areas ofAnn 10, 1, p 311
Invertebrates, fossil; Aphidæ, American TertiaryAnn 13, 11, pp 341-366
Aucella of California, remarks on the genus
beetles, Pleistocene, of Massachusetts, Fort RiverMon xxix, pp 740–746
Brachiopoda, American, synopsis of, including bibliography and syn-
onymyBull 87
Brachiopoda and Lamellibranchiata of Raritan clays and greensand marls
of New Jersey
Bryozoa, synopsis of American fossil, including bibliography and syn-
onymyBull 173
butterflies of Colorado, Florissant
Cephalopoda and Gasteropoda of Raritan clays and greensand marls of
New Jersey
cockroaches, fossil, North American, revision of
Coleoptera, adephagous and clavicorn, from the Tertiary deposits at Floris-
sant, Colorado, with descriptions of a few other forms
and a systematic list of nonrhynchophorous Tertiary
Coleoptera of North AmericaMon xL
Coleoptera, rhynchophorous, Tertiary, of United States
coral faunas, Eocene and Lower Oligocene, of United States, with descrip-
tions of a few doubtfully Cretaceous speciesMon xxxix

Invertebrates, fossil; Crustacea, Paleozoic, bibliography of, from 1698 to 1889. Bull 63 Echinodermata, Mesozoic, of United States
faunal relations of Eocene and Upper Cretaceous on Pacific coastAnn 17, 1, pp 1005–1060
Gasteropoda and Cephalopoda of Raritan clays and greensand marls of New Jersey
gryphæas, Lower Cretaceous, of Texas regionBull 151
insect fauna about the head of Narragansett BayMon xxxIII, pp 202–203  of Rhode Island coal fieldBull 101
insects, fossil
Aphidæ, American Tertiary, with list of American fossil plant lice. Ann 13,
ti, pp 341–366 bibliography of, classed and annotatedBull 69
Dull 104
cockroaches, American Bull 124
Coleoptera, Tertiary rhynchophorous, of United States
history and distribution of
importance and bearing of study of
indifferent Western deposits, relative abundance of orders of Mon xxi, p 8
index to the known, including myriapods and arachnidsBull 71
of Massachusetts, westernMon xxix, p 398
of Rhode Island coal field
of special interest from Florissant, Colorado, and other points in
Tertiaries of Colorado and UtahBull 93
review, systematic, of present knowledge of, including myriapods and
arachnidsBull 31
Lamellibranchiata and Brachiopoda of Raritan clays and greensand marls
of New Jersey Mon 1x
medusæ, fossil, monograph on
Mollusca from Alaska, southern coast of, MesozoicBull 51, pp 64-70
from American localities between Cape Hatteras and Cape Roque,
ncluding the Bermudas, list of marineBull 24
from Chico-tejon series of California, newBull 51, pp 11–27
from Vancouver Islands, CretaceousBull 51, pp 33-48
of Great Basin, Pleistocene and Recent, with descriptions of new
formsBull 11, pp 13–49
of Laramie, relation to succeeding fresh-water Eocene and other
groups
of North America, nonmarine fossil, review of
and otherBull 18
Mollusca and Crustacea of Miocene formations of New Jersey Mon xxiv
Molluscan fauna of glacial Lake Agassiz
of Puget group
Molluscan fauna; Laramie, relation of, to that of the succeeding fresh-water
EoceneBull 34
of argillites of Massachusetts, Braintree (fauna)Bull 10, pp 43–49
of Bear River formationBull 128
of California, which have been identified with Eastern species. Bull 15, pp 27-29
Mesozoic and Cenozoic, notes on
quicksilver belt, lists of
of Cambrian Bull 81, passim
of Montana Bull 110, pp 22–25
of Nevada, Eureka district, list of
Bull. 177—01——26

·	
Invertebrates, fossil, of Cambrian, Lower, or Olenellus zoneAnn 10, 1, pp 509–763 of Cambrian, Middle, table of distribution ofBull 30, pp 45–48	
of Carboniferous, bibliographic index of North AmericaBull 153	
of Montana	
of Nevada, Eureka district, list of	
of coal field, bituminous, of Pennsylvania, Ohio, and West Virginia,	
stratigraphy ofBull 65, passim	
of Colorado, Denver field, table of	
Rico Mountains	
of Colorado formationBull 106	
of Cretaceous of California (new)Bull 22	
of Texas (characteristic)Ann 18, 11, pls LI-LXIV	
of Devonian of Montana	
of Nevada, Eureka district, list of	
of Pennsylvania, eastern, and New York	
of Devonian, Upper, from Tompkins County, New York, to Bradford	
County, Pennsylvania, list of species ofBull 3, pp 9–29	
of New York, Genesee section, list of species ofBull 41, pp 31–102	
Ontario County Bull 16	
of Eocene Bull 83, passim	
of Atlantic slope, MiddleBull 141, pp 63–93	
of Louisiana Bull 142	
of Jurassic of North America (fresh-water)	
of Knoxville beds Bull 133	
of marine sand, description of	
of Mesozoic	
catalogue and bibliography of North America	
of Alaska	
of Montana. Bull 110, pp 22–43	
of Neocene Bull 84, passim	
of Newark system	
of Ouray limestone of Colorado	
of Pacific coastBull 51	
of Paleozoic of Indian Territory-McAlester coal fields Ann 19, 111, pp 539-600	
of MaineBull 165, pp 15-92	
of Permian of Texas	
of Philippine Islands, TertiaryAnn 21, 111, pp 615-625	
of Potomac formation	
of St. John formation contained in Hartt collection at Cornell Univer-	
sityBull 10, pp 9–42	
of Shasta groupBull 15, pp 18–22	
of Silurian of Montana	
of Nevada, Eureka district	
of Tertiary and Cretaceous strata of Tuscaloosa, Tombigbee, and Alabama	
rivers (species mentioned)Bull 43 of Texas (species mentioned)Bull 45	
of Tuscaloosa, Tombigbee, and Alabama rivers	
of Yellowstone Park	
Ostreidæ of North America, review of	
Pyrgulifera, geographic and time range of	
Tejon (lower) species, description of some	
(See, also, Vertebrates, fossil; Paleontology.)	
Investigation, scientific, "logical" method of	
Invilliers (E.V. d') and McCreath (A.S.), Clinch Valley coal field. MR 1892, pp 521-526	
Inyankara Mountain, Black Hills	

Iodine, analysis of mother liquor of, from South America, Tarapaca. MR 1883-84, p 85 statistics of	0
proportional amounts of, in chloride ores from Colorado, Leadville dis-	•
trict	5 3
Ione formation of California, correlation of	8 9,
462–465; Ann 17, 1, pp 546–547; GF 3, p 1; GF 5, pp 1, 3; G	$\mathbf{F}$
11, pp 1, 4; GF 15, p 1; GF 18, p 4; GF 37, p 1; GF 41, p  Iowa, altitudes in	
pp 257-259, 270-273; Ann 20, 1, pp 407, 419; Ann 21, 1, p	
472–473; Bull 5, pp 105–112; Bull 72, pp 195, 201, 214–213	
Bull 76; Bull 158, pp 91–92, 154–167; Bull 160, pp 197–22 artesian wells at Dubuque	io II
atlas sheets of. (See pp 74–75 of this bulletin.)	14
boundary lines of, and formation of StateBull 13	
pp 31, 117–118; Bull 171, pp 123–12	
brick industry of	
statistics of	
p 451; MR 1887, p 516; MR 1888, pp 540, 544; MR 1889-90	
pp 373, 393–394; MR 1891, pp 461, 462, 464, 466; MR 1891	
pp 710, 711; MR 1893, pp 553, 556; Ann 16, IV, pp 437, 438 484 et seq; Ann 17, III cont, p 760 et seq; Ann 18, V cont, p	
950, 975 et seq, 1012, 1013, 1014, 1023, 1044, 1045, 1046, 1050	_
Ann 19, vi cont, pp 207, 239, 240, 264 et seq; Ann 20, vi con	t,
pp 271, 282, 283, 336 et seq; Ann 21, vr cont, p 335 et se	
clay deposits, industry, and products of, statistics of	
Ann 17, 111 cont, pp 819 et seq, 860; Ann 18, v cont, p 107	
et seq; Ann 19, vi cont, pp 318 et seq, 358, 473-476; An	ın
20, vi cont, pp 466 et seq, 520; Ann 21, vi cont, pp 362, 36	
coal area and statistics of	
pp 11, 30; MR 1886, pp 225, 230, 266–268; MR 1887, pp 16	
171, 245–253; MR 1888, pp 169, 171, 262–269; MR 1889–9	0,
pp 147, 215–217; MR 1891, pp 180, 233–243; MR 1892, p	
265, 267, 268, 390–404; MR 1893, pp 189, 190, 194, 19. 197, 199, 200, 285–294; Ann 16, iv, pp 112–121; Ann 1	
111, pp 287 et seq, 421–429, 542; Ann 18, v, pp 354 et seq	
515-524; Ann 19, vi, pp 278 et seq, 419-429; Ann 20, vi, p	
300 et seq, 417-420; Ann 21, vi, pp 325 et seq, 446-44	
coke in, manufacture of	
Des Moines River, profile of	78
driftless area of Upper Mississippi ValleyAnn 6, pp 199–32	22
elevations in	9,
ı, pp 257–259, 270–273; Ann 20, ı, pp 407, 419; Ann 21, ı, p 472–473; Bull 5, pp 105–112; Bull 72, pp 195, 201, 214–21	
Bull 76; Bull 158, pp 91-92, 154-167; Bull 160, pp 197-25	
formations, geologic, of northeastern	34

```
vi cont, p 227 et seq
  (See Map, geologic, of Iowa.)
  geologic sections in. (See Section, geologic, in Iowa.)
  Ann 6, p 31; Ann 7, pp 80, 157; Ann 8, r, p 143; Ann 9,
              pp 106, 108-109; Ann 10, 1, pp 148-149; Ann 11, 1, p 104;
              Ann 14, 1, pp 224-225; Ann 15, p 179; Ann 18, 1, p 55
  pp 128, 129, 132, 133; Ann 20, vi, pp 103, 104, 105, 106, 108
  581; MR 1892, p 802; MR 1893, pp 714, 715; Ann 16, iv, pp
              663, 664; Ann 17, 111 cont, pp 979, 980, 981; Ann 18, v cont,
              pp 1266, 1267; Ann 19, vi cont, pp 578, 579, 581, 582; Ann
              20, vi cont, pp 658, 661; Ann 21, vi cont, pp 524, 526, 527
  Iowa River, profile of ......WS 44, p 79
  MR 1887, pp 11, 47-48; MR 1888, p 14; MR 1892, p 15;
              MR 1893, p 15; Ann 17, III, pp 48, 63; Ann 19, vi, p 66
  limestone production of, statistics of.....MR 1891, pp 464, 466; MR 1892, p 711;
              MR 1893, p 556; Ann 16, IV, pp 437, 494, 495, 499-503; Ann
              17, III cont, pp 760, 788 et seg; Ann 18, v cont, pp 950, 1044
              et seg; Ann 19, vr cont, pp 207, 281, 296 et seg; Ann 20,
              vi cont, pp 271, 342 et seq; Ann 21, vi cont, pp 335, 357–360
  (See Map, geologic, of Iowa.)
  maps, geologic, of.
  maps, topographic, of. (See Map, topographic, of Iowa; also pp 74-75 of this
              bulletin.)
  III cont, pp 760, 766, 768-769; Ann 18, v cont, pp 950,
                  975,977, 978, 980; Ann 19, vi cont, pp 239, 240; Ann
                  20, vi cont, pp 282, 283; Ann 21, vi cont, pp 342, 343
  mineral springs of, statistics of .......Bull 32,
              pp 161-163; MR 1883-84, p 982; MR 1885, p 537; MR
              1886, p 716; MR 1887, p 684; MR 1888, p 627; MR 1889-90,
              p 527; MR 1891, pp 603, 605; MR 1892, pp 824, 827; MR
              1893, pp 774, 777, 784, 788, 794; Ann 16, IV, pp 709, 713, 720;
              Ann 17, 111 cont, pp 1026, 1033, 1041; Ann 18, v cont, pp
              1371, 1378, 1386; Ann 19, vi cont, pp 661, 668, 677; Ann 20,
              vi cont, pp 749, 757, 767; Ann 21, vi cont, pp 599, 608, 619
  MR 1892, p 710; MR 1893, p 553; Ann 16, IV, pp 437,
                 484, 485, 487; Ann 17, III cont, pp 760, 775, 776, 777;
                 Ann 18, v cont, pp 950, 1012, 1013, 1014, 1023; Ann 19,
                 vi cont, pp 207, 264, 265, 266, 269; Ann 20, vi cont, pp
                271, 336, 337, 338, 339; Ann 21, vi cont, pp 335, 353–356
```

Iowa, sections, geologic, in. (See Section, geologic, in Iowa.)
Skunk River, profile of
bulletin.)
topographic work in
Ann 18, 1, pp 93–94, Ann 11, 1, p 38, Ann 12, 1, p 28, Ann 18, 1, pp 94, 95, 104–105; Ann 19, 1, pp 89, 90,
102; Ann 20, 1, pp 100, 102,113,114; Ann 21, 1, p 131
woodland area in
Iowa and Illinois ice lobes, relation of
Iowa River, profile of
Iowan drift sheet and associated deposits
Iowan loess, distribution, structure, deposition, etc., ofMon xxxvIII, pp 153-184
Iowan silt in Illinois-Indiana, Danville quadrangle
Ireland, Cambrian rocks of
fossil plants of, literature of
oölite from, comparison of, with Kentucky limestoneMR 1880-90, p 395
(See, also, Great Britain.)
Iridaceæ of AlaskaAnn 17, 1, p 881
of North America, extinct
Iridium, bibliography of
Iridium and platinum, statistics ofMR 1882, pp 442-444; MR 1883-84, pp 576-
591; MR 1885, pp.367-369; MR 1886, pp 222-223; MR 1887,
pp 142–143; MR 1888, pp 165–167; MR 1889–90, pp 143–144
Iridosmine, analysis of, from various countries (in crude platinum). Ann 16, 111, p 633
Iron, alloys of chromium and, uses of
analysis of, Abert (meteoric) Bull 148, p 246
American spiegel MR 1883–84, p 564
from a Gruson cast-iron armor plate
from Alabama, Woodstock (spiegel)
from India, Rajdoha (crude)
from New York, Palmer (from magnetite)
from North Carolina, various localitiesBull 74, pp 15, 16, 17, 19
from Tennessee, Jefferson CountyBull 42, p 97
in California, Jackson quadrangleGF 11, p 6
in Idaho, Boise quadrangleGF 45, p 6
in Montana, Fort Benton quadrangleGF 55, p 6
in Philippine IslandsAnn 19, v1 cont, p 692; Ann 21, 111, pp 591–593
method of working, by natives
in Porto Rico
in Tennessee, Wartburg quadrangle
manufacture of, statistics of
1886, pp 11–103; MR 1887, pp 10–57; MR 1888, pp 12–35;
MR 1889–90, pp 10–22; MR 1891, pp 47–73; MR 1892,
pp 12–22; MR 1893, pp 13–22; Ann 16, 111, pp 219–250;
Ann 17, 111, pp 45-71; Ann 18, v, pp 51-140; Ann 19, vi,
pp 65-89; Ann 20, vi, pp 61-101; Ann 21, vi, pp 69-118
separation of, in rock analysesBull 78, pp 87–90
(See, also, Iron ore; Steel.)
Iron, chromic, occurrence, character, uses, etc., of
Iron, meteoric. (See Meteoric iron.)
Iron and steel, protection of, against rust, Bower-Barff process ofMR 1882,
pp 164–171

Iron and titanium, separation of, note onBull 27, pp 16–26
Iron-bearing carbonates, analysis of, from Penokee district
Iron-bearing district of Michigan, Crystal Falls, geology of
ııı, pp 1–151; Mon xxxvı
of Michigan, Marquette, geology of
Marginary and the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of th
Menominee, geology, etc., of
Penokee, geology of
(See, also, Iron ore.)
Iron-bearing formations of Marquette district, Michigan, conclusions concern-
ing
Iron-bearing member of Penokee series, origin and petrographic character
ofAnn 10, i, pp 349, 380–402; Mon xix, pp 190–198, 200–260
Iron belts of California, Ophir district
Iron-biotite, analyses of, from Maine, Auburn
Iron bisulphite, typical composition of
Iron carbonate, analysis of, from Canada, Gunflint Lake
p 192; Bull 60, p 151; Bull 148, p 267; Bull 168, p 266
analysis of, from Canada, Kakabikka Falls, Keaministiquia RiverMon xıx,
p 192; Bull 148, p 267; Bull 168, p 266
from Michigan, various localities
Bull 60, p 150; Bull 148, p 266; Bull 168, p 265
from Minnesota, sec. 18, T. 47, R. 45 W
from Wisconsin, Penokee iron range
• Bull 42, p 138; Bull 148, p 267; Bull 168, p 266
origin of (cherty)
thin section of, from Canada, Port Arthur, Dawson's road (cherty) Ann 10,
ı, pp 484–485; Mon xıx, pp 498–499
from Minnesota, Vermilion Lake (cherty)
ı, pp 484–485; Mon xıx, pp 496–497
from Ohio, Lawrence County (cherty)
ı, pp.488–489; Mon xıx, pp.506–507
Iron carburets, electric and magnetic properties ofBull 14; Bull 27, pp 30-50
physical characteristics of
Iron industry, American, from its beginning in 1619 to 1886MR 1886, pp 23-38
Iron mica, analysis of, from Colorado, Pikes PeakBull 55, p 18
Iron ore, action of water in formation of
analysis of, from Africa, Bona and Tefna
from Alabama, various localities
vi, p 62; Bull 52, p 22; Bull 55, p 86; Bull 78, p 126; MR
1883-84, p 278; MR 1885, p 345; MR 1886, pp 86, 87, 88, 89, 91
Woodstock (manganiferous) Ann 16, 111, p 400; MR 1893, p 124
from Algeria (Mokta)
from Arkansas, Howard CountyBull 64, p 53
near Polk-Montgomery county lineBull 60, p 168
Sevier CountyBull 55, p 86
from Brazil, Minas Geraes
from British Columbia, Taxada Island
from Canada, Calabogie Lake
Lac-a-la-Tortue
Moisie River and elsewhere (black sand)
North Crosby (titaniferous)
Quebec Bay, St. Paul (titaniferous)
Bedford station (Glendower)
Haycock mineAnn 16, III, p 48
Round Lake

407

Iron ore, analysis of, from Canada, Three Rivers district (b	og)Ann 16, 111, p 49
analysis of, from Colorado, Cebolla Creek (magnetic)	
	o 146; MR 1883-84, p 283
from Colorado, Chaffee CountyMR 1883-84, pp	
Grape Creek (titaniferous)	
Leadville district	Mon XII. pp 557, 602, 647
Sangre de Cristo Range.	
various localities (manganiferous)	
	0, p 133; MR 1892, p 184
from Connecticut, Salisbury district	
from Cuba, various localitiesAnn 16, 111, pp 5	
from England, Cleveland and Whitehaven distr	
Lincolnshire	
various localities	
from France, St. Remy	
from Georgia, Bartow County	
various localities	
from Germany (Lorraine and Luxemburg)	
from Greece, island of SeraphosAnn 16, 11	
Mazarron (manganiferous)	
from Hungary, Rakos	
from India (representative East Indian)	
from Ireland, County Antrim (pisolitic)	
from Italy, Calabria	MR 1886, p 103
island of ElbaAnn 16, 11	
from Kentucky, Bath County	
Bell and Ohio countiesBull 60, p 167; Bull	l 64, p 53; Bull 78, p 127
Estill County	Bull 78, p 126
from Lake Superior region (manganiferous)	Ann 16,
111, p 414; Ann 20, vi, p 1	33; Ann 21, vr, pp 37-43
from Louisiana, various localities	Bull 42,
pp 144–145; Bull (	30, p 168; MR 1887, p 50
from Maine, Aroostook County	MR 1886, p 41
Cumberland County (magnetic)	MR 1886, p 42
Piscataquis County (Katahdin)	
from Maryland, near Timonium	Bull 27, p 72
from Massachusetts, Hawley (micaceous specular).	
from Mexico, Cerro de Mercado	
from Michigan, Crystal Falls district	Mon xxxvi, p 181
Gogebic district	
Ann 19, v, pp 46, 50; Ann 20, vi, p	
MR 1883–84, p 268; MR 1886, pp 7	
Marquette district	
Ann 19, vi, pp 47, 50; Ann 20, vi, p 34;	MR 1883-84, pp 264, 265
Menominee district	
pp 48, 50; Ann 20, vi, p 35; MR 1883-8	
from Michigan and Wisconsin, Gogebic range	
v, pp 28, 31; Ann 19, vi, pp 46, 50	
xix, pp 91, 281; MR 1886, pp 71,	
Menominee range	
19, vi, pp 48, 50; Ann 20,	vi, p 35; MR 1887, p 39
from Minnesota, Mayhew range (titaniferous)	
Mesabi rangeAnn 18, v, 1	
48–49, 50; Ann 20, vi, pp 35–36; MR 18	
northern part of (magnetic)	

TABLE TO TUBLICATIONS OF U. S. GEOM. SURVEY. [Dellar. 11]
Iron ore, analysis of, from Minnesota, Vermilion range
p 32; Ann 19, vi, p 49; Ann 20, vi, p 36; MR
1883–84, p 267; MR 1886, p 75; MR 1887, p 41
analysis of, from Mississippi, Clark County
from Missouri, Callaway County
Iron and Simmons mountains
from Montana, Belt Park
Bozeman (magnetic) Bull 9, p 17
Fox and Judith mountains
Great Falls (bog) MR 1888, p 34
from New Caledonia
Sussex County MR 1883–84, p 275
various localities MR 1886, p 51
from New Mexico, Hanover mines
from New York
Adirondacks (titaniferous)
ш, pp 387, 388, 395, 402, 405, 406, 407, 408, 415–416
Chateaugay Lake
Columbia County
Crown Point MR 1886, p 46
Dutchess County
Jefferson County
Lake Champlain district
Lyon Mountain
Port Henry district MR 1883-84, p 272; MR 1886, p 45
Port Leyden
Putnam CountyAnn 19,
vı, p 40; MR 1883-84, p 273; MR 1886, p 48
St. Lawrence County
Sterling mines
Westchester County
from North Carolina
Greensboro (titaniferous)
Mitchell CountyBull 60, p 168; MR 1883-84, p 277
southwestern part
TroyBull 78, p 126
from Norway, various localities, titaniferousAnn 19, 111, pp 387, 388
from Nova Scotia, Pictou County and Nictaux mine Ann 16, 111, p 46
from Ohio, various localities
from Oregon, north fork of Scappoose
Oswego
from Pennsylvania, Durham Hills
Joanna
Lebanon County
various localities
from Porto Rico, Juncos and elsewhereAnn 20, vr cont, pp 777, 786
from Portugal, Alvito
from Rhode Island, Cumberland (titaniferous)
III, p 388; MR 1886, p 43
near Providence (hematite)
from Russia (roasted Bakalsky)
Edgefield County
Edgenera County

Iron ore, analysis of, from Spain, various localities
100-112; Ann 18, v, p 323; MR 1886, pp 102-103, 201
analysis of, from Sweden, various localities
ш. pp 122, 123; App 19, ш. pp 388, 390
from Switzerland
from Tennessee, Campbell CountyBull 64, p 53
Carter, Claiborne, and Unicoi countiesBull 60,
pp 167, 168; Bull 78, p 127 Lawrence County (spathic)
Sewanee quadrangle
various localities
from Texas, Llano County (hematite)
Russ County
from Utah, Iron and Morgan counties
Tintic district
from Venezuela, Imataca
from Virginia, Clarke, Lee, and Scott countiesBull 60, pp 165, 166
Craig County and vicinity
Ų į
Houston (manganiferous)
from Virginia, Pittsylvania and Botetourt countiesMR 1885, pp 311, 320
Rockingham and Spottsylvania countiesBull 55, pp 85, 86
Smyth County (manganiferous)
various localitiesBull 64, p 52; MR 1886, pp 78, 79, 80, 81
Wise County
Wytheville
from West Virginia, Cherry Run and Tazewell CountyBull 90, p 74
Jefferson CountyBull 60, pp 164, 165
Randolph CountyBull 27, pp 72–73
ShanghaiBull 64, p 52
from Wisconsin, Ashland
Dodge County (flaxseed)
Gogebic range Ann 18, v, pp 28, 31; Ann 19,
vi, pp 46, 50; Ann 20, vi, p 33; Mon xix, pp 91, 281; MR
1883-84, p 268; MR 1886, pp 71, 72, 189; MR 1887, p 38
Lake Superior (manganiferous)
Wood County
Menominee RangeAnn 18, v, p 31;
Ann 19, vi, pp 48, 50; Ann 20, vi, p 35; MR 1887, p 39
from Wyoming, Chugwater Creek (titaniferous)Ann 19, 111, p 387
Laramie County
classification of
methods of mining
of Alabama
Gadsden quadrangleGF 35, p 3
geologic relations of
Stevenson quadrangleGF 19, p 3
of California, Bidwell Bar quadrangle
Downieville quadrangle
of Colorado, Pueblo quadrangleGF 36, p 6
of Georgia, Ringgold quadrangle
Stevenson quadrangle
of Kentucky, Estillville quadrangle
of Lake Superior region, origin of
principles, districts, exploration, etc., of
p

Iron ore of Lake Superior region, production of, 1891-1900 . Ann 21, 111, pp 314-3	15
of Maryland, Harpers Ferry quadrangle	
Piedmont quadrangleGF 28, 1	5 5
of Michigan, Crystal Falls district	19,
III, pp 40-44, 74-80; Mon xxxvi, pass	im
пп, pp 40–44, 74–80; Mon xxxvi, pass Marquette district	39.
625-630; Ann 19, vi, pp 54-58; Mon xxviii, pp 391-407, 547-5	553
Menominee district	
Penokee district	
of Montana, extent, character, etc., of	
Judith Mountains	
Little Belt Mountains quadrangle Ann 20, 111, pp 459–461; GF 56, p	n 8
Three Forks quadrangle	
of Narragansett Basin	
of New York, Adirondacks (titaniferous)	
of North Carolina, Knoxville quadrangle	
of Oregon	
of Sierra Nevada	) - 4
of Tennessee, Briceville quadrangle	
Bristol quadrangle	
Chattanooga quadrangle	
Cleveland quadrangle	
Estillville quadrangle	
Kingston quadrangle	
Knoxville quadrangle	
Loudon quadrangleGF 25, 1	
McMinnville quadrangle	
Pikeville quadrangleGF 21, 1	
Ringgold quadrangleGF 2, pp 2	
Sewanee quadrangle	
Stevenson quadrangleGF 19, 1	
of United States	
of Virginia, Bristol quadrangle	р8.
Estillville quadrangle	
Franklin quadrangleGF 32, 1	р5
Harpers Ferry quadrangleGF 10, 1	р4
Monterey quadrangle	
Staunton quadrangleGF 14, j	
Tazewell quadrangleGF 14, 1	р3
of West Virginia, Franklin quadrangle	р 5
Harpers Ferry quadrangleGF 10, 1	p 4
Monterey quadrangleGF 61, 1	p 7
Piedmont quadrangleGF 28, 1	p 5
Staunton quadrangle	
Tazewell quadrangleGF 44, 1	
of Wisconsin and Michigan Ann 10, 1, pp 409-4	
production of, statistics of	
171; MR 1883-84, pp 246-311; MR 1885, pp 180-199; M	
1886, pp 11–103; MR 1887, pp 10–57; MR 1888, pp 12–	
MR 1889-90, pp 23-47; MR 1891, pp 10-40; MR 1892,	
23-45; MR 1893, pp 23-49; Ann 16, 111, pp 21-218, 220-21	
Ann 17, 111, pp 23–43; Ann 18, v, pp 23–50; Ann 19, v1,	
23-63; Ann 20, vi, pp 27-59; Ann 21, vi, pp 31-67, 80-85, 1	
thin section of, from Minnesota, Mayhew Lakes (titaniferous)Ann 19, 1	
pp 414-4 from New York, ElizabethtownAnn 19, III, pp 404-4	≀∪⊭ ⊦TÐ
from New Tork, Enzagemown	100

Iron ore, chromic, statistics ofAnn 19, vi, pp 259–264; Ann 20, vi, pp 291–292
typical analyses of, in bulk
Iron ore, fossiliferous, description of the rock, as one of the educational seriesBull
150, pp 138–140
Iron ore, purple, composition of
Iron ore and its products
Iron-ore industry, bibliography of
Iron-ore knobs of Texas
Iron-ore series of Potomac formation
Iron pyrite, of Colorado, in veins of Telluride districtAnn 18, 11, pp 790-793
of Porto Rico, occurrence of
thin section of, from Colorado, Telluride quadrangleAnn 18, 111, pp 850-851
Iron sow or salamander, analysis of, from Colorado, Leadville district Mon XII, p 723
Ironclad Hill, Cripple Creek district of Colorado, ore deposits in, character of Ann 16,
п, рр 172–173
Ironclad and Globe hills, Colorado, rocks of
Ironstone, analysis of, from Alabama, Warrior field (clay)
analysis of, from Colorado, Denver Basin and near TrinidadMon xxvii, p 66
Ironwood formation of Lake Superior region
Iroquois, Lake, the glacial, extent, etc., of
Irrigation, alkali and drainage as related to
animal motive powers used in
areas irrigated in arid region of United States, map showing. Ann 11, 11, pp ii-iii
in United States, table of, by States
areas irrigated and irrigable in United States
areas irrigated, forests, and woodlands in Western States, relative location
and areas of
arid region of United States, location of, and cause of aridity
п, pp 219–220
artesian wells as means of
canals, conveyance of water in flumes, pipes, and
escapes of
headworks of
falls and rapids of
cost and value of water supply in western United StatesAnn 13, 111, pp 30-31
cost, average, by pumping and by gravity, comparisons ofWS 1, p 16
dams for directing water
for reservoirs
rock fill, hydraulic, masonry, etc
drainage basins, classification of
in western United States
duty of water
in southern California and elsewhere
engineering, American
engineering, results of surveys in 1889–1892
engines, hot-air, gasoline, and steam, use of
financial and economic aspects of
floods, relative amount, time, and intensity of
fluctuations of various rivers and lakes
flumes, siphons, etc
ground water
motion of, theoretical investigation of
movements of, principles and conditions of
ground-water supplies for
humidity as affected by

struction	elated to irrigation con- Ann 13, 111, pp 152–15
in arid region of United States, amount of land red	
	п. рр 203–20
in Arizona; Arizona irrigation canal	Ann 13, 111, pp 175–17
canals in Gila Basin	
evaporation	
measurements of flow of Gila River	
of Queen Creek	
of Salt River	
of Verde River	
near Phœnix	
Pecos Valley canals	
rainfall in Gila Basin	
reservoirs, area, capacity, etc., of	
on the Gila River, discussion of proposed.	
storage of water on Gila River	
water, legal control of	W\$ 2 pp 55-6
wells	
in California, Cache Creek Basin	
Calloway irrigation canal	Ann 19 11 nn 164 16
central irrigation district canal	Ann 12, m, pp 104–10
Del Norte irrigation canal	
evaporation and seepage near Fresno	
Folsom canals	
Kings River irrigation canals	
Kraft irrigation district canal	
method of	
near Bakersfield	
near Fresno	
near Merced	
San Bernardino Valley	
seepage and evaporation near Fresno	
Smartsville quadrangle	
Turlock irrigation canal	
wells in Pasadena Mesa	Ann 20, iv, pp 546–54
Wright act	
in Colorado, canals near GreeleyWS 9, pp	o 29–32, 35–36, 41, 42–43, 66–7
crops raised by	WS 9, pp 75–7
Highline irrigation canal	Ann 13, 111, pp 179–18
method of applying water	WS 9, pp 73–7
near Greeley	ws
reservoir on Cherry Creek	
reservoir sites in Arkansas Basin, survey of	
in Mancos Canyon	
reservoirs near Greeley	
subirrigation in San Luis Valley	
system of Great Plains Water Company in Ark	
	iv, pp 240–24
Twin Lakes reservoir	,
water, legal control of	
well records	
White and Yampa rivers, reconnaissance on	

Turingtion in Idaha, and lines to discost mater from Strake T	) A 11
Irrigation in Idaho; canal lines to divert water from Snake F	п, рр'190–200
in Idaho; Idaho Mining and Irrigation Company's canal.	
reservoir site on Longtom Creek	
seepage measurements in Boise Valley	
water supply of Boise quadrangle	
in India	
list of authors of works on	
in Kansas, development in southwestern	
methods of applying water	
reservoirs for storm and pumped waters	
subirrigation in western	Ann 21, iv, p 222
well records	
wells in Meade County	
in Montana, on Bitterroot River	. Ann 20, IV, pp 492–495
in Nebraska, by underground waters	
well records	
wells and windmills	
western	
in Nevada, water storage on Humboldt River	
water storage on Rock Creek	Ann 20, iv, pp 441–447
in New Mexico, crops raised by	
garden	
Mesilla Valley	
methods of applying water	
winter	
reservoir surveys.	
Rio Grande Valley, methods of	
in Oregon, from Hood River	Ann 19, IV, pp 498–500
from Umatilla River	Bull 131, pp 69–73
in Porto Rico	
in South Dakota, Black Hills, southern part, surface wat	
by artesian waters in 1896	IV, pp 574-478
eastern, and well boring in 1896.	
in Texas, systems of	
in United States; history and legislation	
in Utah	
Bear River irrigation canal	
Cache Valley	
northern, seepage water of	WS 7
reservoir sites, in Southern Ute Indian Reservation,	
	ıv, pp 419-433
in Utah and Idaho, reservoir sites, survey of, in 1891-92	
' W-linton Marin Marin William N	пі, pp 445–478
in Washington, artesian wells in Moxee Valley, near No	
from Wenas Creek	1v, p 468
reservoir site, in Yakima County	Ann 20, IV, pp 505-508
southeastern	
Yakima River Basin	.Ann 19, iv, pp 461–477
in Wyoming, Black Hills, southern part, surface waters	andAnn 21,
	ıv, pp 574–578
from Crazy Woman Creek	WS 23, pp 18–28
reservoir site, on Horseshoe Creek	AIII 20, IV, pp 270-273

Trri	· · · · · · · · · · · · · · · · · · ·
	igation in Wyoming; reservoirsWS 23, pp 55–58
	in Wyoming; water, legal control of
	water-right problems of the Bighorn MountainsWS 23
	Wyoming Development Company's canal
	land values, increase of, by
	lands, selection and segregation of, importance of, to settlement of best
	landsAnn 11, 11, pp 251, 287–289
	literature of, list of books, pamphlets, and articles on irrigation and allied
	subjects
	list of publications relating to irrigation
	machinery and tools used in constructing worksAnn 13, 111, pp 342-346
	measurement, units of, used in, with equivalents
	necessity of, to agriculture
	of arid lands, considerations touching problem of Ann 10, 11, pp 1–16, 29–33
	of High Plains, impossibility of general
	on Great Plains, practice of
	precipitation in western United States
	problems, interdistrict, interstate, and international, and their solutionAnn 11,
	ıı, pp 252–257
	pumping water for
	pumps for, types of
	pumps and water lifts used in, new tests of
	rainfall and river flow, relation of
	regulator gates
	reservoir sites and irrigable lands in California, Nevada, Utah, Colorado,
	Idaho, Montana, and New Mexico, reported by topog-
	raphersAnn 10,
•	11, pp 58-65; Ann 11, 11, pp 297-298, 299-301, 303-304, 305,
	306–308, 310; Ann 12, 11, pp 10–212; Ann 13, 111, pp 351–478
	reservoir surveys, origin, character, extent, etc., of
	reservoirs for
	run-off from various drainage basins
	sewage
	silt and sedimentation as related to
	siphon elevators in, use of
	storage of water for purposes of
	storage reservoirs in
	streams, size of various
	subirrigation, pipes and hydrants used in
	subsurface supplies of water for Ann 13 yr nn 296-229
	subsurface supplies of water for
	underground water of Arkansas Valley in ColoradoAnn 17, 11, pp 561-601
	underground water of Arkansas Valley in ColoradoAnn 17, 11, pp 561-601 water, conveyance of, in irrigation canals, flumes, and pipesWS 43
	underground water of Arkansas Valley in ColoradoAnn 17, 11, pp 561-601 water, conveyance of, in irrigation canals, flumes, and pipesWS 43 distribution, measurement, and application ofAnn 13, 111, pp 268-283
	underground water of Arkansas Valley in ColoradoAnn 17, 11, pp 561-601 water, conveyance of, in irrigation canals, flumes, and pipesWS 43 distribution, measurement, and application ofAnn 13, 111, pp 268-283 water-bearing formations of Great PlainsAnn 16, 11, pp 580-585
	underground water of Arkansas Valley in ColoradoAnn 17, 11, pp 561-601 water, conveyance of, in irrigation canals, flumes, and pipesWS 43 distribution, measurement, and application ofAnn 13, 111, pp 268-283
	underground water of Arkansas Valley in ColoradoAnn 17, II, pp 561-601 water, conveyance of, in irrigation canals, flumes, and pipesWS 43 distribution, measurement, and application ofAnn 13, III, pp 268-283 water-bearing formations of Great PlainsAnn 16, II, pp 580-585 water storage in California, Cache Creek BasinWS 45, pp 19-24
	underground water of Arkansas Valley in ColoradoAnn 17, 11, pp 561-601 water, conveyance of, in irrigation canals, flumes, and pipesWS 43 distribution, measurement, and application ofAnn 13, 111, pp 268-283 water-bearing formations of Great PlainsAnn 16, 11, pp 580-585 water storage in California, Cache Creek BasinWS 45, pp 19-24 in United States, westernAnn 13, 111, pp 284-325
	underground water of Arkansas Valley in Colorado
	underground water of Arkansas Valley in Colorado
	underground water of Arkansas Valley in Colorado
	underground water of Arkansas Valley in Colorado
	underground water of Arkansas Valley in Colorado
	underground water of Arkansas Valley in Colorado
	underground water of Arkansas Valley in Colorado
	underground water of Arkansas Valley in Colorado

Irrigation, works for, classes of
(See, also, Hydrography.)
Irrigation Survey, annual report of Directorfor 1888–89, Ann 10, 11; for 1889–90,
Ann 11, 11; for 1890–91, Ann 12, 11; for 1891–92, Ann 13, 111
law establishing, in 1888Ann 10, 11, p 38
plans, methods, underlying principles, and operations ofAnn 10, 11, pp 33-48;
Ann 11, 11, pp 278–287; Ann 12, 11; Ann 13, 111
Irvine formation of Kentucky
Irving (R. D.), Archean formations of Northwestern StatesAnn 5, pp 175–242
classification of early Cambrian and pre-Cambrian
copper-bearing rocks of Lake Superior
death and biographic sketch of
introduction to Williams's "Greenstone-schist areas of the Menominee and
Marquette regions of Michigan''Bull 62, pp 11-30
work in charge of, 1882–1887
Ann 6, pp 40–48; Ann 7, pp 68–76; Ann 8, 1, pp 132–141
Irving (R. D.) and Chamberlin (T. C.), observations on junction between
Eastern sandstone and Keweenaw series on Keweenaw
Point, Lake SuperiorBull 23
Irving (R. D.) and Van Hise (C. R.), secondary enlargements of mineral frag-
ments in certain rocksBull 8
Penokee iron-bearing series of Michigan and Wisconsin
I, pp 341–507; Mon xix
Ishpeming formation, relations, petrographic character, etc., of
pp 590-598; Mon xxviii, pp 409-444
Isocardiidæ from the marl beds of New Jersey
Isogeotherms, investigation of subject of
Isometrics of liquids
Isopyre, occurrence of
Isostasy; movements in shore-land districts
remarks on doctrine of
theory and examples of
Mon 1, pp 357, 371; Mon XII, p 289; Ann 7, pp 616-634
(See, also, Diastrophism.)
Isostatic adjustment and contraction of earth's crustAnn 13, 11, pp 280-281
Italy, antimony production of, statistics of
asphaltum production of, statistics of
Ann 20, vi cont, pp 266–268; Ann 21, vi cont, p 330
building stones from, at World's Columbian ExpositionMR 1893, pp 575-576
clay products of, at Paris Exposition of 1900Ann 21, vi cont, pp 386-388
coal production of, statistics of
MR 1883-84, p 13; MR 1885, p 11; MR 1886, p 235; MR 1887,
p 189; MR 1888, p 208; MR 1891, p 73; MR 1892, p 270;
MR 1893, p 202; Ann 16, 111, p 248; IV, p 21; Ann 17, 111, pp
314, 321; Ann 18, v, pp 128–129, 136, 414, 421; Ann 19, vi, pp
311, 320; Ann 20, vi, pp 332, 341; Ann 21, vi, pp 113, 363, 373
copper production of, statistics of MR 1883-84, p 356;
MR 1885, p 228; MR 1886, p 128; MR 1887, p 87; MR
1888, p 73; MR 1889-90, p 73; MR 1891, pp 100, 102; MR
1892, p 114; MR 1893, p 86; Ann 16, 111, p 352; Ann 17,
111, pp 117, 118; Ann 18, v, pp 219, 220; Ann 19, vi, pp
176, 177; Ann 20, vi, pp 202, 203; Ann 21, vi, pp 204, 205
fossil plants of, literature of

Italy, gold and silver production of, compared with that of other countries. MR 1883–84, pp $319-320$
graphite production of, statistics of
iron, iron ore, and steel from, statistics of MR 1882, p 109; MR 1883-84, p 257;
MR 1886, p 21; MR 1887, p 18; MR 1888, pp 28, 29, 30, 31;
MR 1889–90, p 21, MR 1891, p 73; Ann 16, 111, pp 23, 28, 146–
149, 245–246, 248; Ann 18, v, pp 127–130, 136, 137; Ann 19, vi,
pp 82, 83, 88; Ann 20, vi, pp 96, 101; Ann 21, vi, pp 113, 114
lead production of, statistics of
MR 1885, pp 264, 269–270; MR 1893, p 99; Ann 16, 111, pp
372, 376; Ann 17, 111, p 156; Ann 18, v, pp 256, 257; Ann 19,
vi, p 220; Ann 20, vi, p 246; Ann 21, vi, pp 245, 246, 247
manganese production of, statistics of
pp 202–203; MR 1887, p 161; MR 1889–90, p 130; MR 1892,
p 224; MR 1893, pp 151, 155; Ann 16, III, pp 446, 457; Ann
17, III, pp 214–215, 225; Ann 18, v, pp 318, 328; Ann 19, vi, p
121; Ann 20, vi, pp 149–150, 156; Ann 21, vi, pp 155–156, 162
mining law of
petroleum localities and statistics of MR 1893, pp
526–527, 532; Ann 16, IV, p 397; Ann 17, III cont, pp 717–718;
Ann 18, v cont, pp 873-875; Ann 19, vi cont, pp 147-150;
Ann 20, vi cont, pp 171-175; Ann 21, vi cont, pp 235-241
pyrite production of, statistics of Ann 20, vi cont, p 655; Ann 21, vi cont, p 522
quicksilver mines and production of
MR 1888, p 106; MR 1891, pp 123-124; MR 1893, p 118
salt production of, statistics ofAnn 19, vi cont, p 611; Ann 21, vi cont, p 553
Scaly Clays of
sulphur production of, statistics of MR 1882, p 578; MR 1883-84, p 868; MR 1885,
p 500; MR 1889-90, pp 515-517; Ann 21, vi cont, pp 507-516
tin deposits and production of, statistics of . Ann 16, 111, p 516; MR 1883-84, p 618
zinc production of, statistics ofAnn 16, III, p 388; MR 1882, p 358
Jack (J. G.), Pikes Peak, Plum Creek, and South Platte forest reservesAnn 20,
v, pp 39-115
v, pp 39–115 Jackson beds, or group, of Mississippi and Louisiana
pp 68-69, 76; Bull 84, p 327
Jackson quadrangle, California, geology of
Jackson stage, Louisiana, rocks and fossils of
Jackson-Vicksburg limestone
Jacksonboro limestone of Georgia
Jacksonville limestone of FloridaBull 84, pp 124–125, 327
Jade, analysis of, from Alaska, various localitiesBull 9, p 10; Bull 60, p 124
analysis of, from Costa Rica, Mexico, New Zealand, and Switzerland Bull 60,
p 126 occurrence of
Occurrence of
Jadeite, chemical constitution of
occurrence ofMR 1882, p 498; MR 1893, pp 699-700; Ann 18, v cont, p 1211
Jaggar (T. A.), jr.; laccoliths of Black Hills
James River, South Dakota, profile of
James River, Virginia, dams on, description of
profile of
rainfall and run-off in basin of
stream measurements in basin of
Ann 19, IV, pp 170-173; Ann 20, IV, pp 49, 135-136; Ann
21, iv, pp 106-109; Bull 140, pp 61-65; WS 11, pp 11-12;
WS 15, pp 23-24; WS 27, pp 22-23, 24, 25; WS 35, pp 95-99

James River series of deposits and flora
Japan, antimony mines of
coal production of, statistics of
p 5; MR 1885, p 11; MR 1886, p 235; MR 1887, p 189; MR
1892, p 270; MR 1893, p 202; Ann 16, IV, p 21; Ann
17, III, p 314; Ann 18, v, p 414; Ann 19, vI, pp 311, 315;
Ann 20, vr, pp 332, 336; Ann 21, vr, pp 113, 363, 368
copper production of, statistics of
p 229; MR 1886, p 128; MR 1887, p 88; MR 1888, p 73;
MR 1889-90, p 74; MR 1891, pp 101, 102; MR 1892, pp 114,
117-120; MR 1893, p 86; Ann 16, 111, p 352; Ann 17, 111,
pp 118, 119; Ann 18, v, pp 220, 221; Ann 19, vi, pp 177,
178; Ann 20, vi, pp 203, 204; Ann 21, vi, pp 205, 206
eruption of Bandai-san Volcano
fossil plants of, literature of
gold and silver production of, compared with that of other countriesMR
1883–84, pp 319, 320
graphite production of, statistics of
iron and iron ore from, statistics of
ит, pp 23, 171–173; Ann 21, vi, pp 113, 114
iron-ore deposits in
manganese-ore production of, statistics of
pp 152, 155; Ann 16, 111, pp 451–452, 457; Ann 17, 111,
pp 222, 225; Ann 18, v, pp 325-326, 328; Ann 19, vi,
pp 122–123; Ann 20, vi, pp 155, 157; Ann 21, vi, pp 161, 162
natural gas in, statistics of
petroleum localities and statistics ofMR 1888, pp 474–478; MR 1893, pp 529–
- · · · · · · · · · · · · · · · · · · ·
530, 532; Ann 16, IV, pp 399–402; Ann 17, III cont, p 721;
Ann 18, v cont, pp 877-879; Ann 19, v1 cont, pp 155-161;
Ann 20, vi cont, pp 187-196; Ann 21, vi cont, pp 263-277
precious stones of, statistics of
quicksilver deposits in
tin deposits and production of, statistics of
III, pp 465, 516–517; MR 1883–84, p 623 Jarvis Island, guano from, analysis of
Jarvis Island, guano from, analysis of
Jasper, analysis of, from Colorado, Cripple Creek district
analysis of, from Massachusetts, yellow
from Michigan
occurrence and statistics of
MR 1883-84, pp 761-763, 781; MR 1885, p 443; MR 1886,
p 604; MR 1887, pp 556, 557; MR 1888, pp 584, 585; MR
1889-90, pp 446, 447, 448; MR 1891, p 540; MR 1892, p 781;
MR 1893, p 681; Ann 16, IV, p 604; Ann 18, III, pp 165–166
thin section of, from Michigan, sec. 11, T. 47 N., R. 45 W. (banded mag-
netitic)
Jasperite, analysis of, from Kansas, GalenaBull 90,
p 64; Bull 148, p 253; Bull 168, p 250
analysis of, from Missouri, JoplinBull 90,
p 64; Bull 148, p 253; Bull 168, p 250
Jaspilite, analysis of, from Michigan, Marquette districtMon xxvIII, p 363
from Michigan, Ishpeming, description of, as one of the educational
seriesBull 150, pp 305–307
from Lake Superior iron-ore districts
pp 567-576; Mon xxvIII, pp 354-363, 371-374
Bull. 177—01——27

Java; eruption of Gunung Pepandajan Volcano
vava, crupuon or cumung repandajan voicano
fossil plants of, literature of
manganese ores in, statistics of
petroleum localities and statistics of
531; Ann 16, iv, pp 402–403; Ann 17, iii cont, pp 721–722;
Ann 18, v cont, pp 879–880; Ann 19, vi cont, pp 153–155;
Ann 20, vi cont, pp 182–185; Ann 21, vi cont, pp 250–255
Jefferisite, analysis of, from Pennsylvania, WestchesterBull 78, p 28
chemical constitution of
Jefferson limestone in Montana
in Montana, description and sections of Ann 20, 111, p 287–289, 329, 339, 363, 368
features of
near Three ForksBull 110, pp 27–32
in WyomingGF 52, p 2
in Yellowstone Park
11, pp 7-8, 22, 26, 58, 153, 206, 212, 213; GF 30, p 4
Jefferson River, flow of, measurements of
1v, pp 134–136; Ann 19, 1v, pp 281–283; Ann 20, 1v, pp 53,
17, pp 134-130, Alli 13, 17, pp 231-233, Alli 20, 17, pp 33,
237–238; Bull 131, p 22; Bull 140, pp 92–93; WS 11, p 49;
WS 15, pp 70–71; WS 27, pp 71, 74–75; WS 37, pp 206–207
hydrography of, and irrigation in basin of
II, pp 40-41; Ann 13, III, pp 46-49 profile of
profile of
Jeffersonite, analysis of, from New Jersey, Franklin FurnaceBull 167, p 69
chemical constitution of
from New Jersey, Franklin Furnace, mineralogic notes onBull 167, pp 68–69
Jemez River, New Mexico, irrigation possibilities along Ann 12, 11, pp 274–275
Jenks (C. N.), corundum, manufacture and use ofAnn 17, 111 cont, pp 943-947
Jenney (W. P.), field observations in Black Hills, Hay Creek coal fieldAnn 19,
ur, pp 568–593 work in charge of, 1889–1892
ur, pp 568–593 work in charge of, 1889–1892
urk in charge of, 1889–1892
ur, pp 568-593 work in charge of, 1889-1892
II, pp 568-593  work in charge of, 1889-1892  I, pp 80-81; Ann 12, I, p 90; Ann 13, I, p 123  Jennings formation of Maryland  GF 28, p 3  of Virginia  GF 14, p 2; GF 32, p 3; GF 61, p 2  of West Virginia  GF 14, p 2; GF 28, p 3; GF 34, p 2; GF 61, p 4
II, pp 568-593  work in charge of, 1889-1892  In pp 80-81; Ann 12, I, p 90; Ann 13, I, p 123  Jennings formation of Maryland  GF 28, p 3  of Virginia  GF 14, p 2; GF 32, p 3; GF 61, p 2  of West Virginia  GF 14, p 2; GF 28, p 3; GF 34, p 2; GF 61, p 4  Jet in Richmond Basin, Virginia  Ann 19, II, p 510
II, pp 568-593  work in charge of, 1889-1892  I, pp 80-81; Ann 12, I, p 90; Ann 13, I, p 123  Jennings formation of Maryland  GF 28, p 3  of Virginia  GF 14, p 2; GF 32, p 3; GF 61, p 2  of West Virginia  GF 14, p 2; GF 28, p 3; GF 34, p 2; GF 61, p 4
urk in charge of, 1889–1892 Ann 11, pp 568–593  work in charge of, 1889–1892 Ann 11,  I, pp 80–81; Ann 12, I, p 90; Ann 13, I, p 123  Jennings formation of Maryland GF 28, p 3  of Virginia GF 14, p 2; GF 32, p 3; GF 61, p 2  of West Virginia GF 14, p 2; GF 28, p 3; GF 34, p 2; GF 61, p 4  Jet in Richmond Basin, Virginia Ann 19, II, p 510  occurrence of MR 1882, p 497; MR 1883–84, p 780; Ann 16, IV, p 603
II, pp 568-593   Ann 11,
II, pp 568–593   Work in charge of, 1889–1892   Ann 11,   I, pp 80–81; Ann 12, I, p 90; Ann 13, I, p 123
### Work in charge of, 1889–1892 ### Ann 11, 1, pp 80–81; Ann 12, 1, p 90; Ann 13, 1, p 123  ### Jennings formation of Maryland ### GF 14, p 2; GF 32, p 3; GF 61, p 2 of West Virginia ### GF 14, p 2; GF 28, p 3; GF 34, p 2; GF 61, p 4  ### Jet in Richmond Basin, Virginia ### Ann 19, 11, p 510 occurrence of ### MR 1882, p 497; MR 1883–84, p 780; Ann 16, 1v, p 603  ### Jetties at mouth of Mississippi ### Ann 13, 11, pp 108–109  ### John Day beds, correlation of ### Ann 18, 11, p 340; Bull 84, pp 281–282, 317, 332
II, pp 568–593   Ann 11,   I, pp 80–81; Ann 12, I, p 90; Ann 13, I, p 123
II, pp 568–593   Ann 11,   I, pp 80–81; Ann 12, I, p 90; Ann 13, I, p 123
II, pp 568–593   Ann 11,   I, pp 80–81; Ann 12, I, p 90; Ann 13, I, p 123   Jennings formation of Maryland   GF 28, p 3   of Virginia   GF 14, p 2; GF 32, p 3; GF 61, p 2   of West Virginia   GF 14, p 2; GF 28, p 3; GF 34, p 2; GF 61, p 4   Jet in Richmond Basin, Virginia   Ann 19, II, p 510   occurrence of   MR 1882, p 497; MR 1883–84, p 780; Ann 16, IV, p 603   Jetties at mouth of Mississippi   Ann 13, II, pp 108–109   Johannian series of New Brunswick, origin of name   Bull 81, p 249   John Day beds, correlation of   Ann 18, II, p 340; Bull 84, pp 281–282, 317, 332   fossil plants of   Bull 108, pp 103–104   of Montana, fossils of   Bull 139, p 55   of Oregon, fossil Mollusca of   Bull 18, pp 10–16
II, pp 568–593   Ann 11,   I, pp 80–81; Ann 12, I, p 90; Ann 13, I, p 123
II, pp 568–593   Ann 11,   I, pp 80–81; Ann 12, I, p 90; Ann 13, I, p 123   Jennings formation of Maryland   GF 28, p 3   of Virginia   GF 14, p 2; GF 32, p 3; GF 61, p 2   of West Virginia   GF 14, p 2; GF 28, p 3; GF 34, p 2; GF 61, p 4   Jet in Richmond Basin, Virginia   Ann 19, II, p 510   occurrence of   MR 1882, p 497; MR 1883–84, p 780; Ann 16, IV, p 603   Jetties at mouth of Mississippi   Ann 13, II, pp 108–109   Johannian series of New Brunswick, origin of name   Bull 81, p 249   John Day beds, correlation of   Ann 18, II, p 340; Bull 84, pp 281–282, 317, 332   fossil plants of   Bull 108, pp 103–104   of Montana, fossils of   Bull 139, p 55   of Oregon, fossil Mollusca of   Bull 18, pp 10–16
### Work in charge of, 1889–1892 ### Ann 11, 1, pp 80–81; Ann 12, 1, p 90; Ann 13, 1, p 123  ### Jennings formation of Maryland ### GF 28, p 3 of Virginia ### GF 14, p 2; GF 32, p 3; GF 61, p 2 of West Virginia ### GF 14, p 2; GF 28, p 3; GF 34, p 2; GF 61, p 4  ### Jet in Richmond Basin, Virginia ### Ann 19, 11, p 510 occurrence of ### MR 1882, p 497; MR 1883–84, p 780; Ann 16, 1v, p 603  ### Jetties at mouth of Mississippi ### Ann 13, 11, pp 108–109  ### John Day beds, correlation of ### Ann 18, 11, p 340; Bull 84, pp 281–282, 317, 332 fossil plants of ### Bull 108, pp 103–104 of Montana, fossils of ### Bull 18, pp 10–16 of Washington ### Bull 18, pp 10–16 of Washington ### Bull 108, pp 22–25; WS 4, pp 55–56  ### Johnson (L. C.), iron regions of northern Louisiana and eastern Texas.
### Work in charge of, 1889–1892 ### Ann 11, 1, pp 80–81; Ann 12, 1, p 90; Ann 13, 1, p 123  ### Jennings formation of Maryland ### GF 28, p 3 of Virginia ### GF 14, p 2; GF 32, p 3; GF 61, p 2 of West Virginia ### GF 14, p 2; GF 28, p 3; GF 34, p 2; GF 61, p 4  ### Jet in Richmond Basin, Virginia ### Ann 19, 11, p 510 occurrence of ### MR 1882, p 497; MR 1883–84, p 780; Ann 16, 1v, p 603  ### Jetties at mouth of Mississippi ### Ann 13, 11, pp 108–109  ### John Day beds, correlation of ### Ann 18, 11, p 340; Bull 84, pp 281–282, 317, 332 fossil plants of ### Bull 108, pp 103–104 of Montana, fossils of ### Bull 18, pp 10–16 of Washington ### Bull 18, pp 10–16 of Washington ### Bull 108, pp 22–25; WS 4, pp 55–56  ### Johnson (L. C.), iron regions of northern Louisiana and eastern Texas.  **(See p. 113 of this bulletin.)*
ur, pp 568–593 work in charge of, 1889–1892  II, pp 80–81; Ann 12, I, p 90; Ann 13, I, p 123  Jennings formation of Maryland  GF 28, p 3 of Virginia  GF 14, p 2; GF 28, p 3; GF 61, p 2 of West Virginia  GF 14, p 2; GF 28, p 3; GF 34, p 2; GF 61, p 4  Jet in Richmond Basin, Virginia  Ann 19, II, p 510 occurrence of  MR 1882, p 497; MR 1883–84, p 780; Ann 16, IV, p 603  Jetties at mouth of Mississippi  Ann 13, II, pp 108–109  Johannian series of New Brunswick, origin of name  Bull 81, p 249  John Day beds, correlation of  Ann 18, II, p 340; Bull 84, pp 281–282, 317, 332 fossil plants of  Bull 108, pp 103–104 of Montana, fossils of  Bull 18, pp 10–16 of Washington  Bull 108, pp 22–25; WS 4, pp 55–56  Johnson (L. C.), iron regions of northern Louisiana and eastern Texas.  (See p. 113 of this bulletin.) work in charge of, 1882–1883, 1885–1888  Ann 4, pp 48–50; Ann 7,
II, pp 568–593   Ann 11,   I, pp 80–81; Ann 12, I, p 90; Ann 13, I, p 123   Jennings formation of Maryland   GF 28, p 3   of Virginia   GF 14, p 2; GF 32, p 3; GF 61, p 2   of West Virginia   GF 14, p 2; GF 28, p 3; GF 34, p 2; GF 61, p 4   Jet in Richmond Basin, Virginia   Ann 19, II, p 510   occurrence of   MR 1882, p 497; MR 1883–84, p 780; Ann 16, IV, p 603   Jetties at mouth of Mississippi   Ann 13, II, pp 108–109   Johannian series of New Brunswick, origin of name   Bull 81, p 249   John Day beds, correlation of   Ann 18, II, p 340; Bull 84, pp 281–282, 317, 332   fossil plants of   Bull 108, pp 103–104   of Montana, fossils of   Bull 139, p 55   of Oregon, fossil Mollusca of   Bull 108, pp 22–25; WS 4, pp 55–56   Johnson (L. C.), iron regions of northern Louisiana and eastern Texas.   (See p. 113 of this bulletin.)   work in charge of, 1882–1883, 1885–1888   Ann 4, pp 48–50; Ann 7, pp 193–104; Ann 8, I, pp 165–166; Ann 9, pp 110–111
ur, pp 568–593 work in charge of, 1889–1892  II, pp 80–81; Ann 12, I, p 90; Ann 13, I, p 123  Jennings formation of Maryland  GF 28, p 3 of Virginia  GF 14, p 2; GF 28, p 3; GF 61, p 2 of West Virginia  GF 14, p 2; GF 28, p 3; GF 34, p 2; GF 61, p 4  Jet in Richmond Basin, Virginia  Ann 19, II, p 510 occurrence of  MR 1882, p 497; MR 1883–84, p 780; Ann 16, IV, p 603  Jetties at mouth of Mississippi  Ann 13, II, pp 108–109  Johannian series of New Brunswick, origin of name  Bull 81, p 249  John Day beds, correlation of  Ann 18, II, p 340; Bull 84, pp 281–282, 317, 332 fossil plants of  Bull 108, pp 103–104 of Montana, fossils of  Bull 18, pp 10–16 of Washington  Bull 108, pp 22–25; WS 4, pp 55–56  Johnson (L. C.), iron regions of northern Louisiana and eastern Texas.  (See p. 113 of this bulletin.) work in charge of, 1882–1883, 1885–1888  Ann 4, pp 48–50; Ann 7,  pp 193–104; Ann 8, I, pp 165–166; Ann 9, pp 110–111  Johnson (L. C.) and Smith (E. A.), Tertiary and Cretaceous strata of Tuscaloosa,
ur, pp 568–593 work in charge of, 1889–1892  II, pp 80–81; Ann 12, I, p 90; Ann 13, I, p 123  Jennings formation of Maryland  GF 28, p 3 of Virginia  GF 14, p 2; GF 28, p 3; GF 61, p 2 of West Virginia  GF 14, p 2; GF 28, p 3; GF 34, p 2; GF 61, p 4  Jet in Richmond Basin, Virginia  Ann 19, II, p 510 occurrence of  MR 1882, p 497; MR 1883–84, p 780; Ann 16, IV, p 603  Jetties at mouth of Mississippi  Ann 13, II, pp 108–109  Johannian series of New Brunswick, origin of name  Bull 81, p 249  John Day beds, correlation of  Ann 18, II, p 340; Bull 84, pp 281–282, 317, 332 fossil plants of  Bull 108, pp 103–104 of Montana, fossils of  Bull 18, pp 10–16 of Washington  Bull 108, pp 22–25; WS 4, pp 55–56  Johnson (L. C.), iron regions of northern Louisiana and eastern Texas.  (See p. 113 of this bulletin.) work in charge of, 1882–1883, 1885–1888  Ann 4, pp 48–50; Ann 7, pp 193–104; Ann 8, I, pp 165–166; Ann 9, pp 110–111  Johnson (L. C.) and Smith (E. A.), Tertiary and Cretaceous strata of Tuscaloosa, Tombigbee, and Alabama rivers  Bull 43
II, pp 568–593   Ann 11,   I, pp 80–81; Ann 12, I, p 90; Ann 13, I, p 123   Jennings formation of Maryland   GF 28, p 3   of Virginia   GF 14, p 2; GF 32, p 3; GF 61, p 2   of West Virginia   GF 14, p 2; GF 28, p 3; GF 61, p 4   Jet in Richmond Basin, Virginia   Ann 19, II, p 510   occurrence of   MR 1882, p 497; MR 1883–84, p 780; Ann 16, IV, p 603   Jetties at mouth of Mississippi   Ann 13, II, pp 108–109   Johannian series of New Brunswick, origin of name   Bull 81, p 249   John Day beds, correlation of   Ann 18, II, p 340; Bull 84, pp 281–282, 317, 332   fossil plants of   Bull 108, pp 103–104   of Montana, fossils of   Bull 139, p 55   of Oregon, fossil Mollusca of   Bull 108, pp 10–16   of Washington   Bull 108, pp 22–25; WS 4, pp 55–56   Johnson (L. C.), iron regions of northern Louisiana and eastern Texas.   (See p. 113 of this bulletin.)   work in charge of, 1882–1883, 1885–1888   Ann 4, pp 48–50; Ann 7,   pp 193–104; Ann 8, I, pp 165–166; Ann 9, pp 110–111   Johnson (L. C.) and Smith (E. A.), Tertiary and Cretaceous strata of Tuscaloosa,   Tombigbee, and Alabama rivers   Bull 43   Johnson (W. D.), High Plains and their utilization   Ann 21, IV, pp 601–741
ur, pp 568–593 work in charge of, 1889–1892  II, pp 80–81; Ann 12, I, p 90; Ann 13, I, p 123  Jennings formation of Maryland  GF 28, p 3 of Virginia  GF 14, p 2; GF 28, p 3; GF 61, p 2 of West Virginia  GF 14, p 2; GF 28, p 3; GF 34, p 2; GF 61, p 4  Jet in Richmond Basin, Virginia  Ann 19, II, p 510 occurrence of  MR 1882, p 497; MR 1883–84, p 780; Ann 16, IV, p 603  Jetties at mouth of Mississippi  Ann 13, II, pp 108–109  Johannian series of New Brunswick, origin of name  Bull 81, p 249  John Day beds, correlation of  Ann 18, II, p 340; Bull 84, pp 281–282, 317, 332 fossil plants of  Bull 108, pp 103–104 of Montana, fossils of  Bull 18, pp 10–16 of Washington  Bull 108, pp 22–25; WS 4, pp 55–56  Johnson (L. C.), iron regions of northern Louisiana and eastern Texas.  (See p. 113 of this bulletin.) work in charge of, 1882–1883, 1885–1888  Ann 4, pp 48–50; Ann 7, pp 193–104; Ann 8, I, pp 165–166; Ann 9, pp 110–111  Johnson (L. C.) and Smith (E. A.), Tertiary and Cretaceous strata of Tuscaloosa, Tombigbee, and Alabama rivers  Bull 43
work in charge of, 1889–1892
II, pp 568–593   Ann 11,   I, pp 80–81; Ann 12, I, p 90; Ann 13, I, p 123   Jennings formation of Maryland   GF 28, p 3   of Virginia   GF 14, p 2; GF 32, p 3; GF 61, p 2   of West Virginia   GF 14, p 2; GF 28, p 3; GF 61, p 4   Jet in Richmond Basin, Virginia   Ann 19, II, p 510   occurrence of   MR 1882, p 497; MR 1883–84, p 780; Ann 16, IV, p 603   Jetties at mouth of Mississippi   Ann 13, II, pp 108–109   Johannian series of New Brunswick, origin of name   Bull 81, p 249   John Day beds, correlation of   Ann 18, II, p 340; Bull 84, pp 281–282, 317, 332   fossil plants of   Bull 108, pp 103–104   of Montana, fossils of   Bull 139, p 55   of Oregon, fossil Mollusca of   Bull 108, pp 10–16   of Washington   Bull 108, pp 22–25; WS 4, pp 55–56   Johnson (L. C.), iron regions of northern Louisiana and eastern Texas.   (See p. 113 of this bulletin.)   work in charge of, 1882–1883, 1885–1888   Ann 4, pp 48–50; Ann 7,   pp 193–104; Ann 8, I, pp 165–166; Ann 9, pp 110–111   Johnson (L. C.) and Smith (E. A.), Tertiary and Cretaceous strata of Tuscaloosa,   Tombigbee, and Alabama rivers   Bull 43   Johnson (W. D.), High Plains and their utilization   Ann 21, IV, pp 601–741

Jointing in Maryland granites
Joints in Bonneville beds
in Lahontan beds
in New York-Vermont slate belt
III, pp 210, 218, 270, 284; Ann 20, vi cont, p 328
origin and relations of
The second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of th
Jones, (J. H.), anthracite coal, statistics of MR 1889–90, pp 242–252;
MR 1891, pp 288–304; MR 1892, pp 457–476; MR 1893,
pp 344–363; Ann 16, IV, pp 163–181; Ann 17, III, pp 482–506
Jordan River, Utah, flow of, measurements of
Josephinite, a nickel-iron from Oregon, Josephine and Jackson counties,
description and analyses ofBull 113, pp 54–60
Judith Mountains, Montana, geology and mineral resources of Ann 18, 111, pp 437-616
Judith region, Montana, geology of
Judith River depositsBull 83, pp 112, 113, 114, 115, 116, 120, 122, 126
Juglandaceæ of AlaskaAnn 17, 1, p 885
of Amboy clays
of Laramie groupBull 37, pp 33–34
of North America, extinct
of Yellowstone Park
Juglandeæ from Dakota group
Junghuhn (F.), eruption of Gunung Pepandajan, in JavaAnn 17, 1, p 539
Juniata formation of Maryland
of Virginia
of West Virginia
Juniata River, flow of, measurements of
profile of
Jurassic. (See Juratrias.)
Juratrias flora, Jurassic flora in Older Mesozoic of Virginia and North Caro-
lina
Jurassic flora of Portugal Ann 16, 1, pp 517–522
of United States
of North Carolina Mon vi, pp 97–128
Rhætic plants, or those nearly allied to such, from Mesozoic of Virginia
and North Carolina
Triassic flora of Atlantic slope
of United States
Juratrias fossils; Aucella in California
from Alaska. Bull 4, pp 10–15
from Texan Permian, types of
from Yellowstone Park
Jurassic lossis, dinosaurs of North America
from Colorado
Denver Basin, vertebrate
from Wyoming
of North American fresh-water invertebrates
Ostreidæ of North America
Mollusca from Alaska, southern coast
of North America, nonmarine
North American invertebrate, catalogue and bibliography of
Triassic fishes and plants of New Jersey and Connecticut Valley
Triassic insects found in Leadville district
Juratrias history of Black Hills
of California, Mother Lode districtGF 63, p 7

Juratrias history of California; Nevada City, Grass Valley, and Banner Hill
districts
of Colorado, Pueblo quadrangle
of Massachusetts, western
of Montana, Little Belt Mountains quadrangle
of Rocky Mountain region; Jurassic movement
of Sierra NevadaGF 3, p 1; GF 5, p 1; GF 11, p 1; GF 18, p 1; GF 31, p 1;
GF 37, p 1; GF 39, p 1; GF 41, p 1; GF 43, p 1; GF 51, p 1
Juratrias rocks; Auriferous slate series of California and Sierra NevadaAnn 8,
I, pp 404–407; Ann 14, II, pp 445–456; Ann 17, I, pp
569, 621–632, 659–663, 684–686; Bull 33, pp 16–18; GF
3, pp 1, 2; GF 5, pp 1, 2; GF 11, pp 1, 3; GF 15, p 1
Bend formation of California
Beulah shales of Black Hills
bitumen deposits in
Blackrock diabase of Massachusetts and Connecticut
Boscabel beds of Richmond BasinAnn 19, 11, pp 424–425
Cedar formation of California
Chesterfield group of beds in Richmond Basin
Chicopee shale of Massachusetts and ConnecticutMon xxix, p 370; GF 50, p 5
coal measures of North Carolina, Dan River and Deep River areasBull 85,
nn 41, 49
of Virginia, Farmville areaBull 85, p 40
Richmond Basin
Dockum beds of Texas
Dolores formation of Colorado
11, pp 28, 67-73; GF 57, pp 2-3, 13; GF 60, pp 2-3
Ellis formation of MontanaGF 1, p 2; GF 24, p 2; GF 55, p 2; GF 56, p 2
of Yellowstone ParkMon xxxII, II, pp 37, 38, 48, 49, 51, 54, 156; GF 30, p 5
Gavilan limestone of California
Granby tuff of Massachusetts and ConnecticutMon xxix, p 369; GF 50, p 5
Gunnison formation of Colorado, Anthracite-Crested Butte quadrangles,
nom a la
GF 9, pp 6, 8, 9 of Colorado, Aspen district
Hampden diabase of Massachusetts and Connecticut
Trainipueli diabase of massachuseus and connecticut
Holyoke diabase of Massachusetts and Connecticut
Jurassic nonconformity in Colorado, Gunnison region
Jurassic rocks of Montana, Judith Mountains
Jurassic system of Alaska, correlation of
Knoxville beds, comparison of Mariposa and Mon XIII,
pp 195–204; Bull 19, pp 18–20; Bull 133, p 25
unconformity between Chico and
La Plata formation of Colorado
La Plata sandstone in Colorado, Rico Mountains
Longmeadow sandstone of Massachusetts and Connecticut
pp 364–369; GF 50, p 5
McElmo formation of ColoradoAnn 21, 11, pp 28, 76–77; GF 57, p 3; GF 60, p 4
Mariposa formation of California
n, pp 452–456; GF 3, pp 1, 2; GF 5, pp 1, 2; GF 11, pp 1, 3;
GF 29, pp 1, 2; GF 31, p 1; GF 37, p 1; GF 39, p 1; GF 41,
pp 1, 4; GF 43, p 1; GF 51, p 1; GF 63, pp 2-3; GF 66, p 3
of California, comparison of Knoxville and
pp 195–205; Bull 19, pp 18–20; Bull 133, p 25
Nevada City and Grass Valley districtsAnn 17, 11, pp 88–89, 102, 103
1

Juratrias rocks; Milton formation of California
pp 1, 3; GF 39, p 1; GF 41, p 1; GF 43, p 3; GF 51, p 1
Milton formation of Sierra Nevada
Mineral King beds of California
Monte de Oro formation of California
GF 37, p 1; GF 39, p 1; GF 41, p 1; GF 43, p 3; GF 51, p 1
of Sierra Nevada
Morrison formation of Colorado
pp 22-23, 60-62; GF 7, pp 2, 4; GF 36, p 2; GF 68, p 1
Mount Toby conglomerate of Massachusetts and Connecticut
pp 358–363; GF 50, p 5
Naknek series of Alaska
Newark areas, structure of
Newark formation, distribution and history ofBull 150, p 78
in Catoctin belt
in Virginia, Richmond Basin, and elsewhere, age, conditions of depo-
sition, etc
in Virginia, Maryland, and West VirginiaGF 10, pp 3, 4
Newark sandstones, origin of red color ofBull 52, pp 44-56
Newark system, correlation essay onBull 85
in Connecticut, Pomperaug ValleyAnn 21, 111, pp 7–162
of any State. (See, also, formation names under this heading.)
of California
Colfax quadrangleGF 66, pp 2-3
Lassen Peak quadrangleGF 15, p 1
Pyramid Peak quadrangle
Truckee quadrangle GF 39, p 4
of Colorado, Anthracite-Crested Butte quadrangles Ann 9, pp 688-689
Aspen district
eastern Ann 17, 11, pp 560–561
La Plata quadrangle
Pueblo quadrangleGF 36, p 2
Rico Mountains
Telluride quadrangle
Walsenburg quadrangle
of Connecticut-Massachusetts, Holyoke quadrangle
of Grand Canyon district
of Kansas, southwesternBull 57, pp 20–27
of Massachusetts-Connecticut, Holyoke quadrangleGF 50, pp 5, 6
of MontanaBull 105, pp 16–17; Bull 139, pp 43–44
Little Belt Mountains, sections of
of New Jersey
of New Mexico
of Sierra NevadaAnn 14, 11, pp 449–451; Ann 17, 1, pp 548–549, 621–624
of South Dakota, Black Hills, northern partAnn 21, 111, pp 178–180
Black Hills, southern part
of States. (See, also, formation names under this heading.)
of TexasBull 45, pp 69–71
of Utah, Uinta Basin
Uinta Mountains region
of Virginia
of WyomingBull 119, pp 21–22
Black Hills, southern part
of Yellowstone Park
11, pp 25, 34, 36, 38, 47, 48, 51, 54, 156, 160; GF 30, pp 2, 5

Juratrias rocks; Otterdale sandstones of Richmond BasinAnn 19, pp 435–437
Radiolarian chert of Oregon
Red Beds of Kansas, southwestern
red color of, origin ofBull 52
Rhætic formation of Virginia
Rhætic of Germany and France and Triassic of United States, parallelism
of
Sailor Canyon formation of California
p 1; GF 37, p 1; GF 39, pp 1, 3-4; GF 41,
p 1; GF 43, p 1; GF 51, p 1; GF 66, pp 2-3
Shinarump conglomerate of Grand Canyon district
Skwentna series of Alaska
Spearfish formation of Black Hills
Sugar Loaf arkose of Massachusetts and Connecticut
pp 354–358; GF 50, p 5 Sundance formation of Black Hills
Sundance formation of Black Hills
Talcott diabase of Massachusetts and Connecticut
Terra Cotta series of Alaska
Teton formation of Yellowstone Park
п, pp 25, 34, 36, 38, 47, 48, 51, 54, 160; GF 30, p 5
Triassic rocks of Connecticut
of Connecticut Valley, structure of
of Kansas, southwestern Bull 57, pp 20–27
of Massachusetts, western
of New Jersey and Connecticut Valley, geologic relations and equiv-
alents of
of Texas
pp 2, 92–93, 95, 100–101, 125–126
Tuckahoe group of beds in Richmond Basin
Unkpapa sandstone of Black Hills
Ventura formation of Washington, northern
Vinita beds of Richmond Basin
Wyoming formation of Denver Basin
Zuñi sandstones of Plateau region
(See, also, Mesozoic.)
Kachemak Bay, Alaska, coal on
Kadiak Islands, Alaska, coal on
notes on
Kaibab Plateau, Grand Canyon district, description, structural geology, and
evolution ofAnn 2, pp 72, 127–141; Mon 11, pp 10, 183–198
Kainite, analysis of, imported
analysis of, from Galicia MR 1883-84, p 816
Kalamazoo River, water power, run-off, geology, topography, rainfall, etc.,
in watershed of
Kalantan, tin production of
Kalawa River, Washington, flow of, measurements ofAnn 20, IV, pp 63, 522; Ann
21, IV, pp 441–442; WS 16, p 184; WS 28, pp 175, 176; WS 38, p 386
Kaliophilite, chemical constitution of
Kames and osars, formation and characters of, especially in MaineMon xxxiv,
pp 330–333, 359–469, 413–448 Kaministiquia series of Lake Superior region
Kämmererite, analysis of, from Pennsylvania, Texas
Kanab Plateau, Grand Canyon district, description of
nn 70 72 217. Man ar nn 10 13 23
section of
· - · · · · · · · · · · · · · · · · · ·

Kanawha formation along New-Kanawha River, West Virginia
ıı, pp 499–508
of West Virginia-Ohio, Huntington quadrangle
Kanawha River, profile of
rainfall and run-off in basin of
stream measurements in basin of
ıv, pp 111–115; Ann 19, ıv, pp 253–256; Ann 20, ıv, pp
51, 202-204; Bull 140, pp 77-80; WS 11, p 41; WS 15,
pp 58–59; WS 27, pp 59, 61–62, 65, 66; WS 36, pp 161–165
(See, also, names of individual streams.)
Kanawha and New rivers in West Virginia, geologic section along
II, pp 473-511
Kanektok River, Alaska, geologic notes taken along
itinerary of reconnaissance along
Kanektok silts and gravels, Alaska, notes on
Kansas, animal products of Bull 154, p 17
Arkansas River, flow of, measurements of
Arkansas tuver, now or, measurements of
Ann 19, iv, pp 360-361; Ann 20, iv, pp 57, 342-343;
Ann 21, 1v, pp 236–237; Bull 140, pp 160–162; WS 11, p
62; WS 16, p 124; WS 28, pp 114, 116, 117, WS 37, p 265
artesian wells of, list of
Blue River, flow of, measurements of
Ann 19, 1v, pp 347–349; Ann 20, 1v, pp 56, 319; Ann
21, IV, pp 226–227; Bull 140, pp 144–145; WS 11, p 59;
WS 16, p 115; WS 27, pp 94, 95, 96; WS 37, pp 252–253
boundary lines of, and formation of territoryBull 13,
pp 31, 119; Bull 171, p 125
building stone from, at World's Columbian Exposition MR 1893, p 562-566
statistics of
1887, p 516; MR 1888, pp 540, 544; MR 1889-90, pp 374,
394; MR 1891, pp 461, 462, 464, 466; MR 1892, pp 710, 711;
MR 1893, pp 553, 556; Ann 16, iv, pp 437, 438, 484 et seq;
Ann 17, 111 cont, pp 760, 775 et seq; Ann 18, v cont, pp 950,
1012 et seq; Ann 19, vr cont, pp 207, 264 et seq; Ann 20, vr
cont, pp 271, 336 et seq; Ann 21, vi cont, pp 335 et seq
Caldwell quadrangle, physiography of
cement production of, statistics ofMR 1892, pp 739, 740; MR 1893, p 619;
Ann 16, IV, p 577; Ann 17, III cont, p 891; Ann 19, VI cont,
p 495; Ann 20, vi cont, p 547; Ann 21, vi cont, pp 401, 407
Cimarron River, flow of, measurements of
physiography of valley of
clay products of, statistics of
Ann 17, 111 cont, p 819 et seq; Ann 18, v cont, pp 1078 et seq;
Ann 19, vi cont, p 318 et seq; Ann 20, vi cont, p 466 et seq
coal area and statistics of
MR 1885, pp 11, 30–32; MR 1886, pp 225, 230, 268–270; MR
1887, pp 169, 171, 253–256; MR 1888, pp 169, 171, 269–276; MR 1890, 00, pp 147, 217, 218, MR 1891, pp 160, 242, 247.
MR 1889-90, pp 147, 217-218; MR 1891, pp 180, 243-247; MR 1892, pp 265, 267, 268, 404-408; MR 1893, pp 189, 190
et seq, 294–299; Ann 16, iv, pp 7 et seq, 122–126; Ann 17,
III, pp 287 et seq, 429–433, 542; Ann 18, v, pp 354 et seq,
524-529; Ann 19, vi, pp 278 et seq, 430-434; Ann 20, vi,
pp 300 et seq, 420–423; Ann 21, vi, pp 325 et seq, 449–452
·

```
coke in, manufacture of .....MR 1883-84, p 165; MR 1885, pp 80, 91; MR 1886,
               pp 378, 384, 398; MR 1887, pp 383, 389, 401; MR 1888, pp
               395, 400, 410; MR 1891, pp 360-361, 366, 380-381; MR
               1892, pp 555 et seq, 577; MR 1893, pp 418, et seq, 437;
               Ann 16, iv, pp 225 et seq, 255-256; Ann 17, iii cont, pp 544
               et seq, 581-582; Ann 18, v cont, pp 661 et seq, 703-704;
               Ann 19, vi, pp 548 et seq, 598; Ann 20, vi, pp 512 et seq,
               564-565; vi cont, p 227; Ann 21, vi, pp 523 et seq, 579-581
  counties of, with their areas, population, townships, and cities ......Bull 154,
  crops of, amount and value of principal ......Bull 154, p 16
  Bull 5, pp 113-119; Bull 76; Bull 154, p 12; Bull 160, pp 222-240
  vi cont, pp 227, 240, 243, 246, 247, 249
  gazetteer of......Bull 154
  49; Ann 6, pp 32, 72; Ann 7, pp 110-111; Ann 8, 1, pp 169-
              170; Ann 9, p 104; Ann 10, 1, pp 154-155; Ann 13, 1, p 123;
              Ann 14, 1, p 243; Ann 15, pp 137, 147-148; Ann 16, 1, pp 26-27
              Ann 18, I, p 67; Ann 19, I, p 64; Ann 20, I, pp 63-64, 65
  geologic maps of.
             (See Map, geologic, of Kansas.)
  geologic reconnaissance in southwestern.....Bull 57
  geologic sections in. (See Section, geologic, in Kansas.)
  Goodland, evaporation at ......Bull 140, p 350
  801, 802-803; MR 1893, pp 714, 715; Ann 16, IV, pp 663, 664;
              Ann 17, 111 cont, pp 979, 980, 981; Ann 18, v cont, pp 1266,
              1267, 1269-1271; Ann 19, vi cont, pp 578, 579, 581, 582; Ann
              20, vi cont, pp 658, 661; Ann 21, vi cont, pp 524, 526, 527
  Iola gas field, extent, character, geology, etc., of .... Ann 20, vi cont, pp 217-219
  125, 133, 135, 136, 137; MR 1885, pp 184, 185; MR 1893, p 5;
              Ann 17, 111, p 48; Ann 19, vi, p 66; Ann 20, vi, pp 83, 85
  Ann 19, IV, pp 349-350; Ann 20, IV, pp 56, 320-322; Ann
              21, IV, pp 228-229; Bull 140, pp 145-153; WS 11, pp 59-60;
              WS 16, p 118; WS 27, pp 94, 95, 96; WS 37, pp 253-255
    latitudes and longitudes of certain points in Missouri, Kansas, and New
           Mexico .....Bull 49
  p 312; MR 1883-84, pp 416, 426-427; MR 1885, p 248; MR
              1886, p 147; MR 1887, p 110; MR 1893, p 95; Ann 16, 111, p
              362; Ann 17, 111, pp 137, 151-152; Ann 18, v, p 240; Ann 19,
              vi, pp 201, 215; Ann 20, vi, pp 226, 228; Ann 21, vi, p 229
```

Kя	nsas, limestone production of, statistics ofMR 1882, p 451; MR 1887, p 516;
	MR 1888, p 540; MR 1889–90, pp 373, 394; MR 1891, pp 464,
	466; MR 1892, p 711; MR 1893, p 556; Ann 16, rv, pp 437,
	494, 495, 503–506; Ann 17, 111 cont, pp 760, 788, 789, 790,
	793; Ann 18, v cont, pp 950, 1044, 1045, 1046, 1058; Ann 19,
	vi cont, pp 207, 281, 282, 283, 296; Ann 20, vi cont, pp
	271, 342, 343, 344, 345, 348; Ann 21, vi cont, pp 335, 357–360
	magnetic declination in
	maps, geologic, of. (See Map, geologic, of Kansas.)
	maps, topographic, of. (See Map, topographic, of Kansas; also pp 75-77
	of this bulletin.)
	Meade Basin, artesian conditions in
	Treate Dasin, artesian conditions in
	Meade County, wells in
	Medicine River, flow of, measurements of
	Bull 140, pp 165–166; WS 11, p 63
	mineral spring resorts in
	mineral springs of, statistics of
	pp 171–175; MR 1883–84, p 982; MR 1885, p 537; MR 1886,
	p 716; MR 1887, p 684; MR 1888, p 627; MR 1889-90, p
	527; MR 1891, pp 603-605; MR 1892, pp 824, 827; MR
	1893, pp 774, 777, 784, 788, 794; Ann 16, IV, pp 709, 713, 720;
	Ann 17, 111 cont, pp 1026, 1033, 1042; Ann 18, v cont, pp
	1371, 1378, 1387; Ann 19, vi cont, pp 661, 668, 678; Ann 20,
	vi cont, pp 749, 757, 767; Ann 21, vi cont, pp 599, 608, 620
	minerals of, useful
	natural gas localities and statistics ofMR 1885, p 168; MR 1886, pp 514-515;
	MR 1887, pp 466, 496–498; MR 1889–90, p 367; MR 1891,
	p 438; MR 1892, pp 676, 698; MR 1893, pp 536, 540; Ann 16,
	IV, p 415 et seq; Ann 17, III cont, p 734 et seq; Ann 18,
	v cont, p 900 et seq; Ann 19, vi cont, p 168 et seq; Ann
	20, vi cont, p 207 et seq; Ann 21, vi cont, p 299 et seq
	Neosho River, flow of, measurements of
	Ann 19, iv, pp 361–363; Ann 20, iv, pp 57, 345–347;
	Ann 21, IV, pp 243–253; Bull 140, pp 163–164; WS 11, p
	63; WS 16, p 126; WS 28, pp 115, 116, 117; WS 37, p 267
	profile of
	petroleum localities and statistics of
	pp 355-359; MR 1892, pp 604-606, 612; MR 1893, pp 465,
	466, 510–511; Ann 16, IV, pp 317, 318, 319, 320, 375–376; Ann
	17, 111 cont, pp 626 et seq, 699; Ann 18, v cont, pp 750 et seq,
	847–848; Ann 19, vi cont, pp 5 et seq, 106; Ann 20, vi cont,
•	pp 5 et seq, 112–114; Ann 21, vi cont, pp 5 et seq, 144–147
	physiography of southwestern
	population of
	rainfall in
	at Dodge
	at Garden (monthly)
	at Lawrence (monthly)
	rainfall and run-off in basin of Arkansas RiverAnn 20, 1v, pp 325-330
	in basin of Kansas River
	Republican River, flow of, measurements of
	Ann 19, IV, pp 339–340; Ann 20, IV, pp 55, 318; Ann
	21, rv, p 221; Bull 140, pp 137–138; WS 11, p 57; WS
	16, p 109; WS 27, pp 92, 95, 96; WS 37, pp 248–249
	profile of
	reservoirs for storm and pumped waters in

```
pp 210-212; Ann 19, IV, pp 343-346; Ann 20, IV, pp 56, 316;
               Ann 21, IV, pp 224-225; Bull 140, pp 140-142; WS 11, p 58;
               WS 16, pp 112-113; WS 27, pp 93, 95, 96; WS 37, pp 250-251
  1888, pp 597-598, 607-609; MR 1889-90, pp 482, 488; MR
               1891, p 572; MR 1892, pp 794, 795; MR 1893, p 719 et seq;
               Ann 16, IV, p 647 et seq; Ann 17, III cont, p 985 et seq; Ann
               18, v cont, p 1274 et seq; Ann 19, vi cont, p 588 et seq; Ann
               20, vi cont, p 670 et seq; Ann 21, vi cont, p 534 et seq.
  sandstone production of, statistics of.................MR 1882, p 451; MR 1888, p
              544; MR 1889-90, pp 374, 395; MR 1891, pp 461, 462; MR
              1892, p 710; MR 1893, p 553; Ann 16, IV, pp 437, 484 et seq;
              Ann 17, 111 cont, pp 760, 775 et seq; Ann 18, v cont, pp 950,
              1012 et seq; Ann 19, vi cont, pp 207, 264 et seq; Ann 20, vi
              cont, pp 271, 336 et seq; Ann 21, vi cont, pp 335, 353 et seq
  sections, geologic, in. (See Section, geologic, in Kansas.)
  212-215; Ann 19, IV, pp 346-347; Ann 20, IV, pp 56, 315;
              Ann 21, IV, pp 225-226; Bull 140, pp 138, 142-143; WS 11,
              p 58; WS 16, p 114; WS 27, pp 93, 95, 96; WS 37, pp 251-252
  Ann 19, IV, pp 341-343; Ann 20, IV, pp 55-56, 314; Ann
               21, IV, pp 223-224; Bull 140, pp 138-140; WS 11, p 57; WS
               16, pp 110-111; WS 27, pp 92, 95, 96; WS 37, pp 249-250
  topographic maps of. (See Map, topographic, of Kansas; also pp 75-77.)
  Ann 8, 1, p 103; Ann 9, p 56; Ann 10, 1, p 93; Ann 11, 1,
              p 39; Ann 12, 1, pp 29-30, 47; Ann 13, 1, p 73; Ann 14, 1,
              pp 173-174, 179; Ann 15, p 118; Ann 18, I, pp 94, 95, 107;
              Ann 19, 1, pp 89, 90, 103; Ann 20, 1, pp 100, 102, 114-115
  IV, pp 235-237; Ann 19, IV, pp 363-373; Ann 20, IV, pp 57,
              344; Ann 21, IV, p 237; Bull 140, pp 162–163; WS 11, p 62;
              WS 116, p 125; WS 28, pp 115, 116, 117; WS 37, pp 265–266
    water resources of portion of Great Plains.......Ann 16, 11, pp 535-588
  wind movement at Dodge......Ann 21, IV, pp 674-675
  zinc from, statistics of......Ann 2, p xxix; MR 1882, pp 347, 382; MR 1883-84,
              p. 475; MR 1885, p. 273; MR 1886, pp. 154, 156; MR 1887,
              p 113; MR 1888, p 92; MR 1889-90, p 88; MR 1892, pp 130,
              131; MR 1893, pp 103, 104; Ann 16, 111, p 379; Ann 17, 111,
              pp 163, 164, 166; Ann 18, v, pp 264, 265; Ann 19, vi, p 225;
              Ann 20, vi, pp 250, 251; Ann 21, vi, pp 249–250, 251, 252–255
```

Kansas and Colorado, Arkansas River Basin in, irrigation problems relating
to
Kansas and Nebraska, Permian problem in
Kansas River, drainage areas in basin of
flow of, measurements of
218–223; Ann 19, IV, pp 349–350; Ann 20, IV, pp 56, 320–322;
Ann 21, IV, pp 228–229; Bull 140, pp 145–153; WS 11, pp 59–60; WS 16, p 116; WS 27, pp 94, 95, 96; WS 37, pp 253–255
profile of
rainfall and run-off in basin of
stream measurements in basin of
223; Ann 19, IV, pp 337–351; Ann 20, IV, pp 55–56, 314–322;
Bull 131, pp 32–34; Bull 140, pp 123–153; WS 11, pp 56–60;
WS 16, pp 107-116; WS 27, pp 89-96; WS 37, pp 245-255
(See, also, names of individual streams.)
Kaolin, analysis of, from Alabama, Calhoun County Ann 18, v cont, p 1148
analysis of, from Alabama, Greenville, Butler CountyBull 78,
p 120; Bull 148, p 292; Bull 168, p 295
from Alabama, Talledega CountyAnn 16, IV, pp 560-561; Bull 64, p 51
various localities
from Arizona, Graham County
from Arkansas, Garland CountyBull 78, p 120
Ouachita, Pike, and Pulaski countiesMR 1891, pp 517, 518
various localities
from Bohemia, Pilsen
from Colorado, Cripple Creek district
Custer County, Security mine
Gunnison CountyBull 60, p 136
Leadville district
Jefferson County
from Delaware, Hockessin . Bull 148, p 288; Bull 150, p 384; Bull 168, p 290
Newcastle County (mechanical)Bull 150, p 383
from England, Cornwell (washed)
from Florida, Edgar, and Palatlakaha River (washed). Ann 17, 111, pp 872, 873
Lake County
from France, Coussac-Bonneval
from Georgia, near Augusta Bull 78, p 120
from Germany, various localities. Ann 19, vi cont, pp 412, 415, 416, 423, 425
from Indiana, various localities
from Massachusetts, Blandford (washed)
Hampden County
from Minnesota, Birch Cooley (impure)Bull 157, p 76
from Missouri, various localities
from New Jersey, various localitiesAnn 16, IV, pp 560–561
from New Mexico, Los Cerillos
from New York, Richmond CountyAnn 16, IV, pp 560-561
from North Carolina, various localities
Ann 18, v, p 1149; Ann 19, vi cont, p 480; Bull 42, p 50
from Pennsylvania, various localitiesAnn 16, IV, pp 560-561; Ann 17,
111, p 844; Ann 18, v, p 1149; Bull 52, p 40; MR 1891, p 518
from Russia, various localities
from South Carolina, Aiken
v, p 1149; Bull 27, p 63; Bull 148, p 290; Bull 168, p 293
from Texas, various localities

Kaolin, analysis of, from Virginia, Nelson County
clays and the ceramic arts, bibliography of
from Colorado, Waterfall mine, Gunnison County, description and analysis of
from Delaware, Hockessin, description of the rock as one of the educa- tional series
in and around ore bodies of Cripple Creek, Colorado, character and
source of
in Hawaii, occurrence of
residual or rock
uses and deposits of
(See, also, Clay.)
Kaolins and fire clays of Europe
Kaolinite, analysis of, from Massachusetts, Amherst and BlandfordBull 126, pp 98, 99
analysis of, from Colorado, Pikes Peak region and San Juan CountyBull 20,
pp 68 98
from Idaho, De Lamar
from Colorado, San Juan County, description and chemical composition
of
from Nevada, Eureka vein
hypothesis of, to account for heat of Comstock lode
рр 312–313, 325–330; Моп и, рр 216, 231–237, 388–389
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in
pp 312–313, 325–330; Mon 111, pp 216, 231–237, 388–389 investigations in
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in Ann 14, I, pp 160–162 thermal effect of Ann 2, pp 325–330 Karyocerite, chemical constitution of Bull 125, pp 59, 60, 104 Karyopilite, chemical constitution of Bull 125, pp 71, 105 Kaskawulsh River, Alaska, features of Ann 21, II, p 349
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in Ann 14, I, pp 160–162 thermal effect of Ann 2, pp 325–330 Karyocerite, chemical constitution of Bull 125, pp 59, 60, 104 Karyopilite, chemical constitution of Bull 125, pp 71, 105 Kaskawulsh River, Alaska, features of Ann 21, II, p 349 Katemcy series of Texas, origin of name Bull 81, p 246
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in Ann 14, I, pp 160–162 thermal effect of Ann 2, pp 325–330 Karyocerite, chemical constitution of Bull 125, pp 59, 60, 104 Karyopilite, chemical constitution of Bull 125, pp 71, 105 Kaskawulsh River, Alaska, features of Ann 21, II, p 349 Katemcy series of Texas, origin of name Bull 81, p 246 Katmai Bay, Alaska, coal and petroleum on Ann 17, I, p 799 Kaweah River, California, flow of, measurements of Ann 12, II, p 320;
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in Ann 14, I, pp 160–162 thermal effect of Ann 2, pp 325–330 Karyocerite, chemical constitution of Bull 125, pp 59, 60, 104 Karyopilite, chemical constitution of Bull 125, pp 71, 105 Kaskawulsh River, Alaska, features of Ann 21, II, p 349 Katemcy series of Texas, origin of name Bull 81, p 246 Katmai Bay, Alaska, coal and petroleum on Ann 17, I, p 799 Kaweah River, California, flow of, measurements of Ann 12, II, p 320; Ann 20, IV, p 526; Bull 140, pp 279–282; WS 28, p 193
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in Ann 14, I, pp 160–162 thermal effect of Ann 2, pp 325–330 Karyocerite, chemical constitution of Bull 125, pp 59, 60, 104 Karyopilite, chemical constitution of Bull 125, pp 71, 105 Kaskawulsh River, Alaska, features of Ann 21, II, p 349 Katemcy series of Texas, origin of name Bull 81, p 246 Katmai Bay, Alaska, coal and petroleum on Ann 17, I, p 799 Kaweah River, California, flow of, measurements of Ann 12, II, p 320; Ann 20, IV, p 526; Bull 140, pp 279–282; WS 28, p 193 Kearney Canal, Nebraska, seepage measurements on Bull 140, pp 348–349 Kearsarge group of rocks of New Hampshire Bull 86, pp 353–355 Keeler (J. E.), earthquakes in California in 1889 Bull 86, pp 65–67, 162–167 Keilhauite, chemical constitution of Bull 125, pp 79, 105
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in Ann 14, I, pp 160–162 thermal effect of Ann 2, pp 325–330 Karyocerite, chemical constitution of Bull 125, pp 59, 60, 104 Karyopilite, chemical constitution of Bull 125, pp 71, 105 Kaskawulsh River, Alaska, features of Ann 21, II, p 349 Katemcy series of Texas, origin of name Bull 81, p 246 Katmai Bay, Alaska, coal and petroleum on Ann 17, I, p 799 Kaweah River, California, flow of, measurements of Ann 12, II, p 320; Ann 20, IV, p 526; Bull 140, pp 279–282; WS 28, p 193 Kearney Canal, Nebraska, seepage measurements on Bull 140, pp 348–349 Kearsarge group of rocks of New Hampshire Bull 86, pp 353–355 Keeler (J. E.), earthquakes in California in 1889 Bull 68 Keewatin series of rocks of Rainy Lake region Bull 86, pp 65–67, 162–167 Keilhauite, chemical constitution of Bull 125, pp 79, 105 Keith (A.), geology of Briceville quadrangle, Tennessee GF 33 geology of Catoctin belt Ann 14, II, pp 285–395
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in Ann 14, I, pp 160–162 thermal effect of Ann 2, pp 325–330 Karyocerite, chemical constitution of Bull 125, pp 59, 60, 104 Karyopilite, chemical constitution of Bull 125, pp 71, 105 Kaskawulsh River, Alaska, features of Ann 21, II, p 349 Katemcy series of Texas, origin of name Bull 81, p 246 Katmai Bay, Alaska, coal and petroleum on Ann 17, I, p 799 Kaweah River, California, flow of, measurements of Ann 12, II, p 320; Ann 20, IV, p 526; Bull 140, pp 279–282; WS 28, p 193 Kearney Canal, Nebraska, seepage measurements on Bull 140, pp 348–349 Kearsarge group of rocks of New Hampshire Bull 86, pp 353–355 Keeler (J. E.), earthquakes in California in 1889 Bull 68 Keewatin series of rocks of Rainy Lake region Bull 86, pp 65–67, 162–167 Keilhauite, chemical constitution of Bull 125, pp 79, 105 Keith (A.), geology of Briceville quadrangle, Tennessee GF 33 geology of Catoctin belt Ann 14, II, pp 285–395 geology of Harpers Ferry quadrangle, Virginia–Maryland–West Vir-
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in Ann 14, I, pp 160–162 thermal effect of Ann 2, pp 325–330 Karyocerite, chemical constitution of Bull 125, pp 59, 60, 104 Karyopilite, chemical constitution of Bull 125, pp 71, 105 Kaskawulsh River, Alaska, features of Ann 21, II, p 349 Katemcy series of Texas, origin of name Bull 81, p 246 Katmai Bay, Alaska, coal and petroleum on Ann 17, I, p 799 Kaweah River, California, flow of, measurements of Ann 12, II, p 320; Ann 20, IV, p 526; Bull 140, pp 279–282; WS 28, p 193 Kearney Canal, Nebraska, seepage measurements on Bull 140, pp 348–349 Kearsarge group of rocks of New Hampshire Bull 86, pp 353–355 Keeler (J. E.), earthquakes in California in 1889 Bull 68 Keewatin series of rocks of Rainy Lake region Bull 86, pp 65–67, 162–167 Keilhauite, chemical constitution of Bull 125, pp 79, 105 Keith (A.), geology of Briceville quadrangle, Tennessee GF 33 geology of Catoctin belt Ann 14, II, pp 285–395 geology of Harpers Ferry quadrangle, Virginia–Maryland–West Virginia GF 10
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in Ann 14, I, pp 160–162 thermal effect of Ann 2, pp 325–330 Karyocerite, chemical constitution of Bull 125, pp 59, 60, 104 Karyopilite, chemical constitution of Bull 125, pp 71, 105 Kaskawulsh River, Alaska, features of Ann 21, II, p 349 Katemcy series of Texas, origin of name Bull 81, p 246 Katmai Bay, Alaska, coal and petroleum on Ann 17, I, p 799 Kaweah River, California, flow of, measurements of Ann 12, II, p 320; Ann 20, IV, p 526; Bull 140, pp 279–282; WS 28, p 193 Kearney Canal, Nebraska, seepage measurements on Bull 140, pp 348–349 Kearsarge group of rocks of New Hampshire Bull 86, pp 353–355 Keeler (J. E.), earthquakes in California in 1889 Bull 68 Keewatin series of rocks of Rainy Lake region Bull 86, pp 65–67, 162–167 Keilhauite, chemical constitution of Bull 125, pp 79, 105 Keith (A.), geology of Briceville quadrangle, Tennessee GF 33 geology of Catoctin belt Ann 14, II, pp 285–395 geology of Harpers Ferry quadrangle, Virginia–Maryland–West Virginia GF 10 geology of Knoxville quadrangle, Tennessee–North Carolina GF 16
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in Ann 14, I, pp 160–162 thermal effect of Ann 2, pp 325–330 Karyocerite, chemical constitution of Bull 125, pp 59, 60, 104 Karyopilite, chemical constitution of Bull 125, pp 71, 105 Kaskawulsh River, Alaska, features of Ann 21, II, p 349 Katemcy series of Texas, origin of name Bull 81, p 246 Katmai Bay, Alaska, coal and petroleum on Ann 17, I, p 799 Kaweah River, California, flow of, measurements of Ann 12, II, p 320; Ann 20, IV, p 526; Bull 140, pp 279–282; WS 28, p 193 Kearney Canal, Nebraska, seepage measurements on Bull 140, pp 348–349 Kearsarge group of rocks of New Hampshire Bull 86, pp 353–355 Keeler (J. E.), earthquakes in California in 1889 Bull 68, Keewatin series of rocks of Rainy Lake region Bull 86, pp 65–67, 162–167 Keilhauite, chemical constitution of Bull 125, pp 79, 105 Keith (A.), geology of Briceville quadrangle, Tennessee GF 33 geology of Catoctin belt Ann 14, II, pp 285–395 geology of Harpers Ferry quadrangle, Virginia–Maryland–West Virginia GF 10 geology of Knoxville quadrangle, Tennessee–North Carolina GF 16 geology of Loudon quadrangle, Tennessee—North Carolina GF 16 geology of Loudon quadrangle, Tennessee—North Carolina GF 25
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in Ann 14, I, pp 160–162 thermal effect of Ann 2, pp 325–330 Karyocerite, chemical constitution of Bull 125, pp 59, 60, 104 Karyopilite, chemical constitution of Bull 125, pp 71, 105 Kaskawulsh River, Alaska, features of Ann 21, II, p 349 Katemcy series of Texas, origin of name Bull 81, p 246 Katmai Bay, Alaska, coal and petroleum on Ann 17, I, p 799 Kaweah River, California, flow of, measurements of Ann 12, II, p 320; Ann 20, IV, p 526; Bull 140, pp 279–282; WS 28, p 193 Kearney Canal, Nebraska, seepage measurements on Bull 140, pp 348–349 Kearsarge group of rocks of New Hampshire Bull 86, pp 353–355 Keeler (J. E.), earthquakes in California in 1889 Bull 86, pp 65–67, 162–167 Keilhauite, chemical constitution of Bull 125, pp 79, 105 Keith (A.), geology of Briceville quadrangle, Tennessee GF 33 geology of Catoctin belt Ann 14, II, pp 285–395 geology of Knoxville quadrangle, Tennessee—North Carolina GF 16 geology of Loudon quadrangle, Tennessee—North Carolina GF 16 geology of Morristown quadrangle, Tennessee GF 27
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in Ann 14, I, pp 160–162 thermal effect of Ann 2, pp 325–330 Karyocerite, chemical constitution of Bull 125, pp 59, 60, 104 Karyopilite, chemical constitution of Bull 125, pp 71, 105 Kaskawulsh River, Alaska, features of Ann 21, II, p 349 Katemcy series of Texas, origin of name Bull 81, p 246 Katmai Bay, Alaska, coal and petroleum on Ann 17, I, p 799 Kaweah River, California, flow of, measurements of Ann 12, II, p 320; Ann 20, IV, p 526; Bull 140, pp 279–282; WS 28, p 193 Kearney Canal, Nebraska, seepage measurements on Bull 140, pp 348–349 Kearsarge group of rocks of New Hampshire Bull 86, pp 353–355 Keeler (J. E.), earthquakes in California in 1889 Bull 86, pp 65–67, 162–167 Keilhauite, chemical constitution of Bull 25, pp 79, 105 Keith (A.), geology of Briceville quadrangle, Tennessee GF 33 geology of Catoctin belt Ann 14, II, pp 285–395 geology of Knoxville quadrangle, Tennessee OF 16 geology of Knoxville quadrangle, Tennessee OF 16 geology of Morristown quadrangle, Tennessee OF 27 geology of Wartburg quadrangle, Tennessee GF 27 geology of Wartburg quadrangle, Tennessee GF 27 geology of Wartburg quadrangle, Tennessee GF 40 work in charge of, 1893–1900 Ann 15, pp 150–151; Ann 16, I, p 20; Ann 17, I, pp 21–22; Ann 18,
pp 312–313, 325–330; Mon III, pp 216, 231–237, 388–389 investigations in

Kemp (J. F.), titaniferous iron ores of Adirondacks	8,
I, p 24; Ann 19, I, p 33; Ann 20, I, p 35; Ann 21, I, p 7 Kemp (J. F.) and Marsters (V. F.), trap dikes of Lake Champlain regionBull 10 Kemp clay beds of Texas	)7
Kenai group or series of Alaska, distribution, correlation, etc., of	
pp 772–821, 836–842; Ann 18, 11, p 345; 111, pp 184	
196, 258; Ann 21, 11, pp 476–477; Bull 84, pp 234	
252, 327; Alaska (1), p 24; Alaska (2), p 2 in Sushitna Basin, notes on	
Kenai Peninsula, expedition from, to Tanana River, in 1898Alaska (2), pp 40-5	
explorations in, in 1898	
notes on	LO
Kenai Plateau, Alaska, coal on	
Kennebec River, Maine, flow of, measurements of	
Ann. 21, 1v, pp 51–53; WS 27, pp 11–14; WS 35, pp 25–2 profile ofWS 44, p	26 0
water power of, and of tributaries	
Kennicott series of rocks of Alaska	
Kent (W.), gold and silver, statistics of	
Kentrolite, chemical constitution ofBull 125, p 81, 10	
Kentucky, altitudes in	
1, p 416; Bull 5, pp 120–124; Bull 76; Bull 160, pp 241–24	
asphaltum product of	
' Ann 18, v cont, p 929; Ann 19, vi cont, pp 190, 193; An	
20, vi cont, pp 254, 256; Ann 21, vi cont, pp 321, 322–32	
Big Sandy River, profile of	16
Big Stone Gap coal field of Virginia andBull 11	1
boundary lines of, and admission of State. Bull 13, pp 30, 109-110; Bull 171, p 11	
brick, use of, for street paving in	/4 30
building stone from, at World's Columbian ExpositionMR 1893, p 56	
in Estillville quadrangleGF 12, p	5
in London quadrangleGF 47, p	3
in Richmond quadrangle	
production of, statistics of MR 188	
p 451; MR 1887, p 516; MR 1888, p 540; MR 1889–90, p 373, 395–396; MR 1891, pp 461, 462, 464, 466; MR 1892, p	_
710, 711; MR 1893, pp 553, 556; Ann 16, IV, p 437 et sec	
Ann 17, III cont, pp 760, 775 et seq; Ann 18, v cont, pp 950	
1012 et seq; Ann 19, vr cont, pp 207, 264 et seq; Ann 20	
vi cont, pp 271, 336 et seq; Ann 21, vi cont, p 335 et se	
cement production of	
MR 1888, p 551; MR 1889-90, p 461; MR 1891, p 532; M 1892, pp 739, 740; MR 1893, p 619; Ann 16, <b>iv</b> , p 577; An	
17, 111 cont, p 891; Ann 18, v cont, p 1178; Ann 19, v1 cont,	
495; Ann 20, vi cont, pp 544-545, 547; Ann 21, vi cont, p 40	
clay in Richmond quadrangle	
clay products of, statistics of	
518, 519, 520, 521; Ann 17, 111 cont, p 819 et seq; Ann 18, cont, p 1078 et seq; Ann 19, v1 cont, pp 318 et seq, 359; An	
20, vi cont, pp 466 et seq, 521; Ann 21, vi cont, pp 362, 36	
, , , , , , , , , , , , , , , , , , , ,	

```
Kentucky; coal, area and statistics of.....Ann 2, p xxviii; MR 1882, pp 56-58; MR
                   1883-84, pp 12, 47-49; MR 1885, pp 11, 32; MR 1886, pp 225,
                   230, 270-272; MR 1887, pp 169, 171, 256-263; MR 1888, pp
                   169, 171, 276-280; MR 1889-90, pp 146, 219-221; MR 1891,
                   pp 180, 247-255; MR 1892, pp 264, 267, 268, 408-417; MR
                   1893, pp 188 et seg, 299-307; Ann 16, iv, pp 7 et seg, 126-
                   131; Ann 17, 111, pp 287 et seq, 433-441; Ann 18, v, pp 353
                   et seq, 529-536; Ann 19, vi, pp 277 et seq, 434-441; Ann 20,
                   vi, pp 299 et seq, 423-428; Ann 21, vi, pp 324 et seq, 452-457
   in Estillville quadrangle......GF 12, p 4
      in London quadrangle......GF 47, p 3
      in Richmond quadrangle......GF 46, p 4
   coke in, manufacture of ...MR 1883-84, pp 166-168; MR 1885, pp 80, 91-92; MR
                   1886, pp 378, 384, 398-401; MR 1887, pp 383, 389, 401-405;
                   MR 1888, pp 395, 400, 410-411; MR 1891, pp 360-361, 366,
                   381; MR 1892, pp 555 et seq, 577-578; MR 1893, pp 418 et
                   seq, 439; Ann 16, iv, pp 225 et seq, 256-260; Ann 17, iii cont,
                   pp 544 et seq, 582-583; Ann 18, v cont, pp 661 et seq, 704-705;
                   Ann 19, vi, pp 548 et seq, 599-600; Ann 20, vi, pp 512 et seq,
                   565-566; vi cont, p 227; Ann 21, vi, pp 523 et seg, 581-583
   elevations in. (See "altitudes in.")
   vi cont, p 227 et seq
   geographic positions in .......Bull 123, pp 100–101
  geologic and paleontologic investigations in .........Ann 6, pp 35, 36; Ann 11,
                          1, pp 75, 104; Ann 12, 1, pp 88, 107; Ann 18, 1,
                          pp 26, 27-29; Ann 19, 1, p 34; Ann 20, 1, pp 37-38
      (See, also, Estillville; London; Richmond.)
  geologic maps of. (See Map, geologic, of Kentucky.)
      geologic sections in: (See Section, geologic, in Kentucky.)
  glacial boundary in western Pennsylvania, Ohio, Kentucky, Indiana, and.
              Illinois Bull 58
  p 120 et seg; MR 1883-84, pp 252, 278, 279; MR 1885, pp
                   182, 184, 186; MR 1886, pp 18, 33, 96; MR 1887, p 11; MR
                   1888, pp 14, 23; MR 1889-90, pp 10, 12, 17; MR 1891, pp 12,
                   27, 61; MR 1892, p 12 et seq; MR 1893, p 15 et seq; Ann 16,
                   III, pp 31, 42, 192 et seq; Ann 17, III, p 26 et seq; Ann 18,
                   v, pp 24, 41, 42; Ann 19, vi, pp 26, 27, 29, 65, 68, 72; Ann 20,
                   vi, pp 29, 43, 44, 74 et seq; Ann 21, vi, pp 34, 51, 52, 53, 90, 92
   iron ore in Estillville quadrangle .......GF 12, p 5
   limestone from Bowling Green, compared with oölite from Ireland...MR 1889-
                                                        90, p 395
      in Estillville quadrangle......GF 12, p 5
      production of, statistics cf..........MR 1891, pp 464, 466; MR 1892, p 711;
                   MR 1893, p 556; Ann 16, IV, pp 437, 494, 495, 506; Ann 17,
                   III cont, pp 760, 788 et seq; Ann 18, v cont, pp 950, 1044
                  et seq; Ann 19, vi cont, pp 207, 281 et seq; Ann 20, vi
                  cont, pp 271, 342 et seq; Ann 21, vi cont, pp 335, 357-360
```

т	C177 45
ntucky; London que	ndrangle, geology of
	(See Map, geologic, of Kentucky.)
maps, topograpme,	of this hallstin
1 3	of this bulletin.)
	MR 1886, p 620
	rts in
mineral springs of,	statistics of, Bull 32, pp 106–118; MR 1883–84, p 982; MR 1885,
•	p 538; MR 1886, p 716; MR 1887, p 684; MR 1888, p 627;
	MR 1889–90, p 527; MR 1891, pp 603, 605; MR 1892, pp 824,
•	827; MR 1893, pp 774, 777–778, 784, 788, 794; Ann 16, IV, pp
	709, 713, 720; Ann 17, 111 cont, pp 1027, 1033, 1041; Ann 18,
	v cont, pp 1371, 1378, 1386; Ann 19, vi cont, pp 661, 668, 677;
	Ann 20, vi cont, pp 749, 758, 766; Ann 21, vi cont, pp 609, 619
	MR 1882, pp 684–686; MR 1887, pp 733–735
natural gas localitie	es and statistics of MR 1887, pp 489–492; MR 1888, pp $506$ -
	509; MR 1891, p 438; MR 1892, pp 676, 696–697; MR 1893, pp
	- 536, 540; Ann 16, IV, p 415 et seq; Ann 17, III cont, p 734 et seq;
	Ann 18, v cont, p 900 et seq; Ann 19, vr cont, p 168 et seq;
	Ann 20, vi cont, p 207 et seq; Ann 21, vi cont, p 299 et seq
paint, mineral, pro-	duction of
	t CountyBull 38; Bull 42, pp 136–137
	s and statistics of
, , , , , , , , , , , , , , , , , , , ,	pp 189, 216; MR 1883-84, p 216; MR 1885, p 147; MR
	1888, p 463; MR 1889–90, pp 292, 350–353; MR 1891, pp
	405, 407, 434–435; MR 1892, pp 604, 606, 612; MR 1893,
	pp 465, 466; Ann 16, IV, pp 317, 319, 320, 376–378; Ann 17, III
	cont, pp 626, 629, 630, 700–701; Ann 18, v cont, pp 750 et seq,
	838–840; Ann 19, vi cont, pp 5 et seq, 26–27, 95–96; Ann 20,
	vi cont, pp 5, 7, 9, 42–44; Ann 21, vi cont, pp 6, 7, 12, 60–61
nhosnhate in Rich	mond quadrangle
nhosphatic limesto	nes of
rainfall in	Ann 17, 11, p 719; WS 29, p 72
Richmond quadrar	igle, geology of
	ichmond quadrangle GF 46, p 4
Pough Piver prof	le of
sait moin, statistics	of
	p 648; Ann 17, 111 cont, p 988; Ann 20, v1 cont, pp 674, 675
gandetono producti	on of, statistics of
sandstone producti	pp 395–396; MR 1891, pp 461, 462; MR 1892, p 710; MF
	1893, p 553; Ann 16, IV, pp 437, 484, 485, 487; Ann 17, II
	cont, pp 760, 775, 776, 777; Ann 18, v cont, pp 950, 1012
	1013, 1014; Ann 19, vr cont, pp 207, 264 et seq; Ann 20, vr
anationa madanis i	cont, pp 271, 336 et seq; Ann 21, vi cont, pp 335, 353-356
sections, geologic in	
sons in Estitivitie (	quadrangle
	drangle
	quadrangle
topograpnic maps	of. (See Map, topographic, of Kentucky; also list on
Annamonte 1 *	p 77.)
	Ann 4, pp 13–15; Ann 6, p 9; Ann 7, p 51; Ann
•	8, 1, p 102; Ann 9, pp 54, 55; Ann 10, 1, p 91; Ann 11, 1, p
	37; Ann 12, 1, p 27; Ann 13, 1, p 72; Ann 18, 1, p 95; Ann
	19, 1, pp 89, 90, 98–99; Ann 20, 1, pp 100, 102, 111, 115–116

Wantuslary triangulation in Dull 199 nm 76 90 99 95 99 99 90 100
Kentucky; triangulation inBull 122, pp 76, 80-82, 85-92, 98, 99, 100
woodland area in
Kentucky River, profile of
Keokuk formation of IndianaAnn 11, 1, pp 638-639
of IowaAnn 11, 1, p 312
Keratophyre, analysis of, from Connecticut, New Haven
analysis of, from Massachusetts, Marblehead NeckBull 78,
p 121; Bull 107, p 21; Bull 148, p 78; Bull 168, p 34
Kerguelen land, silicified wood from
Kern River, flow of, measurements ofAnn 12, 11, pp 310, 319; Ann 18, 1v,
pp 395–397, 398; Ann 19, IV, pp 523–524; Ann 20, IV, pp 64,
536-538; Ann 21, IV, p 469; Bull 131, pp 79-80; Bull 140, pp
267-274; WS 17, pp 38-39; WS 28, p 196; WS 39, pp 405-407
water powers on
Kerolite, analysis of, from Massachusetts, Blandford
chemical constitution ofBull 125, p 74
Kerr (W. C.), minor metals of North Carolina
Kerrite, analysis of, from North Carolina, Macon CountyBull 74,
p 65; Bull 78, p 28
Kersantite, analysis of, from Yellowstone Park, Bighorn PassMon. xxxII, II,
p 70; Bull 148, p 136; Bull 168, p 110
in Maine, Aroostook volcanic areaBull 165, p 151
in Montana, Fort Benton quadrangleGF 55, p 3
in Yellowstone ParkMon xxxII, II, pp 69-72
transition into, from minette, in Little Belt MountainsAnn 20, III, p 538
Kettleholes and other basins, formation of
Kettleholes. (See Potholes.)
Keweenaw rocks of Lake Superior regionAnn 3, pp 93–188; Ann 7, pp 20, 419–421;
Keweenaw rocks of Lake Superior region. Ann 3, pp 93–188; Ann 7, pp 20, 419–421; Ann 16, 1, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162
Ann 16, 1, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162
Ann 16, 1, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references toMon v, pp 14–23, 431–432
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references toMon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone andBull 23
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references toMon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone andBull 23 references to literature ofBull 81, pp 198, 199
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references toMon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone andBull 23
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references toMon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone andBull 23 references to literature ofBull 81, pp 198, 199 western equivalents ofBull 86, p 330 (See, also, Algonkian.)
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references toMon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone andBull 23 references to literature of
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references toMon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone andBull 23 references to literature ofBull 81, pp 198, 199 western equivalents ofBull 86, p 330 (See, also, Algonkian.)  Keyes (C. R.), bibliography of North American paleontology, 1888–1892Bull 121 origin and relations of central Maryland granitesAnn 15, pp 685–740 sketch of coal deposits of IowaMR 1892, pp 398–404
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and
Ann 16, I, pp 794–796; Mon V, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon V, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and
Ann 16, I, pp 794–796; Mon V, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon V, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and
Ann 16, I, pp 794–796; Mon V, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon V, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and
Ann 16, I, pp 794–796; Mon v, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon v, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and Bull 23 references to literature of Bull 81, pp 198, 199 western equivalents of Bull 86, p 330 (See, also, Algonkian.)  Keyes (C. R.), bibliography of North American paleontology, 1888–1892 Bull 121 origin and relations of central Maryland granites Ann 15, pp 685–740 sketch of coal deposits of Iowa MR 1892, pp 398–404 Kiamitia clay of Texas Ann 21, vII, pp 252–257 Kibbey sandstone of Montana Ann 20, III, p 295; GF 55, p 2; GF 56, p 2 Kieselspath, analysis of, from Massachusetts, Hampshire County Bull 126, p 12 Kieserite, analysis of MR 1887, p 638 Kikuchi (Y.) and Sekiya (S.), eruption of Bandai-san Volcano in Japan Ann 17, I, pp 538–539 Killinite, analysis of, from Massachusetts, Hampshire County Bull 126, p 116 Kimball (J. P.), quoted on the grahamite vein in the Huesteca, Mexico Ann 17, I, pp 940–941 Kimberling shale of Virginia and West Virginia GF 26, pp 2–3; GF 44, p 3 Kimberlite, analysis of, from Kentucky, Elliott County dike Bull 168, p 56 from Kentucky, Elliott County, description of, as one of the educational series Bull 150, pp 290–294 thin sections of, from Kentucky, Elliott County Bull 150, pp 292–293
Ann 16, I, pp 794–796; Mon V, pp 24–409; Bull 86, pp 160–162 chronologic list of works that embrace references to Mon V, pp 14–23, 431–432 on Keweenaw Point, junction between Eastern sandstone and

King (C.), quoted on Comstock lode
quoted on dynamic action in Great Basin
quoted on glaciers of Mount Shasta
quoted on Paleozoic series in western Nevada
production of precious metals in United States
report as director for 1879–80
resignation of, from directorship
Survey in charge of, 1880–1882
King (F. H.), principles and conditions of movements of ground waterAnn 19,
п, pp 59–294
Kings River, California, flow of, measurements of
11, pp 316-317; Ann 13, 111, p 22; Ann 18, 1v, pp 390-395;
Ann 19, IV, pp 518-523; Ann 20, IV, pp 63-64, 526, 534-536;
Ann 21, IV, pp 467-468; Bull 131, pp 80-81; Bull 140,
pp 283–288; WS 11, p 92; WS 16, pp 191–192; WS 18, pp
39-41; WS 28, pp 184, 185, 186, 193; WS 39, pp 403-405
irrigation canals along
Kingston group of rocks of New BrunswickBull 86, pp 232-238
Kingston quadrangle, Tennessee, geology of
Kingstown series of Narragansett Basin
(See, also, Cranston beds.)
Kirchhoff (C.), jr., copper, statistics of
pp 213–257; MR 1883–84, pp 322–374; MR 1885, pp 208–243;
MR 1886, pp 109-139; MR 1887, pp 66-97; MR 1888, pp
43–77; MR 1889–90, pp 56–77; MR 1891, pp 81–102; MR
1892, pp 95–120; MR 1893, pp 62–88; Ann 16, 111, pp 332–358;
Ann 17, 111, pp 81–129; Ann 18, v, pp 185–235; Ann 19, vi,
, pp 137–196; Ann 20, vi, pp 169–220; Ann 21, vi, pp 163–223
lead, statistics of
pp 306-323; MR 1883-84, pp 411-440; MR 1885, pp 244-271;
MR 1886, pp 140–153; MR 1887, pp 98–112; MR 1888, pp
79–91; MR1889–90, pp 78–87; MR1891, pp 103–110; MR1892,
pp 121–129; MR 1893, pp 89–102; Ann 16, 111, pp 359–377;
Ann 17, 111, pp 131–162; Ann 18, v, pp 237–262; Ann 19, vi,
pp 197–222; Ann 20, vi, pp 221–247; Ann 21, vi, pp 225–247
zinc, statistics of
MR 1883-84, pp 474-491; MR 1885, pp 272-283; MR 1886, pp 154-159; MR 1887, pp 113-117; MR 1888, pp 92-96;
MR 1889-90, pp 88-93; MR 1891, pp 111-116; MR 1892,
pp 130–137; MR 1893, pp 102–110; Ann 16, 111, pp 378–388;
Ann 17, 111, pp 163–177; Ann 18, v, pp 263–280; Ann 19, vi,
pp 223–239; Ann 20, vi, pp 249–266; Ann 21, vi, pp 249–266
Kitchi schists, distribution, relations, petrographic character, etc., ofAnn 15,
pp 496–500; Mon xxvIII, pp 160–169 Kittitas system of WashingtonBull 108, p 20; WS 4, p 40
Kittitas system of WashingtonBull 108, p 20; WS 4, p 40
Klamath Mountains, location, topography, etc., ofAnn 14, 11, pp 404-405, 408
Klamath River, profile of
Klementite, analysis of
chemical constitution of
Kletsan Creek, Alaska, copper deposits on
(See, also, Alaska.)
Klutena series of Alaska
Knebelite, chemical constitution of Bull 125, pp 68, 104
Bull. 177—01——28

Knowlton (F. H.), catalogue of Cretaceous and Tertiary plants of North
America
Ragsdale, of Gainesville
description of a new genus and species of fossil wood from the Jurassic of
the Black Hills
description of a new species of Araucarioxylon from cycad bed of Freeze-
out Hills, Carbon County, Wyoming Ann 20, 11, pp 418–419 description of a species of fossil wood from the Black Hills. Ann 19, 11, pp 644–645
description of a small collection of fossil wood from the Triassic area of
North Carolina
flora of Laramie and Livingston formations in MontanaBull 105, pp 43–66
flora of Montana formation
fossil plants associated with lavas of Cascade Range Ann 20, 111, pp 37–64
fossil plants from Alaska, with a table showing their relative distribu-
tion
fossil plants from Arthurs Bluff of Red River, Lamar County, Texas, col-
lected in 1894 by T. W. VaughanAnn 21, vii, pp 314–315 fossil plants from WashingtonBull 108, pp 103–104
fossil plants of Denver Basin
fossil plants of the Esmeralda formation
fossil plants of Payette formation
fossil wood and lignite of the Potomac formation
preliminary report on a collection of fossil plants from the vicinity of Win-
throp, WashingtonAnn 20, 11, pp 117–118
quoted on the climatic condition of northern California during Miocene
time, as indicated by fossil plantsAnn 14, 11, pp 421–422
quoted on Kenai group of rocks
report on a collection of fossil plants from the Yukon River, Alaska,
obtained by Mr. J. E. Spurr and party during the sum-
mer of 1896
report on fossil wood from Newark formation of South Britain, Connecticut
report on some fossil wood from Richmond Basin, Virginia
11, pp 516–519
report on two supposed new species of fossil trees from the isles of Port
land and Wight
small collection of fossil plants from Rhameys Hill, Denison, Texas, collected by Mr. T. V. Munson, of DenisonAnn 21, vii, p 316
work in charge of, 1894–1900 Ann 16, 1, pp 41–42; Ann 17, 1, p 68; Ann 18, 1, pp
63-64; Ann 19, 1, p 65; Ann 20, 1, pp 66-67; Ann 21, 1, p 92
Knox dolomite of Alabama
of Georgia
of North Carolina GF 16, p 4
of Tennessee
GF 8, p 2; GF 12, p 2; GF 16, p 4; GF 19, p 2; GF 20, p 2;
GF 21, p 2; GF 25, p 3; GF 27, p 2; GF 33, p 2; GF 59, p 3
of Virginia
Knox sandstones and shales of Alabama and Tennessee Bull 81, pp 147, 306–307

Knoxville beds of California
fossils of
identity of Mariposa and
unconformity between Chico and
Knoxville quadrangle, Tennessee-North Carolina, geology of
Koch (P.), early history of Judith Mountain region, Montana
III. pp 448–449
Kolmakof series of Alaska
Kona dolomite, distribution, petrographic character, etc., of
F00 F00 7/F
pp 523-530; Mon xxvIII, pp 240-256 Kootanie formation or beds of MontanaBull 82, pp 143, 145, 166, 167-170,
178, 187, 189, 190, 191, 197, 239, 250, 254–255; Bull 139, p 44
of Montana, Judith Mountains
section of, on Judith River
Kootznahoo Inlet, Admiralty Island, Alaska, coal at
Korea, iron industry of
Kornerupine, chemical constitution of
Kotlo series of rocks of Alaska
Kotschubeite, analysis of, from Russia, UralBull 61, p 29
from California, mineralogy of
Kotsina River, Alaska, geology of region near
trail along
Kowak clays of Alaska
correlation of
locality and character of
Kowak River, Alaska, notes on Alaska (2), pp 127–128
Koyukuk region, Alaska, notes on
routes and trails in basin of
South Fork of, distances along, table of
topography and drainage of basin of
Koyukuk and Chandlar rivers, Alaska, reconnaissance alongAnn 21, 11, pp 441–486
Kraft irrigation district canal, California
Kryptotile, chemical constitution of
Kübel (S. J.), work in charge of, 1889–1900
ı, pp 134–136; Ann 12, ı, pp 138–140; Ann 13, ı, pp 166–180;
Ann 14, 1, pp 272–273; Ann 15, pp 200–202; Ann 16, 1, pp
83-84; Ann 17, 1, pp 116-117; Ann 18, 1, pp 125-127; Ann 19,
т, pp 137–139; Ann 20, т, pp 155–157; Ann 21, т, pp 168–184
Kuiu Island, Alaska, coal on
fossils from
Kunz (G. F.), American gems and precious stones, statistics of MR 1882, pp 483-499;
MR 1883-84, pp 723-782; MR 1885, pp 437-444; MR
1886, pp 595–605; MR 1887, pp 555–579; MR 1888, pp
580-585; MR 1889-90, pp 445-448; MR 1891, pp 539-551;
MR 1892, pp 756-781; MR 1893, pp 680-702; Ann 16,
IV, pp 595-605; Ann 17, III cont, pp 895-926; Ann 18,
v cont, pp 1183–1217; Ann 19, vi cont, pp 497–514; Ann 20, vi cont, pp 557–602; Ann 21, vi cont, pp 419–462
Kuskokwim drainage area, Alaska, notes on
Kuskokwim expedition (1898), Alaska, report of
Kuskokwim gravels and silts of Alaska, notes on
Kuskokwim River, Alaska, geologic notes taken alongAnn 20, vII, pp 121–133
itinerary of reconnaissance along

Vyanita (Sas Cyanita)
Kyanite. (See Cyanite.)  La Motte sandstone of Missouri, character and occurrence ofBull 132, pp 12–14
La Plata dome, Colorado, description, origin, erosion, etc., ofGF 60, pp 8–11
La Plata formation of Colorado
La Plata Mountains, Colorado, geology of, literature of
geology, topography, etc., of
glaciation of
structure and rocks of
La Plata quadrangle, Colorado, geology of
La Plata River, Colorado, course and character of
profile of
La Plata sandstone in Colorado, Rico Mountains
La Sal Mountains, Utah, structure and rocks of
Labrador or Labradorian groupBull 86, pp 351–352, 381, 446, passim
Labradorian rocks in New HampshireBull 86, pp 351–355
Labradorite, analysis of, from Minnesota, Pigeon PointBull 109, p 34
analysis of, from North Carolina, Clay CountyBull 74, p 54
chemical constitution of
composition of
occurrence of
MR 1887, p 563; MR 1893, p 700; Ann 17, III cont, p 916
Labradorite inclusions in diorite-porphyry of Colorado, Ophir LoopGF 57, p 7  Labradorite-basalt from Philippine Islands
Labradorite-porphyrite, analysis of, from Michigan, MichigammeBull 148, p 97
Laccolithic centers of eruption, comparison of Rico Mountains withAnn 21,
II, pp 94–97
Laccolithic mountain groups of Colorado, Utah, and ArizonaAnn 14,
и, pp 157–241; Ann 21, и, pp 94–96
Laccolithic mountains of Colorado, Telluride quadrangle
Laccolithic rocks, analyses of, from Montana, various localities
111, pp 559, 560
of Colorado, Telluride quadrangleGF 57, p 7
of Colorado, Utah, and Arizona, intrusive masses, chemical composition
and general discussion of
Laccoliths in Black HillsAnn 21, 111, pp 163–303
in California, near San Francisco, the Presidio, etcAnn 15, pp 450–456
in Colorado, Anthracite quadrangle
La Plata MountainsGF 60, pp 8-11
Mosquito Range
Telluride quadrangle
Walsenburg quadrangle
in Montana, Fort Benton quadrangle
Little Belt Mountains
in Yellowstone Park
origin and cause of
theories of, and views of theories
п, рр 165–168, 236–241; Апп 21, пт, рр 283–290
theory and types of
types of
Laccoliths and intrusive sheets, discussion of
Lacoe (R. D.), collection of plants of, secured by National Museum. Ann 13, 1, p 154
Lacoe (R. D.), collection of plants of, secured by National Museum. Ann 13, 1, p 154  Lacustral clay, analysis of, from California Warm Spring

The Andrew Control of
Lacustral sediments, color of
Lafayette formation, correlation of
in Catoctin belt, description and correlation ofAnn 14, 11, pp 366-369
in District of Columbia
in Southern States, features, history, etc., of
1, pp 347–521; Bull 84, pp 66–67, 74, 80–81, 84–85, 157,
. 159–160, 166–167, 170–172, 175, 189–191, 320, 328–329
in Virginia, Maryland, and West VirginiaBull 138, pp 126,164;
GF 10, p 3; GF 13, pp 2-3; GF 23, p 2; GF 70, p 4
Lagenidæ from Cretaceous of New JerseyBull 88, pp 34-63
Lagoon and sand-bar harbors, description of
Lagrange group of Tennessee and KentuckyAnn 12,
400 F00 TD 11 04 1F0 1F0 000
1, pp 499-500; Bull 84, pp 170-172, 329 Lahontan, Lake, chemical deposits of
crystallographic study of thinolite ofBull 12
geologic history of
Lake. (See next word of name.)
Lake basins, formation of
in relation to alimate
in relation to climate
of Rocky Mountains, Tertiary, remarks on
Lake beds of California, Downieville quadrangle
of California, Pyramid Peak quadrangle
Truckee quadrangle
of Colorado, High Park, description and relations ofAnn 16, 11, pp 53-55
Pikes Peak quadrangle, Eocene
of Idaho, Boise quadrangle
Idaho Basin
of Montana, Butte district
Lake levels, Pleistocene, dependence of, on erosion and changes of outlets Mon xxv,
pp 222–227, 250–251 Lake of the Woods, description of
Lake of the Woods, description of
Lake quadrangle of wyoming. (See Yellowstone Park.)
Lake quartzite-schist of Alaska
Lake shores, topographic features of
Ann 5, pp 69–123; Mon 1, pp 23–89; Mon x1, pp 87–99
Lake Superior region, copper production of . Ann 21, vi, pp 163-170, 175-184, 199-201
iron ores of, statistics of
iron-ore deposits of—principles, exploration, etcAnn 21, 111, pp 305-434
manganiferous iron ores of, statistics of
Lake Superior sandstoneBull 81, pp 188–190, 252,
335–339; Bull 86, pp 157–160; GF 62, pp 129–151 Lake Superior syncline
Lake Superior syncline
Lake Tahoe Forest Reserve. (See Stanislaus and Lake Tahoe forest reserves.)
Lake water, composition of
Lakes, analyses of waters of inclosed
freshening of, by desiccation
Mon 1, pp 208–209, 229, 258; Mon x1, pp 224–230
of Alaska, southwestern, origin of
of Great Basin, chemistry of
of Great Basin, Pleistocene, sketch of
of Nevada, soda
of Wyoming and Utah, Eocene
Lakes, Laurentian, history of
Lakota formation of Black Hills

Lakota formation of Black Hills, water from
Lamellibranchiata, fossil, from Cambrian, lower
from Cambrian, middle Bull 30, pp 53, 123–125
from Cretaceous rocks of Texas, aberrant forms of Chamida Bull 4, pp 5-9
from Devonian of New York, Ontario County
from EoceneBull 83
from marl beds of New Jersey, genera and species ofMon xvIII, pp 24-25
from Miocene marls of New Jersey
from New Jersey formations recognized in other localities . Mon xvIII, pp 28–29
from Olenellus zone
from Paleozoic strata of Nevada, Eureka district
pp 76–78, 164–182, 225–254; Mon xx, pp 322, 328–329, 332
from Pleistocene and Recent of Great BasinBull 11, pp 14–16
from Raritan clays and greensand marks of New JerseyMon 1x, pp 17-252
Lamination of acid lavas, cause of
Lamination and banding in rhyolite of Yellowstone Park. Mon xxxII, II, pp 424-425
Lampasas Cut Plain, Texas, character, relations, etc., of
Lamphack, specific gravity of Bull 42, pp 132–135
Lamprophyre, analysis of, from Colorado, San Juan regionBull 168, pp 162, 163
analysis of, from Colorado, Snowstorm Peak
from Colorado, Two Buttes (syenitic)Bull 148, p 182; Bull 168, p 165
from Montana, Cottonwood CreekBull 146, p 162, Bull 166, p 166
pp 83–84; Bull 60, p 153; Bull 148, p 138; Bull 168, p 112
between South Bowlder and Antelope creeks
III, p 484; Bull 90, p 70; Bull 148, p 139; Bull 168, p 113
in Colorado, Elmoro quadrangle
Walsenburg quadrangle
in Montana, Little Belt Mountains
microscopic petrography of Bull 139, pp 110–117
Lamprophyric rocks of Yellowstone park and vicinity
Land forms of United States
relations of Ann 14, 1, p 116–121
Land grants to railroads in western United States
Lands, classification of
Lands, public. (See Public lands.)
Landslide areas in Colorado, Telluride quadrangle
Landslides, classification of
in Colorado, Rico Mountains
in Washington, Cascade region
theory of
Landslides and faulting in California, Sierra NevadaAnn 17, 1, pp 553-554, 591-594
Landslip and soilcap movement, transportation by
Lane (A. C.), Lower Michigan mineral waters
water resources of Lower Peninsula of Michigan
Långbanite, chemical constitution ofBull 125, p 100
Laosauridæ of North America
Laosaurus, description and restoration of
Lapidary work, aboriginal, in Oregon
Lapilli, analysis of, from California, Lassen Peak region
p 29; Bull 148, p 198; Bull 150, p 249; Bull 168, p 184
description of the rock, as one of the educational seriesBull 150, pp 248–249
Lapis lazuli, occurrence of
Laramie fauna in Great Basin, relations of, to Eocene fauna
invertebrate, list ofBull 128, pp 74–79

Laramie fauna, Molluscan, relation of, to that of succeeding fresh-water Eocene
and other groups
Ostreidæ
Laramie flora; distribution of Laramie, Senonian, and Eocene plants, table of,
and discussion thereof
of Yellowstone Park
types ofBull 37
Laramie formation or group, coal in
correlation, etc., of
130, 138–139, 144, 145–153, 157, 158, 162, 163, 164, 165, 166,
167, 170, 176, 177–178, 191, 200, 213, 223, 225, 231, 233, 237,
239, 250, 262–264; Bull 83, pp 122–131, 132–134, 144, 145, 146
discussion of
examinations of
flora of, synopsis of
types of
historical review of opinion concerning
in area of glacial Lake Agassiz
in Black Hills
in Colorado
age, range, features, etc., of the coal-bearingMR 1892, pp 320–358
Anthracite and Crested Butte quadrangles, coal measuresGF 9, p 9
Aspen district
Denver Basin
in MontanaBull 105; GF 1, p 2; GF 24, pp 1, 3; GF 56, p 3
features of
unconformity between Livingston andBull 105, pp 34-35
in Utah as source of coal
Uinta MountainsAnn 9, p 690
in Washington, Wenache ValleyBull 51, pp 54-63
in WyomingBull 119, pp 24–25; GF 30, pp 2, 5; GF 52, p 3
in Yellowstone Park
nature and extent of
plants from
Puget group of WashingtonBull 84, p 333
stratigraphy and correlation of Bull 82, pp 127, 148; Bull 83, pp 111-134, 145-146
Laramie Hills, geology of, literature of Bull 86, pp 272, 273, 275, 276
(See, also, Black Hills.)  Laramie River, drainage area of
hydrography of and irrigation along
flow of, measurements of
Ann 20, 1v, pp 54, 274–276; Ann 21, 1v, pp 192–194; Bull
131, pp 28–29; Bull 140, pp 95–98; WS 11, pp 50–51; WS
15, pp 81-82; WS 27, pp 78-79, 86, 88; WS 37, pp 214-217
Las Moras River, Texas, flow of, measurements of
Laubanite, chemical constitution of
Laumontite, analysis and chemical composition of, from Colorado, Table
Mountain
chemical constitution of
Lauraceæ of Amboy clays
of Cretaceous of Black Hills
of Yellowstone Park
Laurentian district, original, succession, correlation, etc. inAnn 16, I, pp 766–771
Laurentian lakes, history of

Lavas, order of succession of
Låvenite, chemical constitution of
Law establishing the Irrigation Survey
establishing and extending the U.S. Geol. SurveyAnn 1, pp 3-4; Ann 4, p xiii
governing the establishment of forest reserves
tariff of March 3, 1883, schedules from
tarin of March 5, 1885, schedules from
Law, mining, historical sketch of
of States east of MississippiMR 1886, pp 722–790
Lawson (A. C.), sketch of geology of San Francisco PeninsulaAnn 15, pp 399-476
work in charge of, 1893-1900. Ann 15, pp 177-178; Ann 16, 1, pp 36-37; Ann 17,
1, p 48; Ann 18, 1, p 46; Ann 20, 1, p 49; Ann 21, 1, p 82
Lazulite, analysis of, from North Carolina, Gaston County
occurrence of
Lazurite, chemical constitution of
Le Chatelier's researches on cements
Le Conte (Joseph), quoted on formation of Basin ranges
Lead, desilverizing, recent improvements in
in eruptive rocks Mon x11, p 578
production of, statistics of
MR 1883-84, pp 411-473; MR 1885, pp 244-271; MR 1886,
pp 140–153; MR 1887, pp 98–112; MR 1888, pp 78–91; MR
1889–90, pp 78–87; MR 1891, pp 103–110; MR 1892, pp
121–129; MR 1893, pp 89–102; Ann 16, 111, pp 359–377; Ann
17, III, pp 131–162; Ann 18, v, pp 237–262; Ann 19, vI, pp
197–222; Ann 20, vi, pp 221–247, Ann 21, vi, pp 225–247
smelting of argentiferous, in far WestMR 1882, pp 324-345
Lead deposits in Alaska
in Colorado, Leadville
in Connecticut-Massachusetts, Holyoke quadrangleGF 50, p 8
in Corinthia, Raibl
in England, Cumberland and Derbyshire
in Great Basin
in Massachusetts-Connecticut, Holyoke quadrangle
in Missouri
disseminated lead ores of southeastern Bull 132
dussemmated lead ores of southeastern
in Montana, Butte district
in Philippine IslandsAnn 19, vr cont, p 692; Ann 21, 111, pp 590-591
in Porto Rico
in Silesia and Westphalia
in Tennessee, Briceville quadrangle
Cleveland quadrangleGF 20, p 4
Morristown quadrangleGF 27, p 5
in United States
in Upper MississippiMon vii, p 65
Lead and zinc deposits of Missouri, investigation of
1, pp 54, 80-81; Ann 12, 1 pp 56, 90; Ann 13, 1, p 123
Lead minerals of Colorado, Cripple Creek districtAnn 16, 11, p 124
Lead-silver deposits of Colorado, Leadville district
of Nevada, EurekaMon vii
Lead slags, analyses and chemical properties of
Lead, white and red, statistics of . MR 1882, p x11; MR 1883-84, p 920; MR 1885, p 524;
MR 1886, pp 702, 703; MR 1887, pp 674, 675; MR 1888, pp
66, 67; MR 1889-90, p 511; MR 1891, pp 597, 598; MR 1892,
pp 815, 819, 820; MR 1893, pp 758, 759, 762, 763–766; Ann
18, v cont, pp 1337, 1344, 1347; Ann 19, vi cont, pp 645-648;
Ann 20, vi cont, pp 721, 731–733; Ann 21, vi cont, pp 581–585
, , , , , , , , , , , , , , , , , , ,

•
Leadville, Colorado, chemistry of rocks and ores of
geology and mining industry of
Ann 2, pp xx-xxiii, 201-290; Mon xii
metallurgy of
petrography of
Leadville limestone of Colorado Mon xxxi, pp 22-30; GF 9, p 6; GF 48, p 1
Leadville porphyry of Colorado
Lee conglomerate in Kentucky, Virginia, and Tennessee
pp 36–37, 39–40; GF 12, p 3; GF 25, p 4; GF 33, p 3; GF
40, p 2; GF 46, p 3; GF 47, pp 2-3; GF 53, p 3; GF 59, p 4
coals in
Lee gneiss in Massachusetts
Leguminosæ of Amboy clays
of Dakota group
of Laramie groupBull 37, p 65
of North America, extinct
of Yellowstone Park
Lehigh-McAlester coal field, Indian Territory, geology of Ann 19, 111, pp 423-456
Lehigh River, Pennsylvania, flow of, measurements ofAnn 20, IV, pp 86-88
profile of
prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime of the prime
Leiberg (J. B.), Bitterroot Forest Reserve
v, pp 253–282; Ann 20, v, pp 317–410
Cascade Range Forest Reserve, from T. 28 S. to T. 37 S., inclusive, together
with the Ashland Forest Reserve and adjacent forest
regions from T. 28 S. to T. 41 S., inclusive, and from
R. 2 W. to R. 14 E., Willamette meridian, inclusiveAnn 21,
v, pp 209–498
, II
forest conditions in Sandpoint quadrangle, Idaho
present condition of forested areas in northern Idaho outside limits of
Priest River Forest Reserve and north of Clearwater
River
Priest River Forest Reserve
San Bernardino Forest ReserveAnn 19, v, pp 359-365; Ann 20, v, pp 429-454
San Gabriel Forest Reserve Ann 19, v, pp 367–371; Ann 20, v, pp 411–428
San Jacinto Forest ReserveAnn 19, v, pp 351–357; Ann 20, v, pp 455–478
Leith (C. K.) and Van Hise (C. R.), Mesabi iron-ore district. Ann 21, III, pp 351-370
Lemnaceæ from Laramie groupBull 37, p 17
Lenticular shape of coastal gravel masses
Leona formation of Texas
Leona River, Texas, flow of, measurements of Bull 140, pp 85, 86; WS 37, pp 276–277
Leopardite, occurrence of
Lepidodendreæ of Missouri, from Lower Coal MeasuresMon xxxvII, pp 187–230
Lepidolite, analysis of Bull 42, p 13; Bull 113, p 23
analysis of, from AustriaBull 64, p 14; Bull 113, p 24
from England, CornwallBull 42, p 20
from Juschakova Bull 113, p 25
from Maine, Auburn, Hebron, Paris, and Rumford
pp 12, 13, 14, 17; Bull 113, p 24
from NorwayBull 42, p 18; Bull 64, p 14; Bull 113, p 24
from RozenaBull 42, p 20
chemical constitution of Bull 125, pp 48, 49, 103
occurrence of
Lepidomelane, analysis of, from New York, Port HenryBull 78, p 24
analysis and description of, from Maine, LitchfieldBull 42, pp 34–35; Bull 55,
pp 15–16; Bull 148, p 66; Bull 150, p 203; Bull 168, p 21

Lepidomelane, analysis and description of, from Maryland, Baltimore. Bull 55, pp 14–15
Lepidosteidæ from Triassic of New Jersey and ConnecticutMon xiv, pp 24-70
Lesquereux (Leo), biographic sketch of
death and biographic sketch of
flora of Dakota group
Lester River group of Minnesota
Lettering and conventional signs adopted for topographic maps of United
States
Lettsomite (cyanotrichite), analysis of, from Utah, Tintic district. Ann 19, 111, p 700
Leuchtenbergite, analysis of, from Russia, SlatoustBull 78, p 19; Bull 113, p 27
chemical constitution of
residuum from, analysis of
composition of
Leucite-absarokite, analysis of, from Yellowstone Park
и, р 329; Bull 148, р 125; Bull 168, pp 97, 99
Leucite-banakite, analysis of, from Yellowstone Park
и, р 347; Bull 148, р 128; Bull 168, р 102
Leucite-basalt, analysis of, from Montana, Highwood MountainsBull 148,
p 153; Bull 168, p 132
Leucite-monchiquite, analysis of, from Montana, Highwood Mountains . Bull 168, p 132
Leucite-shoshonite, analysis of, from Yellowstone Park, Pyramid Peak. Mon xxxII,
и, р 340; Bull 168, р 100
Leucite-sodalite-tinguaite, pseudo, analysis of, from Montana, Bearpaw Moun-
tains
Leucite-syenite, analysis of, from Montana, Highwood MountainsBull 148,
pp 153, 154; Bull 168, pp 132, 133
pp 153, 154; Bull 168, pp 132, 133 Leucite-tinguaite, analysis of, from Arkansas, Magnet CoveAnn 18, 111, p 569
pp 153, 154; Bull 168, pp 132, 133 Leucite-tinguaite, analysis of, from Arkansas, Magnet CoveAnn 18, 111, p 569 Leucitite, analysis of, from Montana, Bearpaw MountainsBull 148,
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet CoveAnn 18, 111, p 569 Leucitite, analysis of, from Montana, Bearpaw MountainsBull 148,
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove
Leucite-tinguaite, analysis of, from Arkansas, Magnet Cove

Lherzolite from Maryland, near Baltimore, description ofBull 28, pp 54-59
Liberia, iron-ore deposits of
Library of Geological Survey, contents June 30, 1900
exchanges of geologic and geographic publications, list of Ann 20, 1, pp 163–209
Lice, plant, American fossil
Liebenerite, analysis of, from South Dakota, Rapid City
Life, plant, past and present, of the earth, table and diagrams of, by types
and geologic formations, with discussions Ann 5, pp 439-452
Life, vertebrate, in America, section illustrating
Ann 16, 1, p 145; Mon x, p 7; Mon xxv11, p 474
Life history of Lake Lahontan
Lignite, analysis of, from Alaska, various localities
analysis of, from Austria, Wildthut
from British Columbia, Nanaimo and WellingtonAnn 17, 1, p 825
from California, various localities
from Colorado, Boulder, Golden, and Murphys
from Dakota, Turtle Mountains
various localities
from France, Dax Ann 17, 1, p 823
from Hungary, Zsemle
from Massachusetts, Marthas VineyardBull 55, p 87
from Montana, Chestnut River
eastern
various localities
from Oregon, various localities
from Texas, various localitiesBull 164, p 66; MR 1886, pp 348, 350
from Utah, Emery County
from Washington, Bellingham Bay, and Seattle
various localities
from Wyoming, Carbon, Evanston, and Van Dyke
in Alaska
in great Sioux Reservation
in Porto Rico
(See, also, Coal.)
Lignite and brown coal, analyses of, from various countries Ann 17, 1, p 829
Lignite and fossil wood of Potomac formationBull 56
Lignites of Pacific coast, relative values of
Lignitic beds of Aleutian IslandsBull 84, pp 242–249
Lignitic deposits or group of Southern States
r, pp 415–418; Bull 83, pp 57–61, 67–68, 72–73, 112, 113,
114, 117, 118, 120, 126, 144; Bull 84, p 329; Bull 142, p 15
Ligurian formation of Europe, correlation of
Liliaceæ from Dakota group
Limburgite, analysis of, from BohemiaBull 165, p 179
of Colorado, Rosita Hills
of Michigan, Crystal Falls district
Lime, analysis of, from Alabama, Fort Payne, and Longview. Ann 19, vi cont, p 284
analysis of, from Alabama, various localities
from Connecticut, Canaan, Litchfield County
vi cont, p 370; MR 1885, p 411
from Georgia, Bartow, Jefferson County
vi cont, p 287; Ann 20, vi cont, p 375
from Illinois, Madison County
from Massachusetts, Berkshire County
New Lenox and Renfrew
from Michigan, Alpena and Charlevoix countiesAnn 20, vi cont, p 413

Lime, analysis of, from New York, Clinton and Onondaga countiesAnn 19,
vi cont, p 301
analysis of, from New York, Glens Falls and Smiths Basin
iii cont, pp 801, 802
from New York, Greene and Washington counties
v cont, p 1063; Ann 19, vi cont, p 301
various localities
from Ohio, Seneca County
from Pennsylvania, Adams and York countiesAnn 18, v cont, p 1066
Montgomery County. Ann 19, vi cont, p 305; Ann 20, vi cont, pp 440-441
Northumberland County
Ann 19, vi cont, p 305; Ann 20, vi cont, pp 440-441
from Tennessee, Franklin and Houston counties. Ann 20, vi cont, pp 443, 444
from Texas, Oglesby
Travis County
from Vermont, North Pownal and Leicester Junction
St. Albana and Higherta Springs App. 10
St. Albans and Highgate Springs
vi cont, p 307; Ann 20, vi cont, p 456 Swanton
Swanton
Ann 19, vi cont, p 307; Ann 20, vi cont, p 455
from West Virginia, Berkeley CountyAnn 20, vi cont, p 459
from Wisconsin, Sheboygan County
production of, statistics of
MR 1883-84, pp 668-670; MR 1885; pp 410-413; MR 1886,
pp 565-566; MR 1887, pp 532-534; MR 1888, pp 554-557
Lime, carbonate of. (See Carbonate of lime.)
Lime, phosphate of, in Porto Rico
nature and origin of deposits of
Lime, superphosphate of, analysis of, from Wilmington, North Carolina, and
Charleston, South CarolinaMR 1883–84, p 819
Lime-sands, analysis of, from Colorado, Fryer Hill
Lime-silicate-hornstone, analysis of, from Maryland, Sykesville areaAnn 15, p 727
Limestone, analysis of, from Alabama, Colbert and Shelby countiesAnn 18,
v cont, pp 1047–1048
analysis of, from Alabama, Lee County
from Alabama, various localitiesAnn 19,
vi cont, p 285; Ann 20, vi cont, p 354
from Arkansas, Beaver and Johnson
Carroll County
from California, Downieville quadrangle (magnesian)Ann 17, 1, p 630
Mount Diablo (Cretaceous) Bull 148, p 275; Bull 168, p 276
San Benito County
from Canada, Gunflint LakeBull 60, p 151
from Catoctin belt (Shenandoah)Ann 14, 11, p 337
from Colorado, Denver Basin
Dyer Mountain and Canyon
Garfield Park, Pitkin and Summit counties
pp 272, 273, 274; Bull 168, pp 272, 273, 274
Glenwood Springs
Leadville district
pp 64, 65, 557, 596, 602, 607; Bull 148, p 271; Bull 168, p 271
Lenado
Morrison
Pueblo quadrangleGF 36, p 7

•	
Limesto	one, analysis of, from Connecticut, East Canaan, Litchfield CountyAnn 19,
	vi cont, p 287; Ann 20, vi cont, p 370
ana	llysis of, from Connecticut, Fairfield County
	from Georgia, Bartow Ann 19, vi cont, p 288; Ann 20, vi cont, p 376
	from Great Britain, IrelandMR 1889–90, p 395
	from Illinois, Cook County
	ıv, p 497; Ann 19, vi cont, p 289; MR 1889–90, p 390
•	
	Joliet
	Kankakee
	La Salle (hydraulic)
<u> </u>	various localities
	from Indiana, Adams, Howard, and Lawrence countiesBull 42, p 140;
	Bull 148, p 263; Bull 168, p 262; MR 1889-90, pp 392, 393
	Bluffton, Greensburg, Union City, Vernon, and Wabash (Tren-
	ton)
	various localitiesAnn 8, 11, pp 660-661; Ann 19, v1 cont, pp 290-291;
	Ann 20, vi cont, pp 381–382; Bull 60, pp 160–162
	from Indiana and Kentucky, various localities (Bedford oölitic)Ann, 18,
	v cont, p 1054
	from Iowa, Harrison County (hydraulic)
	Jackson CountyAnn 20, vi cont, p 383
,	from Ireland, Portland
	from Kansas, Chèrokee County
	p 125; Bull 148, p 264; Bull 168, p 263
	p 125; Bull 148, p 264; Bull 168, p 263 Iola
	SilverdaleBull 64, p 46;
	Bull 148, p 264; Bull 168, p 263; MR 1889-90, p 394
	various localities
	pp 504–505; Ann 20, vi cont, p 386; MR 1893, pp 563–565
	from KentuckyAnn 8, 11, p 551
	Bowling Green
	Ann 20, vi cont, p 388; MR 1889-90, p 395
	Clark County (Corniferous)Bull 46, p 16; MR 1887, p 588
	Fayette County (phosphatic)Bull 46, p 117
	(used in Portland cement)
	from Kentucky and Indiana, various localities (Bedford oölitic)Ann 18,
	y cont. p. 1054
	from Louisiana, Bienville Parish
	Bull 148, p 258; Bull 168, p 258
-	from Maine, Knox CountyAnn 19, vi cont, p 297; Ann 20, vi cont, p 398
	from Maryland, Cumberland (hydraulic)
	Frederick County
	Howard County
	Sykesville area (inclusions of, in granite)
	Washington CountyAnn 19, vi cont, p 298; Ann 20, vi cont, p 401
	from Massachusetts, Attleboro
	Becket, Blandford, Coles Brook, and HinsdaleMon xxix, pp 26, 27
	Berkshire County
•	vi cont, pp 410, 411; Bull 159, pp 69, 87; MR 1889–90, p 403
	Cheshire and Renfrew
	Lee
	New Lenox
	various localities
	from Michigan, Alpena and Emmet counties Ann 20, vr cont, p 412

Limest	one, analysis of, from Michigan, Gogebic districtBull 60, p 150
ana	alysis of, from Michigan, Huron BayBull 148, p 265; Bull 168, p 264
	from Michigan, Huron and Monroe countiesAnn 18, v cont, p 1059
	Wayne County
	from Michigan and Wisconsin, Penokee region
	from Minnesota, Ogiskemannissi LakeBull 60, p 151;
	Bull 148, p 265; Bull 168, p 264
•	from Missouri, Green County, Hannibal, and Ralls County Ann 18,
	v cont, pp 1060, 1061           Marion County         Ann 16, 1v, p 508
	Marion County
	Newton County
	various localities
	vi cont, p 415; Bull 78, p 125; MR 1889–90, pp 406–407
	from Montana, Helena
	various localitiesBull 60, p 154;
	Bull 110, pp 25, 33, 36, 40; Bull 148, p 269; Bull 168, p 269
	from Nevada, Eureka district
	p 37, 40, 49; Bull 90, p 66; Bull 148, p 275; Bull 168, p 276
	from New Jersey, Hunterdon County
	cont, p 420; MR 1889–90, p 410
	cont, p 420; MR 1889–90, p 410 Vernon, Sussex County
	from New York, Glens Falls, Hudson Valley, Sing Sing, Smiths Basin,
•	and TuckahoeAnn 17, 111, pp 796, 797, 800, 801, 802
	Rosendale, (hydraulic)MR 1891, p 531
	Ulster and Onondaga counties
	various localitiesAnn 19, v1 cont, p 301; Ann 20, v1 cont, p 427
	from Ohio
	Bellaire (hydraulic)
	Dayton, Point Pleasant, and Rocky RidgeAnn 19, IV, pp 639, 644, 645
	Defiance Bull 55, p 80
	Fort Recovery, Hamilton, and Lima (Trenton)Ann 8, 11, pp 642, 661
	Greenfield, Onondaga series
	Hocking ValleyMR 1886, p 56
	New Vienna (Trenton)Bull 148, p 260; Bull 168, p 259
	Sandusky
	Toledo and Hancock County (Trenton)Bull 168, p 259
	various localities
	v cont, p 1063; Ann 19, vr cont, p 303; Ann 20, vr cont, p
	432; Bull 55, p 80; Bull 60, pp 160–162, MR 1889–90, p 417
	Niagara
	Trenton
	pp 160, 161; Bull 148, pp 261, 262; Bull 168, pp 260–261
	Wellston Ann 21, vi cont, p 402
	from Pennsylvania, Blair County
	Coplay
	GreasonBull 90, p 66; Bull 150, p 128; Bull 168, pp 253, 255
	Lehigh County (hydraulic)MR 1891, p 531
	various localities
	p 305; Ann 20, vi cont, pp 440-441; MR 1889-90, pp 421-424
	from Rhode Island, Providence County
	from South Dakota (Minnekahta)
	Lawrence County
	from Tennessee, Knoxville
	from Texas, Coryell County
	211, 301, 31. 334, 111

Lir	nestone, analysis of, from Texas, El Paso County
	analysis of, from Utah, Tintic districtAnn 19, 111, pp 623, 624, 625, 626, 706
	from Manuart Franklin Charlet Ann 19, 11, pp 025, 024, 025, 020, 700
	from Vermont, Franklin County
	Highgate Springs Ann 17, 111 cont, p 811; Ann 19, v1 cont, p 307
	from Virginia, Botetourt CountyAnn 18, v cont,
	p 1067; Ann 19, vr cont, p 308; Ann 20, vr cont, pp 458-459
	Lexington (Trenton)Bull 42,
	p 137; Bull 52, p 24; Bull 148, p 256; Bull 168, p 254
	StauntonBull 148, p 256; Bull 150, p 385; Bull 168, p 254
	Warren County
	western part (Trenton)
	from West Virginia, Greenbrier County
	v cont, p 1068; Ann 19, vi cont, p 308; Ann 20, vi cont, p 460
	Moundsville Narrows
	Randolph CountyBull 27, p 74
	WheelingBull 9, p 17
	from Wisconsin, Brillion and Lannon
	Calumet County
	v cont, p 1068; Ann 20 cont, p 462; MR 1889-90, p 439
	Dodge, Fond du Lac, Ozaukee, and Waukesha countiesAnn 20,
	vi cont, pp 462, 463
	Penokee region
	Winnebago County
	analysis, composite, of 345 samples ofBull 168, pp 16–17
	of 498 samples of, used for building purposesBull 168, pp 16–17
	decay of
	from Bowling Green, Kentucky, compared with oölite from Portland, Ire-
	from Downing Green, Kentucky, compared with control from Lordand, fre-
	land
	nature, origin, uses, etc., of
	of Alabama, whiteBull 83, pp 64–66
	of Colorado, Elmoro quadrangle
	Mosquito Range, analysis and description (carboniferous)
	pp 63–66, 596–598
	Pueblo quadrangle, mesas and terraces
	Walsenburg quadrangleGF 68, p 6
	of Georgia, Ringgold quadrangleGF 2, p 3
	of Montana, Fort Benton quadrangle
	of Oregon of economic importance
	of Sierra Nevada
	of Tennessee, Chattanooga quadrangleGF 6, p 3
	Ringgold quadrangleGF 2, p 3
	production of, statistics of
	1887, p 515; MR 1888, p 539; MR 1889-90, p 373; MR 1891,
	pp 464–468; MR 1892, pp 705, 711; MR 1893, pp 543, 555–
	557; Ann 16, iv, pp 436, 437, 492–510; Ann 17, iii cont, pp
	759, 760–761, 787–811; Ann 18, v cont, pp 949, 950–951, 1043–
	1068; Ann 19, vi cont, 206–207, 280–309; Ann 20, vi cont,
	pp 270, 271, 342–351; Ann 21, vi cont, pp 334, 335, 357–360
	thin section of, from Connecticut (bituminous)
	from Indiana (Trenton)
	from Massachusetts, South Holyoke, showing contact of diabase
	amygdaloid
	from Michigan CE 1 and 10 W 47 N D 44 W (should) Manager at 400 401
	from Michigan, SE. 4 sec. 18, T. 47 N., R. 44 W. (cherty). Mon xix, pp 480-481
	weathering of, differential
	(See, also, Building stone.)

Limestone, cherty, description of, as one of educational seriesBull 150, pp 123-12  Penokee iron-bearing series, petrographic character, origin, etc., ofAnn 10  1, pp 365-369; Mon xix, pp 127-14	), 2
Limestone, compact, description of, as one of educational series. Bull 150, pp 127–13 Limestone, crystalline, from Modoc Peak, Nevada, description of, as one of	2
educational seriesBull 150, p 9	8
Limestone, magnesian. (See Dolomite.)	
Limestone, oolitic, description of, as one of educational seriesBull 150, pp 103-10	
Limestone, Patellina, description of, as one of educational series Bull 150, p 119	9
Limestone, residual clay of, from Staunton, Virginia, description of, as one of educational seriesBull 150, pp 384–38	5
Limestone, residual deposit from subaërial decay of from Lexington, Vir-	
giniaBull 42, p 13	7
Limestone, shell, from Rochester, New York, description of, as one of educa-	
tional series	3
Limestone quarries of eastern New York, western Vermont, Massachusetts,	
and Connecticut	1
Limidæ from Colorado formationBull 106, p 7	
from Cretaceous of Pacific coast	
Limneidæ from Bear River formation	
from Colorado formation	
from Laramie of WyomingBull 34, pp 22–2-	.j 1
from Pleistocene and Recent of Great Basin	
nonmarine fossil of North America	
North American Jurassic Bull 29, pp 20–2.	9 9
Limon clays of Costa Rica, correlation of	7
Limonite, analysis of, from Alabama, Columbiana	
analysis of, from Alabama, various localitiesMR 1882, pp 150, 154, 155, 159	
from Iowa, Allamakee County	
from Louisiana. MR 1887, p 5	
from Maryland, York County	
from Texas, Cherokee County MR 1887, p 5	
from West Virginia, Canaan Mountain, Tucker CountyBull 9, p 1:	
composition of	
from Lowmoor, Virginia, description of, as one of educational seriesBull 150	
pp 105–10'	
(See, also, Iron ore.)	•
Lincoln porphyry of Colorado, Leadville district	:
Mon XII, pp 78-80, 328-330	
Lindgren (W.), descriptions of rock specimens in educational seriesBull 150	
pp 148–151, 170–17:	2
geology of Boise quadrangle, IdahoGF 4	5
geology of Colfax quadrangle, California	6
geology of Colfax quadrangle, California	9
geology of Pyramid Peak quadrangle, California	1
geology of Truckee quadrangle, California	
gold-quartz veins of Nevada City and Grass Valley districts, California. Ann 17	,
п, pp 1–26	2
gold and silver veins of Silver City, De Lamar, and other mining districts	
in Idaho	3
gold-silver veins of Ophir, CaliforniaAnn 14, 11, pp 243-284	
mining districts of Idaho Basin and Boise Ridge, Idaho . Ann 18, 11, pp 617-719	;)
notes on petrographic characters of altered rocks and vein filling at	=
Boulder, Montana	)

Lindgren (W.), quoted on genesis of ore deposit
quoted on origin of auriferous gravels of California
work in charge of, 1893–1900
Ann 16, 1, pp 35–36; Ann 17, 1, pp 47–48; Ann 18, 1, p 44;
Ann 19, 1, pp 47–49; Ann 20, 1, p 48; Ann 21, 1, pp 80–81
Lindgren (W.) and Becker (G. F.), geology of Sacramento quadrangle, Cali-
fornia GF 5
Lindgren (W.) and Melville (W. H.), contributions to mineralogy of Pacific
coastBull 61
Lindgren (W.), Turner (H. W.), and Becker (G. F.), description of the Gold
Belt
pp 1-2; GF 18, pp 1-2; GF 31, pp 1-2; GF 37, pp 1-2; GF
39, pp 1–2; GF 41, pp 1–2; GF 43, pp 1–2; GF 51, pp 1–2
geology of Marysville quadrangle, California
geology of Placerville quadrangle, California GF 3
geology of Smartsville quadrangle, California
Lingula sandstone of WisconsinBull 81, p 172
Liparite, analysis of, from Nevada, Hot Springs HillBull 109, p 107
analysis of, from Nevada, Pinto Peak
from Pinto Peak, Nevada, description of, as one of educational series. Bull 150,
pp 160–162
pp 100–102
Lippincott (J. B.), storage of water on Gila River, Arizona
stream measurements in San Joaquin Basin
water supply of San Bernardino Valley
Liquid and solid states, continuity of, investigation of
ı, p 156; Bull 96, pp 71–97
I, p 156; Bull 96, pp 71–97         Liquids, compressibility of       Bull 92
subsidence of fine solid particles inBull 36; Bull 60, pp 139-145
volume thermodynamics of
Lisbon beds of Alabama, correlation of
Lists. (See Table.)
Litchfield, Maine, minerals of
Litchfieldite, analysis of, from Litchfield, MaineBull 168, p 21
Literature of various branches of geology, paleontology, etc. (See Bibliography.)
Litharge, statistics of
Lithia micas, constitution of
researches on
Lithium, method for separation of sodium and potassium from, by action of
amyl alcohol on chlorides, with reference to similar sepa-
ration of same from magnesium and calciumBull 42, pp 73–88
Lithographic stone, analyses of
description of, as one of the educational series
from foreign countries
occurrence and statistics of
pp 595–596; MR 1883–84, pp 935–936; MR 1886, pp 690–691;
MR 1889-90, pp 519-520; Ann 18, v cont, pp 1361-1363
Lithoid tufa of California, Mono Valley
Lithoidite, analysis of, from Yellowstone ParkBull 150, p 160; Bull 168, p 104
from Yellowstone Park, description of, as one of educational seriesBull 150,
pp 153–160
of New Mexico, Tewan MountainBull 66, p 11
of Yellowstone Park, Obsidian Cliff
Lithologic character of Azoic, Laurentian, Huronian, etcBull 86, pp 167-170
of Grand Canyon strata
of WealdenAnn 16, 1, pp 477–480

Lithologic geology of Pacific slope quicksilver depositsAnn 8, 11, pp 967–972
Lithologic structure of Obsidian Cliff, Yellowstone Park
Lithologic studies in Archean of Northwestern States
Lithology, importance of, to theory of ore deposits
of coal measures of Iowa
of Missouri
of Keweenaw series
of Newark system
of Pacific slope
of Piedmont Plateau, Maryland
of Washoe district, Nevada
use of, in establishing correlations
in marking off grander groups of strata
(See, also, Petrography.)
Lithophysæ, analysis of contents of, from Hungary, Telki-Banya Ann 7, p 291
analysis of, from Mexico, Cerro de las Nevajas
(material forming) from Yellowstone ParkAnn 7, pp 282, 291
in obsidian of Yellowstone Park
pp 265–272; Mon xxxII, II, pp 364–365, 416–422 origin of
thin section of, from Yellowstone Park
Little Belt Mountains, Montana, course, extent, altitude, features, etc., of GF 56, p 1
geology of
igneous rocks of
ore deposits of
petrography of igneous rocks of
petrology of
structure of
Little Belt Mountains quadrangle, Montana, geology of
Little Camas Creek, Idaho, flow of, measurements of Ann 18, 1v, p 336; WS 11, p 80.
Little Wood River, Idaho, flow of, measurements of
337, 339; Ann 19, IV, p 449; Ann 21, IV, pp 406-407; WS 11,
p 81; WS 16, p 166; WS 28, pp 160, 168, 169; WS 38, p 353
Littlerock Creek, California, flow of, measurements of Ann 18, IV, pp 402-405;
Littlerock Creek, California, flow of, measurements ofAnn 18, 1v, pp 402-405; Ann 19, 1v, pp 526-528; Ann 20, 1v, pp 64, 540; Ann 21,
Littlerock Creek, California, flow of, measurements ofAnn 18, 1v, pp 402-405; Ann 19, 1v, pp 526-528; Ann 20, 1v, pp 64, 540; Ann 21, 1v, pp 470-471; WS 16, p 193; WS 28, pp 189, 190, 191
Littlerock Creek, California, flow of, measurements ofAnn 18, 1v, pp 402-405; Ann 19, 1v, pp 526-528; Ann 20, 1v, pp 64, 540; Ann 21, 1v, pp 470-471; WS 16, p 193; WS 28, pp 189, 190, 191
Littlerock Creek, California, flow of, measurements ofAnn 18, 1v, pp 402-405; Ann 19, 1v, pp 526-528; Ann 20, 1v, pp 64, 540; Ann 21, 1v, pp 470-471; WS 16, p 193; WS 28, pp 189, 190, 191 Littoral erosion, transportation, and deposition
Littlerock Creek, California, flow of, measurements ofAnn 18, 1v, pp 402-405; Ann 19, 1v, pp 526-528; Ann 20, 1v, pp 64, 540; Ann 21, 1v, pp 470-471; WS 16, p 193; WS 28, pp 189, 190, 191 Littoral erosion, transportation, and deposition
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of
Littlerock Creek, California, flow of, measurements of

Lodes, Montana, in Butte district	-8
Loess, analysis of, from Colorado, Denver and HighlandBull 148	2
Loess, analysis of, from Colorado, Denver and Highland	5,
р 297; Bull 168, р 29 analysis of, from Colorado, various localities	9
from Germany, Rhine Valley	
from Illinois, GalenaMon xxxvIII	ı,
p 164; Bull 42, p 143; Bull 148, p 293; Bull 168, p 29	6
Randolph CountyBull 58, pp 102, 10	
from Indiana, near Terre Haute	4
from Iowa, Dubuque	
p 164; Bull 42, p 142; Bull 148, p 293; Bull 168, p 29	
from Mississippi, Vicksburg	
p 164; Bull 42, p 143; Bull 148, p 292; Bull 168, p 29	5
from Missouri, Kansas CityMon xxvII, p 263; Mon xxxvIII	
p 164; Bull 42, p 142; Bull 148, p 295; Bull 168, p 29	8
Perry CountyBull 58, p 10	2
from Wisconsin, Galena	
from Wyoming, Cheyenne	
p 263; Bull 148, p 299; Bull 168, p 30 as brick material	2
chemical and mineralogic constitution of	
concretion in, from Wray, Colorado, analysis ofBull 148, p 29	
description of, as one of educational seriesBull 150, pp 65-6	
distribution of, in Mississippi ValleyBull 150, pp 66–6	7
distribution, structure, mode of deposition, etc., of IowanMon xxxvIII	
pp 153–18	
in Iowa, northeastern, and contiguous territoryAnn 11, 1, pp 435–47.	
in Kansas	9
in Massachussetts, western-central	0
in Mississippi Valley and elsewhere	7
in Nebraska	3
in South Dakota, southeasternBull 158, pp 56–11:	
of Lower Mississippi	3
origin of	8
origin, features, composition, and distribution of	
nn 986_307: Ann 11 r nn 991_30	3
pp 286-307; Ann 11, 1, pp 291-303 relation of, to glacial driftBull 58, pp 101-10-	4
	±
(See, also, Glacial.)  Loess soils of Illinois	
Loess soils of Illinois	4
Loessial epoch in Denver Basin	
Logan group in Ohio as water bearerAnn 19, IV, pp 649, 685–690	0
Logan River, flow of, measurements of	3;
Ann 19, IV, pp 433-434; Ann 20, IV, pp 60, 462-463, Ann 21	
IV, p 397; WS 11, p 77; WS 16, p 158; WS 28, pp 150, 153, 154	
Löllingite of Gunnison County, Colorado, occurrence, description, and chemi-	т.
	0
cal composition ofBull 20, pp 89–99	
London quadrangle, Kentucky, geology of	
Lone Mountain limestone of Nevada, age, character, fossils, etc., of	
pp 253, 262–263; Mon xix, pp 57–60; Mon xx, pp 57–62	2
Long Island, New York, artesian and other wells on	
hydrography of	
Long Valley reservoir and irrigation-canal lines, Nevada	
11, pp 177–178, 179, 182; Ann 13, 111, pp 394–395	
Longitude, determination of, method of, in topographic workMon xxII, pp 33-36	4

Longitude observations in determining Idaho-Montana boundary lineBull 170, pp 23-24
Longitudes and latitudes of places in Missouri, Kansas, and New MexicoBull 49 of places in United States
Longmeadow sandstone of Massachusetts and Connecticut
pp 364–369; GF 50, p 5
Lookout formation in Southern Appalachians, relation of, to PottsvilleAnn 20, 11, pp 817-818
Lookout sandstone of Alabama, Georgia, and Tennessee
p 2; GF 4, p 2; GF 6, p 2; GF 8, p 2; GF
19, p 2; GF 21, p 2; GF 22, p 2; GF 35, p 2
Lord (E.), Comstock mining and miners
report of Tenth Census work
Lord (E. C. E.), report on igneous rocks from vicinity of San Carlos and
Chispa, Texas
Lord (J. S.), Illinois coal
Los Angeles River, flow of, measurements of
ıv, pp 413-415; Ann 20, ıv, pp 541-543; WS 39, pp 409-410
Los Pinos River, Colorado, flow of, meaurements of
000 000 7770 00 000 000
rv, pp 299–300; WS 38, pp 309–310 profile of
profile of
Lost rivers, especially in Indiana and Ohio (subterranean drainage lines)Ann 18,
ıv, p 483
Loudon quadrangle, Tennessee, geology of
Loudoun formation in Catoctin belt
Louisiana, altitudes in
atlas sheets of. (See pp 77–78 of this bulletin.)
boundary lines of, and admission of StateBull 13,
pp 30 104_105 · Rull 171 pp 110_111
brick industry of
building stone from, statistics of
vi cont, pp 207, 264, 266, 270; Ann 20, vi cont, pp
271, 336, 337, 338, 340; Ann 21, vi cont, p 335 et seq
clay products of, statistics of
Ann 16, iv, pp 518, 519, 520, 521; Ann 17, iii cont,
p 819 et seq; Ann 18, v cont, p 1078 et seq; Ann 19,
vi cont, p 318 et seq; Ann 20, vi cont, p 466 et seq
coke in, manufacture of
Donaldsonville quadrangle, river-flood plains in
floods on Mississippi River, discussion of
gas, illuminating and fuel, and by-products in, statistics of
vi cont. pp 227 240 243 246 247 249
vi cont, pp 227, 240, 243, 246, 247, 249 geographic positions in
geologic and paleontologic investigations in
pp 103–104; Ann 12, 1, p 75; Ann 13, 1, p 106
geologic maps of, listed
(See Map, geologic, of Louisiana.)
geologic sections in. (See Section, geologic, in Louisiana.)
geology and paleontology of northwesternBull 142
harbors on coast of
iron-ore deposits of
iron regions of northern, and eastern Texas. (See p 113 of this bulletin.)
magnetic declination in
maps, geologic, of. (See Map, geologic, of Louisiana.)
maps, topographic, of. (See Map, topographic, of Louisiana; also pp 77–78
of this bulletin.)

Louisiana, mineral spring re	aganta in	÷	Ann 14 11 n 22
mineral springs of, stati	stice of	MR 1902 pp 9	2. Ann 14, 11, p 00
	774, 778, 784, 788,		
	nn 17, 111 cont, pp 103		
	79, 1386; Ann 19, vi		
	8, 766; Ann 21, vi coi		
minerals of, useful			
Ouachita River, profile			
purchase of, from France			
rainfall at New Orleans			
Red River, profile of			
salines of			
salt from, statistics of			
	83–84, pp 827, 841–842		
	8, 636; MR 1887, pp		
	4; MR 1889-90, pp 48		
	793, 794, 795; MR 18		
	647, 648, 649, 651; A		
	9, 990, 991; Ann 18, v		
	80, 1288; Ann 19, vi		
	670, 674, 675, 676, 677		
salt making in, history			
sandstone production of			
	cont, pp 207, 264, 266		
	37, 338, 340; Ann 21,		
sections, geologic, in.			
sulphur deposits of			
timber in, estimates of.			Ann 19, v, p 17
topographic maps of. (	See Map, topographic this bulletin.)	e, of Louisiana; al	so pp 77–78
topographic work in		n 11, 1, p 40; Ann	12, 1, pp 24, 28, 31
woodland area in			Ann 19, v, p 7
Louisiana Territory, States:	formed from		.Bull 17, pp 36-38
Loup Fork beds of Montana	a, fossils of		Bull 139, p 55
Loup Fork group of South I	Dakota, Nebraska, and	l Colorado, correla	ation ofAnn 18,
	, p 339; Bull 84, pp 29		
Loup River, drainage area o			
flow of, measurements			
	6–187, 193; Ann 19, IV		
	5, 300; Ann 21, IV, p 2		
	0; WS 15, pp 95–97; 1	WS 27, pp 85, 87;	WS 37, pp 237–241
Lower Claiborne. (See Cla		3:	
Lower Coal Measures limest	one of Nevada, Eure		
Lower Helderberg series in	Tudiana	5, pp 200-270;	Mon xx, pp 85–86
in Ohio Lower Magnesian limestone	in Illinois		Ann 17 rr n 890
in Indiana			
Lower Menominee. (See M			, p 020
Lower quartzite of Colorado	· ·		Mon xII. pp 58-60
Lucas (F. A.), fossil fish fro			
Lucasite, analysis of, from 1			
			p 53; Bull 74, p 66
Lucinidæ from Colorado for	mation		Bull 106, pp 97–98

Lucinidæ from Cretaceous of Pacific coast
from Cretaceous of Vancouver Island
from lower marl beds of New Jersey
from Miocene marls of New Jersey
Ludwigites, analysis of, from Hungary, Banat
Lumber; forests of the United States, résumé of data concerning
v, pp 1–66; Ann 20, v, pp 1–37
Lumber industry in Rocky Mountain and Pacific States
Lumbering in Black Hills Forest Reserve
Luster exhibited by sanidine in certain rhyolitesBull 20, pp 75-80
Luster-mottling structure in gabbro. (See, also, Poikilitic)
Luxemburg, clay products of, at Paris Exposition of 1900 Ann 21, vi cont, p 388
Lycopodiales from Lower Coal Measures of MissouriMon xxxvII, pp 187–247
Lycopodineæ from Carboniferous basins of southwestern MissouriBull 98,
pp 103–104
Lykens or Pottsville coals, quality, nomenclature, etc., of
п. pp 766–769. 854–857
Lytle Creek, California, flow of, measurements of
Lytie Greek, Camornia, now of, measurements of
ıv, pp 555–557; Ann 21, ıv, pp 481–483; WS 39, pp 413–417
Lytoceratidæ from Colorado formation
McAlester coal field, Indian Territory, fossil plants and invertebrate fossils
from
McAlester shale of Indian Territory
pp 437, 441; Ann 21, 11, pp 275–276
Mallocton Table hand full Table (Davidson and Louis II), pp 210-210
McAlester-Lehigh coal field, Indian Territory, geology of Ann 19, III, pp 423–456
McCarthy Creek shales, Alaska
McChesney (J. D.), work in charge of and disbursements by, 1879–1900Ann 1,
pp 9-13; Ann 8, 1, pp 210-257; Ann 9, pp 152-199;
Ann 10, 1, pp 199–252; Ann 11, 1, pp 140–185; Ann 12, 1,
pp 146-210; Ann 13, 1, pp 184-235; Ann 14, 1, pp 278-
318; Ann 15, pp 212–251; Ann 16, 1, pp 88–130; Ann
17, I, pp 121–196; Ann 18, I, pp 129–130; Ann 19, I, pp
141–143; Ann 20, r, pp 159–160; Ann 21, r, pp 186–187
McCreath (A. S.) and d'Invilliers (E. V.), Clinch Valley coal fields, Vir-
ginia
McElmo formation in Colorado, Rico MountainsAnn 21, 11,
pp 28, 76–77; GF 57, p 3; GF 60, p 4
McGee (W J), geology of head of Chesapeake BayAnn 7, pp 537–646
investigations relating to Charleston earthquake
Lafayette formation
map showing areal geology of United States
36–38, pl ii; Ann 14, I, pp 212–213; II, pl ii
Pleistocene history of northeastern Iowa Ann 11, 1, pp 189–577
potable waters of eastern United StatesAnn 14, 11, pp 1-47
rock gas and related bitumens
summary of work from July 1, 1882, to June 30, 1893 Ann 14, 1, pp 223-244
work in charge of, 1883-1893
25-32; Ann 7, pp 104-111; Ann 8, 1, pp 166-173; Ann 9, pp
102–110; Ann 10, 1, pp 148–158; Ann 11, 1, pp 65–70; Ann
12, r, pp 70–77; Ann 13, r, pp 103–113; Ann 14, r, pp 210–244
McCoo (W. T) and Darton (N. H.) goolesses of Englavished and Land and Land
McGee (W J) and Darton (N. H.), geology of Fredericksburg quadrangle,
Virginia-MarylandGF 13
geology of Nomini quadrangle, Maryland-VirginiaGF 23
McKinley (C.), account of Charleston earthquake

McKinley, Mount, Alaska, height, etc., of
McMinnville quadrangle, Tennessee, geology of
Macadam's invention in road making
Machinery and tools used in constructing irrigation worksAnn 13, 111, pp 342–346
Mackintoshite, analysis of
composition of
Maconite, analysis of, from North Carolina
Macrostructural metamorphism of massive rocksBull 62, pp 43–46, 201–204
Mactridæ from Colorado formationBull 106, pp 120–123
from marls of New Jersey Mon 1x, pp 172-174, 217, 238; Mon xxiv, pp 82-84
Madeira, fossil plants of, literature of
Madison limestone, description and components of
in Montana
pp 39-41; GF 1, p 2; GF 24, p 2; GF 55, p 2; GF 56, p 2
in WyomingGF 52, p 3
in Yellowstone Park
32, 35, 36, 48, 51, 58, 153, 160, 206, 213; GF 30, pp 1, 4-5
Madison River, flow of, measurements of
12, 11, pp 230, 346, 360; Ann 13, 111, pp 48, 92, 98; Ann 14,
11, pp 102–103; Ann 18, 1v, pp 131–134; Ann 19, 1v, pp 279–
280; Ann 20, IV, pp 53, 235–237; Ann 21, IV, pp 185–186;
Bull 131, pp 18–21; Bull 140, pp 91–92; WS 11, p 49; WS
15, pp 69–70; WS 27, pp 71, 74, 75; WS 37, pp 205–206
hydrography of, and irrigation in valley of
profile of
Madison sandstone of Wisconsin
Madupite, analysis of, from Wyoming, Lencite HillsBull 168, p 85
Magmas, absorption of sediments by
discussion of, by graphic methods
of eruption, two, in Eureka district, Nevada
Magmas, molten, considered as solutions
Magnesia (from magnesite), analyses of
Magnesian limestone, Lower, in Illinois
in Indiana
Magnesian rocks of California, Bidwell Bar quadrangle
Magnesite, analysis of
statistics of
Magnesium, statistics of
Magnesium and calcium, separation of sodium and potassium from, by action
of amyl alcohol on chlorides
Magnesium salts, analyses of
Magnetic declination in United States
Magnetic observations in Crystal Falls district, Michigan
111, pp 21, 95–96, 141–143; Mon xxxvi, pp 24, 336–373
Magnetic rocks; facts of observation and general principlesMon xxxvi, pp 344–356
Magnetic variations in Alaska in 1898
vii, pp 13, 61; Alaska (2), pp 27, 39, 75
Magnetic and electric properties of iron carburets
Magnetite, analysis of, from Alabama, various localities
analysis of, from Colorado, Costilla CountyMR 1887, p 53
from India
from Massachusetts, Marthas VineyardAnn 7, p 360
various localities
from Minnesota, Grand Marais (surface)
nom rimnesora, Grand riarais (surface)

Magnetite, analysis of, from Minnesota, sec. 34, T. 61 N., R. 12 WBull 148,
p 113; Bull 168, p 83 analysis of, from Nevada, Eureka district
from New York, Palmer (crude)
St. Lawrence County
from North Carolina, Mitchell CountyBull 55, p 86
from Pennsylvania, various localities
from Quebec, Hull
from Spain, San Mathias
from Wisconsin, Ashland County
p 149; Bull 148, p 105; Bull 168, p 75 composition ofBull 150, p 30
composition of
from Port Henry, N. Y., description of, as one of the educational series. Bull 150, pp 372–374
(See, also, Iron ores.)
Magnetite, titaniferous, chemical composition of
of Adirondacks, origin of
Magnetite and hematite, occurrence of, in Penokee iron-bearing rocks. Ann 10, 1, p 391
Magnetite-amphibolite, thin section of, from Massachusetts, WhatelyMon xxix,
pp 306–307
Magnetite-grünerite-schists of Lake Superior iron-ore districts
р 569; Моп ххүн, рр 337–344, 368–369
Magnetization, effect of, on viscosity and rigidity of iron and of steelBull 73,
рр 105–119
influence of hardness onBull 14, pp 111–150
thermoelectric effect ofBull 14, pp 104–110
Magnoliaceæ from Alaska
from Amboy clays
from Dakota group
from Laramie group
from Yellowstone Park
of North America, extinct
Magothy formation of Maryland
Mailloux (C. O.), electrolysis in metallurgy of copper, lead, zinc, and other
metals         MR 1882, pp 627-658           Main Street limestone of Texas         Ann 21, vii, pp 280-283
Maine, altitudes in
Androscoggin River, flow of measurements of
Ann 21, 1v, pp 56–57; WS 27, pp 14–16; WS 35, pp 27–28
profile of
water power on
Aroostook volcanic area, geology of, including an account of the clastic
rocks of Aroostook CountyBull 165, pp 93–188
atlas sheets in. (See pp 78–79 of this bulletin.)
Boothbay quadrangle, physiography of TF 1, p 4
boundary lines of
brick industry of
statistics of
452; MR 1887, p 513; MR 1888, pp 536, 538; MR 1889–90,
pp 373, 396-398; MR 1891, pp 457, 458, 464, 466; MR
1892, pp 706, 707, 710, 711; MR 1893, pp 544, 545, 550, 556,
557; Ann 16, IV, p 437 et seq; Ann 17, III cont, p 760 et seq;
Ann 18, v cont, p 950 et seq; Ann 19, vi cont, p 207 et seq;
Ann 20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq

```
Maine, clay products of, statistics of....Ann 16, IV, pp 518, 519, 520, 521; Ann 17,III
              cont, p 819 et seg; Ann 18, v cont, p 1078 et seg; Ann 19, vi
              cont, pp 318 et seq, 360; Ann 20, vi cont, pp 466 et seq, 522
  Ann 21, iv, pp 53-55; WS 35, pp 28-33
  p xxix; MR 1882, pp 216, 230; MR 1883-84, p 329;
              MR 1885, p 210; MR 1886, p 112; MR 1887, p 69; MR
              1888, p 54; MR 1889-90, p 60; MR 1891, pp 83-84; MR
              1892, pp 96, 97; MR 1893, pp 64, 65; Ann 16, 111, pp 333,
              334; Ann 17, 111, pp 84, 85, 86; Ann 18, v, pp 189, 190, 191;
              Ann 19, vi, pp 140, 141, 142, 143; Ann 20, vi, pp 161, 162,
              163, 164, 165; Ann 21, vi, pp 166, 167, 168, 169, 170
  1367; Ann 19, vi cont, p 657; Ann 20, vi cont, p 745
  vi cont, pp 227, 240, 243, 246, 247, 249
  geologic maps of, listed......Bull 7, pp 55, 56, 57
   (See Map, geologic, of Maine.)
              (See Section, geologic, in Maine.)
  geologic sections in.
  pp 19, 36; Ann 7, pp 62, 82, 157; Ann 8, 1, pp 126, 143;
                Ann 9, pp 71, 77; Ann 10, 1, p 160; Ann 12, 1, p 66;
                Ann 19, 1, p 62; Ann 20, 1, pp 35, 62; Ann 21, 1, p 70
  176, 177, 178; MR 1883-84, p 312; MR 1886, pp 104, 105;
              MR 1887, p 58; MR 1888, p 36; Ann 21, vr, pp 122, 124, 127
  p 513; MR 1888, pp 536, 538; MR 1889-90, pp 374, 396; MR
              1891, pp 457, 458; MR 1892, pp 706, 707; MR 1893, pp 544, 545;
              Ann 16, IV, pp 437, 442, 457, 458, 459; Ann 17, III cont,
              pp 760, 761, 762, 763, 764; Ann 18, v cont, pp 950, 951, 952,
              954, 956, 961-962; Ann 19, vi cont, pp 207, 208, 209, 210,
              211, 215-219; Ann 20, vi cont, pp 271, 272, 273, 274, 275,
              276, 278; Ann 21, vi cont, pp 335, 336, 337, 338, 339, 340
  MR 1882, pp 120, 125, 129, 131, 133, 134, 135, 136, 137;
              MR 1883-84, p 252; MR 1885, pp 182, 184, 186; MR 1886,
              pp 17, 41-42; MR 1887, pp 11, 42; MR 1888, p 14; MR
              1889-90, pp 10, 17; MR 1891, pp 27, 61; MR 1892, pp 15,
              36; MR 1893, pp 15, 28; Ann 16, 111, pp 31, 194; Ann 17,
              III, pp 26, 48, 63; Ann 19, vi, pp 65, 72; Ann 20, vi, p 85
 Ann 21, IV, pp 51-53; WS 27, pp 11-14; WS 35, pp 25-26
```

Maine, limestone production of, statistics ofMR 1887, p 533; MR 1888, p 555; MR 1892, p 711; MR 1893, pp 556, 557; Ann 16, iv, pp 437, 494, 495, 507; Ann 17, iii cont, pp 760, 788, 789, 790, 793; Ann 18, v cont, pp 950, 1044, 1045, 1046, 1058; Ann 19, vi cont, pp 207, 282, 283, 296–297; Ann 20, vi cont, pp 271, 342, 343, 344, 345, 348; Ann 21, vi cont, pp 335, 357, 358, 359, 360
Litchfield, minerals of Bull 42, p 28 magnetic declination in
maps, geologic, of. (See Map, geologic, of Maine.) maps, topographic, of. (See Map, topographic, of Maine; also pp 78-79
of this bulletin.)
mineral spring resorts in
MR 1888, p 627; MR 1889–90, p 528; MR 1891, pp 603, 605; MR 1892, pp 824, 828; MR 1893, pp 774, 778, 784, 789,
Ann 16, IV, pp 709, 713, 720; Ann 17, III cont, pp 1027, 794; 1034, 1041; Ann 18, v cont, pp 1371, 1379, 1386;
Ann 19, vi cont, pp 661, 669, 677; Ann 20, vi cont, pp 749, 758, 766; Ann 21, vi cont, pp 600, 609, 619
minerals of, useful
Mount Desert, geology of island of
Paleozoic terranes of Aroostook County, classification of Bull 165, pp 21-27
Penobscot River, profile of
precious stones in, occurrence of
MR 1886, p 595; MR 1892, p 765; MR 1893, p 695
Presumpscot River, flow of, measurements of
quartz from, statistics of
cont, p 1368; Ann 19, vr cont, p 657; Ann 20, vr cont, p 745; Ann 21, vr cont, p 595
rainfall at Rumford Falls Ann 20, IV, p 72; WS 35, p 27 rivers of, power statistics of Ann 19, IV, pp 41–43
rocks of, nature of
Saco River, profile of
St. Croix River, profile of       WS 44, p 8         water power on       Ann 19, IV, pp 43–52
sea, former height of, in
seacoast swamps of eastern United States
sections, geologic, in. (See Section, geologic, in Maine.)
sewage-disposal plant at Augusta
MR 1887 p 522; MR 1888, pp 547, 549; MR 1889-90, pp 376, 398; MR 1891, pp 472, 473; MR 1892, p 710; MR 1893, p
550; Ann 16, IV, pp 437, 476, 477, 478; Ann 17, III cont,
pp 760, 770, 771, 772, 773, 774; Ann 18, v cont, pp 950, 992, 994, 995, 996, 997, 998; Ann 19, vi cont, pp 207, 250, 251,
252, 253, 254, 255; Ann 20, vi cont, pp 271, 294, 295, 296, 297, 298, 299, 300; Ann 21, vi cont, pp 335, 344–349, 351
201, 200, 200, 11111 21, 11 cont, pp 600, 011-010, 001

Maine, survey of, by cooperation of the State
topographic maps of. (See Map, topographic, of Maine; also pp 78–79 of this bulletin.)
topographic work inAnn 10, 1, pp 85, 88; Ann 11, 1, p 35; Ann 12, 1, p 25;
Ann 13, 1, p 70; Ann 14, 1, p 171; Ann 16, 1, pp 64, 68, 69;
Ann 18, 1, p 95; Ann 19, 1, p 90; Ann 21, 1, pp 119, 126
triangulation in
water-power streams of
water storage in lakes of
woodland area in
Majolica glaze, analysis of
Malacca, tin industry in
Malachite, analysis of, from North Carolina, Mecklenburg County (pseudo-
malachite)
occurrence and statistics of
pp 777–778; MR 1886, pp 597–598; MR 1891, p 551;
MR 1892, p 781; MR 1893, p 682; Ann 16, iv, p 605
Malacone, chemical constitution of
1v, pp 337, 338; Ann 19, iv, pp 448–449; Ann 20, iv,
pp 62, 477; Ann 21, 1v, pp 407–409; WS 11, p 79; WS 16,
p 166; WS 28, pp 160, 168, 169; WS 38, pp 354–355
Malaspina Glacier, Alaska, description of
Malay Peninsula, tin industry and production ofAnn 16, 111, pp 465, 467-484
Malheur River, Oregon, flow of, measurements of
п, р 106; Ann 12, п, рр 344, 358, 360; Ann 13, пг, рр 98,
99; Ann 18, IV, pp 348-350; Ann 20, IV, p 62; Bull 131
p 66; Bull 140, pp 242–243; WS 11, p 83; WS 16, p 169
hydrography of basin of
Malthite, analysis of, from Germany, Steindörfel
Mamainse series of Lake Superior region
Mammals, an extinct order of gigantic (Dinocerata)Ann 5, pp 243-302; Mon x
extinction of large fossil
of Denver Basin, Jurassic and Cretaceous, remains of . Mon xxvII, pp 508-509,520
of Eocene in Rocky Mountain region
Mammoth Hot Springs, Yellowstone Park, geologic relations, deposits, etc., of Ann
9, pp 628–650
(See, also, Yellowstone Park.)
Mammoth limestone of Utah
Man; human remains in auriferous gravels of CaliforniaBull 84, pp 221-222
in Ohio, interglacial
influence of physiography on
Man and soil, action and reaction of
Manasquan formation of New Jersey
Manatee River marl of Florida
Mancos Canyon, Colorado, reservoir sites in
Mancos River, Colorado, flow of, measurements of
21, IV, pp 284–286; WS 28, pp 137, 142, 144; WS 38, p 312
profile of
Mancos formation or shales in ColoradoAnn 21, 11, p 77; GF 57, p 4; GF 60, pp 4–5 Manganese, amount of, in silver ore from ColoradoAnn 18, v, pp 303, 304
manganese, amount of, in sirver ore from Colorado

N
Manganese, use of
Bull 25, p 13; MR 1886, pp 209–213; MR 1892, pp 177–178
Manganese carbonate, analysis of, from Indian Territory
from Wales, Merionethshire
Manganese minerals in Colorado, Cripple Creek district
Manganese ore, analysis of, from Alabama, Cleburne County
analysis of, from Alabama, various localities
from Arkansas, Independence County
н, pp 402, 403; MR 1885, pp 335, 336; MR 1886,
p 185; MR 1887, p 148; MR 1892, pp 179, 180
Polk County
various localities
from Australia
from Belgium, Chevron
from Brazil (average)
from California, Corral Hollow and Red Rock
p 406; MR 1889-90, p 131 from Chile
Ann 20, vi, pp 145, 146; MR 1891, p 140; MR 1892, p 211
from Colombia, various localities
from Colorado, Leadville district
(used for manufacture of spiegeleisen)
from Cuba, various localities
v, pp 312, 313; Ann 20, vr, p 140; MR 1888, p 138
from England, Derbyshire
Merionethshire
from France
from Georgia, Bartow County
pp 411, 412; Bull 78, p 128; MR 1882, p 425; MR
1885, pp 330, 331; MR 1886, p 186; MR 1892, p 180
Floyd CountyMR 1885, p 331; MR 1886, p 188; MR 1891, p 134
from Indian TerritoryAnn 16, 111, p 413; MR 1891, p 135; MR 1892, p 197
from Italy, Tuscan MR 1886, p 203
from Japan
from Kentucky, Bell CountyBull 78, p 128
from Maine, Blue HillAnn 16, 111, p 416; MR 1885, p 342; MR 1892, p 199
from Michigan, Copper Harbor
Lake Superior MR 1891, p 135
McComberAnn 16, 111, p 415; MR 1885, p 346; MR 1892, p 183
from Missouri, Arcadia
p 417; MR 1885, p 348; MR 1892, p 200
Cuthbertson and vicinity
Reynolds County
New Brunswick, Hillsboro
Markhamville
p 436; MR 1885, p 351; MR 1888, p 135; MR 1892, p 217
from New Jersey, Franklin
from North Carolina, Chatham CountyMR 1885, p 344
Gaston County
Jackson, and Lincoln counties
various localities
from Nova Scotia
Teny Cape district
·

Manganese ore, analysis of, from Pennsylvania, Cumberland and York counties
analysis of, from Pennsylvania, Lehigh County
111, pp 420, 421; MR 1885, p 343 from Russia, Chiaturi and Nicopol district
from Russia, Chiaturi and Nicopol district
from South Carolina, Dorn CountyAnn 17, 111, p 201; MR 1886, p 193 from South Dakota, Custer County
from South Dakota, Custer County
ALAND TO THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE P
MR 1891, p 137; MR 1892, p 202
from Spain, various localities
from Tennessee, Johnson City, Washington CountyBull 78, p 128
Monroe County
Uncoi County
from Vermont, South WallingfordAnn 16, 111, p 425; MR 1888, p 132
from Virginia, Augusta County
p 127; MR 1885, pp 316,317, 318, 319; MR 1892, p 18
Botetourt, Craig, Pulaski, Shenandoah, Rockbridge, and Wythe
counties
Bull 60, pp 165, 166; MR 1885, pp 320, 321, 322, 326, 327
Campbell County
Houston, Halifax County
Nelson County
Page County
• Rockingham CountyAnn 16, 111, p 431; Bull 55, p 86; Bull 60, p 165
Smythe County
various localitiesBull 64, pp 51, 52
from Wales
from West Virginia, Glenmore
from Wisconsin, St. CroixMR 1886, p 190
in Georgia-Tennessee, Ringgold quadrangle
in Montana, Butte districtGF 38, p 5
in Sierra Nevada
of United States, character of
localities ofAnn 16, III,
pp 392–393; Ann 17, 111, pp 185–186; MR 1892, pp 172–177
origin and occurrence of
pp 171–172; Ann 16, 111, pp 391–392; Ann 18, v, p 298
production of, statistics of
pp 550-566; MR 1885, pp 303-356; MR 1886, pp 180-213;
MR 1887, pp 144–167; MR 1888, pp 123–143; MR 1889–90,
pp 127–136; MR 1891, pp 126–146; MR 1892, pp 169–
226; MR 1893, pp 119-155; Ann 16, 111, pp 389-457; Ann
17, иг, pp 185–225; Ann 18, v, pp 291–328; Ann 19, vг, pp
91–125; Ann 20, vi, pp 125–158; Ann 21, vi, pp 85–86, 129–162
Manganese-silver ore, analysis of, from Montana, Butte districtMR 1883-84,
pp 379, 380
Manganiferous iron ore, analysis of, from Lake SuperiorMR 1891, pp 128-129
Manganiferous iron, silver, and zinc ores of United States, character and pro-
duction of
pp 128–129; MR 1891, pp 128–130; MR 1892, pp 181–185,
190–192; MR 1893, pp 121–122; Ann 16, III, pp 396–399;
Ann 17, 111, pp 188–191; Ann 18, v, pp 293–295; Ann 19, vi,
pp 92–95; Ann 20, vi, pp 127–129; Ann 21, vi, pp 132–134
Manganiferous ore, analysis of, from Colorado, Taylor River Ann 18, v, p 304
analysis of, from Spain
from Virginia, Page County

W
Manganophyll, chemical constitution of
Mangrove swamps
Manigault (G. E.), account of Charleston earthquake
Manifoda, rainfall at Winnipeg
Manitoba escarpment, a series of highlands
Manitoba, Lake, description of
Manitou limestone of Colorado
Manitounuck group of rocks of Hudson Bay regionBull 86,
pp 209–210, 212–213, 500–501
Mansfield formation of Michigan, Crystal Falls district Ann 19, 111, pp 36-44,
114–115, 131–133; Mon xxxvi, pp 54–73, 411–415, 437–440
Mansfield group of Louisiana
Mantell (G. A.), quoted on fossil forests of Isle of Wight
quoted on Portland beds and cycadean trunksAnn 16, 1, pp 488–489
Manti beds of Utah
Manzanilla beds, Trinidad, correlation of
Map, geologic, of Africa, showing occurrence of iron oreAnn 16, 111, pp 158-159
of Africa; Transvaal gold fields
of Alabama; Cenozoic and Mesozoic strata, distribution of Bull 43, pp 134–135
Chattanooga district, southern half, showing drainage at close of Cum-
berland gradation period and relative development and
preservation of three peneplains
Eocene strata, distribution ofBull 83, pp 60-61
faults and folds in parts of Virginia, Tennessee, Georgia, andAnn 13,
11, pp 240–241
Gadsden quadrangle; areal, economic, and structural geologyGF 35
Mesozoic and Cenozoic strata, distribution ofBull 43, pp 134–135
Stevenson quadrangle; areal, economic, and structural geologyGF 19
of Alaska
Admiralty Island coal field, showing localities of workingsAnn 17,
ı, pp 776–777
Alexander Archipelago, showing location of minesAnn 18, 111, pp 60-61
Birch Creek gold mining district
Chignik Bay, showing location of coal mine
Cook Inlet, coal region near
from Tordrillo Mountains to
showing location of inflies, lossins, gold, and coal in vicinity of Ann 16,
Copper River and adjacent territoryAnn 20, vii, pocket
Egoushik River and Nushagak to KatmaiAnn 20, vii, pp 140–141
Fortymile Creek, showing relation of present and ancient valleys Ann 18,
111, pp 278–279
Fortymile gold-mining district, eastern portion ofAnn 18, 111, pocket
western portion of
Girdled Glacier, moraines of
Glacier Bay region
showing glaciers and moraines
Herendeen Bay coal field
Juneau mining district, showing location of minesAnn 18, 111, pp 62-63
Kanektok and Togiak rivers
Kuskokwim River from above Yukon portage to Kuskokwim BayAnn 20,
vii, pp 132–133

Map, geologic, of Alaska; Kuskokwim River from below Holiknuk to midway
between Kolmakof and Yukon portage: Ann 20, v11, pp 126–127 of Alaska; Kuskokwim River from Tordrillo Mountains past the Holiknuk
River
Mission Creek gold-mining district, portion of Ann 18, 111, pp 336–337
Mount St. Elias region, showing moraines and glaciersAnn 13, 11, pp 6-7
Muir Inlet and Muir Glacier
Neocene formationsBull 84, pp 268–269
showing distribution of gold and coal
Nome mining region
Shumagin Islands (part of), showing coal fields Ann 17, 1, pp 808-809
showing mineral localities
Silver Bay and vicinity, showing location of mines Ann 18, 111, pp 76–77
southwestern
Sushitna River and adjacent territory
Tertiary-Pleistocene volcanic activity, localities of Ann 20, v11, pp 226–227
Tordrillo Mountains
White and Tanana river basins, portions of Ann 20, vii, pp 460-461, 466-467
Wrangell Mountains
Yukon gold belt and adjacent regions in Northwest TerritoryAnn 18,
111, pp 252–253
showing lines of geologic work
Yukon River, vicinity of upper, showing northern limit of glacia- tion
Zachareffskaia Bay, showing location of coal and lignite Ann 17, 1, p 809
of Appalachian crystalline belt, showing distribution of peridotites, schists,
gneisses, and corundumAnn 17, 111 cont, pp 936–937
of Appalachian province, showing physiographic subdivisions of southern,
and limits of Chattanooga districtAnn 19, 11, pp 10–11
structural districts of
of Arizona; Colorado Plateau and San Francisco Mountains
atlas sheet xxiii
Grand Canyon, eastern section
Kaibab Plateau
southern partMon 11, atlas sheets xi, xii, xiv
Kanab, Kaibab, Paria, and Marble canyon platforms
atlas sheet xxii
Plateau province, western part Ann 11, pocket; Mon 11, atlas sheet ii
western part, showing faults and high plateausMon 11,
atlas sheet iii platform of and surrounding Mesozoic formations Mon 11, pp 28–29
Uinkaret Plateau
part of New Mexico and
Plateau province strata and eruptive rocks
volcanic areas around borders of
of Arkansas, showing bauxite districts
of Asia, showing occurrence of iron ores
of Banca, northeast part
of Burma, showing location of tin mines
of California; Banner Hill and vicinity, economic and structural geology. GF 29
Bear Mountain and vicinity
Bidwell Bar quadrangle; historical and economic geologyGF 43
Big Trees quadrangle; historical and economic geologyGF 51
Bloody and Parker canyons, morainal embankments of . Ann 8, 1, pp 340-341

•	
Map, geologic, of California; Cinder Cone region in northernBull 79, pp 22-	23
of California; Clear Lake district	:::
C. Marian Maria Lake district	00
Colfax quadrangle, historical, economic, and structural geologyGF	
Downieville quadrangle, historical, economic, and structural geologyGF	
Duncan Hill and Ophir mining districts	49
earthquake area, showing extent ofBull 112, p	21
geologic maps, location of	
Golden Gate Hill	
Grass Valley, economic and structural geology in vicinity ofGF	
mining districts near Nevada City and	
Neocene bed-rock surface in vicinity of Nevada City andAnn 1	
rr, pp 102-10	
Great Basin, northwestern part, showing fault linesAnn 4, pp 442-4	43
northwestern part, showing Pleistocene lakes, etcAnn 4, pp 438-43	
Great Western quicksilver mine, formations in neighborhood ofMon xi	
pp 358-3	
Grizzly Peak	
Jackson quadrangle, areal, economic, and structural geologyGF	11
Klamath Mountains and adjacent regions in Oregon andAnn 1	
II pp 414 4	15
Knoxville district	
Lacron Poult anadronale, and analogy April 2 pp 406 407. CT	V 15
Lassen Peak quadrangle, areal geology Ann 8, 1, pp 406-407; GF	
economic geologyGF	15
Marysville quadrangle, areal, economic, and structural geology GF	
Mono Basin in Pleistocene time	29
Mother Lode district, economic and structural geologyGF	63
Mount IngallsAnn 14, 11, pp 490–49	91
Nevada City, claims near	
economic and structural geology in vicinity of	
mining districts near Grass Valley and	
Neocene bed-rock surface in vicinity of Grass Valley andAnn 1	-
п, рр 102-10	03
New Almaden district	
New Idria district	vi
Oathill quicksilver mine, formations near	55
Ophir and Duncan Hill mining districts	
Parker and Bloody canyons, morainal embankments of Ann 8, 1, pp 340-3	
Placerville quadrangle, areal, economic, and structural geologyGF	
Pyramid Peak quadrangle, areal, economic, and structural geologyGF	
quicksilver mines, distribution of	
11, pp 966-967; Mon XII, frontispie	
Sacramento quadrangle, areal, economic, and structural geologyGF	5
San Clemente Island	65
San Francisco Peninsula	07
Sierra Nevada, showing bed-rock formation and location of special	
maps in part of	19
showing older formations	
Showing older formations	יטנ מו
Smartsville quadrangle; areal, economic, and structural geologyGF	
Sonora quadrangle; historical, economic, and structural geologyGF	11
Stanislaus River, portion of drainage area of, showing distribution of	
latites and other Neocene lavas and tuffsBull 89, pp 12-	13
Sulphur Bank district	iv
Truckee quadrangle; historical, economic, and structural geologyGF	
	-
Bull 177—01——30	

Map, geologic, of Canada; Acadian area of Newark system Bull 85, pp 18-19	
of Canada; British Columbia, Northwest Territory, and Alaska (part)Ann 21,	
II, p 356	
glacial Lake Agassiz, area of, at times of formation of Itasca and	
Mesabi moraines	
areas of upper Laurentian lakes and	
drainage systems in area of	
drift deposits in southern portion of basin ofMon xxv, pp 132-133	
formations underlying the drift on area of	
southern portion of, altitudes in	
showing extent in Gladstone stage	
in lower Blanchard stage	
in lower Campbell stage	
showing moraines and location of other maps. Mon xxv, pp 276-277	
western shores from Morden to Assiniboine River	
pp 364-365	
near the international boundary, showing moraines and	
deltas	
north of Assiniboine River	
glacial Lake Agassiz and adjoining country, altitudes in area of Mon xxv,	
pp 36–37	
glacial Lake Souris, showing moraines and deltas Mon xxv, pp 268–269	
Manitoba; Assiniboine River Delta, showing glacial lake area,	
moraines, and delta Mon xxv, pp 370-371	
New Brunswick, Nova Scotia, and part of QuebecBull 86, pp 224-225	
Newfoundland Bull 86, pp 248–249	
northern	•
Northwest Territory; Forty mile gold-mining district, eastern portion	
ofAnn 18, 111, pocket	
Yukon gold belt and adjacent regions in Alaska andAnn 18,	
ш, pp 252–253	
showing lines of geologic work in Alaska and	
ш, pp 254–255	
Nova Scotia, New Brunswick, and part of QuebecBull 86, pp 224-225	
Ontario; Lake Superior, northwestern coast	
pp 140–141; Mon v, pp 262–263	
Lake Superior, region around	
pp 180–181; Ann 19, 111, pp 22–23; Mon v, pp 24–25; Mon	
xix, pp xx-xxi; Mon xxxv, pp 10-11; Bull 86, pp 52-53	
region around Keweenawan trough, structure and extent of Ann 3,	
pp 172–173; Mon v, pp 410–411	
Quebec, part of, and New Brunswick and Nova ScotiaBull 86, pp 224-225	
southern portionBull 86, pp 24–25	
of Colorado; Anthracite and Crested Butte quadrangles, areal geologyAnn 14,	
II, pp 164–165; GF 9	
Anthracite and Crested Butte quadrangles, economic and structural	٠
geology GF 9	
Aspen and vicinity	
Aspen district	
Aspen Mountain	
Bassick Hill and vicinity	
Boulder and adjoining region, showing nonconformities Mon xxvII,	
pp 106–107	
Bull Hill, systems of veins on	

Map, geologic, of Colorado; Colorado Range, showing folds in echelon along front
of Colorado; Crested Butte and Anthracite quadrangles; areal geology. Ann 14, 11, pp 164–165; GF 9
Crested Butte and Anthracite quadrangles; economic and structural
geology
Cripple Creek district; economic geologyAnn 16, 11, pocket; GF 7
Denver Basin; areal, economic, and structural geologyMon xxvII, pocket
Elmoro quadrangle; historical, economic and structural geologyGF 58
Golden and vicinity
Hunter Park and vicinity
Independence and Washington claims, showing veins and dikesAnn 16, 11, pp 200–201
La Plata quadrangle; historical, economic, and structural geologyGF 60
Leadville and vicinity Ann 2, pp 240-241; Mon xII, atlas sheets xiii, xiv
Lenado
Lenado mining district
Mosquito Range
Pikes Peak quadrangle; areal, economic, and structural geologyGF 7
plateau country of Utah, Arizona, New Mexico, and volcanic areas
around border of
portions of New Mexico
portions of Utah and Wyoming
Pueblo quadrangle; areal, economic, and structural geologyGF 36
Raven Hill, showing veins and dikes on
Rico Mountains
Silver Cliff and Rosita Hills
Smuggler Mountain
Telluride quadrangle; economic geologyAnn 18, 111, pocket; GF 57
historical and structural geology
Tenmile district; economic geology
Tourtelotte Park and vicinity
Tourtelotte Park mining district
Uinta Basin of Utah and
Walsenburg quadrangle; historical, igneous, economic, and structural, and artesian water
Washington and Independence claims, showing veins and dikes Ann 16,
ı, pp 200–201
White River uintaite (gilsonite) region
of Connecticut; Holyoke quadrangle, surficial, historical, economic, and
structural geology
Housatonic quadrangle, eastern half
Newark system, areas occupied by
Connecticut Valley and Southbury areas
Percival's (1842) modification of a portion ofAnn 7, pp 462-463
Orenaug Hill
Pomperaug River, to illustrate supposed stages in erosion historyAnn 21, 111, pp 154–155
Pomperaug Valley
showing relation of drainage to faults
South Britain, vicinity of
Southbury area, Connecticut Valley Bull 85, p 82
Triassic area of
West Norfolk and vicinityBull 159, pp 76–77

	logic, of Idaho; Snake River Valley, lowerAnn 18, 111, pp 625-626
	aho; western-centralAnn 20, 111, pp 76–77
\	western-central, part of Oregon and
	showing mineral deposits
	Willow Creek and Rock Creek mining districtsAnn 18, 111, pp 708–709
of Ill	inois; Chicago and vicinity, showing glacial topographyMon
_	xxxviii, pp 420–421
	Danville quadrangle; historic and economic geology
C	lrift, depth of, in western Indiana and
	relation to ordinary wells in Indiana andMon xxxvIII, pp 556-557
C	lrift formations in western Indiana and
	и, pp 788–789; Mon хххvии, pp 552–553 glacial boundary in southern
9	glacial boundary in southern Bull 58, pp 70–71
	ce lobe in western Indiana, Missouri, Iowa, andMon xxxvIII, pp 24-25
ı.	Kane and Kendall counties, parts of, showing glacial depositsMon
	xxxviii, pp 284–285
r	northwestern, showing glacial deposits and pre-Glacial drainageMon
	xxxvIII, pp 130–131
	Pleistocene deposits in western Indiana and
	St. Peter sandstone, elevation of, in western Indiana and
	ії, pp 794-795; Mon xxxvіії, pp 556-557
	main absorbing area in Wisconsin and
	II, pp 786–787; Mon xxxviii, pp 556–557
	dian Territory; eastern Choctaw coal field
	Lehigh district
	McAlester district
1	cipal coal beds
of In	diana; Danville quadrangle; historical and economic geologyGF 67
	lrift, relation of depth of, to ordinary wells
,	relation to wells in Ohio and
i	drift formations in Ohio and
0	gas and oil fields
	glacial boundary in southernBull 58, p 65
1	Pleistocene deposits
	in Ohio and
1	portions of Ohio and
	south-central, showing glacial deposits and pre-Glacial drainage Mon
-	хххуи, рр 102-103
s	southwestern, showing glacial boundary and pre-Glacial and present
	drainage
7	Frenton formation
	Frenton limestone in Ohio and, topography ofAnn 8, 11, pp 548-549
v	western; drift, depth of, in Illinois andAnn 17, 11, pp 768-769
	drift, relation of, to ordinary wells
	drift formations in Illinois and
	и, pp 788–789; Mon xxxvии, pp 552–553
	Illinois ice lobe in Iowa, Missouri, Illinois, and Mon xxxvIII, pp 24-25
	Pleistocene deposits in Illinois and
	St. Peter sandstone, elevation of, in Illinois andAnn 17, 11,
	pp 794–795; Mon xxxvIII, pp 556–557
of Io	wa; ice and water, distribution of, in Glacial times
	pp 564–565, 566–567, 568–569, 570–571

Map, geologic, of Iowa; Illinois ice lobe in western Indiana, Illinois, Missouri,
and
of Iowa; northeastern, deformations of, and contiguous territoryAnn 11, 1,
pp 346-347
northeastern, drift, loess, and other topographyAnn 11, 1, pp 360-361
forests and swamps, primeval
indurated formations
lakes and rivers, during second ice invasionAnn 11, 1, pp 576-577
paha in
Pleistocene deposits of
Pleistocene deposits of parts of Nebraska, South Dakota, Minnesota,
and
portions of Michigan, Wisconsin, Minnesota, North and South Dakota,
and
Potsdam formation, main absorbing areas for, in Wisconsin, Minne-
sota, and
of Kansas
Fort Riley Military Reservation and vicinity, showing Cretaceous out-
crops
Missouri River region, outcrops of Dakota sandstone in
southeastern
southwestern
Big Stone Gap coal field; Gladeville sandstone, elevations ofBull 111,
pp 24–25
relation of, to central portion of Appalachian Basin . Bull 111, pp 12-13
Estillville quadrangle; areal, economic, and structural geologyGF 12
London quadrangle; historical, economic, and structural geologyGF 47
Richmond quadrangle; historical, economic, and structural geology. GF 46
of Lake Superior, northwestern coast of . Ann 3, pp 140-141; Mon v, pp 262-263
region around Ann 3,
pp 92–93; Ann 5, pp 180–181; Ann 10, 1, pp 348–349; Ann
19, пп, pp 22–23; Ann 21, пп, pp 330–331; Mon v, pp 24–25;
Mon xix, p 1; Mon xxxv, pp 10-11; Bull 86, pp 52-53
Keweenawan trough, structure and extent of
pp 172–173; Mon v, pp 410–411
Marquette district, more productive partAnn 21, 111, pp 370-371
Menominee district, more productive partAnn 21, 111, pp 388-389
Mesabi district, more productive part
Penokee district, more productive partAnn 21, 111, pp 338-339
showing location of iron-ore districts
Vermilion district, more productive part Ann 21, III, pp 402-403
of Maine; Aroostook volcanic areaBull 165, pp 104–105
Castle Hill areaBull 165, p 120
counties of, showing location of glacial gravelsMon xxxiv, pp 490-491
ice sheet, showing approximately the lines of frontal retreat Mon xxxiv,
pp 392–393
Mapleton Township, showing teschenite areaBull 165, p 116
marine clays, distribution of
Mount Desert Island
showing Pleistocene deposits of
of Manitoba. (See Map, geologic, of Canada, Manitoba, p 466.)
1,0 0,7 = 7 = 7,0 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,7 m, 1,

Map, geologic, of Maryland; Baltimore gabbro area
pp 136–137 Catoctin belt in Pennsylvania, Virginia, West Virginia, and
Tertiary base-level in
Chesapeake Bay, head of, showing distribution of Columbia forma-
tion
Eocene strata in Delaware, Virginia, and
Fredericksburg quadrangle; areal geology
granites in central, distribution of
Newark areas in New York, New Jersey, Pennsylvania, Virginia, andBull 85, pp 20-21
Potomac formation in District of Columbia and portions of Virginia
and
Harpers Ferry quadrangle; areal, economic, and structural geologyGF 10
Nomini quadrangle; areal geology and distribution of water-bearing
formationsGF 23
Piedmont quadrangle; areal, economic, and structural geologyGF 28
underground water, distribution of, in Virginia and Bull 138, pp 162–163
features of, in District of Columbia and
relations of, in Coastal Plain region of Delaware andBull 139, pp 118–119
Washington (D. C.) quadrangle; areal, economic, structural, physio-
graphic
of Massachusetts; Cape Ann, showing distribution of dikes, etc
pp 610-611
Cape Ann, showing distribution of glacial scratches, etc Ann 9, pp 606-607
showing superficial deposits
tion preceding the last Glacial epochAnn 18, 11, p 516
East Lee
Franklin, Hampshire, and Hampden counties, showing surface geol-
ogy and Pleistocene deposits
Greylock and Hoosac mountains
Holyoke quadrangle, showing superficial, historical, economic, and structural geology
Hoosac Mountain, west crest and slope of
Hoosac and Greylock mountains
Housatonic quadrangle, eastern half ofBull 159, pp 102–103
Marthas Vineyard; surface geology
Millers River, showing rocks near mouth of
Monument Mountain
the tuff, and volcanic cores
Nantucket, Glacial and post-Glacial deposits, distribution of . Bull 53, pp 2-3
Narragansett Basin, northern and eastern partMon xxxIII, pp 210-211
showing distribution of metamorphosed Carboniferous rocksMon
xxxiii, p 120
showing distribution of Upper Cambrian pebbles in Rhode Island and
southern part
North Attleboro, showing Cambrian fossil localities southwest ofMon
хххп, рр 386-387

Man goologie of Massachusetta, Northfold Mountain showing Deventaton
Map, geologic, of Massachusetts; Northfield Mountain, showing Benardston
series of metamorphosed upper Devonian rocks and
faulted syncline of Silurian schistMon xx1x, pp 260-261
of Massachusetts; relations of Stockbridge limestone, Hudson River shale,
and Rensselaer grit in parts of New York andAnn 13,
п, pp 296–297
western, showing pre-Glacial drainage and drift striæ. Mon xxix, pp 510-511
showing relation of Greylock series to Hoosac Mountain rockMon
ххии, рр 10-11
West Norfolk and vicinityBull 159, pp 76–77
of Michigan; Agogebic Lake to Montreal River (reproduction of Barnes
and Whitney's)
Amasa, vicinity of
Clarkburg, area north of
Crystal Falls, vicinity of
vicinity of, showing distribution of Huronian rocksMon xxxvi,
pp 160–161
vicinity of Mansfield andMon xxxvi, pp 178–179
Crystal Falls district, portion of Marquette district and
. III, pocket; Mon xxxvi, pocket
portion of, showing glacial topography and illustrating the devel-
opment of Deer River
portion west of Republic
Felch Mountain range
Gogebic range, showing location of iron-ore minesAnn 17, 111, pp 32–33
Huronian rocks, original (after Logan)Bull 86, pp 34-35
Isle Royal and neighboring mainland Ann 3, pp 156–157; Mon v, pp 328–329
Keweenaw Point
Lake Superior land district (reproduction of Foster and Whit-
ney's)
Lake Superior region
Ann 5, pp 180–181; Ann 10, 1, pp 348–349; Ann 19, 111
pp 22–23; Ann 21, 111, pp 330–331; Mon v, pp 24–25;
Mon xix, p 1; Mon xxxvi, pp 10–11; Bull 56, pp 52–53
iron-ore districts, showing location of
Keweenaw trough, structure and extent ofAnn 3,
pp 172-173; Mon v, pp 410-411
Lower Peninsula
Pleistocene deposits
showing formations and elevations of rock surface WS 30, pp 78–79
Mansfield, vicinity of Crystal Falls and
Marquette district
Ann 21, 111, pp 370–371; Mon xxv111, pp 58–59;
Mon xxvIII, atlas sheet iv; Bull 62, pp 14-15
portion of, and Crystal Falls district
111, pocket; Mon xxxvi, pocket
showing location of other maps
T. 47 N., R. 25 W., NE. 4 of, vicinity of Migisi BluffsMon xxvIII,
atlas sheet xxxix
NW. 4 of, vicinity of Ragged HillsMon xxvIII, atlas sheet xxxvii
T. 47 N., R. 26 W., NE. 4 of, vicinity of Kona Hills Mon xxvIII,
atlas sheet xxxiv
NW. 4 of, vicinity of Negaunee Mon xxvIII, atlas sheet xxxi
SE. 4 of, vicinity of Wewe Hills Mon xxvIII, atlas sheet xxxv
CW 1 of mining with the Addition Title . Many many attention of an expension

```
Map, geologic, of Michigan; Marquette district, T. 47 N., R. 27 W., NE. 1 of,
            of Michigan; Marquette district, T. 47 N., R. 27 W., NW. & of ..... Mon xxvIII,
                                        atlas sheet xxv
     Marquette district, T. 47 N., R. 27 W., SE. 1 of, vicinity of Summit
            Mountain......Mon xxvIII, atlas sheet xxix
       NW. 4 of, vicinity of Clarksburg......Mon xxvIII, atlas sheet xix
          SE. 4 of ...... Mon xxvIII, atlas sheet xxiii
          T. 47 N., R. 29 W., NE. & of, vicinity of Mount Humboldt. Mon xxvIII,
                                        atlas sheet xvi
          NW. 4 of, vicinity of Fish Lake ....... Mon xxvIII, atlas sheet xiii
          SE. 4 of ...... Mon xxvIII, atlas sheet xvii
          SW. 1 of, vicinity of Lake Amik ...... Mon xxvIII, atlas sheet xiv
       NW. 4 of, vicinity of Lake Michigamme. Mon xxvIII, atlas sheet vi
          T. 48 N., R. 25 W., SE. 4 of, vicinity of Marquette.......Mon xxvIII,
                                      atlas sheet xxxviii
          SW. 4 of, vicinity of Mona Hills.....Mon xxvIII, atlas sheet xxxvi
       T. 48 N., R. 26 W., SE. 4 of, vicinity of Eagle Mills.......Mon xxxvIII,
                                      atlas sheet xxxiii
          SW. 4 of, vicinity of Makwa Hills.....Mon xxvIII, atlas sheet xxx
       T. 48 N., R. 27 W., SE. 4 of, vicinity of Teal Lake.......Mon xxvIII,
                                       atlas sheet xxvii
          SW. 4 of, vicinity of Broken Bluffs....Mon xxvIII, atlas sheet xviii
       atlas sheet xv
          SW. 1 of, vicinity of Champion Station. Mon xxvIII, atlas sheet xii
       T. 48 N., R. 30 W., SE. 4 of, vicinity of Lake Michigamme. . Mon xxvIII,
                                        atlas sheet viii
          SW. 4 of, vicinity of Lake Michigamme ... Mon xxvIII, atlas sheet v
     Marquette range, showing location of iron-ore mines...Ann 17, 111, pp 30-31
     Mon xxxvi, pp 18-19; GF 62; Bull 62, pp 24-25
     Menominee range, showing location of iron-ore mines . . Ann 17, 111, pp 30-31
     Montreal River, Agogebic Lake to (reproduction of Barnes and Whit-
            Numatagon Lake, region between Ontonagon River, Wisconsin, and .. Ann 3,
                              pp 138-139; Mon v, pp 224-225
     Penokee range and surrounding region (reproduction of Whittle-
            Ann 21, 111, pp 338-339; Mon xix, pp 2-3
     Republic horseshoe.......Ann 15, pp 624–625
```

Map, geologic, of Michigan; Republic trough
of Michigan; Republic trough, southeast partMon xxvIII, atlas sheet xi
southwestern, showing glacial deposits
Sturgeon River tongue
T. 42 N., R. 28 W., sec. 7 and portions of secs. 8, 17, and 18, showing
exposures near Sturgeon RiverMon xxxvi, pp 474–475
Ts. 47 and 48, R. 25–30. (See above under Marquette district.)
Upper Peninsula
by Burt, William A., 1846, reproduction of
by Rominger, C., Brooks, T. B., and Pumpelly, R., reproduction
ofMon xxxvi, p 18
portion of, by Brooks, T. B., and Pumpelly, R., reproduction ofMon
xix, pp 31-32
portions of, by Burt, Hubbard, and Ives
Vermilion district, more productive part
of Minnesota; Agassiz Lake. (See below, glacial Lake Agassiz.)
Beaver Falls district
Courtland district Bull 157, pp 20–21
Fort Ridgely districtBull 157, pp 24–25
glacial Lake Agassiz, area covered by, at time of formation of Fergus
Falls and Leaf Hills morainesMon xxv, pp 212-213
area covered by, at time of formation of Itasca and Mesabi
moraines
beaches and deltas of, eastern, in Clay and Norman counties from
the Muskoda to Sand Hill RiverMon xxv, pp 290–291
upperBull 39, pp 2–3
drainage systems in area of
drift deposits in southern portion of basin of Mon xxv, pp 132-133
eastern shores of, in Polk and Marshall counties, from Maple Lake
northward
in Wilkin and adjoining counties
formations underlying the drift in area of
shores of, near its mouth
southern portion of, altitudes in
showing extent in Gladstone stage
in lower Blanchard stage
in lower Campbell stage
showing moraines and location of other maps. Mon xxv, pp 276–277
Granite Falls district
Gunflint Lake and vicinity
Animikie series
ice sheet occupying principal moraine in South Dakota and, showing
extent of
iron-ore mines, location of
Kettle and Snake rivers, Keweenawan rocks and Potsdam standstone
along lower portions of
Lac qui Parle district
pp 140-141; Mon v, pp 262-263
region around
pp 92–93; Ann 5, pp 180–181; Ann 10, 1, pp 348–349; Ann
19, III, pp 22–23; Ann 21, III, pp 330–331; Mon v, pp 24–25;
Mon xix, p 1; Mon xxxvi, pp 10-11; Bull 86, pp 52-53
iron-ore districts, showing location ofAnn 17, 111, pp 28–29
Keweenawan trough, structure and extent of
pp 172–173; Mon v, pp 410–411
pp 1.2 1.6, 11on 1, pp 11o 111

74 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Map, geologic, of Minnesota; Lakes Traverse and Big StoneMon xxv, pp 280–281
of Minnesota; Montevideo district
Morton district Bull 157, pp 26
northeastern
Ortonville district
Pigeon Point
Pleistocene deposits in parts of Iowa, Nebraska, South Dakota,
and
Potsdam formation, main absorbing areas for, in Wisconsin, Iowa,
and
Redwood River district
Snake and Kettle rivers, Keweenawan rocks and Potsdam sandstone
along lower portions of
southwestern portion, showing outcrops of crystalline rock. Bull 157, pp 8-9
Vicksburg district
of Missouri; Illinois ice lobe in western Indiana, Illinois, Iowa, andMon
•
xxxviii, pp 24–25
disseminated lead-ore subdistrict in southeastern
of Missouri River region, showing factors bearing on prospects for deep underground waters
инderground waters
of Montana; Bitterroot Forest Reserve, showing mineral-bearing areas. Ann 20,
v, pp 392–393
Black Butte
Butte and vicinity; economic and structural geologyGF 38
Castle Mountain mining district
Fort Benton quadrangle; historical, economic, and structural geology. GF 55
Judith Mountains
Little Belt Mountains quadrangle; historical, economic, and structural
geologyGF 56
Little Belt Mountains region
Livingston, showing distribution of Cretaceous formations near Bull 105,
frontispiece
Livingston quadrangle; areal, economic, and structural geologyGF 1
Missouri River region, outcrops of Dakota sandstone in
11, pp 676-677; Ann 19, IV, pp 766-767
portions of Idaho, Wyoming, North and South Dakota, andBull 86,
pp 258–259
Spotted Horse Gulch and vicinity
Three Forks, vicinity of
Three Forks quadrangle; areal, economic, and structural geology GF 24
Yellowstone River, glacial drift in valleys of
of Nebraska Ann 19, IV, pp 736–737
Lincoln, elevations of Dakota sandstone in vicinity of
Pleistocene deposits in parts of South Dakota, Minnesota, Iowa,
and
showing depths to water-bearing formations
west of one hundred and third meridian
of Nevada
Buffalo Springs, showing Lahontan beach and gravel embankments Mon xi,
pp 116–117, 118–119
FF All and all a

Map, geologic, of Nevada; Carson Desert, showing Lahontan beachMon x1, pp 44-45 of Nevada; Carson Desert, south border of, showing Lahontan beach and
gravel embankmentsMon x1, pp 112-113
Eureka district
Ruby HillAnn 2, pp 22–23; Mon vII, pp 4–5; Mon xx, pp 116–117
Great Basin, northwestern part, showing fault linesAnn 4, pp 442-443
northwestern part, showing Pleistocene lakes, etcAnn 4, pp 438-439
Pleistocene lakes inAnn 8, 1, pp 268-269; Mon 1, pp 6-7; Mon x1, p 1
Humboldt Lake, showing Lahontan beach and gravel embankment at
west end of
Lahontan Lake
beaches of
depth of, at highest water stage
post-Pleistocene fault lines in basin of
pre-Pleistocene fault lines in basin of
water area and boundary of hydrographic basinMon xi, pp 30-31
water surface at thinolite stage
Ruby Hill
Steamboat Springs district
Virginia and immediate vicinity
Walker Lake, showing Lahontan beach, etc
Washoe district
of New Brunswick. (See Map, geologic, of Canada, New Brunswick.)
of New England and adjacent territory, showing Newark areas. Ann 21,111, p 31
of New Jersey (greater portion)
areas underlain by Lower Cretaceous water horizons in Bull 138, pp 40-41
by Upper Cretaceous and Chesapeake water horizons inBull 138,
pp 44-45
Cushetunk and Round mountains and vicinity, showing trapBull 67, p 63
Delaware and Bull 67, pp 62–63
Flemington and vicinity, showing extent and position of three trap
masses Bull 67, p 66
Franklin white limestone, distribution of
part of area of
Granton trap, relations of, to Palisade trapBull 67, p 54
New Germantown trap regionBull 67, p 36
New Vernon trap, Long Hill, and the inner side of the terminal hook
of the second Watchung MountainBull 67, pp 34-35
Newark area in New York, Pennsylvania, Maryland, Virginia, andBull
85, pp 20-21
Newark, Arlington and Schuyler copper mine nearBull 67, p 57
northeastern, showing relations of Watchung trapsBull 67, pp 16–17
Palisade trap near Hoboken, relations of
relations of, to Granton trap
parts of New York, Pennsylvania, and Bull 67, pp 2–3; Bull 85, pp 24–25
Rocky Hill, Tenmile Run Mountain, Lawrence Brook trap, and
vicinity
Round and Cushetunk mountains and vicinity, showing trapBull 67, p 3
Schuyler copper mine north of NewarkBull 67, p 57
Snake HillBull 67, p 55
of New Mexico, northwestern
part of Arizona andBull 86, pp 326–327
parts of Colorado andBull 86, pp 308–309
plateau country of Colorado, Utah, Arizona, and, volcanic areas around
border of

Map, geologic, of North Dakota; glacial Lake Agassiz, western shores of, from near Wheatland to vicinity of PortlandMon xxv, pp 322-323
of North Dakota; glacial Lake Agassiz, western shores of, in Grand Forks  County and parts of adjoining counties, showing moraines
and deltas
ary, showing moraines and deltas Mon xxv, pp 354-355
glacial Lake Souris, showing moraines and deltasMon xxv, pp 268-269
glacial phenomena in South Dakota andBull 144, pp 14–15
Lakes Traverse and Big Stone
portions of Michigan, Wisconsin, Minnesota, Iowa, South Dakota
and
portions of South Dakota, Wyoming, Idaho, Montana, andBull 86,
pp 258–259
Stump and Devils lakes, showing moraines
of Northwest
of Northwest Territory. (See Map geologic, of Canada, Northwest Territory.)
of Nova Scotia. (See Map geologic, of Canada, Nova Scotia.)
of Oceanica, showing occurrence of iron ore
of Ohio
Carboniferous formations in bituminous coal regions in West Vir-
ginia, Pennsylvania, and, distribution of upper and
middleBull 65, pp 2–3
drift, relation of, to wells in Indiana and
glacial boundary inBull 58, p 46
Hamilton County, showing situation of glacial terrace in which
poleolith was foundBull 58, p 106
Huntington quadrangle; areal, economic, structural
Pleistocene deposits in Indiana and
portions of Indiana and
Trenton limestone in Indiana and, topography ofAnn 8, 11, pp 548-549
of Ontario. (See Map geologic, of Canada, Ontario.)
of Oregon; Coos Bay coal field, areal geology
Coos Bay coal field, structural geology
Great Basin, northwestern part, showing fault lines Ann 4, pp 442-443
northwestern part, showing Pleistocene lakes, etcAnn 4, pp 438-439
Klamath Mountains and adjacent regions in California andAnn 14,
и, pp 414–415
northwestern, showing coal fields and fossil localitiesAnn 17, 1, pp 448-449
parts of western-central Idaho and
Roseburg quadrangle; historical, economic, and structural geologyGF 49
of Pennsylvania; Carboniferous formations in bituminous coal regions in
West Virginia, Ohio, and, distribution of Upper and
MiddleBull 65, pp 2-3
Catoctin belt in Maryland, Virginia, West Virginia, and Ann 14, pp 308–309
Tertiary base-level in
central
Monterey districtBull 136, pp 20–21
Newark areas in Virginia, Maryland, New Jersey, New York, andBull 85,
pp 20–21
parts of New Jersey, New York, and Bull 67, pp 2-3; Bull 85, pp 24-25
southeasternBull 134, pp 8–9
Quebec. (See Map. geologic, of Canada, Quebec.)

	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	, geologic, of Rhode Island; Barrington brick-clay areaAnn 17, 1, pp 986-987 of Rhode Island; Cambrian pebbles, Upper, distribution of, in Massachu-
	setts and
	Narragansett Basin; distribution of metamorphosed Carboniferous
	rocks
	northern and eastern part
	southern part
	of Russia, European; phosphate beds Bull 46, p 112
	of South America, showing occurrence of iron ores inAnn 16, III, pp 64-65
1	of South Carolina; area of crystal linerocks and location of deep wells in
	Georgia and
	phosphate bedsBull 46, pp 60–61
	of South Dakota; "bed rock" surface, altitude ofAnn 17, 11, pp 672-673
	Black Hills
	Blackhawk region, showing location of cycad and Atlantosaurus
	bedsAnn 19, 11, pp 564–565
	Bear Butte and Circus Flats
	Hay Creek region
	Little Missouri Buttes and Mato Teepee Ann 21, 111, pp 256–257
	showing distribution of dikes, sills, and laccoliths. Ann 21, 111, pp 250–257
•	
	of earlier Pleistocene deposits
	of water in Dakota and underlying sandstone
	1v, pp 564-565, 566-567 of White River depositsAnn 21, 1v, pp 560-561
	of White River deposits
	showing laccolithic intrusives east of Deadwood. Ann 21, 111, pp 182–183
	southern half
	eastern, showing increase of underground temperature in deep wells. Ann 18,
	IV, pp 608–609
	portion of
	showing depths to bed rock
	showing depths to waters at base of till
	glacial Lake Agassiz, area covered by, at time of formation of Fergus
· ·	Falls and Leaf Hills moraines Mon xxv, pp 212–213
	area covered by, at time of formation of Itasca and Mesabi mo-
	raines
	drift deposits in southern portion of basin ofMon xxv, pp 132–133
	shores of, near its mouth
	southern portion of, altitudes in
	showing extent in Gladstone stage
	in Lower Campbell stageMon xxv, pp 408–409
	in lower Blanchard stage
	showing moraines and location of other maps. Mon xxv, pp 276–277
	glacial phenomena in North Dakota and
	ice sheet occupying principal moraine in Minnesota and, showing
	extent of Bull 158, pp 120–121
	ice sheet occupying second moraine, extent ofBull 158, pp 122-123
	Lakes Traverse and Big Stone
	Missouri River region, outcrops of Dakota sandstone in
	11, pp 676–677; Ann 19, IV, pp 766–767
	Pleistocene deposits in parts of Bull 158, pp 14–15
	portions of Michigan, Wisconsin, Iowa, Minnesota, North Dakota,
	and
	of North Dakota, Montana, Idaho, Wyoming, and Bull 86, pp 258-259

Map, geologic, of South Dakota; southeastern part, showing depths to artesian
waters
of South Dakota; Sioux ReservationBull 21, at end
Turkey Ridge, glacial phenomena nearBull 158, pp 32–33
Union County, showing details of moraineBull 158, pp 34–35
of Tennessee; Appalachian Basin, relation of Big Stone Gap coal field to
central portions of
Briceville quadrangle; areal, economic, and structural geologyGF 33
Bristol quadrangle; historical, economic, and structural geology GF 59
Chattanooga district, northern half, showing drainage at close of
Cumberland gradation period and relative development
· · · · · · · · · · · · · · · · · · ·
and preservation of three peneplainsAnn 19, 11, pp 58-59
Chattanooga quadrangle; areal, economic, and structural geologyGF 6
Cleveland quadrangle; areal, economic, and structural geologyGF 20
faulted district in
Estillville quadrangle; areal, economic, and structural geology GF 12
faults and folds in parts of Virginia, Georgia, Alabama, andAnn 13,
п, pp 240–241
Greenville quadrangle, district of close folding inAnn 13, 11, pp 238–239
Kingston quadrangle; areal, economic, and structural geologyGF 4
Knoxville quadrangle; areal, economic, and structural geologyGF 16
Loudon quadrangle; areal, economic, and structural geologyGF 25
McMinnville quadrangle; areal, economic, and structural geologyGF 22
Morristown quadrangle; areal, economic, and structural geologyGF 27
Perry County phosphate district, showing distribution of black bedded
phosphate
phosphate districts, showing location of
phosphate region
Pikeville quadrangle; areal, economic, and structural geologyGF 21
Red Bank and Terrapin creeks, showing location of white phosphate
deposits
Ringgold quadrangle; areal, economic, and structural geologyGF 2
Sewanee quadrangle; areal, economic, and structural geologyGF 8
Standingstone quadrangle; historical, economic, and structural
geology
Stevenson quadrangle; areal, economic, and structural geologyGF 19
Swan Creek phosphate district, showing distribution of black bedded
phosphate
Terrapin and Red Bank creeks, showing location of white phosphate
deposits
Wartburg quadrangle; historical, economic, and structural geologyGF 40
of Texas
artesian areas, by counties
459, 474, 480, 494, 501, 515, 522, 532, 547, 559, 589, 615, 621
Black and Grand prairies
Nueces quadrangle; historical geologyGF 42
Rio Grande Plain and Edwards Plateau, showing relation of artesian
wells, fissure springs, and igneous rocksAnn 18, 11, pp 282–283
Rio Grande region, showing localities where coal is found. Bull 164, pp 12-13
Uvalde, alluvial deposits around
Uvalde quadrangle; historical and structural geology
of United States; areal geologyAnn 5, pocket and pp xxviii-xxx, 36-38; Ann
14, I, pp 40-44, 212-213, 226; II, pocket; Ann 21, I, pocket
drift of northeastern, showing relations of driftless area Ann 6, pp 204-205
Columbia and Lafayette formations, areal distribution ofAnn 12, 1, pocket

Map, geologic, of United States; Eocene, distribution ofBull 83, pp 146-147 of United States; fossil plants, geographic distribution ofAnn 8, 11, pp 848-849	
glacial Lake Agassiz and adjoining country, altitudesMon xxv, pp 36–37 drainage systems in area of	7
formations underlying the drift in area of	
glacial region and Pleistocene water bodies of northern and eastern	,
half	
glacial strike of eastern	
mineral spring resorts, location of	J
mineral springs the waters of which are used commercially, location	L
of	,
Neocene formations, known distribution of	
Newark system, areas occupied by	
Northeastern States Bull 86, pp 348–349	
plan for	
southeastern; pre-Cambrian and crystalline rocksBull 86, pp 416–417	,
of UtahBull 86, pp 286–287 Bear River formation in Wyoming, Idaho, andBull 128, pp 28–29	1
Fillmore, volcanic district near	
Fort Duchesne, region about, showing uintaite vein Ann 17, 1, p 930	
Grand Canyon; Mesozoic terraces, southern portions of the High Pla-	'
teaus and	İ
Mesozoic terraces, southwestern portion of, and vicinity of Hurri-	
cane fault	
Plateau province, western part of	
western part, showing fault and high plateaus. Mon 11, atlas sheet iii	
platform of, and surrounding Mesozoic formationsMon 11, pp 28–29	
Great Basin and its Pleistocene lakes	
Lake Bonneville; basalt, showing distribution of	
deformation of Bonneville shoreline	
deformation of Provo shoreline and position of Great Salt Lake on	
its plain	,
extent at date of Provo shoreline	
glaciated districts of Bonneville Basin	
lines of recent faulting	
local variations of vertical interval between Bonneville and Provo	
shorelines	;
outlet of, in Idaho	)
present hydrographic divisions of Bonneville BasinMon 1, pp 122-123	;
Little and Dry Cottonwood canyons, mouth of, showing glacial	
moraines and faults	
Mercur Basin	
old river bed	•
showing former connection of Great Salt Lake with Sevier	
Lake	
Plateau province, strata and eruptive rocks	:
volcanic areas around border of	
portions of Colorado, Wyoming, and	
Tintic district, showing economic and structural geologyGF 65	
showing historical geologyAnn 19, 111, pocket; GF 65	
•	

Man, geologic, of Ut	rah; Uinta Basin of Colorado and
	River uintaite (gilsonite) region
of Otall, white	Am 17, 1, pp 934-959
of vermont; Bu	rd Mountain region
Burlington,	showing dikes and stratigraphy nearBull 107, pp 16–17
Castleton ar	nd Poultney, showing situation of slate quarriesAnn 19,
	0.00 0.44
Clarenden	Ann 14, 11, pp 268–269
	nshipAnn 14, 11, pp 544–545
Lake Cham	plain region, showing distribution of dikes. Bull 107, frontispiece
Nashs Point	t, Shelburne, dikes at
	Mountain, showing Bernardston series of metamorphosed
Torumeia .	
	upper Devonian rocks and faulted syncline of Silurian
	schist Mon xx1x, pp 260–261
Poultney ar	nd Pawlet, showing slate quarriesAnn 19, 111, pp 266–267
	lge, South Hero, dikes nearBull 107, p 48
	New York and
Wings Poin	t, dikes atBull 107, p 53
	Stone Gap coal fieldBull 111, pp 52–53
Big Stone	Gap coal field, showing elevations of Gladeville sand-
	stone
rolation	a to central portion of Appalachian Basin Bull 111, pp 12-13
	frangle; historical, economic, and structural geologyGF 59
Catoctin bel	t in Pennsylvania, Maryland, West Virginia, andAnn 14,
	п, pp 308–309
Tertiary	y base-level in
	ta in Delaware, Maryland, and
	uadrangle; areal, economic, and structural geology GF 12
- faults and fo	olds in parts of Tennessee, Georgia, Alabama, andAnn 13,
•	п, рр 240–241
Franklin qu	adrangle; areal, economic, and structural geology GF 32
Fredericksh	urg quadrangle; areal geology GF 13
	rry quadrangle; areal, economic, and structural geology. GF 10
	districtAnn 19, 11, pp 434–435
Monterey q	uadrangle; historical, economic, and structural geology GF 61
	as in New York, New Jersey, Pennsylvania, Maryland,
TOWNER WE	
** 5# (*)	and
	h Carolina and
Nomini qua	drangle; areal geology and distribution of water-bearing
	formations GF 23
Pocahontas	quadrangle; areal, economic, and structural geologyGF 26
	rmation in District of Columbia and portions of Maryland
1 Otomac for	
	and
Richmond a	rea of Newark systemBull 85, pp 22–23
Richmond 1	BasinAnn 19, 11, pp 446–447
Staunton qu	adrangle; areal, economic, and structural geology GF 14
	adrangle; areal, economic, and structural geologyGF 44
	d waters, distribution of, in Maryland andBull 138, pp 162–163
	(D. C.) quadrangle; areal, economic, structural, physio-
. wasnington	
	graphicGF 70
of Washington;	Cascade Mountains
central	Bull 108, pp 12–13
coal beds, sl	howing structure of
	showing location of
formations of	of easternBull 40, at end
Green River	district; structure of coal bedsAnn 18, 111, pp 420-421; GF 54
OT COLL TOLVO	. district, structure of cour source. Thin to, in, pp and the, of or

Map, geologic, of Washington; Mount Rainier, glacier system of
n, pp 362–363 of Washington; Tacoma quadrangle; historical geologyGF 54
Wilkeson coal field, showing location of mines
Wilkeson-Carbonado district, showing structure of coal beds Ann 18,
III, pocket; GF 54
of West Virginia; Appalachian Basin, relation of Big Stone Gap coal field
to central portion ofBull 111, pp 12-13
Buckhannon quadrangle; areal, economic, and structural geologyGF 34
Carboniferous formations in bituminous coal regions in Pennsylvania,
Ohio, and; distribution of upper and middleBull 65, pp 2-3
Catoctin belt in Pennsylvania, Maryland, Virginia, and Ann 14, 11, pp 308–309
Tertiary base-level in
Franklin quadrangle; areal, economic, and structural geology GF 32
Harpers Ferry quadrangle; areal, economic, and structural geologyGF 10
Huntington quadrangle; areal, economic, and structural geologyGF 69
Monterey quadrangle; historical, economic, and structural geologyGF 61
Piedmont quadrangle; areal, economic, and structural geologyGF 28
Pocahontas quadrangle; areal, economic, and structural geologyGF 26
Staunton quadrangle; areal, economic, and structural geologyGF 14 Tazewell quadrangle; areal, economic, and structural geologyGF 44
of Wisconsin; Chippewa River, glacial flood plain of
drift currents adjacent to driftless area
driftless region of Upper Mississippi and environs. Ann 6, pp 220–221, 258–259
Gogebic range, showing location of iron-ore mines Ann 17, 111, pp 32–33
Green Bay loop of terminal moraine of second Glacial epochAnn 3,
pp 316-317
Lake Superior region Ann 3, pp 92-93; Ann 5, pp 180-181; Ann 10, 1, pp 348-
349; Ann 19, 111, pp 22–23; Ann 21, 111, pp 330–331; Mon v, pp
24-25; Mon xix, p 1; Mon xxxvi, pp 10-11; Bull 86, pp 52-53
iron-ore districts, location of
Keweenawan trough, structure and extent of
pp 172–173; Mon v, pp 410–411
land surface, ante-Potsdam, character of
Menominee iron region
Montreal River, west branch of, exposures at
Numakagon Lake, region between Ontonagon River, Michigan, and . Ann 3,
pp 138–139; Mon v, pp 224–225
Penokee Gap, exposures at
Penokee range and surrounding region (reproduction of Whittle-
sey's)
Penokee region
Penokee-Gógebic iron region
Potato River, exposures at
Potsdam formation, main absorbing area for, in Iowa, Minnesota,
and
St. Croix Valley, upper, exposures of Keweenawan rocks in
pp 246–247
St. Peter sandstone, main absorbing areas for, in Illinois andAnn 17,
и, pp 786-787; Mon xxxvии, pp 556-557 Tylers Fork, Penokee district, rock exposures at Mon xix, pp 177-178
of world; quicksilver deposits, distribution of
II, pp 968-969; Mon XIII, pp 14-15
7, pp 000 00, 1201 XIII, pp 11-10

Map, geologic, of Wyoming; Bear River formation in Utah, Idaho, andBull 128,		
pp 28–29		
of Wyoming; Black HillsAnn 19, 11, pp 538-539; Ann 21, 1v, pp 498-499		
Black Hills, Hay Creek region		
showing distribution of water in Dakota and underlying sand-		
stones		
Cambria coal field		
Canyon quadrangle; areal geology		
Converse County, showing localities where skulls of Ceratopsidæ		
have been discovered		
Crandall Basin, Absaroka Range		
Crandall quadrangle; historical geologyGF 52		
Gallatin quadrangle; areal geologyGF 30		
Ishawooa quadrangle; historical geology		
Lake quadrangle; areal geology		
Missouri River region, outcrop of Dakota sandstone in		
11, pp 676–677; Ann 19, IV, pp 766–767 Newcastle, vicinity of, showing relations of oil sandAnn 21, IV, pp 588–589		
northwestern Bull 119, frontispiece		
Old Woman Creek, anticlinal area on		
portions of Colorado, Utah, and		
portions of Idaho, Montana, North and South Dakota, and Bull 86, pp 258-259		
Shoshone quadrangle; areal geologyGF 30		
Yellowstone Park; Electric Peak and Sepulchre MountainMon xxxII,		
п, pp 96–97		
II, pp 96–97 Gallatin Range		
Sepulchre Mountain, region of		
Teton Range, northern end of		
(See also above, Canyon, Gallatin, Lake, and Shoshone quadrangles.)		
Map, topographic, description of		
of Alabama; atlas sheets covering areas in. (See p 67 of this bulletin.)		
Gadsden quadrangleGF 35		
Mobile BayAnn 13, 11, pp 110-111		
Stevenson quadrangleGF 19		
of Alaska		
Ann 18, III, pp 100–101; Ann 20, VII, pp 42–43, 270–271,		
346-347; Ann 21, 11, pp 400-401; Alaska (1); Alaska (2)		
Admiralty Island coal field		
Alexander Archipelago, part of		
Birch Creek, portion of		
Chandley and Wayukuk nivers		
Chandlar and Koyukuk rivers		
central		
central		
central       Ann 20, vII, pp 430–431         Cook Inlet       Ann 20, vII, pp 6–7         Cook Inlet and vicinity       Ann 17, I, pp 784–785, 786–787		
central       Ann 20, vII, pp 430-431         Cook Inlet       Ann 20, vII, pp 6-7         Cook Inlet and vicinity       Ann 17, I, pp 784-785, 786-787         Copper River and adjacent territory       Ann 20, vII, pocket         Copper River and Klutena Lake       Alaska (2)		
central		
central       Ann 20, vII, pp 430-431         Cook Inlet       Ann 20, vII, pp 6-7         Cook Inlet and vicinity       Ann 17, I, pp 784-785, 786-787         Copper River and adjacent territory       Ann 20, vII, pocket         Copper River and Klutena Lake       Alaska (2)         Delta and Matanuska rivers       Alaska (2)         Fortymile Creek       Ann 18, III, pp 316-317		
central Ann 20, vII, pp 430–431 Cook Inlet. Ann 20, vII, pp 6–7 Cook Inlet and vicinity Ann 17, I, pp 784–785, 786–787 Copper River and adjacent territory Ann 20, vII, pocket Copper River and Klutena Lake Alaska (2) Delta and Matanuska rivers Alaska (2) Fortymile Creek Ann 18, III, pp 316–317 Fortymile quadrangle Alaska (2)		
central Ann 20, vII, pp 430–431 Cook Inlet. Ann 20, vII, pp 6–7 Cook Inlet and vicinity Ann 17, I, pp 784–785, 786–787 Copper River and adjacent territory Ann 20, vII, pocket Copper River and Klutena Lake Alaska (2) Delta and Matanuska rivers Alaska (2) Fortymile Creek Ann 18, III, pp 316–317 Fortymile quadrangle Alaska (2) showing classification of lands Ann 21, v, atlas		
central Ann 20, vII, pp 430–431 Cook Inlet. Ann 20, vII, pp 6–7 Cook Inlet and vicinity Ann 17, I, pp 784–785, 786–787 Copper River and adjacent territory Ann 20, vII, pocket Copper River and Klutena Lake Alaska (2) Delta and Matanuska rivers Alaska (2) Fortymile Creek Ann 18, III, pp 316–317 Fortymile quadrangle Alaska (2)		

Map, topographic, of Alaska; Kletsan copper deposits
of Alaska; Klutena Lake and Copper River
Koyukuk and Chandlar riversAnn 21, 11, p 448
Kuskokwim RiverAlaska (2)
Kuskokwim River and headwaters of Skwenta River
Lynn Canal, via headwaters of White and Tanana rivers, to Eagle City,
route
Matanuska and Delta rivers
Mount Saint Elias region
Nome Cape, Seward Peninsula, and adjacent region
Porcupine gold district, location of
Prince William Sound
Pyramid Harbor to Eagle City, route
Resurrection Bay to the Tanana
Seward Peninsula, Nome Cape, and adjacent regionNome
Shelikof Strait and vicinity
Shumagin Islands, part of
Skwentna and Kuskokwim rivers, headwaters of
southern portion, showing altitude of recent physiographic features. Ann 20,
vii, pp 296–297
Sushitna River and adjacent territory
Tanana River, from Resurrection Bay to
White and Tanana river basins, portions of
vII, pp 444–445; Alaska (2)
Yukon-Kuskokwim water route
Yukon, Lower, and vicinity
of Arizona; atlas sheets covering areas in. (See p 68 of this bulletin.)
Gila River, basin of, showing hypsography
valleys of Salt River and, showing existing and proposed irrigation
works
Grand Canyon of the Colorado, portion of
Phenix, vicinity of, showing canal system
Salt River, valley of, showing canals constructed and proposedAnn 18,
ıv, pp 720–721; WS 2, pp 92–93
valleys of Gila River and, showing existing and proposed irriga-
tion worksAnn 18, IV, pp 718-719; WS 2, pp 96-97
of Arkansas; atlas sheets covering areas in. (See p 68 of this bulletin.)
Camden coal field
Marshall quadrangleTF 2
Poteau Mountain quadrangleTF 2
of Atlantic slope, middle, showing divides and fall lineAnn 7, pp 548-549
stereogram of
of California; atlas sheets covering areas in. (See pp 68-70 of this bulletin.)
Banner Hill districtGF 29
Bidwell Bar quadrangleGF 43
Big Trees quadrangle
showing classification of lands
boundaries between Sierra Nevada, Cascade, and Coast ranges and the
Klamath Mountains
Cache Creek Basin
Carson Valley
Clear Lake district
Clear Lake outlet
Colfax quadrangle
Conax quadrangre

100	indual to robuinfillions of the dead, contrar, terms
Map, to	ppographic, of California; Cucamonga quadrangleTF 2
	California; Dardanelles quadrangle, showing classification of landsAnn 21,
•	
	v, atlas Downieville quadrangle
	Grass Valley district
	Great Eastern quicksilver district
	Jackson quadrangle
	showing classification of lands
	Kaweah and Tule rivers, canals from WS 17, pp 78–79; WS 18, pp 10–11
	Kern River delta
	Kings River, Lower, canal system
	Lahontan Basin, land classification
,	springs in, location of
	Lassen Peak quadrangleGF 15
	Markleeville quadrangle, showing classification of lands
	Marysville quadrangle
	Mono Lake, drainage basin of Ann 8, 1, pp 272–273
	showing soundings and sublacustral contours
	Mother Lode district
	Mount Lyell Glacier
	Mount Lyell quadrangle, showing classification of landsAnn 21, v, atlas
	Mount Shasta
	Mount Shasta district
	Nevada City district
	Placerville quadrangle
	showing classification of lands
	Placerville route Mon IV, pp 8–10
	Pyramid Peak quadrangle GF 31
	showing classification of lands
	quicksilver mines, showing distribution of
	relief
	reservoir sites in High Sierras
	rivers, the principal
	Sacramento quadrangle
	San Bernardino Forest Reserve, showing distribution of speciesAnn 20,
	v, pp 432–433
	showing land classification
	San Diego, vicinity of, showing sources of water supply
	ıv, pp 706–707
	San Francisco Bay, entrance to
	San Gabriel Forest Reserve, showing land classification. Ann 20, v, pp 414–415
	San Jacinto Forest Reserve, showing distribution of speciesAnn 20,
	v, pp 458–459
	showing land classification
	San Jacinto quadrangle, showing classification of landsAnn 21, v, atlas
	San Joaquin Valley, east side of, from Chowchilla River to Merced
	River
	Smartsville quadrangle GF 18
	Sonora quadrangle
	snowing classification of lands
	Truckee quadrangle
	Tule and Kaweah rivers, canals fromWS 17, pp 78–79; WS 18, pp 10–11
	Yosemite quadrangle, showing classification of lands Ann 21, v, atlas

	/
	ba; glacial Lake Agassiz, southern portion
	as of forest and prairie Mon xxv, pp 604–605
	r Valley, showing distribution and depths
	s
	ke of the Woods, region near. Mon xxv, pp 48-49
	Ann 20, 1v, pp 586–587
	Ann 5, p 250
	GF 9
	Ann 13, 111, pocket
	segregatedAnn 11, 11, pp 134–135
	Mon xxxı, atlas sheet viii
atlas sheets covering areas in	n. (See pp 70–71 of this bulletin.)
	erveAnn 20, v, atlas
	, Mon x11, atlas sheet iv
	GF 9
	ring claimsAnn 16, 11, pp 166–167
Del Norte, showing canal sy	stem near
Elk Mountains, portion of	
Elmoro quadrangle, showing	g artesian water areas
Leadville and vicinity	
Lenado district	Mon xxxı, atlas sheet xix
Mesa de Mava	TF 3, illustration sheet viii
	and irrigated lands inAnn 20, IV, pp 418-419
	and, showing depth of wellsAnn 16,
<b>.</b>	и, рр 544-545
Pikes Peak, Plum Creek, ar	nd South Platte forest reserves, showing
burned areas of	density of forest, and range of principal
	Ann 20, v, atlas
	ion
	artesian areas
Rio Grande Basin, showing	altitudesAnn 12, 11, pp 244–245
	Ann 17, 11, pocket
Walsenburg anadrangle	GF 68
West Denver quadrangle	TF 2
	r Reserve
	ring areas in. (See p 71 of this bulletin.)
	GF 50
Long Island Sound east and	l ofAnn 13, 11, pp 120–121
Orengue Volley	Ann 21, 111, pp 138–139
Pompergne Valley	Ann 21, 111, pp 138–139
	igua and
	ng areas in. (See p 72 of this bulletin.)
Idit IIIIG	

	077 80
Мар	topographic, of District of Columbia
	of Florida; atlas sheets covering areas in. (See p.72 of this bulletin.)
	Cæsars Creek, delta at
	Cape Canaveral
	Marquesas KeysАnn 13, п, pp 142–143
	Turtle Harbor
	of Georgia; atlas sheets covering areas in. (See pp 72–73 of this bulletin.)
	drainage basins
	Jekyl Island and vicinity
	Ringgold quadrangleGF 2
	Stevenson quadrangle
	f Great Basin
	f Great Plains
	of Hawaiian IslandsAnn 4, pp 80–81
	Hawaii
	Kilauea, crater of
	Mokuaweoweo, crater of
	Maui
	Haleakala, caldera of Ann 4, pp 206–207
	Oahu
	f High Plains
	f Idaho
	Atlanta district
	atlas sheets covering areas in. (See p 73 of this bulletin.)
	Bear Creek district
	Bear River Basin
	Bitterroot Forest Reserves, burned areas
	classification of lands
	distribution of alpine fir
	of alpine hemlock and Lyall larch
	of Engelmann spruce
	of great silver fir
	of lodgepole pine
	of mountain white pine
	of Pacific arbor vite
	of red fir
	of western tamarack
	of western yellow and white-bark pine Ann 20, v, pp 350-351
	eastern part, areas burned within last thirty-five years Ann 19,
	v, pp 258–259
	density of merchantable timberAnn 19, v, pp 254–255
	distribution of principal timber speciesAnn 19, v, pp 256–257
	Boise quadrangle
	boundary between Montana and Bull 170, pp 66–67
	Hamilton quadrangle, showing classification of lands Ann 21, v, atlas
	Priest River Forest Reserve, showing land classification, density of
	merchantable timber, and distribution of principal tim-
	ber species
	Sandpoint quadrangle, showing classification of landsAnn 21, v, atlas
	Snake River Basin, upper, showing reservoir and canal sites Ann 11,
	. п, pp 190–191
	Wood River district
	f Illinois
	atlas sheets covering areas in. (See pp 73-74 of this bulletin.)

Map, topographic, of Illinois; Danville quadrangle
of Illinois; Fulton, vicinity of
Ottawa, vicinity of
wells, distribution of
of India; irrigation canals
Punjab; Sirhind canal system
Vigay Valley, showing projected irrigation Ann 12, 11, pp 520-521
of Indian TerritoryBull 175, p 16
atlas sheets covering areas in. (See p 74 of this bulletin.)
Ouachita Mountains
Poteau Mountain quadrangleTF 2
Choctaw coal field
Choctaw Nation
woodland, extent and distribution of
of Indiana
atlas sheets covering areas in. (See p 74 of this bulletin.)
Danville quadrangleGF 67
westernAnn 17, 11, pp 704–705; Mon xxxv111, pp 6–7
of Iowa; atlas sheets covering areas in. (See pp 74-75 of this bulletin.)
northeastern (relief)
(stereogram)
drainage basins
hypsography
topographic areas
of Kansas
atlas sheets covering areas in. (See pp 75-77 of this bulletin.)
Barber County, portion of
Caldwell quadrangle TF 1
Fort Riley Indian Reservation, vicinity of
Great Plains, portion of
Meade artesian basin
parts of Kebraska, Colorado, and, showing depths of wens
southwestern, showing depth of ground waterWS 6, pp 44-45
territory of
of Kentucky; atlas sheets covering areas in. (See p 77 of this bulletin.)
Estillville quadrangle
London quadrangle
Richmond quadrangleGF 46
of Louisiana; atlas sheets covering areas in. (See pp 77-78 of this bulletin.)
Donaldsonville quadrangleTF 1
Mississippi River, mouth of
ridge of
of Maine; Androscoggin, Presumpscot, and Saco rivers, drainage basins of Ann
19, IV, pp 84–85
Aroostook, Allaguash, and Penobscot basins, adjacent portions of . Ann 19,
rv, pp 58–59
atlas sheets covering areas in. (See pp 78-79 of this bulletin.)
Boothbay quadrangle
Casco Bay
Kennebec and Penobscot rivers
St. Croix River, drainage basin of
of Maryland; atlas sheets covering areas in. (See pp 79-80 of this bulletin.)
fall line

Van tanagarahia of Manuland, Eugdorickshurg ayadrangla CT 19
Map, topographic, of Maryland; Fredericksburg quadrangle
Nomini quadrangle, showing artesian areas
Piedmont quadrangle GF 28
Washington (D. C.) quadrangle
of Massachusetts Ann 8, 1, pp 98–99
atlas sheets covering areas in. (See pp 80-81 of this bulletin.)
Boston Harbor
Chatham Harbor
Dalton, vicinity of, showing artesian wellsBull 159, pp 90-91
Holyoke quadrangle
Provincetown Harbor
of Michigan; atlas sheets covering areas in. (See p 81 of this bulletin.)
Crystal Falls district and portion of Marquette district. Mon xxxvi, pocket
Lake Michigan, portion of shore of, illustrating tendency of wave
action to simplify shore contours
Lower Peninsula
showing towns with flowing wells and waterworks WS 30, pp 90-91
Marquette district, portion of, and Crystal Falls district. Mon xxxvi, pocket
Menominee district
Penokee district
of Minnesota; atlas sheets covering areas in. (See p 82 of this bulletin.)
Fargo quadrangle
glacial Lake Agassiz, southern portion of, showing areas of forest and
prairie
northeastern
Pigeon Point and vicinity Bull 109, pp 18–19
pine region, showing classification of lands
Rainy Lake and Lake of the Woods
Red Lake and vicinity
Red River Valley, showing distribution and depths of artesian
wells
of Mississippi; atlas sheets covering areas in. (See p 82 of this bulletin.)
of Missouri; atlas sheets covering areas in. (See p 82 of this bulletin.)
Marshall quadrangle
of Montana; atlas sheets covering areas in. (See p 83 of this bulletin.)
Barker district
Bitterroot Forest Reserve, burned areas
classification of lands
distribution of alpine fir
of alpine hemlock and Lyall larchAnn 20, v, pp 362–365
of Engelmann spruce
of great silver fir
of lodgepole pine
of mountain white pine
of Pacific arbor vite
of red fir
of western tamarack
of western yellow and white-bark pineAnn 20, v, pp 350–351
western part, areas burned within the last thirty-five years Ann 19,
v, pp 258–259
density of merchantable timberAnn 19, v, pp 254-255
distribution of principal timber speciesAnn 19, v, pp 256–257
boundary between Idaho and

,	
Map, topographic, of Montana, Butte district	F 38
of Montana; Castle Mountain district	
Flathead Forest Reserve, classification of landsAnn 20, v, pp 246	_947
distribution of Engelmann spruce and balsamAnn 20, v, pp 260	
of larch and mountain larch	-265
of red fir and lodgepole pineAnn 20, v, pp 256	
of yellow, white, nut, and limber pineAnn 20, v, pp 270	
Fort Benton quadrangleG	
Judith Mountains and vicinityAnn 18, 111, pp 446	
Hamilton quadrangle, showing classification of landsAnn 21, v,	ıtlas
Lewis and Clarke Forest Reserve, showing distribution of cedar, hem-	
lock, white pine, and silver fir Ann 21, v, pp 4	8-49
showing distribution of mountain larch, Western larch, and Pat-	
ton hemlock	0-41
showing distribution of yellow pine, white-bark pine, and limber	
pine	0-71
showing land classification	
Little Belt Mountain regionAnn 20, III, pp 270	
Little Belt Mountains quadrangle	
Livingston quadrangle	XI I
Missouri Basin, showing land classificationAnn 13, 111, pp 4	4-45
Neihart district	
Sun River system; reservoirs and canal linesAn	
II, pp 120–121; Ann 13, III, pp 372 Three Forks quadrangleG	-373
Yellowstone Basin, showing land classification Ann 13, 111, pp 6	
of Nebraska	iece
atlas sheets covering areas in. (See pp 83-84 of this bulletin.)	
Lexington quadrangle	$\Gamma F 2$
Niobrara River, White River, and Hot Creek basins, showing areas	
irrigated	-775
northwestern, showing distribution of timberAnn 19, v, pp 388	
Omaha and vicinity, showing relations of artesian waterAn	
IV, pp 768	
Platte Basin, land classification	
portion of southeastern, showing depths of water-bearing formationsWi	
pp 3	
portions of Colorado, Kansas; and, showing depth of wellsAn	
II, pp 544	
of South Dakota, Nebraska, andAnn 21, 1v, pp 4496	
relief	-729
west of the 103d meridian, irrigated areas	-113
underground waters, distribution ofAnn 19, iv, pp 764	-/65
western, showing distribution of timber	-783
of Nevada; atlas sheets covering areas in. (See p 84 of this bulletin.)	
Carson Desert Mon x1, pp 4	
Carson Valley	
Eureka district	
Lahontan region, land classification	
Lahontan Basin; springs, location of	
Lake Mono, drainage basin of	
Markleeville quadrangle, showing classification of lands Ann 21, v, a	ıtlas
Placerville route	
Pyramid and Winnemucca lakes	

Map, topographic, of Oregon; Coos Bay quadrangle, showing classification of
lands
Klamath quadrangle, showing classification of lands Ann 21, v, atlas
northwestern
Port Orford quadrangle, showing classification of landsAnn 21, v, atlas
Roseburg quadrangle
showing classification of lands
southern, part of, showing distribution of lodgepole pine
v, pp 440-441
part of, showing distribution of red fir and alpine hemlockAnn 21,
v, pp 248-249
showing distribution of sugar pine, noble fir, western hem-
lock, and incense cedar
showing distribution of white fir
showing distribution of yellow pine and white-bark pine Ann 21,
v, pp 320–321
western, density of merchantable timberAnn 19, v, atlas
showing distribution of fir, cedar, hemlock, yellow pine, and
sugar pine
of Pennsylvania; atlas sheets covering areas in. (See p 92 of this bulletin.)
fall line
Harrisburg quadrangleTF 2
Pottsville, vicinity of
southern anthracite coal field
of Philippine Islands
(hydrographic)Ann 21, 111, pp 494–495
of Porto Rico
crop lands, showing distribution of
of Rhode Island; atlas sheets covering areas in. (See p 93 of this bulletin.)
of South Carolina; atlas sheets covering areas in. (See p 93 of this bulletin.)
Beaufort district
Charleston
in 1704
coast region of North Carolina and
drainage basins in North Carolina and
of South Dakota; artesian basin in North Dakota and, showing depth of
wells
Black Hills, showing distribution of forestsAnn 21, 1v, pp 596–597
Black Hills, northern
Black Hills Forest Reserve; Rapid, Sundance, Deadwood, Hermosa,
and Harney Peak quadrangles, showing land classifica-
tion and density of standing timberAnn 19, v, atlas
Cheyenne River, irrigation canals alongAnn 21, IV, pp 578-579
Dakota artesian basin, showing elevation of bed-rock surfaceAnn 18,
iv, pp 610-611
Deadwood quadrangle; land classification and standing timberAnn 19, v, atlas
eastern
Harney Peak quadrangle; land classification and standing timberAnn 19,
Hermosa quadrangle; land classification and density of standing timber
Minnekahta region
Newcastle quadrangle, showing classification of landsAnn 21, v, atlas

Map, topographic, of South Dakota; portion of, showing localities at which
artesian-well waters have been employed for irriga-
tion
of South Dakota; portions of North Dakota and, showing altitudesAnn 17,
п, pp 612-613
portions of North Dakota and, showing depths to top of principal
artesian flowsAnn 7, 11, pp 666-667
showing pressure in wells
showing rates of increase of underground temperature in deep
wells
showing relative amounts of saline ingredients in some well
watersAnn 17, 11, pp 674–675
showing relative volumes of flows from wellsAnn 18, iv, pp 614-615
Wyoming, Nebraska, and
Rapid quadrangle; land classification and density of standing tim-
ber
Sioux reservationBull 21, at end
Sundance quadrangle; land classification and density of standing
timberAnn 19, v, atlas
of Tennessee; atlas sheets covering areas in. (See p 94 of this bulletin.)
Briceville quadrangle
Bristol quadrangleGF 59
Chattanooga quadrangleGF 6
Cleveland quadrangleGF 20
Estillville quadrangle
Kingston quadrangleGF 4
Knoxville quadrangleGF 16
Loudon quadrangleGF 25
McMinnville quadrangleGF 22
Morristown quadrangleGF 27
Pikeville quadrangleGF 21
Ringgold quadrangleGF 2
Sewanee quadrangleGF 8
Standingstone quadrangleGF 53
Stevenson quadrangleGF 19
Wartburg quadrangle
of Texas
Albany, vicinity of
Anson, vicinity of
atlas sheets covering areas in. (See pp 95-96 of this bulletin.)
Balcones fault scarpTF 3, illustration sheet vii
Black Prairie region, portion ofTF 3, illustration sheets viii, x
Black and Grand Prairie regions
Brackett, constructional wash plain nearTF 3, illustration sheet vii
Callahan Divide, summits ofTF 3, illustration sheet ix
Copano Bay, vicinity of
Davis Mountains
Edwards Plateau, south edge ofTF 3, illustration sheet viii
Franklin Mountains and Hueco BolsonTF 3, illustration sheet vi
Grand Prairie, portions of
Kinney County, portion ofTF 3, illustration sheet viii
Lampasas Cut Plain, portion ofTF 3, illustration sheet vii
Marfa, vicinity of
Nucces quadrangle
Pecos River, vicinity of, showing canal system Ann 13, 11, p 189

Ma	p, topographic; of Texas; portion of, showing relations of Edwards Plateau,
	Balcones scarp line, and Rio Grande Plain. Ann 18, 11, pp 200-201
	of Texas; portions of, showing types of mountains, plains, scarps, rivers,
	and canyons
	Rio Grande coal fields, location of
	San Carlos region
	San Miguel County, portion of
	Sierra Blanca TF 3, illustration sheet vi
	Uvalde County, portion of
	Uvalde quadrangleGF 64
	Waco, vicinity of
	of Texas region, showing altitudes
	showing drainage districts
	showing forest areas
	showing natural provinces
	of United StatesAnn 4, p 1; Ann 5, pocket;
	Ann 6, pocket; Ann 7, pocket; Ann 8, 1, pocket;
	Ann 9, pp 50-51; Ann 10, 1, pocket; Ann 11, 1,
	pocket; Ann 12, 1, pocket; Ann 13, 1, pocket; Ann 14,
	I, pocket; Ann 15, pocket; Ann 16, I, pocket; Ann
	17, I, pocket; Ann 18, I, pocket; Ann 19, I, pocket;
	Ann 20, 1, pocket; Ann 21, 1, pocket; Bull 171, p 22
	arid region, showing areas irrigated
	altitudesAnn 13, 11, pocket
	atlas sheets. (See pp 67–110 of this bulletin.)
	Cordilleran region, showing distribution of woods and forestsAnn 19,
	v, atlas
	forest reserves and national parksAnn 19,
	v, atlas; Ann 20, v, atlas; Ann 21, v, atlas
	magnetic declination
	plan and description of
	pp xiii-xxiv; Ann 6, pp xvi-xix; Ann 7, pp 3-8
	public lands, disposition of
	southeastern, showing submerged contours of Coastal PlainAnn 12, 1,
	pocket western, showing drainage basins
	showing forests, woodlands, and irrigated areasAnn 16, 11, pp 480–481
	showing situation and extent of Plateau country Ann 6, pp 114–115
	of Utah
	atlas sheets covering areas in. (See p 96 of this bulletin.)
	Bear River Basin
	Tintic district
	of Vermont; atlas sheets covering areas in. (See pp 96–97 of this bulletin.)
	of Virginia, atles sheets covering areas in. (See pp 90-97 of this bulletin.)
	of Virginia; atlas sheets covering areas in. (See pp 97–98 of this bulletin.)
	Bristol quadrangle
	Cape Charles, showing lagoon channels
	Dismal Swamp district
	drainage basins
	Estillville quadrangle
	fall line
	Franklin quadrangleGF 32
	Fredericksburg quadrangle
	Harpers Ferry quadrangleGF 10
	Jetersville, vicinity of
	Monterey quadrangleGF 61

Map, topographic, of Virginia; Nomini quadrangle, showing artesian areasGF 23
of Virginia; Norfolk quadrangle
Palmyra quadrangleGF 1
Pocahontas quadrangleGF 26
Staunton quadrangleGF 14
Tazewell quadrangleGF 44
Washington (D. C.) quadrangle
of Washington
atlas sheets covering areas in. (See p 98 of this bulletin.)
Chelan quadrangle, showing classification of landsAnn 21, v, atlas
classification of lands
distribution of red fir, hemlock, spruce, and pine
v, pp 12-13, 14-15, 16-17, 18-19, 20-21
Ellensburg quadrangle, showing classification of landsAnn 21, v, atlas
Mount Rainier Forest Reserve, showing classification of landsAnn 21,
v, atlas
showing distribution of hemlock
showing distribution of red cedar
showing distribution of red or yellow fir
showing distribution of yellow pine
Mount Stuart quadrangle, showing classification of landsAnn 21, v, atlas
Olympic Forest Reserve, showing classification of lands Ann 21, v, atlas
showing distribution of red fir, hemlock, cedar, spruce, and silver
firAnn 21, v, atlas
Seattle quadrangle, showing classification of landsAnn 21, v, atlas
southeastern
Spokane quadrangle, showing classification of landsAnn 21, v, atlas
Tacoma quadrangleGF 54
showing classification of lands
Washington Forest Reserve, showing wooded, burnt, and restocked
areas, merchantable timber, and distribution of timber
species
western
classification of lands and density of merchantable timberAnn 19,
v, atlas
distribution of red fir, hemlock, cedar, and spruce. Ann 19, v, pp 40-41
of West Virginia; atlas sheets covering areas in. (See pp 98–99 of this bulletin.)
Buckhannon quadrangle
Charleston quadrangle
Cumberland Plateau, portion of
Elk Garden and Upper Potomac coal basins Ann 14, 11, pp 580–581
Franklin quadrangle
Harpers Ferry quadrangle
Huntington quadrangle
Monterey quadrangle
Piedmont quadrangle GF 28
Pocahontas quadrangle
Staunton quadrangle
Tazewell quadrangle GF 44
of Wisconsin; atlas sheets covering areas in. (See p 99 of this bulletin.)
Bass Lake, vicinity of
Eagle quadrangle
Grant County, portion of
Sun Prairie quadrangle
Sun Traine quadrangie

Map, topographic, of Wyoming
of Wyoming; atlas sheets covering areas in. (See p 100 of this bulletin.)
Bald Mountain quadrangle, showing classification of lands. Ann 21, v, atlas
Bear River Basin
Beaver Creek, irrigation canal along
Bighorn Basin
Bighorn Forest Reserve, showing distribution of woodland. Ann 19, v, atlas
Black Hills, showing distribution of forests
Cloud Peak quadrangle, showing classification of landsAnn 21, v, atlas
Crandall quadrangleGF 52
Dayton quadrangle, showing classification of landsAnn 21, v, atlas
Ishawooa quadrangle
Newcastle quadrangle, showing classification of lands Ann 21, v, atlas
parts of South Dakota, Nebraska, and
Platte Basin, showing land classification
Snake River Basin, Upper, showing reservoir and canal sitesAnn 11,
п, pp 190–191
Teton Forest Reserve and southern part of Yellowstone Park Forest
Reserve, land classification
Yellowstone Basin, land classification
Yellowstone Park (Gallatin, Canyon, Shoshone, and Lake quad-
rangles)
ogists on, in January, 1889
Map work by national and State organizations and by corporate and private
enterprise, sketch of
Map work, geologic. (See State names.)
Map work, topographic. (See State names.)
Maps, formulas and tables to facilitate construction and use of
Maps, geologic, of America, catalogue ofBull 7
of United States, prepared by Geological Survey. (See pp 64-66 of this
bulletin).
Maps, topographic, of European nations, scales of
of United States prepared by Geological Survey and engraved to March 1, 1901, list of, by States. (See pp 67–100 of this bulletin.)
Mapleton sandstone of Maine, Aroostook volcanic areaBull 165, pp 136–137
of Maine, fauna of
Maquoketa shales of Canada Bull 81, p 334
of Iowa
Marble, analysis of, from California, Inyo CountyAnn 20, vi cont, pp 359, 360
analysis of, from California, San Bernardino County
vi cont, p 240; Ann 20, vi cont, p 360
from Colorado, Pueblo County
vi cont, p 242; Ann 20, vi cont, p 361 from Georgia, Happy Valley. Bull 90, p 66; Bull 148, p 257; Bull 168, p 255
Happy Valley quarry
residues from
Pickens CountyAnn 20, vr cont, pp 374, 375; MR 1889-90, p 387
various localities Ann 16, IV, pp 465, 467; Ann 20, VI cont, p 374
from Louisiana, near WinnfieldBull 60,
p 160; Bull 148, p 258; Bull 168, p 258
from Maryland, Cockeysville
from Massachusetts, Lee
Westfield (serpentinic)Ann 18, v cont, p 990; Ann 20, vr cont, p 407
Bull. 177—01——32

Marble, analysis of, from New York, Pleasantville
IV, p 468; Ann 17, III cont, p 798; Ann 19,
vi cont, p 243; Ann 20, vi cont, p 423
analysis of, from New York, South Dover
vi cont, p 245; Ann 20, vi cont, p 422
from Pennsylvania, Annville
Avondale
Dauphin County
from Tennessee, Hawkins County
Knoxville
from Utah, Ontario mine
from Vermont, Proctor
III cont, p 809; Ann 18, v cont, p 986; Ann 20, vi cont, p 447
Rutland
p 66; Bull 148, p 254; Bull 168, p 252
residue from
West Rutland
from Wisconsin, sec. 14, T. 44 N., R. 3 W. (siliceous)
from Maryland, Cockeysville, description of, as one of the educational
series (dolomite)
from Massachusetts, Lee, description of, as one of the educational series. Bull 150,
np 299–300
production of, statistics of
MR 1883-84, pp 665, 667; MR 1885, pp 398, 402-404; MR 1886,
pp 539, 541–546, 554, 556; MR 1887, pp 517–520, 525–527; MR
1888, pp 541–543, 550–551; MR 1889–90, pp 375–376, MR 1891,
pp 456, 468–471; MR 1892, pp 705, 709–710; MR 1893, pp 543,
547–549; Ann 16, IV, pp 436, 437, 462–473; Ann 17, III cont,
pp 759, 760–761, 766–770; Ann 18, v cont, pp 949, 950–951,
975–992; Ann 19, vi cont, pp 238–248; Ann 20, vi cont, pp
270, 271, 281–292; Ann 21, vi cont, pp 334, 335, 341–343
quarrying and manufacturing of, methods of
thin section of, from Maryland, CockeysvilleBull 150, pp 300–301
(See, also, Building stone.)
Marble, onyx; characteristics, preparation, occurrence, etc
vi cont, pp 286–291 Marble slate, preparation of, method of
Marble Canyon, Grand Canyon district, description of Ann 2, p 71; Mon 11, p 10
Marble Falls limestone of Texas
Marbut (C. F.), Shaler (N. S.), and Woodworth (J. B.), glacial brick clays of
Rhode Island and southeastern MassachusettsAnn 17,
I, pp 951–1004  Marcasite, composition of
concretion of, description of the rock, as one of the educational seriesBull 150,
pp 110–111
Marcellina, Mount, Colorado, geology of
Marcou (J.) and Marcou (J. B.), catalogue of geological maps of America Bull 7
Mareniscan series of CanadaBull 86, pp 191, 192, 195, 490
(See, also, Coutchiching series.)
Margarite, analysis of, from Georgia, near Gainesville
analysis of, from Massachusetts, Chester
from New York, near PeekskillBull 60, p 158
from North Carolina, Iredell CountyBull 9, p 12
various localitiesBull 74, p 69
abomical constitution of Rull 195 pp 51, 102

Marginellidæ of Miocene deposits of New Jersey
Marialite, chemical constitution of
Marine deposits and geologic work of the sea, in MaineMon xxxiv, pp 41–58
Marine Eocene, fresh-water Miocene, and other fossil Mollusca of western
North America
Marine marshes
Marine Mollusca, list ofBull 24
Mariposa formation of California
88–89, 102, 103; GF 3, pp 1, 2; GF 5, pp 1, 2; GF 11, pp 1, 3;
GF 29, pp 1, 2; GF 31, p 1; GF 37, p 1; GF 39, p 1; GF 41,
pp 1, 4; GF 43, p 1; GF 51, p 1; GF 63, pp 2-3; GF 66, p 3
of California, identity of Knoxville formation and
pp 195-204; Bull 19, pp 18-20
Mariposite, analyses of, from California, Bear Valley. Ann 17, 1, p 679; Bull 167, p 75
of Sierra Nevada
Marks Mills beds, Arkansas, correlation of
Marl, analysis of, from Florida, Tampa section (siliceous)Bull 84, p 117
analysis of, from Indiana
from Indiana, Kosciusko County
from Kansas, Trego CountyBull 27, p 71; Bull 168, p 263
from Kentucky, Grayson County
from Maryland, Winchester
from Nevada, Pyramid Lake, west shore of Mon x ₁ , p 152; Bull 9, p 14
from New Jersey, various localities (greensand)
various localities (recent calcareous)
from North Carolina, New Hanover County (coprolitic). MR 1883–84, p 791
various localities (calcareous)MR 1882, p 525
from Ohio, near HarperAnn 17, 111 cont, p 886
near SanduskyMR 1892, p 745
from Texas, Williamson County
from Utah, Bonneville region (white)
from Virginia; Aquia Creek, Woodstock, and Evergreen Bull 141, p 36
of Florida, Arcadia
of Lake Bonneville, composition of
of Lake Lahontan (white)
of Lake Lanontan (write)
of the Great Plains, topography of
statistics of
1885, p 464; MR 1886, pp 619–620; MR 1887, p 592; MR 1888,
pp 595–596; MR 1889–90, p 454; MR 1891, p 4; MR 1892, p 4
Marl, amorphous; description of the rocks, as one of the educational series Bull 150,
pp 135-136
Marl, greensand; analyses of, from New Jersey, various localitiesMR 1882, p 525
of New Jersey
paleontologic equivalents of
Marl, greensand, and Raritan clays of New Jersey; Brachiopoda and Lamel-
libranchiata of
of New Jersey, Gasteropoda and Cephalopoda of
Marl, shell, description of the rock, as one of the educational seriesBull 150, p 136
Marl clay, analysis of, from North Dakota
Marcon conglomerate of Colorado
Maroon formation of Colorado, Aspen district
Marquette iron-ore district of Michigan
pp 477-650; Ann 21, 111, pp 370-383, 430-431; Mon xxviii
iron-bearing formations of, conclusions concerningAnn 15, pp 163–164

Marquette series of Lake Superior regionAnn 3, pp 166-168; Ann 15, pp 477-
650, passim; Ann 16, 1, p 784; Ann 19, 111, pp 16, 17; Ann 21, 111,
p 371; Mon xix, pp 471–473; Mon xxviii, passim; Bull 86, passim
Marquette and Menominee regions of Michigan, greenstone-schist areas of Bull 62
Mars Hill conglomerate of Maine, Aroostook volcanic areaBull 165, pp 134-136
Marsh (O. C.), biographic sketch of
birds with teethAnn 3, pp 45–88
Dinocerata, a monograph on an extinct order of gigantic mammalsMon x
dinosaurs of North America
gigantic mammals of the Dinocerata
vertebrate fossils from Denver Basin
work in charge of, 1882–1899
pp 71–72; Ann 7, pp 111–113; Ann 8, 1, pp 173–174; Ann 9,
pp 114-115; Ann 10, 1, pp 158-159; Ann 11, 1, pp 101-102;
Ann 12, 1, pp 118–119; Ann 13, 1, pp 155–157; Ann 14, 1,
pp 265–267; Ann 15, pp 186–188; Ann 16, 1, p 42; Ann 17,
ı, p 69; Ann 18, ı, p 68; Ann 19, ı, p 67; Ann 20, ı, p 68
Marshall (R. B.), forest conditions in Mount Lyell quadrangle, CaliforniaAnn 21,
v, pp 574-575  Marshall (W. L.), hypsometric method of
Marshall (W. L.), hypsometric method of
Marshall group, history of discussions concerningBull 80, pp 173–192
Marshall quadrangle, Arkansas, physiography of
Marshall quadrangle, Missouri, physiography of
Marshall sandstone of Michigan
Marshes, marine, effect of, on harbors
formation and fertility of
Marshes, salt, catalogue of larger, of New England and Long Island. Ann 6, pp 390–398
process of development of
Marshes and swamps of Massachusetts, Cape Cod districtAnn 18, 11, pp 571–572 (See, also, Swamps.)
Marsters (V. F.) and Kemp (J. F.), trap dikes of the Lake Champlain
regionBull 107
Marthas Vineyard, classification of strata of
clayey beds of
Cretaceous deposits of
diastrophic and ice action on
phosphates of Bull 46, p 78
surveys of, by H. L. Whiting       Ann 7, pp 361–363         Tertiary beds of       Ann 6, pp 21–22; Bull 84, p 337
Marthas Vineyard series Bull 84, p 337
Martin (K.), concerning Tertiary fossils in the PhilippinesAnn 21, 111, pp 615-625
Martinez group of California, correlation of
11, p 347; Mon XIII, p 179; Bull 82, p 193 Martinez group of California and its fauna
Martinsburg shale of Virginia, Maryland, and West Virginia
pp 342–345; GF 10, p 3; GF 14, p 2; GF 32, p 2; GF 61, p 2
Martyn (W.), pyrites, statistics of
Martyn (w.), pyrites, statistics of Maryland; altitudes in
19, 1, pp 217–219; Ann 20, 1, pp 363–370; Ann 21, 1, pp 443–
445, 446; Bull 5, pp 129–132; Bull 76; Bull 160, pp 265–276
Antietam Creek, flow of, measurements of
Ann 20, IV, pp 49, 122; Ann 21, IV, p 95;
WS 15 p 16: WS 27 pp 19 23 24: WS 35 p 86

·
Maryland; artesian and other wells in
atlas sheets of. (See pp 79–80 of this bulletin.)
boundary lines of
brick industry of
building stone in Fredericksburg quadrangle
in Harpers Ferry quadrangle
in Nomini quadrangle
in Piedmont quadrangle
in Washington (D. C.) quadrangleGF 70, p 7
production of, statistics of
MR 1887, p 518; MR 1888, pp 536, 538, 541; MR 1889–90,
pp 373, 398–400; MR 1891, pp 457, 459, 461, 462, 464, 466;
MR 1892, pp 706, 707, 709, 710, 711; MR 1893, p 544 et
seq; Ann 16, iv, p 437 et seq; Ann 17, iii cont, p 760 et seq;
Ann 18, v cont, p 950 et seq; Ann 19, v1 cont, p 207 et seq;
Ann 20, vr cont, p 271 et seq; Ann 21, vr cont, p 335 et seq
Catoctin belt, geology of
cement production of, statistics of MR 1889-90, p 461;
MR 1892, p 739; MR 1893, p 619; Ann 16, IV, p 577; Ann 17,
III cont, p 891; Ann 18, v cont, p 1178; Ann 19, v cont, p 495;
Ann 20, vr cont, pp 539, 547; Ann 21, vr cont, pp 393, 407
Chesapeake Bay, geology of head of
chromium industry of MR 1882, p 428; MR 1883-84, p 567; MR 1885, p 358
clay in Fredericksburg quadrangle
in Harpers Ferry quadrangleGF 10, p 4
in Nomini quadrangleGF 23, p 4
in Piedmont quadrangle
in Washington (D. C.) quadrangle
production of, statistics of
520, 521; Ann 17, 111 cont, pp 815 et seq, 860-861; Ann 18,
v cont, p 1078 et seq; Ann 19, vi cont, pp 318 et seq, 361;
Ann 20, vi cont, pp 466 et seq, 523; Ann 21, vi cont, pp 362, 363
coal in Piedmont quadrangle
coal area and statistics of
1882, pp 58-60; MR 1883-84, pp 12, 49-50; MR 1885, pp 11,
33-34; MR 1886, pp 225, 230, 272-279; MR 1887, pp 169,
171, 263-270; MR 1888, pp 169, 171, 280-283; MR 1889-90,
pp 146, 221–225; MR 1891, pp 180, 255–259; MR 1892,
pp 264, 267, 268, 417–421; MR 1893, pp 188, 189, 194, 195,
197, 199, 200, 307–311; Ann 16, IV, pp 7 et seq, 132–137; Ann
17, 111, pp 287 et seq, 442-447, 542; Ann 18, v, pp 353 et seq,
536-543; Ann 19, vr, pp 277 et seq, 442-447; Ann 20, vr,
pp 299 et seq, 429-433; Ann 21, vi, pp 324 et seq, 457-461
coal fields of
coke in, manufacture of
copper in Harpers Ferry quadrangle
Cumberland and Georges Creek coal field, extent and production of Ann 14,
п, р 579
elevations in
217–219; Ann 20, 1, pp 363–370; Ann 21, 1, pp 443–445,
446; Bull 5, pp 129–132; Bull 76; Bull 160, pp 265–276
feldspar from, statistics ofAnn 18, v cont, p 1367; Ann 19, vı cont, p 657
flags and slates in Harpers Ferry quadrangleGF 10, p 4
Fredericksburg quadrangle, geology of
ZIOGOTOGO QUARTERIO, BOOTOGO OI

Mai	tyland; fuller's earth in Fredericksburg quadrangleGF 13, p 4
	fuller's earth in Nomini quadrangle
	gabbros and associated hornblende rocks occurring in the neighborhood
	of Baltimore
	gas, illuminating and fuel, and by-products in, statistics of
	vi cont, pp 227, 240, 243, 246, 247, 248, 249
	geographic positions in
	pp 225–233; Ann 21, 1, pp 252, 253, 254; Bull 123, pp 72–74
	geologic formations of Coastal Plain in
	geologic maps of. (See Map, geologic, of Maryland.)
	geologic sections in. (See Section, geologic, in Maryland.)
	geologic and paleontologic investigations in
	pp 67, 110, 123; Ann 8, 1, pp 167, 184, 185, 188; Ann 9, pp 115,
	122; Ann 10, pp 152–154; Ann 11, 1, pp 66, 68, 116; Ann 12,
	I, pp 72, 76, 117, 120, 122; Ann 13, I, pp 107, 108, 112, 113, 145,
	147, 148; Ann 14, 1, pp 217, 220, 240; Ann 15, pp 131–132,
	156; Ann 16, 1, p 17; Ann 17, 1, pp 21–22, 29; Ann 18, 1, pp 30–
	31, 32; Ann 19, 1, pp 35, 36; Ann 20, 1, pp 39, 40; Ann 21, 1, p 74
	gold in Washington (D. C.) quadrangle
	gold and silver from, statistics ofMR 1892, p 88; MR 1893, pp 50, 51, 55;
	Ann 16, 111, p 258; Ann 17, 111, pp 73, 74, 75; Ann 18, v, pp
	141, 143, 144, 145, 149; Ann 19, vi, pp 128, 129, 132, 133; Ann
	20, vi, pp 103, 104, 105, 106, 108; Ann 21, vi, pp 125, 126, 127
	gold mining in, history of
	granite of central, origin and relations of
	granite production of, statistics of
	374, 398–399; MR 1891, pp 457, 459; MR 1892, pp 706, 707;
	MR 1893, pp 544, 545; Ann 16, iv, pp 437, 442, 457, 458, 459;
	Ann 17, 111 cont, pp 760, 761, 762, 763, 764–765; Ann 18, v cont,
	pp 950, 951, 952, 954, 956, 962–964; Ann 19, vi cont, pp 207,
	208, 209, 210, 211, 220; Ann 20, vi cont, pp 271, 272, 273, 274,
	275, 276, 278; Ann 21, vi cont, pp 335, 336, 337, 338, 339, 340
	Harpers Ferry quadrangle, geology of
	iron, iron ores, and steel from, statistics of
	p xxviii; MR 1882, pp 120, 125, 129, 130, 131, 133, 134,
	135, 136, 137; MR 1883-84, p 252; MR 1885, pp 182, 184;
	MR 1886, pp 18, 33, 77; MR 1887, p 11; MR 1888, pp 14, 23;
	MR 1889–90, pp 10, 17; MR 1891, pp 12, 27, 54, 55, 61; MR
	1892, pp 12, 13, 15, 17, 21, 26, 35, 36, 37; MR 1893, pp 15, 20,
	26, 28, 35, 38, 39; Ann 16, 111, pp 31, 41, 192, 194, 203, 208, 249,
	250; Ann 17, III, pp 26, 27, 39, 41, 47, 48, 57, 63, 68; Ann 18,
	v, pp 24, 41, 42; Ann 19, vi, pp 26, 27, 29, 65, 68, 72; Ann 20,
	vi, pp 29, 43, 44, 74 et seq; Ann 21, vi, pp 34, 51, 52, 53, 90, 92
	iron ore in Harpers Ferry quadrangle
	in Piedmont quadrangle
	Kensington, rating station for meters atBull 140, pp 331–332
	lime production of, statistics of
	limestone in Piedmont quadrangle
	production ofMR 1889–90, pp 373, 399; MR 1891, pp 464, 466; MR 1892,
	p 711; MR 1893, p 556; Ann 16, IV, pp 437, 494, 495, 507;
	Ann 17, 111 cont, pp 760, 788, 789, 790, 793; Ann 18, v cont,
	pp 950, 1044, 1045, 1046, 1058–1059; Ann 19, vi cont, pp 207,
	281, 282, 283, 297–298; Ann 20, vi cont, pp 271, 342, 343,
	344, 345, 348; Ann 21 vi cont, pp 335, 357, 358, 359, 360
	- <del></del>

Maryland; magnetic declination in	
	355
manganese-ore production of	
maps, geologic, of. (See Map, geologic, of Maryland.)	
maps, topographic, of. (See Map, topographic, of Maryland; also pp 79–80	
maps, topographic, or. (see map, topographic, or maryland; also pp 79-80	
of this bulletin.)	
marble production of, statistics of	
MR 1886, p 541; MR 1887, p 518; MR 1888, p 541; -	$\mathbf{R}$
1889–90, pp 400, 575; MR 1891, pp 468–469; MR 1892	, p
709; MR 1893, pp 547, 548; Ann 16, iv, pp 437, 463, 464, 4	67;
Ann 17, 111 cont, pp 760, 766, 767, 768, 769; Ann	
v cont, pp 950, 975, 977, 978, 980; Ann 19, vi co	
pp 207, 238, 239, 240, 243; Ann 20, vi cont, pp 2	
281, 282, 283, 284; Ann 21, vi cont, pp 335, 341, 342,	
marl in Fredericksburg quadrangle	
in Nomini quadrangleGF 23,	
mineral spring resorts in	
mineral springs ofMR 1889-90, pp 522, 528; MR 1891, pp 603, 605; MR 18	92,
pp 824, 828; MR 1893, pp 774, 778, 784, 789, 794; Ann 16,	ıv.
pp 709, 713, 720; Ann 17, 111 cont, pp 1027, 1034, 10	
Ann 18, v cont, pp 1371, 1379, 1386; Ann 19, vi co	
pp 661, 669, 677; Ann 20, vi cont, pp 749, 758, 766; A	
21, vi cont, pp 600, 609-610, 619; Bull 32, pp 51	
minerals of, useful	
Monocacy River, flow of, measurements of	
ıv, pp 34-35; Ann 19, ıv, pp 153-155; Ann 20, ıv,	
49, 129–130; Ann 21, IV, pp 97–98; WS 11, p 11;	
15, p 20; WS 27, pp 21, 24, 25; WS 35, pp 93	-94
Newark system inBull 85, pp 20	85
Nomini quadrangle, geology of	
ocher in Harpers Ferry quadrangle	n 4
production of	
production of	
	595
Octoraro Creek, flow of, measurements of	595 nn
Octoraro Creek, flow of, measurements of	595 nn 1v,
Octoraro Creek, flow of, measurements of	595 nn 1v, -83
Octoraro Creek, flow of, measurements of	595 nn iv, -83 5, p
Octoraro Creek, flow of, measurements of	595 nn iv, -83 3, p
Octoraro Creek, flow of, measurements of	595 nn 1v, -83 3, p 13,
Octoraro Creek, flow of, measurements of	595 nn 1v, -83 3, p 13,
Octoraro Creek, flow of, measurements of	595 nn iv, -83 3, p 13, 37–
Octoraro Creek, flow of, measurements of	595 nn 1v, -83 3, p 13, 37– 574 nn
Octoraro Creek, flow of, measurements of	595 nn iv, -83 3, p 13, 37– 574 nn
Octoraro Creek, flow of, measurements of	595 nn iv, -83 3, p 13, 37– 574 nn 94; 83
Octoraro Creek, flow of, measurements of	595 nn iv, -83 3, p 13, 37– 574 nn 94; 83
Octoraro Creek, flow of, measurements of	595 nn iv, -83 3, p 113, 37– 574 nn 94; 83 118,
Octoraro Creek, flow of, measurements of	595 nn IV, -83 3, p 113, 37– 574 nn 94; 83 118, p
Octoraro Creek, flow of, measurements of	595 nn IV, -83 3, p 113, 37– 574 nn 94; 83 118, p 24
Octoraro Creek, flow of, measurements of	595 nn IV, -83 3, p 113, 37– 574 nn 94; 83 118, p 24
Octoraro Creek, flow of, measurements of	595 nn iv, -83 3, p 13, 574 nn 94; 83 18, p 24 15, 666 338
Octoraro Creek, flow of, measurements of	595 nn iv, -83 3, p 113, 37- 574 nn 94; 83 118, p 24 115, 666 338 28
Octoraro Creek, flow of, measurements of	595 nn iv, -83 3, p 113, 37– 574 nn 94; 83 118, 24 115, 366 338 28
Octoraro Creek, flow of, measurements of	595 nn iv, -83 3, p 13, 37– 574 nn 94; 83 18, p 24 115, 666 638 28 xv 18,
Octoraro Creek, flow of, measurements of	595 nn IV, -83 3, p 113, 37- 574 nn 94; 83 18, p 24 115, 666 338 28 xv 18, 53;
Octoraro Creek, flow of, measurements of	595 nn 1v, -83 3, p 113, 37- 574 nn 94; 83 118, p 24 115, 666 338 28 xv 18, 53; ull
Octoraro Creek, flow of, measurements of	595 nn 1v, -83 3, p 113, 37- 574 nn 94; 83 118, p 24 115, 566 6338 xv 18, 53; ull 10;
Octoraro Creek, flow of, measurements of	595 nn 1v, -83 3, p 113, 37- 574 nn 94; 83 118, p 24 115, 566 6338 xv 18, 53; ull 10;

Maryland; Potomac River, hydrography of basin of Ann 14, 11, pp 134–136
Potomac River, pollution of
water power on
quartz from, statistics of
vi cont, p 657; Ann 20, vi cont, p 745; Ann 21, vi cont, p 595
rainfall in basins of Patapsco and Patuxent rivers Ann 20, IV, pp 48, 49, 112-114
in basin of Potomac River
road material in Harpers Ferry quadrangle
in Piedmont quadrangle
in Washington (D. C.) quadrangle
sand and gravel in Fredericksburg quadrangle
in Nomini quadrangle
sandstone production of, statistics of
374, 399; MR 1891, pp 461–462; MR 1892, p 710; MR 1893, p
553; Ann 16, IV, pp 437, 484, 485, 487; Ann 17, III cont, pp
760, 775, 776, 777; Ann 18, v cont, pp 950, 1012, 1013, 1014,
1023; Ann 19, vi cont, pp 265, 266; Ann 20, vi cont, pp 271,
336, 337, 338, 340; Ann 21, vi cont, pp 335, 353, 354, 355, 356
sections, geologic, in. (See Section, geologic, in Maryland.)
slate production of, statistics of
399–400; MR 1891, pp 472–473; MR 1892, p 710, MR 1893, p
550; Ann 16, IV, pp 437, 476, 477, 478; Ann 17, III cont, pp
760, 770, 771, 772, 773, 774; Ann 18, v cont, pp 950, 992, 994,
995, 996, 997, 998–999; Ann 19, vi cont, pp 207, 250, 251, 252,
253, 254, 255–256; Ann 20, vi cont, pp 271, 294, 295, 296,
297, 298, 299, 300; Ann 21, vi cont, pp 335, 344–349, 352
soapstone in Washington (D. C.) quadrangle
soils in Piedmont quadrangle
survey of, by cooperation of the State
1, pp 100, 102; Ann 19, 1, pp 86, 98; Ann 20, 1, pp 99, 110
topographic maps of. (See Map, topographic, of Maryland.)
topographic work in
Ann 12, 1, p 26; Ann 13, 1, p 72; Ann 16, 1, pp 64, 68, 69; Ann
17, 1, pp 97, 99; Ann 18, 1, pp 94, 95, 102; Ann 19, 1, pp 89,
90, 98; Ann 20, 1, pp 100, 102, 110; Ann 21, 1, pp 119, 125–126
triangulation in
Washington (D. C.) quadrangles, geology of GF 70
waters, underground, in Fredericksburg quadrangle
in Nomini quadrangle
in Washington (D. C.) quadrangleGF 70, p 7
woodland area in
Youghiogheny River, flow of, measurements of
IV, pp 155–156; WS 27, pp 59, 61, 65; WS 36, pp 159–160
Marylandian (Lower Atlantic Miocene)Bull 84, pp 20, 329
Maryville limestone in Kentucky, North Carolina, Virginia, and TennesseeGF 12,
p 2; GF 16, pp 3-4; GF 25, p 3; GF 27, p 2; GF 33, p 2; GF 59, p 3
Marysville quadrangle, California, geology of
Mashing and fracturing of mineral particles
Massachusetts; altitudes inBull 5, pp 133–137; Bull 76; Bull 160, pp 277–296
Berkshire County, geology of eastern
boundary lines of, and cession of territory to general governmentBull 13,
pp 25–26, 47–64; Bull 171, pp 53–70
bowlders, remarkable, in the Connecticut ValleyMon xxix, pp 559-561
The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s

Ma	ssachusetts; brick, paving, clays suitable for making, suggestions concerning
	brick clays of southeastern, and Rhode Island
	brick industry of
	building stone at World's Columbian Exposition
	in Holyoke quadrangle
	production of, statistics of
	pp 513, 521; MR 1888, pp 536, 538; MR 1889–90, pp 373,
	400–403; MR 1891, pp 457, 459, 461, 462, 464, 466; MR 1892,
	pp 706, 707, 709, 710, 711; MR 1893, pp 544, 545–546, 553,
	556; Ann 16, IV, p 437 et seq; Ann 17, III cont, p 760 et seq;
	Ann 18, v cont, p 950 et seq; Ann 19, vi cont, p 207 et seq;
	Ann 20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq
	use of Triassic sandstone as
	Cape Ann, geology of
	iron lithia micas of
	Cape Cod, original eastward extension of
	road materials on
	ship canal across
	Cape Cod district, geology of
	Cape Cod Peninsula, origin of
	Chester emery bed and mine; history, description, minerals, etcMon
	xxxx nn 117–147
	chromitę in Holyoke quadrangle
	Clarksburg Mountain, structure and rocks ofMon xxIII, pp 8-9, 26, 27, 99, 176
	clay in Holyoke quadrangle
	production of, statistics of
	p 502; Ann 16, iv, pp 518, 519, 520, 521; Ann 17, iii cont,
	pp 820 et seq, 861; Ann 18, v cont, p 1078 et seq; Ann 19,
	vi cont, pp 318 et seq, 362; Ann 20, vi cont, pp 466 et seq, 524
	suitable for paving brick, suggestions concerning Ann 16, 11, pp 324-326
	coal area and statistics ofMR 1892, p 264; MR 1893, pp 188,
	189; Ann 16, IV, pp 7, 8; Ann 17, III, pp 287, 288, 289; Ann
	18, v, pp 353, 355; Ann 19, v1, pp 277, 279, 281; Ann
	20, vi, pp 299, 301, 303; Ann 21, vi, pp 324, 326, 328
	coal measures of southeasternMon xxxIII, pp 159–201, 205–208
	Cochituate Lake, yield of watershed of
	coke in, manufacture of
	Connecticut River, flow of, measurements of
	Ann 20, IV, pp 47, 76–78; Bull 140, pp 37–41; WS 35, pp 40–42
	copper production of, statistics of
	degradation along coast of
	emery in Holyoke quadrangle
	Everett, Otto-Hoffman by-product coke plant at
	factory wastes, experiment on purification of
•	feldspar from, statistics ofAnn 18, v cont, p 1367; Ann 19, vi cont, p 657
	flagstones in Holyoke quadrangle
	fossil fishes and fossil plants of Triassic rocks of New Jersey and Connecticut Valley
	Franklin, Hampshire, and Hampden counties, geology of
	gas, illuminating and fuel, and by-products in, statistics of
	vi cont. p 227 et seg
	geographic dictionary ofBull 116
	001

```
(See, also, Map, geologic, of Massachusetts.)
  geologic sections in.
               (See Section, geologic, in Massachusetts.)
  geologic and paleontologic investigations in...... Ann 6, pp 19, 20, 21, 22, 24, 36;
               Ann 7, pp 60-61, 63, 84; Ann 8, 1, pp 124-125, 126, 127; Ann
               9, pp 71, 72, 75, 117, 122; Ann 10, r, pp 115, 116, 117, 118,
               170; Ann 11, 1, pp 62-63, 64, 115; Ann 12, 1, pp 54, 67, 69,
               120, 121, 126; Ann 13, 1, pp 99, 100, 101, 146; Ann 14, 1, pp
               194-195, 250-251; Ann 15, pp 133, 161; Ann 16, r, pp 15-16,
               39; Ann 17, I, pp 18-19, 20; Ann 18, I, pp 22-23, 25; Ann
               19, I, pp 31-32, 64; Ann 20, I, pp 33-34; Ann 21, I, pp 68-70
  MR 1888, pp 536, 538-539; MR 1889-90, pp 374, 400-401;
               MR 1891, pp 457–459; MR 1892, pp 706, 707; MR 1893, pp
               544, 545-546; Ann 16, IV, pp 437, 442, 457, 458, 459-460; Ann
               17, III cont, pp 760, 761, 762, 763, 765; Ann 18, v cont, pp
               950, 951, 952, 954, 956, 964-966; Ann 19, vi cont, pp 207, 208,
               209, 210, 211, 220–221;) Ann 20, vi cont, pp 271, 272, 273, 274,
               275, 276, 278; Ann 21, vi cont, pp 335, 336, 337, 338, 339, 340
  Hoosac Mountain and adjacent territory, geology of.......Mon xxIII, pp 35–118
  p xxviii; MR 1882, pp 120, 125, 129, 130, 131, 133, 134, 135,
               136, 137; MR 1883-84, p 252; MR 1885, pp 182, 184, 186;
               MR 1886, pp 17, 42; MR 1887, pp 11, 42; MR 1888, p 14;
              MR 1889-90, pp 10, 17; MR 1891, pp 12, 27, 61; MR 1892,
               pp 12, 15, 18, 21, 26, 35, 36, 37; MR 1893, pp 15, 20, 26, 28,
               35, 38, 39; Ann 16, 111, pp 31, 41, 192, 194, 203, 208, 249, 250;
               Ann 17, 111, pp 26, 27, 39, 41, 47, 48, 57, 63, 68; Ann 18, v, pp
               24, 41, 42; Ann 19, vi, pp 26, 27, 29, 65, 68, 72; Ann 20, vi, pp
               29, 43, 44, 74, 75, 83, 84, 85; Ann 21, vr, pp 34, 51, 52, 53, 90, 99
  Lawrence, rating station for meters at ......Bull 140, p 332
  MR 1892, p 711; MR 1893, p 556; Ann 16, IV, pp 437, 494,
               495, 507; Ann 17, 111 cont, pp 760, 788, 789, 790, 793; Ann
               18, v cont, pp 950, 1044, 1045, 1046, 1059; Ann 19, vi cont,
               pp 207, 281, 282, 283, 298; Ann 20, vi cont, pp 271,332, 342,
               343, 344, 345, 348; Ann 21, vi cont, pp 335, 357, 358, 359, 360
  (See Map, geologic, of Massachusetts.)
  maps, geologic, of.
                (See Map, topographic, of Massachusetts; also pp 80-81
  maps, topographic, of.
            of this bulletin.)
```

	•
Mas	sachusetts; marble production of, statistics ofMR 1882, p 451; MR 1886, p 541; MR 1889-90, pp 375, 403; MR 1892, p 709; Ann 16, iv, p 464; Ann 17, iii cont, pp 760, 766, 767, 768, 769; Ann 18, v
	cont, pp 950, 975, 977, 978, 980-981, 987-991; Ann 19, vr cont, pp 207, 238, 239, 240, 243; Ann 20, vr cont, pp 271,
	281, 282, 283, 284–285; Ann 21, vr cont, pp 335, 341, 342, 343
	Marthas Vineyard, Cretaceous deposits of Bull 82, pp 86–87 diastrophic and ice action on Ann 18, II, pp 505–513
	phosphates of
	Merrimac River, flow of, measurements of
	ıv, pp 111-115; Ann 20, ıv, pp 46, 73-74; Ann 21,
	rv, pp 58-60; Bull 140, pp 33-34; WS 35, pp 34-36
	profile of
	mineralogic lexicon of central
	mineral springs of
	p 538; MR 1886, p 717; MR 1887, p 684; MR 1888, p 627;
	MR 1889-90, p 528; MR 1891, pp 603, 605; MR 1892, pp
	824, 828; MR 1893, pp 774, 778-779, 784, 789, 794; Ann 16,
	IV, pp 709, 714, 720; Ann 17, III cont, pp 1027, 1034–1035,
	1041; Ann 18, v cont, pp 1371, 1379, 1386; Ann 19, vi
	cont, pp 661, 669–670, 677; Ann 20, vi cont, pp 749, 758–759,
	766; Ann 21, vr cont, pp 600, 610, 620; Bull 32, pp 21–23 minerals, useful, of
	Monument Mountain, structure of
	Mystic Lake, run-off of watershed of
	Nantucket, geology ofBull 53
	Narragansett Basin, geology of
	paint, mineral, production of, statistics of
	MR 1892, p 816; MR 1893, p 760; Ann 16, IV, pp 695,
	696; Ann 17, 111 cont, pp 1013, 1014; Ann 18, v cont, pp 1338, 1339; Ann 19, v1 cont, pp 637, 638; Ann 20,
	vi cont, pp 723, 724; Ann 21, vi cont, pp 573, 574
	pre-Cambrian rocks in western
	pyrites from, statistics of
	p 878; MR 1885, p 503; MR 1886, p 654
	quartz from, statistics of
	cont, p 1368; Ann 19, vi cont, p 657; Ann 20, vi cont, p 745 road-building stones of, and other parts of United States
	ii, pp 277–341
	road materials of Cape Cod
	of Holyoke quadrangleGF 50, p 8
	use of trap as, in
	rocks of, correlation of
	correlation of, general section showing
	sandstone production of, statistics of
	p 521; MR 1889–90, pp 374, 402; MR 1891, pp 461–462; MR
	1892, p 710; MR 1893, p 553; Ann 16, IV, pp 437, 484, 485,
	486, 487; Ann 17, III cont, pp 760, 775, 776, 777, 779; Ann
	18, v cont, pp 950, 1012, 1013, 1014, 1023; Ann 19, vi cont,
	pp 207, 264, 265, 266, 270–272; Ann 20, vi cont, pp 271, 336, 337, 338, 340; Ann 21, vi cont, pp 335, 353, 354, 355, 356
	501, 000, 010, 11111 21, 11 cont, pp 000, 000, 001, 000, 000

Massachusetts; sea-coast swamps of eastern United StatesAnn 6, pp 353–398
sections, geologic, in. (See Section, geologic, in Massachusetts.)
sewage-disposal plants in
slate production of, statistics of
Ann 19, vi cont, pp 254, 256; Ann 20, vi cont, pp 271, 294,
298, 299, 300; Ann 21, vi cont, pp 335, 344, 348, 349, 351
springs, mineral, in western-central
Sudbury River, flow of, measurements of
rv, pp 46, 74-75; Bull 140, pp 35-37; WS 35, p 37
survey of, by cooperation of the StateAnn 5, p xviii; Ann 6, p 4; Ann 9, p 4
tin deposits of
topographic maps of. (See Map, topographic, of Massachusetts.)
topographic work in
Ann 8, 1, pp 98-99; Ann 9, pp 50-51; Ann 20, 1, pp 100, 102, 111
cooperation of the State inAnn 5, p xviii; Ann 6, p 4; Ann 9, p 4
trap in Holyoke quadrangle
triangulation in
Triassic formation of the Connecticut Valley, structure ofAnn 7, pp 455-490
wells, artesian, on Dalton fault
western, geology of, outlines of
whetstones in Holyoke quadrangle
woodland area in
Massalongo (Abramo), biographic sketch of
Massanutten sandstone in Maryland, Virginia, and West VirginiaGF 14, p 2
Massern Ranges of Ouachita system
Massillon conglomerate in Ohio as a water bearer Ann 19, 1v, pp 649, 690–693
Massive rocks, especially those of California, origin of Mon XIII, pp 164-175,459
Matanuska region, Alaska, explorations in, in 1898
vii, pp 280–281, 289–290, 304
gold in, notes on
Matanuska series of Alaska
character, etc., of
Matawan formation in New Jersey
in Washington (D. C.) quadrangles
Mathews (E. B.), description of biotite-granite as one of the educational series. Bull
150, pp 172–177
Mato Teepee, Black Hills, geology of
Mattes, analysis and assays of, from Colorado, Leadville Mon xII, pp 723-725
Matthes (F. E.), glacial sculpture of Bighorn Mountains, WyomingAnn 21,
п, pp 167–190
11, pp 167–190 Matthews Landing series of AlabamaBull 84, p 330
(See, also, Naheola series.)
Maumee River, drainage system of
flow of, measurements of
Maxwell's theory of viscosity, tensile, drawn, and other strains in their bear-
ing on
Mazama, Mount, Oregon, history of
Mead (E.), water-right problems of Bighorn Mountains, WyomingWS 23
Meagher limestone of Montana, description and sections of
III, pp 285, 340, 364; GF 55, p 2; GF 56, p 2
ın, pp 285, 340, 364; GF 55, p 2; GF 56, p 2 Mechanics of Appalachian structure
of intrusion of porphyries in Black HillsAnn 21, 111, pp 187–194
Mechanism of solid viscosity
Medicine River, flow of, measurements of
ry, pp. 240–242; Bull 140, pp. 165–166; WS 11, p. 63

Medicine Bow Mountains, geology of, literature of	
	Bull 86, pp 272–277, 504
pre-Cambrian rocks of	Ann 16, 1, pp 817–818
Medina formation in Indiana	Ann 11, 1, pp 631–632
Medina shale in Ohio	Ann 8, pp 558–559
in Ohio as a water carrier	
Medusa, fossil, analysis of	
Medusæ, fossil, monograph on	
relation of, to living	
Meerschaum, occurrence of	MD 1992 94 np 790 701
Megalonyx beds	Dell 94 p. 220
Megalonyx beds	
Megalopterideæ, from Lower Coal Measures of Missouri	
Meionite, chemical constitution of	Bull 125, pp 29, 102
Melaniidæ of Bear River formation	Bull 128, pp 50–57
of North America (nonmarine fossil)	
Melanocerite, chemical constitution of	Bull 125, pp 59, 60, 104
Melanolite, analysis of	Bull 113, p 18
chemical constitution of	Bull 125, p 54
Melanopsidæ from Chico-Tejon series of California	Bull 51, p 20
Melanotekite, chemical constitution of	Bull 125, pp 81, 105
Melanterite?, analysis of, from Montana, near Whitehall	
Melaphyr of Keweenaw series	
thin section of, from Minnesota, SE. 4 sec. 9, T. 51 N.,	
from Pennsylvania, South Mountain	Rull 126 pp 199 199
Melaphyre-tuff, analysis of, from California, Jackson quad	Leonalo Ann 17 794
meraphyre-tun, analysis of, from Camorina, Jackson quac	1140 5 915. Pull 160 5 900
Melilite, chemical constitution of	Dull 195 no 96 97 109
Melinbanita abanial constitution of	Pull 195 06 106
Meliphanite, chemical constitution of	
Melonite from California, Mother Lode district, analysis	
notes on	
Melting-point and pressure of mercury, measurement of.	
	D. II 110 . F / 00
Melville (W. H.), josephinite, a new nickel-iron	
metacinnabarite from New Almaden, California	Bull 78, pp 80–83
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40
metacinnabarite from New Almaden, California mineralogic notespowellite, a new mineral species	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 Bull 90, pp 34–37
metacinnabarite from New Almaden, California mineralogic notes powellite, a new mineral species Melville (W. H.) and Hillebrand (W. F.), on isomorphic of thorium and uranous sulphates	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 Bull 90, pp 34–37 Bull 90, pp 26–33
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 Bull 90, pp 34–37 Bull 90, pp 26–33
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 sm and composition Bull 90, pp 26–33 nineralogy of Pacific Bull 61
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 sm and composition Bull 90, pp 26–33 nineralogy of Pacific Bull 61
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 sm and composition Bull 90, pp 26–33 nineralogy of Pacific Bull 61
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 sm and composition Bull 90, pp 26–33 nineralogy of Pacific Bull 61 ee phosphates Ann 16, 1v, pp 631–635
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 sm and composition Bull 90, pp 26–33 nineralogy of Pacific Bull 61 ee phosphates Ann 16, 1v, pp 631–635 ds, notes on Alaska (2),
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 sm and composition Bull 90, pp 26–33 nineralogy of Pacific Bull 61 ee phosphates Ann 16, 1v, pp 631–635 ds, notes on Alaska (2),
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 sm and composition Bull 90, pp 26–33 nineralogy of Pacific Bull 61 ee phosphates Ann 16, v, pp 631–635 ds, notes on Alaska (2), pp 115–117 Alaska (2), pp 113–114
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 sm and composition Bull 90, pp 26–33 nineralogy of Pacific Bull 61 ee phosphates Ann 16, IV, pp 631–635 ds, notes on Alaska (2), pp 115–117 Alaska (2), pp 113–114 Alaska (2), pp 109–110
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 sm and composition Bull 90, pp 26–33 nineralogy of Pacific Bull 61 ee phosphates Ann 16, v, pp 631–635 ds, notes on Alaska (2), pp 115–117 Alaska (2), pp 113–114 Alaska (2), pp 109–110 ver, Alaska, in 1898 Ann
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 sm and composition Bull 90, pp 26–33 nineralogy of Pacific Bull 61 ee phosphates Ann 16, IV, pp 631–635 ds, notes on Alaska (2), pp 115–117 Alaska (2), pp 113–114 Alaska (2), pp 109–110 ver, Alaska, in 1898 Ann 20, vii, pp 265–340
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 sm and composition Bull 90, pp 26–33 nineralogy of Pacific Bull 61 ee phosphates Ann 16, IV, pp 631–635 ds, notes on Alaska (2), pp 115–117 Alaska (2), pp 113–114 Alaska (2), pp 109–110 ver, Alaska, in 1898 Ann 20, vii, pp 265–340 na River Alaska (2),
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 sm and composition Bull 90, pp 26–33 nineralogy of Pacific Bull 61 ee phosphates Ann 16, IV, pp 631–635 ds, notes on Alaska (2), pp 115–117 Alaska (2), pp 113–114 Alaska (2), pp 109–110 ver, Alaska, in 1898 Ann 20, vii, pp 265–340 na River Alaska (2), pp 40–50
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 Sm and composition Bull 90, pp 26–33 Smineralogy of Pacific Bull 91, pp 26–33 Smineralogy of Pacific Purp 631–635 Smineralogy of Pacific Bull 61 Smineralogy of Pacific Purp 13–114 Alaska (2), pp 115–117 Alaska (2), pp 115–117 Alaska (2), pp 109–110 Smineralogy of Pacific Purp 631–635 Smineralogy of Pacific Purp 631–635 Smineralogy of Pacific Purp 13–114 Alaska (2), pp 109–110 Smineralogy of Pacific Purp 13–144 Alaska (2), pp 265–340 Smineralogy of Pacific Purp 140–50 Smineralogy of Pacific Purp 140–50 Smineralogy of Pacific Smineralogy of Pacific Purp 140–50 Smineralogy of Pacific Purp 140–50 Smineralogy of Pacific Purp 140–50 Smineralogy of Pacific Purp 140–50 Smineralogy of Pacific Purp 140–50 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp 140–130 Smineralogy of Pacific Purp
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 Sm and composition Bull 90, pp 26–33 Smineralogy of Pacific Bull 91, pp 26–33 Smineralogy of Pacific Pacific Pacific Sull 61 Sull 61 Sull 635 Sull 635 Sull 635 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull 645 Sull
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 Sm and composition Bull 90, pp 26–33 Smineralogy of Pacific Bull 90, pp 26–33 Smineralogy of Pacific Pacific Pacific Smineralogy of Pacific Bull 61 Smineralogy of Pacific Pacific Smineralogy of Pacific Smineralogy of Pacific Pacific Bull 61 Smineralogy of Pacific Pacific Smineralogy of Pacific Pacific Smineralogy of Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pacific Pa
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 38–40 Bull 90, pp 34–37 Sm and composition Bull 90, pp 26–33 Anineralogy of Pacific Bull 61 ee phosphates Ann 16, IV, pp 631–635 ds, notes on Alaska (2), pp 115–117 Alaska (2), pp 113–114 Alaska (2), pp 109–110 ver, Alaska, in 1898 Ann 20, vii, pp 265–340 Ana River Alaska (2), pp 40–50 tion along New and Ann 17, ii, pp 473–511 Bull 81, pp 332, 334 Bull 81, p 245
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 Sm and composition Bull 90, pp 26–33 Sm and composition Bull 90, pp 26–33 Sm and composition Bull 90, pp 26–33 Sm and composition Bull 90, pp 26–33 Sm and composition Bull 61 Sm Bull 61 Sm Bull 61 Sm Bull 61 Sm Bull 61 Sm Bull 61 Sm Bull 61 Sm Bull 61 Sm Bull 61 Sm Bull 61 Sm Bull 61 Sm Bull 81, pp 332, 334 Sm Bull 81, pp 34–85 Sm Mon xxvi, pp 84–85
metacinnabarite from New Almaden, California mineralogic notes	Bull 78, pp 80–83 Bull 90, pp 38–40 Bull 90, pp 34–37 sm and composition Bull 90, pp 26–33 nineralogy of Pacific Bull 61 ee phosphatesAnn 16,

Menominee district, Michigan, geology of Ann 21, 111, pp 388-400, 432-433; GF 62
Menominee River, course and character of
Menominee series of Lake Superior region. (See p 130.)
Menominee series, Lower, of Michigan, Menominee districtGF 62, pp 2-4
Menominee and Marquette regions of Michigan, greenstone-schist areas of Bull 62;
Bull 86, passim
Merced, California, irrigation near
Merced River, California, hydrography of
flow of, measurements of
Merced series of California, correlation of
of California, petrography, structure, etc., of
Mercur mining district, Utah, economic geology of Ann 16, 11, pp 370–455
Mercurial deposits of Pacific slope and elsewhere
Mercuric sulphide, solution and precipitation of Mon x111, pp 269, 419-437, 474
Mercury, electric conductivity of, effect of pressure on
(See, also, Quicksilver.)
Meridian-Claiborne deposits of the South
Merrill (G. P.), descriptions of specimens of residual rocks in the educational
series
notes on petrography of Paleozoic section in vicinity of Three Forks,
Montana
Merrimac River, flow of, measurements of
IV, pp 111-115; Ann 20, IV, pp 46, 73-74; Ann 21,
ıv, pp 58-60; Bull 140, pp 33-34; WS 35, pp 34-36
profile of
Merrimack group of rocks in New HampshireBull 81, p 70; Bull 86, pp 353-355
Mesabi iron-ore district, Michigan, geology ofAnn 21, III, pp 351-370, 428-430
Mesas in Plateau countryAnn 6, p 127
Mesas, limestone and gravel, of Colorado, Pueblo quadrangle
Mesaverde formation of Colorado
Mesilla Valley, New Mexico, irrigation in
irrigation possibilities and problems in
Mesnard quartzite of Michigan, distribution, petrographic character, etc., of. Ann 15,
pp 517–523; Mon xxvIII, pp 221–240
Mesolite, analyses of, from Colorado, Table Mountain
chemical constitution of
Mesozoic areas of Virginia, geology of
Mesozoic deposits of Colorado, San Juan region
subjacent to the Eocene, horizons of, remarks on correlation of
п, рр 333–335
Mesozoic Echinodermata of United StatesBull 97
Mesozoic flora of United States, the older
of Virginia and North Carolina, the older
Potomac or youngerMon xv
Mesozoic fossils from Alaska
from Texas and AlaskaBull 4
invertebrate, North American, catalogue and bibliography ofBull 102
Mollusca from Alaska, southern coast of Alaska PeninsulaBull 51, pp 64-70
types from Texan PermianBull 77
Mesozoic history of Colorado, Telluride quadrangle
of Utah, Tintic district
of Washington (D. C.) quadrangles
Mesozoic paleontology of Alaska
of California

Mesozoic rocks of California
of Yellowstone ParkGF 30, pp 2, 5
(See also Cretaceous: Juratrias)
Mesozoic section of Montana
Mesozoic, Jurassic, and Cretaceous flora of Portugal
Metaandesite, analysis of, from California, Calaveras County
и, р 473; Bull 148, р 216; Bull 168, р 203
Metaandesite-tuff, analysis of, from California, Butte CountyBull 168, p 191
Metabasalt, analysis of, from Michigan, Crystal Falls district (porphyritic)Mon
xxxvı, pp 106–107; Bull 168, p 68
analysis of, from Michigan, Crystal Falls district (pre-Cambrian, nonporphyritic)
of Michigan, Crystal Falls district
iii, pp 52–55; Mon xxxvi, pp 98–135, 211–212
Metachlorite, analysis of
abomical constitution of Pull 195 n 55
chemical constitution of
Metacinnabarite, analyses of, from California, Knoxville
analysis of, from California, Santa Clara County
from CaliforniaBull 61, pp 22–23
New AlmadenBull 78, pp 80–83
Metadacite, analyses of, from California, Calaveras County
11, p 484; Ann 17, 1, p 721; Bull 148, p 216; Bull 168, p 203
Metadiorite of California, Downieville quadrangle
Metadolerite, analysis of, from Michigan, Crystal Falls districtBull 168, p 68
of Michigan, Crystal Falls district
Metagabbro in District of Columbia, Maryland, and Virginia
in Oregon, Roseburg quadrangle
Metallic-paint production. (See Mineral paints.)  Metalliferous veins, thermoaqueous origin of
Metallurgy of Colorado, Leadville regionAnn 2, pp 285–290; Mon xII, pp 609–751
of copper
of copper, lead, zinc, etc., electrolysis in
of Eureka ores, Nevada
of nickel ores
Metallurgy and mining of zinc in United States
Metals in ores, source of
Metals, precious. (See Gold; Precious metals; Silver.)
Metamorphic origin of schistose and massive rocks discussed
ı, pp 362–364; Mon xıx, pp 107–111, 116–126
Metamorphic rock, analysis of, from Kentucky, MarionBull 64, p 46
analysis of, from Washington, Kittitas CountyBull 168, p 224
Metamorphic rocks, comparison of, with Archean
crystalline schists, metasomatic origin of
flow and fracture of rocks as related to structureAnn 16, 1, pp 845-874
of Alaska, Sushitna Basin, granite of
Tanana and White basins
of California, Coast Ranges
pp 56-59, 63, 74-87, 181-182, 455-458; Bull 19, pp 7-12
Pyramid Peak quadrangleGF 31, pp 3-4
of Colorado, Pikes Peak quadrangleGF 7, pp 1, 3, 7
of IdahoAnn 16, 11, pp 224–226

Metamorphic rocks of Maryland, central; granites, origin and relations ofAnn 15,
pp 685–740
of Maryland, Fredericksburg quadrangle
of Massachusetts, Green Mountains
western
of Michigan, Crystal Falls district. Ann 19, 111, pp 9–15, passim; Mon xxxv1, passim
of Michigan and Wisconsin, Animikie series
Penokee series, derived from sedimentary rocks
pp 365-402, 423-435, 439-444; Mon xix, pp 107-111, 116-126
of Montana, Little Belt Mountains
Little Belt Mountains quadrangle
of Nevada, Washoe district
of Oregon, Roseburg quadrangle
of Tennessee, Chattanooga district
of Virginia, Fredericksburg quadrangle
of Washington, northern
southeastern
review of work of Geological Survey upon
structures in, produced by dynamic action
Metamorphic igneous rocks, descriptions of specimens of, in the educational series
of Sierra Nevada
Metamorphic sedimentary rocks, descriptions of specimens of, in the educa-
tional series Bull 150, pp 298–343
Metamorphic sedimentary and igneous rocks; forms of relations, etc
ı, pp 698–708, 710–716
Motamorphie volcanie and Cretacogus rocks of California, northern, general dis-
Metamorphic, volcanic, and Cretaceous rocks of California, northern, general distribution of Bull 33, pp. 18–19
tribution ofBull 33, pp 18–19
tribution of
tribution of
tribution of
tribution of
tribution of. Bull 33, pp 18–19  Metamorphism; contact phenomena, effects of, on porphyry of Mercur district, Utah Ann 16, 11, p 401  in Colorado, Mosquito Range, intrusive rocks Mon x11, p 307  Rico Mountains Ann 21, 11, pp 32, 91–92  in Sierra Nevada Ann 17, 1, pp 686–692
tribution of. Bull 33, pp 18–19  Metamorphism; contact phenomena, effects of, on porphyry of Mercur district, Utah Ann 16, 11, p 401  in Colorado, Mosquito Range, intrusive rocks Mon x11, p 307  Rico Mountains Ann 21, 11, pp 32, 91–92  in Sierra Nevada Ann 17, 1, pp 686–692  in Montana, Castle Mountain mining district Bull 139, pp 62–65
tribution of
tribution of. Bull 33, pp 18–19  Metamorphism; contact phenomena, effects of, on porphyry of Mercur district, Utah Ann 16, 11, p 401  in Colorado, Mosquito Range, intrusive rocks Mon x11, p 307  Rico Mountains Ann 21, 11, pp 32, 91–92  in Sierra Nevada Ann 17, 1, pp 686–692  in Montana, Castle Mountain mining district Bull 139, pp 62–65  in Montana, Little Belt Mountains Ann 20, 111, pp 322–323, 360  in New Jersey, traps Bull 67, pp 25–31, 34, 45–53
tribution of. Bull 33, pp 18–19  Metamorphism; contact phenomena, effects of, on porphyry of Mercur district, Utah Ann 16, 11, p 401  in Colorado, Mosquito Range, intrusive rocks Mon x11, p 307  Rico Mountains Ann 21, 11, pp 32, 91–92  in Sierra Nevada Ann 17, 1, pp 686–692  in Montana, Castle Mountain mining district Bull 139, pp 62–65  in Montana, Little Belt Mountains Ann 20, 111, pp 322–323, 360  in New Jersey, traps Bull 67, pp 25–31, 34, 45–53  criteria for recognition of ancient plutonic rocks in highly metamorphosed
tribution of
tribution of. Bull 33, pp 18–19  Metamorphism; contact phenomena, effects of, on porphyry of Mercur district, Utah
tribution of. Bull 33, pp 18–19  Metamorphism; contact phenomena, effects of, on porphyry of Mercur district, Utah
tribution of
Metamorphism; contact phenomena, effects of, on porphyry of Mercur district, Utah
tribution of

Metamorphism in California; Nevada City and Grass Valley districtsAnn 17,
п, pp 90–96, 103, 104, 146–157, 259
in California; Ophir, altered wall rock
in Catoctin beltAnn 14, 11, pp 363–366
in eruptive rocks, a contribution to subject of
in Huronian of Northwestern States
in Maine, Aroostook volcanic areaBull 165, pp 151–152
in Maryland, Harpers Ferry quadrangleGF 10, p 4
in Massachusetts, Green Mountains
in Michigan, Crystal Falls district
иг. pp 14–15: Mon xxxvi. pp xxiv. 204–211
Marquette district
Menominee dictrict
Penokee district
in Minnesota, Pigeon Point. Bull 109, pp 114–118
in Narragansett Basin
in North Carolina, Knoxville quadrangle
in North Carolina-Tennessee, Smoky Mountains, a district of schistosityAnn 13,
п, р 229
in relation to depth
in Sierra Nevada
in Tennessee, Knoxville quadrangleGF 16, p 5
Loudon quadrangleGF 25, p 5
in Utah, Tintic district
in Virginia, Harpers Ferry quadrangle
in West Virginia, Harpers Ferry quadrangle
in Wisconsin, Penokee region
iron sulphides, formation of, in rocks
microscope in study of, value of
new structures produced by dynamic action
of Archean igneous rocks in Delaware
of country rock
in Oregon, Bohemia mining region
of diorite to gabbro in Maryland, near BaltimoreBull 28, pp 33-49
of eruptive rocks
review of knowledge concerning
of feldspar by hydro-chemical processes
of gold-ledge porphyry and limestone in Utah, Mercur districtAnn 16,
11, pp 442–445
of igneous rocks of Yellowstone ParkAnn 12, 1, pp 658-659
of massive rocks (macrostructural)Bull 62, pp 46–50, 204–208
(microstructural)Bull 62, pp 43-46, 201-204
(mineralogic)
three types ofBull 62, p 43
of sedimentary and igneous rocks
processes of
of topaz to damourite in Maine, at StonehamBull 27, pp 9-15
products of
in California, Nevada City and Grass Valley districtsAnn 17, 11, pp 94-95
remarks on
schistosity and bedding in rocks of California, Bidwell Bar areaAnn 17,
1, pp 554–556
secondary enlargements of minerals in rocks
building of the golden of the order

Metamorphism; serpentine and other rocks in Maryland, near Baltimore, derivation of
soils, physiology of
subaerial decay of rocksBull 52, pp 12–34, 39–42
(See, also, Metasomatic; Metasomatism.)
Metaphosphimic acid and phosphorus, on chlorinitrides ofBull 167, pp 77-153
Metaphosphimic acids, the higher, constitution, salts, etc., of Bull 167, pp 136-153
Meta-quartz-diorite, analysis of, from Georgia, Gordon CountyBull 168, p 55
Metarhyolite, analysis of, from California, Plumas CountyBull 90,
p 73; Bull 148, p 201; Bull 168, p 187
from Wisconsin, Utley, description, analysis, and thin section of, as one of
the educational seriesBull 150, pp 164–170
Metasilicates, chemical constitution ofBull 125, p 85
Metasomatic alteration of rocks
Metasomatic origin of crystalline schists
Metasomatism, metamorphism of rocks by
of vein and rock in Idaho, western-central
(See, also, Metamorphism.)
Meteoric changes, diversity of
Meteoric iron, analysis of Bull 42, p 96
analysis of, Abert
from Arizona, Tucson
p 63; Bull 148, p 245; Bull 168, p 242
from California, San Bernardino CountyBull 60, p114; MR 1883–84, p 290
from ChileBull 78, pp 95, 97; Bull 148, p 246; Bull 168, p 243
from Georgia, Chattooga and Cherokee counties
p 106; Bull 148, pp 244, 245; Bull 168, pp 241, 242
from Iowa, Winnebago CountyBull 78, p 96
from Kansas, Kiowa and Washington countiesBull 78, p 94; Bull 90, p 46
from Kentucky, Allen County. Bull 55, p 64; Bull 148, p 245; Bull 168, p 242
from Mexico, Durango
from Michigan, Grand Rapids. Bull 42, p 94; Bull 148, p 245; Bull 168, p 242
from New Mexico, AlbuquerqueBull 148, p 246; Bull 168, p 244
near Bonito
from North Carolina, Burke CountyBull 60,
p 107; Bull 74, pp 17, 18; Bull 148, p 244; Bull 168, p 241
Rutherford County
p 18; Bull 78, p 94; Bull 148, p 244; Bull 168, p 241
from Pennsylvania, GettysburgBull 113, p 109;
Bull 148, p 244; Bull 168, p 241
from Tennessee, Hamblen CountyBull 113, p 61, 62
from Texas, Hamilton County. Bull 78, p 95; Bull 148, p 245; Bull 168, p 242
from Virginia, Pulaski CountyBull 90, p 45; Bull 148, p 244; Bull 168, p 241
from Wyoming
in Arizona, near Coon Butte
Meteoric stone, analysis of, from North Carolina, Cabarrus and Nash coun-
tiesBull 74, pp 19, 20
analysis of, from Texas, Travis CountyBull 78, p 91–92
Meteorite, a new, from MexicoBull 64, pp 29–30
analysis of, from Tennessee, near Rockwood
Meteorite, stony, analysis of, from British Columbia, Beaver CreekBull 148,
p 242; Bull 168, p 239
analysis of, from California, San Bernardino CountyBull 148,
p 241; Bull 168, p 238

Meteorite, stony, analysis of, from ChileBull 148, p 243; Bull 168, p 240
analysis of, from Iowa, Winnebago CountyBull 148, pp 235, 236; Bull 168, p 233
from Kansas, Kiowa and Washington countiesBull 148,
p 237; Bull 168, pp 234, 235 from Missouri, Taney CountyBull 60,
from Missouri, Taney CountyBull 60,
· pp 106, 107; Bull 148, p 236; Bull 168, p 234
from Tennessee, Cumberland and Hamblen countiesBull 148,
pp 234, 235; Bull 168, pp 231, 232
from Texas, Fayette and Travis countiesBull 60, pp 109, 111,
113; Bull 148, pp 239, 240–241; Bull 168, pp 236, 237, 238
Meteorites, descriptions and analyses of newBull 60,
pp 103–104; Bull 78, pp 91–97; Bull 90, pp 45–46
from Arkansas, Johnson County, and Kentucky, Allen CountyBull 55,
pp 63-64
Meteorology of India
Meters, current, for measuring velocities of streams
11, pp 6-14; Ann 19, 1v, pp 18-30
methods of rating
rating tables for
Methow formation in Washington, northern
Mexico; bismuthinite from Sinaloa, description and analysis ofBull 90, p 40
building stone from, at World's Columbian Exposition MR 1893, p 574
cessions of land to United States by
copper production of, statistics of
pp 356, 373; MR 1885, p 229; MR 1886, p 128; MR 1887, p
87; MR 1888, p 73; MR 1891, pp 101, 102; MR 1892, pp
114, 117; MR 1893, p 86; Ann 16, 111, p 352; Ann 17, 111,
pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vr, pp 176,
178; Ann 20, vi, pp 202, 204; Ann 21, vi, pp 204, 206, 222
Cretaceous deposits ofBull 82, pp 201–202
fossil plants of, literature of
geologic maps of, list ofBull 7, pp 144–145
gold and silver production of, compared with that of other countries. MR 1883-84,
pp 319–320
grahamite vein in Huasteca, account of
iron and iron ore from statistics of Ann 16 iii on 23 59-62
iron-ore deposits of

Mica, deposits of, in Massachusetts, Cape Ann
production of, statistics of
pp 583-584; MR 1883-84, pp 906-912; MR 1885, pp 518-520;
MR 1886, pp 5, 7, 9; MR 1887, pp 660-671; MR 1888, pp
614-615; MR 1889-90, pp 474-475; MR 1893, pp 748-755;
Ann 16, 1v, pp 660–661; Ann 17, 111 cont, pp 1000–1003;
Ann 18, v cont, pp 1317–1321; Ann 19, vi cont, pp 618–622;
Ann 20, vi cont, pp 689–707; Ann 21, vi cont, pp 555–558
Mica group, a theory of the
studies in theBull 55, pp 13–18
Mica mining in North Carolina
Micas, constitution of Bull 113, pp 22–36; Bull 125, pp 45–46; Bull 150, p $42$
Micas, vermiculites, and chlorites, on the constitution of certainBull 90, pp 11–21
Micas, lithia, researches on
Mica-andesite, analysis of, from Michigan, Michigamme districtBull 148, p 97
analysis of, from Nevada, Washoe district
from New Mexico, San Mateo Mountain
p 65; Bull 42, p 139; Bull 148, p 185; Bull 168, p 170
from New Mexico, Tewan MountainsBull 66, p 13
Mica-basalt, analysis of, from Arizona, Santa Maria BasinBull 90,
mica-basare, analysis of, from Alizona, banca mana basin
p 72; Bull 148, p 187; Bull 168, p 173
Mica-dacite, analysis of, from Colorado
ıı, p 324; Bull 148, p 167; Bull 168, p 149 of Colorado, Rosita Hills
of Colorado, Rosita Hills
Mica-dacite-porphyry, analysis of, from Yellowstone Park, Birch Hills Bull 148,
. 199. Dell 160 a 107
p 133; Bull 168, p 107
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak
analysis of, from Yellowstone Park, Bunsen Peak

Mica-schist in Massachusetts, eastern Berkshire CountyBull 159, pp 81-83
in Massachusetts, Holyoke quadrangleGF 50, pp 4, 5
western
in Michigan, Crystal Falls district
103–104, 114–115, 121–122; Mon xxxvi, pp 392–395, 423–426
in Northwestern States
of Penokee series, derived from graywacke
Mica-tinguaite, analysis of, from Portugal
Michaelite, analysis of, from Azores
Michigamme formation, distribution, petrographic character, etc., ofAnn 15,
pp 598–604; Mon xxvIII, pp 444–459
Michigan; altitudes in
pp 138-146; Bull 72, p 204; Bull 76; Bull 160, pp 297-319
Archean formations of Northwestern States
atlas sheets of. (See p 81 of this bulletin.)
boundary lines of, and formation of, from territory northwest of Ohio
RiverBull 13, pp 28–29, 113–114; Bull 171, pp 119–120
brick industry of
bromine industry of
p 626; MR 1888, p 613; MR 1889-90, p 493; MR 1891, p 579
building stone from, at World's Columbian Exposition MR 1893, p 567
production of, statistics of
MR 1888, pp 540, 544; MR 1889–90, pp 373, 403; MR 1891,
pp 461, 462, 464, 466; MR 1892, pp 710, 711; MR 1893, pp
548-549, 553, 556; Ann 16, IV, pp 437, 438, 484 et seq;
Ann 17, 111 cont, pp 760, 775 et seq; Ann 18, v cont, p
950 et seq; Ann 19, vi cont, pp 207, 264 et seq; Ann 20,
vi cont, pp 271, 336 et seq; Ann 21, vi cont, p 335 et seq
cement production of, statistics of
Ann 18, v cont, pp 1170, 1175; Ann 19, v1 cont, pp 487, 493;
Ann 20, vi cont, pp 539, 545; Ann 21, vi cont, pp 393–401
clay products of, statistics of
519, 520, 521; Ann 17, 111 cont, p 820 et seq; Ann 18, v cont,
p 1078 et seq; Ann 19, vi cont, pp 318 et seq, 363; Ann 20,
vi cont, pp 466 et seq, 525; Ann 21, vi cont, pp 362, 363
climate of
coal area and statistics of
MR 1883-84, pp 12, 50-51; MR 1885, pp 11, 34-35; MR 1886,
pp 225, 230, 279–280; MR 1887, pp 169, 270–271; MR 1888,
pp 225, 236, 275–266, MR 1887, pp 166, 276–271, MR 1888, pp 169, 171, 284–285; MR 1889–90, pp 146, 226; MR 1891,
pp 163, 171, 264–263, MR 1803–36, pp 140, 220, MR 1891, pp 180, 260; MR 1892, pp 264, 267, 268, 422–423; MR 1893,
pp 100, 200, 1411 1002, pp 204, 201, 200, 422-423, 1411 1353, pp 188, 189, 194, 195, 197, 199, 200, 312; Ann 16, IV, pp 7 et seq,
138–139; Ann 17, 111, pp 287 et seq, 448; Ann 18, v, pp 353 et
seq, 544–545; Ann 19, vi, pp 277 et seq, 448–449; Ann 20, vi,
pp 299 et seq, 434–435; Ann 21, vr, pp 324 et seq, 462–463
coal fields of
coke in, manufacture of
copper from, statistics of
MR 1882, pp 215, 216, 218–220; MR 1883–84, pp 327, 329,
331–334; MR 1885, pp 210, 211–214; MR 1886, pp 112, 113–
116; MR 1887, pp 69, 70–74; MR 1888, pp 53, 54–57; MR
1889–90, pp 59–64; MR 1891, pp 83, 85, 86; MR 1892, pp 96, 97,
100–103; MR 1893, pp 64, 65, 67, 68–71; Ann 16, 111, pp 333,
334, 337–341; Ann 17, III, pp 83, 84, 85, 86, 92–98; Ann 18, v,
pp 186–187, 189, 190, 191, 196–203; Anni 19, vi, pp 140, 141, 142,
143, 147–155; Ann 20, v1, pp 161, 162, 163, 164, 165, 170–178
20, 11, 20, 11, pp 20, 100, 100, 110 110

```
Michigan; copper-bearing rocks of Lake Superior, nature, structure, and extent
              of ......Ann 3, 93-188; Mon v
  Crystal Falls iron-bearing district, geology of . Ann 19, 111, pp 1–151; Mon xxxvi
     и, pp 97-122; Mon xxxvi, pp 374-426
  gas, illuminating and fuel, and by-products in, statistics of......Ann 20,
                                          vi cont, p 227 et seq
  geographic positions in ......Bull 123, pp 107–112
  geologic maps of, listed......Bull 7, pp 77, 78, 79, 80, 81, 82, 83, 85, 87, 88
     (See Map, geologic, of Michigan.)
  geologic sections in. (See Section, geologic, in Michigan.)
  Ann 5, pp 24-25; Ann 6, p 44; Ann 7, p 71; Ann 8, 1, pp 135,
                 137-138; Ann 9, pp 72, 80-81, 85; Ann 10, 1, pp 123-124; Ann
                11, I, p 78; Ann 12, I, pp 85–86; Ann 13, I, pp 119–120; Ann
                14, I, pp 197-198; Ann 15, pp 133-134, 162-164; Ann 16,
                ı, pp 23-24; Ann 17, ı, pp 29-30; Ann 18, ı, pp 33-35, 37;
                Ann 19, 1, p 62; Ann 20, 1, pp 41-42, 161; Ann 21, 1, pp 74-75
  MR 1882, pp 176, 177, 178; MR 1887, p 59; MR 1888, p
                  37; MR 1889-90, p 49; MR 1891, pp 75, 76; MR 1892, pp 51,
                  53, 54, 55, 56; MR 1893, pp 50, 51, 55, 57, 58, 59, 60, 61;
                  Ann 17, 111, pp 72, 73, 74, 75, 76, 77; Ann 18, v, pp 141 et seg:
                  Ann 19, vi, pp 127, 128, 129, 130, 131, 132, 133; Ann 20, vi,
                  pp 103, 104, 105, 106, 107, 108, 109; Ann 21, vi, pp 121-127
  810-811; MR 1885, p 462; MR 1886, p 621; MR 1887, pp 595,
                 601; MR 1889-90, p 465; MR 1891, pp 580, 581; MR 1892,
                 pp 801, 802, 803; MR 1893, pp 714, 715; Ann 16, IV; pp
                663, 664; Ann 17, 111 cont, pp 979, 980, 981; Ann 18, v cont,
                 pp 1266, 1267; Ann 19, vi cont, pp 578, 579, 581, 582; Ann
                 20, vi cont, pp 658, 661; Ann 21, vi cont, pp 524, 526, 527
  iron and steel from, statistics of . Ann 2, p xxviii; MR 1882, pp 120,125, 129, 130,
                 131, 133, 134, 135, 136, 137; MR 1883-84, pp 252, 264-266, 267-
                 268; MR 1885, pp 182, 188; MR 1886, pp 14, 18, 62-72; MR
                 1887, pp 11, 16, 34-39; MR 1888, pp 14, 17, 23; MR 1889-90,
                 pp 10, 17; MR 1891, pp 12, 16, 54, 55, 61; MR 1892, pp 12, 13,
                 15; 16, 17, 21, 26, 28, 35, 36, 37, 42; MR 1893, pp 15, 20, 26
                 28-29, 38, 39; Ann 16, 111, pp 31, 32-36, 192, 194, 195-196,
                203, 208-211, 249, 250; Ann 17, III, pp 26, 27, 28-35, 39,
                 41, 47, 48, 57, 63, 68; Ann 18, v, pp 24, 26-35, 41, 42; Ann
                 19, vi, pp 26, 27, 29-30, 66, 68, 72; Ann 20, vi, pp 29, 31-37,
                 43, 44, 74, 75, 83, 85; Ann 21, vi, pp 34, 43-44, 52, 53, 90, 92
  iron ores, manganiferous, of Lake Superior region, character and production
```

Mi	chigan; Kalamazoo River, water power, run-off, geology, topography, rain-
	fall, etc., in watershed of
	Eastern sandstone andBull 23
	Lake Erie drainage, water powers in
	Lake Huron drainage, water powers in
	Lake Michigan drainage, water powers in
	Lake St. Clair drainage, water powers in
•	Lake Superior region; classification of early Cambrian and pre-Cambrian
	formations; a brief discussion of principles, illustrated by
	examples drawn mainly from
	lime production of
	limestone production of, statistics of
	540; MR 1889-90, pp 373, 403; MR 1891, pp 464, 466; MR
	1892, p 711; MR 1893, p 556; Ann 16, IV, pp 437, 494, 495,
	507; Ann 17, 111 cont, pp 760, 788, 789, 790, 793; Ann 18, v
	cont, pp 950, 1044, 1045, 1047, 1059-1060; Ann 19, vi cont,
	pp 207, 281, 282, 283, 298; Ann 20, vi cont, pp 271, 342, 343,
	344, 345, 348; Ann 21, vr cont, pp 335, 357, 358, 359, 360
	magnetic declination in
	magnetic observations in Crystal Falls district of
	ні, рр 21, 95–96, 141–143; Мон хххуі, рр 24, 336–373
	manganese-ore production of, statistics ofMR 1885, p 346; MR 1886, pp 188-190;
	MR 1887, p 151; MR 1888, pp 124, 128; MR 1891, p 135; MR
	1893, pp 121, 129-130; Ann 16, 111, pp 398, 414-415; Ann 17,
	III, pp 189, 197–198; Ann 18, v, p 309; Ann 19, vi, pp 91,
	98-99; Ann 20, vi, pp 126, 128, 133-134; Ann 21, vi, p 130
	maps, geologic, of. (See Map, geologic, of Michigan.)
	maps, topographic, of. (See Map, topographic, of Michigan; also p 81 of
	this bulletin.)
	marble production of
	Marquette iron district, iron-bearing formations of, conclusions concern-
	ing
	report on, with chapter on Republic trough. Ann 15, pp 477-650; Mon xxvIII
	Marquette Range, iron ores of
	Menominee district, geology of
	Menominee and Marquette regions, greenstone-schist areas ofBull 62
	Menominee River, course and character of
	Michigamme Mountain and Fence River areas, geology of
	иг, pp 123-139; Mon xxxvг, pp 427-450
	mineral spring resorts in
	mineral springs of, statistics of
	p 982; MR 1885, p 538; MR 1886, p 717; MR 1887, p 684;
	MR 1888, p 627; MR 1889–90, p 529; MR 1891, pp 603,
	606; MR 1892, pp 824, 828; MR 1893, pp 774, 779, 784,
	789, 794; Ann 16, IV, pp 709, 714, 720; Ann 17, III cont, pp
	1027, 1035, 1041; Ann 18, v cont, pp 1371, 1380, 1386; Ann
	19, vi cont, pp 661, 670, 677; Ann 20, vi cont, pp 749, 759,
	767; Ann 21, vi cont, pp 600, 611, 619; Bull 32, pp 145–150
	mineral waters of, lower
	minerals of, useful
	natural gas localities and statistics of
	p 676; MR 1893, p 536; Ann 16, IV, p 415 natural gas consumption in
	natural gas consumption in

```
ш, pp 141-143; Моп хххуг, pp 338-339
  Penokee district, topographic features of, in relation to geology.........Mon xix,
                              pp 145, 188-189, 301-302
  ı, pp 341–508; Mon xıx
  vi cont, p 111; Ann 21, vi cont, pp 6, 7, 12, 144
  WS 29, p 72; WS 30, pp 26-29, 33, 34, 35, 49, 52, 55
    road metal in Crystal Falls district.......Ann 19, 111, p 63; Mon xxxvi, p 154
  1883-84, pp 827, 828-830; MR 1885, pp 474-476; MR 1886, pp
            629-632; MR 1887, pp 611-614; MR 1888, pp 597-600; MR
            1889-90, pp 483-484; MR 1891, pp 574-575; MR 1892, pp 793,
            794, 796; MR 1893, pp 719, 720, 721, 722-723; Ann 16, IV, pp
            647, 648, 649, 651–652; Ann 17, 111 cont, pp 985, 986, 987, 988,
            989, 991; Ann 18, v cont, pp 1274, 1275, 1276, 1277, 1278, 1279,
            1280, 1281; Ann 19, vi cont, p 588 et seq; Ann 20, vi cont, p
            670, 671, 674, 675, 676, 677, 678; Ann 21, vi cont, p 534 et seq
  sandstone production of, statistics of.................MR 1882, p 451; MR 1888,
            p 544; MR 1889-90, pp £74, 403; MR 1891, pp 461-462;
            MR 1892, pp 710, 711; MR 1893, p 553; Ann 16, iv, pp 437, 484,
            485, 487; Ann 17, 111 cont, pp 760, 775, 776, 777, 779; Ann
            18, v cont, pp 950, 1012, 1013, 1014, 1023; Ann 19, vi cont,
            pp 207, 264, 265, 266, 273; Ann 20, vi cont, pp 271, 336,
            337, 338, 340; Ann 21, vi cont, pp 335, 353, 354, 355, 356
  secondary enlargements of mineral fragments in certain rocks, mostly from
          Michigan, Wisconsin, and Minnesota.....Bull 8
  sections, geologic, in. (See Section, geologic, in Michigan.)
  slate production of, statistics of.................MR 1885, p 399; MR 1886, p 550;
            MR 1887, p 522; MR 1888, p 547; MR 1889-90, pp 376, 403
  Sturgeon River tongue, geology of . Ann 19, pp 146-151; Mon xxxvi, pp 458-487
  topographic maps of. (See Map, topographic, of Michigan; also list on p 81.)
  p 27; Ann 17, 1, pp 97, 101; Ann 18, 1, pp 94, 95, 104; Ann 19,
            ı, p 90; Ann 20, ı, pp 100, 102, 113; Ann 21, ı, pp 131-132
```

Middle Park lake beds of Colorado       Bull 83, p 137; B         Midway series of Alabama       Bull 84         Milling       Bull 84         Milk River, Montana, flow of, measurements of       Ann 19, 1v,         Ann 20, 1v, pp 53, 245-246; Ann 21, 1v, pp 18         15, p 73; WS 27, pp 68, 72, 75, 76; WS 37,         Milling       (See Mining and willing)	ull 84, p 330 , pp 104-105 pp 286-287; 86-189; WS pp 209-210 Ann 20,
Milling. (See Mining and milling.)  Millstones, production of, statistics of	strict,
Mineral deposits; solubility, relation of, to increased pressure and tem ture:	pera-
Mineral enlargements in rock alteration	8, pp 37-52 Bull 8 , pp 100-101 14, 11, p 451
Mineral lexicon of Massachusetts, eastern Berkshire CountyBull 159, of Massachusetts; Franklin, Hampshire, and Hampden counties	Mon xxix,
Mineral paints, analyses of	cont, p 685 IR 1885, pp 74–679; MR R 1891, pp 8–766; Ann -1022; Ann pp 623–650; pp 569–586 xxvii–xxx, 3, pp 88–92; 47, 195–200; 53, 182–188; 113, 1, pp 18, 1, pp 83– 20, 1, vi; vi cont; MR 1887; 3, MR 1893
Mineral resources, work of survey in relation to, résumé of Ann 21, Mineral species from Colorado Bull 20, Mineral spring resorts, American, list of Ann 14, Mineral springs of United States, eastern (thermo) Ann 14, of United States, lists of, and analyses of water from origin, flow, and geologic position of Ann 14, salinity of, in connection with Molluscan life Bull 1 Mineral waters, action of, in formation of ores Mon action of, in silicification Mon analyses of  11, p 621; Ann 9, pp 639, 673; Bull 27, Bull 42, pp 147–149; Bull 55, p 92; Bull 60,	n, pp 22–47 pp 100–109 n, pp 81–89 n, pp 43–44 Bull 32 n, pp 58–64 1, pp 30–38 n xii, p 563 n xiii, p 137 Ann 8, pp 75–76; pp 171–174
chemical action of	pp 134–138

	Mineral waters, economic value of
	of Alaska, Copper River district, notes on
	of Michigan, Lower PeninsulaWS 31
	of Montana, Little Belt Mountains quadrangleGF 56, pp 8-9
	of Porto Rico
	of United States, chemical composition of
	natural
	Manural
	on veins of Nevada City district
	treatment of concentrated, in analysisBull 47, pp 25–28
	statistics of
	pp 978–987; MR 1885, pp 536–543; MR 1886, pp 715–
	721; MR 1887, pp 680–687; MR 1888, pp 623–630; MR
	1889–90, pp 521–535; MR 1891, pp 601–610; MR 1892,
	pp 823-834; MR 1893, pp 772-794; Ann 16, IV, pp
	707-721; Ann 17, 111 cont, pp 1025-1044; Ann 18, v
	cont, pp 1369–1389; Ann 19, vi cont, pp 659–680; Ann
	20, vi cont, pp 747–769; Ann 21, vi cont, pp 597–622
	(See Waters, mineral.)
•	Mineralization, agents and process of, in Colorado, Aspen districtMon xxxi,
	pp 232–234
	in gold ores of Utah, Mercur; locus, age, nature, and process
	п, pp 434–452
	Mineralizing agents, effects of, on crystallization of igneous magmasAnn 12,
	ı, pp 658–659
	Mineralogic character of ore of Colorado, Custer County, Bull-Domingo mine Ann
	17, п, pp 442–444
	Mineralogic composition of acid rocks of Maryland
	of gabbro-schist and gneisses of Minnesota, southwestern
	pp 49-60, 80-82
	of igneous rocks of Yellowstone Park and vicinity
	pp 105–115, 134, 259–265
	of rocks of Montana, Yogo Peak, variation in
	of slates of New York-Vermont slate belt Ann 19, 111, pp 226–265, 288–290
	Mineralogic composition and structure of peridotite of Kentucky, Elliott
	County
	Mineralogic and chemical composition of volcanic rocks of Colorado, Silver
	Cliff and Rosita HillsAnn 17, 11, pp 323–326
	Mineralogic constitution of loess
	Mineralogic metamorphism of massive rocksBull 62, pp 50–63, 208–217
	progress of alteration of original mineralsBull 62, pp 214–217
	Mineralogic notesBull 55, pp 48–55; Bull 60, pp 129–137; Bull 167, pp 57–76
	Mineralogic relations of pegmatites and quartz veins to igneous rocks in gen-
	eral
	Mineralogic variations in volcanic rocks of New Mexico, Tewan Mountains Bull
	66, pp 17–19
	Mineralogy; augite in gneisses of Minnesota, southwesternBull 157, p 57
	bastnäsite from Colorado, Cheyenne Mountain, notes on tysonite andBull 167,
	pp 64–66
	bibliography and index of
	for 1894, Bull 135; for 1895, Bull 146; for 1896, Bull 149;
	for 1897, Bull 156; for 1898 Bull 162; for 1899, Bull 172
	biotite in gneisses of Minnesota, southwesternBull 157, pp 53–54
	calaverite from Colorado, Cripple Creek, mineralogic notes on Bull 167, pp 57-60
	chlorite in gneisses of Minnesota, southwesternBull 157, pp 59–60

Mineralogy; coloradoite from California, notes on
logical SurveyBull 9; Bull 27; Bull 42; Bull
55; Bull 60; Bull 64; Bull 78; Bull 90; Bull 113; Bull 167
diallage in gabbro-schists of Minnesota, southwestern Bull 157, pp 80–81 epidote in gneisses of Minnesota, southwestern Bull 157, p 59
feldspars in gneisses of Minnesota, southwestern
hornblende in gneisses of Minnesota, southwesternBull 157, pp 55–57
hydromica from New Jersey, constitution ofBull 167, pp 154–155
jeffersonite from New Jersey, Franklin Furnace, notes onBull 167, pp 68-69
melonite from California, notes on
muscovite in gneisses of Minnesota, southwestern
of gold-silver veins of California, Nevada City and Grass Valley districts Ann
17, II, pp 114–120, 146–148
of California, Ophir
of Idaho, western-central
the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
of Massachusetts, central Bull 126
of Pacific coast, contributions to
of Rocky Mountains, contributions to
of tin ore in North Carolina, at Kings Mountain
plagioclase determinations, methods of
prosopite from Utah, Dugway mining district, notes onBull 167, pp 66-68
quartz in gneisses of Minnesota, southwestern
roscoelite from California, Placerville, notes on
tellurides from California, notes on
tysonite from Colorado, Cheyenne Mountain, notes on bastnasite and Bull 167,
pp 64–66 zeolitic minerals of Colorado, Table MountainMon xxvII, pp 292–296
Minerals, alteration of, in Comstock lode
composing lithophyse
composing rocks, chemical constitution of
contained in deposits of Idaho, western-centralAnn 20, 111, pp 255–256
dynamic action, effects of, on
of basalts of Colorado, Golden Table MountainBull 20, pp 13–19
of California, crystalline metamorphics of Coast RangesMon x111, pp 74–87
Knoxville district Mon XIII, pp 279–280, 284–286
of Colorado, Cripple Creek district
Pikes Peak, neighborhood of
of granite of Wisconsin and Michigan
of Maine, Litchfield
of Nevada, Eureka district
of North CarolinaBull 74
of phonolites of Colorado, Cripple Creek districtAnn 16, 11, pp 25–33
of Utah, associated rareBull 20, pp 83–88
certain rare copper, notes on
Tintic district, in ore deposits
origin of
Minerals, gangue, of gold fields of southern Appalachians Ann 16, III, pp 272-281

Minerals, secondary, and their origin
Miners' government and laws in Alaska
Mines, classification of
of Colorado, Custer County
Tenmile district, history, workings, ores, etc., of
of Montana, Butte district, map showing location of
Judith Mountains
Little Belt Mountains, notes on
of Oregon, Bohemia region
of Porto Rico, location, names, etc., of
(See, also, Mining.)
Mines and mining, division of, in Geological Survey, resolution providing for,
and report thereon Ann 20, 1, pp 13–23; Ann 21, 1, pp 22–47
Minette, analysis of, from Germany
analysis of, from Montana, Sheep Creek
111, pp 572, 581; Bull 148, p 149; Bull 168, p 218
from New Jersey, Franklin FurnaceBull 148,
p 80; Bull 150, p 238; Bull 168, p 39
from New Jersey, Franklin Furnace, description of, as one of educational
series
in Montana, Castle Mountain district, microscopic petrography ofBull 139,
pp 113-114 Fort Benton quadrangle
Fort Benton quadrangle
Little Belt MountainsAnn 20, 111, pp 308–309, 332–333, 351, 377, 526–539
Mining in Colorado, Aspen district, geology of
in Colorado, Cripple Creek district, geology, history, etc., of
п, pp 111, 113–118, 209
Custer County; water course in Geyser mineAnn 17, 11, pp 458-459
Leadville
Telluride quadrangle
in forest reserves, remarks on
in Idaho
Idaho Basin and Boise RidgeAnn 18, 111, pp 617–719
in Montana, Butte district, history of
in Nevada, Eureka district, geology ofAnn 4, pp 221–251; Mon vii
in Oregon, Bohemia district
in Utah, Mercur district, economic geology of Ann 16, 11, pp 370-455
Tintic district, geology and industry of
in Wyoming, Absaroka district
milling in Colorado, Telluride district
timbering in Nevada, Comstock mines
in Nevada, Eureka mines
Mining, coal, general view of industry of
Mining, gold, methods of
Mining, iron-ore, methods of
Mining and metallurgy of zinc in United States
Mining and miners, Comstock
Mining and milling in California, Nevada City and Grass Valley districts,
processes of
in Idaho, processes of Ann 20, 111, pp 113–116
in Nevada, Comstock lode, mechanical appliances used in
pp 50–52, 72; Mon IV, pp 330–345
Mining law, historical sketch of MR 1883–84, pp 988–1004; MR 1886, pp 722–790  Minnely has limestone of Plack Hills App 21 yr pp 177, 180, yr pp 514, 516
Minnekahta limestone of Black HillsAnn 21, 111, pp 177-180; 1v, pp 514-516
Minnelusa formation of Black Hills Ann 21, III, pp 177-180; IV, pp 510-513, 567

· · · · · · · · · · · · · · · · · · ·
Minnesota; Agassiz, Lake, the glacial
agriculture in Red River Valley, development of
altitudes in
ı, pp 259–261; Ann 21, ı, pp 471–472; Bull 5, pp 147–154;
Bull 72, pp 198–200, 206–214; Bull 76; Bull 160, pp 320–344
Archean formations of Northwestern States
artesian wells of Red River ValleyAnn 11, 11, pp 267–268
atlas sheets in. (See p 82 of this bulletin.)
boundary lines of, and formation of StateBull 13,
pp 118–119; Bull 171, pp 124–125
brick industry of
building stone from, at World's Columbian Exposition MR 1893, p 568
production of, statistics of
p 451; MR 1887, p 516; MR 1888, p 540; MR 1889-90, pp
373, 403–405; MR 1891, pp 457, 459, 461, 462, 464, 466; MR
1892, pp 706, 707, 710, 711; MR 1893, pp 544, 546, 553, 556;
Ann 16, IV, p 437 et seq; Ann 17, III cont, p 760 et seq;
Ann 18, v cont, p 950 et seq; Ann 19, vi cont, p 207 et seq;
Ann 20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq
cement production of, statistics of
p 527; MR 1888, p 551; MR 1889-90, p 461; MR 1891, p 532;
MR 1892, p 739; MR 1893, p 619; Ann 16, iv, p 577; Ann
17, III cont, p 891; Ann 18, v cont, p 1178; Ann 19, vi cont,
p 495; Ann 20, vi cont, pp 547, 550; Ann 21, vi cont, p 407
clay products of, statistics of
Ann 16, IV, pp 518, 519, 520, 521; Ann 17, III cont, pp 820
et seq, 862; Ann 18, v cont, p 1078 et seq; Ann 19, vi
cont, pp 318 et seq, 363; Ann 20, vi cont, pp 466 et seq, 526
coal discovered in
coke in, manufacture of
copper-bearing rocks of Lake Superior, nature, structure, and extent ofAnn 3,
pp 93–188; Mon v
Coteau des Prairies, section across, etc
driftless area of Upper Mississippi Valley
earthworks, aboriginal, in region of glacial Lake AgassizMon xxv, pp 643-645
Fargo quadrangle, physiography of
forest trees and shrubs of Red River Basin
gas, illuminating and fuel, and by-products in, statistics ofAnn 20, vi cont,
pp 997 940 944 946 947 948 940
geographic positions in
geographic positions in
Ann 21, 1, pp 272, 276–278; Bull 123. pp 115–116
geologic maps of, listedBull 7, pp 89, 91, 92, 93, 96, 97, 98, 101
(See Map, geologic, of Minnesota.)
(See Map, geologic, of Minnesota.) geologic sections in. (See Section, geologic, in Minnesota.).
(See Map, geologic, of Minnesota.) geologic sections in. (See Section, geologic, in Minnesota.), geologic and paleontologic investigations inAnn 4, pp 30-31; Ann 5, pp 21, 25-
(See Map, geologic, of Minnesota.) geologic sections in. (See Section, geologic, in Minnesota.). geologic and paleontologic investigations inAnn 4, pp 30–31; Ann 5, pp 21, 25– 26; Ann 6, pp 40–44, 74, 75; Ann 7, pp 69–71, 72, 80, 81; Ann
(See Map, geologic, of Minnesota.) geologic sections in. (See Section, geologic, in Minnesota.), geologic and paleontologic investigations inAnn 4, pp 30–31; Ann 5, pp 21, 25– 26; Ann 6, pp 40–44, 74, 75; Ann 7, pp 69–71, 72, 80, 81; Ann 8, I, pp 135–137, 143; Ann 9, pp 72, 81, 82, 85; Ann 10, I, pp
(See Map, geologic, of Minnesota.) geologic sections in. (See Section, geologic, in Minnesota.), geologic and paleontologic investigations inAnn 4, pp 30–31; Ann 5, pp 21, 25– 26; Ann 6, pp 40–44, 74, 75; Ann 7, pp 69–71, 72, 80, 81; Ann 8, I, pp 135–137, 143; Ann 9, pp 72, 81, 82, 85; Ann 10, I, pp
(See Map, geologic, of Minnesota.) geologic sections in. (See Section, geologic, in Minnesota.), geologic and paleontologic investigations inAnn 4, pp 30–31; Ann 5, pp 21, 25– 26; Ann 6, pp 40–44, 74, 75; Ann 7, pp 69–71, 72, 80, 81; Ann 8, I, pp 135–137, 143; Ann 9, pp 72, 81, 82, 85; Ann 10, I, pp 123, 124, 125, 126; Ann 11, I, pp 75, 78, 104; Ann 21, I, pp 74–75
(See Map, geologic, of Minnesota.) geologic sections in. (See Section, geologic, in Minnesota.), geologic and paleontologic investigations inAnn 4, pp 30–31; Ann 5, pp 21, 25– 26; Ann 6, pp 40–44, 74, 75; Ann 7, pp 69–71, 72, 80, 81; Ann 8, I, pp 135–137, 143; Ann 9, pp 72, 81, 82, 85; Ann 10, I, pp 123, 124, 125, 126; Ann 11, I, pp 75, 78, 104; Ann 21, I, pp 74–75 glacial investigations in
(See Map, geologic, of Minnesota.) geologic sections in. (See Section, geologic, in Minnesota.), geologic and paleontologic investigations inAnn 4, pp 30–31; Ann 5, pp 21, 25– 26; Ann 6, pp 40–44, 74, 75; Ann 7, pp 69–71, 72, 80, 81; Ann 8, I, pp 135–137, 143; Ann 9, pp 72, 81, 82, 85; Ann 10, I, pp 123, 124, 125, 126; Ann 11, I, pp 75, 78, 104; Ann 21, I, pp 74–75 glacial investigations in
(See Map, geologic, of Minnesota.) geologic sections in. (See Section, geologic, in Minnesota.), geologic and paleontologic investigations inAnn 4, pp 30–31; Ann 5, pp 21, 25– 26; Ann 6, pp 40–44, 74, 75; Ann 7, pp 69–71, 72, 80, 81; Ann 8, I, pp 135–137, 143; Ann 9, pp 72, 81, 82, 85; Ann 10, I, pp 123, 124, 125, 126; Ann 11, I, pp 75, 78, 104; Ann 21, I, pp 74–75 glacial investigations in
(See Map, geologic, of Minnesota.) geologic sections in. (See Section, geologic, in Minnesota.), geologic and paleontologic investigations inAnn 4, pp 30–31; Ann 5, pp 21, 25– 26; Ann 6, pp 40–44, 74, 75; Ann 7, pp 69–71, 72, 80, 81; Ann 8, I, pp 135–137, 143; Ann 9, pp 72, 81, 82, 85; Ann 10, I, pp 123, 124, 125, 126; Ann 11, I, pp 75, 78, 104; Ann 21, I, pp 74–75 glacial investigations in
(See Map, geologic, of Minnesota.) geologic sections in. (See Section, geologic, in Minnesota.), geologic and paleontologic investigations inAnn 4, pp 30–31; Ann 5, pp 21, 25– 26; Ann 6, pp 40–44, 74, 75; Ann 7, pp 69–71, 72, 80, 81; Ann 8, I, pp 135–137, 143; Ann 9, pp 72, 81, 82, 85; Ann 10, I, pp 123, 124, 125, 126; Ann 11, I, pp 75, 78, 104; Ann 21, I, pp 74–75 glacial investigations in
(See Map, geologic, of Minnesota.) geologic sections in. (See Section, geologic, in Minnesota.), geologic and paleontologic investigations inAnn 4, pp 30–31; Ann 5, pp 21, 25– 26; Ann 6, pp 40–44, 74, 75; Ann 7, pp 69–71, 72, 80, 81; Ann 8, I, pp 135–137, 143; Ann 9, pp 72, 81, 82, 85; Ann 10, I, pp 123, 124, 125, 126; Ann 11, I, pp 75, 78, 104; Ann 21, I, pp 74–75 glacial investigations in
(See Map, geologic, of Minnesota.) geologic sections in. (See Section, geologic, in Minnesota.), geologic and paleontologic investigations inAnn 4, pp 30–31; Ann 5, pp 21, 25– 26; Ann 6, pp 40–44, 74, 75; Ann 7, pp 69–71, 72, 80, 81; Ann 8, I, pp 135–137, 143; Ann 9, pp 72, 81, 82, 85; Ann 10, I, pp 123, 124, 125, 126; Ann 11, I, pp 75, 78, 104; Ann 21, I, pp 74–75 glacial investigations in

```
404; MR 1891, pp 457, 459; MR 1892, pp 706, 707; MR
                1893, pp 544, 546; Ann 16, IV pp 437, 443, 457, 458, 460;
                Ann 17, 111 cont, pp 760, 761, 762, 763, 765; Ann 18, v cont,
                pp 950, 951, 952, 954, 956, 966; Ann 19, vi cont, pp 207,
                208, 209, 211, 221; Ann 20, vi cont, pp 271, 272, 273, 274,
                275, 276, 278; Ann 21, vi cont, pp 335, 336, 337, 338, 339, 340
  MR 1883-84, pp 252, 266-267; MR 1885, pp 182, 188; MR
                1886, pp 14, 18, 62, 73-77; MR 1887, pp 11, 16, 39-42; MR
                1888, p 17; MR 1889-90, pp 10, 17; MR 1891, pp 12, 22;
                MR 1892, pp 12, 13, 15, 21, 26, 29-31, 35, 36, 37, 42; MR
                1893, pp 15, 20, 26, 28, 31, 38, 39; Ann 16, 111, pp 31, 32-36,
                192, 194, 196, 203, 208, 249, 250; Ann 17, 111, pp 26, 27, 39,
                41, 47, 48, 60, 63, 68; Ann 18, v, pp 24, 35-36, 41, 42;
                Ann 19, vi, pp 26, 27, 29, 30-31, 66, 72; Ann 20, vi, pp
                29, 37-39, 43, 44, 85; Ann 21, vr. 34, 44-45, 52, 53, 90, 92
  Lake Superior region; classification of Cambrian and pre-Cambrian for-
             mations: a brief discussion of principles, illustrated by
             lignite, natural gas, lime, bricks, etc., of Red River Valley. Mon xxv, pp 626-631
  p 540; MR 1889-90, pp 373, 474; MR 1891, pp 464, 466;
                MR 1892, p 711; MR 1893, p 556; Ann 16, IV, pp 437, 494,
                495, 507; Ann 17, 111 cont, pp 760, 788, 789, 790, 793; Ann
                18, v cont, pp 950, 1044, 1045, 1047, 1060; Ann 19, vi cont,
                pp 207, 281, 282, 283, 298; Ann 20, vi cont, pp 271, 342, 343,
                344, 345, 349; Ann 21, vi cont pp 335, 357, 358, 359, 360
  maps, geologic, of.
               (See Map, geologic, of Minnesota).
  maps, topographic, of. (See Map, topographic, of Minnesota; also list
             on p 82 of this bulletin.)
  mineral springs of, statistics of.....MR 1885, p 538; MR 1886, p 717; MR 1887,
                p 684; MR 1888, pp 627, 630; MR 1889-90, p 529; MR 1891,
                p 606; MR 1892, pp 824, 828; MR 1893, pp 774, 779, 789,
                794; Ann 16, IV, pp 709, 714, 720; Ann 17, III cont, pp
                1027, 1035, 1041; Ann 18, v cont, pp 1371, 1380, 1386; Ann
                19, vi cont, pp 661, 670, 677; Ann 20, vi cont, pp 749, 759,
                767; Ann 21, vi cont, pp 600, 611, 619; Bull 32, pp 158-159
  264-270; Ann 20, IV, pp 52, 230-231; WS 36, pp 194-195
  Pigeon Point, sedimentary and eruptive rocks of......Bull 109
  average annual and seasonal......Ann 17, 11, p 719
  rainfall, snowfall, and temperature at St. Paul, Duluth, Moorhead, and
```

Minnesota; sandstone production of, statistics ofMR 1882, p 451; MR 1888, p
544; MR 1889–90, pp 374, 404; MR 1891, pp 461, 462; MR 1892, p 710; MR 1893, p 553; Ann 16, IV, pp 437, 484, 485,
487–488; Ann 17, III cont, pp 760, 775, 776, 777, 779; Ann
18, v cont, pp 950, 1012, 1013, 1014, 1023; Ann 19, vi cont,
pp 207, 264, 265, 266, 273–274; Ann 20, vi cont, pp 271, 336, 337, 338, 340; Ann 21, vi cont, pp 335, 353, 354, 355, 356
sections, geologic, in. (See Section, geologic, in Minnesota.)
sewage-disposal plants in
slate production of
pp 207, 250, 254, 256; Ann 20, vi cont, pp 271, 294, 298, 299
soils of Red River Valley region
timber in, estimates of
topographic maps of. (See Map, topographic, of Minnesota; also list on p 82 of this bulletin.)
topographic work in
69; Ann 17, 1, pp 97, 102; Ann 18, 1, p 95; Ann 19, 1, pp 89,
90, 101, 102; Ann 20, 1, pp 100, 102, 113; Ann 21, 1, pp 120, 130
wells on
wells, artesian and common, of Red River ValleyMon xxv, pp 523-581
wheat, hay, stock, etc., raising of, in Red River ValleyMon xxv, pp 615-625
woodland area in
Minnesota, Lake, the glacial, extent, etc., of
Minnesota River, profile of
Miocene; origin of term
(See, also, Neocene.)
Miocene fauna; marine Eocene, fresh-water Miocene, and other fossil Mollusca
of western North AmericaBull 18
of New Jersey, Mollusca and Crustacea
Miscone fossils of Oregon
Miocene rocks; Amyzon group of Oregon
boundaries of Bull 84, pp 21–22
delimitation and faunal peculiarities ofBull 84, pp 21–22
contacts of Eocene rocks with
of Alaska
of Atlantic slope, middle
of California
of Florida
of GeorgiaBull 84, pp 81–84
of MarylandBull 84, pp 49–54
of Massachusetts, Marthas Vineyard Bull 84, pp 36–37
of Montana, features and fossils of
of Newfoundland
of New Jersey, marlsBull 84, pp 39–43
of North Carolina Bull 84, pp 68–73
of Oregon, northwestern
of Philippine Islands
of South Carolina
Shiloh marls of New Jersey
Miocene time, conditions in California and Oregon duringAnn 14, 11, pp 425-426
deposits and fossils of, warm water and cold waterBull 84, pp 184-187

Miocene time, erosion in Grand Canyon district during
geography of northern California during
Miohippus series of OregonBull 84, p 330
Mission Creek series of Alaska, distribution, correlation, etc., of
ш, pp 175–184, 257–258
Mississippi; altitudes in
atlas sheets of. (See p 82 of this bulletin.)
brick industry of
boundary lines of, and formation of stateBull 13,
pp 30, 103–104; Bull 171, pp 109–110 clay deposits of
clay deposits of
clay products of, statistics of MR 1891, p 508; Ann 16, IV, pp 518, 519, 520, 521;
Ann 17, 111 cont, p 820 et seq; Ann 18, v cont, p 1078 et seq,
Ann 19, vi cont, p 318 et seq; Ann 20, vi cont, p 466 et seq
coal in, discovery of
coke in, manufacture of
floods on Mississippi River, discussion of
gas, illuminating and fuel, and by-products in, statistics of
vi cont, pp 227, 240, 243, 246, 247, 249
geographic positions in
geologic maps of, listed
(See Map, geologic, of Mississippi.)
geologic sections in. (See Section, geologic, in Mississippi.)
geologic and paleontologic work inAnn 4, pp 43, 48–49; Ann 6, p 74; Ann 8,
I, p 165; Ann 9, pp 110–111, 122; Ann 10, I, p 157; Ann 11,
I, pp 67, 108; Ann 12, I, p 75; Ann 13, I, pp 106, 107, 148
iron-ore deposits of MR 1887, pp 48–49
magnetic declination in
maps, geologic, of. (See Map, geologic, of Mississippi.)
maps, topographic, of. (See Map, topographic, of Mississippi; also list
on p 82 of this bulletin.)
marl deposits of
mineral spring resorts in
mineral springs of, statistics of
p 982; MR 1885, p 538; MR 1886, p 717; MR 1887, p
684; MR 1888, p 627; MR 1889-90, pp 522, 529; MR 1891,
pp 603, 606; MR 1892, pp 824, 829; MR 1893, pp 774, 779,
784, 789, 794; Ann 16, IV, pp 709, 715, 720; Ann 17, III cont,
pp 1027, 1035, 1041; Ann 18, v cont, pp 1371, 1380, 1386;
Ann 19, vi cont, pp 661, 670, 677; Ann 20, vi cont, pp 749,
760, 766; Ann 21, vi cont, pp 600, 611, 619; Bull 32, pp 94–97
minerals of, usefulMR 1882, pp 698-699; MR 1887, pp 749-750
rainfall at Vicksburg (average)Ann 21, IV, p 668
sections, geologic, in. (See Section, geologic, in Mississippi.)
timber in, estimates of
topographic maps of. (See Map, topographic, of Mississippi; also list on
p 82 of this bulletin.)
woodland area in
Mississippi clays
Mississippi River, flood plains of lower
floods on lower, discussion of
flow of, measurements of
pp 264–270; Ann 20, IV, pp 52, 230–231; WS 36, pp 194–195
jetties at mouth of
Journey at mouth 01,,,,, pp 100–109

Mississippi River, profile of
Mississippi Valley, drainage system, pre-Glacial, of Mon xxxvIII, pp 461-477
driftless area of upperAnn 6, pp 199–322
geologic structure of lower
Mississippian series, coal in
in KentuckyGF 47, p 2
in TennesseeGF 53, p 2
nomenclature of, development of
Missoula River, Montana, flow of, measurements of
pp 63, 490–491; Ann 21, IV, pp 418–419; WS
28, pp 163, 169, 170; WS 38, pp 364–367
Missouri; altitudes in
333-337; Ann 20, r, pp 412-413; Ann 21, r, pp 474-475; Bull 5,
pp 157–164; Bull 72, p 217; Bull 76; Bull 160, pp 354–373
atlas sheets of. (See p 82 of this bulletin.)
barytes industry in, statistics of
boundary lines of, and formation of StateBull 13,
pp 30, 116–117; Bull 171, pp 122–123
building stone from, at World's Columbian ExpositionMR 1893, p 568
production of, statistics of
1887, p 516; MR 1888, p 540; MR 1889-90, pp 373, 405-408;
MR 1892, pp 706, 707, 710, 711; MR 1893, pp 544, 546, 553,
556; Ann 16, IV, p 437 et seq; Ann 17, III cont, p 760 et seq;
Ann 18, v cont, p 950 et seq; Ann 19, vr cont, p 207 et seq;
Ann 20, vr cont, p 271 et seq; Ann 21, vr cont, p 335 et seq
cement production of, statistics of
p 527; MR 1888, p 551; MR 1892, p 739; MR 1893, p 619
clay products of, statistics of
MR 1887, pp 536, 538; MR 1888, p 561; MR 1891, pp
511-513; MR 1893, p 616; Ann 16, IV, pp 518, 519, 520, 521;
Ann 17, 111 cont, pp 820, et seq, 862; Ann 18, v cont, pp 1078
et seq, 1140-1143; Ann 19, v cont, pp 318 et seq, 365; Ann 20,
vi cont, pp 466 et seq, 527; Ann 21, vi cont, pp 362, 363
coal area and statistics of
MR 1882, pp 60-61; MR 1883-84, pp 12, 51-52; MR 1885,
pp 11, 35-36; MR 1886, pp 225, 230, 280-282; MR 1887,
pp 169, 171, 272–275; MR 1888, pp 169, 171, 285–289; MR
1889-90, pp 147, 226-228; MR 1891, pp 180, 261-268; MR
1892, pp 265, 267, 268, 423-436; MR 1893, pp 189, 190, 194,
195, 197, 199, 200, 312-320; Ann 16, IV, pp 7 et seq, 139-144;
Ann 17, 111, pp 287 et seq, 449-454, 542; Ann 18, v, pp 353
et seg, 545-551; Ann 19, vi, pp 278 et seg, 449-456; Ann 20,
vi, pp 300 et seq, 436-440; Ann 21, vi, pp 325 et seq, 464-467
Coal Measures of
fossil flora of the lower
cobalt deposits in, statistics of
1883-84, p 545; MR 1885, pp 362, 364; MR 1889-90, p 124
coke in, manufacture of, statistics of
1888, pp 395, 400, 411–412; MR 1891, pp 360, 366, 382; MR
1892, pp 555 et seq, 578-579; MR 1893, pp 418 et seq, 439;
Ann 16, iv, pp 225 et seq, 260-261; Ann 17, iii cont, pp 544
et seq, 584; Ann 18, v cont, pp 661 et seq, 705-706; Ann 19, vi, pp 548 et seq, 600-601; Ann 20, vi, pp 512 et seq,
566-567; vi cont, p 227; Ann 21, vi, pp 512 et seq,
200 001, 11 00Hth b 221, 111 21, 11, bb 222 00 podi 444 842

```
MR 1882, pp 216, 230; MR 1883-84, pp 329, 342; MR 1885,
                  p 210; MR 1886, p 112; MR 1887, p 69; MR 1888, p 54;
                  MR 1889-90, p 60; MR 1891, pp 83, 84; MR 1892, p 96; MR
                  1893, p 64; Ann 16, 111, pp 333, 334; Ann 17, 111, pp 83, 84;
                  Ann 18, v, p 189; Ann 19, vi, p 140; Ann 20, vi, pp 161, 162
   333-337; Ann 20, 1, pp 412-413; Ann 21, 1, pp 474-475; Bull
                  5, pp 157-164; Bull 72, p 217; Bull 76; Bull 160, pp 354-373
   flora of outlying Carboniferous basins of southwestern.....Bull 98
   vi cont, p 227 et seq
   103; Ann 10, 1, pp 124-125; Ann 11, 1, pp 59, 75, 80-81; Ann
                  12, I, pp 56, 62, 88, 90; Ann 13, I, p 123; Ann 14, I, pp 232-233
   geologic maps of, listed ......Bull 7, pp 127–131
      (See Map, geologic, of Missouri.)
   geologic sections in.
                   (See Section, geologic, in Missouri.)
   pp 374, 405; MR 1891, pp 457, 459; MR 1892, pp 706, 707;
                  MR 1893, pp 544, 546; Ann 16, IV, pp 437, 443, 457, 458, 460;
                  Ann 17, 111 cont, pp 760, 761, 762, 763, 765; Ann 18, v cont,
                  pp 950, 951, 952, 954, 956, 966-969; Ann 19, vi cont, pp 207,
                  208, 209, 210, 211, 221; Ann 20, vi cont, pp 271, 272, 273, 274,
                  275, 276, 278; Ann 21, vi cont, pp 335, 336, 337, 338, 339, 340
   pp 120, 125, 129, 130, 131, 133, 134, 135, 136, 137; MR 1883-84,
                  pp 252, 268-270; MR 1885, pp 182, 184; MR 1886, pp 14, 18,
                  97-98; MR 1887, pp 11, 16, 46-47; MR 1888, pp 14, 17, 23; MR
                  1889-90, pp 10, 12, 17; MR 1891, pp 12, 26, 54, 55, 61; MR 1892,
                  pp 12, 13, 15, 17, 21, 26, 35, 36, 37; MR 1893, pp 15, 26, 28,
                  38, 39; Ann 16, 111, pp 31, 41, 192, 194, 203, 208, 249, 250; Ann
                  17, 111, pp 26, 27, 39, 41, 47, 48, 57, 60, 63, 68; Ann 18, v, pp 24,
                  41, 42; Ann 19, vi, pp 26, 27, 29, 66, 68, 72; Ann 20, vi, pp 29,
                  41, 43, 44, 74, 75, 81, 84, 85; Ann 21, vi, pp 34, 51, 52, 53, 90, 92
  latitudes and longitudes of points in Kansas, New Mexico, and .......Bull 49
   p 312; MR 1883-84, pp 416, 425; MR 1885, pp 248, 259; MR
                  1886, p 147; MR 1887, p 110; MR 1889-90, p 80; MR 1891, p
                  105; MR 1892, pp 124–125; MR 1893, pp 94–95; Ann 16, III,
                  p 362; Ann 17, 111, pp 134, 147-151; Ann 18, v, p 240; Ann
                  19, vi, pp 201, 215; Ann 20, vi, pp 226, 228; Ann 21, vi, p 229
  lead ores, disseminated, of southeastern ......Bull 132
  limestone production of...MR 1882, p 451; MR 1886, p 541; MR 1887, p 516; MR
                  1888, p 540; MR 1889-90, pp 373, 406; MR 1891, pp 464, 466;
                  MR 1892, p 711; MR 1893, p 556; Ann 16, IV, pp 437, 494,
                  495, 508; Ann 17, III cont, pp 760, 788, 789, 790, 794; Ann
                  18, v cont, pp 950, 1044, 1045, 1047, 1060-1061; Ann 19, vi
                  cont, pp 207, 281, 282, 283, 299; Ann 20, vi cont, pp 271, 342,
                  343, 344, 345, 349; Ann 21, vi cont, pp 335, 357, 358, 359, 360
```

Missouri; magnetic declination in
manganese ores and manganiferous iron ores, production ofMR 1885,
pp 346–348; MR 1892, p 200; Ann 16, 111, pp 416–
417; Ann 17, 111, p 198; Ann 21, vi, pp 130-139
maps, geologic, of. (See Map, geologic, of Missouri.)
maps, topographic, of. (See Map, topographic, of Missouri.)
Marshall quadrangle, physiography of
Meramec River, profile of
mineral spring resorts in
mineral springs of, statistics of
p 982; MR 1885, p 538; MR 1886, p 717; MR 1887, p 684;
MR 1888, p 627; MR 1889-90, pp 522, 529; MR 1891, pp 603,
606; MR 1892, pp 824, 829; MR 1893, pp 774, 779, 784, 790,
794; Ann 16, IV, pp 709, 715, 720; Ann 17, III cont, pp 1027,
1035, 1041; Ann 18, v cont, pp 1371, 1380, 1386; Ann 19, vi
cont, pp 661, 670-671, 677; Ann 20, vi cont, pp 749, 760, 767;
Ann 21, vi cont, pp 600, 611-612, 620; Bull 32, pp 164-170
minerals of, useful
natural gas, consumption of, in
localities and statistics ofMR 1892, pp 676, 697–698; MR 1893, pp
536, 540; Ann 16, IV, pp 415, 418, 419; Ann 17, III cont, pp
734, 735, 738, 739, 748; Ann 18, v cont, pp 900, 901, 903, 904,
916; Ann 19, vi cont, pp 168, 169, 171, 172, 173, 179; Ann 20,
vi cont, pp 207, 209, 210, 222; Ann 21, vi cont, pp 301, 302
petroleum production of, statistics of
nickel production of MR 1882, p 403; MR 1883-84, p 539; MR 1889-90, p 124
ocher production of
Osage River, profile of
MR 1893, pp 759, 760; Ann 16, rv, pp 695, 696, 698;
Ann 17, 111 cont, pp 1013, 1014, 1017; Ann 18, v cont, pp
1338, 1339, 1342; Ann 19, vi cont, pp 637, 638, 643; Ann
20, vi cont, pp 723, 724, 729; Ann 21, vi cont, pp 573, 574 petroleum localities and statistics of
perform focalities and statistics of pp 292, 361–362; MR 1892, pp 604, 606, 612; MR 1893, pp
465, 466; Ann 16, IV, pp 317, 319, 320, 381; Ann 17, III
cont, pp 626, 629, 630, 631, 702; Ann 18, v cont, pp 750, 751,
754, 755, 849; Ann 19, vi cont, pp 5, 6, 10, 11, 96; Ann 20,
vi cont, pp 5, 7, 9, 111; Ann 21, vi cont, pp 6, 7, 10–12, 144
rainfall in
at St. Louis
average annual and seasonal
rocks in, classification of
St. Francis River, profile of
sandstone production ofMR 1882, p 451; MR 1889-90, pp 374, 405; MR 1891,
pp 461, 462; MR 1892, p 110; MR 1893, p 553; Ann 16, tv,
pp 437, 484, 485, 486, 488; Ann 17, 111 cont, pp 760, 775, 776,
777, 779; Ann 18, v cont, pp 950, 1012, 1013, 1014, 1023; Ann
19, vi cont, pp 207, 264, 265, 266, 274; Ann 20, vi cont, pp 271,
336, 337, 338, 340; Ann 21, vi cont, pp 335, 353, 354, 355, 356
sections, geologic, in. (See Section, geologic, in Missouri.)
tin in
topographic maps of. (See Map, topographic, of Missouri; also list on p 82.)
topographic work in
p 11; Ann 7, pp 53-54; Ann 8, 1, p 103; Ann 9, p 56; Ann 10,
I, p 93; Ann 17, I, pp 97, 102; Ann 18, I, pp 94, 95, 105; Ann 19,
1, pp 89, 90, 102; Ann 20, 1, pp 100, 102, 115; Ann 21, 1, p 132

	.*
Missouri; triangulation in	Bull 122, pp 151–153, 203
woodland area in	Ann 19, v, p 10
zinc from, statistics of	Ann 2.
p xxix; MR 1882, pp 347, 368-3	
1885, p 273; MR 1886, pp 154,	
1888, p 92; MR 1889–90, p 88;	
MR 1893, pp 103, 104; Ann 10	
163, 164, 165; Ann 18, v, pp 264,	265; Ann 19, vi, p 225; Ann
20, vi, pp 250, 251; Ann 21, v	vi, pp 249–250, 251, 252–255
zinc-bearing waters from	Bull 113, pp 49–53
zinc deposits of, investigation of	Ann 11.
	n 12, ı, p 56; Ann 13, ı, p 123
Missouri Coteau, moraines of, and attendant deposits	
Missouri River, age of trough of	
Missouri River, age of trough of	buii 158, pp 140–154
discharge of upper, measurements of	
profile of	WS 44, pp 68-70
terraces along, in South DakotaBull 14	
Missouri River Basin, hydrography of	Ann 11,
п, pp 41–43, 94	4, 107; Ann 12, 11, pp 236–238
precipitation, irrigation, etc., in	
rainfall in upper	Ann 20, iv. pp 232–235
stream measurements in upper	
11, pp 93–94; Ann 12, 11, pp 346	
Ann 18, iv, pp 123–138; Ann 19	
pp 235-246; Ann 21, iv, pp 18	
Bull 140, pp 86–94; WS 11, pp 4	
27, pp 68–76; WS 36, pp 198	
Missourite, analysis of, from Montana, Highwood Mount	
ш, р 574; В	ull 48, p 154; Bull 168, p 133
of Montana, Fort Benton quadrangle	
Mitridæ from clays and marls of New Jersey	Mon xvIII, pp 92–95
Mixite, analyses of, from Utah, Tintic districtAn	n 19, 111, p 701; Bull 55, p 45
Mobile Basin, stream measurements in	
pp 93–110; Ann 19, IV, pp 252–2	
WS 11, pp 25–40; WS 15, pp 49	
Moccasin limestone of Kentucky, Tennessee, Virginia, an	
p 2; GF 26, p 2; GF 27, p 2	
Mohave River, flow of, measurements of	
pp 471–473; Bull 146	0, p 318; WS 39, pp 408-409
pp 471–473; Bull 140	WS 44, p 15
supply of water for irrigation from	Ann 19, IV, pp 614-632
Mohawk River, stream measurements in basin of	Ann 21,
ıv, pp 64–70;	WS 35, pp 45–46, 51, 55–58
Mokelumne River, California, flow of, measurements of	Ann 12
II, pp 322–323; Bull 131, pp	
profile of	
Moldavite, occurrence of	
Molecular variation of rocks of Yellowstone ParkMon	
Mollusca, fossil, descriptions of	
from Bear River formation	
from Chico-tejon series of California	Bull 51, pp 4–27
from Colorado formation	
	••••• ph 01-100
from Cretaceous of Pacific coast	Bull 133, pp 34–85
from Cretaceous of Pacific coast from Vancouver Island region	Bull 133, pp 34–85

Mellugge fossil from Fosons of middle Atlantic slone	D::11 141 69 00
Mollusca, fossil, from Eocene of middle Atlantic slope from glacial Lake Agassiz	
from Jurassic, fresh-water, North American	
from Mesozoic of Alaska	
of Alaska, southern coast	
from Miocene of New Jersey	
from Permian of Texas	
from Puget group	Bull 51, pp 49–63
from Texas, Black and Grand prairies	
from Wasatch group	Bull 34, pp 20–32
Gasteropoda and Cephalopoda of Raritan clays and	
New Jersey	
marine Eocene, fresh-water Miocene, and other,	
America	
of North America, review ofAnn 3, pp 4	
(See, also, Brachiopoda; Cephalopoda; Gasteropoda;	Lamellibranchiata, etc.)
Mollusca, fossil and recent, from American localities betw	een Cape Hatteras
and Cape Roque, including Bermudas	
from Great Basin, description and tables of	
Molluscoidea from Cretaceous of Pacific coast	
Mollusks, sedimentation due to, in harbors	
Molybdenum, distribution and quantitative occurrence of	
rocks of United States	
occurrence and character of	
statistics of	
Mona schists of Michigan, distribution, relations, petrograp	
of	
Monadnocks in Chattanooga district	
Monarch district, Montana, geology of	
Monarch formation of MontanaAnn 20, 111, pp 287, 361	
Monazite, analysis of, from Brazil, Caravellas	Ann 16, 17, p 070
analysis of, from Colombia, New Granada	Ann 16, IV, p 676
from Connecticut, Portland	
from New South Wales, county of Gough	
from North Carolina, Alexander County	
Burke CountyAnn 1	
from Norway, pegmatite veins of southern part of	
from Quebec, Ottawa County	
from Russia, Lake Ilmen	
from Siberia, Ilmen Mountains	
from Sweden, various localities	
from Virginia, Amelia County	
bibliography of	
chemical composition of	
crystallography, composition, occurrence, use, etc., of	
Monazite sands of Idaho Basin	
Monchiquite, analysis of, from Arkansas, Magnet Cove (an	
analysis of, from BrazilBull	
from Montana, Crazy Mountains	
Highwood MountainsBull 1	
Little Belt MountainsBull 1	
Willow Creek, Castle Mountain district	
from Vermont, Shelburne PointBull	l 107, p 34; Bull 139, p 116

Monchiquite of Lake Champlain regionBull 107, pp 32–35
of Montana, Castle Mountain district, microscopic petrography ofBull 139,
nn 114, 117
pp 114-117 Little Belt Mountains quadrangleGF 56, p 4
Manimizator from Delecte group
Monimiaceæ from Dakota group
from Laramie group Bull 37, pp 51–52
Monclova sandstone of Ohio, age of
Monmouth formation in Washington quadrangle, Maryland-Virginia-District
of ColumbiaGF 70, p 4
Mono Lake, California, analysis of water fromAnn 8, 1, p 293; Bull 42, p 149
deposits of
description and history of
obsidian of
old shore lines of
Mono Valley, California, Pleistocene history of
261–394; Mon 1, pp 306, 311, 337
Monocacy River, flow of, measurements of . Ann 18, IV, pp 34-35; Ann 19, IV, pp 153-155;
Ann 20, IV, pp 49, 129-130; Ann 21, IV, pp 97-98; WS 11,
p 11; WS 15, p 20; WS 27, pp 21, 24, 25; WS 35, pp 93–94
Monoclines in Plateau country
(See, also, Faulting; Faults.)
Monoclonius, remarks on
Monocotyledons of Dakota group
of Laramie group Bull 37, pp 16–18
Monroe and Salina beds (lower Helderberg) of Michigan
Monson gneiss and associated rocks of Massachusetts, westernMon xxix, pp 41–65
Montalban group of rocks in New Hampshire and Massachusetts
DD 351-355, 367, 368, 380, 463-464, 465
Montana; altitudes in

Montana; Bridger, Crazy, Gallatin, and Snowy mountains, rocks and structure
ofGF 1, p 1
building stone at World's Columbian Exposition fromMR 1893, p 568
in Fort Benton quadrangleGF 55, p 6
in Livingston quadrangleGF 1, p 3
in Three Forks quadrangleGF 24, p 5
statistics ofMR 1889-90, pp 373, 374, 408; MR 1891, pp 457, 461, 462;
MR 1892, pp 706, 708, 710, 711; MR 1893, pp 544, 546, 553,
556; Ann 16, IV, p 437 et seq; Ann 17, III cont, p 760 et seq;
Ann 18, v cont, p 950 et seq; Ann 19, vi cont, p 211 et seq;
Ann 20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq
Butte, mines and reduction works of
Butte district, geology of
Castle Mountain, description ofGF 56, p 1
geology of, descriptiveGF 56, p 5
Castle Mountain district, geology ofBull 139
precious-metal deposits inGF 56, p 7
clay products of, statistics ofAnn 16, IV, pp 518, 519, 520, 521; Ann 17, III cont,
p 820 et seq; Ann 18, v cont, p 1078 et seq; Ann 19, v cont, p
318 et seq; Ann 20, vr cont, p 466 et seq; Ann 21, vr cont, p 363
coal, area and statistics of
p xxviii; MR 1882, pp 61-62; MR 1883-84, pp 12, 52-55;
MR 1885, pp 11, 36-39; MR 1886, pp 225, 230, 282-288; MR
1887, pp 169, 275–276; MR 1888, pp 169, 171, 289–292; MR
1889-90, pp 147, 228-231; MR 1891, pp 180, 269-271; MR
1892, pp 265, 267, 268, 436-438; MR 1893, pp 189, 190, 194,
195, 197, 199, 200, 320-324; Ann 16, iv, pp 7 et seq, 144-148;
Ann 17, 111, pp 287 et seq, 454-458, 542; Ann 18, v, pp 354
et seq, 551-556; Ann 19, vi, pp 278 et seq, 456-461; Ann 20,
vi, pp 300 et seq, 440–443; Ann 21, vi, pp 325 et seq, 468–471
in Fort Benton quadrangle
in Judith Mountains
in Little Belt Mountains quadrangleGF 56, p 7
in Livingston quadrangleGF 1, p 3
in Three Forks quadrangle
coal fields of
coke in, manufacture ofMR 1883-84, pp 168-169; MR 1885, pp 80, 92-93;
MR 1886, pp 378, 384, 402; MR 1887, pp 383, 389, 405-406;
MR 1888, pp 395, 400, 412; MR 1891, pp 360, 361, 366, 382-
383; MR 1892, pp 555 et seq, 579; MR 1893, pp 418 et seq,
440; Ann 16, IV, pp 225 et seq, 261–262; Ann 17, III cont, pp
544 et seq, 584–585; Ann 18, v cont, pp 661 et seq, 706–707;
Ann 19, vr, pp 601–602; Ann 20, vr, pp 512 et seq, 567–568;
Ann 20, vi cont, p 227; Ann 21, vi, pp 523 et seq, 585–586
copper from, statistics of
p xxix; MR 1882, pp 216, 224-225; MR 1883-84, pp 329,
336-340; MR 1885, pp 210, 215-217; MR 1886, pp 112, 117-
118; MR 1887, pp 69, 74; MR 1888, pp 54, 57–58; MR 1889–
90, p 60; MR 1891, pp 83, 84, 91–99; MR 1892, pp 96, 97, 103–104; MR 1893, pp 64, 65, 71–73; Ann 16, 111, pp 333,
334, 341–342; Ann 17, 111, pp 83, 84, 85, 86, 99–102;
Ann 18, v, pp 186, 189, 190, 191, 203–205; Ann 19, vr,
pp 140, 141, 142, 143, 156–159; Ann 20, vi, pp 161, 162,
163, 164, 165, 178–180; Ann 21, vr, pp 166–170, 184–185
1, 11, 11, 10 200, 2mill 21, 11, 12, 201 200

Montana; copper from, in Butte district	
copper from, in Three Forks quadrangle	5
copper ores of Little Belt Mountains quadrangle	
Crazy Mountains, description of	
geology of, descriptive	
elevations in	
ı, pp 322–327, 356–362; Ann 20, pp 523–530; Bull 5, pp 165	
168; Bull 72, pp 196, 223–224; Bull 76; Bull 160, pp 374, 38	
evaporation at various points in	4
Flathead Forest Reserve, report on	6
Flathead Lake, description of	
Flathead River, profile of	
Fort Benton quadrangle, geology of	
fossil plants from Bull 105, pp 43–6	
Gallatin Mountains, geology of	
Gallatin River, flow of, measurements of	
11, p 93; Ann 12, 11, pp 228, 346, 360; Ann 13, 111, pp 43, 92	
98; Ann 14, 11, pp 101–102; Ann 18, 1v, pp 124–126, 128	
131; Ann 19, IV, pp 271–278; Ann 20, IV, pp 52, 53, 239–242	
Ann 21, 1v, pp 184–185; Bull 131, pp 14–18; Bull 140	
pp 86–88, 89–91; WS 11, pp 47, 48; WS 15, pp 66, 68	
WS 27, pp 69, 70, 74, 75; WS 36, pp 195–196, 197–19	
profile of	
seepage measurements on	
gas, illuminating and fuel, and by-products in, statistics of	
gems in Little Belt Mountains quadrangleGF 56, p	
geographic positions in	
I, pp 169–174; Ann 20, I, pp 278–283; Bull 123, pp 128–13	
geologic maps of, listed	
(See Map, geologic, of Montana.)	U
geologic sections in. (See Section, geologic, in Montana.)	
geologic and paleontologic investigations in	₹.
Ann 5, pp 28–30, 50, 55–56; Ann 6, pp 48–53; Ann 7, p	
77–78, 85–87; Ann 8, 1, pp 146–148; Ann 9, pp 111–113, 128	
Ann 10, 1, pp 22–23, 130–131, 139, 144; Ann 11, 1, p 82; An	', n
12, r, pp 56, 91, 92–94; Ann 13, r, pp 124, 125–126; Ann 14	
12, 1, pp 36, 91, 92-94; Ann 13, 1, pp 124, 125-126; Ann 14 1, pp 188-189; Ann 15, pp 134, 169-170; Ann 16, 1, pp 28	
39; Ann 17, 1, pp 38, 67; Ann 18, 1, pp 37–39; Ann 19, 1, pp	
42–43; Ann 20, 1, pp 46–47, 60–61; Ann 21, 1, pp 79, 80–8	
glaciers, existing, of United States	
gold in Butte district	
in Fort Benton quadrangle	
in Livingston quadrangle	
in Three Forks quadrangle	
gold and silver from; statistics of	
pp 172, 174, 176, 177, 178, 182; MR 1883–84, pp 312, 313	
314, 315; MR 1885, pp 201, 203; MR 1886, pp 104, 105; MI	
1887, pp 58, 59; MR 1888, pp 36–37; MR 1889–90, p 49; MI	
1891, pp 75, 77, 78, 79; MR 1892, pp 50, 51, 52, 53, 54, 55, 56	
73–75; MR 1893, pp 50, 51, 55, 57, 58, 59, 60, 61; Ann 17	
III, pp 72, 73, 74, 75, 76, 77; Ann 18, v, p 141 et seq; Ann	
19, vi, pp 127, 128, 129, 130, 131, 132, 133; Ann 20, vi, pj	
103, 104, 105, 106, 107, 108, 109; Ann 21, vi, pp 119, 121-12	

•
Montana; granite production of, statistics of
408; MR 1891, p 457; MR 1892, pp 706, 708; MR 1893, pp
544, 546; Ann 16, IV, pp 437, 443, 457, 458, 460; Ann 17, III
cont, p 763; Ann 18, v cont, p 954; Ann 19, vi cont, p 211;
Ann 20, vi cont, pp 275, 276; Ann 21, vi cont, pp 335, 340
gypsum in Fort Benton quadrangle
Hamilton quadrangle, forest conditions in
Highwood Mountains, igneous rocks of
structure of
igneous rocks of Bull 139, pp 56–79
iron ore, extent, character, etc., of
in Fort Benton quadrangle
in Judith Mountains
in Little Belt MountainsAnn 20, 111, pp 459–461
in Little Belt Mountains quadrangleGF 56, p 8
in Three Forks quadrangle
production of, statistics of
p 285; MR 1888, pp 34-35; MR 1891, pp 12, 27; MR 1892,
pp 26, 36; MR 1893, pp 26, 28; Ann 16, 111, pp 31, 192, 194,
203, 208; Ann 17, 111, pp 26, 27, 39, 41; Ann 18, v, pp 24,
41, 42; Ann 19, vi, pp 26, 27, 29; Ann 20, vi, pp 29, 43, 44
irrigation, constitution of State, extract from, relating to
irrigation engineering works of Sun River system Ann 13, 11, pp 371–386
irrigation surveys, engineering, hydrography, segregations, etc., inAnn 10,
11, pp viii, 17–18, 58, 59, 60, 61, 71–72, 89, 91–93;
Ann 11, 11, pp 113–133; Ann 12, 11, pp 127–165
Jefferson River, flow of, measurements of
ıv, pp 134–136; Ann 19, ıv, pp 281–283; Ann 20, ıv, pp 53,
237–238; Bull 131, p 22; Bull 140, pp 92–93; WS 11, p 49;
WS 15, pp 70–71; WS 27, pp 71, 74–75; WS 37, pp 206–207
profile of
Judith Mountain region, early history of
Judith Mountains, geology and mineral resources ofAnn 18, III, pp 437-616
Judith region, geology of
Laramie and Livingston formations in
Laramie flora, types of, largely from
lead in Butte district
production of, statistics of . MR 1882, p 311; MR 1883–84, pp 416, 422–424; MR
1885, pp 248, 257–258; MR 1887, pp 109–110; MR 1888, p 89;
MR 1889–90, p 80; MR 1892, p 124; MR 1893, p 93; Ann
16, 111, p 362; Ann 17, 111, p 134; Ann 18, v, p 240; Ann 19,
vi, pp 201, 215; Ann 20, vi, pp 226, 228; Ann 21, vi, p 229
Lewis and Clarke Forest Reserve, report on
lime production of
limestone in Fort Benton quadrangle
production of, statistics of
MR 1892, p 711; MR 1893, p 556; Ann 16, IV, pp 437, 494,
495, 508; Ann 17, 111 cont, pp 760, 788, 789, 790, 794; Ann 18,
v cont, pp 950, 1044, 1045, 1047, 1061; Ann 19, vi cont, pp 207, 281, 282, 283, 300; Ann 20, vi cont, pp 271, 342, 343,
pp 2017, 281, 282, 283, 300; All 120, v1 cont., pp 271, 342, 343, 344, 345, 349; Ann 21, v1 cont., pp 335, 357, 358, 359, 360
Little Belt Mountains, course, extent, altitude, features, etc, ofGF 56, p 1
geology of
igneous rocks of
ore deposits of
structure of
· · · · · · · · · · · · · · · · · · ·

•
Montana; Little Belt Mountains quadrangle, geology of
Livingston quadrangle, geology of
lumber industry in
Madison River, flow of, measurements of
Ann 12, 11, pp 230, 346, 360; Ann 13, 111, pp 48, 92, 98; Ann
14, II, pp 102–103; Ann 18, IV, pp 131–134; Ann 19, IV, pp
279–280; Ann 20, IV, pp 53, 235–237; Ann 21, IV, pp 185–186;
Bull 131, pp 18–21; Bull 140, pp 91–92; WS 11, p 49;
WS 15, pp 69–70; WS 27, pp 71, 74, 75; WS 37, pp 205–206
profile of
magnetic declination in
manganese in Butte district
manganese ore in
production of, statistics of MR 1893,
pp 131–132; Ann 16, III, pp 417–418; Ann 17, III, pp 198–199
maps, geologic, of. (See Map, geologic, of Montana.)
maps, topographic, of. (See Map, topographic, of Montana; also list on
p 83 of this bulletin.) Middle Creek, flow of, measurements of
IV, pp 127-128; Ann 20, IV, pp 242-243; Ann 21, IV,
pp 182–183; Bull 140, pp 88–89; WS 11, p 48; WS
15, p 67; WS 27, pp 70, 74, 75; WS 36, pp 196–197
Milk River, flow of, measurements of
Ann 20, IV, pp 53, 245-246; Ann 21, IV, pp 186-189; WS
15, p 73; WS 27, pp 68, 72, 75, 76; WS 37, pp 209–210
profile of
mineral resin from Livingston, a supposedBull 78, pp 105–108
mineral spring resorts in
mineral springs of, statistics of
MR 1891, p 606; MR 1892, pp 824, 829; MR 1893, pp 774,
779, 784, 790, 794; Ann 16, IV, pp 709, 715, 720; Ann 17,
III cont, pp 1036, 1042; Ann 18, v cont, pp 1371, 1380, 1387;
Ann 19, vi cont, pp 661, 671, 678; Ann 20, vi cont, pp 750,
760, 767; Ann 21, vi cont, pp 612, 620; Bull 32, pp 177–180
of Three Forks quadrangle
mineral water in Little Belt Mountains quadrangleGF 56, pp 8-9
minerals of, useful
mines in Little Belt Mountains, notes onAnn 20, 111, pp 423-440, 442-461
mining properties in Judith Mountains
Missoula River, flow of, measurements of
ıv, pp 63, 490-491; Ann 21, ıv, pp 418-419;
WS 28, pp 163, 169, 170; WS 38, pp 364–367
Missouri River, flow of, measurements of
Ann 12, 11, pp 232, 347, 360; Ann 13, 11, pp 58, 92, 98; Ann
14, 11, p 104; Ann 18, 1v, pp 123–124; Ann 19, 1v, pp
283–285; Ann 20, IV, pp 53, 243–245; Ann 21, IV, pp 187–
188; Bull 131, pp 22–26; Bull 140, pp 93–94; WS 11,
p 47; WS 15, p 65; WS 27, pp 72, 75, 76; WS 37, p 208
rainfall in basin of
Monarch district, geology of
Neihart district, geology of
ore deposits and mines of
precious-metal deposits in
ores in Butte district, distribution, deposition, etc., of
Paleozoic section near Three Forks Bull 110
petroleum in Park County
Positional in Fine County Property in the Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property in the County Property Property in the County Property Pro

Montana; precious-metal deposits in Little Belt Mountains quadrangleGF 56, pp 7-8
precious stones in, occurrence of
p 692; Ann 16, IV, pp 597, 599-600; Ann 18, V cont, pp 1199-
1202; Ann 20, vi cont, pp 568; Ann 21, vi cont, pp 448-449
rainfall at Fort Ellis
Rattlesnake Creek, flow of, measurements of
ıv, p 417; WS 38, pp 363-364
Red Rock Creek, flow of, measurements of
и, pp 94, 107; Ann 12, и, p 228; Ann 13, ии, р 98
reservoir sites and irrigable lands in
reservoir surveys in
river basins in, hydrography of and irrigation in Ann 13, 111, pp 34-73
sandstone production of, statistics of
MR 1891, pp 461, 462; MR 1892, p 710; MR 1893, p 553; Ann
16, IV, pp 437, 484, 485, 488; Ann 17, III cont, pp 760, 775, 776,
778, 779; Ann 18, v cont, pp 950, 1012, 1013, 1014, 1023;
Ann 19, vi cont, pp 207, 264, 265, 266; Ann 20, vi cont, pp
271, 336, 337, 338; Ann 21, vi cont, pp 335, 353, 354, 355, 356
sapphires in Little Belt Mountains quadrangle
production of, statistics of
sections, geologic, in. (See Section, geologic, in Montana.)
sewage-disposal plant at Helena
silver in Butte district
in Fort Benton quadrangle
in Three Forks quadrangle
Snowy Range, geology of southern end of
stream measurements in, miscellaneous
sulphur springs of Little Belt Mountains quadrangle
Sun River, flow of, measurements ofAnn 11, 11, p 94; Ann 12, 11, pp 234, 347,
360; Ann 13, 111, pp 93, 98; Ann 20, 1v, p 531; WS 15, p 72
Three Forks, Paleozoic section nearBull 110
Three Forks quadrangle, geology of
timber, standing, in Bitterroot Forest ReserveAnn 19, v, p 19
tin deposits of
tin ore in
topographic maps of. (See Map, topographic, of Montana; also list on
p 83 of this bulletin.)
topographic work in . Ann 4, pp 9-11; Ann 8, 1, pp 105-106; Ann 9, p 59; Ann 10,
1, p 97; 11, pp 17, 71–72; Ann 11, 11, pp 305; Ann 12, 1, p 48;
Ann 13, r, pp 79–80; Ann 14, r, p 178; Ann 17, r, pp 97, 103;
Ann 18, 1, pp 94, 95, 106–107; Ann 19, 1, pp 89, 90, 104, 110–111;
Ann 20, 1, pp 100, 102, 116, 120–122; Ann 21, 1, pp 133, 136
trees and shrubs in Flathead and Bitterroot forest reserves
v, pp 247–250, 255–314 (passim), 329–357, 392–405
triangulation inBull 122, pp 294–317
water supply for irrigation purposes
of Bitterroot Forest Reserve
Wolf Butte and Taylor Peak, geology of
woodland area of
Yellowstone River, flow of, measurements of
п, рр 93, 107; Ann 12, п, рр 236, 347, 360; Ann 13, пг,
pp 66, 93, 98; Ann 14, 11, pp 101-105; Ann 19, 1v, pp
287-289; Ann 20, IV, pp 53, 246-248; Bull 131, pp 26-27;
WS 15, p 74; WS 27, pp 73, 76; WS 37, pp 210-211
profile of
· • •

Montana; Yogo Creek, sapphire mines on
Yogo district, geology of
precious-metal deposits in
Yogo mines, notes on
Yogo sapphire mines
111, pp 454–459, 552–556; Ann 21, vi cont, pp 448–449
zinc in Butte district
Montana formation or group, correlation of
pp 170, 175–177, 211, 225, 231, 239, 250, 261-262
flora of
in Colorado
68, 87–89; Mon xxxi, p 42; GF 7, pp 2, 4; GF 9, pp 1, 6, 8
in Montana Bull 105,
p 18; Bull 139, pp 47–48; GF 1, p 2; GF 24, p 3; GF 55, p 2
in Utah
in Wyoming
in Yellowstone ParkMon xxxII, II, pp 50-51, 53, 606-607; GF 30, pp 1, 5
Montanite, analysis of, from North Carolina, Davidson CountyBull 74, p 82
Montara granite of California, petrography, relations, etc., ofAnn 15, pp 408–415
Monte de Oro formation of California
GF 37, p 1; GF 39, p 1; GF 41, p 1; GF 43, p 3; GF 51, p 1
Monterey beds of California, correlation of
Monterey quadrangle, Virginia-West Virginia, geology of
Monterey sandstone in Maryland, Virginia, and West VirginiaGF 14,
pp 11–12; GF 28, p 3; GF 32, p 3; GF 61, p 4
Monterey shale and Tejon sandstone of California, notes on
Montevallo shales of Alabama, origin of nameBull 81, p 247
(See Conasauga shale.)
Monticellite, chemical constitution ofBull 125, pp 68, 104
Montmorillonite, chemical constitution of
Monument Creek formation or group of Colorado
pp 38–39, 252–254; Bull 84, pp 308–309, 317, 330
Monument Mountain, Massachusetts, structure of
Monument Mountain, Massachusetts, structure of
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveys Ann 17, , pp 7–11
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,
Monuments and bench marks, establishment of, in topographic surveysAnn 17,

Monzonite of Montana, Yogo Peak
analysis of, from Utah, Henry Mountains, Mount HillersAnn 21, 11, p 86
of Colorado, La Plate quadrangleGF 60, p 6
Rico Mountains (hornblendic)
Walsenburg quadrangleGF 68, p 4
Moodys Branch beds of Mississippi, correlation of
Moonstone, occurrence and statistics of MR 1882, pp 495-
496; MR 1883-84, pp 770-771, 781; MR 1892, pp 777-778;
Ann 17, 111 cont, p 924; Ann 18, v cont, p 1217; Ann 19, vr cont, p 513; Ann 20, vr cont, p 599; Ann 21, vr cont, p 461
Moose River sandstone of Maine, faunas of
Mora River, New Mexico, flow of, measurements of
ıv, 245; Bull 131, p 40; Bull 140, pp 168–169; WS 11, p 64
Moraceæ of Amboy clays
of Cretaceous of Black Hills
of North America (extinct)
Morainal débris of ice sheet in Maine
Moraine. (See Glacial; Glacier.)
Moraine, ground, theories of discussion of
Moraine, terminal, of second Glacial epoch
in California, Colfax quadrangle
Downieville quadrangle
Truckee quadrangleGF 39, pp 6-7
ın Colorado, La Plata MountainsGF 60, p 6
in Massachusetts, Cape Cod district
in North Dakota, Missouri Coteau, and their attendant depositsBull 144
in South Dakota, Missouri Coteau, and attendant depositsBull 144
southeastern
southeastern, and their attendant depositsBull 158 in Wisconsin, Eagle quadrangleTF 1, p 3
Moraines, terminal, of region of glacial Lake Agassiz
Moraines and bowlder trains in Massachusetts, western
Morainic systems within region of Illinois glacial lobe Mon xxxvIII, pp 192-417
Morasses, economic uses of
effect of certain plants on formation of
(See, also, Swamps.)
Morasses, fresh-water, of United States, with description of Dismal Swamp. Ann 10,
1, pp 255–339  Mordenite, chemical constitution of
Morocco, iron-ore deposits of
Morosauridæ of North AmericaAnn 16, 1, pp 181–183
Morosaurus, description of
from Denver Basin, remains of
Morrison formation of Colorado
pp 22–23, 60–62; GF 7, pp 2, 4; GF 36, p 2; GF 68, p 1
Morristown quadrangle, Tennessee, geology of GF 27  Morsell (W. F.), work in charge of, 1890–1893, 1898–1900
i, p 145; Ann 13, i, pp 183–184; Ann 14, i, p
276; Ann 20, 1, p 158; Ann 21, 1, pp 185–186
Mosandrite, chemical constitution of
Moseley (E. L.), investigation of enlargement of Lake Erie Ann 18, 11, pp 645-647

·	
Moses (O. A.), phosphate deposits of South Carolina	
Mosquito porphyry of Colorado, Leadville district	
of Colorado, Leadville district, petrography of	
Mosquito Range, Colorado, general geology, rock formations, and descriptive	
geology of	
structure and rocks of	
Mottled rock, thin section of, from Minnesota, Pigeon PointBull 109, pp 86-87	
Mother Lode district, California, geology of	
Mounds, aboriginal, in region of glacial Lake Agassiz, notes on Mon xxv, pp 643–645	
Mount. (See next word of name.)	
Mount Axtell mass, Colorado, structure, rocks, etc., ofAnn 14, 11, pp 188–191	
Mount Desert, Maine, geology of	
Mount Lyell quadrangle, California, forest conditions inAnn 21, v, pp 574–575	
Mount Rainier Forest Reserve, Washington, report on	
Mount Rainier National Park, movement to establishAnn 18, 11, pp 410-415	
Mount Stuart quadrangle, Washington, forest conditions in	
Mount Taylor quadrangle, New Mexico, physiographic forms inTF 2, p 16	
Mount Toby conglomerate of Massachusetts, western	
of Massachusetts and Connecticut	
Mount Vernon series of deposits and flora	
Mount Zion porphyry of Colorado, Leadville district, petrography ofMon XII,	
pp 323–324  Mountain building in Alaska in Tertiary time	
in Colorado, Elk Mountains	
Walsenburg quadrangleGF 68, p 2	
in Great Basin, evidence of, in Lahontan Basin	
in Montana, Little Belt Mountains quadrangleGF 56, p 7	
in Sierra NevadaGF 3, p 1; GF 5, p 1; GF 11, p 1; GF 18, p 1; GF 31, p 1;	
GF 37, p 1; GF 39, p 1; GF 41, p 1; GF 43, p 1; GF 51, p 1	
in Utah, Bonneville Basin	
nature of process of	
(See, also, Diastrophism; Orogenic; Orographic.)	
Mountain limestone, development of nomenclature ofBull 80, pp 135–172	
Mountain structure, diverse, in United States, western	
Mountain structure and the Rocky Mountain structure	
Movements of rock materials under deformation	
Mud, analysis of, from Nevada, Carson desert (playa)	
Muir Glacier, Alaska, changes in, between 1890 and 1892 Ann 16, r, pp 440-442	
velocity of	
Muir Inlet, Alaska, soundings, temperatures, and analyses of waters ofAnn 16,	
ı, pp 452–458	
Muldrow (R.), magnetic variations, Sushitna River, Alaska, 1898Ann 20, vii, p 13	
Muldrow (R.) and Eldridge (G. H.), report of Sushitna expedition (1898),	
Alaska	
Mundic and gossan ores, analysis of, from Virginia	
Muricidæ of Chico-Tejon series of California	
of clays and marls of New JerseyMon xvIII, pp 33-57, 172-173, 190-192	
of Miocene deposits of New Jersey	
Murphy (E.C.), the windmill, its efficiency and economic useWS 41; WS 42	
windmills for irrigationWS 8	
Murray shale of North Carolina and Tenitessee GF 6, p 3; GF 20, p 2; GF 25, p 2	
Musaceæ from Yellowstone Park	
Muscovite, a product of mineralogic metamorphismBull 62, p 212	
analysis of, from East Indies	
from India, Bengal Bull 64, p 12	

Museuite english of from Maine Aubuma Dull 40 or 17, Dull 60 or 91
Muscovite, analysis of, from Maine, Auburn
analysis of, from North Carolina, various localitiesBull 55, p 13; Bull 74, p 54
chemical constitution of
composition and occurrence of
in gneisses of Minnesota, southwestern
in rocks of Pacific slope
Muscovite-biotite-gneiss, thin section of, from Michigan, Crystal Falls dis-
trict
Muscovite-biotite-granite of Michigan, Crystal Falls districtMon xxxvi, p 193
Muscovite-granite of Massachusetts, western
of Michigan, Marquette district
Muscovite-schists of Michigan, Marquette district
Muscovitized rocks of Colorado, Rosita Hills
Muskingum River, profile of
Muskingum River drainage system
Myidæ from Colorado formation
from Cretaceous of Pacific coast.  Bull 133, pp 61–62
Mylacridæ, American Bull 124, pp 40–56
Myriapods, index to known fossil, of the worldBull 71
systematic review of present knowledge of
Myricaceæ of Alaska
of Amboy clays
of Dakota group
of Laramie group
of North America (extinct)
of Yellowstone Park
Myrick formation of Texas. GF 64, pp 2-3
of Texas, Uvalde quadrangle, wells from
Myrsinaceæ of Amboy clays
Myrsineæ of Dakota group
Myrtaceæ of Amboy clays
of Dakota groupMon xvii, pp 136-139
Myrtle formation of Oregon
Mystic Lake, Massachusetts, run-off of watershed of
Mytilidæ of Bear River formationBull 128, p 33
of Colorado formation
of Cretaceous of Pacific coast
of marl beds of New Jersey
of Miocene marls of New Jersey
of North America (non-marine fossil)
Mytilus beds of Washington, correlation of Ann 18, 11, p 336; Bull 84, p 330
Naches River, Washington, flow of, measurements of
503; Ann 21, IV, pp 425–426; Bull 131, pp 73–74; Bull 140,
pp 244–245; WS 11, p 84; WS 16, p 174; WS 28, pp 164, 170
Naheola series of Alabama, correlation of
Nails, manufacture of, twenty years of progress in
production of, statistics of
MR 1883-84, p 250; MR 1885, pp 185-186, 187; MR 1886, p 11; MR 1887, pp 10, 11; MR 1888, pp 12, 14; MR 1890, 00, pp
MR 1887, pp 10, 11; MR 1888, pp 12, 14; MR 1889–90, pp
13-14; MR 1891, pp 65-66; MR 1892, pp 17-18; Ann 16, III,
p 231; Ann 17, 111, p 62; Ann 18, v, pp 72–73, 86; Ann 19, v1, pp 71–72; Ann 20, v1, pp 83–84; Ann 21, v1, pp 103–104
Naknek River and Lake, Alaska, geologic notes taken alongAnn 20, vii, pp 105-104
Naknek series of pre-Tertiary rocks of AlaskaAnn 20, vii, pp 169–171, 179, 187
Nanafalia series of Alabama, correlation of
,

Nanaimo group of Vancouver Island, correlation of Bull 82, pp 195, 196, 243
Nanosauridæ of North America
Nanosaurus, description of
from Denver Basin, remains of
Nantahala River, North Carolina, profile of
Nantucket, beds of, age ofBull 84, p 35
geology of Bull 53
glacial clays of
Napalite, a new mineral from California, description ofMon XIII, pp 372–373
Naparima beds of Trinidad, correlation of
Naphtha. (See Petroleum.) Naphthaline, compressibility of
Naple beds of New York, petrography and paleontology ofBull 16, pp 35–66
Narragansett Basin, geology of Mon xxxIII
Nashaquitsa series of Marthas Vineyard, section of
of New England coast
Nasina series of Alaska (2), p 67
of Alaska, character, correlation, etc., of
Nassidæ of Miocene deposits of New Jersey
Naticidæ of Chico-Tejon series of CaliforniaBull 51, p 19
of clays and marls of New Jersey Mon xvIII, pp 123-133, 175-176, 226
of Colorado formation
of Miocene deposits of New Jersey
Natrolite, analysis of, from Arkansas, Magnet CoveBull 90, p 38
analysis of, from Colorado, Table Mountain
chemical constitution of
occurrence of
Natural gas. (See Gas, natural.)
Naugus Head series of Massachusetts, correlation of
Naushon, age of the sands of
Naushon series of Massachusetts, correlation of
Nautilidæ from Colorado formationBull 106, pp 163–164
from marls of New Jersey
Navarro formation of Texas
Navesink formation of New JerseyBull 138, p 40-41
Nebo sandstone in Tennessee and North Carolina
p 3; GF 20, p 2; GF 25, p 2
p 3; GF 20, p 2; GF 25, p 2 Nebraska, altitudes in
19, 1, pp 264–270; 1v, pp 782–785; Ann 20, 1, pp 413–415, 419;
Ann 21, 1, pp 479–483; Bull 5, pp 169–172; Bull 72, p 225;
Bull 76; Bull 158, pp 91–92, 154–167; Bull 160, pp 382–394.
Bull 76; Bull 158, pp 91–92, 154–167; Bull 160, pp 382–394. artesian wells in
artesian wells in
artesian wells in
artesian wells in
artesian wells in
artesian wells in
artesian wells in
artesian wells in
artesian wells in
artesian wells in
artesian wells in
artesian wells in
artesian wells in
artesian wells in

Nebraska, climate of wester	n
coal area and statistics	of
	5–56; MR 1886, p 225; MR 1887, pp 169, 276–277; MR 1888,
	p 169, 171, 292; MR 1889-90, pp 147, 231; MR 1891, pp 180,
	71; MR 1892, pp 265, 267, 268; MR 1893, pp 189, 190, 194,
	99, 200, 324; Ann 16, IV, pp 7, 8, 14, 15, 16, 149; Ann 17, III, pp
	37, 289, 291, 301, 302, 303, 304, 305; Ann 18, v, pp 354, 355,
	57, 368, 369, 370, 371, 373; Ann 19, vi, pp 278 et seq, 461;
	nn 20, vr, pp 300 et seq, 443; Ann 21, vr, pp 342 et seq, 471
coke in, manufacture o	fAnn 20, v1 cont, p 227
elevations in	
19	9, 1, pp 264–270; 1v, pp 782–785; Ann 20, 1, pp 413–415, 419;
	nn 21, 1, pp 479-483; Bull 5, pp 169-172; Bull 72, p 225;
	ull 76; Bull 158, pp 91–92, 154–167; Bull 160, pp 382–394
	measurements of . Ann 18, IV, pp 190–192, 193; Ann 19, IV, pp
	34–335; Ann 20, IV, pp 55, 296–297, 299; Ann 21, IV, pp 217–
2.	19; WS 15, pp 99–100; WS 27, pp 85, 87; WS 37, pp 243–245
Frenchman River, flow	of, measurements of Ann 18, IV, pp 196-199; Ann 20, IV, p
	99; Bull 131, pp 33-34; Bull 140, pp 131-136; WS 11, p 56
	ents onBull 140, pp 347–348
	rence of
	uel, and by-products in, statistics of
gas, munimating and i	
	vi cont, pp 227, 240, 244, 246, 247, 248, 249
geographic positions in	Ann 18, r, pp 166–173;
	Ann 19, 1, pp 164–168; Bull 123, pp 122–123
geologic formations in,	table of
geologic maps of, listed	Bull 7, pp 113, 114, 115
(See Map, geologic	, of Nebraska.)
geologic sections in. (	See Section, geologic, in Nebraska.)
	ogic investigations in
	49; Ann 6, pp 34, 72; Ann 7, pp 80-81, 112, 157; Ann 8,
	p 143; Ann 11, 1, p 101; Ann 19, 1, p 38; Ann 20, 1, p 42
	1
geology and water reso	arces of, west of one hundred and third meridian. Ann 19,
	ıv, pp 719–785
gold and silver from, s	tatistics of
	111, pp 72, 76, 77; Ann 18, v, pp 142, 146, 147, 149
	eyAnn 21, IV, pp 216–217
	es, water supply from
Hat Creek Basin, irriga	ation in
iron and steel from, sta	tistics of
	pp 120, 125, 133, 134; MR 1885, p 186; MR 1886, p 18
irrigation by undergrou	and waters in
Kearney, evaporation a	nd seepage nearAnn 19, IV, pp 336-337; Bull 140, p 349
	e measurements onBull 140, pp 348–349
Lexington quadrangle,	topography ofTF 2, p 6
	f, statistics of
	451; MR 1888, p 540; MR 1889-90, pp 373, 408; MR 1891,
	p 464, 466; MR 1892, p 711; MR 1893, p 556; Ann 16,
	7, pp 437, 494, 495, 508; Ann 17, 111 cont, pp 760, 788, 789,
	90; Ann 18, v cont, pp 950, 1044, 1046, 1047, 1061; Ann 19,
	i cont, pp 207, 281, 282, 283, 300; Ann 20, vi cont, pp 271,
	42, 343, 344, 345, 349; Ann 21, vi, pp 335, 357, 358, 359, 360

Nebraska, Lodgepole Creek, drainage and volume of
Lodgepole Creek, irrigation in valley of
Loup River, flow of, measurements of
193; Ann 19, IV, pp 323-333; Ann 20, IV, pp 55, 294-295, 300;
Ann 21, IV, pp 211–214; Bull 131, p 32; Bull 140, pp 114–120;
WS 15, pp 95–97; WS 27, pp 85, 87; WS 37, pp 237–241
magnetic declination in
maps, geologic, of. (See Map, geologic, of Nebraska.)
maps, topographic, of. (See Map, topographic, of Nebraska; also list on
pp 83-84 of this bulletin.)
mineral springs of
1891, p 606; MR 1892, pp 824, 829; Ann 16, IV, pp 709, 715,
720; Ann 17, 111 cont, pp 1036, 1042; Ann 18, v cont, pp 1371,
1381, 1387; Ann 19, vi cont, pp 661, 671, 678; Ann 20, vi cont,
pp 750, 760, 767; Ann 21, vi cont, pp 612, 620; Bull 32, p 171
minerals of, useful
Niobrara River, drainage and volume of
irrigation in valley of
stream measurements in basin of
Ann 20, IV, pp 255, 301; WS 15, p 80; WS 37, pp 213-214
North Platte River, drainage and volume of
irrigation in valley of
Permian problem of Kansas and
Terminal protein of realists and
Platte River, course and character ofTF 2, p 6
flow of, measurements of Ann 18, IV, pp 153-158, 188-190, 193; Ann 19, IV,
pp 308–310, 323, 333–334; Ann 20, IV, pp 54, 267–269, 295–296,
301–302; Ann 21, IV, pp 197–199, 215; Bull 131, p 30; Bull
140, pp 99–102, 121–123; WS 11, p 52; WS 15, pp 84–86, 98;
WS 27, pp 80-81, 85, 86, 87, 88; WS 37, pp 218-221, 242-243
hydrography of, and irrigation in basin ofAnn 13, 111, pp 73–91
profile of
pumice stone deposits in
Pumpkinseed Creek, drainage and volume of
irrigation in valley of
rainfall in
western, 1884 to 1897, diagram of
western, 1004 to 1007, diagram of
rainfall and run-off in basin of Kansas River
in basin of Platte River
Republican River, flow of, measurements of
195, 199-202; Ann 19, IV, pp 338-339; Ann 20, IV, pp 55,
304, 317; Ann 21, IV, p 220; Bull 131, p 33; Bull 140, pp 125-
131; WS 16, pp 107–108; WS 27, pp 91, 95; WS 37, pp 245–248
51, W510, pp 107-100, W521, pp 31, 30, W531, pp 240-240
Salt Creek, flow of, measurements of
sections, geologic in. (See Section, geologic, in Nebraska.)
sewage-disposal plant at HastingsWS 22, p 80
springs of western
stream measurements in, miscellaneous
pp 298-304; WS 39, pp 438-440 timber of Pine Ridge
of western
topographic maps of. (See Map, topographic, of Nebraska; also list on
pp 83–84 of this bulletin.)
topographic work in
179; Ann 15, p 118; Ann 16, I, pp 65, 68, 69, 71; Ann 17; I, pp
07 100. App 10 04 05 105. A 10 00 00 100
97, 102; Ann 18, 1, pp 94, 95, 105; Ann 19, 1, pp 89, 90, 102-
103; Ann 20, 1, pp 100, 102, 113, 114; Ann 21, 1, pp 120, 131

Nebraska, topography of southeastern	WS 12, pp 12–14
topography of western	
underground waters of	Ann 19, iv, pp 761–766
of portion of southeastern	WS 12
water horizons in southeastern	
water resources of a portion of Great Plains	
water supply of, for irrigation purposes	Ann 16, 11, pp 516–517
wells in	
depth of	
records of	
wells and windmills in	
White River, drainage and volume of	
flow of, measurements of	253–254, 303–304; WS 15, p 79
irrigation in basin of	
windmill irrigation in western	
woodland area in	
Made a 1 ' ' N Made at the action	Ann 19, v, p 10
Necks, volcanic, in New Mexico, northwestern Negaunee formation of Michigan, Menominee district.	
relations, petrographic character, etc., of	
	on xxviii, pp 328-407, 529-532
Neihart district, Montana, geology of	
ore deposits and mines of	
precious-metal deposits in	GF 56, p 8
Neihart porphyry of Montana, Little Belt Mountains.	
,	
	ш, рр 375–376; GF 56, р 3
Neihart quartzite of Montana, description and section	ofAnn 20,
Neihart quartzite of Montana, description and section	of
Neihart quartzite of Montana, description and section III, p Neoblattariæ, American	of
Neihart quartzite of Montana, description and section III, p Neoblattariæ, American Neocene age of Equus fauna	of
Neihart quartzite of Montana, description and section  Neoblattariæ, American  Neocene age of Equus fauna  Neocene erosion of Great Plains	of
Neihart quartzite of Montana, description and section  Neoblattariæ, American  Neocene age of Equus fauna  Neocene erosion of Great Plains  Neocene fossils; Dinocerata of North America  Ann	of
Neihart quartzite of Montana, description and section  Neoblattariæ, American Neocene age of Equus fauna Neocene erosion of Great Plains Neocene fossils; Dinocerata of North America fauna of Denver Basin (vertebrate)	of
Neihart quartzite of Montana, description and section  Neoblattariæ, American Neocene age of Equus fauna Neocene erosion of Great Plains Neocene fossils; Dinocerata of North America Ann fauna of Denver Basin (vertebrate)  of Idaho formation	of
Neihart quartzite of Montana, description and section  Neoblattarie, American Neocene age of Equus fauna Neocene erosion of Great Plains Neocene fossils; Dinocerata of North America Ann fauna of Denver Basin (vertebrate)  of Idaho formation fauna and flora of Payette formation	of
Neihart quartzite of Montana, description and section  Neoblattarie, American Neocene age of Equus fauna Neocene erosion of Great Plains Neocene fossils; Dinocerata of North America Ann fauna of Denver Basin (vertebrate)  of Idaho formation fauna and flora of Payette formation Mollusca of John Day group of Oregon	of
Neihart quartzite of Montana, description and section  Neoblattarie, American Neocene age of Equus fauna Neocene erosion of Great Plains Neocene fossils; Dinocerata of North America Ann fauna of Denver Basin (vertebrate)  of Idaho formation fauna and flora of Payette formation Mollusca of John Day group of Oregon  of North America (nonmarine)	of
Neihart quartzite of Montana, description and section  Neoblattarie, American  Neocene age of Equus fauna  Neocene erosion of Great Plains  Neocene fossils; Dinocerata of North America  Ann fauna of Denver Basin (vertebrate)  of Idaho formation  fauna and flora of Payette formation  Mollusca of John Day group of Oregon  of North America (nonmarine)  western, marine Eocene, fresh-water Mio	of
Neihart quartzite of Montana, description and section  Neoblattarie, American  Neocene age of Equus fauna  Neocene erosion of Great Plains  Neocene fossils; Dinocerata of North America  Ann fauna of Denver Basin (vertebrate)  of Idaho formation  fauna and flora of Payette formation  Mollusca of John Day group of Oregon  of North America (nonmarine)  western, marine Eocene, fresh-water Mio  Mollusca and Crustacea, of Miocene formations of	of
Neihart quartzite of Montana, description and section  Neoblattariae, American Neocene age of Equus fauna Neocene erosion of Great Plains Neocene fossils; Dinocerata of North America Ann fauna of Denver Basin (vertebrate)  of Idaho formation fauna and flora of Payette formation Mollusca of John Day group of Oregon  of North America (nonmarine)  western, marine Eocene, fresh-water Mio Mollusca and Crustacea, of Miocene formations of Ostreidæ of North America	of
Neihart quartzite of Montana, description and section  Neoblattarie, American  Neocene age of Equus fauna  Neocene erosion of Great Plains  Neocene fossils; Dinocerata of North America  Ann fauna of Denver Basin (vertebrate)  of Idaho formation  fauna and flora of Payette formation  Mollusca of John Day group of Oregon  of North America (nonmarine)  western, marine Eocene, fresh-water Mio  Mollusca and Crustacea, of Miocene formations of	of
Neihart quartzite of Montana, description and section  Neoblattariæ, American  Neocene age of Equus fauna  Neocene erosion of Great Plains  Neocene fossils; Dinocerata of North America  Ann fauna of Denver Basin (vertebrate)  of Idaho formation  fauna and flora of Payette formation  Mollusca of John Day group of Oregon  of North America (nonmarine)  western, marine Eocene, fresh-water Mio  Mollusca and Crustacea, of Miocene formations of Ostreidæ of North America  plants of North America (later extinct)	of
Neihart quartzite of Montana, description and section  Neoblattariæ, American Neocene age of Equus fauna Neocene erosion of Great Plains Neocene fossils; Dinocerata of North America Ann fauna of Denver Basin (vertebrate) of Idaho formation fauna and flora of Payette formation Mollusca of John Day group of Oregon of North America (nonmarine) western, marine Eocene, fresh-water Mio Mollusca and Crustacea, of Miocene formations of Ostreidæ of North America plants of North America (later extinct) of Payette formation Neocene history of California, Mother Lode district	of
Neihart quartzite of Montana, description and section  Neoblattariæ, American Neocene age of Equus fauna Neocene erosion of Great Plains Neocene fossils; Dinocerata of North America Ann fauna of Denver Basin (vertebrate) of Idaho formation fauna and flora of Payette formation Mollusca of John Day group of Oregon of North America (nonmarine) western, marine Eocene, fresh-water Mio Mollusca and Crustacea, of Miocene formations of Ostreidæ of North America plants of North America (later extinct) of Payette formation Ann 18, 111, pp 721 of Washington Neocene history of California, Mother Lode district of California; Nevada City, Grass Valley, and Ban	of
Neihart quartzite of Montana, description and section  Neoblattariæ, American Neocene age of Equus fauna. Neocene erosion of Great Plains Neocene fossils; Dinocerata of North America. Ann fauna of Denver Basin (vertebrate) of Idaho formation fauna and flora of Payette formation Mollusca of John Day group of Oregon of North America (nonmarine) western, marine Eocene, fresh-water Mio Mollusca and Crustacea, of Miocene formations of Ostreidæ of North America plants of North America (later extinct) of Payette formation Neocene history of California, Mother Lode district of California; Nevada City, Grass Valley, and Ban of Colorado, Pueblo quadrangle	of
Neihart quartzite of Montana, description and section  Neoblattariæ, American Neocene age of Equus fauna. Neocene erosion of Great Plains Neocene fossils; Dinocerata of North America. Ann fauna of Denver Basin (vertebrate) of Idaho formation fauna and flora of Payette formation Mollusca of John Day group of Oregon of North America (nonmarine) western, marine Eocene, fresh-water Mio Mollusca and Crustacea, of Miocene formations of Ostreidæ of North America plants of North America (later extinct) of Payette formation Neocene history of California, Mother Lode district of California; Nevada City, Grass Valley, and Ban of Colorado, Pueblo quadrangle of Montana, Little Belt Mountains quadrangle.	of
Neihart quartzite of Montana, description and section  Neoblattariæ, American Neocene age of Equus fauna. Neocene erosion of Great Plains Neocene fossils; Dinocerata of North America. Ann fauna of Denver Basin (vertebrate) of Idaho formation fauna and flora of Payette formation Mollusca of John Day group of Oregon of North America (nonmarine) western, marine Eocene, fresh-water Mio Mollusca and Crustacea, of Miocene formations of Ostreidæ of North America plants of North America (later extinct) of Payette formation Neocene history of California, Mother Lode district of California; Nevada City, Grass Valley, and Ban of Colorado, Pueblo quadrangle of Montana, Little Belt Mountains quadrangle of Sierra Nevada	of
Neihart quartzite of Montana, description and section  Neoblattariæ, American Neocene age of Equus fauna Neocene erosion of Great Plains Neocene fossils; Dinocerata of North America Ann fauna of Denver Basin (vertebrate) of Idaho formation fauna and flora of Payette formation Mollusca of John Day group of Oregon of North America (nonmarine) western, marine Eocene, fresh-water Mio Mollusca and Crustacea, of Miocene formations of Ostreidæ of North America plants of North America (later extinct) of Payette formation Neocene history of California, Mother Lode district of California; Nevada City, Grass Valley, and Ban of Colorado, Pueblo quadrangle of Montana, Little Belt Mountains quadrangle of Sierra Nevada	of
Neihart quartzite of Montana, description and section  Neoblattariæ, American Neocene age of Equus fauna Neocene erosion of Great Plains Neocene fossils; Dinocerata of North America of Idaho formation fauna of Denver Basin (vertebrate) of Idaho formation fauna and flora of Payette formation Mollusca of John Day group of Oregon of North America (nonmarine) western, marine Eocene, fresh-water Mio Mollusca and Crustacea, of Miocene formations of Ostreidæ of North America plants of North America (later extinct) of Payette formation Neocene history of California, Mother Lode district of California; Nevada City, Grass Valley, and Ban of Colorado, Pueblo quadrangle of Montana, Little Belt Mountains quadrangle of Sierra Nevada  p 1; GF 11, p 1; GF 18, p 1; GF 39, pp 1-2; GF 41, pp 1-2	of
Neihart quartzite of Montana, description and section  Neoblattariæ, American Neocene age of Equus fauna Neocene erosion of Great Plains Neocene fossils; Dinocerata of North America Ann fauna of Denver Basin (vertebrate) of Idaho formation fauna and flora of Payette formation Mollusca of John Day group of Oregon of North America (nonmarine) western, marine Eocene, fresh-water Mio Mollusca and Crustacea, of Miocene formations of Ostreidæ of North America plants of North America (later extinct) of Payette formation Neocene history of California, Mother Lode district of California; Nevada City, Grass Valley, and Ban of Colorado, Pueblo quadrangle of Montana, Little Belt Mountains quadrangle of Sierra Nevada  p 1; GF 11, p 1; GF 18, p 1; GF 39, pp 1-2; GF 41, pp 1-2 Neocene movements in Alaska, Yukon district	of
Neihart quartzite of Montana, description and section  Neoblattariæ, American Neocene age of Equus fauna Neocene erosion of Great Plains Neocene fossils; Dinocerata of North America of Idaho formation fauna of Denver Basin (vertebrate) of Idaho formation fauna and flora of Payette formation Mollusca of John Day group of Oregon of North America (nonmarine) western, marine Eocene, fresh-water Mio Mollusca and Crustacea, of Miocene formations of Ostreidæ of North America plants of North America (later extinct) of Payette formation Neocene history of California, Mother Lode district of California; Nevada City, Grass Valley, and Ban of Colorado, Pueblo quadrangle of Montana, Little Belt Mountains quadrangle of Sierra Nevada  p 1; GF 11, p 1; GF 18, p 1; GF 39, pp 1-2; GF 41, pp 1-2	of

•	
Neocene rocks; Altamaha grit of Georgia, correlation	ofAnn 18,
	11, p 340; Bull 84, pp 81-82, 320
Alum Bluff beds of Florida	Bull 84, pp 112–113, 320
American and exotic	
Amyzon group of Oregon and Nevada	Bull 83,
	5, 146; Bull 84, pp 281, 317, 320
Appomattox formation of Virginia	
(See, also, Lafayette formation.)	, -
Arcadia marl of Florida	Bull 84, pp 131–132, 320
Arikaree formation of Nebraska	Ann 19, IV, pp 735, 743–747
Arkansas marls of Colorado	
Astian formation	
Astoria group of Alaska, fauna, etc., of	
, , , , ,	pp 842–850; Bull 84, pp 252–259
of Oregon	Bull 84, pp 223–226, 321
Astoria shales of Oregon	
Auriferous gravels of California	
	GF 3, p 3; GF 5, pp 1,3; GF
	F 17, p 1; GF 18, p 5; GF 29,
p 4; GF 31, pp 5, 8; GF 37, p	pp 3-4; GF 39, p 5; GF 41, p 6;
	; GF 63, pp 5-6; GF 66, pp 5-6
correlation of	
Bishop Mountain conglomerate of Wyoming	Bull 84, p 321
Bison beds of Colorado	
Blanco formation of Texas	
Bozeman lake beds of Montana	GF 1, p 2; GF 24, p 3
Brandon deposits of Vermont, Pennsylvania, and	
· r	pp 90–94; Bull 84, pp 33–34, 322
Brontotherium beds of the West	
Bryn Mawr gravel of Pennsylvania	
Cache Lake beds of California	
Caloosahatchie beds of Florida and South Carolin	
	, p 337; Bull 84, pp 142–149, 323
Canyon conglomerate of Wyoming	
Carolinian of North and South Carolina	Bull 84, pp 19, 75, 323
Cerithium rock of Florida	
Chattahoochee group of Florida, correlation of	Апп 18, п,
of Georgia	p 340; Bull 84, pp 105–107, 323
of Georgia	Bull 84, p 83
Chesapeake formation of District of Columbia, V	
	p 3; GF 23, p 2; GF 70, p 4
correlation ofAnn 18, II, p 339;	; Bull 84, pp 54, 68, 123–124, 323
Chilmark series of Massachusetts	Bull 84, pp 37–38
Chipola beds of Florida, correlation of	
	Bull 84, pp 112–113, 122, 323, 324
Columbia River lava of Idaho	
of Washington, southeastern	
Congeria beds of Europe	
correlation of the various	
Crag formation of England	Ann 18, 11, p 338
Crepidula bed of Alaska	Bull 84, p 324
Croatan beds of North Carolina	
Dalles group of Oregon	
De Soto beds of Florida	Ann 10, 11, p 351; Bull 84, p 324

	•	
Nec	Neocene rocks; Deep Creek beds of Montana	Bull 84, pp 287–288
	Duplin beds of North Carolina	.Ann 18, п, р 338
	Ecphora bed of Florida	Bull 84, p 124, 324
	Ellensburg sandstone of Washington, northernAnn	20, п, pp 127-128
	Empire beds of Oregon	Ann 18, 11, p 338
	Empire formation of Oregon	Ann 19, 111, p 319
	Equus beds of Idaho and OregonBull 8	
	of NebraskaBull 8	4, pp 298, 317, 325
	of Nebraska	4, pp 172–175, 325
	Ferruginous gravel of Florida	
	Floridian beds of Florida	Sull 84, pp 142–149
	Fort Ellis beds of Montana	Bull 84, p 287
	Galisteo group of New MexicoBull 84, pp	301–302, 317, 325
	Gay Head gravels of Massachusetts	Ann 18, 11, p 339
	Gay Head sands of Massachusetts	Ann 18, 11, p 337
	Gay Head series of MassachusettsBu	ll 84, pp 35–37, 326
	geographic provinces of, American	
	Gering formation of Nebraska	v nn 795 747_755
	Glass sand of New Jersey	Rull 84 nn 42 43
	Gnathodon bed of Mississippi Bull 8	4 nn 164-165 996
	Grand Gulf group of Southern StatesBull 84, pp 159	161_175 396 325
	Greensand of Marthas Vineyard	Rull 84 n 86
	Hawthorne beds of FloridaAnn 18, 11, p. 340; Bull	
	Hayes River beds of Alaska, southwestern, notes on	
	Trayes letter beds of Alaska, southwestern, notes on	n 179_179 194 197
	VII, p Helvetian formation	Ann 10 rr n 220
	Humboldt group of NevadaBull 84, p	MIII 10, II, p 333 n 915 916 917 997
	of Utah Bull	
	Idaho formation, or group of Idaho Bull 84, p	
	infusorial earth of Virginia	Pull 04 p 207
	Intermediate series of Colorado.	Buil.64, p 521
	Intermediate series of Colorado	. O. F. 51, pp 5, 6, 14
	GF 11, pp 1, 4; GF 15, p 1; GF 18, p 4; GF	, p 1; Gr 0, pp 1, 0;
	of Sierra Nevada	o1, p 1, Gr 41, p 0
	Irvine formation of Kentucky	
	Jacksonboro limestone of Georgia	
	Jacksonville limestone of Florida. Bull	
	John Day group	Ann 18 rr n 240
	of Oregon Bull	
	of Washington, southeastern	
	Kowak clays of AlaskaBull 8	34 nn 265_267 327
	Lafayette formation, area, features, history, etc., ofAn	
	correlation of	
	of Catoctin belt	
	of District of Columbia, Virginia, Maryland, and West Vi	
	GF 13, pp 2-3; GF	
	of southern United States	Bull 84, pp 66–67
	74, 80–81, 84–85, 157, 159–160, 166–167, 17	
	Lagrange group of Kentucky and Tennessee. Bull 83, p71; Bull	
	lake beds of Florida	Bull 84. n 133
	Leona formation of Texas	GF 42 n 3
	Limon clays of Costa Rica.	
	Loup Fork group of Colorado, South Dakota, and Nebraska	Ann 18, 11, p 339:
	Bull 84, pp 292–293, 294–298, 30	
	,11	. , ,

Neocene rocks; Manatee River marl of Florida	Bull 84, pp 125–126
marl beds of Georgia	
Marthas Vineyard series of Massachusetts	
Marylandian of Maryland	
Megalonyx beds	
Merced series	Ann 18, 11, pp 336–337
petrography, structure, etc., of	Ann 15, pp 459–463
Miocene rocks, boundaries of	
delimitation and faunal peculiarities of	Bull 84, pp 21–22
contacts of Eocene rocks with	
of Alaska	
of Atlantic slope, middle	
of California	Mon XIII. pp 218–219, 461:
Ann of Florida	Bull 84, pp 105–127
of Georgia	Rull 84 np 81–84
of Maryland	
of Massachusetts, Marthas Vineyard	
of Montana, features and fossils of	
of New Jersey	
of Newfoundland	
of North Carolina	
of Oregon, northwestern	Ann 17 1 nn 469–476
of South CarolinaB	ull 84 pp 75–79. Bull 138 pp 209–210
of Virginia	
Miocene time, definition of	Bull 84, pp 21–22
in Grand Canyon district, erosion in	
Miohippus series of Oregon	
Mississippi clays of Mississippi Valley	
Monterey beds	
Monterey shale, notes on	
Monument Creek formation or group of Co	
pp 38–39, 2	252–254; Bull 84, pp 308–309, 317, 330
pp 38–39, 2 Mytilus beds of Washington	Ann 18, 11, p 336; Bull 84, p 330
Nashaquitsa series of New England coast	Ann 18,
Transmitted sorrow of from England Course	r, pp 536-539; Bull 84, pp 37-38, 330
Naushon series of Massachusetts	
Niobrara group of Nebraska	
nomenclature of formations of	
North Park lake beds of Colorado	
Nulato sandstones of AlaskaAnn 1	8. III. p 196: Bull 84. pp 247–248. 331
Nushagak beds of Alaska, southwestern, not	es on. Ann 20. VII. pp 173–174, 184, 187
Nussbaum formation of Colorado	GF 36, p 3; GF 58, p 2; GF 68, p 2
Oakville beds of Texas	
Ocheesee beds of Florida	
Ocoya Creek beds of Sierra Nevada	Ann 14. H. p 461
of Alabama	
of Alaska	184, 187; Bull 84, pp 232–268, 276–277
of Atlantic coast	
stratigraphic characters of	Bull 83, pp 39-40
table showing	
of British Columbia	
	, , , , , , , , , , , , , , , , , , , ,

Neocene rocks of California	Bull 84, pp 200–222, 269–273
of California, Bidwell Bar quadrangle	GF 43, p 4
	GF 51, pp 5–6
	GF 66, pp 5–6
Downieville quadrangle	
lake beds in Truckee quadrangle	GF 39, p6
Lassen Peak district	Ann 8, r, pp 422–424
	GF 15, p 1
Mother Lode district	GF 63, pp 5-6
Nevada City and Grass Valley distric	tsAnn 17, 11, pp 97–101, 105
Pyramid Peak quadrangle	GF 31, p 5
Sonora quadrangle	GF 41, p 6
	GF 39, pp 5–6
of Colorado	Bull 84, pp 304–309
northwestern	Ann 9, pp 690–691
Walsenburg quadrangle	GF 68, p 2
of Delaware	Bull 84, pp 45, 49
of District of Columbia	
of Florida	
	Bull 84, p 157
of Georgia	Bull 84, np. 81–85
of IdahoAnn	
	Ann 20, 111, pp 93–96
in Boise quadrangle	GF 45, pp 2, 3
western-central layas early	Ann 20, 111, pp 196–197
of Illinois	Rull 84 n 172
of Indian Territory	Rull 84 n 301
of interior region of United States, summa	
	Bull 84, p 317
of Kansas	Bull 57 Bull 84 pp 299–301
of Kentucky	
of Louisiana.	
of Maine	
of Maryland	
	GF 13, pp 2-3
Nomini auadranale	GF 23, p 2
Washington quadrangle	GF 70, p 4
of Massachusetts	
of Mississippi	Bull 84, pp 160–167
of Montana	
Livingston quadrangle	GF 1, p 2
of Nebraska	Bull 84, pp 293–299
	WS 12, p 20
of Nevada	
of New England	
of New Jersey	
of New Mexico	
of New York	Bull 84, pp 38–39
of Newfoundland	
of North America, correlation of	
of North Carolina	
of North Dakota	
of Oregon	Bull 84, pp 223–227, 269–273, 280–285

Neocene rocks of Pacific coast, table showing vertical	range ofBull 84, p 279
of Pennsylvania	Bull 84, pp 44-45
of Rhode Island	Bull 84, p 34
of South Carolina	Bull 84, pp 74–81
of South Dakota	Bull 84, pp 289–293
of Tennessee	
of Texas	Bull 84, pp 172–175, 176–177
Nueces quadrangle	
Uvalde quadrangle	
of United States, list of names applied to	
of Utah	Bull 84, pp 312–313
of Vermont	Buil 84, pp 33-34
of Virginia	
Fredericksburg quadrangle	GF 13, pp 2-3
Nomini quadrangle	GF 23, p 2
Washington quadrangle	GF 70, p 4
of Washington	Bull 84, pp 227–230, 269–273
of western interior United States	
of Wyoming	Buli 84, pp 309–312
of Yellowstone Park	
Ogallala formation of Nebraska	
Orange sand of Tennessee and Mississippi	Bull 84, pp 163–167, 329, 332
Oregon beds of Oregon	Bull 84, p 332
Oreodon beds of Nebraska	
Oyster marl of Florida	
Palisades conglomerates of Alaska, Yukon district	t Ann 18, 111, p 199
Palo Duro beds of Texas	
Pascagoula clays of Mississippi	Ann 18, 11, p 339
Patuxent beds of Maryland	Bull 84, p 333
Payette formation of IdahoAnn 18, 111,	
Peace Creek bone bed of Florida	
Perna beds of Maryland	Bull 84, p 333
phosphatic deposits of Florida	Bull 84, pp 134–140
Planorbis rock of Florida	Bull 84, p 333
Pliocene rocks, boundaries of	
of Alaska	
of Atlantic slope, middle	
of Colorado	Bull 84, pp 305–308
of Florida.	
of Georgia	
of North Carolina	
of Oregon, northwestern	
of South Carolina	
of southern Atlantic coast, geologic history of	
of Vermont	
of Virginia	
Pliocene time, definition of	
Pliocene and Miocene horizons	
Pliocene and post-Pliocene beds of California	.a.iii 10, 11, pp 020-020, 000-040 Mon wiii no 010 001 421
Pliohippus beds	CE 57 5 0 0 14
Potosi rhyolite series of Colorado	
Procamelus beds of Montana	Bull 84, p 333
Reynosa limestone of Texas.	Ann 18, II, p 337
river gravels of Sierra NevadaAnn 17,	, 1, pp 560-566, 599-612, 658-659

Neocene rocks; St. Marys beds of MarylandBull 84, p 335
Salt Lake group of Nevada and UtahBull 84, pp 286–287, 317, 334
San Diego beds of California
San Francisco group of CaliforniaBull 84, p 334
Santa Fe marls of New Mexico
Shiloh marls of New Jersey
shore gravels of California, Chico area (auriferous)Ann 17, 1, pp 544-546
of Sierra Nevada
Smith River lake beds of Montana
Solen beds of Oregon Bull 84, p 334
Sooke beds of Vancouver Island
Staked Plains formation of Texas
Sumter beds of South CarolinaBull 84, p 335
surficial deposits of Texas, Black and Grand prairies Ann 21, vii, pp 345–361
Sweetwater Pliocene of WyomingBull 84, pp 310–311, 317
Ticholeptus beds of Idaho and OregonBull 84, pp 282, 317, 336
Truckee group of NevadaBull 84, pp 281, 282, 285–286, 313–315, 317, 336
Turritella marl of Florida
Tyonek beds of Alaska, southwestern, notes on. Ann 20, vii, pp 171-172, 184, 187
Unga conglomerate of Alaska
Uvalde formation of Texas
pp 244–247; Ann 21, vII, pp 347–349; GF 42, p 3; GF 64, p 3
Venus cancellata bed of FloridaBull 84, p 336
Vineyard series of MassachusettsBull 84, p 337
Virginian deposits of Virginia and MarylandBull 84, p 19
Waccamaw beds of South Carolina
Waldo formation of FloridaBull 84, p 337
Weyquosque series of Massachusetts
White River beds of North and South DakotaBull 84, pp 288–292, 317
White River group of Nebraska
of Wyoming
Wyoming conglomerateBull 84, pp 311, 313, 317, 321, 328
Yellow sand of FloridaBull 84, p 338
Yorktown epochBull 84, p 338
(See, also, Tertiary.)
Neocene topography of California, Colfax quadrangle
of California, Downieville quadrangle
Nevada City, Grass Valley, and Banner Hill districtsGF 29, pp 4-5
Placerville quadrangle
Pyramid Peak quadrangle
Truckee quadrangle
Neosho River, Kansas, flow of, measurements of
238–240; Ann 19, IV, pp 361–363; Ann 20, IV, pp 57, 345–347;
Ann 21, 1v, pp 243–253; Bull 140, pp 163–164; WS 11,
p 63; WS 16, p 126; WS 28, pp 115, 116, 117; WS 37, p 267
profile of
Neotocite, chemical constitution of
Neotremata, biologic development of
Nepheline, analysis of, from New Hampshire, MoultonboroBull 148, p 67;
Bull 168, p 23
Nepheline-basalt, analysis of, from Colorado, Cripple Creek districtAnn 16, II,
p 50; Bull 148, p 162; Bull 168, p 144
analysis of, from Texas, Uvalde CountyBull 168, pp 62, 63

Nepheline-basalt of Texas, Uvalde quadrangle
Nepheline-basanite, analysis of, from New Mexico, Colfax CountyBull 168, p 171
Nepheline-melilite-basalt, analyses of, from Texas, Uvalde CountyBull 168, p 63
of Texas, Uvalde quadrangle
Nepheline-syenite, analysis of, from Colorado, Cripple Creek district Ann 16,
п, р 45; Bull 148, р 162; Bull 168, р 144
analysis of, from New Jersey, BrookvilleBull 168, p 39
of Colorado, Cripple Creek district Ann 16, 11, pp 43–45, 66, 82, 87; GF 7, p 7
Nephelite, analysis of, from Maine, LitchfieldBull 150, p 202
chemical constitution ofBull 125, pp 16, 18–20, 33, 44, 101
composition of
Nephelite-minette of Montana, Little Belt Mountains
Nephelite-syenite, analysis of, from Maine, Kennebec CountyBull 150, p 208
analysis of, from New Jersey, Sussex County
from Maine, Litchfield, description of, as one of the educational series
(elæolite-syenite)
from New Jersey, Beemerville, description of, as one of the educational
series (elæolite-syenite)
of Montana, Little Belt Mountains
thin section of, from Maine, Litchfield
Nephrite (so called), analysis of, from Pennsylvania, Easton Bull 64, p 44
Neptunite, chemical composition ofBull 125, pp 97, 106
Neritidæ of Bear River formationBull 128, pp 49–50
of Colorado formationBull 106, pp 127-130
of Cretaceous of California (new)Bull 22, p 12
of North America (nonmarine)
Neritopsidæ, Cretaceous, from Vancouver IslandBull 51, p 46
Neshaminy Creek, Pennsylvania, flow of, measurements of
ıv, pp 48, 103–108; Ann 21, ıv, pp 85–86; WS 35, pp 64–65
Netherlands, fossil plants of, literature of
lead production of, statistics of
Neuropterideæ from Carboniferous of Missouri
of Rhode Island coal fieldBull 101, pp 10–11
Neuse River, North Carolina, flow of, measurements of
IV, pp 52-53; Ann 19, IV, pp 185-186; Ann 20,
rv, pp 50, 144; Ann 21, rv, pp 113-114; WS 11, p 16;
WS 15, p 30; WS 27, pp 34, 44; WS 36, pp 11-112
Nevada; altitudes in
404–408; Bull 5, pp 173–181; Bull 76; Bull 160, pp 395–402
antimony in, deposits of
MR 1883–84, pp 642–643; MR 1889–90, p 141; MR 1891, p 174
production of MR 1892, p 260
production of
bluestone, manufacture of, at Lyon mill, Dayton
borate fields of, principalMR 1882, pp 567–570
borax deposits and statistics of
MR 1883-84, pp 860, 861-862; MR 1885, pp 491-492; MR
1886, pp 678-680; MR 1889-90, p 494 MR 1891, p 587
boundary lines of, and organization of TerritoryBull 13,
pp 31, 125–127; Bull 171, pp 132–134
building stone at World's Columbian Exposition
production of, statistics ofMR 1893, p 544; Ann 16, IV, pp 437, 457, 458;
Ann 17, 111 cont, pp 760, 761, 763; Ann 18, v cont, pp 950,
951, 954, 956, 969; Ann 19, vi cont, pp 207, 208, 209, 211;
Ann 20, vi cont, pp 275, 276; Ann 21, vi, pp 335 et seq

Nevada; Carson River,	flow of, measurements ofAnn 11,
•	п, pp 102, 109; Ann 12, п, pp 351, 360; Ann 13, ш, pp
	95, 99; Ann 14, и, pp 116–117; Bull 140, pp 212–213
coal in	
coal statistics of	
	12, 16, 17, 18, 19, 149; Ann 17, 1n, pp 289, 291, 295, 296,
	304 et seq, 458; Ann 18, v, pp 357, 372, 376, 379, 556; Ann
	19, vi, pp 278 et seq, 462; Ann 20, vi, pp 300 et seq, 443
cobalt denosits in	
	re of
	Washoe district, geology of
Comstock fode and	pp 293–330; Mon III and atlas
Comptosk mining a	nd miners
copper from, statist	ics of
	p xxix; MR 1882, pp 216, 230; MR 1883-84, pp 329, 342;
•	MR 1885, p 210; MR 1886, p 112; MR 1887, p 69; MR 1888,
	p 54; MR 1889-90, p 60; MR 1891, pp 83, 84; MR 1892,
	pp 96, 97; MR 1893, pp 64, 65; Ann 16, 111, pp 333, 334;
	Ann 17, III, pp 83, 84, 85, 86; Ann 18, v, pp 189, 190, 191;
	Ann 19, vi, pp 140, 141, 142, 143; Ann 20, vi, pp 161,
	162, 163, 164, 165, 185; Ann 21, vi, pp 166-170, 188
elevations in	
	404-408; Bull 5, pp 173-181, Bull 76; Bull 160, pp 395-402
Esmeralda formatio	on, character, distribution and fossil contents ofAnn 21,
	п, pp 191–226
Eureka, silver-lead	deposits of
	ology ofAnn 3, pp 241–290; Mon xx and atlas
	of
	f
- 00	
	Bull 80, pp 222–223 and fuel, and by-products of, statistics of
gas, mummating at	
1 *	vi cont, pp 227, 241, 244, 246, 247, 249
	s in
geologic maps of, it	stedBull 7, pp 133, 134, 137, 138
	ogic, of Nevada.)
geologic sections in	. (See Section, geologic, in Nevada.)
geologic and paleor	tologic investigations in
	38, 39-46; Ann 2, pp 15-16, 23-25; Ann 3, pp 19-20, 25-26;
	Ann 4, pp 16–18, 40, 44–45; Ann 5, pp 31, 32; Ann 7,
	pp 93, 94, 115; Ann 14, 1, pp 223–224; Ann 21, 1, pp 81, 82
	f United StatesAnn 5, pp 303–355
	n, statistics ofAnn 2,
	p 385; MR 1882, pp 172, 174, 176, 177, 178, 182; MR 1883-
	84, pp 312, 313, 314, 315; MR 1885, pp 201, 203; MR 1886,
	pp 104–105; MR 1887, pp 58, 59; MR, 1888, pp 36, 37; MR
	1889-90, p 49; MR 1891, pp 75, 77, 78, 79; MR 1892, p
	50 et seq, 75-78; MR 1893, p 50 et seq; Ann 17, III, p
•	72 et seq; Ann 18, v, p 141 et seq; Ann 18, vi, p 127
	et seq; Ann 20, vi, p 103 et seq; Ann 21, vi, pp 121-127
granite production	of, statistics of
- ·	pp 374, 409; MR 1893, p 544; Ann 16, IV, pp 437, 457, 458;
	Ann 17, 111 cont, pp 760, 761, 763; Ann 18, v cont, pp
	950, 951, 954, 956, 969; Ann 19, vi cont, pp 207, 208, 209, 211;
	Ann 20, vi cont, pp 275, 276; Ann 21, vi cont, pp 335-340
	,, rr,,, pp 000 0x0

Nevada; Great Basin, Quaternary and recent Mollusca of, with descriptions of
new forms, introduced by a sketch of the Quaternary
lakes of the Great BasinBull 11
Humboldt River, flow of, measurements of
pp 299–308, 309, 311; Ann 19, IV, pp 424–430; Ann 20, IV,
pp 59-60, 435-441; Ann 21, 1v, pp 388-393; Bull 131, pp
52–53; Bull 140, pp 215–220; WS 11, pp 73–75, 76; WS 15,
pp 152–156; WS 28, pp 147–149, 153, 154; WS 38, pp 325–330
profile of
water storage on
iron and iron ore from, statistics of
39, 41; Ann 19, vi, pp 26, 27, 29; Ann 21, vi, pp 34, 51, 52
irrigation engineering works on Truckee and Carson rivers
ш, pp 387–397
irrigation surveys, engineering, hydrography, segregations, etc., in Ann 10, 11,
pp viii, 18, 58, 59, 66–67, 87–88, 104–106; Ann 11, 11,
pp 65–66, 168–183; Ann 12, 11, pp 45, 209–212, 325
irrigation needs and problems in
Lake Lahontan, a Quaternary lake of northwestern Nevada, geological
history of
lead from, statistics of
412, 416, 418–419; MR 1885, pp 248, 250; MR 1886, p 143;
MR 1887, p 104; MR 1888, p 86; MR 1889-90, p 80; Ann 16,
111, p 362; Ann 17, 111, p 134; Ann 18, v, p 240; Ann 19,
vi, pp 201, 215; Ann 20, vi, pp 226, 228; Ann 21, vi, p 229
lumber industry in
magnetic declination in
manganese ore in
pp 124, 128; MR 1889–90, pp 127, 134; MR 1891, pp 127, 136
maps, geologic, of. (See Map, geologic, of Nevada.)
maps, topographic, of. (See Map, topographic, of Nevada; also list on p 84
of this bulletin.)
mica industry in
mineral springs of . Bull 32, pp 197–202; MR 1883–84, p 983; MR 1893, pp 790, 794
minerals of, useful
nickel ore in
rainfall in
reservoir surveys in
raphers
Rock Creek, flow of, measurements of Ann 18, iv, pp 308-310; WS 11, p 75
water storage on
Rock Creek reservoir on Humboldt River, proposed
salt from, statistics of
MR 1883–84, pp 827, 847–848; MR 1885, pp 474, 483; MR
1886, pp 628, 638; MR 1887, p 611; MR 1888, pp 597, 598;
MR 1889–90, p 182; MR 1891, p 572; MR 1892, pp 793, 794,
796; MR 1893, pp 719, 720, 721, 723; Ann 16, rv, pp 647, 648,
649, 652; Ann 17, 111 cont, pp 985, 986, 987, 988, 990, 991; Ann
18, v cont, p 1274 et seq; Ann 19, vi cont, p 588 et seq; Ann
20, vi cont, p 674 et seq; Ann 21, vi cont, pp 538, 540, 541
sections, geologic in. (See Section, geologic, in Nevada).

Nevada; soda, carbonate and nitrate of, from	MR 1882, pp 599, 601
soda, natural, in	Bull 60, pp 46–53
sulphur in	Ann 21, 11, pp 207–208
sulphur production of, statistics of	MR 1882, p 578;
MR 1883-84, pp 865-866; MI	
thinolite of Lake Lahontan, a Quaternary lake, cryst	allographic study of Bull 12
topographic maps of. (See Map, topographic, of Ne of this bulletin.)	evada; also list on p 84
topographic work in	Ann 1, p 36; Ann
	-21; Ann 10, 11, pp 18, 66-67;
	nn 12, 1, p 45; Ann 13, 1, pp
	; Ann 19, 1, pp 89, 90, 106–107
triangulation inBull 122, pp 32	
Truckee River, flow of, measurements of Ann 11, 11	
рр 324–325, 351; Апп 13, 111, 1	
tungsten ore in, occurrence of	
turquoise in, occurrence of	
Walker River, flow of, measurements of	
Washoe, igneous rocks of, on development of crys	
on the geology of the district	
water supply of, for irrigation purposes	
woodland area of	Ann 19, V, p 12
gold-quartz veins of	
Nevada limestone of Nevada, features and fossils of	Δnn 3
	3, 264–266; Mon xx, pp 63–68
Nevadite, analysis of, from Colorado, Chalk Mountain.	
349, 589; Bull 148, p 174; Bu	
from Colorado, Chalk Mountain, description of, as	
series	
of Colorado, Tenmile district	
thin section of, from Colorado, Chalk Mountain	
New River, flow of, measurements of	
115; Ann 19, 1v, pp 255–256;	
21, iv, pp 157–158; Bull 140, pp	p 78–80; WS 11, p 41; WS 15,
p 59; WS 27, pp 59, 61, 62, 65	
profile of	etion along App 17
New and Kantwha livers in west vinginia, geologic sec	и, pp 473–511
New Brunswick; albertite at Hillsborough, occurrence	
Cambrian, Lower, in, literature of	
gold-bearing rocks of	
iron-ore deposits and statistics of	Ann 16, III, p 47
manganese-ore deposits and production of, statistics	
1892, pp 216–217; MR 1893, pp	
436; Ann 17, 111, p 206; Ann	
St. John formation in the Hartt collection at Corn	
of the fauna of	Bull 10, pp 9–42
New Caledonia, nickel production of MR 1882, pp 4	100-407; M.K. 1885, pp 299-301
New Guinea, quicksilver-ore deposits in	
Rull 5 nn 189-186	Bull 76; Bull 160, pp 403–412
atlas sheets of. (See pp 84–85 of this bulletin.)	2011 100, pp <del>1</del> 00-412
( Table of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of the same state of t	

```
New Hampshire; boundary lines of ......Bull 13, pp 40-44; Bull 171, pp 46-50
  brick industry of .......MR 1887, pp 536, 538; MR 1888, p 561; MR 1891, p 502
  building stone from, at World's Columbian Exposition .......MR 1893, p 568
     p 451; MR 1887, p 514; MR 1888, pp 536, 539; MR 1889-90.
               pp 374, 409; MR 1891, pp 457, 459; MR 1892, pp 706, 708;
                MR 1893, pp 544, 546; Ann 16, iv, pp 437 et seq, 460, 485;
               Ann 17, 111 cont, p 760 et seq; Ann 18, v cont, pp 950 et seq.
               969, 1013; Ann 19, vi cont, pp 207 et seq, 221-222, 265; Ann
               20, vi cont, pp 271 et seq, 337; Ann 21, vi cont, p 335 et seq
  17, III cont, p 820 et seq; Ann 18, v cont, p 1078 et seq;
               Ann 19, vi cont, p 318 et seg; Ann 20, vi cont, p 466 et seg
  MR 1882, p 230; MR 1883-84, p 329; MR 1885, p 210; MR
               1886, p 112; MR 1887, p 69; MR 1888, p 54; MR 1889-90, p
               60; MR 1891, pp 83, 84; MR 1892, pp 96, 97; MR 1893, pp 64,
               65; Ann 16, 111, pp 333, 334; Ann 17, 111, pp 84, 85, 86; Ann
               18, v, pp 189, 190, 191; Ann 19, vi, pp 140, 141, 142, 143; Ann
               20, vi, pp 161, 162, 163, 164, 165; Ann 21, vi, p 166 et seq
  ı, pp 197-202; Bull 5, pp 182-186; Bull 76; Bull 160, pp 403-412
  vi cont, pp 227, 241, 244, 246, 247, 249
  p 157; Ann 8, 1, p 126; Ann 12, 1, pp 66-67; Ann 15, p 133
  geologic maps of, listed......Bull 7, pp 54, 56, 57
     (See, also, Map, geologic, of New Hampshire.)
  geologic sections in. (Sec Section, geologic, in New Hampshire.)
  gold and silver from, statistics of.......Ann 2, p 385; MR 1882, pp 176, 177, 178
  granite production of, statistics of ................MR 1887, p 514; MR 1888, p 536;
               MR 1889-90, pp 374, 409; MR 1891, pp 457, 459; MR 1892,
               pp 706, 708; MR 1893, pp 544, 546; Ann 16, iv, pp 437, 443,
               457, 458, 460; Ann 17, III cont, p 760 et seq; Ann 18, v cont,
               pp 950 et seq, 969; Ann 19, vi cont, pp 207 et seq, 221-222;
               Ann 20, vi cont, p 271 et seq; Ann 21, vi cont, pp 335-340
  iron and steel from statistics of MR 1882, pp 120, 125,
               133, 134, 135; MR 1886, p 17; MR 1887, p 11; MR 1888, p 14;
               MR 1891, p 61; MR 1892, pp 15, 17; MR 1893, p 15; Ann 16,
               III, pp 31, 194; Ann 17, III, pp 48, 63; Ann 18, vi, pp 65, 72
  maps, geologic, of. (See Map, geologic, of New Hampshire.)
  maps, topographic, of. (See Map, topographic, of New Hampshire; also
             list on pp 84-85 of this bulletin.)
  750-751; Ann 20, vi cont, p 689; Ann 21, vi cont, pp 556, 557
```

New Hampshire; mineral springs of	
p 983; MR 1885, p 539; MR 1886, p 717; MR 1887, p 684;	
MR 1888, p 627; MR 1889-90, pp 522, 529; MR 1891, pp	
603, 606; MR 1892, pp 824, 829; MR 1893, pp 774, 779–780,	
784-790, 794; Ann 16, IV, pp 709, 715, 720; Ann 17, III	
cont, pp 1027, 1036, 1041; Ann 18, v cont, pp 1371, 1381, 1386;	
Ann 19, vi cont, pp 661, 671, 677; Ann 20, vi cont, pp 749,	
760, 766; Ann 21, vi cont, pp 600, 612, 619; Bull 32, pp 17–18	
minerals of, useful	
pyrites from, statistics of	
Saco River, profile of	
sandstone production of, statistics of	
Ann 17, 111 cont, p 776; Ann 18, v cont, p 1013; Ann 19,	
vi cont, p 265; Ann 20, vi cont, p 337; Ann 21, vi cont, p 355	
sections, geologic, in. (See Section, geologic, in New Hampshire.)	
sewage-disposal plants in	
timber in, estimates of	
tin deposits of	
topographic maps of. (See Map, topographic, of New Hampshire; also	
list on pp 84–85 of this bulletin.)	
topographic work inAnn 9, p 76; Ann 10, 1, p 85; Ann 13, 1, p 70; Ann 14, 1, p	
171; Ann 15, 111, p 113; Ann 17, 1, p 98; Ann 19, 1, pp 89, 90, 97	
triangulation in	
woodland area in	
New Idria mine, California, ore deposits of, age of	
New Jersey; altitudes inBull 5, pp 187–191; Bull 76; Bull 160, pp 413–451	
Amboy clays, flora of	
Atlantic City quadrangle, physiography of	
boundary lines of	
building stone from, at World's Columbian ExpositionMR 1893, p 568	
production of, statistics of	
MR 1888, pp 536, 544; MR 1889-90, pp 373, 410; MR 1891;	
p 457 et seq; MR 1892, p 706 et seq; MR 1893, p 544 et	
seq; Ann 16, IV, p 437 et seq; Ann 17, III cont, p 760 et seq,	
Ann 18, v cont, p 950 et seq; Ann 19, vi cont, p 207 et seq;	
Ann 20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq	
cement production of, statistics of	
MR 1893, p 621; Ann 16, iv, pp 581, 584; Ann 17, iii cont, pp	
884, 885; Ann 18, v cont, p 1170; Ann 19, v cont, pp 487, 488; Ann 20, v cont, pp 539, 540; Ann 21, v cont, pp 393, 401	
clay products of, statistics of	
471–472; MR 1883–84, pp 686–687, 696, 699, 700; MR 1885,	
pp 416, 418; MR 1886, p 569; MR 1887, pp 536, 538, 540; MR	
1888, pp 561–562, 566; MR 1891, p 503; Ann 16, iv, pp 518, 519,	
520, 521; Ann 17, 111 cont, pp 820 et seq, 862-866; Ann 18, v	
cont, p 1078 et seq; Ann 19, vi cont, pp 318 et seq, 366; Ann	
20, vi cont, pp 467 et seq, 528; Ann 21, vi cont, pp 362, 363	
coke in, manufacture of	
Cretaceous rocks of, correlation of	
Cretaceous and Tertiary formations of, sketch of geology of. Mon IX, pp ix-xiii	
Delaware River, flow of, measurements of Ann 20, IV, pp 48, 84–86; Ann 21, IV, pp 76–77; WS 15, p 7; WS 27, pp 16, 23, 24; WS 35, pp 62–63	
Foraminifera of, Cretaceous	
, ,	

New Jersey; fossil fishes and fossil plants of Triassic rocks of New Jersey and
Connecticut Valley
gas, illuminating and fuel, and by-products of, statistics of
vi cont, p 228 et seq
geographic dictionary ofBull 118
geographic positions in
geologic formations of
geologic maps of, listed
(See Map, geologic, of New Jersey.)
geologic sections in. (See Section, geologic, in New Jersey.)
geologic and paleontologic investigations in
Ann 8, 1, p 130; Ann 9, pp 122, 124, 126, 131; Ann 12, 1, pp
53, 54, 69–70; Ann 13, 1, pp 102–103, 111, 122; Ann 14, 1, pp
220–221; Ann 14, 1, pp 242–243; Ann 15, pp 132, 140, 157–158;
Ann 16, 1, pp 16, 22; Ann 17, 1, pp 21, 28, 60-61; Ann 18, 1,
pp 25–26, 31; Ann 19, 1, p 33; Ann 20, 1, p 35; Ann 21, 1, p 69
glacial investigations in
gneisses of northern Ann 18, 11, pp 438–440
granite of northern
production of, statistics of MR 1888, p 536; MR 1889-90, p 410; MR 1891,
pp 457, 459; MR 1892, pp 706, 708; MR 1893, pp 544, 546;
Ann 16, iv, p 437 et.seq; Ann 17, iii cont, p 760 et seq;
Ann 18, v cont, p 950 et seq; Ann 19, vI cont, p 207 et seq;
Ann 20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq
Hardistonville quartzite
Highlands of, pre-Cambrian rocks in
iron, iron ores, and steel from, statistics of
MR 1882, p 117 et seq; MR 1883-84, pp 252, 274-275; MR
1885, p 182 et seq; MR 1886, pp 14, 18, 50–52; MR 1887, pp 11,
16, 44; MR 1888, pp 14, 17, 23; MR 1889–90, pp 10, 12, 17; MR
1891, pp 12, 26, 54, 55, 61; MR 1892, p 12 et seq; MR 1893, p 15
et seq; Ann 16, III, pp 31, 39–40, 192 et seq; Ann 17, III, p 26 et
seq; Ann 18, v, pp 24, 37–38, 41; Ann 19, vi, p 26 et seq; Ann
20, vi, pp 29, 41, 43, 44, 74 et seq; Ann 21, vi, pp 34, 49 et seq
lime production of
limestone production of, statistics of
MR 1891, pp 464, 466; MR 1892, p 711; MR 1893, p 556; Ann
16, IV, pp 437, 494, 495, 508; Ann 17, III cont, pp 760, 788,
789, 790, 794; Ann 18, v cont, pp 950, 1044, 1046, 1047, 1061;
Ann 19, vi cont, pp 207, 281, 282, 283, 300; Ann 20, vi cont, pp
271, 342, 343, 344, 345, 349; Ann 21, vi cont, pp 335, 357–360
magnetic declination in
manganese in zinc ores of
manganese-ore production of, statistics of
Ann 16, 111, pp 419-420; Ann 17, 111, p 199; Ann 18, v, p 309
manganiferous zinc ores of Sussex County, character of
pp 184–185, 201
maps, geologic, of. (See Map, geologic, of New Jersey.)
maps, topographic, of. (See Map, topographic, of New Jersey; also list on
pp 85–86 of this bulletin.)
marl deposits of, statistics of
525, 526; MR 1883–84, p 808; MR 1885, p 464; MR 1886,
p 619; MR 1887, p 592; MR 1888, p 595; MR 1889-90, p 454
-

·
New Jersey; mineral spring resorts in
mineral springs ofMR 1889-90, p 530; MR 1892, pp 824, 829; MR 1893, pp
774, 780, 784, 790, 794; Ann 16, IV, pp 709, 715, 720; Ann 17, III
cont, pp 1027, 1036, 1041; Ann 18, v cont, pp 1371, 1381, 1386;
Ann 19, vi cont, pp 661, 671, 677; Ann 20, vi cont, pp 749,
760, 766; Ann 21, vr cont, pp 600, 612, 619; Bull 32, pp 42–43
minerals of, useful
Mollusca and Crustacea of Miocene formations of
Newark system in
relations of traps of
nickel works at Camden
ocher production of, statistics of
paint, mineral, production of, statistics of . MR 1891, p 597; MR 1892, pp 816, 818;
MR 1893, p 760; Ann 16, IV, p 696; Ann 17, III cont, pp 1013,
1014; Ann 18, v cont, pp 1338, 1339; Ann 19, vr cont, pp 637,
638; Ann 20, vi cont, pp 723, 724; Ann 21, vi cont, pp 573, 574
Passaic River, profile of
Pochuck Mountain, gneisses of
De 'tank and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
Raritan clays and greensand marls of, Brachiopoda and Lamellibranch-
iata of
Gasteropoda and Cephalopoda of
sandstone production of, statistics of MR 1889-90, pp 374, 410; MR 1891,
pp 461, 463; MR 1892, p 710; MR 1893, p 553; Ann 16, rv,
pp 437, 484, 485, 486, 488; Ann 17, 111 cont, pp 760, 775, 776,
778, 779–780; Ann 18, v cont, pp 950, 1012, 1013, <b>1014, 1024</b> ;
Ann 19, vi cont, pp 207, 264, 265, 266, 274; Ann 20, vi cont,
pp 271, 336, 337, 338, 340; Ann 21, v1 cont, pp 335, 353-356
sections, geologic, in. (See Section, geologic, in New Jersey.)
sewage-disposal plants in
slate production of, statistics of
MR 1888, p 547; MR 1889–90, pp 376, 410; MR 1891, p 472;
MR 1892, p 710; MR 1893, p 550; Ann 16, iv, pp 437, 476 et
seq; Ann 17, III cont, pp 760, 770 et seq; Ann 18, v cont, pp
950, 992 et seq; Ann 19, vi cont, pp 207, 250 et seq; Ann 20,
vi cont, pp 271, 294 et seq; Ann 21, vi cont, pp 335, 344 et seq
survey of, by cooperation of the StateAnn 6, pp 5-7; Ann 8, 1, pp 72, 99-100
Sussex County, age of Franklin white limestone in Ann 18, 11, pp 425-457
topographic maps of. (See Map, topographic, of New Jersey; also list on
pp 85–86 of this bulletin.)
topographic work in
Ann 8, 1, pp 99–100; Ann 9, p 52; Ann 20, 1, pp 100, 102, 111
Wallkill limestone
wells in
woodland area in
zine and zine works in
MR 1882, pp 360-361, 373; MR 1883-84, p 476
New Mexico; altitudes inBull 5, pp 192–202; Bull 76; Bull 160, pp 452–461
atlas sheets of. (See pp 86–87 of this bulletin.)
bauxite deposits in
boundary lines of, and formation of TerritoryBull 13,
pp 31, 123–124; Bull 171, p 131
building stone from, at World's Columbian Exposition
bunding swite from, at morrid a Columbian Exposition

```
pp 373, 374, 411; MR 1891, pp 461, 464, 466; MR 1892,
                 pp 710, 711; MR 1893, p 553; Ann 16, IV, pp 437, 484 et seq;
                 Ann 17, 111 cont, pp 760, 775 et seq; Ann 18, v cont, pp 1013,
                 1014, 1046, 1047; Ann 19, vi cont, pp 264, 265, 282, 283; Ann
                 20, vi cont, pp 271, 336 et seq; Ann 21, vi cont, p 335 et seq
   MR 1893, p 619; Ann 16, IV, p 577; Ann 17, III cont,
                     p 891; Ann 18, v cont, p 1178; Ann 21, vr cont, p.393
   cement, hydraulic, production of, statistics of ......................MR 1891, p 532
   ıv, p 252; Bull 140, pp 173–175; WS 11, p 65; WS 16, p 129
  clay, brick, and pottery industry of ........................MR 1891, p 525
   17, III cont, pp 825, 826, 830; Ann 18, v cont, p 1078 et seq;
                 Ann 19, vi cont, p 318 et seq; Ann 20, vi cont, p 467 et seq
  1883-84, pp 12, 56-59; MR 1885, pp 11, 40-41; MR 1886, pp
                 225, 230, 288–289; MR 1887, pp 169, 278–279; MR 1888, pp 169,
                 171, 292–294; MR 1889–90, pp 147, 231–233; MR 1891, pp 180,
                 271-274; MR 1892, pp 264 et seq, 438-442; MR 1893, pp 188
                 et seq, 324-327; Ann 16, IV, pp 7 et seq, 149-153; Ann 17,
                 III, pp 287 et seq, 458-462, 542; Ann 18 v, pp 324 et seq,
                 557-560; Ann 19, vi, pp 278 et seq, 462-465; Ann 20, vi,
                 pp 300 et seq, 443-446; Ann 21, vi, pp 325 et seq, 471-473
  coke in, manufacture of ... MR 1883-84, p 170; MR 1885, pp 80, 93; MR 1886, pp
                 378, 384, 402; MR 1887, pp 383, 389, 406; MR 1888, pp 395,
                 400, 412-413; MR 1891, pp 360, 361, 366, 383; MR 1892, pp
                 555 et seq, 579-580; MR 1893, pp 418 et seq, 440; Ann 16,
                 IV, pp 225 et seq, 262-263; Ann 17, III cont, pp 544 et seq,
                 586; Ann 18 v cont, pp 661 et seq, 707-708; Ann 19, vi, pp
                 548 et seq, 602-603; Ann 20, vi, pp 512 et seq, 568, 569;
                 Ann 20, vi cont, p 227; Ann 21, vi, pp 523 et seq, 586-588
  226; MR 1883-84, pp 329, 340; MR 1885, p 210; MR, 1886,
                 p 112; MR 1887, pp 69, 76; MR 1888, p 54; MR 1889-90, p
                 60; MR 1891, pp 83-84; MR 1892, pp 96, 97; MR 1893, pp
                 64, 65; Ann 16, 111, pp 333, 334; Ann 17, 111, pp 83, 84, 85,
                 86; Ann 18, v, pp 189, 190, 191; Ann 19, vi, pp 140-143,
                 160; vi, pp 161–165, 185; Ann 21, vi, pp 166–170, 187
  evaporation at Embudo......Ann 11, 11, p 34
  gas, illuminating and fuel, and by-products in, statistics of.................Ann 20,
                                vi cont, pp 227, 241, 244, 246, 247, 249
  geographic positions in......Bull 123, pp 135–137
  geologic maps of, listed......Bull 7, pp 140, 141, 142, 143
     (See Map geologic, of New Mexico.)
  geologic sections in. (See Section, geologic, in New Mexico.)
  Ann 11, 1, pp 97-98, 107, 114, 126; Ann 17, 1, p 66
```

·	
New Mexico; gold and silver from, statistics of. Ann 2, p 385; MR 1882, pp 172, 174, 176  177, 178, 182; MR 1883-84, pp 312, 313, 314, 315; MR 1888  pp 201, 203; MR 1886, pp 104-105; MR 1887, pp 58-59; MR  1888, pp 36-37; MR 1889-90, p 49; MR 1891, p 75 et sec  MR 1892, pp 50 et seq, 78-80; MR 1893, p 50 et seq; An  17, 111, p 72 et seq; Ann 18, v, p 141 et seq; Ann 19, vi,  127 et seq; Ann 20, vi, p 103 et seq; Ann 21, vi, pp 121-12  Hueco Bolson, description of	5, R q; n p 27 9 6; pp 6, 6,
27, 29; Ann 20, vi, pp 29, 43, 44; Ann 21, vi, pp 34, 51, 52, 5	53
irrigation; dam at head of Pecos Canal	
El Paso reservoir, surveys for	
irrigation surveys, engineering, hydrography, segregations, etc., inAnn 10	
11, pp viii, 19, 58, 63-64, 72-74, 87, 98-102; An	
11, п, pp 145–150; Ann 12, п, pp 165–209, 251–29	
Las Vegas Mesa, description of	8
Las Vegas Plateau, extent and character of	8
latitudes and longitudes of certain points in Missouri, Kansas, and New	
	10
MexicoBull 4	
lead from, statistics of	R
1883-84, pp 416, 425; MR 1885, pp 248, 258; MR 1886, p 140	6;
MR 1887, p 110; MR 1888, p 89; MR 1889-90, p 80; An	
16, III, p 362; Ann 17, III, p 134; Ann 18, v, p 240; Ann 18	
vī, pp 201, 215; Ann 20, vī, pp 226, 228; Ann 21, vī, p 22	29
limestone production of, statistics ofMR 1889-90, pp 373, 411; MR 189	1,
pp 464, 466; MR 1892, p 711; Ann 16, iv, pp 437, 494, 496	5,
508; Ann 17, 111 cont, pp 760, 788, 789, 790; Ann 18, v con	
pp 1044, 1046, 1047; Ann 19, vi cont, pp 282, 283; Ann 20	
vi cont, pp 343, 344; Ann 21, vi cont, pp 357, 358, 35	
lumber industry in	
magnetic declination in	39
maps, geologic, of. (See Map, geologic, of New Mexico.)	
maps, topographic, of. (See Map, topographic, of New Mexico; also list	
on pp 86–87 of this bulletin.)	
Mesa de Maya, description of	٥
Mesilla Bolson, description of	9
Mesilla Valley, climate, water supply, etc., of	
irrigation inWS 1	10
mineral spring resorts in	35
mineral springs of, statistics of	
p 530; MR 1891, pp 603, 606; MR 1892, pp 824, 829; M	
1893, pp 774, 780, 784, 790, 794; Ann 16, iv, 709, 715, 72	
Ann 17, III cont, pp 1027, 1036, 1042; Ann 18, v cont, p	
1371, 1381, 1387; Ann 19, vi cont, pp 661, 671, 678; Ann 2	0,
vi cont, pp 749, 761, 767; Ann 21, vi cont, pp 600, 612, 62	20
minerals of, usefulMR 1882, pp 756-758; MR 1887, pp 762-76	
Mora River, flow of, measurements of	
ıv, p 245; Bull 131, p 40; Bull 140, pp 168–169; WS 11, p 6	
Mount Taylor and Zuñi Plateau	98
Mount Taylor quadrangle, physiographic forms in	16
Ocate Mesa, description ofTF 3, p	
2, woodap von or	J

New Mexico; Pecos River, profile of	37
Pecos Valley rock-fill dams	
petroleum found in	
petroleum localities and statistics of	
rainfall at various points in	
rainfall and run-off in upper basin of Rio GrandeAnn 20, 1v, pp 356-3	
reservoir sites and irrigable lands in, reported by topographersAnn 1	
ıı, pp 308, 3	
reservoir surveys in	
Rio Grande, flow of, measurements of . Ann 11, 11, pp 99, 107; Ann 12, 11, pp 22	
252, 350, 360; Ann 13, 111, pp 94, 99; Ann 14, 11, pp 112–11	
Ann 18, 1v, pp 248–257; Ann 19, 1v, pp 384–389; Ann 20, 1	
pp 58, 364–372; Ann 21, IV, pp 258–261; Bull 131, pp 43–4	
Bull 140, pp 172–178; WS 11, pp 65, 66; WS 16, p 128, 13	
131; WS 28, pp 127–128, 129, 130; WS 37, pp 280–2	
irrigation in valley of, method of	
irrigation problems relating to basin of	
profile of	31
Sandoval Bolson, description of	
sandstone production of, statistics of MR 1889–90, pp 374, 411; MR 1891, p 46	
MR 1892, p 710; MR 1893, p 553; Ann 16, IV, pp 437, 48	
485; Ann 17, 111 cont, pp 760, 775, 776, 778; Ann 18, v cor	
pp 1013, 1014; Ann 19, vi cont, pp 265, 266; Ann 20,	
cont, pp 271, 336, 337, 338; Ann 21, vi cont, pp 335, 353–3	
sections, geologic, in. (See Section, geologic, in New Mexico.)	00
Snowy Range, extent of	4
soils of Mesilla Valley	
Tewan Mountains, on a group of volcanic rocks from, and on the occur-	
rence of primary quartz in certain basaltsBull	66
topographic maps of. (See Map, topographic, of New Mexico; also list on	
pp 86–87 of this bulletin.)	
topographic work in	
pp 30–40; Ann 4, pp 11–12; Ann 5, pp 11–12; Ann 7, p 5	
Ann 9, p 58; Ann 10, 1, p 97; 11, pp 19, 72–74; Ann 11, 11, 11	
306–308; Ann 12, 1, p 48; Ann 14, 1, p 179; Ann 18, 1, pp 94,	
Trans-Pecos Province, mountains ofTF 3, pp 3	
triangulation inBull 122, pp 360, 361–366, 370–373, 374–3	75
turquoise from	
mines and production ofMR 1892, pp 763-764; MR 1893, pp 693-6	
water supply of, for irrigation purposes	
woodland area of	
New South Wales; antimony production of	
building stone from, at World's Columbian ExpositionMR 1893, pp 577-5	
coal production of, statistics of	
III, p 319; Ann 18, v, pp 414, 419; Ann 19, vi, pp 31	
317; Ann 20, vi, pp 332, 338; Ann 21, vi, pp 113, 363, 3	
iron-ore deposits of	
manganese-ore production of, statistics of	
Ann 17, 111, pp 222–223, 225; Ann 18, v, pp 326, 3 platinum production of, statistics of	
quicksilver deposits in	
tin deposits and production of, statistics of	
rii, pp 465, 494–500; MR 1883–84, pp 619–6	
22, pp 200, 101 000, 1221 2000 01, pp 010 0	

New York; Adirondacks, iron ores, titaniferous, of	77 - 422
Allegheny River system, extent of	24. p 44
altitudes inAnn 18, 1, pp 2	
Ann 19, 1, pp 202-217; Ann 20, 1, pp 297-363; Anr	
pp 382–419, 431, 437–438; Bull 5, pp 203–222; Bull 70	
. 160, pp 462-531; WS 24, pp 27, 29-30, 31, 34, 35, 36, 42	44, 46
artesian and other wells inBull 138, pp	
atlas sheets of. (See pp 87-90 of this bulletin.)	, 22 00
Battenkill River, drainage area of and water powers on WS 24, pp	
Black River, drainage area of, flow of, altitude of points on, etc	WS 24,
pp 29-30	. 96–97
flow of, measurements ofWS 36, pp 1	91_192
boundary lines of, and cession of territory to General Government by	
pp 25, 71–76; Bull 171, pp	76-82
bricks, use of, for street paving in	2, p 724
building stone from, at World's Columbian ExpositionMR 1893	
statistics of	
1888, pp 536, 540, 541, 544; MR 1889-90, pp 373, 41	l.1 <del>-4</del> 14;
MR 1891, pp 457, 459, 461, 463, 464, 466, 468, 469; MI	R 1892.
pp 706, 708, 709, 710, 711; MR 1893, p 544 et seq; A	
IV, p 437 et seq; Ann 17, III cont, p 760 et seq; Ann	
cont, p 950 et seq; Ann 19, vi cont, p 207 et sec	
20, vi cont, p 271 et seq; Ann 21, vi cont, p 335	et seq
Cambrian faunas of North America, studies on the (fossils largely from	
York)	
Cambrian, Lower, in, literature and fauna ofA	
ı, pp 534–536, 541–542, 570, 5	
1, pp 001 000,011 012,010,0	83-584
Canadaway Creek, flow of, measurements of	83-584 5 94-95
Canadaway Creek, flow of, measurements of	94–95
Canadaway Creek, flow of, measurements of	94–95 45–173
Canadaway Creek, flow of, measurements of	94–95 45–173 53–54
Canadaway Creek, flow of, measurements of	94–95 45–173 53–54 p 460;
Canadaway Creek, flow of, measurements of	94–95 45–173 53–54 p 460;
Canadaway Creek, flow of, measurements of	94–95 45–173 53–54 p 460; 7; MR
Canadaway Creek, flow of, measurements of	94–95 45–173 53–54 p 460; 7; MR 6; MR
Canadaway Creek, flow of, measurements of	94–95 45–173 5 53–54 p 460; 7; MR 6; MR
Canadaway Creek, flow of, measurements of	94–95 45–173 5 53–54 p 460; 7; MR 6; MR 1v, pp n 18, v
Canadaway Creek, flow of, measurements of	94–95 45–173 5 53–54 p 460; 7; MR 6; MR 1v, pp n 18, v
Canadaway Creek, flow of, measurements of	o 94–95 .45–173 o 53–54 p 460; 7; MR 6; MR . IV, pp n 18, v
Canadaway Creek, flow of, measurements of	o 94–95 .45–173 o 53–54 p 460; 7; MR 6; MR . IV, pp n 18, v 5; Ann 93, 407
Canadaway Creek, flow of, measurements of	94–95 .45–173 5 53–54 p 460; 7; MR 6; MR .1v, pp n 18, v 5; Ann 93, 407 5 87–90
Canadaway Creek, flow of, measurements of	94–95 45–173 53–54 p 460; 7; MR 6; MR 1V, pp n 18, v 6; Ann 93, 407 587–90 nn 21,
Canadaway Creek, flow of, measurements of	94-95 45-173 53-54 p 460; 7; MR 6; MR 1V, pp n 18, v 5; Ann 93, 407 587-90 nn 21, 84-186
Canadaway Creek, flow of, measurements of	94-95 45-173 53-54 p 460; 7; MR 6; MR 1V, pp n 18, v 5; Ann 93, 407 587-90 nn 21, 84-186 3 1885,
Canadaway Creek, flow of, measurements of	94-95 45-173 53-54 p 460; 7; MR 6; MR 1V, pp n 18, v 5; Ann 93, 407 587-90 nn 21, 84-186 3 1885,
Canadaway Creek, flow of, measurements of	94-95 45-173 53-54 p 460; 7; MR 6; MR 1V, pp n 18, v 5; Ann 93, 407 587-90 nn 21, 84-186 3 1885, 388, pp
Canadaway Creek, flow of, measurements of	94-95 45-173 5 53-54 p 460; 7; MR 6; MR 1V, pp n 18, v 5; Ann 93, 407 5 87-90 nn 21, 84-186 3 1885, 388, pp 19, 520,
Canadaway Creek, flow of, measurements of	94-95 45-173 53-54 p 460; 7; MR 6; MR 1v, pp n 18, v 5; Ann 93, 407 987-90 nn 21, 84-186 3 1885, 888, pp 19, 520, ont, pp
Canadaway Creek, flow of, measurements of	94-95 45-173 53-54 p 460; 7; MR 6; MR 1V, pp n 18, v 5; Ann 93, 407 587-90 nn 21, 84-186 3 1885, 388, pp 19, 520, ont, pp 8; Ann
Canadaway Creek, flow of, measurements of	94-95 45-173 53-54 p 460; 7; MR 6; MR 1V, pp n 18, v 5; Ann 93, 407 587-90 nn 21, 84-186 3 1885, 888, pp 19, 520, ont, pp 8; Ann 62, 363
Canadaway Creek, flow of, measurements of	94-95 45-173 53-54 p 460; 7; MR 6; MR 1v, pp n 18, v 5; Ann 93, 407 987-90 nn 21, 84-186 3 1885, 888, pp 19, 520, ont, pp 8; Ann 62, 363 3 1893,
Canadaway Creek, flow of, measurements of	94-95 45-173 53-54 p 460; 7; MR 6; MR 1v, pp n 18, v 5; Ann 93, 407 987-90 nn 21, 84-186 3 1885, 888, pp 19, 520, ont, pp 8; Ann 62, 363 3 1893,
Canadaway Creek, flow of, measurements of	94-95 45-173 53-54 p 460; 7; MR 6; MR 1V, pp n 18, v 5; Ann 93, 407 587-90 nn 21, 84-186 3 1885, 388, pp 19, 520, ont, pp 8; Ann 62, 363 & 1893, 8; Ann
Canadaway Creek, flow of, measurements of	94-95 45-173 5 53-54 p 460; 7; MR 6; MR 1v, pp n 18, v 5; Ann 93, 407 5 87-90 nn 21, 84-186 3 1885, 388, pp 19, 520, ont, pp 8; Ann 62, 363 & 1893, 8; Ann nt, pp
Canadaway Creek, flow of, measurements of	94-95 45-173 53-54 p 460; 7; MR 6; MR 1v, pp n 18, v 5; Ann 93, 407 587-90 nn 21, 84-186 3 1885, 388, pp 19, 520, ont, pp 8; Ann 62, 363 & 1893, 8; Ann nt, pp , vi, pp
Canadaway Creek, flow of, measurements of	94-95 45-173 53-54 p 460; 7; MR 6; MR 1v, pp n 18, v 5; Ann 93, 407 587-90 nn 21, 84-186 3 1885, 888, pp 19, 520, ont, pp 8; Ann 62, 363 8 1893, 8 1893,
Canadaway Creek, flow of, measurements of	94-95 45-173 953-54 p 460; 7; MR 6; MR 1V, pp n 18, v 5; Ann 93, 407 987-90 ann 21, 84-186 3 1885, 888, pp 19, 520, ont, pp 8; Ann 62, 363 3 1893, 3; Ann ont, pp eq, 588 ann 20,
Canadaway Creek, flow of, measurements of	94-95 45-173 953-54 p 460; 7; MR 6; MR 1V, pp n 18, v 5; Ann 93, 407 987-90 ann 21, 84-186 3 1885, 888, pp 19, 520, ont, pp 8; Ann 62, 363 3 1893, 3; Ann ont, pp eq, 588 ann 20,
Canadaway Creek, flow of, measurements of	94-95 45-173 53-54 p 460; 7; MR 6; MR 1v, pp n 18, v 5; Ann 93, 407 587-90 nn 21, 84-186 3 1885, 888, pp 19, 520, ont, pp 8; Ann 62, 363 3 1893, 3; Ann ont, pp eq, 588 nn 20, 5, p 62

New York; Delaware River, elevations on and drainage area ofWS 2	
Devonian system of southeastern	Bull 120
Devonian, Upper, fossil faunas of	3; Bull 41
dumortierite fromBull 60,	pp 133–135
East Canada Creek, flow of, measurements of Ann 21, IV, p 68; V	
Eaton Brook, rainfall and run-off ofV	
elevations in	
ı, pp 202–217; Ann 20, ı, pp 297–363; Ann 21,	
419, 431, 437–438; Bull 5, pp 203–222; Bull 76	
pp 462–531; WS 24, pp 27, 29–30, 31, 34, 35, 3	
Erie Canal, decline ofWS 2	4, pp 13–14
history and description ofWS 25, pp 147-149, 155-156, 1	
water power on	
faunas, fossil, higher Devonian of Ontario County	
of Upper Devonian along meridian 76° 30" from Tompkins Cou	
New York, to Bradford County, Pennsylvania	
Genesee section	
feldspar from, statistics of	
Ann 19, vi cont, p 657; Ann 20, vi cont, p 657; Ann 20, vi cont	
Fish Creek, flow of, measurements of	
fuller's earth in, occurrence and production of	
v cont, p 1354; Ann 19, vi	
gas, illuminating and fuel, and by-products in, statistics of	
	228 et seq
Genesee River, course, drainage area of, and altitudes along WS 2	
flow of, measurements of	Ann 19.
ıv, pp 262–264; Ann 20, ıv, pp 225–227; W 2-	4. pp 70–75
rainfall, run-off, evaporation, etc., of	
storage reservoir on, proposed	
geographic positions in	
ı, pp 148–154; Ann 19, ı, pp 155–157; A	nn 20, 1, pp
222–225; Ann 21, 1, pp 234–239; Bull 12	
geologic maps of, listedBull 7, pp 58, 5	9, 60, 62, 63
(See Map, geologic, of New York.)	
geologic sections in. (See Section, geologic, in New York.)	
geologic and paleontologic investigations in	
Ann 4, p 25; Ann 5, pp 52, 54; Ann 6, pp 24, 28	
Ann 7, pp 65, 83, 85, 113, 114–115; Ann 8, 1, pp 12	
175, 176; Ann 9, pp 71, 77, 105, 115, 116, 117, 122;	
p 160; Ann 11, 1, pp 103, 104, 114; Ann 12, 1, pp	
Ann 13, 1, pp 101, 109, 136; Ann 14, 1, pp 213–21 Ann 15, pp 131, 140, 154, 179; Ann 16, 1, p 16; An	
19–20, 28–29, 59–60; Ann 18, 1, pp 23–25, 57, 58;	Ann 19 1
pp 32, 33, 54–55; Ann 20, 1, pp 34, 35–36; Ann	
glacial investigations in	
pp 344, 346, 348–350, 353–377; Ann 7, pp 1	
granite production of, statistics of	.MR 1888,
p 536; MR 1889–90, pp 374, 411; MR 1891, pp 45	
1892, pp 706, 708; MR 1893, pp 544, 546; Ann 16,	
443, 457, 458, 460; Ann 17, 111 cont, p 760 et seq;	
cont, pp 950 et seq, 970; Ann 19, vi cont, p 207 e	
20, vi cont, p 271 et seq: Ann 21, vi cont, p	ooo et seq

,
New York; graphite mined in, statistics ofMR 1882, pp 591-592; MR
1883–84, pp 915, 916; MR 188 <b>7, p</b> 672; MR 1889–90, p 507
gypsum production of, statistics of . MR 1889-90, p 465; MR 1891, pp 580, 581; MR
1892, pp 801, 802, 803; MR 1893, pp 714, 715; Ann 16, IV, pp
663, 664; Ann 17, 111 cont, pp 979, 980, 981; Ann 18, v cont,
pp 1266, 1267; Ann 19, vi cont, pp 578, 579, 581, 582; Ann
20, vi cont, pp 658, 661; Ann 21, vi cont, pp 524, 526, 527
harbors on coast of
Hemlock Lake, rainfall on, and measurements of discharge of
pp 75–77, 92–93 Hoosic River, course and drainage area of
Hudson River, drainage area of water powers and elevations on tribu-
taries of
flow of, measurements of Ann 19, IV, pp 117-122; Ann 20, IV, pp 47, 78-81;
Ann 21, rv, pp 71-73; WS 24, pp 79-82; WS 35, pp 58-61
profile ofWS 44, p 14
rainfall in watershed of
trade and commerce on
water storage on
iron, iron ores, and steel from, statistics of
p xxviii; MR 1882, pp 120, 125, 129 et seq; MR 1883-84, pp
252, 271–274; MR 1885, pp 182, 184, 186, 188; MR 1886, pp
14, 18, 43-50; MR 1887, pp 11, 16, 43-44; MR 1888, pp 14,
17, 23; MR 1889-90, pp 10, 12, 17; MR 1891, pp 12, 21, 54,
55, 61; MR 1892, p 12 et seq; MR 1893, pp 15, 20, 26
et seq; Ann 16, 111, pp 31, 38-39, 192 et seq, 249, 250; Ann
17, III, pp 26, 27, 39 et seq; Ann 18, v, pp 24, 37, 41, 42;
Ann 19, vi, pp 26, 27, 29, 34, 65 et seq; Ann 20, vi, pp 29,
41, 43, 44, 74 et seq; Ann 21, vi, pp 34, 48, 52, 53, 90 et seq
Lake Champlain, tributaries of
lime production of
limestone production of, statistics ofMR 1882, p 451; MR 1888, p 540;
MR 1889–90, pp 373, 413; MR 1891, pp 464, 466; MR 1892, p
711; MR 1893, pp 556, 557; Ann 16, IV, pp 437, 494, 495, 508-
509; Ann 17, 111 cont, pp 760, 788 et seq; Ann 18, v cont, pp
950, 1044 et seq; Ann 19, vi cont, pp 207, 281 et seq; Ann 20,
vi cont, pp 271, 342 et seq; Ann 21, vi cont, pp 335, 357 et seq
limestone quarries of eastern
Long Island, water yield of sand areas of
Madison Brook, rainfall and run-off in basin of
magnetic declination in
maps, geologic, of. (See Map, geologic, of New York.)
maps, topographic, of. (See Map, topographic, of New York; also list on
pp 87–90 of this bulletin.)
marble production of, statistics of
p 541; MR 1887, p 518; MR 1888, p 541; MR 1889-90, pp
375, 414; MR 1891, pp 468, 469; MR 1892, p 709; MR 1893,
pp 547, 549; Ann 16, IV, pp 437, 463 et seq; Ann 17, III
cont, p 760 et seq; Ann 18, v cont, pp 950, 975 et seq;
Ann 19, vi, cont, pp 207, 238 et seq; Ann 20, vi cont, pp
271, 281 et seq; Ann 21, vi cont, pp 335, 341 et seq
mineral spring resorts in
·

```
p 983; MR 1885, p 539; MR 1886, p 717; MR 1887, p 685;
             MR 1888, p. 627; MR 1889-90, p. 530; MR 1891, pp. 603, 606;
             MR 1892, pp 824, 829–830; MR 1893, pp 774, 780, 784, 791, 794;
             Ann 16, iv, pp 709, 716, 720; Ann 17, iii cont, pp 1027, 1036-
             1037, 1041; Ann 18, v cont, pp 1371, 1381-1382, 1386; Ann 19,
             vi cont, pp 661, 671-672, 677; Ann 20, vi cont, pp 749, 761,
             766; Ann 21, vi cont, pp 600, 613, 619; Bull 32, pp 26-41
  Mohawk River, area, elevations, and water powers of basin of .. WS 24, pp 35-40
    iv, pp 64-70; WS 35, pp 45-46, 51, 55-58
  pp 236, 243; MR 1885, pp 169, 174; MR 1886, p 490; MR
             1887, pp 466, 474-479; MR 1888, p 489; MR 1889-90, p 367;
             MR 1891, pp 438, 439, 440; MR 1892, p 676; MR 1893, p 536;
             Ann 16, iv, pp 415, 418, 419; Ann 17, iii cont, p 734 et seq;
             Ann 18, v cont, p 900 et seq; Ann 19, vr cont, p 168 et seq;
             Ann 20, vi cont, p 207 et seq; Ann 21, vi cont, p 299 et seq
  Newark system, New York-Virginia area of......Bull 85, pp 20-21, 83-85
  flow of, measurements of .. Ann 20, iv, p 224; WS 24, p 60; WS 36, pp 181-183
    Oatka Creek, rainfall, run-off, evaporation, and mean temperature of drain-
           Oriskany Creek, flow of, measurements of ..... Ann 21, IV, p 66; WS 35, pp 47-48
  pp 816, 818; MR 1893, pp 760, 761; Ann 16, IV, pp 696,
             698; Ann 17, 111 cont, pp 1013, 1014, 1016, 1017; Ann 18,
             v cont, pp 1338, 1342; Ann 19, vi cont, pp 637, 642, 643; Ann
             20, vi cont, pp 723, 728, 729; Ann 21, vi cont, pp 573, 579
  pp 190, 199-202; MR 1883-84, pp 214-215, 221-224; MR
             1885, pp 131-145; MR 1886, pp 441, 442-457; MR 1887,
             pp 438, 439-450; MR 1888, pp 444, 445-459; MR 1889-90,
             pp 292, 297-318; MR 1891, pp 412-426; MR 1892, p 604
             et seq; MR 1893, p 465 et seq; Ann 16, IV, p 317 et seq;
             Ann 17, 111 cont, p 625 et seq; Ann 18, v cont, pp 750 et
             seq, 790–799; Ann 19, vi cont, pp 2 et seq, 46–55; Ann 20, vi
             cont, pp 3 et seq, 24-34, 45; Ann 21, vr cont, pp 4 et seq, 34-47
  Rensselaer grit plateau, geology of......Ann 13, 11, pp 291–340
```

Now Vorley	realize of their algorification etc.				
New LOIK,	New York; rocks of, their classification, etc				
Sagunda	pp 32-34, 38-40, 42-43, 45-46, 48-74, 260, 266 Sacundaga River, drainage area of and elevations along				
Sacunga St Tow	rence River, drainage area and altitude of points on tributaries of WS 24,				
Di. Law	pp 24-31				
wat	ter power on				
wan calt from	n, statistics ofMR 1882, pp 532–534, 537–539; MR 1883–84, pp 827,				
sait IIOi					
•	830–835; MR 1885, pp 474, 476–479; MR 1886, pp 628, 632–				
	636; MR 1887, pp 611, 614-617; MR 1888, pp 597-598, 600-				
	603; MR 1889–90, pp 482, 484–487; MR 1891, pp 575–576;				
	MR 1892, p 793, 794, 796–798; MR 1893, p 719 et seq; Ann				
	16, IV, p 647 et seq; Ann 17, III cont, p 985 et seq; Ann				
	18, v cont, p 1274 et seq; Ann 19, vi cont, p 588 et seq;				
	Ann 20, vi cont, p 670 et seq; Ann 21, vi cont, p 534 et seq				
	king in				
	tory of				
sandsto	ne production of, statistics of				
	p 544; MR 1889-90, pp 374, 411; MR 1891, pp 461, 463;				
	MR 1892, p 710; MR 1893, p 553; Ann 16, iv, pp 437, 484				
	et seq; Ann 17, III cont, pp 760, 775 et seq; Ann 18, v cont, pp				
•	950, 1012 et seq; Ann 19, vr cont, pp 207, 264 et seq; Ann 20				
	vr cont, pp 271, 336 et seq; Ann 21, vr cont, pp 335, 353 et seq				
Sauguoi	t Creek, flow of, measurements of Ann 21, iv, p 66; WS 35, pp 48-49				
	rie Creek, flow of, measurements of				
	pp 69-70; WS 35, pp 54-55				
Schroon	pp 69-70; WS 35, pp 54-55 n River, drainage area of and elevations on				
floy	v of, measurements of				
	g, geologic, in. (See Section, geologic, in New York.)				
	River, flow of, measurements of				
	disposal plants in				
shin-car	nal projects in				
	om eastern New York and western Vermont, mineral and chemical				
Siate II e	composition, methods of testing, etc. Ann 20, vi cont, pp 301–336				
niro	duction of, statistics of				
Pro	MR 1889–90, pp 376, 414; MR 1891, pp 472–473; MR 1892,				
•	p 710; MR 1893, pp 550-551; Ann 16, 1v, pp 437, 476, 477,				
	478; Ann 17, 111 cont, pp 760, 770 et seq; Ann 18, v cont, pp				
	950, 992 et seq; Ann 19, vi cont, pp 207, 250 et seq; Ann 20, vi				
	cont, pp 271, 294 et seq; Ann 21, vi cont, pp 335, 344 et seq				
slate be	lt of eastern				
	and Long islands, Cretaceous deposits ofBull 82, pp 84-86				
	al details in Green Mountain region in eastern New YorkAnn 16,				
	r, pp 543–570				
survey o	of, by cooperation of the State				
	1, p 98; Ann 18, 1, pp 100, 101; Ann 19, 1, pp 86, 97–98;				
	Ann 20, 1, pp 99, 109–110; Ann 21, 1, pp 114 et seq, 122–123				
Susqueh	nanna River, elevations along, drainage area and tributaries of WS 24,				
	pp 44–46				
swamps	, seacoast, of United States, easternAnn 6, pp 353–398				
	posits of, in Saint Lawrence County Ann 18, v cont, pp 1072–1074				
	duction of				
	ture, average, in				
timber i	in, estimates of				
topogra	phic maps of. (See Map, topographic, of New York; also list on				
	pp. 87-90 of this bulletin.)				

New York; topographic work in
85, 86, 87, 89; Ann 11, 1, p 36; Ann 12, 1, p 26; Ann 13, 1,
pp 70, 71; Ann 14, 1, p 171; Ann 15, p 113, 114-115; Ann
16, I, pp 64, 68, 69, 71; Ann 17, I, pp 97, 98-99; Ann 18,
1, pp 94, 95, 101; Ann 19, 1, pp 89, 90, 97–98; Ann 20,
1, pp ·101, 102, 109–110; Ann 21, 1, pp ·117–118, 122–123
trap dikes in
triangulation in
20, I, pp 222–225; Ann 21, I, pp 234–239; Bull 122, pp 29–50
water powers in, price and possible development of WS 25, pp 184–186, 188–190
water resources of
waters, ownership of inland, by State
West Canada Creek, flow of, measurements of
rv, p 67; WS 35, pp 49-50
woodland area in
New York system of rocks
New Zealand; coal production of, statistics ofMR 1893, p 202; Ann 16, III, p 247, IV,
p 21; Ann 17, 111, pp 314, 319; Ann 18, v, p 419; Ann 19, vi,
pp 311, 318; Ann 20, vi, pp 332, 339; Ann 21, vi, pp 363, 371
fossil plants of, literature of
gold-bearing conglomerate in
iron and iron ore from, statistics of
manganese production of, statistics ofMR 1886, p 207; MR 1888, p
142; MR 1889-90, p 130; MR 1891, p 145; MR 1892, pp 223-
224; MR 1893, p 154; Ann 16, 111, pp 452, 457; Ann 17, 111,
pp 223, 225; Ann 18, v, pp 327, 328; Ann 21, vi, pp 161, 162
petroleum localities and statistics ofMR 1888, p 473; MR 1893, p 531;
Ann 19, vi cont, pp 152-153; Ann 21, vi cont, pp 291-292
quicksilver deposits in
sinters and spring waters of
Newark formation of Virginia, Maryland, and West VirginiaGF 10, pp 3, 4
Newark system, areas occupied by
areas occupied by, structure of
bibliography of Dail of man 129 244
bibliography of Bull 85, pp 133–344
correlation essay on, by I. C. RussellBull 85
distribution and history ofBull 150, p 78
in Catoctin belt
in New Jersey region, relations of traps ofBull 67
in Pomperaug Valley, Connecticut
in Richmond Basin and elsewhere, age, conditions of deposition, etcAnn 19,
ıı, pp 396–419, 443 lithology and stratigraphy ofBull 85, pp 32–44
sandstones of, origin of red color of Bull 52, pp 44–56
(See, also, Juratrias.)
Newark type of structure in Catoctin belt
Newberry (J. S.), biographic sketch of
death and biographic sketch ofAnn 14, 1, pp 61-64; Mon xxv1, pp 15-20
fossil fishes and fossil plants of Triassic rocks of New Jersey and Con-
necticut ValleyMon xıv
later extinct floras of North America
Paleozoic fishes of North America
flora of Amboy claysMon xxvi
work in charge of, 1887-1889
- · · · · · · · · · · · · · · · · · · ·

Newberry (S. B.), cement, statistics of
MR 1891, pp 529–538; MR 1892, pp 739–747; MR 1893,
pp 618–623; Ann 16, iv, pp 580–585; Ann 17, iii cont, pp 881–
893; Ann 18, v cont, pp 1169–1177; Ann 19, vi cont, pp 487–
494; Ann 20, vi cont, pp 539–546; Ann 21, vi cont, pp 393–406
Newcastle quadrangle, South Dakota-Wyoming, forest conditions in Ann 21, v, p 601
Newell (F. H.), hydrography of arid regions of United States. Ann 12, 11, pp 213-361
·irrigation in Texas, general survey of
public lands and their water supply
report of progress of stream measurements for 1897Ann 19, iv, pp 1–632
reports of division of hydrography during 1893–1895Bull 131; Bull 140
results of stream measurements
stream measurements for 1898
stream measurements for 1899
topography, rainfall, and water supply of Cache la Poudre Valley, Colo-
rado
use of windmills in irrigation
water supply for irrigation
work in charge of, 1890–1900
Ann 13, 1, p 163; Ann 14, 1, pp 269–270; Ann 15, pp 196–198;
Ann 16, 1, pp 43–49; Ann 17, 1, pp 70–80; Ann 18, 1, pp 70–82;
Ann 19, 1, pp 69–74; Ann 20, 1, pp 69–76; Ann 21, 1, pp 96–101
Newell (F. H.), and others, report of progress of stream measurements in
1897
Newfoundland; Cambrian, Lower, in, literature and fauna of
1, pp 528-529, 586 Cambrian rocks of, investigations of
pp 50-55, 78-80, 253-262, 380, 406-407
copper production of, statistics of
pp 356, 373; MR 1885, p 229; MR 1886, p 128; MR 1887, p
OF 3473 HOOD TO 3473 HOOD HOU HOO 3473 HOOD HILL
87; MR 1888, p 73; MR 1891, pp 101, 102; MR 1892, p 114;
MR 1893, p 86; Ann 16, 111, p 352; Ann 17, 111, pp 117, 119;
MR 1893, p 86; Ann 16, 111, p 352; Ann 17, 111, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, v1, pp 176, 178; Ann 20,
MR 1893, p 86; Ann 16, 111, p 352; Ann 17, 111, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, v1, pp 176, 178; Ann 20, v1, pp 202, 204; Ann 21, v1, pp 204, 206, 210, 211, 222–223
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222-223 geologic maps of, list of Bull 7, pp 36-38 (See, also, Map, geologic, of Newfoundland.) gold-bearing rocks of Ann 16, III, pp 320-321 manganese ores from, statistics of Ann 21, vI, pp 146, 162 petroleum localities and statistics of Ann 19, vI cont, p 118; Ann 20, vI cont, pp 133-134; Ann 21, vI cont, pp 178-179 pre-Cambrian rocks of Ann 16, I, pp 812-813; Bull 86, pp 247-252, 503 pyrites deposits in MR 1883-84, p 507 submarine strata off Bull 84, p 32 (See, also, Canada.) Newland limestone of Montana, description and section of Ann 20, III, pp 282, 283 Newman limestone in Kentucky, North Carolina, Tennessee, Virginia, and West Virginia Bull 111, p 38; GF 12, p 3; GF 16, p 4; GF 25, p 4; GF 27, p 3; GF 33, p 2;
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of
MR 1893, p 86; Ann 16, III, p 352; Ann 17, III, pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vI, pp 176, 178; Ann 20, vI, pp 202, 204; Ann 21, vI, pp 204, 206, 210, 211, 222–223 geologic maps of, list of

Niagara formation of Indiana
Niagara and Clinton formations of Michigan
Niagara group of Ohio
of Ohio as a water carrier
Niagara River, flow of, measurement of
WS 24, p 60; WS 36, pp 181–183 history and future of
water power on
Nicaragua; boundaries, topography, rainfall, climate, resources, etc., ofAnn 20,
ıv, pp 569–585
hydrography of
Nicaragua Canal, surveys for
Nicaragua Canal Commission, investigations by
Nichols shale in Tennessee and North CarolinaGF 16, p 3; GF 20, p 2; GF 25 p 2
Nickel from foreign localities
pp 539–540; MR 1885, pp 299–301; MR 1889–90, p 125
sources, manufacture, uses, cost, etc., of
statistics of
MR 1883–84, pp 537–543; MR 1885, pp 297–302; MR 1886,
pp 169–173; MR 1887, pp 126–129; MR 1888, pp 108–118;
MR 1889–90, pp 124–126; MR 1891, pp 167–169; MR 1892,
pp 255–257; MR 1893, pp 168–177; Ann 16, нг, pp 605–607;
Ann 17, 111, pp 253–260; Ann 18, v, pp 329–342; Ann 19, vi,
pp 249–252; Ann 20, vr, pp 277–281; Ann 21, vr, pp 285–289
Nickel and cobalt, analysis of, from New Mexico, Grant County (argentiferous
arsenide of)
Nickel-iron, analysis of, from British Columbia, Beaver Creek (meteoric)Bull 168,
p 239
analysis of, from California, San Bernardino County (meteoric). Bull 168, p 238
from Chile, Llano del Inca (meteoric)
from Iowa, Winnebago County (meteoric)
from Kansas, Kiowa County (meteoric)Bull 168, p 235
Washington County (meteoric)
from Missouri, Taney County (meteoric)
from Tennessee, Cumberland County (meteoric)Bull 168, p 231
* * * * * * * * * * * * * * * * * * * *
Hamblen County (meteoric)
from Texas, Fayette CountyBull 168, p 237
Travis County (meteoric)Bull 168, p 236
Nickel-iron sulphide, analysis of, from Ontario, Sudbury
Nickel ore, analysis of, from New Caledonia
analysis of, from Ontario, SudburyBull 64, p 20
from Oregon, RiddlesBull 60,
p 23; Bull 148, p 231; Bull 168, p 221; MR 1882, p 404
from Canada, mines at Sudbury (platiniferous)Bull 64, pp 20-21
Sudbury, mode of occurrence, treatment, etcMR 1888, pp 110-117
from OregonBull 60, pp 21-26
occurrence, origin, metallurgy, etc., of
pp 170–177; Ann 17, 111, pp 253–259
Nickles (J. M.) and Bassler (R. S.), a synopsis of American fossil Bryozoa,
including bibliography and synonymy
Nigrite, analyses of, from Utah
from Utah, results of investigation of
Nikolai greenstone of Alaska

Nilkoka formation of Alaska
Niobrara Basin, stream measurements in
Ann 20, iv, pp 255, 301; WS 15, p 80; WS 37, pp 213-214
Niobrara formation or group of Black Hills
of Colorado
Mon xxxi, p 41; GF 9, pp 6, 8; GF 36, p 3; GF 58, pp 1-2
of Kansas, southwestern
of Montana
of Nebraska
Bull 84, pp 211, 220, 293–296, 331; WS 12, p 20 of Wyoming
Nipigon group of Lake Superior regionBull 86, pp 61, 70, 195, 211, 468  Nisconlith series of CanadaBull 86, p 340
Nisqually Glacier, Mount Rainier, present condition of
Niter, analysis of, from Utah
statistics of
Nitrilo-hexaphosphonitrilic chloride, analysis of
Nitrogen in uraninite, occurrence of, and composition of uraninite in general
Bull 78, pp 43–79
Nitze (H. B. C.), history of gold mining and metallurgy in the Southern States
Ann 20, vr, pp 111–123
investigations of some of the mineral resources of Porto Rico
v1 cont, pp 779–787
monazite; crystallography, occurrence, composition, use, etc., ofAnn 16,
ıv, pp 667–693
Nivenite, analyses of, from Texas, Llano CountyBull 78, p 72; Bull 90, p 23
Nizina River, Alaska, features of
Noatak River, Alaska, notes on
Nodosauridæ of North America
Nodosaurus, remarks on
Nodules resulting from external attack
Nolichucky River, profile of
Nolichucky shale in Kentucky, North Carolina, Tennessee, Virginia, and West
Virginia
GF 25, p 3; GF 27, p 3; GF 33, p 2; GF 44, p 2; GF 59, p 3 Nome gold region, Alaska, preliminary report on
Nomenclature, general geologic
of igneous rocks, survey rules concerning
of pre-CambrianBull 86, p 191
(See, also, Correlation.)
Nomenclature and classification of fossil plants
Nomenclature and taxonomy, geologic, conference of geologists and lithologists
on, in January, 1889Ann 10, 1, pp 56-67
Nomini quadrangle, Maryland-Virginia, geology of
Nonconformity. (See Unconformity.)
Norfolk quadrangle, Virginia-North Carolina, physiography ofTF 2, p 2
Norian rocks of New England, New York, and CanadaBull 86, pp 32,
366, 395, 413, 451, 453–454, 457–458, 462, 465, 471, 474, passim
(See, also, Labradorian.)
Norian terrane defined
analysis of, from Maryland, Cecil County
from Michigan, Crystal Falls district
from New York, Adirondack regionBull 168, p 37
, ,

Norite of Delaware described
of Michigan, Crystal Falls district
of Sierra Nevada
thin section of, from New York, Lincoln Pond
Norite wall, thin section of, from New York, Trembleau Point, showing con-
tact between diabase dike andBull 107, p 46
Normandy limestone of Tennessee
North America; Carboniferous invertebrates of, bibliographic index ofBull 153
Cretaceous and Tertiary plants of, catalogue and bibliography ofBull 152
fossil plants of, literature of
geologic maps of, list ofBull 7, pp 23–32, i59–160
Mesozoic invertebrates of, catalogue and bibliography of
North Carolina; altitudes in
1, pp 295–310; Ann 19, 1, pp 242–247; Ann 20, 1, pp 370–380,
383–387; Bull 5, pp 223–226; Bull 76; Bull 160, pp 532–543
artesian and other wells in
barytes production of
Big Pigeon River, profile of
boundary lines of, and cession of territory to General GovernmentBull 13,
pp 92–96; Bull 171, pp 98–102 brick industry of
Drick industry of
building stone at World's Columbian Exposition
in Knoxville quadrangle
statistics of
461, 463, 470; MR 1892, pp 706, 708; MR 1893, pp 544, 546;
Ann 16, iv, pp 437 et seq; Ann 17, iii cont, pp 760 et seq;
Ann 18, v cont, pp 950 et seq; Ann 19, vicont, pp 207 et seq;
Ann 20, vi cont, pp 271 et seq; Ann 21, vi cont, pp 335 et seq
Cape Fear River, flow of, measurements of
iv, pp 54–57; Ann 19, iv, pp 192–193; Ann 20, iv, pp 50,
145; Ann 21, IV, pp 118–119; Bull 140, p 69; WS 11, p 16;
WS 15, p 31; WS 27, pp 36, 44, 45; WS 36, pp 115–116 profile of
water powers in basin of
Catawba River, flow of, measurements ofAnn 18, 1v, pp 64-65; Ann 19, 1v,
p 212; Ann 20, IV, pp 50, 149; Ann 21, IV, pp 122–123; WS 11,
p 18; WS 15, p 34; WS 27, pp 38, 44, 45; WS 36, pp 120-121
water powers in basin of
clay deposits of
p 734; MR 1893, pp 616-617; Ann 19, vi cont, pp 478-485
in Knoxville quadrangleGF 16, p 6
production of, statistics of
16, IV, pp 518, 519, 520, 521; Ann 17, III cont, p 820 et seq;
Ann 18, v cont, p 1078 et seq; Ann 19, vi cont, p 318 et seq;
Ann 20, vi cont, p 467 et seq; Ann 21, vi cont, pp 362, 363
coal area and statistics of
xxviii; MR 1883-84, p59; MR 1885, pp 41-43; MR 1887, pp
169, 279–281; MR 1888, p 169; MR 1889–90, pp 146, 234; MR
1891, pp 180, 274; MR 1892, pp 264, 267, 268, 442; MR 1893,
pp 188, 189, 194, 195, 199, 200, 328; Ann 16, IV, pp 7 et seq,
153-154; Ann 17, III, pp 287 et seq, 462-463; Ann 18, v, pp
353 et seq, 560–561; Ann 19, vi, pp 277 et seq, 465–466; Ann
20, vi, pp 299 et seq, 446–447; Ann 21, vi, pp 324 et seq, 474

North Carolina; coke i	n, manufacture of		
conner mines and	statistics of . Ann 2, p xxix; Ann 20, vi, p 186; MR 1882, p 231		
and and and	ery in		
corundum deposits	and statistics of		
	pp 715-716; MR 1885, p 429; MR 1886, pp 585-586; MR		
	1887, p 553; MR 1888, p 577; Ann 21, vi cont, pp 432-436		
Compdum Hill or	neiss-dunyte contacts of, in relation to origin of corun-		
	umBull 42, pp 45–63		
Dan River, profile	of		
Deep River, flow o	of, measurements of		
2 cop 2 ,	ıv, pp 116-118; WS 27, pp 26, 35, 44; WS 36, pp 113-114		
TO: 1.0			
	neral description of		
Dismal Swamp dis	trict of Virginia and North Carolina, geology ofAnn 10,		
	ı, pp 313 <b>–</b> 339		
elevations in	Ann 18,		
	ı, pp 295–310; Ann 19, ı, pp 242–247; Ann 20, ı, pp 370–380,		
	383–387; Bull 5, pp 223–226; Bull 76; Bull 160, pp 532–543		
emeralds in, discov	very and occurrence ofAnn 21,		
fautiliaan tuada in	vi cont, p 450; MR 1882, pp 500-503 in 1886		
ierunzer trade in,	in 1000		
	ozoic		
French Broad Rive	er, flow of, measurements ofAnn 18,		
•	IV, p 116; Ann 19, IV, pp 256-259; Ann 20, IV, pp 52,		
	205; Ann 21, rv, pp 160–161; Bull 140, pp 80–81; WS 11,		
	p 42; WS 15, p 60; WS 27, pp 62, 65, 66; WS 36, pp 165–166		
a1 **			
gas, illuminating aı	nd fuel, and by-products in, statistics of		
	v1 cont, pp 228, 241, 244, 246, 247, 249		
geographic position	as in		
	stedBull 7, pp 102, 103, 109, 167		
	logic, of North Carolina.)		
geologic sections in. (See Section, geologic, in North Carolina.)			
geologic and paleor	ntologie investigations in		
0 0 1	Ann 7, pp 66, Ann 8, 1, p 129; Ann 10, 1, pp 118, 120,		
	155, 174; Ann 11, 1, p 69; Ann 12, 1, pp 75, 114, 117;		
	Ann 13, 1, pp 110, 114, 145; Ann 14, 1, pp 220, 240; Ann		
	15, pp 130, 150; Ann 16, 1, p 22; Ann 18, 1, pp 30-31;		
	Ann 19, 1, p 35; Ann 20, 1, p 39; Ann 21, 1, pp 73, 79		
gold in Knoxville	quadrangleGF 16, p 6		
	m, statistics of		
gold and silver from	pp 172, 176, 177, 178; MR 1883–84, pp 312, 313; MR 1885;		
	pp 112, 110, 111, 110, MIN 1000-04, pp 312, 313, MIN 1000;		
	p 201; MR 1886, pp 104, 105; MR 1887, pp 58, 59; MR 1888,		
	pp 36, 37; MR 1889–90, p 49; MR 1891, pp 75, 77, 78, 79; MR		
	1892, p 51 et seq; MR 1893, p 50 et seq; Ann 16, 111, p 258;		
	Ann 17, 111, p 72 et seq; Ann 18, v, p 141 et seq; Ann 19, v1,		
	p 127 et seq; Ann 20, vi, p 103 et seq; Ann 21, vi, pp 122-127		
gold belt in, location	on of mines, etc., in		
gold mining in his	tory of		
gravita production	of statistics of		
grainte production	of, statistics of		
•	p 539; MR 1889-90, pp 374, 414; MR 1891, pp 457, 459;		
	MR 1892, pp 706, 708; MR 1893, pp 544, 546; Ann 16, IV, pp		
	437, 443, 457, 458, 461; Ann 17, 111 cont, pp 760, 761, 763, 765;		
	Ann 18, v cont, p 950 et seq; Ann 19, vi cont, p 207 et seq;		
	Ann 20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq		
	, , , , , , , , , , , , , , , , , , ,		

North Carolina; graphite deposits ofMR	1887, p 672
Great Peedee River, profile ofWS 4	14, pp 25–26
Greenville quadrangle, geologic section of	ol lxi, p 245
harbors on coast of	nn 178–180
Haw River, flow of, measurements of	Ann 21
114 115. WC 97 pp 95 96 95 44. WC 96	AIII 21,
ıv, pp 114–115; WS 27, pp 25–26, 35, 44; WS 36,	
Hiwassee River, flow of, measurements of	Ann 18,
ıv, p 118; Ann 19, ıv, pp 259–260; Ann 20,	
208–209; Ann 21, IV, pp 164–165; Bull 140, p 8	
p 43; WS 15, p 63; WS 27, pp 64, 65, 66; WS 36,	pp 169–170
profile of	
iron, iron ores, and steel from, statistics of	
p xxviii; MR 1882, pp 120, 129, 131; MR 1	
252, 277–278; MR 1885, pp. 182, 188; MR 1886,	
33, 82–83, MR 1887, pp 11, 16; MR 1888, pp	
MR 1889-90, pp 10, 17; MR 1891, pp 12, 27,	
1892, pp 12, 13, 21, 26, 35, 36, 37; MR 1893, pp	
28, 38, 39; Ann 16, 111, pp 31, 42, 192, 194, 200–20	
249, 250; Ann 17, 111, pp 26, 27, 39, 41, 47, 48, 57, 6	60, 68; Ann
18, v, pp 24, 41, 42; Ann 19, vr, pp 26, 27, 29, 34, 6	
20, vi, pp 29, 41, 43, 44, 75; Ann 21, vi, pp 34, 51, 5	
iron ore in Knoxville quadrangle	
Knoxville quadrangle, geology of	
lime and cement in Knoxville quadrangle	CF 16 m 6
Little Tennessee River, flow of, measurements of	
117-118; Ann 20, IV, pp 52, 207-208; Bull 140, p	
p 42; WS 15, p 62; WS 27, pp 63, 65, 66; WS 36,	
profile of	WS 44, p 51
magnetic declination in	рр 394–397
manganese-ore production of, statistics of	1885, p 344;
MR 1886, p 181; MR 1886, pp 190–193; MR 18	
151; MR 1888, pp 124, 129–130; MR 1889–90, p	
MR 1891, pp 127, 136; MR 1892, p 201; MR 1893,	
Ann 16, 111, p 420; Ann 17, 111, p 199; Ann 18, v, ]	
Ann 19, vi, p 91; Ann 20, vi, p 126; Ann 21, vi,	pp 130, 139
maps, geologic, of. (See Map, geologic, of North Carolina.)	
maps, topographic, of. (See Map, topographic, of North Carolina; also p	
marl deposits of	1888, p 595
mica mining in	pp 661–671
mica production of, statistics ofMR 1882, p 583; MR 1883-84, 1	op 908–909:
MR 1885, pp 518, 519; MR 1887, p 660; MR 18	
MR 1889-90, p 474; MR 1893, p 749; Ann 20, vi c	
mineral spring resorts in	
mineral springs of, statistics of	
32, pp 74–78; MR 1883–84, p 984; MR 1885, p	
1886, p 718; MR 1887, p 685; MR 1888, p 628; M	
pp 530–531; MR 1891, pp 603, 607; MR 1892, p	p 824, 830;
MR 1893, pp 774, 780, 784, 791, 794; Ann 16, IV, I	pp 709, 716,
720; Ann 17, 111 cont, pp 1027, 1037, 1041; Ann 18	
1372, 1382, 1386; Ann 19, vi cont, pp 661, 672, 67	
vi cont, pp 749, 762, 766; Ann 21, vi cont, pp 60	
minerals of	
minor MR 1882,	
useful	
userui	PP 100-114

•		•
orth Carolina: Nantah:	ala River, profile of	WS 44, p 52
Neuse River flow of	, measurements of	Ann 18
110000 101101, 11011 01	iv, pp 52–53; Ann 19, iv, pp	
•	pp 50, 144; Ann 21, IV, pp	
	WS 15, p 30; WS 27, pp 34,	
nickel deposits in	MR 1886, p 170; MR 1889-90,	p 125; MR 1891, p 168
	physiography of	
nhosphate denosits a	and production of, statistics of	Bull 46 pp 70-75: MR
phosphate deposits t	1883–84, pp 788–793; MR 1885, pp 44	
	MR 1893, p 712; Ann 18, v cont, p	
	p 536; Ann 20, vi cont, pp 620, 621;	
precious stones in, o	ccurrence and statistics ofMR	1882, p 483; MR 1883-
	84, pp 724, 729, 733-734, 739; MR 13	885, p 437; MR 1886, p
	595; MR 1892, pp 760-761; MR 1893	
	16, IV, pp 599, 600, 601; Ann 18, V	
	vi cont, pp 570, 584-585; Ann 21, v	
	cs of	
	Wilmington, and Lenoir (average)	
Roanoke River, flow	of, measurements ofAnn 18	3. IV. pp 47-50: Ann 19
	ıv, pp 181–182; Ann 20, ıv, pp 50, 142;	
	11, p 15; WS 15, p 28; WS 27, pp 3	
	basin of	
sandstone production	n of, statistics of	
	760, 775, 777, 778; Ann 18, v cont, p	p 950, 1012, 1013, 1014,
	1024; Ann 19, v cont, pp 207, 264, 26	
	cont, pp 271, 336, 337, 338; Ann 21, v	
sections, geologic, in	. (See Section, geologic, in North Ca	
	······································	
	adrangle	
	ence of	
production of	Ann 20, vr cont, p 552;	Ann 21, vr cont, p 414
survey of, by cooper	ration of the State Ann 18, 1, pp 10	0, 102; Ann 20, 1, p 111
	ow of, measurements of	
	neasurements ofAnn 18, IV	
200 200,00,000 00,00	pp 183–184; Ann 20, 1v, pp 50, 143; A	
	mg 11 15. WG 15 90. WG 97	94 44. WG 96 - 110
	WS 11, p 15; WS 15, p 29; WS 27, p	
	of	
	adrangle	
tin ore at Kings Mou	ıntain, occurrence, mineralogy, etc., o	ofMR 1893,
	pp 178–180;	Ann 16, 111, pp 525–527
topographic map of.	(See Map, topographic, of North Ca	
7 O T	on p 90 of this bulletin.)	. •
topographic work in	· · · · · · · · · · · · · · · · · · ·	Ann 4, nn 13–15
tobograpine work in		
	Ann 5, pp 4–5; Ann 6, pp 8, 9; Ann	
	Ann 9, pp 54, 55; Ann 10, 1, p 90; Ann	
	p 72; Ann 14, 1, p 172; Ann 15, pp 11	
	Ann 17, 1, pp 97, 100; Ann 18, 1, pp 9	4, 95, 102–103; Ann 19,
	ı, pp 89, 90, 99; Ann 20, ı, pp 101, 102	
triangulation in	Bull 19	
	ow of, measurements of Ann 18, IV, p	
Tuorasegee Inver, III		
	pp 52, 206; Ann 21, iv, pp 161–162; 1	
03 °	p 42; WS 15, p 61; WS 27, pp 63, 65,	
profile of		WS 44, p 52
D11 177 01	07	

North Carolina; tungsten in, occurrence of
Valley River, flow of, measurements of
water power in easternBull 140, pp 65–66
in Knoxville quadrangleGF 16, p 6
woodland area in
xanthitane from Green River
Yadkin River, flow of, measurements of
pp 57-61; Ann 19, iv, pp 200-204; Ann 20, iv, pp 50, 146-148;
Ann 21, Iv, pp 120–122; Bull 140, pp 70–71; WS 11, pp 16–17;
WC 15 pp 20 22, WC 27 pp 20 27 45, WC 26 pp 10-11,
WS 15, pp 32–33; WS 27, pp 36–37, 45; WS 36, pp 116–119
water powers in basin of
zirconium deposits in
North Dakota; agriculture in Red River Valley, development of . Mon $xxv$ , pp 610–625
altitudes in Ann 19, 1, pp 274–277; Bull 144, pp 61–69; Bull 160, pp 544–550
Antelope Valley, glacial phenomena and topography ofBull 144, pp 18–19, 35
atlas sheets of. (See pp 90–91 of this bulletin.)
Bismarck, rainfall, snowfall, and temperature atMon xxv, pp 592, 593, 599
Blue Lake district, glacial phenomena and topography of Bull 144, pp 16–18, 34–35
boundaries of
cement production of, statistics of
clay products of, statistics of
Ann 17, III cont, p 820 et seq; Ann 18, v cont, p 1078 et seq;
Ann 19, vi cont, p 318 et seq; Ann 20, vi cont, p 467 et seq
coal area and statistics of
194, 195, 199, 200, 328-329; Ann 16, IV, pp 7 et seq, 154-156;
Ann 17, 111, pp 295 et seq, 463–464; Ann 18, v, pp 354 et seq,
561, 562; Ann 19, vi, pp 278 et seq, 466–467; Ann 20, vi,
pp 300 et seq, 447–448; Ann 21, vi, pp 325 et seq, 475–476
coke in, manufacture of
earthworks, aboriginal, in region of glacial lake AgassizMon xxv, pp 643-645
Fargo quadrangle, physiography of
forest trees and shrubs of Red River Basin
gas, illuminating and fuel, and by-products of, statistics of
vi cont, pp 228, 241, 244, 246, 247, 249 geographic positions in
geologic maps of. (See Map, geologic, of North Dakota.)
geologic sections in. (See Section, geologic, in North Dakota.)
geologic and paleontologic investigations in
glacial Lake Agassiz, a monograph on
upper beaches and deltas of
lignite, natural gas, lime, bricks, etc., of Red River Valley. Mon xxv, pp 626-631
Long Lake district, glacial phenomena and topography ofBull 144, pp 15-16
magnetic declination in
maps, geologic, of. (See Map, geologic, of North Dakota.)
maps, topographic, of. (See Map, topographic, of North Dakota; also list
on pp 90-91 of this bulletin.)
meridian marks in
moraines of the Missouri Coteau and their attendant depositsBull 144
rainfall in
sections, geologic, in. (See Section, geologic, in North Dakota.)
soils of Red River Valley region
topographic maps of. (See Map, topographic, of North Dakota; also list
on pp 90–91 of this bulletin.)

North Dakota; topographic work in
North Park lake beds of Colorado
Northwest Territories, geologic maps of, list of
Northwestern boundary of United States, survey ofBull 174
Norton formation of Virginia, Kentucky, and TennesseeBull 111,
pp 34–36; GF 12, p 3; GF 59, p 4
Norway; clay deposits of
copper production of, statistics of MR 1883–84, p 356; MR
1885, p 228; MR 1886, p 128; MR 1887, p 87; MR 1888,
p 73; MR 1889-90, p 73; MR 1891, pp 100, 102; MR
1892, р 114; MR 1893, р 86; Ann 16, пг, р 352; Ann 17, пг, рр 117, 118; Ann 18, v, рр 219, 220; Ann 19, vг, рр
176, 177; Ann 20, vi, pp 202, 203; Ann 21, vi, pp 204, 205
fauna of Olenellus zone in
fossil plants of, literature of
iron-ore deposits of
iron and iron ore from, statistics of
phosphate deposits ofBull 46, pp 42–45
silver production of, compared with that of other countriesMR 1883-84,
pp 319, 320
Noselite, composition of
Nosite, chemical constitution of Bull 125, pp 22, 103
Novaculite, analysis of, from Michigan, MarquetteBull 60, p 151;
Bull 62, p 152; Bull 148, p 99; Bull 168, p 65 statistics of
594; MR 1887, p 553; MR 1889–90; p 460; MR 1892, p 773;
Nova Scotia; coal area and output of, compared with those of other coun-
tries
MR 1885, p 11; MR 1886, p 235; MR 1887, p 189
geologic maps of. (See Map, geologic, of Canada, Nova Scotia.)
geologic sections in. (See Section, geologic, in Canada, Nova Scotia.)
gold-bearing rocks of
gypsum deposits of, statistics of
MR 1885, pp 459–460; MR 1887, pp 602, 603
iron-ore deposits of
manganese-ore deposits and production of, statistics of
pp 218–219; MR 1893, p 137; Ann 16, 111, pp 437–
439; Ann 17, 111, pp 206, 207; Ann 20, vi, p 139
maps, geologic, of. (See Map, geologic, of Canada, Nova Scotia.)
sections, geologic, in. (See Section, geologic, in Canada, Nova Scotia.)
(See, also, Canada.)

Number of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the stat	D. 11 100 n 04
Nuculidæ from Colorado formation from Cretaceous of Pacific coast	
from marl beds of New Jersey	
from Miocene marls of New Jersey	
Nueces quadrangle, Texas, geology of	
Nueces River, Texas, profile of	
relation of Cretaceous to Eocene along	
Nulato sandstone of Alaska	
of Alaska, remarks on	
Nummulitic beds of Florida	Bull 84, pp 103–104, 331
Nushagak beds of Alaska, southwestern, notes on. Ann 20,	
Nushagak River, Alaska, notes on	Alaska (2), p 119
Nussbaum formation of ColoradoGF 36, p 3;	GF 58, p 2; GF 68, p 2
Nuzotin Mountains, Alaska, features of	
Nuzotin series of rocks of Alaska	
Nymphæaceæ, extinct, of North America.	
Nymphalidæ of Florissant, Colorado	Ann 8, 1, pp 441–467
Oak Grove sands of Florida, correlation of	
Oakland limestone-lentil of Oregon	
Oakville beds of Texas, correlation of	
Obolella shales of Montana, near Three Forks	
Obsidian, analysis of, from California, Borax and Clear lakes	
	8, p 223; Bull 168, p 212
analysis of, from California, Medicine Lake	Bull 64, p 50
from California, Modoc County (rhyolitic)Bull 14	
Mono Lake (rhyolitic)	
Bull 148, p 229; Bull 150	0, p 151; Bull 168, p 219
Mono Valley (scóriaceous)	
from Lipari Islands	
from Mexico, Cerro de las Navajas	
from New Mexico, Tewan Mountains	
p 291; Bull 60, p 155; Bull 148	
from Yellowstone Park, Obsidian Cliff, and near Wil	
pp 282, 291; Bull 148	8, p 130; Bull 168, p 104
from California, Mono Lake, description of, as one of	f the educational
series (rhyolitic)	
occurrence and statistics of	
p 772; MR 1886, p 597; MR 1893, p	
of California, andesitic and basalticMon x	
of New Mexico, Tewan Mountains	
of Yellowstone Park, columnar	,
thin sections of, from Yellowstone Park	
Obsidian Cliff, Yellowstone Park, geology, petrography, etc.	, ofAnn 7, pp 249–295
rhyolite of	Ion xxx11, 11, pp 359-366
Ocala group of Florida, correlation ofAnn 18, 11, p 341;	
Ocean waters, general chemistry of	
Ocheesee beds of Florida, correlation of	
Ocher, analysis of, from Massachusetts, East Whately	
analysis of, from Persian Gulf	
from Virginia, Marksville	
from West Virginia, Jefferson County	
of Virginia-Maryland-West Virginia, Harpers Ferry qua	drangleGF 10, p 4

Ocher, production of, statistics of
1891, pp 595–596; MR 1892, pp 815, 816, 817; MR 1893, pp '758, 759, 760, 761; Ann 16, IV, pp 695, 696, 697; Ann 17, III
cont, pp 1012, 1013, 1014, 1015; Ann 18, v cont, pp 1337, 1338,
1339, 1340; Ann 19, vi cont, pp 635, 636, 637, 638, 639, 641;
Ann 20, vi cont, pp 721–725; Ann 21, vi cont, pp 571–578
Ocherous deposit, analysis of, from Florida, Dade County
Iv, pp 79-84; Ann 19, Iv, pp 230-233; Ann 20, Iv, pp
51, 171-172; Ann 21, IV, pp 138-139; WS 11, pp 21-23;
WS 15, p 44; WS 27, pp 43, 44, 46; WS 36, pp 136–137
water powers on
Ocoee group in Tennessee and North Carolina
pp 143–144, 422–423; GF 16, pp 2–3; GF 20, p 2; GF 25, p 2
Ocoee series, origin of nameBull 81, p 252
Oconee River, Georgia, flow of, measurements of
pp 78-79; Ann 19, IV, pp 227-229; Ann 20, IV, pp 51, 170-171; Ann 21, IV, pp 136-137; WS 11, pp 19-21; WS
170–171; Alin 21, 1V, pp 130–137; WS 11, pp 13–21; WS 15, pp 41–42; WS 27, pp 43, 44, 46; WS 36, pp 133–134
profile of
water powers on
Ocoya Creek beds of California, description of and fossils fromAnn 14, 11, p 461 Octahedrite, occurrence of
Octable hite, analysis of
Octoraro Creek, Maryland, flow of, measurements of Ann 18, 19, p 16; Ann 19,
ıv, pp 128–129; Ann 20, ıv, pp 48, 110–111; Ann 21, ıv, p
93; WS 15, p 12; WS 27, pp 17, 23, 24; WS 35, pp 81–83
Odontornithes, classification of the subclass
© CEllacherite, chemical constitution of
Offretite, chemical constitution of
Ogallala formation of Nebraska
Ogden quartzite of Utah, age, character, and thickness of
и, р 103; Ann 12, и, рр 336, 353, 360; Ann 13, ии, рр
96, 99; Ann 18, IV, pp 321-322; Ann 19, IV, pp 436-439;
Ann 20, IV, pp 60, 465; Bull 140, pp 230–231; WS 11, p 78;
WS 16, p 160; WS 28, pp 151, 153, 154; WS 38, pp 336–337 Ogden and Weber rivers, Utah, hydrography of
Ogiski conglomerate of Lake Superior regionBull 86, pp 127–128, passim
Ohio; altitudes in
pp 229-242; Ann 20, 1, pp 415-416; Ann 21, 1, pp 456-461,
465–467; Bull 5, pp 227–240; Bull 76; Bull 160, pp 551–585 artesian wells in
Beaver River drainage system
Berea grit or sandstone from, statistics ofMR 1882, p 478; MR 1886, p 583
boundary lines of, and formation of, from territory northwest of Ohio
RiverBull 13, pp 28, 110–111; Bull 171, pp 116–117 bromine industry of, statistics ofMR 1883–84, pp 851–
852; MR 1885, p 487; MR 1886, p 642; MR 1887, pp 626,
627; MR 1888, p 613; MR 1889–90, p 493; MR 1891, p 579
building stone from, at World's Columbian ExpositionMR 1893, p 570

```
Ohio; building stone from, production of, statistics of..........MR 1882, p 451;
                  MR 1886, p.540; MR 1887, pp. 516-517, 521; MR 1888, pp.
                  540, 545; MR 1889-90, pp 373, 415-417; MR 1891, pp 461,
                  463, 464, 467; MR 1892, pp 710, 711; MR 1893, pp 553-555,
                  556, 557; Ann 16, IV, p 437 et seq; Ann 17, III cont, pp
                  760, 775 et seq; Ann 18, v cont. pp 951, 1012 et seq, 1063;
                  Ann 19, vi cont, pp 207, 264 et seq, 302-303; Ann 20,
                  vi cont, pp 271, 336 et seq; Ann 21, vi cont, p 335 et seq
  MR 1891, pp 532-536; MR 1892, pp 739, 743, 744, 745; MR
                  1893, pp 619, 621-622; Ann 16, IV, pp 577, 581; Ann 17,
                  III cont, pp 884, 885, 886, 891; Ann 18, v cont, pp 1170, 1175,
                  1179; Ann 19, vi cont, pp 487, 488, 493, 495; Ann 20, vi
                  cont, pp 539, 540, 547; Ann 21, vr cont, pp 393, 402, 408
   MR 1883-84, pp 681, 684, 685-686, 693; MR 1885, pp 416,
                  418; MR 1886, pp 568-569; MR 1887, pp 536, 539, 540; MR
                  1888, pp 562-563, 566; MR 1891, p 509; MR 1893, p 609;
                  Ann 18, v cont, p 1145; Ann 21, vi cont, pp 362, 363
   .521; Ann 17, 111 cont, pp 820 et seq, 866-869; Ann 18, v cont,
                  p 1078 et seq; Ann 19, vi cont, pp 318 et seq, 368; Ann 20,
                  vi cont, pp 467 et seq, 530; Ann 21, vi cont, pp 362, 363
   MR 1882, pp 65-66; MR 1883-84, pp 12, 59, 66; MR 1885, pp
                  11, 43-45; MR 1886, pp 224, 230, 289-294; MR 1887, pp 169,
                  171, 281-288; MR 1888, pp 169, 171, 294-301; MR 1889-90.
                  pp 147, 235-240; MR 1891, pp 180, 275, 287; MR 1892, pp
                  264, 267, 268, 443-456; MR 1893, pp 188, 189, 194, 195, 197,
                  199, 200, 329-342; Ann 16, IV, pp 7 et seq, 156-161; Ann
                  17, III, pp 287 et seq, 464-472, 542; Ann 18, v, pp 352 et
                  seq, 562-570; Ann 19, vi, pp 278 et seq, 467-477; Ann 20, vi,
                  pp 299 et seq, 448-453; Ann 21, vi, pp 324 et seq, 476-481
  of Pennsylvania, Ohio, and West Virginia, stratigraphy of (bitumi-
                  nous) ......Bull 65
  coke in, manufacture of .. MR 1883-84, pp 171-175; MR 1885, pp 80, 93-96; MR 1886,
                  pp 378, 384, 403-408; MR 1887, pp 383, 389, 407-409; MR
                  1888, pp 395, 400, 413-414; MR 1891, pp 360, 361, 366, 384-386;
                  MR 1892, pp 555 et seq, 580-581; MR 1893, pp 418 et seq,
                  441-442; Ann 16, IV, pp 225 et seq, 264-267; Ann 17, III cont,
                  pp 544 et seq, 588-590; Ann 18, v cont, pp 661 et seq, 708-
                  711; Ann 19, vi, pp 548 et seq, 603-606; Ann 20, vi, pp 512 et
                  seq, 569–572; vi cont, p 228; Ann 21, vi, pp 253 et seq, 588–592
   gas, illuminating and fuel, and by-products in, statistics of..................Ann 20,
                                               vi cont, p 228 et seq
  gas, inflammable, and petroleum in Ohio and Indiana, Trenton limestone
                  as a source of.................................Аnn 8, п, pp 475-662
  ı, pp 254-257; Ann 21, ı, pp 259-260; Bull 123, pp 101-103
  geologic conditions in northwestern, summary of......Ann 19, tv, pp 709-710
```

```
(See Map, geologic, of Ohio.)
  geologic sections in. (See Section, geologic, in Ohio.)
  20-21; Ann 4, p 25; Ann 5, p 23; Ann 6, pp 35, 36, 74,
                   75; Ann 7, p 67; Ann 9, pp 77; Ann 11, 1, p 74; Ann
                   12, I, p 89; Ann 13, I, p 121; Ann 18, I, pp 27, 62-63;
                   Ann 19, 1, p 62; Ann 20, 1, p 61; Ann 21, 1, pp 71-72
  glacial boundary in western Pennsylvania, Ohio, Kentucky, Indiana, and
              Illinois......Bull 58
  glacial investigations in .... Ann 3, pp 334, 337, 339-342; Ann 7, pp 157, 227-228
  p 527; MR 1883-84, p 811; MR 1885, p 462; MR 1886,
                 p 620; MR 1887, pp 596-599; MR 1889-90, p 465; MR
                 1891, pp 580, 582; MR 1892, pp 802, 803; MR 1893, p 714;
                 Ann 16, IV, pp 663, 664; Ann 17, III cont, pp 979, 980,
                981; Ann 18, v cont, pp 1266, 1267; Ann 19, vi cont, pp 581,
                 582; Ann 20, vi cont, p 661; Ann 21, vi cont, pp 526, 527
  p xxviii; MR 1882, pp 120, 125, 129 et seq; MR 1883-84,
                 pp 252, 275-276; MR 1885, pp 182, 184, 186; MR 1886, pp
                 18, 56-61; MR 1887, pp 11, 16, 46; MR 1888, pp 14, 17, 23;
                 MR 1889-90, pp 10, 12, 17; MR 1891, pp 12, 26, 54, 55, 61;
                 MR 1892, p 12 et seq; MR 1893, pp 15, 20, 26, 28, 35, 38,
                 39; Ann 16, 111, pp 31, 41, 192, 194, 203, 208, 249, 250; Ann
                 17, 111, pp 26, 27, 39 et seq; Ann 18, v, pp 24, 41, 42; Ann
                 19, vi, pp 26, 27, 29, 66, 68, 69, 70, 72; Ann 20, vi, pp 29,
                 41, 43, 44, 74 et seq; Ann 21, vi, pp 34, 51, 52, 53, 90 et seq
   lime production of, statistics of .................MR 1887, p 533; MR 1888, p 556
   1885, p 412; MR 1886, p 540; MR 1887, p 516; MR 1888, p
                 540; MR 1889-90, pp 373, 417; MR 1891, pp 464, 467; MR
                 1892, p 711; MR 1893, pp 556, 557; Ann 16, IV, pp 437, 494,
                 495, 509; Ann 17, III cont, pp 760, 788, 789, 791, 794; Ann
                 18, v cont, pp 951, 1044, 1046, 1047, 1063; Ann 19, vi cont,
                 pp 207, 281, 282, 283, 302-303; Ann 20, vt cont, pp 271,
                 342, 343, 344, 345, 350; Ann 21, vi cont, pp 335, 357-360
   (See Map, geologic, of Ohio.)
   maps, geologic, of.
                   (See Map, topographic, of Ohio; also list on p 91.)
   maps, topographic, of.
   flow of, measurements of............WS 27, pp 66, 67, 68; WS 36, pp 178-179
      profile of ......WS 44, p 60
   84, p 984; MR 1885, p 539; MR 1886, p 718; MR 1887, p
                 685; MR 1888, p 628; MR 1891, pp 603, 607; MR 1892, pp
                 824, 830; MR 1893, pp 774, 780-781, 784, 791, 794; Ann
                 16, iv, pp 709, 716, 720; Ann 17, iii cont, pp 1027, 1037,
                 1041; Ann 18, IV, pp 493-495; Ann 18, V cont, pp 1371,
                 1382, 1386; Ann 19, vi cont, pp 661, 672-673, 677; Ann 20,
                 vi cont, pp 749, 762, 767; Ann 21, vi cont, pp 600, 614, 619
```

```
Ohio; minerals of, useful ...............MR 1882, pp 718-721; MR 1887, pp 775-778
   Muskingum River, drainage system of......Ann 18, 1v, pp 460-463
      rainfall, run-off, evaporation, and mean temperature of .... WS 24, pp 55-56
   pp 236, 237, 243; MR 1885, pp 166-167; MR 1886, pp 504-
                   508; MR 1887, pp 466, 479-484; MR 1888, pp 483-485,
                   489-499; MR 1889-90, p 367; MR 1891, p 438; MR 1892,
                   pp 676, 680-690, MR 1893, pp 536, 537, 539; Ann 16, IV,
                   p 415 et seg; Ann 17, 111 cont, p 734 et seg; Ann 18, v
                   cont, p 900 et seq; Ann 19, vi cont, p 168 et seq; Ann
                    20, vi cont, p 207 et seq; Ann 21, vi cont, p 299 et seq
   Ann 21, IV, p 169; WS 27, pp 60, 65; WS 36, pp 175-176
   paint, mineral, production of ....MR 1892, p 818; MR 1893, p 761; Ann 16, IV, p
                  698; Ann 17, III cont, pp 1016, 1017; Ann 18, v cont, p 1342;
                  Ann 19, vi cont, pp 642, 643; Ann 20, vi cont, pp 728, 729
   petroleum localities and statistics of ..... MR 1882, p 189; MR 1883-84, pp 215-
                  216; MR 1885, p 146; MR 1886, pp 441, 458-461; MR 1887,
                  pp 438, 451; MR 1888; pp 444, 459-462; MR 1889-90, pp
                  292, 318-329; MR 1891, pp 405, 407, 426-431; MR 1892, pp
                  604, 606, 611, 630-638; MR 1893, pp 465, 466, 470, 489-500;
                  Ann 16, IV, pp 317, 320, 327, 348-364; Ann 17, III cont, pp
                  623 et seq, 670-692; Ann 18, v cont, pp 750 et seq, 803-828;
                  Ann 19, vi cont, pp 2 et seq, 22, 27,59-86; Ann 20, vi cont,
                  pp 3, 4, 5, 7, 34, 67-99; Ann 21, vi cont, pp 2 et seq, 88-132
   petroleum and inflammable gas in Ohio and Indiana, the Trenton lime-
                  stone as a source of......Ann 8, 11, pp 475-662
   rainfall in.......Ann 18, IV, pp 555-559; WS 24, pp 52, 55-56; WS 29, p 72
      rocks of, their classification, etc......Bull 80,
                           pp 41, 43, 87, 94, 101–102, 140, 177, 183, 184–189
   MR 1883-84, pp 827, 836-839; MR 1885, pp 474, 479; MR
                  1886, pp 628, 637; MR 1887, pp 611, 618-619; MR 1888,
                  pp 597-598, 604; MR 1889-90, pp 482, 488; MR 1891, p 572;
                  MR 1892, pp 793, 794, 799, MR 1893, pp 719, 720, 721, 726;
                  Ann 16, iv, pp 647, 648, 649; Ann 17, iii cont, p 985 et seg;
                  Ann 18, v cont, p 1274 et seq; Ann 19, vi cont, p 588 et seq;
                  Ann 20, vi cont, p 670 et seg; Ann 21 vi cont, p 534 et seg
  sandstone production of ........MR 1882, p 451; MR 1887, p 521; MR 1888, p 545;
                 MR 1889-90, pp 374, 415; MR 1891, pp 461, 463; MR 1892,
                  p 710; MR 1893, pp 553-555; Ann 16, IV, pp 437, 484 et seq;
                  Ann 17, 111 cont, pp 760, 775 et seq; Ann 18, v cont, pp 951,
                  1012 et seq; Ann 19, vr cont, pp 207, 264 et seq; Ann 20, vr
                  cont, pp 271, 336 et seq; Ann 21; vr cont, pp 335, 353 et seq
   Sandusky River, flow of, measurements of .. WS 27, pp 67, 68; WS 36, pp 179-181
   pp 169-170; WS 27, pp 60, 65; WS 36, pp 176-177
```

Ohio; sections, geologic, in. (See Section, geologic, in Ohio.)
sewage-disposal plants in
soils of Huntington quadrangle
topographic maps of. (See Map, topographic, of Ohio; also list on p 91.)
topographic work in
Wabash River, flow of, measurements of       Ann 21, IV, pp 170–171         water resources of       Ann 18, IV, pp 419–559
water resources of
waters, rock, of
wells of, ground-water, drift, rock, etc
wells, artesian, of, deep channels in
wells, flowing, of
woodland area in
Ohio Basin; extent, structure, and topography of GF 46, p 1; GF 47, p 1; GF 53, p 1
stream measurements inAnn 18, iv, pp 111–123; Ann 19, iv, pp 253–262;
Ann 20, IV, pp 195–216; Bull 140, pp 77–82; WS 11, pp 41–46;
WS 15, pp 58-64; WS 27, pp 59-66; WS 36, pp 157-177
Ohio formation of Colorado
Ohio River, profile of
Ohio River drainage system
Ohio shale as a source of gas in Ohio
Oil and gas producing horizons of PennsylvaniaMR 1892, pp 616, 676–680
of West Virginia
Oil fields of United States
of Wyoming, history, geology, etc., of
cont, pp 702–707; Bull 119, pp 63–65
(See, also, Petroleum.)
Oil rock, analysis of, from Ohio, LimaBull 148, p 261; Bull 168, p 259
Oilstones and whetstones, statistics of
pp 553-555; MR 1892, pp 750-751; MR 1893, pp 672-674;
Ann 16, IV, pp 588-590; Ann 17, III cont, pp 931-933; Ann
18, v cont, pp 1224–1227; Ann 19, vi cont, pp 520–523; Ann
20, vi cont, pp 613-615; Ann 21, vi cont, pp 463, 472-478
Okenite, chemical constitution ofBull 125, p 81, 105
Oklahoma; altitudes in
Ann 20, 1, pp 416–418; Bull 160, pp 586–587
asphaltum product of, statistics ofAnn 18, v cont, p 929; Ann 19, v1 cont,
pp 190, 194; Ann 20, vi cont, p 254; Ann 21, vi cont, p 321
boundaries of
boundaries of Bull 171, p 128 boundary line (Oklahoma-Indian Territory), survey of Ann 20, 1, p 99 building stone from, statistics of Ann 20, vi cont, pp 271, 342, 345; Ann 21, vi cont, p 335 et seq Canadian River, flow of, measurements of WS 37, pp 268-269 clay products of, statistics of Ann 16, 1v, pp 518, 519, 520, 521; Ann 17, 111 cont, p 820 et seq; Ann 18, v cont, p 1078 et seq; Ann 19, vi cont, p 318 et seq; Ann 20, vi cont, p 467 et seq geologic maps of. (See Map, geologic, of Oklahoma.)
boundaries of Bull 171, p 128 boundary line (Oklahoma-Indian Territory), survey of Ann 20, 1, p 99 building stone from, statistics of Ann 20, vi cont, pp 271, 342, 345; Ann 21, vi cont, p 335 et seq Canadian River, flow of, measurements of WS 37, pp 268-269 clay products of, statistics of Ann 16, 1v, pp 518, 519, 520, 521; Ann 17, 111 cont, p 820 et seq; Ann 18, v cont, p 1078 et seq; Ann 19, vi cont, p 318 et seq; Ann 20, vi cont, p 467 et seq geologic maps of (See Map, geologic, of Oklahoma.) geologic sections of (See Section, geologic, of Oklahoma.)
boundaries of Bull 171, p 128 boundary line (Oklahoma-Indian Territory), survey of Ann 20, 1, p 99 building stone from, statistics of Ann 20, vi cont, pp 271, 342, 345; Ann 21, vi cont, p 335 et seq Canadian River, flow of, measurements of WS 37, pp 268-269 clay products of, statistics of Ann 16, 1v, pp 518, 519, 520, 521; Ann 17, 111 cont, p 820 et seq; Ann 18, v cont, p 1078 et seq; Ann 19, vi cont, p 318 et seq; Ann 20, vi cont, p 467 et seq geologic maps of (See Map, geologic, of Oklahoma.) geologic sections of. (See Section, geologic, of Oklahoma.) limestone production of, statistics of Ann 20, vi
boundaries of Bull 171, p 128 boundary line (Oklahoma-Indian Territory), survey of Ann 20, 1, p 99 building stone from, statistics of Ann 20, v1 cont, pp 271, 342, 345; Ann 21, v1 cont, p 335 et seq Canadian River, flow of, measurements of WS 37, pp 268-269 clay products of, statistics of Ann 16, 1v, pp 518, 519, 520, 521; Ann 17, 111 cont, p 820 et seq; Ann 18, v cont, p 1078 et seq; Ann 19, v1 cont, p 318 et seq; Ann 20, v1 cont, p 467 et seq geologic maps of (See Map, geologic, of Oklahoma.) geologic sections of (See Section, geologic, of Oklahoma.) limestone production of, statistics of Ann 21, v1 cont, pp 335, 357 et seq
boundaries of Bull 171, p 128 boundary line (Oklahoma-Indian Territory), survey of Ann 20, 1, p 99 building stone from, statistics of Ann 20, vi cont, pp 271, 342, 345; Ann 21, vi cont, p 335 et seq Canadian River, flow of, measurements of WS 37, pp 268-269 clay products of, statistics of Ann 16, 1v, pp 518, 519, 520, 521; Ann 17, 111 cont, p 820 et seq; Ann 18, v cont, p 1078 et seq; Ann 19, vi cont, p 318 et seq; Ann 20, vi cont, p 467 et seq geologic maps of (See Map, geologic, of Oklahoma.) geologic sections of. (See Section, geologic, of Oklahoma.) limestone production of, statistics of Ann 20, vi
boundaries of Bull 171, p 128 boundary line (Oklahoma-Indian Territory), survey of Ann 20, 1, p 99 building stone from, statistics of Ann 20, vi cont, pp 271, 342, 345; Ann 21, vi cont, p 335 et seq Canadian River, flow of, measurements of WS 37, pp 268-269 clay products of, statistics of Ann 16, 1v, pp 518, 519, 520, 521; Ann 17, 111 cont, p 820 et seq; Ann 18, v cont, p 1078 et seq; Ann 19, vi cont, p 318 et seq; Ann 20, vi cont, p 467 et seq geologic maps of (See Map, geologic, of Oklahoma.) geologic sections of (See Section, geologic, of Oklahoma.) limestone production of, statistics of Ann 20, vi cont, pp 271, 342, 345; Ann 21, vi cont, pp 335, 357 et seq magnetic declination in Ann 17, 1, pp 403-404

Oklahoma; salt from, statistics of
salt making in, history of
sections, geologic, in. (See Section, geologic, in Oklahoma.)
topographic maps of. (See Map, topographic, of Oklahoma; also list on p 91 of this bulletin.)
topographic work in
18, 1, pp 94, 95; Ann 19, 1, pp 89, 90, 103; Ann 20, 1, p 102
water supply of, for irrigation purposes
woodland area of
"Old Red Sandstone" of Lake Superior region
pp 188, 194; Bull 86, pp 51, 52, 84, passim
Oleaceæ of Alaska
of North America, extinct
of Yellowstone Park
Olenellus howelli from Nevada, Eureka district, observations onMon viii, pp 30-39
Olenellus shale of Nevada
Olenellus zone, bibliography of rocks and fossils of
fauna of Lower Cambrian
genera and species of, notes on
geographic distribution of fauna of, in North America and Europe
10, 1, pp 564–581 geologic description of
historical review of, for North America and Europe
Olentangy River, Ohio, flow of, measurements ofAnn 20, IV, pp 215–216; Ann
21, IV, p 169; WS 27, pp 60, 65; WS 36, pp 175–176
Oligocene, inapplicability of, in American nomenclatureBull 83, pp 16, 89
Oligocene fossils; insects from Colorado and UtahBull 93
of Oregon
Oligocene history of Black Hills
Oligocene horizons, correlation of
Oligocene, lower, and Eocene coral faunas of United States, with descriptions of a few doubtfully Cretaceous speciesMon xxxix
Oligocene rocks of Florida
of Louisiana Bull 142, pp 24–25
of Oregon, northwestern
Oligoclase, analysis of, from Massachusetts, Palmer
analyses of, from North Carolina, Bakersville, and from Macon County. Bull 60,
n 120. Rull 74 n 55
composition of
occurrence and statistics of MR 1887, p 560; Ann 16, IV, p 605; Ann 17, III
cont, p 924; Ann 18, v cont, p 1217; Ann 19, v1 cont, p 513 Oliphant (F. H.), natural gas, statistics of
Ann 19, vi cont, pp 167–185; Ann 20, vi
cont, pp 203–224; Ann 21, vi cont, pp 293–318
petroleum, statistics ofAnn 18, v cont, pp 747-893; Ann 19, vi cont, pp
1–166; Ann 20, vi cont, pp 1–202; Ann 21, vi cont, pp 1–292
Olive grit of New York-Vermont
Olivenite from Utah, Tintic mining district, descriptions and analyses ofAnn 19, III, p 697; Bull 20, pp 83-84; Bull 55, pp 39-40
Olividæ of Miocene deposits of New JerseyBull 20, pp 33-34, Bull 20, pp 33-34
Olivine, analysis of, from Kansas, Kiowa County (meteoric)Bull 78, p 94
analysis of, from Kentucky, Elliott CountyBull 38,
pp 24–25; Bull 42, p 136; Bull 148, p 92; Bull 168, p 56
· · · · · · · · · · · · · · · · · · ·

Olivine, analysis of, from Minnesota, Birch LakeBull 148, p 111; Bull 168, p 81 analysis of, from New Mexico, near Fort WingateBull 78, p 13 from Oregon, RiddlesBull 60,
p 23; Bull 148, p 231; Bull 150, p 298; Bull 168, p 221
chemical constitution of
composition ofBull 150, p 39
in basalts of Nevada, Eureka district
nodule of, from basalt from Arizona, near Mount Trumbull, description
of, as one of the educational seriesBull 150, pp 258-261
occurrence of
thin section of, from Nevada, Eureka district (from basalt). Mon xx, pp 396-397
Olivine-basalt, analysis of, from California, Alpine CountyBull 168, p 218
analysis of, from California, Bidwell Bar quadrangle
ı, p 568; Bull 148, p 203; Bull 168, p 189
from Connecticut, South BritainBull 168, p 35
from Virginia, Chatham
of Connecticut, Pomperaug Valley
Olivine-bearing pyroxene-andesite from Nevada, Virginia City, description of,
as one of the educational seriesBull 150, pp 228–231
Olivine-diabase, analysis of, from Minnesota, Pigeon PointBull 150,
p 275; Bull 168, p 76
analysis of, from Washington, Kittitas CountyBull 168, p 225
from Alaska
from Michigan, Keweenaw series
from Minnesota, Pigeon Point, description of, as one of the educational
series
thin section of, from Minnesota, French River
from Minnesota, near Sucker River
Pigeon Point
T. 51, R. 12 W., SE. 4 sec. 9
Olivine-dolerite of California, Truckee quadrangle
Olivine-gabbro, analysis of, from California, Tuolumne CountyBull 168, p 206
analysis of, from Maryland, Orange Grove
p 674; Bull 148, p 85; Bull 168, p 44
from Minnesota, Birch LakeBull 90, p 68; Bull 148, p 111; Bull 168, p 81
Pigeon PointBull 55, p 82; Bull 109, pp 37, 63; Bull 148, p 106
T. 61 N., R. 12 W., sec. 35Bull 90, p 68; Bull 148, p 112; Bull 168, p 82
from Montana, Big Timber Creek, Crazy MountainsBull 148,
p 144; Bull 168, p 122
of Lake Superior district, Keweenaw series. Ann 3, pp 102-104; Mon v, pp 37-50
of Minnesota, Pigeon PointBull 109, pp 32–38
thin section of, from Lake Superior district
from Maryland, HowardvilleBull 28, p 53
from Minnesota, French River and near Sucker River Mon v, pp 38-39
Pigeon Point
from Wisconsin, Bladder Lake
Olivine-serpentine of Massachusetts, western
Olympic Forest Reserve, Washington, report on
Onagraceæ from Alaska
Onagrarieæ from Laramie group
Oneida Creek, New York, flow of, measurements of
Oneota limestone of Iowa
Onion Creek marl and allied deposits in Texas
Onondaga series in Ohio as a water carrier
2010 to the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the territory and the

Ontario; corundum in, occurrence of
sections, geologic, in. (See Section, geologic, in Canada, Ontario.) (See, also, Canada.)
Onustidæ from clays and marls of New Jersey Mon xvIII, pp 135–137, 227–228 Onyx marble, characteristics, preparation, occurrence, etc. Ann 20, vi cont, pp 286–291
Oolite, analysis of, from Pennsylvania, near State College
from Pennsylvania, Center County, description of, as one of the educational series (siliceous)
thin section of, from Pennsylvania, Center County (siliceous). Bull 150, pp 96-97 Oolitic limestone, description of the rock as one of the educational series. Bull 150, pp 103-105
Oolitic sand, analysis of, from shore of Great Salt LakeBull 27, p 69
description of the rock, as one of the educational seriesBull 150, pp 102-103
of Lake Bonneville and of Great Salt Lake
Oostanaula River, Georgia, flow of, measurements of
pp 51, 190–191; Ann 21, 1v, pp 147–148; WS 11, pp 28–
30; WS 15, p 50; WS 27, pp 52, 57, 58; WS 36, pp 146–147
Opal, analysis of, from Colorado, Buffalo Peaks
occurrence and statistics of MR 1883-84, pp 760-761,
MR 1888, pp 581–582; MR 1891, pp 540, 549–550; MR 1892, pp 776–777; MR 1893, pp 682, 698; Ann 16, iv, pp 603, 604,
605; Ann 17, 111 cont, pp 914–916, 923; Ann 18, v cont, pp
1209–1211, 1217; Ann 19, vi cont, pp 507–508, 513; Ann 20,
vi cont, pp 589-590, 599; Ann 21, vi cont, pp 453, 454, 461
(See Precious stones.)
Opeche formation of Black Hills
Ophitoid quartz-augite-diorite of Sierra Nevada
Ophiuridæ, Mesozoic, of United States
Optical properties of plagioclase in pyroxene-andesite
Oquirrh Mountains, Utah, geology and economic resources of Ann 16, 11, pp 349-369
Archean and Algonkian rocks of
rocks of
rocks of
rocks of
rocks of
rocks of
rocks of
rocks of
rocks of
rocks of
rocks of
rocks of
rocks of

Ore, precious-metal; analysis of, from Colorado, Aspen mining districtMon xxxi,
p 226
analysis of, from Colorado, Cripple Creek district, Blue Bird mine Ann 16,
п, р 124, 175, 199
from Colorado, Custer County, Bassick mine
Custer County, Geyser mine
Iron Hill (sulphide)
Leadville district (chloride)
(siliceous)
Mosquito Range
Telluride district, Smuggler vein
Tourtelotte Park (oxidized)
Eureka
Eureka district
from Utah, Mercur mining district, Golden Gate mine (sulphide)Ann 16,
it, p 424
Mercur mining district, Marion Hill
Tintic mining district (massive)
deposition of, as sulphides
Mon XIII, pp 397, 438; 'Mon xx, pp 310–311
by impregnation
formation of, mode of
of Colorado, Cripple Creek district, occurrence, deposition, source, etc.,
of
Leadville district (chloride)
description and composition of
p 235; Mon xII, pp 376-377, 543-548, 616-619
manner of occurrence of
La Plata quadrangle
Telluride district, origin and age of
of Idaho, western-central, structure of
of Montana, Butte district, distribution, deposition, etc., ofGF 38, pp 5-6
of Nevada, Comstock mines
Comstock vein, source of
Eureka district, age of
arrangement in chambers
comparison of, with deposits of Raibl, CarinthiaMon vii, p 103
deposition of, manner of
miner's classification of
occurrence of
Prospect Mountain, source of
Prospect Mountain and Ruby HillAnn 4, p 250; Mon v11, pp 50-63
reduction of
rhyolite as a source of
segregation of
source of
of Oregon, in veins of Bohemia region
pseudomorphism after limestone, evidences of, in
secondary alteration of
(See, also, Gold; Silver, etc.)
·

Ore, quicksilver. (See Quicksilver.)
Ore bodies, precious-metal, caves in connection with
effects of oxidation on bulk of
electrical activity of
of California, New Almaden, form of
of Colorado, near Rosita and Silver Cliff, forms ofAnn 17, 11, pp 467–469
of Nevada, Virginia group of bonanzas
vein formation, theories of
pp 18–21, 30; Mon vii, pp 80–106, 187–190; Mon xii, p
378; Mon xiii, pp 407–450, 473–475; Mon xx, pp 310–311
Ore bodies and fissures, precious-metal, connection betweenMon vii, p 75
relative ages of
Ore concentration, precious-metal, by aqueous action in Colorado, Cripple Creek
district
Ore deposition, precious-metal, in Colorado, Aspen districtMon xxx1, pp 224-236
in Colorado, Rico Mountains
Telluride district, manner of
in Utah, Tintic districtGF 65, pp 5–7
theories of, practical test of
Ore deposits, precious-metal, age of
classification of
according to different authors
fallacies regarding
of Colorado, Leadville
Leadville, Carbonate Hill
Fryer Hill
Telluride quadrangle
Tenmile district
of Idaho; Idaho Basin and Boise RidgeAnn 18, 111, pp 638-650, 712, 7, 18
of Montana, Judith Mountains
Little Belt Mountains quadrangle
of Nevada, Eureka district, Adams Hill
Eureka district, classification of
geology of
theory in regard to formation of
of Utah, Tintic district, structure, genesis, etcAnn 19, III, pp 684-704, 709-723
source of metallic minerals in
Ore genesis, theories of
Ore roastingBull 26, pp 16–18, 22–24, 76
Ore shoots in fissures of Colorado, Cripple Creek district, causes, etc., ofAnn 16,
п, pp 162–166
Ore smelting in shaft-furnace process
Ores and slags, classification of
Oregon; aboriginal lapidary work in
altitudes in
375–381; Ann 20, I, pp 474–483; Ann 21, I, pp 553–570; Bull
5, pp 241–244; Bull 72, p 226; Bull 76; Bull 160, pp 588–595
Ashland Forest Reserve, report on
atlas sheets of. (See p 91 of this bulletin.)
Blue River mining region, notes on
Bohemia mining region of western
borax deposits at Chetco MR 1889-90, pp 504-505
potaz depostis at Ottettopp 304-303

Oregon; boundary lines of, formation of territory, admiss	ion of StateBull 13,
	1, 128; Bull 171, pp 135–136
building stone, at World's Columbian Exposition	
in Roseburg quadrangle	
production of, statistics of	
± '	
pp 706, 708, 710; MR 1893, pp 54	
pp 437, 444, 457, 458, 461, 468, 48	
761, 763, 777, 788, 789, 791; Ar	
954, 956, 971–973, 1013, 1044, 10	
pp 207 et seq, 265, 277, 281, 2	282, 283; Ann 20, vi cont,
pp 271, 275, 276, 336 et seq; An	in 21, vi cont, p 335 et seq
Calapooya Mountain, composition, structure, and age	ofAnn 20, 111, pp 10-11
Cascade Range, structure and age of, notes on	Ann 20, 111, pp 32–36
topographic features of	
Cascade Range Forest Reserve and adjacent regions,	
Ouscided Italigo I of obt Itosof vo tilla tal justific fortis, i	v, pp 209-498
cement in Roseburg quadrangle	CTF 40 m 4
Cenozoic epoch in California, Washington, and	
Chico-Tejon series of Oregon and Washington, equiva	lents of Bull 51, pp 28–32
clay in Roseburg quadrangle	
production of, statistics of	Ann 16,
ıv, pp 518, 519, 520, 521; Ann 17,	m cont, p 820 et seq; Ann
18, v cont, p 1078 et seq; Ann	19, vi cont, p 318 et seq;
Ann 20, vi cont, p 467 et seq; A	
coal, area and statistics of	
MR 1883–84, pp 12, 66; MR 1	
pp 225, 230, 294–295; MR 1887,	
pp 170, 171, 301; MR 1888–1890,	
pp 180, 287; MR 1892, pp 265,	
pp 189 et seq, 342–343; Ann 16,	
Ann 17, 111, pp 287 et seq, 472–48	
570-571; Ann 19, vi, pp 278 et	
pp 300 et seq, 453-454; Ann 21	
in Roseburg quadrangle	
coal fields, hindrances to development of	
of westernAnn 17, r, j	рр 491–508; пл, рр 473–480
coal industry of	Ann 17, 1, pp 506–508
coke in, manufacture of	Ann 20, vi cont, p 228
Coos Bay coal field, geology of	Ann 19, 111, pp 309–376
Coos Bay quadrangle, forest conditions in	
copper in Roseburg quadrangle	GF 49. p. 4
Crater Lake, history of	
Deschutes River Basin, stream measurements in	
	n 21, 1v, pp 431–334; WS 16,
	.67, 169; WS 38, pp 377–379
forest conditions and standing timber of	
gas, illuminating and fuel, and by-products in, statist	
	•
vi cont, p	op 228, 241, 244, 246, 247, 249
geographic positions in	
Ann 19, 1, pp 180–183; Ann 20, 1,	
geography of, and conditions in southern, during Cret	aceous, Eocene, and
Miocene time	Ann 14, 11, pp 422–426
	•

_		
Ore		of. (See Map, geologic, of Oregon.)
	geologic reconnaissa	nce in northwesternAnn 17, 1, pp 441–520
		(See Section, geologic, in Oregon.)
	geologic and paleon	tologic investigations inAnn 4, p 41; Ann 5,
		p 49; Ann 6, pp 60, 73; Ann 7, p 102; Ann 8, 1, pp 156-164;
		Ann 10, 1, p 145; Ann 12, 1, pp 57, 100, 116; Ann 13, 1, pp
	•	131, 132, 187; Ann 17, 1, pp 49–52; Ann 18, 1, pp 47–49, 67;
		Ann 19, 1, pp 50-51, 66; Ann 20, 1, pp 50-51; Ann 21, 1, p 83
	glaciers, existing, of	United StatesAnn 5, pp 303–355
		adrangle
		, statistics of
	J	172 et seq; MR 1883-84, p 312 et seq; MR 1885, pp 201-203;
		MR 1886, pp 104, 105; MR 1887, pp 58, 59; MR 1888, pp 36,
	•	37; MR 1889-90, p 49; MR 1891, pp 75, 76, 77, 78, 79; MR
	· ·	1892, pp 50 et seq, 80-81; MR 1893, p 50 et seq; Ann 17,
	•	III, p 72 et seq; Ann 18, v, p 141 et seq; Ann 19, vi, p 127
		et seq; Ann 20, vi, p 103 et seq; Ann 21, vi, p 121 et seq
	gold mining industr	y in western
		of, statistics of
	granite production	
		MR 1893, pp 544, 546; Ann 16, IV, pp 437, 444, 457, 458, 461;
		Ann 17, 111 cont, pp 760, 761, 763; Ann 18, v cont, pp 951, 952,
		954, 956, 971–973; Ann 19, vi cont, pp 207, 208, 209, 210, 211;
	11	Ann 20, vi cont, pp 275, 276; Ann 21, vi cont, p 335 et seq
		Ann 13, 11, pp 201–202
	•	, measurements of
		Ann 19, IV, pp 498–500 of
		statistics ofAnn 2, p xxviii; MR 1882, pp 120, 129,
	,	131; MR 1883–84, pp 252, 287; MR 1885, p 182; MR 1886, p
	•	18; MR 1888, p 15; MR 1889–90, pp 10, 17; MR 1891, pp 12,
	•	27; MR 1892, pp 12, 13, 15, 21, 26, 36; MR 1893, pp 15, 20, 26,
		28, 35; Ann 16, III, pp 31, 194, 249, 250; Ann 17, III, pp 26,
	•	47, 48, 57, 63, 68; Ann 19, vi, pp 66, 72; Ann 20, vi, pp 75, 85
		Ann 17, 1, pp 508–512
		file of
		fossils in
		production of, 1888–1895Ann 20, 111, p 8
	lead from, statistics	ofAnn 17, 111, p 134; Ann 18, v, p
		240; Ann 19, vi, p 201; Ann 20, vi, p 226; Ann 21, vi, p 229
		n ofMR 1889–90, pp 373, 418; MR 1893, p 556; Ann
	•	17, III cont, pp 760, 788, 789, 791; Ann 18, v cont, pp 951,
		1044, 1046, 1047; Ann 19, vi cont, pp 281, 282, 283; Ann 20, vi
		cont, pp 271, 342 et seq; Ann 21, vi cont, pp 335, 357 et seq
		le of economic importance in
	lumber industry in	
	magnetic declination	n in
		v of, measurements ofAnn 11,
		11, p 106; Ann 12, 11, pp 344, 358, 360; Ann 13, 111, pp
		98, 99; Ann 18, IV, pp 348-350; Ann 20, IV, p 62; Bull 131,
		p 66; Bull 140, pp 242-243; WS 11, p 83; WS 16, p 169
	maps, geologic, of.	(See Maps, geologic, of Oregon.)
		•

Oregon; maps, topographic, of. (See Map, topographic, of Oregon; also list on	
p 91 of this bulletin.) mineral spring resorts in	
mineral springs of	
p 984; MR 1885, p 540; MR 1886, p 718; MR 1887, p 685; MR	
1888, p 628; MR 1889–90, p 531; MR 1892, pp 824, 830; MR	
1893, pp 774, 781, 784, 791, 794; Ann 16, IV, pp 709, 717, 720;	
Ann 17, 111 cont, pp 1027, 1037, 1042; Ann 18, v cont, pp	
1371, 1382, 1387; Ann 19, vi cont, pp 661, 673, 678; Ann 20,	
vi cont, pp 749, 762, 767; Ann 21, vi cont, pp 600, 614, 620	
minerals of, useful	
Mollusca, fossil, marine Eocene, fresh-water Miocene, and other, of west- ern North AmericaBull 18	
Mollusca, Pleistocene and recent, of Great Basin, with descriptions of new	
forms; introduced by sketch of Pleistocene lakes of	
Great BasinBull 11	
Mount Mazama, history of	
nickel ores from	
1883–84, pp 537, 539; MR 1887, pp 127–128; MR 1891, p 168	
Owyhee River, flow of, measurements of	
II, p 106; Ann 12, II, pp 344, 357, 360; Ann 13, III, pp 98, 99;	
Ann 14, 11, pp 130–132; Ann 18, 1v, pp 346–347; Ann 20,	
ıv, p 62; Bull 131, pp 66–67; Bull 140, p 242; WS 11, p 82	
platinum from, character of	
Port Orford quadrangle, forest conditions in	
Portland waterworks, concrete dams of	
quicksilver in Roseburg quadrangle	
production of, statistics of	
road metal, use of basalt as	
geologic formations in the	
geology of	
sandstone of, of economic importance	
sandstone production ofMR 1889–90, pp 374, 418; MR 1892, p 710; MR	
1893, p 553; Ann 16, IV, p 485; Ann 17, III cont, p 777; Ann	
18, v cont, p 1013; Ann 19, vr cont, pp 265, 277; Ann 20, vr	
cont, pp 271, 336 et seq; Ann 21, vi cont, pp 335, 353 et seq	
sections, geologic, in. (See Section, geologic, in Oregon.)	
Siskiyou Mountains, topographic features of	
soda, natural, of Abert and Summer lakesBull 60, pp 53–55	
timber, standing, in	
topographic maps of. (See Map, topographic, of Oregon; also list on p 91 of this bulletin.)	
of this bulletin.) topographic work inAnn 7, p 57; Ann 8, 1, p 105; Ann 9, p 59; Ann 10, 1, p 97;	
Ann 15, pp 126–127; Ann 16, 1, pp 66, 68, 71; Ann 17, 1, pp	
97, 105; Ann 18, 1, pp 94, 95, 108-109; Ann 19, 1, pp 89-91,	
106; Ann 20, 1, pp 101, 102, 118, 124; Ann 21, 1, pp 136–137	
topography of Pacific coast, Tertiary revolution inAnn 14, 11, pp 397-434	
of western	
triangulation in	
Umatilla River, flow of, measurements of	
ıv, p 361; Ann 19, ıv, pp 493–494; Ann 20, ıv, pp 63,515; Ann 21, ıv, pp 429–430; Bull 131, pp 68–69; WS 11, p 88;	
WS 16, p 180; WS 28, pp 167, 169, 170; WS 38, pp 376–377	
TD 11 4 777 04 00	

•
Oregon; Umatilla River, irrigation from
Umpqua Mountains, topographic features of
water supply of, for irrigation purposes
Willamette River, profile of
woodland area of
Oregon beds of Oregon
Orendite, analyses of, from Wyoming, Leucite HillsBull 150, p 190; Bull 168, p 86
from Wyoming, Leucite Hills, description of, as one of educational seriesBull
150, pp 186–191 Oreodon beds of South Dakota
Organic matter an agent in formation of concretions in sandstonesMon xiii,
pp 64–68
Organic processes of soil formation
Organization of United States Geological Survey
ı, pp 3–69; Ann 21, ı, pp 19–22, 60–61 Organosols, chemical researches in
Original Huronian rocks of Canada and Great Lakes region. (See Algonkian;
Huronian; Laurentian.)
Original Laurentian rocks of Canada and Great Lakes region. (See Laurentian.)
Oriskany Creek, New York, flow of, measurements of
Ornithomimidæ of North America
Ornithomimus, description of
from Denver Basin, remains of
Ornithopoda, distribution of
Orogenic action and history in Narragansett Basin
nn 7 8 9-10 20-25 32-36
Orogenic movements in Alaska
in Mesocarboniferous of Missouri
in New York, Rensselaer Plateau region
in Sierra Nevada, evidence of lava flowsBull 89, pp 69-70
obliteration of evidence of unconformity by
Orogeny, discrimination of, from epeirogeny
(See, also, Diastrophism.)
Orographic blocks in Connecticut, Pomperaug BasinAnn 21, 111, pp 104–121
in Nevada, Eureka district
,
Orographic history of Bonneville Basin
Orographic movements in Colorado, Telluride quadrangle
in Great Basin, recent
post-Lahontan
(See, also, Diastrophism.) Orthaulax bed of FloridaBull 84, pp 112, 113–114, 332
Orthite in granite, thin section of, from Michigan, Horse Race RapidsBull 62, p 117
Orthoclase, analysis of, from Colorado, Leadville region (pink crystals of)Mon xII,
p 333; Bull 148, p 173; Bull 168, p 155
analysis of, from Minnesota, Pigeon Point (soda)Bull 55, p 82
from North Carolina, Iredell CountyBull 74, p 57
chemical constitution of
Orthoclase and albite, mixed, analysis of, from New Hampshire, Moulton-
boroBull 148, p 67; Bull 168, p 23
Orthoclase and microcline, mixed, analysis of
Orthoclase-gabbro, thin section of, from Lake Superior districtAnn 3, pp 104–105
thin section of, from Michigan, Lac La Belle, Keweenaw PointMon v, pp 50-51
from Minnesota, near Duluth
from minnesota, near Dutumiton v, pp 52-53

Orthoclase-gabbro, thin section of, from Minnesota, near Lester RiverMon v,
pp 50-51
thin section of, from Wisconsin, Brunschweiler RiverMon v, pp 50-51
Orthoclase-gabbro-diorite, analyses of, from Yellowstone Park, Hurricane
Ridge Mon xxxII, II, p 260; Bull 148, p 123; Bull 168, p 93
Orthofelsite, analysis of, from Pennsylvania, various localities. Bull 136, pp 34, 62, 78
Orthophyre tuff, analyses of, from California, Plumas County (apotrachyte) Ann 17, 1, p 727
Orthopteroidea from Rhode Island coal field
Orthosilicates of dyad bases, chemical constitution of
of tetrad bases, chemical constitution of
Orton (E.), gypsum or land plaster in OhioMR 1887, pp 596–601
quoted on Cincinnati arch or anticline
quoted on natural gas in Ohio
rock waters of Ohio
Trenton limestone as source of petroleum and inflammable gas in Ohio
and Indiana
Osage River, profile of
Osar border clay of Maine
Osar streams and osars in Alaska
Osars, deposition of, by subglacial or superficial streamsMon xxxiv, pp 420-440
in North and South Dakota
Osars and kames, formation and characters of, especially in Maine Mon xxxiv,
pp 330–333, 359–469, 413–448 Osceola till in Washington
Osmiridium, analyses of, from Australia, California, Russia, etcMR 1883–84, p 581
Osmium-iridium, statistics of
Ostracoda from the Pleistocene of Great BasinBull 11, p 23
Ostrea sellæformis beds of Alabama, correlation of
Ostreidæ; life history of the oyster
of Bear River formationBull 128, pp 32–33
of Carboniferous of North America
of Chico-Tejon series of CaliforniaBull 51, pp 14–15
of Colorado formationBull 106, pp 54–66
of Cretaceous of North America
of Pacific coastBull 133, p 34
of Jurassic of North America
of marl beds of New Jersey
of Miocene of North America
of North America, review of the (fossil)
nonmarine fossil
of Oligocene of North AmericaAnn 4, pp 311, 312
of Pliocene and post-Pliocene of North America
of Tertiary of North America
of Texas regionBull 151, pp 23–32
Oswego River, New York, flow of, measurements of
Otiorhynchidæ, Tertiary, of United States
Otter shale of Montana, description of and fossils from
III, pp 295-296; GF 55, p 2; GF 56, p 2
Otterdale sandstones in Richmond Basin
p 111; Bull 148, p 90; Bull 168, p 50
P, 2-5, p 00, Bull 100, p 00

Ottrelite, chemical constitution of
Ottrelite-phyllite rock, analysis of, from Maryland, Frederick CountyBull 148,
p 90; Bull 168, p 50
Ouachita Mountain Range, Arkansas-Indian Territory
Ouachita Mountain system, general description of
Ouachita Mountains region, Indian Territory, structure of
Ouachita River, profile of
Ouachitite, analysis of, from Arkansas, near Maple Spring
p 96; Bull 168, p 60
Ouray limestone in Colorado, Rico Mountains
in Colorado, southwestern, fauna of
Ouvarovite, chemical constitution of
Ouvalovite, Chemical Constitution of
Overloaded stream, an example of
Overplacement in soils
Overthrust phenomena in Narragansett Basin
Owyhee River, flow of, measurements of
п, р 106; Апп 12, п, рр 344, 357, 360; Апп 13, пп, рр 98, 99;
Ann 14, 11, pp 130–132; Ann 18, 1v, pp 346–347; Ann 20,
ıv, p 62; Bull 131, pp 66–67; Bull 140, p 242; WS 11, p 82
hydrography of basin of
Oxide films on steel, relation between time of exposure, temper value, and
color in
Oxmoor sandstone of Alabama
Oyster, life history of
Oyster marl of FloridaBull 84, pp 132–133, 332
Oysters, sedimentation due to, in harbors
Ozark Plateau, Arkansas, physiography of
Ozark ridges, examples of
Ozarkite, analysis of Bull 42, p 32
Ozocerite, statistics ofMR 1882, p 609; MR 1883-84, pp 955-957; MR 1888, p 515;
MR 1889-90, p 481; Ann 18, v cont, p 946; Ann 19, vi
cont, p 200; Ann 20, vi cont, p 267; Ann 21, vi cont, p 331
Pachnolite, analyses of, from Colorado and elsewhereBull 20, pp 52, 54
Pacific coast, geology of, general notes on
invertebrate fossils fromBull 51
mineralogy of, contributions to
paleontology of, CretaceousBull 133
quicksilver deposits of
Tertiary revolution in topography of
(See, also, California; Oregon; Washington.)
Packard (R. L.), aluminum, statistics of
MR 1883-84, pp 658-660; MR 1885, pp 390-392; MR
1886, pp 220–221; MR 1887, pp 138–141; MR 1888,
pp 160–164; MR 1889–90, pp 110–118; MR 1891, pp 147–
163; Ann 16, 111, pp 539-546; Ann 18, v, pp 281, 285
nickel ores, genesis of
sodium salts, statistics of
Packard rhyolite of Utah, Tintic district
Pahang, tin production of
Pahasapa limestone of Black Hills
Pahoehoe lava, character of
Paine shale of Montana, description, fossils, and sections of
111, pp 290–291, 329, 339, 362, 363; GF 55, p 2; GF 56, p 2

Painterite, analysis of, from Pennsylvania, Chester and Delaware counties Bull 90 p 1
Paints, mineral, analyses of, from Markville, Virginia; Chattanooga, Tennes-
see; and Cleveland, OhioMR 1885, pp 528, 530, 53
in Hawaii, occurrence of
production of, statistics of
pp 524–533; MR 1886, pp 702–714; MR 1887, pp 674–679
MR 1888, pp 616–622; MR 1889–90, pp 508–512; MR 1891
pp 595–598; MR 1892, pp 815–820; MR 1893, pp 758–766
Ann 16, IV, pp 694–700; Ann 17, III cont, pp 1011–1022
Ann 18, v cont, pp 1335–1347; Ann 19, v cont, pp 623–650
Ann 20, vi cont, pp 719-737; Ann 21, vi cont, pp 569-58
Palsanite, analysis of, from Texas, Mosquez Canyon Bull 164, p 9
Palache (C.), quoted on microscopic character of San Francisco serpentine. Ann 15
Paleoblattariæ of Rhode Island coal fieldBull 10
Palæoscincus, remarks on
Paleobotanists, biographic sketches of
Paleobotany. (See Plants, fossil.)
Paleontologic relations of Potomac formation
Paleontologic work of Survey to 1893, summary of
Paleontology; Bear River formation, fauna of
bibliography of Eocene of LouisianaBull 142, pp 27–30
of North American, 1888–1892Bull 12
bibliography and index of North American, 1892–1899Bulls 130
135, 146, 149, 156, 162, 175
Cambrian faunas of North America
Cambrian, lower, or Olenellus zone, fauna of
classification, paleontologic characters as basis forAnn 7, pp 372–37
correlation papers: Archean and AlgonkianBull 80
CambrianBull 8.
CretaceousBull 82
Devonian and CarboniferousBull 80
EoceneBull 88
Neocene Bull 8
Newark Bull 8
fossils dredged from sea floor near Cape Cod
fossils, Cretaceous, new, from CaliforniaBull 29
invertebrates. (See Invertebrates, fossil.)
Knoxville beds of Pacific coast, fauna ofBull 133
Lahontan Basin, Nevada, paleontologic contributions fromMon x1, pp 238-249
Mesozoic fossilsBull
objects of
of Alaska, notes on
of Atlantic slope, middle, Eocene deposits ofBull 143
of California, Mesozoic and Cenozoic Bull 18
of Kansas, Fort Riley Military ReservationBull 137, pp 33–34
of Louisiana, Tertiary fossils
of Massachusetts, Champlain clays
terrace period
western Mon xxix, pp 394–406
of Nevada, Eureka district
267, 269, 270-271; Mon viii; Mon xx, pp 182-184, 319-333

Paleontology of Virginia; coal measures of Richmond BasinAnn 19, 11, pp 430-435
of Texas, Black and Grand prairies
VII, pp 159–166, 171, 226–227, 239–240, 250–252, 256–257, 258,
260, 263–264, 265, 272, 277, 283, 285, 287, 290, 328, 335, 336, 344
of Yellowstone Park Mon xxxII, II, pp 440–882
quicksilver belt of California, historic geology of, with lists of fossilsMon xiii,
${ m pp} \ 176-225$
specialization in, tendency to
value of, to stratigraphyBull 56, pp 11–12
vertebrates. (See Vertebrates, fossil.)
(See also Plants, fossil; Invertebrates, fossil; Vertebrates, fossil.)
Paleozoic. (See Cambrian; Carboniferous; Devonian; Silurian.)
Paleozoic and subjacent systems, table showing formations of
Paleozoic Crustacea, bibliography of, from 1698 to 1889, including list of North
American species and systematic arrangement of genera. Bull 63
Paleozoic era in Texas, summary of history of
Paleozoic faunas of Maine
Paleozoic fishes of North America
Paleozoic fossils from Alaska
from Indian Territory, McAlester coal field
from Montana
from Nevada, Eureka district
(See, also, Cambrian, Silurian, Devonian, Carboniferous.)
Paleozoic history of Colorado, Elk Mountains
of Colorado, Pikes Peak quadrangle
Pueblo quadrangleGF 36, p 1
of Mississippi Valley and of Rocky Mountain regionBull 57, pp 11, 12
of Montana, Little Belt Mountains quadrangle
of Sierra Nevada GF 3, p 1; GF 5, p 1; GF 11, p 1; GF 18, p 1; GF 31, p 1;
GF 37, p 1; GF 39, p 1; GF 41, p 1; GF 43, p 1; GF 51, p 1
of Utah, Tintic district
(See, also, Cambrian, Silurian, Devonian, Carboniferous.)
Paleozoic insects, descriptions of Bull 124
Paleozoic rocks of Acadian province, correlations and classifications ofBull 80,
pp 226–257
of CaliforniaBull 19, pp 21–23
of Colorado, Leadville district Ann 2, pp 216–220; Mon XII, pp 53–70, 277–278
of Great Basin
of Illinois
Rock Island and vicinity, explored by deep boringsAnn 17, 11, pp 829-849
of Michigan, Menominee district
of Nevada, Eureka district
of Texas
of Wyoming, Absaroka district
of Yellowstone ParkGF 30, pp 1, 4-5
table ofMR 1892, p 614
(See, also, Cambrian, Silurian, Devonian, Carboniferous.)
Paleozoic rocks and history of northeastern Iowa and contiguous territoryAnn
11, r, pp 308–334, 347–353
Paleozoic section of Montana, near Three Forks
of Nevada, with vertical range of genera
of Wasatch Mountains
Paleozoic shore line of Great Basin
Paleozoic terranes of Maine, Aroostook County, classification of Bull 165, pp 21–27
Talebroic betrailes of manie, Atboshook County, classification of but 100, pp 21-21

Palisade porphyry in Michigan
Palisades conglomerates of Alaska, YukonAnn 18, 111, pp 199–200
Pallasite, analysis of, from Kansas, Kiowa CountyBull 78, p 94;
Bull 148, p 238; Bull 168, p 235           Palmæ from Dakota group         Mon xvii, p 39
Palmæ from Dakota group
Palmer gneiss of Michigan, Marquette district
Mon xxviii, pp 211–218
Palmitic acid, compressibility and thermal expansion ofBull 92, pp 32–33
Palmyra quadrangle, Virginia, physiography of
Palo Duro beds of Texas, correlation of
Palo Pinto Plain, Texas, general description of
Palouse River, description of
flow of, measurements of
460; Ann 20, IV, pp 62, 489-490; Ann 21, IV, pp 414-415;
WS 16, p 172; WS 28, pp 162, 168, 170; WS 38, pp 360–361
rainfall in basins of Wallawalla River and
Paluxy formation of Texas
Pamunkey formation, correlation of
p 333; Bull 138, pp 119, 125, 163; GF 13, p 3; GF 23, p 3
extent and character of
in Washington quadrangle, Maryland, Virginia, District of Columbia. GF 70, p 4
Panama Canal, work on
Pandermite, analysis of, from Black Sea, island of PandermaBull 55, p 58
Panola formation of KentuckyGF 46, p 2; GF 47, p 2
Papilionidæ of Florissant, Colorado
Paraffin, compressibility and thermal expansion ofBull 92, pp 36-37
Paragenesis of minerals in Massachusetts, westernMon xxix, pp 143-147, 444-445
of minerals in Montana, Little Belt Mountains
of vein materials of Colorado, Aspen district
Paragonite, chemical constitution of
Paraguay, iron-ore deposits of
Denomination and discussion of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Africancies of Deligious Afric
Paramorphism, general discussion of Bull 28, pp 45–49
in relation to uralitization.  Bull 62, pp 52–54
of pyroxene to hornblendeBull 28, p 46; Bull 59, pp 25–27
Para-toluidine, compressibility and thermal expansion ofBull 92, pp 33–34
Paria Plateau, Grand Canyon district, description of
p 70; Mon 11, pp 10, 199–202
Park Range, Wyoming, geology of, literature ofBull 86, pp 272, 274, 275, 316
Park shale of Montana Ann 20, 111, pp 286, 340, 364, 368; GF 55, p 2; GF 56, p 2
Palæoblattariæ, AmericanBull 124, p 39
from Rhode Island coal fieldBull 101, pp 11–20
Palmæ, extinct, of North America
Passifloraceæ of Amboy clays
Parker (E. W.), abrasive materials, statistics of MR 1892, pp 748–755; MR 1893, pp
670–679; Ann 16, IV, pp 586–594; Ann 17, III cont, pp 927–950;
Ann 18, v cont, pp 1219–1231; Ann 19, vi cont, pp 515–533;
Ann 20, vi cont, pp 603–617; Ann 21, vi cont, pp 463–479
antimony, statistics of
17, III, pp 275–280; Ann 18, v, pp 343–348; Ann 19, vI, pp
253-258; Ann 20, vi, pp 283-289; Ann 21, vi, pp 291-297
asbestos, statistics of
Ann 16, IV, pp 703-706; Ann 17, III cont, pp 1004-1006;
Ann 18, v cont, pp 1323–1331; Ann 19, vi cont, pp 623–626;
Ann 20, vi cont, pp 711-714; Ann 21, vi cont, pp 561-564
1

Parker (E. W.), asph	altum, statistics of
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1890, pp 477-481; MR 1891, pp 452-455; MR 1892, pp 699-
	703; Ann 16, IV, pp 430–435; Ann 17, III cont, pp 751–758;
	Ann 18, v cont, pp 919-948; Ann 19, vi cont, pp 187-204;
	Ann 20, vr cont, pp 251-268; Ann 21, vr cont, pp 319-322
barytes, statistics	of
	17, 111 cont, pp 1023-1024; Ann 18, v cont, pp 1348-1350;
	Ann 19, vi cont, pp 651–653; Ann 20, vi cont, pp 739–740
buhrstones, statis	tics ofMR 1891, p 552
00000, 00000000000000000000000000000000	pp 145–286; MR 1891, pp 177–356; MR 1892, pp 263–
	550; MR 1893, pp 187–414; Ann 16, IV, pp 1–217; Ann 17,
	III, pp 285–542; Ann 18, v, pp 351–632; Ann 19, vi, pp
	273-543; Ann 20, vi, pp 295-507; Ann 21, vi, pp 321-519
. coke manufacture	e of, statistics of
cono, marazotar	v cont, pp 659-747; Ann 19, vi, pp 545-642;
	Ann 20, vi, pp 509–608; Ann 21, vi, pp 521–633
emery and corund	lum, statistics of
	s of
	olite, statistics ofAnn 18,
naoropai ana ory	v cont, pp 1315-1316; Ann 19, vi cont, pp 613-617;
• .	Ann 20, vi cont, pp 709–710; Ann 21, vi cont, pp 559–560
graphite statistics	s of
	of
8) pound, businesses	583; Ann 16, IV, pp 662–666; Ann 17, III cont, pp 978–983;
	Ann 18, v cont, pp 1263–1271; Ann 19, vi cont, pp 577–585;
	Ann 20, vi cont, pp 657–666; Ann 21, vi cont, pp 523–529
mica, statistics of	MR 1893, pp 748–755;
	Ann 18, v cont, pp 1317–1321; Ann 19, vi cont, pp 618–622
mineral paints, sta	atistics ofMR 1891, pp 595–598; MR 1893, pp 758–766;
	Ann 16, IV, p 694–700; Ann 17, III cont, pp 1011–1022; Ann
	18, v cont, pp 1335-1347; Ann 19, vi cont, pp 623-650;
	Ann 20, vi cont, pp 719–737; Ann 21, vi cont, pp 569–586
oilstones and whe	tstones, statistics of
	tatistics ofAnn 21, vi cont, pp 481–502
	tics of
	MR 1892, pp 792–800; MR 1893, pp 717–
Start, Suddistres of .	727; Ann 16, IV, pp 646-647; Ann 17, III cont, pp 984-997;
	Ann 18, v cont, pp 1273–1313; Ann 19, vi cont, pp 587–612;
	Ann 20, vi cont, pp 667–688; Ann 21, vi cont, pp 531–554
goangtona etatictic	cs of
soapsione, suitisiii	594; Ann 16, IV, pp 511–513; Ann 17, III cont, pp 813–816;
	Ann 18, v cont, pp 1069–1075; Ann 19, vi cont, pp 311–315;
	Ann 20, vi cont, pp 551–556; Ann 21, vi cont, pp 413–418
aulnhun and nunit	
suiphur and pyrio	es, statistics ofMR 1891, pp 564–571; MR 1892, pp 784–791; MR 1893, pp 739–
	745; Ann 16, IV, pp 636–645; Ann 17, III cont, pp 958–977;
	Ann 18, v cont, pp 1243–1261; Ann 19, vi cont, pp 557–576;
Parting quartaits of C.	Ann 20, vi cont, pp 641–655; Ann 21, vi cont, pp 503–522
rarting quartitie of Co	plorado
Partechinita chamical	
	constitution of
Lasauena Mesa, Calli	Ann 90 and 549 549

Pascagoula clays of Mississippi, correlation of
Passaic River, profile of
Pastoria Creek, California, flow of, measurements of
Pasturage lands of the West
Patany, Malay Peninsula, tin production of
Patapsco River, flow of, measurements of
19, IV, pp 129–130; Ann 20, IV, pp 48, 115; Ann 21, IV, p 94;
WS 11, p 8; WS 15, p 13; WS 27, pp 18, 23, 24; WS 35, p 831
Patapsco and Patuxent rivers, rainfall and run-off in basins of
ıv, pp 48–49, 112–114
Patellidæ from clays and marls of New Jersey
from Cretaceous of Pacific coast
Patoot formation
Patuxent beds of Maryland
Patuxent River, flow of, measurements of
1v, p 18; Ann 19, iv, pp 131–132; Ann 20, iv, pp 49,
116; WS 11, p 8; WS 15, p 14; WS 27, pp 18, 23, 24
Patuxent and Patapsco rivers, rainfall and run-off in basins of
ıv, pp 48–49, 112–114
Paving blocks of stone, use of, in road making
Paving brick, clays of Massachusetts suitable for making, suggestions concern-
ingAnn 16, 11, pp 324–326
use of, in road making
(See also Brick.)
Paving-brick clay. (See Clay, paving-brick.)
Pawpaw beds of Texas
Pay shoots of California, Nevada City and Grass Valley districts
pp 159–163, 261
Payette formation, fossils of Ann 18, 111, pp 721–744; Ann 20, 111, pp 97–98, 197
of Idaho
Payette River, Idaho, age and origin of
flow of, measurements of
pp 350–352; Ann 19, IV, pp 455–456; Ann 20, IV, p 62; Bull
131, p 66; Bull 140, pp 237–238; WS 11, p 83; WS 16, p 170
Peace Creek bone bed of Florida Bull 84, pp 130–131, 333
Peale (A. C.), geology of Three Forks quadrangle, Montana
lists and analyses of mineral springs of United States.  Bull 32
mineral waters, statistics of
1885, pp 536–543; MR 1886, pp 715–721; MR 1887, pp 680–
687; MR 1888, pp 623–630; MR 1889–90, pp 521–535; MR
1891, pp 601–610; MR 1892, pp 823–824; MR 1893, pp 772–
794; Ann 16, iv, pp 707–721; Ann 17, iii cont, pp 1025–1044;
Ann 18, v cont, pp 1369–1389; Ann 19, vi cont, pp 659–680;
Ann 20, vi cont, pp 747-769; Ann 21, vi cont, pp 597-622 natural mineral waters of United States
Palezoic section in vicinity of Three Forks, Montana Bull 110
work in charge of, 1886–1892
I, pp 146-148; Ann 9, pp 111-114; Ann 10, I, pp 130-132;
Ann 11, 1, p 82; Ann 12, 1, pp 91–92; Ann 13, 1, p 124
Peat, deposits of, origin, distribution, commercial value, etc., of
iv, pp 305–314
description of the rock, as one of educational seriesBull 150, pp 140-141
in Porto Rico, occurrence of
of American bogs

Peckham (S. F.), petroleum in southern California
Pecopterideæ of Carboniferous of Missouri Bull 98, pp 60–67
of Coal Measures, Lower, of Missouri
Pecos River, flow of, measurements of WS 28, pp 125–126, 130; WS 37, pp 285–286
irrigation and irrigation canals in valley of
п, pp 282–290; Ann 13, п, pp 187–191 profile of
Pectinidæ from Colorado formation
from Cretaceous of Pacific coastBull 133, pp 36–38
from marls of New Jersey
from Miocene marls of New Jersey
Pectolite, analysis of, from Alaska
analysis of, from New Jersey, Bergen HillBull 113, p 36; Bull 167, p 14
chemical constitution of
constitution of, experiments relative toBull 167, pp 14–16
occurrence of
Pegmatite of Maryland, origin of
of Massachusetts, western
origin of, theories of
thin section of, from California, near Sonora
Pegmatite dikes and minerals in Massachusetts, western. Mon xxix, pp 216, 323–330
Pelecypoda, descriptions of
from Colorado formationBull 106, pp 54–127
from Cretaceous of Pacific coastBull 133, pp 34–62
from Devonian beds of New YorkBull 16, pp 23, 58–62
from Eocene of middle Atlantic slope
from Yellowstone Park
Pele's hair in Hawaii
Pelhamine, analysis of, from Massachusetts, PelhamBull 126, p 55
Peneplain, Cretaceous, in Connecticut, origin, etc., of
Peneplains, classification of relief with reference to
correlation of
of Kentucky, London quadrangleGF 47, p 1
of Kentucky-Virginia-Tennessee, Estillville quadrangle
origin of, theories of
Penfield (S. L.), partial report on calaverite crystals from Colorado, Cripple
Creek
Pennine, analyses and chemical constitution of
Pennine system, name proposed
Pennington shale of Kentucky, Virginia, and Tennessee
p 37; GF 12, p 3; GF 27, p 3; GF 33, p 2; GF 40,
p 2; GF 46, p 3; GF 47, p 2; GF 53, p 3; GF 59, p 4
Pennsylvania; Allegheny River, flow of, measurements of
ıv, pp 195–197; WS 36, pp 157–159
Allegheny River, profile of
altitudes in
Ann 20, 1, pp 363–370; Ann 21, 1, pp 421–426, 427–436, 437–
444, 446; Bull 5, pp 245–274; Bull 76; Bull 160, pp 596–645
amethyst in, occurrence of
anthracite basins of, structure of
anthracite coal fields of, description and production ofMR 1882, pp 7-24
atlas sheets of. (See p 92 of this bulletin.)
bituminous coal field in Pennsylvania, Ohio, and West Virginia, strati-
graphy of
graphy of

```
Pennsylvania; boundary lines of.....Bull 13, pp 78-80; Bull 171, pp 84-86
   bromine industry of....MR 1885, p 487; MR 1886, p 642; MR 1887, pp 626, 627;
                         MR 1888, p 613; MR 1889-90, p 493; MR 1891, p 579
   brownstones of, properties, chemical composition, structural and textural
                 features, occurrence, use, etc., of.. Ann 18, v cont, pp 1025–1043
   building stone from, at World's Columbian Exposition...MR 1893, pp 570-572
      452; MR 1887, pp 514, 516; MR 1888, pp 536, 541, 545; MR
                    1889-90, pp 373, 418-427; MR 1891, pp 457, 460, 461, 463, 464,
                    467; MR 1892, pp 706, 708, 709, 710, 711; MR 1893, p 544
                    et seq; Ann 16, IV, p 437 et seq; Ann 17, III, p 760 et seq;
                    Ann 18, v cont, p 951 et seq; Ann 19, vi cont, p 207 et seq;
                    Ann 20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq
   MR 1888, p 551; MR 1889-90, p 461; MR 1891, pp 532, 536;
                    MR 1892, pp 739, 743, 745; MR 1893, pp 619, 621; Ann 16, tv,
                    pp 577, 581; Ann 17, 111 cont, pp 884, 891; Ann 18, v cont, pp
                    1170, 1179; Ann 19, vi cont, pp 487, 488, 493, 495; Ann 20,
                    vi cont, pp 539, 540, 547, 550; Ann 21, vi cont, pp 393, 408
   pp 465, 469; MR 1883-84, pp 696, 698; MR 1885, pp 416, 418;
                    MR 1886, p 569; MR 1887, pp 536, 539, 540; MR 1888, pp
                    563, 566; MR 1891, pp 503-504; Ann 16, IV, pp 518, 519, 520,
                    521; Ann 17, 111 cont, pp 820 et seq, 869; Ann 18, v cont,
                    p 1078 et seq; Ann 19, vi cont, pp 318 et seq, 369; Ann
                    20, vi cont, pp 467 et seq, 531; Ann 21, vi cont, pp 362, 363
   pp 7-32, 60-72; MR 1883-84, pp 12, 66-87; MR 1885, pp
                    11, 45-64; MR 1886, pp 224, 230, 295-340; MR 1887, pp 169,
                    171, 290-350; MR 1888, pp 169, 171, 301-360; MR 1889-90,
                    pp 241, 252-269; MR 1891, pp 180, 288-320; MR 1892, pp
                    264, 267, 268, 456-491; MR 1893, pp 188, 189, 194, 195, 197,
                    199, 200, 343-377; Ann 16, IV, pp 7 et seq, 162-187; Ann 17,
                    111, pp 287 et seq, 481-515, 542; Ann 18, v, pp 353 et seq,
                    571-606; Ann 19, vi, pp 277 et seq, 478-515; Ann 20, vi,
                    pp 299 et seq, 454-485; Ann 21, vi, pp 324 et seq, 482-497
   cobalt deposit in ..........MR 1882, p 421; MR 1883-84, p 546; MR 1885, p 363
   175-196; MR 1885, pp 80, 96-111; MR 1886, pp 378, 384,
                    408-417; MR 1887, pp 383, 389, 409-420; MR 1888, pp 395,
                    400, 414-425; MR 1891, pp 360, 366, 386-394; MR 1892, pp
                    555 et seq, 581-591; MR 1893, pp 418 et seq, 442-452; Ann
                    16, iv, pp 225 et seq, 267-288; Ann 17, iii cont, pp 544 et seq,
                    591-606; Ann 18, v cont, pp 661 et seq, 711-730; Ann 19, vi,
                    pp 548 et seq, 607-625; Ann 20, vi, pp 512 et seq, 573-593;
                    Ann 20, vi cont, p 228; Ann 21, vi, pp 523 et seq, 592-615
   Devonian system in eastern ......Bull 120
   vi cont, p 657; Ann 20, vi cont, p 745; Ann 21, vi cont, p 543
   fossil faunas of upper Devonian along meridian of 76° 30', from Tompkins
                County, N. Y., to Bradford County, Pa.....Bull 3
   gas, illuminating and fuel, and by-products in, statistics of......Ann 20,
                                                   vi cont, p 228 et seq
```

```
Ann 21, 1, pp 240-249, 252-253, 254; Bull 123, pp 67-72
  geologic maps of, listed ......Bull 7, pp 64–76, 162, 163
      (See Map, geologic, of Pennsylvania.)
  geologic sections in. (See Section, geologic, in Pennsylvania.)
  6, pp 25, 31, 35, 74, 75; Ann 7, pp 67, 83; Ann 8, 1, p 168;
                 Ann 9, pp 77, 122; Ann 13, 1, p 146; Ann 14, 1, pp 220, 253;
                 Ann 15, p 141; Ann 17, 1, p 60; Ann 18, 1, pp 26-27; Ann 19,
                 1, pp 33-34; Ann 20, 1, pp 36-37, 38-39; Ann 21, 1, pp 71, 74
   glacial boundary in western Pennsylvania, Ohio, Kentucky, Indiana, and
              Illinois.....Bull 58
  MR 1888, p 536; MR 1889-90, pp 374, 418; MR 1891, pp
                 457-460; MR 1892, pp 706, 708; MR 1893, pp 544, 546; Ann
                 16, IV, pp 437, 444, 457, 458, 461; Ann 17, III, pp 760, 761,
                 762, 763, 766; Ann 18, v cont, pp 951, 952, 954, 956, 973;
                 Ann 19, vi cont, pp 207, 208, 209, 210, 211, 222-223;
                 Ann 20, vi cont, pp 271, 272, 273, 274, 275, 276, 279;
                 Ann 21, vi cont, pp 335, 336, 337, 338, 339, 340
   pp 120, 125, 129, 130, 131, 132, 133, 134, 135, 136, 137; MR
                 1883-84, pp 252, 270; MR 1885, pp 182, 184, 186, 188; MR
                 1886, pp 14, 18, 52-56; MR 1887, pp 11, 16, 44-46; MR 1888,
                 pp 14, 17, 23, 25; MR 1889-90, pp 10, 12, 17; MR 1891, pp
                 12, 20, 54, 55, 61; MR 1892, pp 12, 13, 14, 15, 16, 17, 18, 21, 22,
                 26, 31-32, 35, 36, 37, 42; MR 1893, pp 15, 20, 26, 28, 30-32, 38,
                 39; Ann 16, III, pp 31, 37-38, 192, 194, 197-198, 203, 208,
                 249, 250; Ann 17, 111, pp 26, 27, 39, 41, 47, 48, 57, 58, 60, 62,
                 63, 68; Ann 18, v, pp 24, 37, 41, 42; Ann 19, vi, pp 26, 28,
                 29, 32-33, 65, 68, 69, 70, 72; Ann 20, vr, pp 29, 40, 43, 44, 74
                 et seg; Ann 21, vi, pp 34, 46, 52, 53, 83, 90, 92, 97, 98, 99, 100
   Juniata River, flow of, measurements of.....Ann 21, 1v, p 91; WS 35, pp 79-80
      profile of ......WS 44, p 19
   lime production of, statistics of .................MR 1887, p 533; MR 1888, p 556
   MR 1887, p 516; MR 1888, p 541; MR 1889-90, pp 373, 420;
                 MR 1891, pp 464, 467; MR 1892, p 711; MR 1893, pp 556,
                 557; Ann 16, IV, pp 437, 494, 495, 509; Ann 17, III cont, pp
                 760, 788, 789, 791, 794-795; Ann 18, v cont, pp 951, 1044,
                 1046, 1047, 1064-1066; Ann 19, vi cont, pp 207, 281, 282,
                 283, 304-305; Ann 20, vi cont, pp 271, 342, 343, 344,
                 345, 350; Ann 21, vi cont, pp 335, 357, 358, 359, 360
   MR 1888, p 124; Ann 16, III, pp 420-422; Ann 17, III, pp
                 187, 200; Ann 18, v, pp 292, 310; Ann 19, vi, pp 91, 100;
                 Ann 20, vi, pp 126, 128; Ann 21, vi, pp 130, 139-140
   maps, geologic, of.
                 (See Map, geologic, of Pennsylvania.)
```

Pennsylvania; maps, topographic, of. (See Map, topographic, of Pennsylvania;	
also list on p 92 of this bulletin.)	
marble production of, statistics of	
MR 1892, p 709; MR 1893, pp 547, 549; Ann 16, IV, pp	
437, 463, 464; Ann 17, 111 cont, pp 760, 766, 768, 769; Ann	
18, v cont, pp 951, 975, 977, 978, 981; Ann 19, vi cont,	
pp 207, 238, 239, 240, 245-246; Ann 20, vi cont, pp 271,	
281, 282, 283, 285; Ann 21, vi cont, pp 335, 341, 342, 343	
meridian marks in	
metallic paint production of	
mineral spring resorts in	
mineral springs of	
MR 1885, p 540; MR 1886, p 718; MR 1887, p 685; MR 1888, p	
628; MR 1889-90, pp 531-532; MR 1891, pp 603, 607; MR	
1892, pp 824, 830; MR 1893, pp 774, 781, 784, 792, 794; Ann 16, 1v, pp 709, 717, 720; Ann 17, 111 cont, pp 1027, 1037–1038,	
1041; Ann 18, v cont, pp 1371, 1382–1383, 1386; Ann 19, vi	
cont, pp 661, 673, 677; Ann 20, v1 cont, pp 749, 762–763, 766;	
Ann 21, vr cont, pp 600, 614–615, 619; Bull 32, pp 44–49	
minerals of, useful	
mining laws of	
natural gas localities and statistics of	
pp 236, 243; MR 1885, pp 162–165; MR 1886, pp 490, 502–504;	
MR 1887, pp 466, 467–474; MR 1888, p 489; MR 1889–90,	
p 367; MR 1891, p 438; MR 1892, pp 676–680; MR 1893, pp	
536, 537, 538; Ann 16, IV, pp 415, 416, 418, 419, 421–422;	
Ann 17, 111 cont, pp 734, 735, 738, 739–741; Ann 18, v cont,	
pp 900, 901, 902, 903, 904, 905–906; Ann 19, vi cont, pp	
168, 169, 170, 171, 172, 173–174; Ann 20, vi cont, pp 207, 208, 209, 210, 211; Ann 21, vi cont, pp 299, 301–302, 303, 304–306	
Neshaminy Creek, flow of, measurements of	
iv, pp 48, 103–108; Ann 21, iv, pp 85–86; WS 35, pp 64–65	
nickel ore inMR 1882, pp 404–405; MR 1883–84, p 537; MR 1889–90, p 124	
ocher production of	
oil- and gas-producing horizons in	
paint, mineral, production of, statistics of MR 1892, pp 816, 818; MR 1893, pp 759,	
760, 761; Ann 16, IV, pp 695, 696, 698; Ann 17, III cont, pp 1013,	
1014, 1016, 1017; Ann 18, v cont, pp 1337, 1338, 1339, 1342;	
Ann 19, v1 cont, pp 636, 637, 638, 642, 643; Ann 20, v1 cont, pp 722, 723, 724, 728, 729; Ann 21, v1 cont, pp 572, 573, 574, 579	
Perkiomen Creek, flow of, measurements of	
ıv, pp 48, 89–94; Ann 21, ıv, pp 78–80; WS 35, pp 65–73	
petroleum localities and statistics of	
pp 190, 199-202; MR 1883-84, pp 214-215, 221-224; MR	
1885, pp 131–145; MR 1886, pp 441, 442–457; MR 1887, pp	
438, 439–450; MR 1888, pp 444, 445–459; MR 1889–90, pp	
292, 295–318; MR 1892, pp 604, 606, 611, 614–630; MR 1893,	
pp 465, 466, 470, 483–489; Ann 16, 111, pp 317, 319, 320, 327, 341–	
347; Ann 17, 111 cont, pp 622, 625, 628, 630, 638, 658–667; Ann	
18, v cont, pp 750, 751, 752, 753, 755, 764–765, 790–799; Ann 19, v1 cont, pp 2, 5, 6, 8, 9, 11, 19–21, 27, 46–55; Ann 20, v1 cont, pp 3,	
4, 5, 7, 9, 22, 34, 45; Ann 21, vi cont, pp 4, 5, 7, 8, 11, 12, 30–47	
phosphate rock in, occurrence and statistics of	
111 cont, pp 955–957; Ann 21, vi cont, pp 482, 494–495	

```
Pennsylvania; Pottsville formation in southern anthracite coal field, strati-
            graphic succession of fossil floras of.....Ann 20, 11, pp 749–930
  Ann 20, vi cont, p 745; Ann 21, vi cont, p 595
  rocks of, their classification, etc...Bull 80, pp 42, 83-112, 124-125, 131, 260-261
  835, 836; MR 1892, pp 794, 799; MR 1893, pp 719, 721, 726;
              Ann 16, IV, pp 647, 648, 649, 655; Ann 17, III cont, pp 985,
              986, 987, 990, 991; Ann 18, v cont, pp 1274, 1275, 1276, 1277,
              1280, 1281; Ann 19, vi cont, p 588 et seq; Ann 20, vi cont,
              pp 670, 671, 676, 677, 678; Ann 21, vi cont, p 534 et seq
  sandstone production of .......MR 1882, p 451; MR 1888, p 545; MR 1889-90,
              pp 374, 419; MR 1891, pp 461, 463; MR 1892, p 710; MR
              1893, p 553; Ann 16, IV, pp 437, 484, 485, 486, 491; Ann 17,
              III cont, pp 760, 775, 776, 777, 778, 780; Ann 18, v cont,
              pp 951, 1012, 1013, 1014, 1025-1043; Ann 19, vi cont, pp
              207, 264, 265, 266, 277-278; Ann 20, vi cont, pp 271, 336,
              337, 338, 341; Ann 21, vi cont, pp 335, 353, 354, 355, 356
  iv, pp 48, 88, 96-97; WS 35, pp 74-75
    sections, geologic, in. (See Section, geologic, in Pennsylvania.)
  MR 1887, p 522; MR 1888, p 547; MR 1889-90, pp 376, 424;
              MR 1891, pp 472, 473; MR 1892, p 710; MR 1893, pp 550,
              551; Ann 16, IV, pp 437, 476, 477, 478-480; Ann 17, III cont,
              pp 760, 770, 771, 772, 773, 774; Ann 18, v cont, pp 951, 992,
              994, 995, 996, 997, 1000-1001; Ann 19, vi cont, pp. 207, 250,
              251, 252, 253, 254, 256-263; Ann 20, vi cont, pp 271, 294, 295,
              296, 297, 298, 299, 300; Ann 21, vr cont, pp 335, 344-349, 352
  pp 122-127; Ann 20, IV, pp 48, 109-110; Ann 21, IV, pp 87-92;
              WS 15, pp 8-11; WS 27, pp 17, 23, 24; WS 35, pp 75-79, 80-81
    pp 48, 98-103; Ann 21, IV, pp 83-85; WS 35, p 64
  topographic maps of.
               (See Map, topographic, of Pennsylvania; also list
              on p 92 of this bulletin.)
  p 36; Ann 12, 1, p 26; Ann 13, 1, p 71; Ann 14, 1, p 171; Ann
              16, I, pp 64, 68, 69; Ann 18, I, pp 94, 96, 102; Ann 19, I, pp 89,
              91, 98; Ann 20, 1, pp 101, 102, 110; Ann 21, 1, pp 118, 123-125
  wells in ......Bull 138, pp 115–117
  IV, pp 48, 94-96; Ann 21, IV, pp 81-82; WS 35, p 74
  p xxix; MR 1882, pp 361-365, 373; MR 1883-84, p 476
```

Pennsylvanian series in Kentucky
in Tennessee
Penobscot River, profile of WS 44, p 9
Penobscot River and tributaries, Maine, water power of
Penokee district, Michigan, topographic features of, in relation to geology. Mon XIX, pp 145, 188–189, 301–302
Penokee Huronian rocks, character and thickness of
Penokee series of Michigan and Wisconsin
pp 341–507; Mon x1x; Bull 86, pp 150–154, 187–189, passim
cherty limestone of
iron-bearing member of
quartz-slate of
upper slate of
Penokee-Gogebic district, Michigan, iron ore in Ann 21, 111, pp 337-351, 427-428
Penrose (R. A. F.), jr., mining geology of Cripple Creek district, Colorado Ann 16,
11, pp 111–209; GF 7, p 8 nature and origin of deposits of phosphate of lime, with introduction by
N. S. Shaler
quoted on lignite beds of Texas
Pentametaphosthimic acid, constitution, salts, decomposition products, etc.,
of
Pentaphosponitrilic chloride, analysis of
Peorian soil in Danville quadrangle, Illinois-Indiana
Peorian soil and weathered zone (Toronto formation?)Mon xxxvIII, pp 185–190
Perak, tin deposits and industry of
Percolation of underground waters of Great Plains, rate ofAnn 16, 11, pp 556-557
of water into undisturbed field soil
Perezonal formationsBull 84, pp 98–99
Peridot, occurrence and statistics of
p 781; MR 1885, p 443; MR 1886, p 604; MR 1891, p
540; MR 1892, p 781; MR 1893, p 681; Ann 16, IV, p 604;
Ann 17, 111 cont, p 923; Ann 18, v cont, p 1217; Ann 19, vr
cont, p 513; Ann 20, vi cont, p 599; Ann 21, vi cont, p 461
Peridotite, analysis of, from California, Bidwell Bar quadrangle
r, p 577, Bull 148, p 205; Bull 168, p 191
analysis of, from California, Downieville quadrangle
from Colorado, Cottonwood Gulch
from Kentucky, Elliott County
pp 24–25; Bull 42, p 136; Bull 148, p 92; Bull 168, p 56
Elliott County, slaty inclusion in
from Maryland, near Howardville (feldspathic)Bull 28,
p 54; Bull 150, p 290
from Massachusetts, BelchertownBull 148, p 74, Bull 168, p 30
from Michigan, Crystal Falls district
near Opin Lake, sec. 27, T. 48 N., R. 27 W
p 511, Mon xxvIII, p 186; Bull 148, p 98; Bull 168, p 64
from Montana, near Red BluffBull 90,
p 70; Bull 148, p 140; Bull 168, p 114
from New York, DewittMon xxxvi, p 219; Bull 148, p 79; Bull 168, p 38
from Oregon, Douglas County
from Maryland, Sudbrook Park, description of, as one of the educational
seriesBull 150, pp 288–290

Peridotite of California, Lassen Peak quadrangle
of California, Placerville quadrangleGF 3, p 2
Smartsville quadrangleGF 18, p 4
of Colorado, Silver CliffAnn 17, 11, pp 283–284
of District of Columbia
of Kentucky, Elliott County, composition, origin, etc., ofBull 38;
Rull 49 np 126 127
of Maryland, Washington (D. C.) quadrangleGF 70, p 3
of Michigan, Crystal Falls district
Marquette districtAnn 15, pp 509–511; Mon xxvIII, pp 183–186
of Minnesota, southwestern
of Montana, Three Forks quadrangle
of Northwestern States
of Sierra Nevada
of Virginia, Washington (D. C.) quadrangleGF 70, p 3
thin section of, from Kentucky, Elliott CountyBull 38, p 11
from Minnesota, southwestern (saxonite)Bull 157, pp 156–157
Peridotite and associated serpentines of Maryland, near BaltimoreBull 28, p 50
Peridotite family of rocks, scope and characteristics of
Periods, Tertiary, Pleistocene, and Recent, comparative lengths ofAnn 14,
п, рр 382–384
Peristerite, occurrence of
Perkins (J.), lists of ores, minerals, and mineral substances of industrial im-
portance in Alaska, California, Nevada, Oregon, and
WashingtonMR 1882, pp 760, 767–769, 772, 773, 775
Perkiomen Creek, flow of, measurements of
ıv, pp 48, 89–94; Ann 21, ıv, pp 78–80; WS 35, pp 65–73
Perlite, analysis of, from Nevada, Eureka (andesitic)
p 72; Bull 148, p 189; Bull 168, p 175
analysis of, from Yellowstone Park, Midway Geyser Basin (rhyolitic)
Bull 148, p 134; Bull 150, p 153; Bull 168, p 108
from Yellowstone Park, description of, as one of the educational series
(rhyolitic)
of Yellowstone Park
Permian fossils of TexasBull 77
Permian rocks in Kansas and Nebraska and other parts of United States, dis-
cussions relative to correlation ofBull 80, pp 193–212
of Grand Canyon districtAnn 2, pp 64, 91–94; Mon 11, pp 16, 43–46, 117–121
of Nebraska Ann 19, Iv, p 738
of Plateau country
of Texas
and its Mesozoic types of fossils
Shinarump conglomerate
(See, also, Carboniferous.)
Permo-Carboniferous rocks of Colorado, Rico Mountains Ann 21, 11, pp 27–28
Permo-Triassic Red Beds of Texas
Perna beds of MarylandBull 84, p 333
Perofskite, composition of
Perrenoud (G. F.), talc, statistics of
Perrine (C. D.), earthquakes in California, 1892–1898Bulls 112,
114, 129, 147, 155, 161
111, 120, 111, 100, 101
Perry (T. O.), experiments with windmills

Peru; copper production of, statistics of
MR 1885, p 229; MR 1886, p 128; MR 1887, p 88; MR 1888,
p 73; MR 1889-90, p 73; MR 1891, pp 101, 102; MR 1892,
p 114; MR 1893, p 86; Ann 16, III, p 352; Ann 17, III,
pp 117, 119; Ann 18, v, pp 219, 221; Ann 19, vi, pp 176,
178; Ann 20, vi, pp 202, 204; Ann 21, vi, pp 204, 206, 223
iodine production of
iron-ore deposits and industry in
petroleum localities and statistics of
532; Ann 16, IV, pp 390-391; Ann 17, III cont, pp 728-731;
Ann 18, v cont, pp 891–892; Ann 19, vi cont, pp 119–120;
Ann 20, vi cont, pp 135-137; Ann 21, vi cont, pp 179-180
quicksilver mines ofAnn 8, 11, pp 965-966; Mon XIII, pp 4, 6, 7, 14, 20-23
tin production of
Petalite, analysis and description of, from Peru, MaineBull 60, p 129
chemical constitution of
Peters (E. D.), jr., mines and reduction works of Butte, MontanaMR 1883-84,
pp 374–396
roasting of copper ores and furnace products
Peters (W. J.) and Brooks (A. H.), report of White River-Tanana expedition
(1898), Alaska
Petricolidæ from marls of New Jersey
Petrified forests of Arizona
Petrographic character as basis for classification of formations Ann 7, pp 377–390
of Obsidian Cliff, Yellowstone Park
Petrographic and paleontologic characters of Devonian beds in New YorkBull 16,
pp 13–17, 35–39, 67–68
Petrographic descriptions; clastic and igneous rocks of Maine, Aroostook vol-
canic areaBull 165, pp 122–126, 128–131, 146–186
ferruginous slates, cherts, etc., of Penokee series Ann 10, 1, pp 383-392
Franciscan series Ann 15, pp 416–435
Franciscan series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series
general or miscellaneous schists of Penokee series

Petrographic descriptions; rocks of Michigan, Marquette district
592–596, 597–598, 599–604, 605; Mon xxviii, pp 154–160,
162–167, 171–174, 176–177, 209–211, 213–216, 223–230, 244–
251, 258–269, 286–294, 316–321, 336–375, 411–416, 417–
419, 445–452, 463–481, 490–499, 500–506, 508–513, 518–522
rocks of Michigan and Wisconsin
of Minnesota, Pigeon PointBull 109, pp 32–104
of New Mexico, Tewan MountainsBull 66, pp 10-17
serpentine of San Francisco Peninsula
trap dikes of Lake Champlain region
volcanic rocks of South Mountain, PennsylvaniaBull 136, pp 31-81
(See, also, Petrography.)
Petrographic stratigraphy of Monument Mountain, MassachusettsAnn 14,
11, pp 558–559
Petrographic studies in Archean formations of Northwestern StatesAnn 5,
pp 209–242
Petrographic work of Geological Survey (to 1889), review of Ann 10, 1, pp 42–52
Petrography, bibliography of American, 1886, 1887–1889. Bull 44, p 27; Bull 75, p 128
bibliography and index of North American, 1732–1891
of North America, 1887–1899Bulls 75, 91, 99, 130, 135, 146, 149, 156, 162, 172
Bonneville beds, analysis and description of yellow clay and white marl
of
crystallization, degree of, nondependence of, on depth Ann 18, 111, p 574
differentiation, theory of, origin of magmas by
dike rocks of Lake Champlain regionBull 107
flow and fracture of rocks as related to structureAnn 16, 1, pp 845-874
granite rocks of middle Atlantic Piedmont Plateau, especially central
Maryland, origin and relations of Ann 15, pp 651–740
lithologic notes on Alaska, southern
mineralogic lexicon of Massachusetts; Franklin, Hampshire, and Hampden
countiesMon xxix, pp 754-761; Bull 126
of California, Ophir district
San Francisco Peninsula
of Colorado, Cripple Creek district
Mosquito Range
Rico Mountains, igneous rocks of
of Delaware trapsBull 59
of Grand Canyon of ColoradoAnn 14, 11, pp 520–524
of Keweenaw series
of Massachusetts, Cape Ann
Green Mountains
of Michigan, Marquette iron-bearing district
pp 447–650 passim; Mon xxvIII passim
of Minnesota, Pigeon PointBull 109, pp 32–102
of Montana, Castle Mountain districtBull 139, pp 80–132
Little Belt Mountains, igneous rocks of
near Three Forks, rocks of Paleozoic sectionBull 110, pp 47–54
of New York, Lake Champlain region, bostoniteBull 107, pp 18–36
Rensselaer grit
of Nevada, Eureka district, eruptive rocks
of Newark systemBull 85, pp 32–36
in Connecticut
of Pennsylvania, South Mountain, igneous rocksBull 136
of Penokee iron-bearing series

Petrography of Sierra Nevada, classification of rocks
of Texas, San Carlos coal field
of Yellowstone Park
thinolite from Lake Lahontan and Mono Basin
transitions in mineralogic composition of igneous rocksBull 66, pp 17–20
(See, also, Lithology.)
Petrography, microscopic, development of Bull 62, p 35
of Great Basin, and mounts Rainier, Hood, Shasta, and Lassen PeakAnn 3,
pp 11–14
Petroleum, accumulation of, modes of
analysis of, from CaliforniaAnn 21, vi cont, pp 163, 164; MR 1892, p 609
from California, Fresno County
Puente fieldMR 1889-90, p 346; MR 1892, p 650
Ventura County
from Cuba, Santa ClaraBull 78, p 99
from Ohio, Lima
Macksburg field
Trenton limestone
from Pennsylvania. MR 1892, p 608
Oil Creek
from West Virginia
from Wyoming, Popo Agie
Salt Creek
character, composition, and geologic occurrence of, in United States. MR 1889-90,
pp 288-290; MR 1892, pp 606-610 fields of, in United States
foreign sources of
pp 463–487; MR 1887, pp 456–463; MR 1888, pp 467–480
pp 405–467; M.R. 1867, pp 400–405; M.R. 1868, pp 407–460
from Cuba
from Cuba Bull 78, pp 98–104 gas and oil production, geologic factors in Ann 8, 11, pp 581–589
from Cuba
from Cuba
from Cuba
from Cuba Bull 78, pp 98–104 gas and oil production, geologic factors in Ann 8, 11, pp 581–589 gas and related bitumens, origin, constitution, future, etc., of Ann 11, 1, pp 589–616 in Alaska, Copper River delta, note on Ann 20, v11, p 423 Katmai Bay Ann 17, 1, p 799
from Cuba Bull 78, pp 98–104 gas and oil production, geologic factors in Ann 8, 11, pp 581–589 gas and related bitumens, origin, constitution, future, etc., of Ann 11, 1, pp 589–616 in Alaska, Copper River delta, note on Ann 20, v11, p 423 Katmai Bay Ann 17, 1, p 799 in California, southern Ann 16, 1v, pp 370–374
from Cuba Bull 78, pp 98–104 gas and oil production, geologic factors in Ann 8, 11, pp 581–589 gas and related bitumens, origin, constitution, future, etc., of Ann 11, 1, pp 589–616 in Alaska, Copper River delta, note on Ann 20, v11, p 423 Katmai Bay Ann 17, 1, p 799 in California, southern Ann 16, 1v, pp 370–374 in Philippine Islands, occurrence of Ann 19, v1 cont, p 690
from Cuba Bull 78, pp 98–104 gas and oil production, geologic factors in Ann 8, 11, pp 581–589 gas and related bitumens, origin, constitution, future, etc., of Ann 11, 1, pp 589–616 in Alaska, Copper River delta, note on Ann 20, v11, p 423 Katmai Bay Ann 17, 1, p 799 in California, southern Ann 16, 1v, pp 370–374 in Philippine Islands, occurrence of Ann 19, v1 cont, p 690 in South Dakota, Black Hills, southern part Ann 21, 1v, pp 586–587
from Cuba Bull 78, pp 98–104 gas and oil production, geologic factors in Ann 8, 11, pp 581–589 gas and related bitumens, origin, constitution, future, etc., of Ann 11, 1, pp 589–616 in Alaska, Copper River delta, note on Ann 20, v11, p 423 Katmai Bay Ann 17, 1, p 799 in California, southern Ann 16, 1v, pp 370–374 in Philippine Islands, occurrence of Ann 19, v1 cont, p 690 in South Dakota, Black Hills, southern part Ann 21, 1v, pp 586–587 in Tennessee, Standingstone quadrangle GF 53, p 4
from Cuba Bull 78, pp 98–104 gas and oil production, geologic factors in Ann 8, 11, pp 581–589 gas and related bitumens, origin, constitution, future, etc., of Ann 11, 1, pp 589–616 in Alaska, Copper River delta, note on Ann 20, v11, p 423 Katmai Bay Ann 17, 1, p 799 in California, southern Ann 16, 1v, pp 370–374 in Philippine Islands, occurrence of Ann 19, v1 cont, p 690 in South Dakota, Black Hills, southern part Ann 21, 1v, pp 586–587 in Tennessee, Standingstone quadrangle GF 53, p 4 Wartburg quadrangle GF 40, pp 3–4
from Cuba Bull 78, pp 98–104 gas and oil production, geologic factors in Ann 8, 11, pp 581–589 gas and related bitumens, origin, constitution, future, etc., of Ann 11, 1, pp 589–616 in Alaska, Copper River delta, note on Ann 20, v11, p 423 Katmai Bay Ann 17, 1, p 799 in California, southern Ann 16, 1v, pp 370–374 in Philippine Islands, occurrence of Ann 19, v1 cont, p 690 in South Dakota, Black Hills, southern part Ann 21, 1v, pp 586–587 in Tennessee, Standingstone quadrangle GF 53, p 4 Wartburg quadrangle GF 40, pp 3–4 in Wyoming Bull 119, pp 63–65
from Cuba Bull 78, pp 98–104 gas and oil production, geologic factors in Ann 8, 11, pp 581–589 gas and related bitumens, origin, constitution, future, etc., of Ann 11, 1, pp 589–616 in Alaska, Copper River delta, note on Ann 20, v11, p 423 Katmai Bay Ann 17, 1, p 799 in California, southern Ann 16, 1v, pp 370–374 in Philippine Islands, occurrence of Ann 19, v1 cont, p 690 in South Dakota, Black Hills, southern part Ann 21, 1v, pp 586–587 in Tennessee, Standingstone quadrangle GF 53, p 4 Wartburg quadrangle GF 40, pp 3–4 in Wyoming Bull 119, pp 63–65 Black Hills, southern part Ann 21, 1v, pp 586–587
from Cuba
from Cuba
from Cuba gas and oil production, geologic factors in
from Cuba gas and oil production, geologic factors in
from Cuba gas and oil production, geologic factors in
from Cuba gas and oil production, geologic factors in
from Cuba gas and oil production, geologic factors in
from Cuba gas and oil production, geologic factors in
from Cuba gas and oil production, geologic factors in
from Cuba gas and oil production, geologic factors in
from Cuba gas and oil production, geologic factors in

Petrology of Montana, Castle Mountain mining district
Petzite, analysis of, from California, Mother Lode regionBull 167, p 63
Phanerogams from Carboniferous basins of Missouri, southwesternBull 98,
pp 105–109
(See, also, Plants, fossil.)
Phenacite, chemical constitution ofBull 125, pp 68, 69, 104
from Colorado, Crystal Park and Florissant Bull 20, pp 68–70
occurrence and statistics ofMR 1882, p 487; MR 1883-84, p 740; MR
1885, pp 439–440; MR 1887, p 559; MR 1888, pp 580–581;
MR 1889-90, p 448; MR 1891, p 539; MR 1892, pp 767,
781; MR 1893, pp 681, 682; Ann 16, iv, p 604; Ann 18, v
cont, p 1217; Ann 19, vi cont, p 513; Ann 20, vi cont, p 599
Phengite, analysis of, from Austria, Zillerthal
chemical constitution of
Phenocrysts, development of, in igneous rocks of Yellowstone Park and
vicinityMon xxxII, II, pp 266–268
thin section of, from Yellowstone ParkMon xxxII, II, pp 414-415
Philadelphia, wells at Bull 138, pp 115-117
Philippine Islands, bibliography of geology of
coal in
copper in
fossils, Tertiary, in
geologic investigations in
20, I, pp 54–55; II, pp 1–7; Ann 21, I, p 87; III, pp 487–625
gold in
iron in
lead in
mining concessions in
petroleum in
provinces and districts, areas of
survey of, estimates and recommendations concerningAnn 21, 1, pp 52-55, 58
territorial limits of Bull 171, p 29
Phillips (W. B.), fertilizer trade in North Carolina in 1886MR 1886, pp 611-617
illuminating and fuel gas and by-products
mica mining in North Carolina
Phillipsite, chemical constitution of
Phinney (A. J.), natural-gas field of Indiana
Phlogopite, analyses of Bull 125, pp 46, 52
analysis of, from New York, St. Lawrence County 2
from Ontario, Burgess, and of residue from
from Wyoming, Leucite HillsBull 148, p 115; Bull 168, p 85
chemical constitution of
Phœnix, Arizona, irrigation nearWS 2
Pholadidæ from Chico-Tejon series of California
from Colorado formationBull 107, pp 125–127
from marls of New Jersey
Pholadomyidæ from Colorado formationBull 106, pp 116–117
Phonolite, analyses of, from Colorado, Cripple Creek districtAnn 16, 11, p 43;
Bull 148, pp 161, 162; Bull 150, p 193; Bull 168, pp 143, 144
analysis of, from Germany, Zittau Bull 150, p 193
from Massachusetts, Southboro
from New Mexico, Colfax CountyBull 168, p 171

Phonolite, analysis of, from South Dakota, Black Hills
Bull 150, p 193; Bull 168, p 84
analysis of, from Texas, Uvalde CountyBull 168, p 62
of Colorado, Cripple Creek district
11, pp 25-41, 61, 68, 76, 79, 80, 83, 87, 89, 96, 102-109
Pikes Peak quadrangleGF 7, pp 3, 4, 7
of Montana, Judith Mountains
Little Belt Mountains quadrangle
of South Dakota, Black Hills, description of, as one of educational seriesBull
150, pp 191–194
of Texas, Uvalde quadrangleGF 64, p 4
Phonolitic rocks, thin sections of, from Montana, Judith MountainsAnn 18,
ш, pp 570–571
Phosphate, analysis of, from Alabama, various localities (nodular)Bull 46,
pp 77–78; MR 1883–84, pp 798–803
analysis of, from Florida, Alachua County
from Great Britain, Belgium, and France (amorphous nodular)Bull 46,
pp 83-84, 97-102, 106-107, 110-111
from Navassa
from North Carolina, various localities
MR 1883–84, pp 790, 793; MR 1885, p 449; MR 1886, p 616
from Raza Island
from Russia, various localities (amorphous nodular)Bull 46, pp 115–116
from South Carolina
from Tennessee, Maury County
various localities
Ann 17, 11, p 539; Ann 19, vi cont, p 551; MR 1893, p 711
from West Indies, Sombrero Island
bibliography of
foreign sources of
of Alabama
of Florida
Bull 46, pp 78–79; Bull 84, pp 134–140; MR 1891, pp 562–563
of Marthas Vineyard
of North Carolina. Bull 45, pp 70–75
of South Carolina. MR 1882,
pp 504–521; MR 1887, pp 580–584; MR 1891, pp 557–562
of Tennessee, classification, relations, origin, commercial development, etc.,
ofAnn 16, iv, pp 610–635; Ann 17, ii, pp 513–550;
Ann 20, vi cont, pp 633–638; Ann 21, iii, pp 473–485
prospect of, in Pennsylvania
Phosphate of lime in Porto Rico, occurrence of
nature and origin of deposits of
Phosphate rock, statistics of
MR 1883–84, pp 783–805; MR 1885, pp 445–455; MR 1886, pp
607–610; MR 1887, pp 580–590; MR 1888, pp 586–593; MR
1889–90, pp 450–455; MR 1892, pp 782–784; MR 1893, pp 703–
712; Ann 16, IV, pp 606-635; Ann 17, III cont, pp 951-957;
Ann 18, v cont, pp 1233–1242; Ann 19, vi cont, pp 535–556;
Ann 20, vi cont, pp 619-639; Ann 21, vi cont, pp 481-502
Phosphatic deposits of Florida, character and correlation of
pp 111-112, 130-131, 134-140
Phosphatic limestone beds of Kentucky
Phosphatic matter, accumulation of, in morasses

701 1 1/11 11 11 11 11 11 11 11 11 11 11 1
Phosphonitrilic chlorides, chloramide, and tetrachlorhydrine, analyses of Bull 167,
pp 85, 86, 87, 89, 131, 132, 133, 134, 135 Phosphoric acid, separation of, in rock analysesBull 78, pp 87–90
Phosphorite, analyses of, from Germany, France, and Spain
nn 48 52–53 58–59
pp 48, 52–53, 58–59 Phosphorites, foreign
Phosphorus from iron slag
in other countries, production of
in steel
statistics of
Phosphorus and metaphosphimic acids, chloronitrides ofBull 167, pp 77–153
Phosphorus oxychloride, action of, on ethers and chlorhydrines of silicic
acidBull 90, pp 47–55
Phosphuranylite, analysis of, from North CarolinaBull 74, p 79
Phreatic water supply in eastern United States
Phthanite of Coast Ranges of California
Phyllite, analysis of, from Maryland, Frederick CountyBull 150, p 320
analysis of, from Vermont, Mount AscutneyBull 148, p 69; Bull 168, p 26
from Maryland, Ladiesburg, description of, as one of educational series
(sericite-schist)
from New Hampshire, Lisbon, description of, as one of educational series
. (chlorite-phyllite)Bull 150, pp 321–323
of Michigan, Crystal Falls districtAnn 19, 111, p 38; Mon xxxv1, pp 57-62
thin section of, from New York, North Stephenson
Phyllopoda, middle Cambrian, new genus and species ofBull 10, pp 50–51
Physical analysis of rocks, methods of
Physical effect of precipitants
of temperature in subsidence of fine solid particles in liquids Bull 36, pp 21-24
Physical geography of Texas region
(See, also, Physiography.) Physical geology of Grand Canyon district
Physical history of Narragansett Basin
Physical properties of iron carburets
Physical and chemical effect of sudden cooling of glassBull 42, pp 98–131
Physics, terrestrial, work in, summary of
Physics and chemistry, work in, 1884–1891
7, pp 127–130; Bull 42; Ann 8, 1, pp 189–193; Bull 55; Ann
9, pp 141–143; Bull 60; Ann 10, 1, pp 177–181; Bull 64; Ann
11, I, pp 125–127; Bull 78; Ann 12, I, pp 127–129; Bull 90
Physics and nature of earth's crust
Physidæ of Bear River formation
of Laramie of Utah
of North America (nonmarine fossil)
Physiographic changes, recent, in Colorado, Cripple CreekAnn 16, 11, pp 18–19
Physiographic development of Alaska—Kenai Peninsula, Matanuska Valley,
Copper River Plateau, etc
of Alaska, Tanana and White river basins
Physiographic forms of New Mexico, Mount Taylor quadrangle
Physiographic relations of Rico Mountains, Colorado
Physiographic terms, definition of
Physiography: Cometook lede effect of faulting on tanggraphy pear.  Man H.
Physiography; Comstock lode, effect of faulting on topography nearMon III, pp 156, 181-182
pp 100, 101–102

Physiography; earth movement in Great Lakes region, geographic changes	
resulting from	
Grand Canyon, walls of	8
Grand Canyon district, Kaibab Plateau, surface ofMon 11, pp 135-139, 192-196	3
Paria Plateau, drainage of	3
plateaus of	9
terraces of	7
Toroweap Valley, cliffs of	3
interior basins, origin of	5
Lake Agassiz, beach ridges and deltas ofBull 39	Э
of Alaska, Copper River country	
of Arkansas, Marshall quadrangle	2
Poteau Mountain quadrangleTF 2, p 10	)
of California, Mount Shasta	
of Colorado, West Denver quadrangleTF 2, p 4	1
of Colorado, Utah, and Wyoming, portions of	2
of copper-bearing rocks of Lake Superior, in relation to structureMon v	
pp 165–166	
of Grand Canyon district	)
of Hamei'en Talanda	) `
of Hawaiian Islands	
of Indian Territory, Poteau Mountain quadrangle	<i>)</i>
of Kansas, Caldwell quadrangle	
Palmyra quadrangle	3
of Maine, Boothbay quadrangle	
of Maryland, Chesapeake Bay, region about	Ł
Fredericksburg quadrangle	
Nomini quadrangle	
of Massachusetts, Marthas VineyardAnn 7, pp 306–307	
of Minnesota, Fargo quadrangleTF 1, p 1	
of Missouri, Marshall quadrangle	
of New Jersey, Atlantic City quadrangleTF 1, p 4	
of New York, eastern, and Vermont, westernAnn 19, 111, p 175	ó
of North Carolina, Norfolk quadrangle TF 2, p 2	2
of North Dakota, Fargo quadrangle	Ĺ
of Oregon, Roseburg quadrangleGF 49, pp 3-4	ŧ
of Pennsylvania, Harrisburg quadrangleTF 2, p 8	3
of Tennessee, Chattanooga district	3
Kingston quadrangleGF 4, p 1	Ĺ
portion of	)
Sewanee quadrangleGF 8, p 1	1
of Texas	Ł
of Utah, southern, Vermilion Cliffs	)
of Vermont, western, and New York, eastern	
of Virginia, Fredericksburg quadrangleGF 13, p 1	
Nomini quadrangleGF 23, p 1	
Norfolk quadrangleTF 2, p 2	
of Washington, river courses, changes in, due to glaciationBull 40	
Tacoma quadrangleGF 54, pp 5-6	
of West Virginia, Charleston quadrangleTF 1, pp 1-2	
Ohio River district, terraces of upperBull 58, pp 22–38, 80–96	
playa lakes and playas	j
topographic features of shore lines	
Mon 1, pp 23-170; Mon x1, pp 87-124	
(See, also, Geomorphology.)	

Pickens sandstone in West Virginia
Picrite-porphyry, analysis of, from Michigan, Crystal Falls districtMon xxxvi,
pp 212, 219; Bull 168, p 67
analyses of, from New York, Dewitt
Picrolite, analysis of, from North Carolina, Buck Creek. Bull 74, p 63; Bull 78, p 15
analysis of, from New Jersey, Montville (residue from) Bull 78, p 18
Piedmont Plain, brief description of
Piedmont Plateau, general description of
of Maryland, pre-Cambrian rocks of
of middle Atlantic coast, general relations of granitic rocks in . Ann 15, pp 657–684
remarks on
Piedmont quadrangle, West Virginia-Maryland, geology of
Piedmont region of middle Atlantic slope
Piedmontite, analysis of, from Maryland, Pine MountainBull 113, p 111
thin section of, from Pennsylvania, South Mountain (in aporhyolite)Bull 136,
pp 116–117
Piedra River, flow of, measurements of
pp 281–283; Ann 19, IV, pp 411–413; Ann 20, IV, pp 59, 402;
Ann 21, rv, pp 298–299; Bull 140, pp 197–198; WS 11, p 71;
WS 16, p 145; WS 28, pp 139, 142, 145; WS 38, pp 308–309
Pierre beds, southeastern limit of, on Great Plains
Pierre clay in Nebraska
Pierre formation or group Bull 82, pp 211, 229
in Colorado
Mon xxvii, pp 69–70; Bull 82, p 191; GF 36, p 3; G F 58, p 2
in North Dakota and South DakotaBull 144, pp 56–57
in WyomingBull 119, pp 23–24
Pierre shale in Black Hills
in Colorado
in MontanaBull 139, p 47; GF 1, p 2; GF 56, p 3
in Nebraska, southeastern
in South Dakota
in Wyoming
west of glacial Lake Agassiz
Piezometry, investigations in
Pig iron. (See Iron.)
Pigeon Point, Minnesota, eruptive and sedimentary rocks on
Pigeon slate in Tennessee and North Carolina GF 16, p 2; GF 20, p 2; GF 25, p 2
Pikes Peak, Colorado, minerals from neighborhood ofBull 20, pp 40–73
Pikes Peak district, Colorado, bibliography of
Pikes Peak Forest Reserve, Colorado, boundaries, timber, fires, mining, etc., in
Pikes Peak quadrangle, Colorado, geology of
Pikeville quadrangle, Tennessee, geology of
Pilarcitos and San Andreas reservoirs, California, discharge of, measurements
of
Pilgrim limestone in Montana, description and sections of
III, pp 286, 330, 340, 364, 368; GF 55, p 2; GF 56, p 2
Pilinite, chemical composition of Bull 125, p 98
Pilling (J. C.), resignation of, from office of chief clerk
Pinaceæ of Cretaceous of Black Hills
of Mesozoic of California
of Mesozoic, older, of North Carolina

Pinaceæ of Triassic of Pennsylvania
Pine, yellow, reproduction and growth of
Pine zones in Washington Forest Reserve
(See also Forest Reserves: Forests )
(See, also, Forest Reserves; Forests.) Pinnidæ from Colorado formationBull 106, pp 88–89
from Cretaceous of Pacific coast
from lower marl beds of New Jersey
Pinto diorite of Montana, Little Belt Mountains
III, pp 373-375, 488-493; GF 56, p 3 Pinyon conglomerate of Wyoming
Pinyon conglomerate of WyomingGF 30, p 5; GF 52, p 3
Pinyon Peak conglomerate in Yellowstone ParkMon xxxII, II, pp 184–188
Pipe clay. (See Clay, pipe.)
Pipes, conveyance of water in irrigation canals, flumes, and
Pipes and hydrants used in subirrigation
Pipestone, analysis of, from MinnesotaAnn 16, rv, p 488; MR 1889-90, p 404
(See Catlinite.)
·
Pirsson (L. V.), description of diabase, as one of rocks of educational series. Bull 150,
pp 264–273
petrography of igneous rocks of Little Belt Mountains, MontanaAnn 20,
III, pp 463–581
Pirsson (L. V.) and Weed (W. H.), geology and mineral resources of Judith
Mountains, Montana
geology of Castle Mountain mining district, MontanaBull 139
Pisces from Devonian beds of New YorkBull 16, pp 17–20, 40–43
from Eocene of middle Atlantic slopeBull 141, pp 60–63
Pisidiidæ, nonmarine fossil, of North America
Pit River, California, profile of
Pitch coal of Oregon, Coos Bay coal field
Pitchstone, analysis of, from Colorado
II, pp 320, 324, 454; Bull 148, p 168; Bull 168, p 150
analysis of, from Connecticut, Meriden (basic)Mon xxix, p 437; Bull 168, p 35
from Montana, Butte
from Utah, near MarysvaleBull 168, p 168
of Colorado, Rosita Hills
Placer deposits of Alaska
of Colorado, Cripple Creek districtAnn 16, 11, pp 150–151
La Plata quadrangleGF 60, p 14
Telluride districtAnn 18, 111, pp 830–831; GF 57, p 13
of IdahoAnn 16, 11, pp 273–274
western-central
Placerville quadrangle, California, geology of
Placodermi from Devonian and Carboniferous rocks of North America Mon xvi,
pp 33-37, 51-53, 108-112, 130-181
Plagioclase, analysis of, from Minnesota, Pigeon PointBull 109, p 34
analysis of, from New York, near Port KentBull 107, p 24
from olivine-diabase
determination of, methods of
thin section of, from Michigan, Eagle Harbor (sandstone)
from Minnesota, Pigeon Point (from porphyritic rock)Bull 109, pp 62, 63
from New York, Adirondacks, showing reaction veins. Ann 19, 111, pp 414-415
Plagioclase, diopside, and agirine-augite, thin section of aqueous deposit of,
from Massachusetts
Plagioclase-basalt, analysis of, from Colorado, Pikes Peak districtBull 148,
p 163; Bull 168, p 145

Plagioclase-basalt, analysis of, from New Mexico, Colfax CountyBull 168, p 171 analysis of, from Texas, Uvalde CountyBull 168, p 61
of Colorado, Telluride quadrangle
of Texas, Uvalde quadrangle
Plagioclase feldspar, thin section of, from Nevada, Eureka district (hornblende-
mica-andesite)
Plagioclase feldspars and phenocrysts, thin section of, from Nevada, Eureka
district (hornblende in hornblende-bearing pyroxene-
andesite)
Plagioclase-gneiss, analyses of, from California, Amador County
ı, p 702; Bull 148, p 215; Bull 168, p 201
of Sierra Nevada
Plagioclase-pyroxene-gneiss, thin section of, from Sierra Nevada
r, pp 742–743
Plains, classification of, by origin
of Texas region
(See, also, Great Plains; High Plains.)
Planorbis rock of FloridaBull 84, p 333
Plant lice, American fossil
Plant life, effects of, on harbors
of earth, past and present, table and diagrams of, by types and geologic
formations, with discussions thereof
Plantamour (E.), hypsometric method of
Plants as rock-builders
descent of
of Red River of the North, basin of
of Texas, Edwards PlateauAnn 18, 11, pp 210–211
of Washington, Tacoma quadrangleGF 54, pp 2, 3
travertine and siliceous sinter, formation of, by vegetation of hot springsAnn 9,
pp 613–676
types of, synoptic view of
Plants and animals, relation of, to soil formation
Plants, fossil; bituminous coal fields of Pennsylvania, Ohio, and West Vir-
ginia, stratigraphy of (fossil plants mentioned)Bull 65
classification in paleobotany, natural method of
Cretaceous formation of Black hills as indicated byAnn 19, 11, pp 521–946
Cretaceous, Lower, of Europe and America, analogies inAnn 16, 1, pp 463–542
Cretaceous and Tertiary plants of North America, catalogue and bibliog-
raphy of
cycadean trunks, fossil, from Black Hills
Devonian ferns Bull 120
forests, petrified, of Arizona
of Black Hills
of Europe and America
of Yellowstone Park
geographic distribution of
internal structure of, value of study of, with review of progressBull 56,
pp 11–38
Mesozoic flora of United States, older
of Virginia and North Carolina, older
Missouri coal measures flora, general range of coal measures of United
States
relation of, to European floras
nomenclature and classification of

Pla	nts, fossil; of Alaska, enumeration and distribution of Ann 17, 1, pp 872–897 of Amboy clays
	of auriferous gravels of California, altitude and climate indicated byAnn 14,
	of bituminous coal fields of Pennsylvania, Ohio, and West Virginia, stratigraphy of, with mention of species
	of Black Hills, Cretaceous formation as indicated byAnn 19, 11, pp 521–946
	of Carboniferous basins of southwestern MissouriBull 98
	of Cascade Range, associated with lavas
	of Champlain clays in Massachusetts
	of Coal Measures, lower, of Missouri Mon xxxvii
	of Colorado, Denver Basin
	of Cretaceous and Tertiary of North America, catalogue and bibliography
	ofBull 152
	of Cretaceous, lower, of England, table of distribution ofAnn 16, 1, pp 482–483 of Portugal, lists of
	of Dakota group
	of Danville quadrangle, Illinois-Indiana
	of Devonian
	of Nevada, Eureka district
	of New York       Bull 16, pp 25–33, 63–66         of Eocene       Bull 83
	of Esmeralda formation of Nevada
	of Indian Territory, McAlester coal field
	of Laramie age, distribution of, table of and discussion thereofAnn 6,
	pp 440–536
	synopsis of
	types of Bull 37
	of localities other than those of Potomac formation at which Potomac species or their allies have been found Mon xv, pp 368-372
	of Massachusetts during terrace period
	of western
	of Mesozoic, older, of North Carolina
	of VirginiaMon vr, pp 1–96
	of Montana, Bozeman coal fieldBull 105, pp 43-66
	of Montana formationBull 163
	of Narragansett Basin
	of Newark system Bull 85, pp 62–65, 126–129 of North America, later extinct Mon xxxv
	of Payette formation
	of Potomac formationAnn 15, pp 344–397; Mon.xv, pp 63–325; Bull 56, pp 43–52
	geologic affinities of
	identical with or allied to species described from other localities and
	formations
	wood and lignite
	Black and Grand prairies
	of Triassic rocks of New Jersey and Connecticut ValleyMon xiv, pp 77–95
	of Wamsutta group in Narragansett Basin
	of WashingtonBull 108, pp 103–104
	of Yellowstone Park
	paleobotany, definition of
	paleobotany; future prospects ofAnn 5, pp 365–366

Plants, fossil; paleobotany, sketch of
paleobotany and botany, interdependence of
Potomac formation, lignite and fossil wood of
Potomac or younger Mesozoic flora, monograph on
Pottsville formation in southern anthracite coal field, Pennsylvania, strati-
graphic succession of fossil flora ofAnn 20, 11, pp 749–930
species of, from each geologic formation, table of number of Ann 5, pp 440–441
structure of, internal, value of study ofBull 56, pp 11–38
travertine and siliceous sinter, formation of, by vegetation of hot springs
Ann 9, pp 613-676
types of, synoptic view of
wood, fossil, from Virginia, Richmond Basin
Plaster, analysis of, from Michigan (land)
analysis of, from Ohio (calcined)
· · · · · · · · · · · · · · · · · · ·
Plastic clay. (See Clay, plastic.)
Platanaceæ of Cretaceous of Black Hills
of Dakota group
of North America (extinct)
of Laramie groupBull 37, pp 34–37
of Yellowstone Park
Plateau province of western United States
pp 49-68; Ann 6, pp 113-124; Mon 11, pp 9-15, 217-218
(See, also, Arizona; Colorado; New Mexico; Utah; Wyoming.)
Platiniferous nickel ore from CanadaBull 64, pp 20–21
Platiniridium, analyses of, from Brazil and Russia
Platinum, foreign sources of
in Alaska, Yukon district, occurrence of
in Russia. Ann 19, vi, pp 269–271
occurrence of
production and mineralogy of
576–580; MR 1885, pp 367–369; MR 1886, pp 222–223; MR
1887, pp 142–143; MR 1888, pp 165–167; MR 1889–90, pp
143–144; Ann 16, III, pp 628–633; Ann 17, III, pp 281–283;
Ann 18, v, p 349; Ann 19, vi, pp 265–271; Ann 20, vi, p 293
pyro-electric qualities of alloys of
Platinum ore, analysis of, from Australia, California, Russia, and South
America
analysis of, from Oregon
from various countries
Platte River, course and character of
drainage areas in basin of
hydrography of basin of
hydrography of and irrigation in basin of
profile of
rainfall and run-off in basin of
stream measurements in basin of
83, 84, 85, 93; Ann 18, IV, pp 141-193; Ann 19, IV, pp 300-
337; Ann 20, IV, pp 54, 55, 255-304; Ann 21, IV, pp 192-219;
Bull 131, pp 28-32; Bull 140, pp 95-123; WS 11, pp 50-
56; WS 15, pp 81–100; WS 27, pp 76–89; WS 37, pp 214–244
Playa lakes and playas, especially those in Lahontan Basin Mon xI, pp 81-85
Playa mud, analysis of, from Nevada, Carson Desert
Pleistocene, Quaternary, and Glacial, remarks on use of the names
pp 22, 395-396

Pleistocene base-levels in Catoctin belt
especially of Great Basin
Pleistocene epochs, provisional classification of, with attendant or character-
istic phenomena
Pleistocene erosion in Colorado, La Plata quadrangle
Pleistocene fossils; Equus fauna, age of
from American localities between Cape Hatteras and Cape Roque, includ-
ing the BermudasBull 24
mammalian fauna of Great Britain
Mollusca of Great Basin
of Lake Lahontan sediments
Ostreidæ of North America
Pleistocene history of Black Hills
of California, Mono Valley
of Colorado, Pikes Peak quadrangleGF 7, p 5
of Iowa, northeastern
of Massachusetts, western
of Sierra Nevada
GF 5, pp 1–2; GF 11, pp 1–2; GF 18, pp 1–2; GF 31, p 2;
GF 37, p 2; GF 39, p 2; GF 41, p 2; GF 43, p 2; GF 51, p 2
record of, in Columbia formation
Pleistocene lakes, classes (two) of
of Great Basin, map showing
sketch of Bull 11, pp 9–12
Pleistocene movements in Alaska, Yukon district
Pleistocene oscillations of land and sea, review of
Pleistocene period, denudation in Grand Canyon during
in Alaska, remarks on
southwestern, history of
in Massachusetts, western
Lake De Soto, geologic history of
Lake Lahontan, geologic history of
morasses, fresh-water, of United States
swamps, sea-coast, of eastern United States
Æolian sand rock of Florida
alluvial deposits of Texas, Black and Grand prairiesAnn 21, vii, pp 345–361
alluvial formations in Nebraska
alluvium in California, Marysville quadrangle
in Washington, Tacoma quadrangle
Barnstable series of New England coast
bitumen, deposits of
Bonneville beds in Utah
Bulla striata marls of Florida
Columbia formation in Virginia, District of Columbia, and MarylandAnn 7, pp
594–612, 635, 637–639; Ann 12, 1, pp 384–407;
GF 13, p 2; GF 23, pp 1–2; GF 70, pp 4–5
correlation o
relation of, to clays of New EnglandAnn 17, 1, p 1004
to Lafayette formation
Coos conglomerate of Oregon, correlation of

	Harbor clays of Maryland, correlation of Ann 18, 11, p 336 
	s, and origin of red color of certain formations. Bull 52
	hickness of
	quadrangleGF 67, p 4
in Nebraska	Ann 19, IV, p 734
influence of, on drain	nage in region of Illinois glacial lobe
7 16 7 7 7775	xxxvIII, pp 460-541
	its relations
	sociated depositsMon xxxvIII, pp 131–184 Mon xxxvIII, pp 191–417
	(ississippi
	Ann 19, 1v, pp 733, 741
	: Lakes region
	Ann 9, pp 209–528
earthquakes in California	, 1889–1898Bulls 68, 95, 112, 114, 129, 147, 155, 161
	fAnn 18, 11, p 336; Bull 84, pp 283, 285, 317
	Florida
	GF 54, p 5
	ansylvania, Ohio, Kentucky, Indiana, and Illi-
	Bull 58
	lacial deposits of Cape Cod districtAnn 18, 11,
glacial Lake Agassiz hea	pp 550–574 ches and deltas of
	nograph on
	Leadville, Colorado
glaciation; ice invasions,	rock scorings of the greatAnn 7, pp 155-248
	f second Glacial epochAnn 3, pp 295–402
	nington, changes in, due toBull 40
(See, also, main entr	ies Glaciation; Glaciology.)
	its glaciers
glaciers. (See main entr	of Sierra NevadaAnn 14, 11, pp 465–469
Ground-ice formation of	Alaska
Ground 100 101111101011 01	ı, pp 850–860; Ann 18, н, р 335; нь, р 219
Illinoian drift in Danville	e quadrangle, Illinois-IndianaGF 67, p 4
Iowan silt in Danville qu	adrangle, Illinois-Indiana
Kansan till of Illinois, Io	wa, etcMon xxxviii, pp 105–106, 119–123
hot springs, deposits of	Ann 9, pp 619-676
Kowak clays of Alaska, d	escription and correlation ofAnn 17, 1, p 856;
	Ann 18, 11, p 335; 111, p 219; Bull 84, pp 265–268, 327
lacustrine formations in I	Mexico
lake beds in California, T	Cruckee quadrangle
	features of
	SAnn 18, 11, pp 253–254; GF 42, p 3; GF 64, p 3 Ann 19, 1v, p 733
	Mon xxvii, pp 274–278
	node of deposition, etc., ofMon xxxviii, pp 153–184
	Basin
	gtonGF 54, p 5
morainic systems within	region of Illinois glacial lobeMon xxxvIII, pp 192-417
Naushon series of Massac	husettsBull 84, p 330

	istocene rocks; nomenclature of beds of
	of Alaska
	southwestern, notes on
	Sushitna Basin, notes on
	Tanana and White river basins
	of Atlantic slope, middle
	of California, Bidwell Bar quadrangle
	Big Trees quadrangle
	Colfax quadrangle GF 66, pp 6-7
	Downieville quadrangle
٠	Jackson quadrangle
	Lassen Peak district
	Lassen Peak quadrangle
	Marysville quadrangle
	Nevada City, Grass Valley, and Banner Hill districts
	Placerville quadrangle
	Pyramid Peak quadrangle
	Sacramento quadrangle
	San Clemente Island
	Smartsville quadrangle
	of coastal plain of southeastern United States
	of Colorado, Denver Basin
	La Plata quadrangle
	Leadville district
	Pueblo quadrangle
	Silver Cliff and Rosita Hills
	of District of Columbia
	of FloridaBull 84, pp 149–156
	of Idaho
	Boise quadrangleGF 45, p 5
	Idaho Basin
	of Illinois, beneath Illinoian till sheet
	of Illinois-Indiana, Danville quadrangle
	of KansasBull 57, pp 38–45; Bull 137, pp 24–28
	of Louisiana Bull 142, p 26
	of Maine, Mount Desert
	of Maryland, Chesapeake Bay, vicinity of
	Washington (D. C.) quadrangle
	Cape Ann
	Holyoke quadrangle
	Marthas Vineyard
	Nantucket IslandBull 53
	southeastern, in relation to glacial brick claysAnn 17, 1, p 998
	of Montana, Livingston quadrangle
	of Nebraska, southeastern
	of Nevada, Eureka district
	of Ohio, Huntington quadrangleGF 69, p 5
	of Oregon, central
	northwestern
	of Rhode Island and southeastern Massachusetts, correlation of, in relation
	to glacial brick clays
	of Sierra Nevada

Pleistocene rocks of South Dakota; Black Hills, southern part. Ann 21, IV, pp 545-549
of South Dakota, southeastern
of Texas
Nueces quadrangleGF 42, p 3
Uvalde quadrangle
of United States, names applied to, list ofBull 84, pp 320–338
of Utah, Uinta Basin
of Virginia, Washington (D. C.) quadrangleGF 70, pp 4-5
of Washington, Tacoma quadrangle
of West Virginia, Huntington quadrangleGF 69, p 5
of Wyoming
Absaroka district
Black Hills, southern part
of Yellowstone Park
Onion Creek marl and allied deposits in Texas
Osceola till in Washington
Peorian soil in Illinois-Indiana, Danville quadrangle
Peorian soil and weathered zone
relations of
San Pedro beds, correlation of Ann 18, 11, p 335
sands and gravels, upland, terrace, and dune, in eastern ColoradoAnn 17,
II, pp 574–580
Sangamon soil and weathered zone
Sankaty beds of New England
shore and river gravels and moraines of Sierra NevadaAnn 14, 11, pp 468–470
Silveria formation and other silt deposits
Simmons Bluff beds, South Carolina, correlation of
soils of Alabama, Gadsden quadrangle
of Alabama, Stevenson quadrangle
of California, Jackson quadrangle
Placerville quadrangleGF 3, p 3
Pyramid Peak quadrangle
Sacramento quadrangleGF 5, p 3
Smartsville quadrangle
of Georgia, Ringgold quadrangle
Stovenson anadronale CE 10 2.4
Stevenson quadrangle
of Idaho, Boise quadrangle
of Illinois-Indiana, Danville quadrangle
of Kentucky, Estillville quadrangle
London quadrangle
Richmond quadrangle
of Maryland, Piedmont quadrangle
of New Mexico, Mesilla Valley
of Ohio, Huntington quadrangle
of Porto Rico
of South Dakota, Black Hills, southern partAnn 21, iv, pp 578-582
of Tennessee, Chattanooga quadrangle
Cleveland quadrangle
Estillville quadrangle
Kingston quadrangle
McMinnville quadrangle
Pikeville quadrangle
Ringgold quadrangle

70.77
Pleistocene rocks; soils of Tennessee, Sewanee quadrangle
soils of Tennessee, Standingstone quadrangle
of Tennessee, Stevenson quadrangle
of Utah, surficial formations of Tintic districtAnn 19, III, pp 666–669, 673
of Virginia, Estillville quadrangleGF 12, p 5
Franklin quadrangle
Pocahontas quadrangle
Staunton quadrangle
Tazewell quadrangle
of Washington, southeastern
Tacoma quadrangle
of West Virginia, Buckhannon quadrangle
Franklin quadrangle
Huntington quadrangle
Piedmont quadrangle
Pocahontas quadrangle
Staunton quadrangle
Tazewell quadrangleGF 44, pp 5-6
of Wyoming, Black Hills, southern partAnn 21, IV, pp 578-582
Steilacoom gravel of Washington
stratified drift in WashingtonGF 54, p 4
surficial deposits of Texas, Black and Grand prairies Ann 21, vii, pp 345-361
Teay formation of Huntington quadrangle, West Virginia-OhioGF 69, p 5
Tehuelehe formation of South America, correlation ofAnn 18, 11, p 336
terrace formations of San Francisco Peninsula
terraces in California, Truckee quadrangle
in Texas, along Colorado, Rio Grande, etc
и, pp 247–256; Bull 164, p 55
terraces, river, in Washington, southeastern
terraces and modern deposits of Massachusetts, western-centralMon xxix,
pp 722–753
thinolite, crystallographic study ofBull 12
Tisbury beds of Marthas VineyardAnn 17, 1, p 977
Toronto formation in region of Illinois glacial lobeMon xxxvIII, pp 185-190
Truro series of New England coast
Uvalde formation of Texas
Vashon drift in WashingtonGF 54, p 4
Vermetus rock of Florida
volcanic eruption, a late, in northern California, and its peculiar lavaBull 79
volcanic eruptions in western United States Mon 1, pp 323, 326, 330, 336-338
of Uinkaret Plateau
wells in Michigan, Lower PeninsulaWS 30, pp 67–69
White sand of FloridaBull 84, p 338
Wisconsin drift in Illinois-Indiana, Danville quadrangle
Yarmouth soil and weathered zone
Yukon silts of Alaska
Pleistocene winds in Lake Bonneville Basin
Pleurocœlidæ of North America
Pleurocœlus, description of
Pleurotomariidæ from Chico-Tejon series of CaliforniaBull 51, pp 25–26
from clays and marls of New Jersey
from Cretagonis of Pacific coast Rull 192 n 64
from Cretaceous of Pacific coast

Pleurotomariidæ from Colorado formation	106, p 161
from Miocene deposits of New Jersey	p 114–117
Pliocene, boundaries ofBu	
origin of nameBul	l 84, p 333
(See, also, Neocene.)	
Pliocene fossils of Oregon	
Pliocene period, definition and features ofBu	
Pliocene rocks; Auriferous gravels of CaliforniaBull 84, p	p 219–222
of Alaska	p 259–267
of Atlantic slope, middleBull 141	, pp 32–33
of CaliforniaMon x111, pp 21	9–221, 461
of ColoradoBull 84, p	
of FloridaBull 84, pp 127–13	
of GeorgiaBull 84	
of North CarolinaBu	ll 84, p 74
of Oregon, northwesternAnn 17, 1, p	p 476–478
of South CarolinaBull 84	
of southern Atlantic coast, geologic history ofBull 84, p	p 191–193
of VirginiaBull 84	, pp 66–67
(See, also, Neocene.)	
Pliohippus beds in Denver BasinMon xxvII, p 480; Bull	
Plombierite, chemical constitution ofBull 125,	
Plum Creek Timber Land Reserve; boundaries, timber, fires, mining, lumb	
ing, etc., in	
Plummer (F. G.), Mount Rainier Forest Reserve, Washington Ann 21, v,	
Pocahontas formation of Virginia and West VirginiaGF 26, p 3; GF 44,	pp 3, 4–5
Pocahontas quadrangle, Virginia-West Virginia, geology of	GF 26
Pocatello irrigation canal, Idaho, surveys for	
Pocono sandstone of Maryland, Virginia, and West Virginia	
pp 2–3; GF 28, p 3; GF 32, pp 3–4; GF 34, p 2; GF	
Pœcilopoda from middle Cambrian of North AmericaBull 30, pp 54-56	3, 149-222
from Nevada, Eureka district	
89–98, 207–211, 266–267; Mon xx, pp 321, 323–324, 32	
Pogonip limestone of Nevada, age, character, and thickness of	Ann 3,
. p 253; Mon vii, p 8; Mon xx,	, pp 48–54
features and fossils of	р 260-262
fauna ofMon xx,	рр 49–54
Poikilitic structure of igneous rocks of MichiganBull 62, pp 78, 75	
of igneous rocks of Yellowstone Park	II, passim
Point Gardner, Alaska, coal nearAnn 1	
Point of Rocks group of Uinta MountainsBull 82, p 235; Bull	
Poison Canyon series of ColoradoBull	
Poison Canyon formation of Colorado	
Pokegama formation of Lake Superior region	
Pollock (W. C.), digest of decisions relating to use and control of water in	
arid region. (See p 113 of this bulletin.)	
Pollucite, chemical composition ofBull 125	р 31, 103
Pollution of Naugatuck River, ConnecticutWS 22,	
of Potomac River	
of Quinnipiac River, ConnecticutWS 22,	
of Shenandoah River	
of streams, discussion of	pp 15-22
Polybasite, analysis of, from Colorado, Aspen mining districtMon xx	xi, p 225
Polycrase, analysis of, from North Carolina, Henderson CountyBul	l 74, p 75

Polylithionite, analysis of
chemical constitution ofBull 125, p 48
Polymignite, chemical constitution of
Polyphosphonitrilic chloride, analysis of
Polypodiaceæ from Dakota group
Polyzoa from Paleozoic strata of Nevada, Eureka district Mon xx, pp 322, 326, 331
Polyzoa from Paleozoic strata of Nevada, Eureka district . Mon xx, pp 322, 320, 331
Pomperaug Valley, Connecticut, Newark system in
Ponderosa marls of TexasBull 82, pp 116, 118, 123, 124, 127, 130, 221, 223
Pondville group of Narragansett BasinMon xxxIII, pp 135–141
Porcelain clay. (See Clay, porcelain.)
Porcupine beds of Alaska, correlation, etc., of
Porcupine gold district of Alaska, placer deposits ofAnn 21, 11, pp 374-376
Porcupine porphyry of Michigan
Porcupine River, Alaska, notes on
Pore space in soil and rock, determinations of
Porifera from Nevada, Eureka district
pp 11-12, 99-106; Mon xx, pp 320, 325, 330 from Yellowstone Park
from Yellowstone Park
Porphyrite, analysis of, from California, Banner Hill
analysis of, from California, Calaveras County
и, р 473; Bull 148, р 216; Bull 168, р 203
from California, Eldorado CountyAnn 14,
и, р 473; Ann 17, ı, р 731; Bull 148, р 213; Bull 168, р 199
various localities
from Colorado, Leadville district
· · · · · · · · · · · · · · · · · · ·
Bull 148, p 173; Bull 168, p 155
West Elk Mountains, Storm Ridge
Bull 148, p 178; Bull 168, p 160
from Montana, Crazy Mountains Bull 148, pp 142, 143; Bull 168, pp 120, 121
near East Gallatin River (highly altered)Bull 60, p 152;
Bull 148, p 138; Bull 168, p 112
in California, Colfax quadrangle
Jackson quadrangleGF 11, pp 3-4
Lassen Peak quadrangleGF 15, p 1
Marysville quadrangle
Nevada City, Grass Valley, and Banner Hill districtsGF 29, pp 2-3
Placerville quadrangle
Smartsville quadrangle
· · · · · · · · · · · · · · · · · · ·
Sonora quadrangle
in Colorado, Anthracite quadrangle
Crested Butte quadrangle
Mosquito RangeAnn 2, p 224; Mon x11, pp 85, 334-344
in Montana, Livingston quadrangleGF 1, p 3
Three Forks quadrangleGF 24, p 4
in Sierra Nevada
in Utah, Henry MountainsAnn 14, 11, pp 175-177; Mon XII, pp 359-363
in Wyoming, Electric Peak
thin section of, from Colorado, Leadville district
Porphyrite and porphyry, use of the terms
Porphyrite and diabase group of Nevada City and Grass Valley districts,
California
Porphyrite-breccia of California, Grass Valley district
Porphyrite-diorite, analysis of, from Colorado, West Elk Mountains, Mount MarcellinaBull 148, p 178; Bull 168, p 160

•
Porphyritic red rock, thin section of, from Minnesota, Pigeon Point. Bull 109, pp 54–55
Porphyroid, analysis of, from Wisconsin, Menominee RiverBull 55, p 81
Porphyroids, schistose porphyries or, of MichiganBull 62, pp 119-!22
Porphyry, analysis of, from California, Knoxville
analysis of, from Colorado, Iron Hill
from Colorado, Leadville, vicinity of
pp 332, 589; Bull 148, p 173; Bull 168, p 155
Leadville district (alteration products)
(altered white)
Mount LincolnMon x11, pp 332–589; Bull 148, p 172; Bull 168, p 154
Mount Zion Mon x11, pp 326, 589; Bull 148, p 172; Bull 168, p 154
from Germany, Muldenstein
from Michigan, Upper Quinnesec Falls (schistose)Bull 62, p 120, 121
from Minnesota, Pigeon Point (red)Bull 64,
p 46; Bull 109, p 58; Bull 148, p 107; Bull 168, p 77
from Montana, Big Baldy Mountain
Castle Mountains
from Missouri, near Ironton
from New Mexico, Los CerrillosBull 42, p 43
from Utah, Henry MountainsBull 60,
p 154; Bull 148, p 183; Bull 168, p 167
in California, Downieville quadrangle
in Colorado, Cripple Creek district (augite-syenite)Ann
16, 11, pp 45–46, 66, 93  La Plata quadrangle
Mosquito Range
Rico Mountains, associated with the monzoniteAnn 21, 11, pp 83, 88–90
Tenmile district
in Lake Superior region, Keweenaw series (quartziferous)Ann 3, pp 113-114
(quartzless)
in Montana, Fort Benton quadrangle
Little Belt Mountains (acidic feldspathic)
Little Belt Mountains quadrangle
microscopic petrography of
in South Dakota, Black Hills (intrusive)
ın Utah, Mercur district
in Yellowstone ParkMon xxxII, II, pp 94–97
reservation of the term, for the designation of rock structure
19, I, p 22; Ann 21, II, p 95
thin section of, from Colorado, Chalk Mountains (white) Mon xII, pp 88-89
from Michigan, Eagle Harbor sandstone
from Minnesota, Baptism River Point (quartziferous) Mon v, pp 100-101
Carp River (felsitic)
Duluth (granitic)
Eagle Mountain (granitic)
Great Palisades
Rice Point (granitic)
from Ontario, Bead Island (quartziferous)
Michipicoten Island (quartziferous)
from Wisconsin, Ashland County, Ironton trail (granitic). Mon v, pp 114-115
Porphyry dikes and intruded sheets of Montana, Castle Mountain mining
district
Porphyry, granitic. (See Granitell.)
Porphyry-trachyte, dikes of, in Lake Champlain regionBull 107, pp 18–22

Port Camden, Alaska, coal at	
Port Graham, Alaska, Cook Inlet, coal at	
Port Orford quadrangle, Oregon, forest conditions in	
Portage beds of New York, petrography and paleontology of Bull 16, pp 67-68	
Portage sandstone of Western States	
Porter (D.), water-power streams of Maine	
Porters Creek group of TennesseeBull 83, p 71; Bull 84, p 333	
Portland cement at World's Columbian ExpositionMR 1893, pp 622-623	
in America, history of	
manufacture and statistics of	
619-623; Ann 16, IV, pp 580-585; Ann 17, III cont, pp 881-893;	
Ann 18, v cont, pp 1169–1177; Ann 19, vi cont, pp 487–494;	
Ann 20, vi cont, pp 539–546; Ann 21, vi cont, pp 393–406	
Portland group of rocks of New BrunswickBull 86, pp 230–238	
Portneuf River, flow of, measurements of	
IV, pp 61, 475–476; Ann 21, IV, pp 404–405; WS 11, p 79;	
WS 16, p 164; WS 28, pp 159, 168, 169; WS 38, pp 350–351	
Porto Rico, geologic investigations in	
mineral resources of	
petroleum in	
survey of, estimates and recommendations concerningAnn 21, 1, pp 49-51, 57	
water resources, topography, climate, irrigation, etc., ofWS 32	
Portugal, antimony production of	
clay products of, at Paris Exposition of 1900	
copper production of MR 1882, p 254; MR 1883-84, pp 356, 367-368; MR 1885,	
pp 228, 237–238; MR 1886, pp 128, 133–135; MR 1887, pp 87,	
95-96; MR 1888, p 73; MR 1889-90, p 73; MR 1891, p 100;	
MR 1892, pp 114, 115; MR 1893, p 86; Ann 16, 111, p 352;	
Ann 17, 111, pp 117, 118; Ann 18, v, pp 219, 220; Ann 19, vi,	
pp 176, 177; Ann 20, vi, pp 202, 203; Ann 21, vi, pp 204, 205	
fossil plants of, literature of	
iron-ore deposits of	
Jurassic and Cretaceous flora of	
manganese mines and production of	
· · · · · · · · · · · · · · · · · · ·	
p 201; MR 1889-90, p 130; MR 1892, p 226; MR 1893,	
pp 146, 155; Ann 16, 111, pp 447, 457; Ann 17, 111, pp 215, 225;	
Ann 18, v, p 328; Ann 19, vi, p 121; Ann 21, vi, pp 160, 162	
pyrites production of	
pp 882-884; MR 1885, pp 507-508; MR 1886, pp.654-656	
tin deposits and production ofAnn 16, 111, pp 465, 512; MR 1883-84, p 618	
Poso Creek, California, flow of, measurements of	
Post (W. S.) and Spurr (J. E.), report of Kuskokwim expedition (1898),	
Alaska	
Potable waters of eastern United States	
Potassium and sodium, method for separation of, from lithium by action of	
amyl alcohol on chlorides, with reference to similar sepa-	
ration from magnesium and calciumBull 42, pp 73-88	
Potassium salts, analyses of	
statistics of	
Poteau Mountain quadrangle, Arkansas-Indian Territory, physiography of TF 2, p 10	
Potholes, glacial, conditions for formation of, etc	
in western Massachusetts	
Potomac beds, location and geology of	
546-547, 613-616, 636; Mon xv, pp 33-62; Bull 56, pp 38-39	
,,,,,,,,,,,	

Potomac clays, description of
Potomac coal field of West Virginia
Potomac formation, comparison of, with Wealden of EnglandAnn 16, 1, pp 471-500
fossil wood and lignite ofBull 56
geologic position of
Hay Creek coal field, Black Hills, compared with Ann 19, 11, pp 570–579
in District of ColumbiaGF 70, pp 3-4
in Maryland
Bull 138, p 125; GF 13, p 4; GF 23, p 3; GF 70, pp 3-4
in New JerseyBull 82, p 215
in North Carolina
in PennsylvaniaBull 84, p 45
in South CarolinaBull 138, p 208
in Virginia
162–163; Bull 145; GF 13, p 4; GF 23, p 3; GF 70, pp 3–4
stratigraphic and paleontologic relations of
unconformity between Columbia formation and
Potomac and Tuscaloosa formations
Potomac or younger Mesozoic flora
Potomac plants, geologic affinities of
Potomac River, drainage area of
geologic conditions determining location of
hydrography of basin of
pollution ofAnn 19, iv, pp 134–146, 147–149, 153, 155, 161
profile of
rainfall and run-off in basin of
stream measurements in basin of
162; Ann 20, 1v, pp 117–132; Ann 21, 1v, pp 95–100; Bull
131, pp 87–89; Bull 140, pp 41–61; WS 11, pp 8–11; WS 15,
pp 15–22; WS 27, pp 19–22, 23–25; WS 35, pp 84–95
water power on
Potosi rhyolite series of Colorado
Potosi riivonte series oi Colorado
Potsdam horizon of Nevada, fossils ofBull 30, pp 32–33
Potsdam horizon of Nevada, fossils of
Potsdam horizon of Nevada, fossils of         Bull 30, pp 32–33           Potsdam horizon and pre-Potsdam land surface in Grand Canyon region         Ann 7,           p 414           Potsdam sandstone, description of the rock as one of the educational series         Bull           150, pp 79–80           fossils from         Bull 81, pp 222–235           in Alabama         Bull 81, pp 305–307           in Arizona, literature of, references to         Bull 81, pp 219–221           in Black Hills region         Bull 81, pp 207–208; Bull 86, p 257           in Canada and Great Lakes region         Bull 81, pp 209–210, 352–354           in Dakota, references to literature of         Bull 81, pp 209–210, 352–354           in Delaware         Bull 81, pp 214–216           in Delaware         Bull 81, pp 187–188           sections showing relations of         Ann 11, r, pp 353–334; Bull 81, pp 187–188           sections showing relations of         Ann 10, r, pp 559, 560, 561, 562, 564           in Lake Superior region         Bull 81, pp 190–199           in Maryland         Bull 81, pp 289–290
Potsdam horizon of Nevada, fossils of
Potsdam horizon of Nevada, fossils of.         Bull 30, pp 32–33           Potsdam horizon and pre-Potsdam land surface in Grand Canyon region         Ann 7,           p 414         Potsdam sandstone, description of the rock as one of the educational series         Bull           150, pp 79–80         fossils from         Bull 81, pp 222–235           in Alabama         Bull 81, pp 305–307           in Arizona, literature of, references to         Bull 81, pp 219–221           in Black Hills region         Bull 86, p 257           in Canada and Great Lakes region         Bull 81, pp 207–208; Bull 86, passim           in Colorado         Bull 81, pp 209–210, 352–354           in Dakota, references to literature of         Bull 81, pp 209–210, 352–354           in Delaware         Bull 81, pp 214–216           in Delaware         Bull 81, pp 187–188           sections showing relations of         Ann 10, 1, pp 559, 560, 561, 562, 564           in Lake Superior region         Bull 81, pp 190–199           in Maryland         Bull 81, pp 289–290           in Michigan, Crystal Falls district         Ann 19, III, p 151; Mon xxxvI, p 481           in Minnesota         Bull 81, pp 181–187
Potsdam horizon of Nevada, fossils of

Potsdam sandstone in Nevada and Utah, equivalents ofBull 81, pp 316-319
in New JerseyBull 81, pp 122–123; Bull 86, pp 401, 414
in New YorkBull 81, pp 202–207, 341–347, 390, 414
in NewfoundlandBull 81, pp 51–55
in Nova ScotiaBull 81, pp 56, 57
in PennsylvaniaBull 81, pp 124–132, 288–289; Bull 86, pp 408, 409
in South Dakota
in TennesseeBull 81, pp 142–143
in Texas
in Upper Mississippi ValleyBull 81, pp 330-334
in Utah and Nevada, equivalents ofBull 81, pp 316-319
in VermontBull 86, p 358
in VirginiaBull 81, pp 134–138, 294, 296, 298
in Wisconsin
in WyomingBull 81, pp 211–214, 349–350
Lingula sandstone of Wisconsin
origin of nameBull 81, p 244
thin section of, from Wisconsin, AblemanBull 150, pp 80–81
Potsdam sandstone and limestone of Texas, Packsaddle MountainAnn 21, vii, p 89
Potsdam sandstone and pre-Potsdam surface, Lake Superior region
рр 399-414
Potsdam series in Illinois, thickness, etc., of
stratigraphic relations of Georgia formation to
Potsdamic rocks, origin of name
Pottery at Paris Exposition of 1900
raw materials, methods of molding, trade-marks, etc., of
111 cont. pp 842–880; MR 1892, pp 726–731
statistics of

Powell (J. W.), resignation of, from Directorship of the Survey, valedictory
remarks prompted by
statements before Committee on Irrigation of House of Representatives. Ann 11,
11, pp 203–289
Powell River, West Virginia, profile of
Powellite, a new mineral species, description and analysis ofBull 90, pp 34-37
Power, motive, used in irrigation
Power, water, in California, Kern River
in California, San Bernardino ValleyAnn 19, 1v, pp 548, 551
San Joaquin River
in Georgia, Altamaha Basin
Ocmulgee River
Oconee River
Savannah Basin
Tugaloo River
Yellow River
in Kansas, Verdigris River
in Maine
in Michigan
in New York, Eric Canal
Hudson River, tributaries of
Niagara River
price and possible developments of
St. Lawrence River
in North Carolina, Cape Fear River Basin
eastern
Knoxville quadrangleGF 16, p 6
Roanoke River Basin
Yadkin River Basin
in Shenandoah Basin
in South Carolina, Broad River Basin
Catawba River Basin
Saluda River
Yadkin River Basin
in Tennessee, Knoxville quadrangleGF 16, p 6
Loudon quadrangle
Morristown quadrangle
on Potomac River
Pozzuolana, analysis of, from Contra Costa County, California, and Rome,
Italy
Prairie soils
Prase, occurrence and statistics ofMR 1883-84, p 753; Ann 17, III cont,
p 923; Ann 18, v cont, p 1217; Ann 19, vi cont, p 513
Pratt (J. H.), tungsten, molybdenum, uranium, and vanadium in United
States
Pre-Cambrian geology, North American, principles ofAnn 16, 1, pp 571-843
Pre-Cambrian rocks of North America, review of present state of knowledge
ofBull 86
Precious-metal industry in United States from 1880 to 1892, review ofMR 1892,
pp 46–94
Precious-metal ore. (See Ore, precious metal.)
Precious-metal production of Colorado, Custer County
Precious metals; auriferous beach sands of Alaska
2 recoust means, authorous beach saines of maska

Precious metals; Auriferous gravels of California
п, pp 425–429, 465–467; Ann 17, г, pp 544–546; п,
pp 97, 109; Ann 18, 11, p 338; Bull 84, pp 219–222,
321; GF 3, p 3; GF 5, pp 1, 3; GF 11, pp 1, 4-5; GF
15, p 1; GF 17, p 1; GF 18, p 5; GF 29, p 4; GF 31, pp
5, 8; GF 37, pp 3-4; GF 39, p 5; GF 41, p 6; GF 43, p
4; GF 51, pp 5-6, 7; GF 63, pp 5-6; GF 66, pp 5-6
auriferous quartz veins, genesis of
Auriferous slate series of California and Sierra Nevada
ı, pp 404, 407; Ann 14, 11, pp 445–456; Ann 17, 1, pp
569, 621-632, 659-663, 684-686; Bull 33, pp 16-18;
GF 3, pp 1, 2; GF 5, pp 1, 2; GF 11, pp 1, 3; GF 15, p 1
gangue minerals known to occur in Alaska minesAnn 18, 111, pp 61-63
gold, concentration of, manner of
colloidal sulphides ofBull 90, pp 56-61
discovery of, in California and Nevada
in Alaska
deposits and districts of, notes on
36, 47–48, 60–61, 70–71, 80, 91–95, 101–102, 110, 112, 116, 125 Klondike district
Nome region, preliminary report on
Prince William Sound and Copper River district, notes on Ann
20, vii, pp 421–422
production of, in 1896, 1897, and 1898, by districtsAlaska (2), p 138
statistics of
southwestern, notes on
Sunrise and Matanuska districts
Sushitna Basin, notes on
Tanana-White region
in California, Bidwell Bar quadrangle
Big Trees quadrangle
Colfax quadrangle
Downieville quadrangle
Marysville quadrangle
Mother Lode district
Nevada City, Grass Valley, and Banner Hill districts GF 29, pp 5-6
Placerville quadrangle
Pyramid Peak quadrangle
Sacramento quadrangle
Smartsville quadrangle
Sonora quadrangle
Truckee quadrangle
in Colorado, Cripple Creek district
Cripple Creek district, free, tellurides of, etcAnn 16, 11, pp 119–122
Denver Basin (placer)
in Idaho, Boise quadrangle
in Montana, Butte district
Fort Benton quadrangleGF 55, pp 5-6
Livingston quadrangle
Three Forks quadrangle
in North Carolina, Knoxville quadrangle
in Oregon, Roseburg quadrangle
in Philippine Islands, occurrence ofAnn 19, vs cont, pp 690-691
in Porto Rico, occurrence of

	·
$\Pr$	ecious metals; gold in quartz veins, source of
	gold in Tennessee, Knoxville quadrangle
	in Texas, Uvalde quadrangle
	in Utah, Tintic district, production of
	in Washington, northern Cascades
	solution and precipitation of, manner of
	gold-bearing veins of Alaska, sketch of
	gold belt in California, extent and geology of
	GF 5, pp1-2; GF 11, pp 1-2; GF 18, pp 1-2;
	GF 21, pp 1–2; GF 37, pp 1–2; GF 39, pp 1–2;
	GF 41, pp 1-2; GF 43, pp 1-2; GF 51, pp 1-2
	in Georgia
	in North Carolina
	in South Carolina
	gold fields of southern Alaska, reconnaissance of, with some notes on gen-
	eral geology
	of southern Appalachians, geography, history, geology, etc., ofAnn 16,
	277 222 951 991
	gold gravels and vein deposits of Sierra Nevada
	1, pp 586–590, 653–654, 675–677, 694–696, 706–708, 713
	gold ledge of Mercur district, Utah
•	gold-mining industry in western Oregon
	gold mining and metallurgy in Southern States, history of Ann 20, vi, pp 111-123
	gold ore, analysis of, from Colorado, Leadville district
	analysis of, from Utah, Mercur mine, oxidized
	gold ores of Mercur district, Utah, theory of genesis of Ann 16, 11, pp 452-454
	gold-quartz veins in Appalachians, southern
	in California, Colfax quadrangle
	Mother Lode district
	Nevada City and Grass Valley districts
	Ophir
	in Colorado, Cripple Creek district
	Leadville district
	Telluride
	in Montana, Boulder Hot SpringsAnn 21, 11, pp 233–255
	in Nevada, Comstock lode
	in Oregon, Bohemia district
	observed connection of, with intrusive rocks
	gold and metallic sulphides, deposition of, mode ofAnn 17, 11, pp 182-184'
	gold and silver, conversion tables
	in Alaska, production of, 1880–1896
	in British Columbia, production of, 1858–1895
	in California, production of, Nevada City and Grass Valley districtsAnn 17,
	п, pp 27–262
	in Colorado; Custer County, genesis of ore ofAnn 17, 11, pp 435–438, 445–447
	Custer County, mines and mining in
	discovery of
	in Elk Mountains
	Leadville region
	Telluride quadrangle, mining industries of
	in eruptive rocks
	in Idaho, mining districts
	Silver City, De Lamar, and other mining districtsAnn 20, 111, pp 65–256
	in Idaho Basin, discovery, production, etc., of
	·

Precious metals in Nevada, Comstock lode Mon 111, pp 6-7, 9, 18, 224-225, 268
in Nevada, Eureka
in Oregon, Blue River mining region, notes on
Bohemia mining region
in United States, production of, since 1792 and 1804
pp 74–75; MR 1888, p 38
in Utah, Tintic district, production of, 1880–1896Ann 19, 111, pp 614–616
Klondike district, Alaska
milling in Colorado, Telluride district
mineral deposits in Idaho, classification of
mining, gold, methods of
Nome region, preliminary report on
ore-bearing fissures in Colorado, Custer County
ore deposition, theories of, test of
ore deposits in Colorado, Leadville district, source or genesis ofMon x11,
фр 367–584, 594
in Montana, Little Belt Mountains quadrangle
in Nevada, Comstock lode, source or genesis of Mon 111, pp 18-21, 285-288
popular fallacies regarding
placer deposits of Alaska
of Colorado, Cripple Creek district
La Plata quadrangle
Telluride district
of Idaho, Boise Ridge
western-central
placer gold in Alaska, Yukon district, origin of
quartz veins in Idaho Basin
quartz veins and mineralized shear zones in Alaska, Yukon districtAnn 18,
пі, pp 290–316
silver, discovery of, in western United States
in country rock, determination of
in Idaho, Boise Mountains
Boise quadrangle
in Montana, Butte district
Fort Benton quadrangle
in Philippine Islands
in Texas, Uvalde quadrangle
in Utah, Tintic district, production of
quantitative determination of, by means of microscopeAnn 6, pp 323-352
(See, also, main entry Silver.)
statistics of
MR 1882, pp 172–185; MR 1883–84, pp 312–321; MR 1885,
pp 200–207; MR 1886, pp 104–108; MR 1887, pp 58–65; MR
1888, pp 36–42; MR 1889–90, pp 48–55; MR 1891, pp 74–80;
MR 1892, pp 46–94; MR 1893, pp 50–61; Ann 16, 111, p 258;
Ann 17, 111, pp 72–79; Ann 18, v, pp 141–151; Ann 19, vi,
pp 127–135; Ann 20, vi, pp 103–111; Ann 21, vi, pp 119–127
veins, fissure, types of
Yukon gold district, Alaska, geology of
(See, also, Gold; Silver; Ores; Ore deposits; etc.)
Precious stones, foreign sources of MR 1887, pp 563-579
localities of, in United States

Precious stones; statistics ofMR 1882, pp 482-503; MR 1883-84, pp 723-782; MR
1885, pp 437–444; MR 1886, pp 595–605; MR 1887, pp 555–
579; MR 1888, pp 580–585; MR 1889–90, pp 445–448; MR
1891, pp 539–551; MR 1892, pp 756–781; MR 1893, pp 680–
702; Ann 16, IV, pp 595-605; Ann 17, III cont, pp 895-926;
Ann 18, v cont, pp 1183-1217; Ann 19, vi cont, pp 497-514;
Ann 20, vi cont, pp 557-602; Ann 21, vi cont, pp 419-462
Precipitation. (See Rainfall.)
Predentata of North America
Prehnite, analysis of, from Tyrol, FassaBull 113, p 112
chemical constitution of
composition ofBull 150, p 40
occurrence and statistics of
p 493; MR 1893, p 682; Ann 16, IV, p 605; Ann 17, III cont,
p 924; Ann 18, v cont, p 1217; Ann 19, v1 cont, p 513
Preston (R. E.), gold and silver, statistics ofMR 1893, pp 50-61
Preston beds of Texas
Presumpscot River, Maine, flow of, measurements of
water power of
Pressure, behavior of solids under highBull 55, pp 67–75
contractions due to cooling underBull 92, pp 56–61
effect of, on electrical conductivity of mercuryBull 92, pp 68–77
experiments showing relation of fusion and ebullition toBull 103
influence of, on crystallization of igneous magmasBull 66, p 25
investigations in relation to high
method of obtaining and of measuring very highBull 96, pp 17-32
relation of, to schistose structure
Pressure and igneous fusion, relation of, investigation ofAnn 14, 1, pp 157-158
Pressure and temperature, dependence of fluid volume on Bull 92, pp 17–67
Pressure, density, and gravity, terrestrial, table of variation ofAnn 13, 11, p 236
Pressure (high-) chemistry, investigations in
Pribilof Islands, Alaska, notes on
Price formation of Virginia and West Virginia
Priceite, analyses of, from Oregon, Curry CountyBull 55, p 58; MR 1889-90, p 505
Priest River Forest Reserve, forest conditions, timber, fires, etc., ofAnn 19,
• v, pp 59–61, 217–252
Primal series, origin of nameBull 81, p 251
Primary rocks. (See Archean.)
Primeval rocks, possible character of
Primitive rocks, history of termBull 86, p 470
Primordial, origin of termBull 81, p 243
Prince Edward Island, presence or absence of Newark rocks on Bull 85, pp 25–31
Prince William Sound, Alaska, topography of and drainage into
vii, pp 378–384
Prince William Sound and Copper River region, Alaska, reconnaissance in, in
1898
report on
ıı, pp 489–490; GF 26, p 3; GF 44, p 3 Principles of North American pre-Cambrian geologyAnn 16, ı, pp 571–843
Principles and definitions in geologic science
Principles and methods of rock analysisBull 176
Procamelus beds of Montana
Prochlorite, analysis of, from District of Columbia Bull 9, p 13; Bull 78, p 19
analysis of, from North Carolina, CulsageeBull 74, p 67
chemical constitution of

Procter (J. R.), coal fields of Kentucky
list of ores, minerals, and mineral substances of industrial importance in
Kentucky
Profiles of rivers in United States. WS 44
Propylite, a decomposition product of various rocks
Mon III, pp 81–90, 135–144, 375; Bull 17, p 30
analyses of, from Nevada, Washoe district
Prosopite, analysis of, from Colorado, Pikes Peak region
vi cont, p 591; Bull 20, p 64; Bull 167, p 68
analysis of, from Saxony, AltenbergAnn 20,
vr cont, p 591; Bull 20, p 63; Bull 167, p 68
from Utah, TooeleAnn 20, vi cont, p 591; Bull 167, p 68
from Colorado, near Pikes Peak, occurrence, chemical investigation, etc.,
of
from Utah, Dugway mining district, mineralogic notes onBull 167, pp 66-68
occurrence of
Prospect Mountain limestone of Nevada, fossils ofBull 30, pp 32–33
of Nevada and Utah Ann 3, pp 253, 254–255; Ann 4, pp 229, 230–231; Mon
vII; pp 6-7; Mon xx, pp 36-38; Bull 81, pp 252, 314-315
Prospect Mountain quartzite of Nevada and Utah
Ann 4, pp 230, 233; Mon xx, p 35; Bull 81, pp 252, 313-314
Prospecting, methods of, in Nevada, Eureka district
Prospecting rules for Penokee district
Prosser (C. S.), clay deposits of Kansas
Devonian system of eastern Pennsylvania and New YorkBull 120
Proteaceæ of Amboy clays
of Dakota group
Proterozoic, adoption of termBull 86, p 493
Protoceras bed of South Dakota, correlation of
Protophasmida from Rhode Island coal fieldBull 101, pp 20–21
Protovermiculite, analysis of, from Arkansas, Magnet CoveBull 90, pp 11, 12
chemical constitution of
Protozoa from Cretaceous of New JerseyBull 88
from Yellowstone Park
Protremata, biologic development of
Provo River, flow of, measurements of
104, 109; Ann 12, 11, pp 340, 354, 361; Ann 13, 111, pp 97, 99;
Ann 14, 11, pp 123–124; Ann 18, 1v, pp 325, 327, 328; Ann 19, 1v, pp 441–442; Ann 20, 1v, pp 61, 468; Ann 21, 1v, pp 398–
399; Bull 131, pp 59-60; Bull 140, pp 234-235; WS 11, p 79;
WS 16, p 162; WS 28, pp 152, 153, 154; WS 38, pp 338–339
Prozoic rocks, use of termBull 86, p 323
Pryor Mountains, Wyoming, structure ofBull 119, pp 45–46
Pseudobrookite, chemical constitution of
Pseudodiabase of California, Coast Ranges
Pseudodiorite of California, Coast Ranges
Pseudomorphism after limestone, evidences of, in ores
Pseudomorphs of calcite and dolomite in Massachusetts, western
pp 389–391 Psilomelane, analysis of, from Colorado, Round Mountain, on rhyoliteAnn 17,
II, p 451
analysis of, from East Indies, Gosalpur
Pteranodon from Denver Basin, remains of
Pteranodon from Denver Basin, remains of
Pteranodon from Denver Basin, remains of

Pteropoda; Matthevia from upper Cambrian of New York, description ofBull 30,
pp.223–225
of Cambrian of Nevada, Eureka district
of Cambrian of North America
ı, pp 590, 620-624; Bull 30, pp 54, 131-146, 223-225
of Carboniferous of Nevada, Eureka district
of Devonian of Nevada, Eureka district
of New York
Ontario County
of Nevada, Eureka district
of Olenellus zone
of Paleozoic strata of Nevada, Eureka districtMon xx, pp 320, 323, 330, 333
of Silurian, lower, of Nevada, Eureka district
Ptilolite, chemical constitution of
Public domain, history of
Public land assured as 101 105
Public-land surveys, system of
Public lands, area and rate of disposal of
areas vacant, reserved, and disposed of in the West Ann 16, 11, pp 479, 487-488
in the Western States, water supply for
location and extent of
vacant, in Western States, classification, rate of disposal, etc., ofAnn 16,
II, pp 467, 492–496
water supply, etc., of
Pueblo quadrangle, Colorado, geology of
Puerco beds of Colorado and New Mexico, literature and correlation ofAnn 18, 11,
p 347; Bull 82, p 229; Bull 83, pp 119–129, 137–138, 145–146
Puerco group of Colorado and New Mexico, fossils ofBull 34, pp 11–12
Puerco River, New Mexico, irrigation possibilities alongAnn 12, 11, pp 275-277
Puget formation or group of Washington and British Columbia, character and
age of
correlation, etc., of
pp 95, 107–110; Bull 84, pp 229–230, 333; GF 54, pp 2–3
literature pertaining to, digest of
molluscan fauna of
plants from
Puget Sound, coal fields of
Puget Sound region, forests of, remarks on
molluscan fauna from
Pugh formation of West Virginia
Pulaski formation of Oregon, Coos Bay region
Pulaski shale in Virginia and West Virginia
Pulaskite from Arkansas, Little Rock, description of, as one of the educational
series (eleolite-hornblende-syenite) Bull 150, pp 194–196
Pulliam formation of Texas, Uvalde quadrangleGF 64, p 2
of Texas, Uvalde quadrangle, wells fromGF 64, p 6
Pulmonifera from Nevada, Eureka district
from Paleozoic strata of Nevada, Eureka district
Pulp, analysis of, from Maryland, Luke (effluent from)
Pumice, analysis of, from California, Mono Lake
Bull 150, p 149; Bull 168, p 219
analysis of, from Nebraska
from Utah
in Hawaii, occurrence of
re-fused by basalt
from California, Mono Lake, description of, as one of the educational series
(rhyolitic) Bull 150 nn 148_149
(rhyolitic)       Bull 150, pp 148–149         of Nevada, Eureka district (rhyolitic)       Mon xx, pp 380–385

Punice stone, deposits and statistics ofMR 1882, pp 480; MR 1883-84, p 721; MR
runice stone, deposits and statistics of Mr. 1882, pp 480; Mr. 1885-64, p 721; Mr.
1885, p433; Ann 19, vi cont, pp 529-532; Ann 20, vi cont, p615
Pumpelly (R.), report on chemical work in 1879-80
work in charge of, during 1879–1881 and 1884–1892Ann 1, pp 57–60; Ann 2,
pp 35-40; Ann 6, p 18; Ann 7, pp 60-61; Ann 8, r, pp 124-
125; Ann 9, pp 75–76; Ann 10, 1, pp 114–116; Ann 11, 1, pp
64-65; Ann 12, I, pp 67-70; Ann 13, I, pp 100-102, 102-103
Pumpelly (R.), Wolff (J. E.), and Dale (T. N.), geology of Green Mountains
in Massachusetts
Pumping water for irrigationAnn 13, 111, pp 332–338; WS 1; WS 10, pp 34–36
Pumps for irrigation, types of
Pumps and water lifts used in irrigation, new tests of
Pupidæ of Eocene of New Mexico
of North America (nonmarine fossil)
of Pleistocene of Great BasinBull 11, p 22
Purgatory conglomerate of Narragansett Basin
Purgatory River, flow of, measurements of
11, p 98; Ann 18, IV, pp 231-232; Ann 19, IV, pp 358-360;
Ann 20, 1v, pp 57, 340–342; Ann 21, 1v, pp 235–236; WS 11,
p 61; WS 16, p 123; WS 28, pp 113, 116, 117; WS 37, p 263
Purification of factory wastes in Massachusetts, experiments on WS 22, pp 27-35
of sewage at manufacturing establishments
at towns on Great Lakes, necessity of
Purington (C.W.), economic geology of La Plata quadrangle, ColoradoGF 60,
pp 12–14
economic geology of Telluride quadrangle, Colorado
preliminary report on mining industries of Telluride quadrangle, ColoradoAnn
10 mtm owe
18, п, рр 745–850
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey Mon xviii, pp 193–194 Pyramid Harbor, Alaska, reconnaissance to Eagle City from Ann 21, ii, pp 331–391 Pyramid Lake, analysis of water of Mon xi, pp 57–58 Pyramid Peak quadrangle, California, geology of GF 31 Pyramidellidæ from clays and marls of New Jersey Mon xviii, pp 151–152 from Colorado formation Bull 106, pp 140–143 from Cretaceous of Pacific coast Bull 133, p 70 Pyrenomycetæ, from Lower Coal Measures of Missouri Mon xxxvii, pp 13–14 Pyrite, analyses of MR 1886, p 652 analysis of, from Canada, Capelton MR 1883–84, p 881; MR 1885, p 507 from Colorado, Leadville district Mon xii, pp 557, 602 Leadville district, alteration products of Mon xii, p 606 from France, near Lyon MR 1883–84, p 885 from Georgia MR 1883–84, p 880; MR 1885, p 506 from Germany, Westphalia MR 1883–84, p 885
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey Mon xviii, pp 193–194 Pyramid Harbor, Alaska, reconnaissance to Eagle City from Ann 21, ii, pp 331–391 Pyramid Lake, analysis of water of Mon xi, pp 57–58 Pyramid Peak quadrangle, California, geology of GF 31 Pyramidellidæ from clays and marls of New Jersey Mon xviii, pp 151–152 from Colorado formation Bull 106, pp 140–143 from Cretaceous of Pacific coast Bull 133, p 70 Pyrenomycetæ, from Lower Coal Measures of Missouri Mon xxxvii, pp 13–14 Pyrite, analyses of MR 1886, p 652 analysis of, from Canada, Capelton MR 1883–84, p 881; MR 1885, p 507 from Colorado, Leadville district Mon xii, pp 557, 602 Leadville district, alteration products of Mon xii, p 606 from France, near Lyon MR 1883–84, p 880; MR 1885, p 506 from Georgia MR 1883–84, p 880; MR 1885, p 506 from Germany, Westphalia MR 1883–84, p 878; MR 1885, p 503 from New Hampshire, Milan MR 1883–84, p 877; MR 1885, p 501
Purpuridæ from clays and marls of New Jersey
Purpuridæ from clays and marls of New Jersey Mon xviii, pp 193–194 Pyramid Harbor, Alaska, reconnaissance to Eagle City from Ann 21, ii, pp 331–391 Pyramid Lake, analysis of water of Mon xi, pp 57–58 Pyramid Peak quadrangle, California, geology of GF 31 Pyramidellidæ from clays and marls of New Jersey Mon xviii, pp 151–152 from Colorado formation Bull 106, pp 140–143 from Cretaceous of Pacific coast Bull 133, p 70 Pyrenomyceteæ, from Lower Coal Measures of Missouri Mon xxxvii, pp 13–14 Pyrite, analyses of MR 1886, p 652 analysis of, from Canada, Capelton MR 1883–84, p 881; MR 1885, p 507 from Colorado, Leadville district Mon xii, pp 606 from France, near Lyon MR 1883–84, p 880; MR 1885, p 506 from Georgia MR 1883–84, p 880; MR 1885, p 506 from Germany, Westphalia MR 1883–84, p 878; MR 1885, p 503 from New Hampshire, Milan MR 1883–84, p 877; MR 1885, p 501 from New York, Rockland County, nickeliferous MR 1886, p 712 St. Lawrence County MR 1885, p 504
Purpuridæ from clays and marls of New Jersey Mon xviii, pp 193–194 Pyramid Harbor, Alaska, reconnaissance to Eagle City from Ann 21, ii, pp 331–391 Pyramid Lake, analysis of water of Mon xi, pp 57–58 Pyramid Peak quadrangle, California, geology of GF 31 Pyramidellidæ from clays and marls of New Jersey Mon xviii, pp 151–152 from Colorado formation Bull 106, pp 140–143 from Cretaceous of Pacific coast Bull 133, p 70 Pyrenomyceteæ, from Lower Coal Measures of Missouri Mon xxxvii, pp 13–14 Pyrite, analyses of MR 1886, p 652 analysis of, from Canada, Capelton MR 1883–84, p 881; MR 1885, p 507 from Colorado, Leadville district Mon xii, pp 557, 602 Leadville district, alteration products of Mon xii, pp 606 from France, near Lyon MR 1883–84, p 885 from Georgia MR 1883–84, p 880; MR 1885, p 506 from Germany, Westphalia MR 1883–84, p 878; MR 1885, p 503 from New Hampshire, Milan MR 1883–84, p 877; MR 1885, p 501 from New York, Rockland County, nickeliferous MR 1886, p 712 St. Lawrence County MR 1885, p 504 Ulster County MR 1885, p 504
Purpuridæ from clays and marls of New Jersey Mon xviii, pp 193–194 Pyramid Harbor, Alaska, reconnaissance to Eagle City from Ann 21, ii, pp 331–391 Pyramid Lake, analysis of water of Mon xi, pp 57–58 Pyramid Peak quadrangle, California, geology of GF 31 Pyramidellidæ from clays and marls of New Jersey Mon xviii, pp 151–152 from Colorado formation Bull 106, pp 140–143 from Cretaceous of Pacific coast Bull 133, p 70 Pyrenomyceteæ, from Lower Coal Measures of Missouri Mon xxxvii, pp 13–14 Pyrite, analyses of MR 1886, p 652 analysis of, from Canada, Capelton MR 1883–84, p 881; MR 1885, p 507 from Colorado, Leadville district Mon xii, pp 557, 602 Leadville district, alteration products of Mon xii, p 606 from France, near Lyon MR 1883–84, p 885 from Georgia MR 1883–84, p 880; MR 1885, p 506 from Germany, Westphalia MR 1883–84, p 878; MR 1885, p 503 from New Hampshire, Milan MR 1883–84, p 877; MR 1885, p 501 from New York, Rockland County, nickeliferous MR 1885, p 504 Ulster County MR 1885, p 504 from North Carolina, Gaston County MR 1885, p 505
Purpuridæ from clays and marls of New Jersey Mon xviii, pp 193–194 Pyramid Harbor, Alaska, reconnaissance to Eagle City from Ann 21, ii, pp 331–391 Pyramid Lake, analysis of water of Mon xi, pp 57–58 Pyramid Peak quadrangle, California, geology of GF 31 Pyramidellidæ from clays and marls of New Jersey Mon xviii, pp 151–152 from Colorado formation Bull 106, pp 140–143 from Cretaceous of Pacific coast Bull 133, p 70 Pyrenomyceteæ, from Lower Coal Measures of Missouri Mon xxxvii, pp 13–14 Pyrite, analyses of MR 1886, p 652 analysis of, from Canada, Capelton MR 1883–84, p 881; MR 1885, p 507 from Colorado, Leadville district Mon xii, pp 557, 602 Leadville district, alteration products of Mon xii, p 606 from France, near Lyon MR 1883–84, p 885 from Georgia MR 1883–84, p 885 from Massachusetts, Rowe MR 1883–84, p 878; MR 1885, p 506 from New Hampshire, Milan MR 1883–84, p 877; MR 1885, p 501 from New York, Rockland County, nickeliferous MR 1885, p 504 Ulster County MR 1885, p 504 from North Carolina, Gaston County MR 1885, p 505 from Portugal, San Domingo mine MR 1885, p 508
Purpuridæ from clays and marls of New Jersey Mon xviii, pp 193–194 Pyramid Harbor, Alaska, reconnaissance to Eagle City from Ann 21, ii, pp 331–391 Pyramid Lake, analysis of water of Mon xi, pp 57–58 Pyramid Peak quadrangle, California, geology of GF 31 Pyramidellidæ from clays and marls of New Jersey Mon xviii, pp 151–152 from Colorado formation Bull 106, pp 140–143 from Cretaceous of Pacific coast Bull 133, p 70 Pyrenomyceteæ, from Lower Coal Measures of Missouri Mon xxxvii, pp 13–14 Pyrite, analyses of MR 1883–84, p 881; MR 1885, p 507 from Colorado, Leadville district Mon xii, pp 557, 602 Leadville district, alteration products of Mon xii, pp 606 from France, near Lyon MR 1883–84, p 885; from Georgia MR 1883–84, p 885; from Georgia MR 1883–84, p 87; MR 1885, p 506 from Germany, Westphalia MR 1883–84, p 87; MR 1885, p 506 from Massachusetts, Rowe MR 1883–84, p 87; MR 1885, p 501 from New Hampshire, Milan MR 1883–84, p 87; MR 1885, p 504 Ulster County MR 1885, p 504 from North Carolina, Gaston County MR 1883–84, p 884; MR 1885, p 508 from Portugal, San Domingo mine MR 1883–84, p 884; MR 1885, p 508 from Spain, Rio Tinto mine MR 1883–84, p 884; MR 1885, p 508
Purpuridæ from clays and marls of New Jersey Mon xviii, pp 193–194 Pyramid Harbor, Alaska, reconnaissance to Eagle City from Ann 21, ii, pp 331–391 Pyramid Lake, analysis of water of Mon xi, pp 57–58 Pyramid Peak quadrangle, California, geology of GF 31 Pyramidellidæ from clays and marls of New Jersey Mon xviii, pp 151–152 from Colorado formation Bull 106, pp 140–143 from Cretaceous of Pacific coast Bull 133, p 70 Pyrenomyceteæ, from Lower Coal Measures of Missouri Mon xxxvii, pp 13–14 Pyrite, analyses of MR 1886, p 652 analysis of, from Canada, Capelton MR 1883–84, p 881; MR 1885, p 507 from Colorado, Leadville district Mon xii, pp 557, 602 Leadville district, alteration products of MR 1883–84, p 885 from Georgia MR 1883–84, p 880; MR 1885, p 506 from Germany, Westphalia MR 1883–84, p 87; MR 1885, p 506 from Germany, Westphalia MR 1883–84, p 87; MR 1885, p 501 from New Hampshire, Milan MR 1883–84, p 87; MR 1885, p 501 from New York, Rockland County, nickeliferous MR 1885, p 504 Ulster County MR 1885, p 505 from North Carolina, Gaston County MR 1885, p 508 from Spain, Rio Tinto mine MR 1883–84, p 884; MR 1885, p 508 from Spain, Rio Tinto mine MR 1883–84, p 884; MR 1885, p 508 Tharsis mine MR 1885, p 508
Purpuridæ from clays and marls of New Jersey Mon xviii, pp 193–194 Pyramid Harbor, Alaska, reconnaissance to Eagle City from Ann 21, ii, pp 331–391 Pyramid Lake, analysis of water of Mon xi, pp 57–58 Pyramid Peak quadrangle, California, geology of GF 31 Pyramidellidæ from clays and marls of New Jersey Mon xviii, pp 151–152 from Colorado formation Bull 106, pp 140–143 from Cretaceous of Pacific coast Bull 133, p 70 Pyrenomyceteæ, from Lower Coal Measures of Missouri Mon xxxvii, pp 13–14 Pyrite, analyses of MR 1886, p 652 analysis of, from Canada, Capelton MR 1883–84, p 881; MR 1885, p 507 from Colorado, Leadville district Mon xii, pp 557, 602 Leadville district, alteration products of MR 1883–84, p 885 from Georgia MR 1883–84, p 880; MR 1885, p 506 from Germany, Westphalia MR 1883–84, p 87; MR 1885, p 506 from Germany, Westphalia MR 1883–84, p 87; MR 1885, p 501 from New Hampshire, Milan MR 1883–84, p 87; MR 1885, p 501 from New York, Rockland County, nickeliferous MR 1885, p 504 Ulster County MR 1885, p 505 from North Carolina, Gaston County MR 1885, p 508 from Spain, Rio Tinto mine MR 1883–84, p 884; MR 1885, p 508 from Spain, Rio Tinto mine MR 1883–84, p 884; MR 1885, p 508 Tharsis mine MR 1885, p 508
Purpuridæ from clays and marls of New Jersey Mon xvIII, pp 193–194 Pyramid Harbor, Alaska, reconnaissance to Eagle City from Ann 21, II, pp 331–391 Pyramid Lake, analysis of water of Mon xI, pp 57–58 Pyramid Peak quadrangle, California, geology of GF 31 Pyramidellidæ from clays and marls of New Jersey Mon xvIII, pp 151–152 from Colorado formation Bull 106, pp 140–143 from Cretaceous of Pacific coast Bull 133, p 70 Pyrenomyceteæ, from Lower Coal Measures of Missouri Mon xxxVII, pp 13–14 Pyrite, analyses of MR 1886, p 652 analysis of, from Canada, Capelton MR 1883–84, p 881; MR 1885, p 507 from Colorado, Leadville district Mon XII, pp 557, 602 Leadville district, alteration products of Mon XII, p 606 from France, near Lyon MR 1883–84, p 880; MR 1885, p 506 from Georgia MR 1883–84, p 880; MR 1885, p 506 from Germany, Westphalia MR 1883–84, p 878; MR 1885, p 503 from New Hampshire, Milan MR 1883–84, p 877; MR 1885, p 503 from New York, Rockland County, nickeliferous MR 1886, p 712 St. Lawrence County MR 1885, p 504 Ulster County MR 1885, p 505 from Portugal, San Domingo mine MR 1883–84, p 884; MR 1885, p 506 from Spain, Rio Tinto mine MR 1883–84, p 884; MR 1885, p 508 from Tennessee, Ducktown MR 1885, p 508 from Tennessee, Ducktown MR 1885, p 502, 503
Purpuridæ from clays and marls of New Jersey Mon xviii, pp 193–194 Pyramid Harbor, Alaska, reconnaissance to Eagle City from Ann 21, ii, pp 331–391 Pyramid Lake, analysis of water of Mon xi, pp 57–58 Pyramid Peak quadrangle, California, geology of GF 31 Pyramidellidæ from clays and marls of New Jersey Mon xviii, pp 151–152 from Colorado formation Bull 106, pp 140–143 from Cretaceous of Pacific coast Bull 133, p 70 Pyrenomyceteæ, from Lower Coal Measures of Missouri Mon xxxvii, pp 13–14 Pyrite, analyses of MR 1885–84, p 881; MR 1885, p 507 from Colorado, Leadville district Mon xii, pp 557, 602 Leadville district, alteration products of Mon xii, pp 557, 602 Leadville district, alteration products of MR 1883–84, p 885 from Georgia MR 1883–84, p 880; MR 1885, p 506 from Germany, Westphalia MR 1883–84, p 878; MR 1885, p 506 from New Hampshire, Milan MR 1883–84, p 878; MR 1885, p 501 from New York, Rockland County, nickeliferous MR 1885, p 504 Ulster County MR 1885, p 504 from North Carolina, Gaston County MR 1885, p 505 from Portugal, San Domingo mine MR 1883–84, p 884; MR 1885, p 508 from Spain, Rio Tinto mine MR 1883–84, p 884; MR 1885, p 508 from Tennessee, Ducktown MR 1885, p 508

Pyrite, analysis of residue from	MD 1005 . 514
asymposition of	P11 150 20
composition of	MD 1992 94 901 906
MD 1005 50	e 500. MD 1000 074 070
formation of in Constant lade	6–508; MR 1886, pp 654–656
formation of, in Comstock lode	
in Montana, Butte district	GF 38, p 6
in Porto Rico	Ann 20, vi cont, p 778
occurrence of (precious stone) MR 1882, p 498; M	
MR 1885, p 443; MR 1886, p	
MR 1888, pp 584–585; MR 1889–6	
p 540; MR 1892, p 781; MR 18	
pp 604-605; Ann 17, 111 cont,	
1217; Ann 19, vi cont, p 513	
solubility of	
statistics of (iron pyrite)MR 1883-84, pp 877	
MR 1886, pp 650–675; MR 188	
1888, pp 5, 584; MR 1889–90, p 8	
MR 1892, p 791; MR 1893, pp 7	
- 645; Ann 17, 111 cont, pp 973, 97	
1261; Ann 19, vi cont, pp 572–576	
thin section of, from California, Grass Valley, sho	
and	
from Colorado, Telluride quadrangle, Cimarron	
ful genesis	
Telluride quadrangle, Gold King mine, sho	
ment of a ferromagnesian silicate by	
Pyrites and sulphur, relative merits in the manufacture of	
	pp 743–745
Pyritiferous porphyry of Colorado, LeadvilleAnn	
of Colorado, Leadville district, petrography of	
Pyrochlore, analysis of, from Massachusetts, Chesterfield	Bull 126, p 111
Pyroclastics of Michigan, Crystal Falls district	Ann 19, 111,
pp 52, 55–60; Pyrocrystalline rocks	Mon xxxvi, pp 94, 135–148
Pyroelectric qualities of alloys of platinum	
Pyrolusite, analysis of, from East Indies, Gosalpur	
analyses of, from Georgia, Etowah	MR 1883–84, p 552
from Virginia, Crimora station	MR 1883–84, p 551
Pyrometric use of viscosity	Bull 54, pp 239–306
Pyrometry, investigations in	Ann 14, 1, pp 150–153
methods of, general account of	Bull 54, pp 23–55
Pyrope, analysis of, from Kentucky, Elliott County (from	peridotite)Bull 38,
	pp 24–25; Bull 42, p 136
chemical constitution of	
thin section of, from Kentucky, Elliott County (from	peridotite) Bull 38, p 16
Pyrophosphate, analysis of silver	
analysis of sodium	
Pyrophyllite, analysis of, from North Carolina, Carbonton	
analysis of, from North Carolina, Deep River (schiste	
	p 62; Bull 167, p 16
from Vermont, Ira	Ann 19, 111, p 191
chemical constitution of	Bull 125, pp 95, 106
experiments relative to constitution of	Bull 167, pp 16–17
Pyroplastic rocks, one of E. Emmons's divisions	Bull 86, p 440
	•

Pyrosmalite, chemical constitution ofBull 125, p 71, 105
Pyroxene, analysis of, from Colorado, Gunnison CountyBull 113, p 112
analysis of, from Colorado, Two ButtesBull 148, p 182; Bull 168, p 165
from Connecticut, New Haven
from Montana, Bozeman Creek
from New Jersey, Montville
from New York, Moriah Bull 64, p 43
from Oregon, Mount ThielsenBull 148, p 230; Bull 168, p 220
from Wyoming, Black HillsBull 148, p 116
chemical constitution ofBull 125, pp 72, 85, 86–90, 93–94, 106
composition of
from Wyoming, Electric Peak, in diorite
in andesites (rhombic)Bull 1, pp 31–36
in diabasic rocks (rhombic)Bull 1, p 35
Pyroxene magna in Nevada, Eureka district
Pyroxene rocks free from feldspar and olivineBull 28, p 55
Pyroxene-andesite, analysis, of, from California, Lassen Peak regionBull 148,
· · · · · · · · · · · · · · · · · · ·
p 195; Bull 168, p 181 analysis of, from ColombiaBull 165, p 171
analysis of, from Colombia
from Colorado, Pikes Peak districtBull 148, p 163; Bull 168, p 145
from Nevada, Eureka district
Washoe district
from New Mexico, Colfax CountyBull 168, p 171
from Yellowstone Park, Agate Creek
Bull 165, p 171; Bull 168, p 108
Dunraven Peak
Sepulchre Mountain
Mon xxxii, ii, p 135; Bull 148, p 120; Bull 168, p 90
from Nevada, Virginia City, description of, as one of the educational series
(olivine bearing)Bull 150, pp 228–231
of California, Lassen Peak quadrangle
of Colorado, Telluride quadrangle
of Nevada, Eureka district
of New Mexico, Tewan MountainsBull 16, pp 15–16
of Washington, Mount Rainier
of Yellowstone Park
Sepulchre Mountain
thin section of, from Nevada, Eureka district, showing phenocrysts of black-
bordered hornblende and plagioclase feldspars (horn-
blende-bearing)
from Yellowstone Park
Pyroxene-diorite, analyses of, from California, Downieville quadrangleAnn 17
I, p 638
thin section of, from California, Hay Press ValleyAnn 17, 1, pp 752-753
Pyroxene-diorite-porphyry, analysis of, from Yellowstone Park, Crandall vol-
.cano
Pyroxene-mica-diorites, analyses of, from Yellowstone Park, Electric PeakBull
148, p 117; Bull 168, p 87
Pyroxene-olivine, analysis of, from California
Pyroxene-porphyrite, analysis of, from Yellowstone Park, Electric PeakBull 148,
•
n 117: Rull 169 n 97
p 117; Bull 168, p 87  Pyroxene-schist, analysis of from Minnesota Odessa.  Rull 148
p 117; Bull 168, p 87 Pyroxene-schist, analysis of, from Minnesota, OdessaBull 148, p 113; Bull 168, p 83

Pyroxene-syenite of Sierra Nevada	695 696
Pyroxenite, analysis of, from California, Mount Diablo	
Pyroxenite, analysis of, from California, Mount Diablo	Ann 17,
ı, p 735; Bull 90, p 73; Bull 148, p 224; Bull 16	8, p 213
analysis of, from Maryland, Baltimore County	
pp 42, 43; Bull 148, p 83; Bull 150, p 288; Bull 1	
from Montana, near Meadow Creek	Bull 90,
p 70; Bull 148, p 140; Bull 16	8, p 114
from North Carolina, WebsterBull 148, p 92; Bull 1	
from Maryland, Pikesville, description of, as one of the educations	
series	
of California, Big Trees quadrangleGI	
Jackson quadrangleGI	
Nevada City districtGI	
Placerville quadrangle	, <u>.</u>
Sacramento quadrangleG	F 5, p 2
Smartsville quadrangle	18, p 4
of Maryland-District of Columbia-Virginia, Washington quadrangleG	F 70, p 3
of Sierra Nevada	
Pyrrhotite, composition ofBull 1	
typical composition of	
Quadrant formation, description and section of	
in MontanaBull 110, pp 39-43; GF 24, p 2; GF 55, p 2; GF	
features of Bull 139, p	
in Yellowstone Park	
Quadrant quartzite in Montana	
in WyomingGF 30, p	
Quantitative determination of silver by means of the microscopeAnn 6, pp	323–352
Quarry and geologic terms, glossary of	306-307
Quarry limestone of Texas	
Quartz, analysis of, from California, Big Trees quadrangle	ı, p 706
analysis of, from Colorado, Leadville district (granular)Mon xII, pp	
from North Carolina, Montgomery CountyBull	
from Wisconsin, Marathon County	
as a product of mineralogical metamorphismBull 6	
composition ofBull 150, p	
conversion of, to serpentine	.1, p 123
from Wyoming, Electric Peak, in diorite	ı, p 603
in basaltMon x	
in gneisses of southwestern MinnesotaBull 157, p	p 49–51
in Montana, Butte districtGF	
occurrence and statistics ofMR 1882, pp 489-490, 586; MR 1883-84, pp 7	48–756,
763–765, 781; MR 1885, pp 438, 440, 441, 443; MR 1	886, pp
595, 596, 604; MR 1887, pp 556, 557, 560-561; MR 1	
584-585; MR 1889-90, pp 446, 447, 448; MR 1891,	
540, 547; MR 1892, pp 770-773, 781; Ann 16, rv, p	
602, 604, 605; Ann 17, III cont, pp 911–912, 923; Ar	
cont, pp 1204–1205, 1217; Ann 19, vi cont, pp 505–5	
Ann 20, vi cont, pp 587–589, 599; Ann 21, vi cont, pp	
primary, occurrence of, in certain basalts.	
secondary enlargement of, in sandstones Ann 5, pp 218–237; Bull 8, p	
thin section of, from California, Grass Valley, showing gold in pyrit	
and	134–135
from California, near Sonora, pegmatoid intergrowth of tourmaline	
ı, pp	748–749

Quartz, thin section of, from California, Nevada City, crushed vein, and incipi-
ent ribbon structure
thin section of, from California, Nevada City, in granodiorite, showing
metasomatic replacement
from Lake Superior district, in quartziferous porphyry Mon v, pp 100-101
from Minnesota, Pigeon Point, from mottled quartzite, broken crystals ofBull 109, p 86
southwestern, in biotite from hypersthene-free gabbro-schist. Bull 157,
pp 142–143
from Nevada, Eureka district, from rhyolite, showing fractures about
glass inclusions in
Quartz conglomerate, thin section of, from Nevada, Eureka districtMon xx,
pp 398–399
Quartz crystal, statistics of
Ann 20, vi cont, p 615; Ann 21, vi cont, pp 463, 478
thin section of, from Minnesota, Pigeon Point, corroded in red quartz- iteBull 109, p 93
Quartz fragments, enlargements of, and genesis of quartzitesBull 8, pp 11–43
thin section of, from Nevada, Eureka district, Magpie Hill; in basaltMon xx,
pp 398–399
from the Northwest, crystal-faced enlargements ofAnn 5, pp 222–223
Quartz lenses in bedding planes of sericite-schist, origin ofAnn 16, 1, pp 556-558
Quartz phenocryst, thin section of, from Michigan, Crystal Falls dis-
trict
Quartz rock, analysis of, from Lake Superior, used in steel refractoriesBull 25, p 39
Quartz and chlorite, thin section of, from Nevada, Washoe district, from por-
phyritic diorite
Quartz and feldspar, statistics of Ann 18, v cont, pp 1365–1368; Ann 19, vi cont,
p 657; Ann 20, vi cont, p 745; Ann 21, vi cont, pp 593–596 Quartz, vein, of Alaska, Yukon district
of Colorado, Telluride district
thin section of, from California, Grass Valley
from California, Nevada City
from Colorado, Telluride quadrangle, Fairview mine, showing arrange-
ments of inclusions in
Quartz-alunite, analysis of, from Colorado, Democrat Hill and Mount Robinson,
Ann 17, 11, pp 315, 316; Bull 148, p 169; Bull 168, p 151
Quartz-alunite rocks, of Colorado, Rosita Hills
Quartz-augite-diorite, thin section of, from Sierra NevadaAnn 17, 1, pp 760-761 Quartz-banakite, analysis of, from Yellowstone Park, Stinkingwater RiverMon xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
п, р 347; Bull 89, р 67; Bull 148, р 128; Bull 168, р 102
thin section of, from Yellowstone Park
Quartz-basalt, analyses of, from California, Lassen Peak regionBull 148,
pp 198, 199; Bull 150, p 253; Bull 168, pp 184, 185
analysis of, from Virginia, Chatham
cational seriesBull 150, pp 252–254
in California, Lassen Peak quadrangle
Quartz-bearing basalt, distribution of
from Arizona
from California, northern
from Colorado
Quartz-biotite-hornblende-diorite, analyses of, from Maryland, Cecil County. Bull 168,
p 45

Quartz-bostonite, analysis of, from Norway
Bull 148, p 169; Bull 168, p 151
Quartz-diorite, analysis of, from California, Bidwell Bar quadrangleAnn 17, 1,
p 570; Bull 148, p 204; Bull 168, p 190
analysis of, from California, Big Trees quadrangle Ann 17, 1, pp 702, 724
from Montana, Crazy Mountains, Sweet Grass Creek Ann 20, 111,
p 490; Bull 148, p 143; Bull 168, p 121
from Yellowstone Park, Crandall Volcano
of California, Mother Lode district
Quartz-diorite family of rocks, scope and characteristics ofAnn 17, 1, pp 723-725
Quartz-diorite and granite of Sierra Nevada
Quartz-diorite-gneiss, analysis of, from California, Big Trees quadrangle Ann 17,
1, p 702; Bull 148, p 214; Bull 168, p 200
of Sierra Nevada
Quartz-diorite-porphyry, analysis of, from California, Downieville quadrangle
Ann 17, 1, pp 639, 724; Bull 148, p 206; Bull 168, p 192
analysis of, from California, Jackson quadrangle
from Yellowstone Park, Hurricane Ridge Bull 148, p 124; Bull 168, p 94
of Montana, Little Belt Mountains
of Sierra Nevada
thin section of, from California, North Yuba RiverAnn 17, 1, pp 756-757
Quartz filtrate, analysis of, from Nevada, Providence mine
analysis of, from Nevada, Providence mine, residue from Ann 17, 11, p 131
Quartz-gabbro, analysis of, from Georgia, Cherokee CountyBull 168, p 55
Quartz-gabbro and quartz-diorite of western MassachusettsMon xxix, pp 331-342
Quartz-hornblende-mica-porphyrite, analysis of, from Colorado, Tenmile dis-
trictAnn 14, 11, p 227; Bull 148, p 175; Bull 168, p 157
Quartz-keratophyre of Minnesota, Pigeon PointBull 109, pp 53–59, 60–66, 105–118
Quartz-mica-diorite, analysis of, from California, Mariposa CountyAnn 17, 1,
pp 691, 724; Bull 148, p 220; Bull 150, p 342; Bull 168, p 209
analysis of, from California, Sierra County
r, pp 638, 724; Bull 148, p 206; Bull 168, p 192
from California, Smartsville and Big Trees quadrangle, and Yosemite
ValleyAnn 17, 1, p 724
from Yellowstone Park, Electric PeakBull 148, p 118; Bull 168, p 87
Hurricane Ridge. Mon xxxII, II, p 261; Bull 148, p 124; Bull 168, p 94
of California, Downieville quadrangleGF 37, p 4
Jackson quadrangleGF 11, p 4
of Sierra NevadaAnn 14, 11, p 478; Ann 17, 1, pp 636-637, 667-669, 693, 704
of Yellowstone Park and vicinity
thin section of, from Sierra Nevada
Quartz-mica-diorite-porphyrite, analysis of, from Yellowstone Park, Electric
PeakAnn 14, 11, p 227; Bull 148, p 119; Bull 168, p 89
of Yellowstone Park, Electric PeakAnn 12, 1, pp 617-618
Quartz-mica-diorite-porphyry, analysis of, from Yellowstone Park, Electric
PeakAnn 14, 11, p 227; Bull 148, p 119; Bull 168, p 89
analysis of, from Yellowstone Park, Hurricane Ridge
п, p 261; Bull 148, p 124; Bull 168, p 94
of Yellowstone Park
Quartz-monzonite, analysis of, from California, Amador CountyBull 168, p 200
analysis of, from Colorado, near Silverton
from Colorado, Telluride quadrangle, San Miguel Peak
и, p 82; Bull 168, p 163; GF 57, p 6

Quartz-monzonite, analysis of, from Idaho, Boise County and HaileyAnn 20,
ın, p 81; Bull 168, pp 137, 139 analysis of, from Montana, near ButteBull 168, p 118
analysis of, from Montana, near Butte
Quartz-muscovite of California, Jackson quadrangle
Quartz-muscovite-schist of California, Mother Lode district
Quartz-norite-gneiss, analysis of, from Minnesota, OdessaBull 148,
p 113; Bull 150, p 362; Bull 168, p 83
from Minnesota, Odessa, description of, as one of the educational series. Bull 150,
pp 358-362
thin section of, from Minnesota, OdessaBull 150, pp 360–361
analysis of, from Texas, Presidio County
p 96; Bull 164, p 92; Bull 168, p 60
from Texas, near San Carlos
San Carlos coal field
Quartz-porphyrite, analysis of, from California, Calaveras County
п, р 484; Ann 17, 1, р 721; Bull 148, р 216; Bull 168, р 203
analysis of, from California, Nevada County
и, р 75; Bull 148, р 208; Bull 168, р 194
from California, Plumas County
17, 1, p 647; Bull 90, p 73; Bull 148, p 201; Bull 168, p 187
from Colorado, Tenmile district
11, p 227; Bull 148, p 175; Bull 168, p 157
West Elk MountainsAnn 14, 11, p 227; Bull 148, p 178; Bull 168, p 160
of California, Grass Valley district
Jackson quadrangle
Placerville quadrangle
of Sierra Nevada
Quartz-porphyrite dikes of California, Grass Valley district Ann 17, 11, pp 74-75
Quartz-porphyrite-schist, analysis of, from California, Amador CountyAnn 14,
т, р 484; Ann 17, г, р 721; Bull 148, р 214; Bull 168, р 200
of California, Jackson quadrangleGF 11, p 4
Quartz-porphyry, analysis of, from Alaska, Baranof IslandBull 148,
p 232; Bull 168, p 226
analysis of, from Alaska, Cook InletBull 148, p 232; Bull 168, p 226
from California, Amador County
rr, p 484; Ann 17, r, p 721; Bull 148, p 214; Bull 168, p 200
Calaveras County
п, р 484; Ann 17, г, р 721; Bull 148, р 216; Bull 168, р 203
Plumas County
ı, pp 647, 721; Bull 90, p 73; Bull 148, p 201; Bull 168, p 187
from Catoctin belt
from Colorado, Mosquito Range Ann 14, 11, p 227
from Minnesota, Pigeon Point
from Montana, Butte district
Castle Mountain district
pp 99, 103, 135, 136; Bull 148, p 150; Bull 168, p 129
Yogo Peak
111, pp 523, 574, 580; Bull 148, p 146; Bull 168, p 125
from Nevada, Washoe district
from New Hampshire, PemigewassetBull 148, p 67; Bull 168, p 23
from North Carolina, Watauga CountyBull 168, p 52
from Pennsylvania, Franklin CountyBull 148, p 81; Bull 168, p 40
from Utah, Tintic district

Quartz-porphyry, analysis of, from Wisconsin, Upper Quinnesec Falls (schis-
tose)
of California, Bidwell Bar quadrangle
of California, Downieville quadrangle
Grass Valley district
of Catoctin beltAnn 14, 11, pp 302–304
of Colorado, Aspen district
Mosquito Range
of Keweenaw series Mon v, pp 95–112
of Maryland, Harpers Ferry quadrangle
of Michigan, Marquette region
of Montana, Butte district
Little Belt Mountains. Ann 20, 111, pp 520–524
microscopical petrography of Bull 139, pp 97–103
of Nevada, Eureka districtAnn 3, pp 273–274; Mon xx, pp 220–221, 345
Washoe district
of Sierra NevadaAnn 14, 11, pp 483–484; Ann 17, 1, pp 573–646, 649, 669
of Utah, Tintic district
of Virginia, Harpers Ferry quadrangle
of West Virginia, Harpers Ferry quadrangle
thin section of
from Lake Superior district
from Michigan, Keweenaw Point
near MarquetteBull 62, pp 236–237
from Minnesota, Great Palisades
from Nevada, Washoe district
from Ontario, Bead Island
Michipicoten Island
from Pennsylvania, South MountainBull 136, pp 100-101
from Sierra Nevada
(See, also, Rhyolite-porphyry.)
Quartz-porphyry-schist, analysis of, from California, Downieville quadran-
gle
Quartz-pyroxene-diorite, analysis of, from California, Sonora quadrangleAnn 17,
r n 794 · Rull 148 n 218 · Rull 168 n 204
of Sierra Nevada
Quartz-pyroxene-mica-diorite, analysis of, from Yellowstone Park, Electric
Peak Bull 148, p 117; Bull 168, p 87
Quartz-schist, analysis of, from Maryland, Green Spring ValleyBull 148, p 90;
Bull 168, p 50
from Maryland, Green Spring Valley, description of, as one of the educa-
tional series Bull 150, pp 302–305
Quartz-slate member of the Penokee series
ı, pp 349, 370-379; Mon xıx, pp 146-171
Quartz-syenite, analysis of, from Montana, Bearpaw MountainsBull 148,
p 156; Bull 168, p 135
analysis of, from Yellowstone Park, Absaroka RangeBull 168, p 95
Quartz-syenite group of rocks from Alaska
Quartz-syenite-porphyry, analysis of, from Montana, Bearpaw MountainsBull 148,
p 156; Bull 168, p 135
analysis of, from Montana, Little Belt MountainsBull 148, p 148; Bull 168, p 127
Quartz-tourmaline-porphyry, analysis of, from Montana, Castle Mountain dis-
trict, Fourmile Creek
pp 101, 135, 136; Bull 148, p 150; Bull 168, p 129
· · · · · · · · · · · · · · · · · · ·

Quartz-trachyte, analysis of, from Maine, Aroostook County, Quoggy Joe
MountainBull 165, pp 166, 167, 188; Bull 168, p 19
in Maine, Aroostook volcanic area, outcrops ofBull 165, pp 110-111
Aroostook volcanic area, petrography ofBull 165, pp 164–168
Quartzite, analysis of, from Minnesota, Pigeon Point. Bull 55, pp 82, 83; Bull 109, pp
69, 76, 84; Bull 148, pp 108, 109, 110; Bull 168, pp 78, 79, 80
analysis of, from Minnesota, Pigeon Point, green mottlings fromBull 168, p 80
from Minnesota, Pipestone
from Pennsylvania, South MountainBull 136, p 34
Eureka Mon xx, pp 54–57
from Nevada, Caribou Hill, description of, as one of the educational series. Bull
150, pp 301-302
genesis of
of Colorado, Mosquito Range (Cambrian)
Telluride quadrangle
of Massachusetts, eastern Berkshire CountyBull 159, pp 78–79, 85–86, 88
of western
of Michigan, Crystal Falls district (Upper Huronian)Ann
of intenigan, Orystat Pans district (Opper Huroman)
19, III, pp 121–122; Mon xxxvi, pp 423–426
of Minnesota, Courtland district
Pigeon PointBull 109, pp 67–104
of Penokee series
thin section of, from California, Calaveras
from California, Pinoli Peak
from Lake Huron regionBull 8, pp 24–25
from Michigan, MarquetteBull 8, pp 28–29
from Minnesota, Pigeon PointBull 109, pp 62–63, 68–69
Pigeon Point, mottled redBull 109, pp 94–95
Portage Bay IslandBull 8, pp 14–15
Prairie River Falls Bull 8, pp 22–23, 28–29
from Pennsylvania, South Mountain
from the Northwest
from Wisconsin, Arlington
T 45 N, R 1 E, sec 19 Ann 10, I, pp 478-479; Mon XIX, pp 488-489
T 46 N, R 2 E, sec 27, SW 1/4 (ferruginous)
Quartzite and chert, thin section of, from Michigan, sec 23, T 47 N, R 44 W (fer-
ruginous)
Quartzite conglomerate, thin section of, from Massachusetts, Stone HillMon
xxIII, pp 116-117
Quartzite Mountains, Colorado, geology of, literature ofBull 86, pp 319–323, 570
Quaternary. (See Pleistocene.)
Quebec, gold belt in
iron-ore deposits and statistics of
(See, also, Canada.)
Quebec group in Canada
in Idaho
in Utah, reference to
in Wyoming, identifications of
Queen Charlotte formation, correlation ofBull 82, p 245
Queen Creek, Arizona, flow of, measurements of Ann 18, iv, pp 292-297; Ann 19, iv, pp
417–418; Ann 21, IV, pp 383–385; WS 2, p 42; WS 38, p 320
Queensland, coal production of, statistics of
247; Ann 17, III, p 319; Ann 18, v, pp 414, 419; Ann 19, vi,
pp 311, 317; Ann 20, vi, pp 332, 338; Ann 21, vi, pp 363, 370

Overheland manageness are production of MD 1009
Queensland, manganese-ore production of
pp 153–154, 155; Ann 16, 11, pp 453, 457; Ann 17, 11,
pp 223, 225; Ann 18, v, pp 326, 328; Ann 19, vi, pp
121–122; Ann 20, vi, pp 156, 157; Ann 21, vi, p 162
tin deposits and production of
Quicksilver, African localities of
Asian localities of
Australian localities of
European localities of
foreign occurrences of, notes on
in California, Sonora quadrangle
in Oregon, Roseburg quadrangleGF 49, p 4
in Philippine Islands, occurrence of
North American localities of
on Pacific slopeAnn 8, 11, pp 961–985; Mon XIII
production of, statistics of
MR 1883–84, pp 492–536; MR 1885, pp 284–295; MR 1886,
pp 160–168; MR 1887, pp 118–125; MR 1888, pp 97–107;
MR 1889–90, pp 94–109; MR 1891, pp 117–125; MR 1892,
pp 163–168; MR 1893, pp 111–118; Ann 16, 111, pp 598–604;
Ann 17, 111, pp 179–184; Ann 18, v, pp 287–290; Ann 19, vi,
pp 243–248; Ann 20, v1, pp 271–275; Ann 21, v1, pp 273–283
South American localities of
uses, relative value, principal districts, total product, etc., of
pp 1-13, 451-452
Quicksilver mines in California and throughout the world, maps showing dis-
tribution of
11, pp 966–967, 968–969; Mon XIII, pls 1, 11
Quicksilver ore, genesis and source ofAnn 8, 11, p 985; Mon XIII, pp 55, 438–450
minerals associated with
occurrence, association, classification, etc., ofMR 1892, pp 139–168
of Coast Ranges, age of
of Pacific slope, mineralogic character of
of Peru, Huancavelica
solution and precipitation of
theoretic inferences concerning—transportation, substitution, osmotic
hypothesis, origin, etc
Quicksilver reduction in California, New Almaden
Quinnesec schists of Michigan, Menominee district
Quinnimont-Fire Creek coal, West Virginia, description and analyses ofAnn 17,
11, pp 491–493
Quinnimont formation in Southern Appalachians, relation of, to Pottsville Ann 20,
п, р 815
in Virginia and West VirginiaGF 26, p 3
Raborg (W. A.), buhrstones, statistics of
corundum, statistics of
graphite, statistics of
grindstones, statistics of
salt, statistics of
pp 611-625; MR 1888, pp 597-612; MR 1889-90, pp 482-492
Radiolarian chert in Oregon GF 49, p 1
in California, Franciscan series
Rafter (G. W.), sewage irrigation
water resources of State of New York

Ragged Mountain, Colorado, geology of
Railroads, land grants to, in Western States
mileage of, in United States
mileage of, in world
Rails, iron and steel, twenty years of changes in manufacture of MR1891, pp 62-65
production, etc., of, statistics of MR 1892, pp 16, 22;
MR 1893, pp 21–22; Ann 16, 111, pp 226–229; Ann 17, 111, p
59; Ann 18, v, pp 62-65, 66, 71, 85; Ann 19, vi, pp 70-71;
Ann 20, vi, pp 80-81; Ann 21, vi, pp 100-101, 109, 116
Rainfall in Alabama, Mobile and Montgomery (average)Ann 21, IV, p 668
in Arizona, Gila BasinАnn 12, п, pp 300–301, 307;
Ann 13, 111, p 27; WS 2, pp 19-30; WS 33, pp 18-21
Prescott (monthly)
in California
363, 381, 396, 399, 400, 407, 418; Ann 19, IV, pp 532–535, 539;
Bull 140, pp 257–258, 264, 289, 321, 325–326, 329; WS 39, p 431
Cache Creek Basin
mountains
relation to altitudeBull 140, pp 328–330
San Francisco (monthly)
in Colorado, Arkansas Basin Ann 11, 11, pp 24–25; Ann 20, IV, pp 325–330
Cache la Poudre Basin
Fort Lewis and Fort Garland
southwestern
in Florida, Jacksonville (average)
in Georgia, Atlanta
Atlanta and Savannah (average)
in Great Lakes drainage area
in High Plains region
in Idaho, BoiseAnn 13, 111, p 27
in Illinois
Desplaines River watershed
in Indian Territory, Tulsa
in Indiana
in Iowa
in Kansas
Dodge
Garden
Lawrence (monthly)
in Kansas-Indian Territory, Verdigris River watershedAnn 19,
in Kentucky
in Kentucky WS 29, p 72
in Louisiana, New Orleans and Shreveport (average)Ann 21, IV, p 668
in Maine, Rumford Falls
in Maryland, Patapsco and Patuxent drainage basins
ıv, pp 48–49, 112, 114
in Michigan
Kalamazoo River watershed
in Mississippi, Vicksburg
in Missouri
St. Louis
in Montana, Missouri River BasinAnn 13,111,pp 27, 40; Ann 20,1v, pp 232–235
in Nebraska
North Platte

Rainfall in Nevada, Reno and Beowawe	Ann 13, 111, p 27
Winnemucca (monthly)	Ann 21, rv, p 662
in New England	
in New Mexico, Rio Grande BasinAnn 12,	11. pp 244, 248: Ann 13, 111, p 27
Mesilla Valley	
in New York	
average	W7G 24 n 20
Boyds Corners	
Buffalo (monthly)	
Croton River watershed	WS 24, pp 83–86
Eaton Brook watershed	WS 24, p 67
Genesee River watershed	WS 24, p 58
Hemlock Lake watershed	WS 24, pp 75–77, 93
Hudson River watershed	WS 25, p 133
Oatka Creek watershed	WS 24, p 70
Madison Brook watershed	WS 24, p 67
in Nicaragua	Ann 20, iv, pp 574–578
in North Carolina; Lenoir, Hatteras, and Wilmingt	on (average) Ann 21, iv. p 668
in North Dakota	
Fort Totten	
in Ohio	
Muskingum River watershed	
in Oregon, Hood River Basin	
in Porto Rico	
in South Carolina, Charleston (average)	
in South Dakota	·, -
Black Hills	Ann 21, 1v, pp 594–597
in Tennessee, Memphis (average)	Ann 21, iv, p 668
in Texas	Ann 12, 11, p 244; Ann
13, III, p 27; Bull 164, p 15	; WS 13, pp 21-24; GF 42, p 2
Amarillo	
Austin	WS 40, p 32
Galveston (average)	Ann 21, iv, p 668
in Texas region	
in United States, map showing mean annual	Аnn 14, п, pp 152–153
westernAnn 11, 11, pp	214–215; Ann 13, 111, pp 25–28
in Utah	n 13, 111, p 27; WS 7, pp 15-17
Fort Duchesne, Vernal, and Heber	
in WashingtonAn	
southeastern	
Wallawalla	
	Ann 20, IV, p 514; WS 4, p 11
in Wisconsin	WG 90 - 70
in Wyoming	
Cheyenne	Ann 13, 111, p 27; w 8 9, p 14
measurements of	
percentage of, which penetrates the soil	
roof areas, quantity of water collected on	
Rainfall and run-off in Arkansas River Basin	
in Chattahoochee and Coosa river basins	Ann 20, IV, pp 177–181
in Colorado River Basin, Upper	
in Great Salt Lake watershed	Ann 20, IV, pp 454–459
in James River Basin, Virginia	
in Kanawha River Basin	Ann 20, rv, pp 199–202

•
Rainfall and run-off in Kansas River Basin
in Palouse and Wallawalla river basins
in Platte River Basin
in Potomac River Basin
in Rio Grande Basin, Upper
in Roanoke River Basin
in Savannah and Altamaha river basins
in Snake River Basin
in United StatesAnn 14, 11, pp 149–15
in Yakima River Basin
Rainier, Mount, glaciers of
position, elevation, discovery, characteristics, etc., ofAnn 18, 11, pp 357-36
rocks of, volcanic and granite
Rainy Lake, description of
Raleigh sandstone in Virginia and West Virginia
11, pp 493-494; GF 26, p 3; GF 44, pp 3,
Ralstonite from near Pikes Peak, ColoradoBull 20, p 50
Rampart series of Alaska, distribution, classification, etc., of
111, pp 155–169, 239–242, 256–257; Alaska (1), p 25
Rancheria Creek, California, flow of, measurements ofBull 140, pp 262–264
Rancocas formation of New Jersey
Randville dolomite of Michigan, Crystal Falls district
110–113, 126–131; Mon xxxvi, pp 50–53, 406–411, 431–43′
of Michigan, Menominee districtGF 62, p
Ransome (F. L.), geology of Mother Lode district, CaliforniaGF 6
some lava flows of the western slope of the Sierra Nevada, CaliforniaBull 8
Ransome (F. L.) and Turner (H. W.), geology of Big Trees quadrangle, Cali-
tunisomo (1.12) una 1 unioi (11. 11.), geologi ol 21g 11000 quadrungio, cun
formia GF 5:
fornia
geology of Sonora quadrangle, California
geology of Sonora quadrangle, California. GF 4 Rapids schist of Alaska. Ann 21, 11, pp 473–474 Rappahannock series of deposits and flora. Ann 15, pp 321–324, 347–344 Raritan clays of New Jersey. Bull 82, p 214 plants from Mon xxxv, p 56 Raritan clays and greensand marls of New Jersey, Brachiopoda and Lamellibranchiata of Mon xxx  Gasteropoda and Cephalopoda of Mon xvii Raritan formation of New Jersey Bull 138, p 46 Rating meters, methods of Bull 140, pp 333–333
geology of Sonora quadrangle, California. GF 4 Rapids schist of Alaska. Ann 21, 11, pp 473-474 Rappahannock series of deposits and flora. Ann 15, pp 321-324, 347-344 Raritan clays of New Jersey. Bull 82, p 214 plants from Mon xxxv, p 56 Raritan clays and greensand marls of New Jersey, Brachiopoda and Lamellibranchiata of Mon xxx  Gasteropoda and Cephalopoda of Mon xvii Raritan formation of New Jersey Bull 138, p 46 Rating meters, methods of Bull 140, pp 333-336 Rating stations for meters, descriptions of Bull 140, pp 331-335
geology of Sonora quadrangle, California. GF 4 Rapids schist of Alaska. Ann 21, 11, pp 473–474 Rappahannock series of deposits and flora. Ann 15, pp 321–324, 347–344 Raritan clays of New Jersey. Bull 82, p 214 plants from Mon xxxv, p 56 Raritan clays and greensand marls of New Jersey, Brachiopoda and Lamellibranchiata of Mon xxx  Gasteropoda and Cephalopoda of Mon xvii Raritan formation of New Jersey Bull 138, p 46 Rating meters, methods of Bull 140, pp 333–336 Rating stations for meters, descriptions of Bull 140, pp 332–341; WS 11, p 96
geology of Sonora quadrangle, California. GF 4 Rapids schist of Alaska. Ann 21, 11, pp 473–474 Rappahannock series of deposits and flora. Ann 15, pp 321–324, 347–344 Raritan clays of New Jersey. Bull 82, p 214 plants from Mon xxxv, p 56 Raritan clays and greensand marls of New Jersey, Brachiopoda and Lamellibranchiata of Mon xxxv  Gasteropoda and Cephalopoda of Mon xvii Raritan formation of New Jersey Bull 138, p 46 Rating meters, methods of Bull 140, pp 333–336 Rating stations for meters, descriptions of Bull 140, pp 332–341; WS 11, p 96 Ration list for Alaskan parties Ann 20, vii, p 44; Alaska (2), p 138; Nome, p 56
geology of Sonora quadrangle, California. GF 4 Rapids schist of Alaska. Ann 21, 11, pp 473–474 Rappahannock series of deposits and flora. Ann 15, pp 321–324, 347–344 Raritan clays of New Jersey. Bull 82, p 214 plants from Mon xxxv, p 56 Raritan clays and greensand marls of New Jersey, Brachiopoda and Lamellibranchiata of Mon xxxv  Gasteropoda and Cephalopoda of Mon xvii Raritan formation of New Jersey Bull 138, p 46 Rating meters, methods of Bull 140, pp 333–336 Rating stations for meters, descriptions of Bull 140, pp 332–341; WS 11, p 96 Ration list for Alaskan parties Ann 20, vii, p 44; Alaska (2), p 138; Nome, p 56
geology of Sonora quadrangle, California. GF 4 Rapids schist of Alaska. Ann 21, 11, pp 473–474 Rappahannock series of deposits and flora. Ann 15, pp 321–324, 347–344 Raritan clays of New Jersey. Bull 82, p 214 plants from Mon xxxv, p 56 Raritan clays and greensand marls of New Jersey, Brachiopoda and Lamellibranchiata of Mon xxxv  Gasteropoda and Cephalopoda of Mon xvii Raritan formation of New Jersey Bull 138, p 46 Rating meters, methods of Bull 140, pp 333–336 Rating stations for meters, descriptions of Bull 140, pp 332–341; WS 11, p 96 Ration list for Alaskan parties Ann 20, vii, p 44; Alaska (2), p 138; Nome, p 56 Rattlesnake Creek, Montana, flow of, measurements of Ann 21
geology of Sonora quadrangle, California. GF 4 Rapids schist of Alaska. Ann 21, 11, pp 473-474 Rappahannock series of deposits and flora. Ann 15, pp 321-324, 347-344 Raritan clays of New Jersey. Bull 82, p 214 plants from Mon xxxv, p 56 Raritan clays and greensand marls of New Jersey, Brachiopoda and Lamellibranchiata of Mon xxxv  Gasteropoda and Cephalopoda of Mon xvii Raritan formation of New Jersey Bull 138, p 46 Rating meters, methods of Bull 140, pp 333-336 Rating stations for meters, descriptions of Bull 140, pp 332-341; WS 11, p 96 Ration list for Alaskan parties Ann 20, vii, p 44; Alaska (2), p 138; Nome, p 56 Rattlesnake Creek, Montana, flow of, measurements of Ann 21 Iv, p 417; WS 38, pp 363-366
geology of Sonora quadrangle, California. GF 4 Rapids schist of Alaska. Ann 21, 11, pp 473–474 Rappahannock series of deposits and flora. Ann 15, pp 321–324, 347–348 Raritan clays of New Jersey. Bull 82, p 214 plants from Mon xxxv, p 56 Raritan clays and greensand marls of New Jersey, Brachiopoda and Lamellibranchiata of Mon xxxv  Gasteropoda and Cephalopoda of Mon xvii Raritan formation of New Jersey Bull 138, p 46 Rating meters, methods of Bull 140, pp 333–336 Rating stations for meters Bull 140, pp 332–341; WS 11, p 96 Ration list for Alaskan parties Ann 20, vii, p 44; Alaska (2), p 138; Nome, p 56 Rattlesnake Creek, Montana, flow of, measurements of Ann 21  1v, p 417; WS 38, pp 363–366 Rattlesnake Mountains, Wyoming, literature of geology of Bull 86, p 276
geology of Sonora quadrangle, California. GF 4 Rapids schist of Alaska. Ann 21, 11, pp 473-474 Rappahannock series of deposits and flora. Ann 15, pp 321-324, 347-344 Raritan clays of New Jersey. Bull 82, p 214 plants from Mon xxxv, p 54 Raritan clays and greensand marls of New Jersey, Brachiopoda and Lamellibranchiata of Mon xxxv  Gasteropoda and Cephalopoda of Mon xvii Raritan formation of New Jersey Bull 138, p 44 Rating meters, methods of Bull 140, pp 333-33 Rating stations for meters, descriptions of Bull 140, pp 332-341; WS 11, p 94 Ration list for Alaskan parties Ann 20, vii, p 44; Alaska (2), p 138; Nome, p 55 Rattlesnake Creek, Montana, flow of, measurements of Ann 21  1v, p 417; WS 38, pp 363-36 Rattlesnake Mountains, Wyoming, literature of geology of Bull 86, p 278 Rauite, analysis of Bull 42, p 3
geology of Sonora quadrangle, California
geology of Sonora quadrangle, California. GF 4 Rapids schist of Alaska. Ann 21, 11, pp 473–474 Rappahannock series of deposits and flora. Ann 15, pp 321–324, 347–344 Raritan clays of New Jersey. Bull 82, p 214 plants from Mon xxxv, p 55 Raritan clays and greensand marls of New Jersey, Brachiopoda and Lamellibranchiata of Mon xxxv  Gasteropoda and Cephalopoda of Mon xvii Raritan formation of New Jersey Bull 138, p 45 Rating meters, methods of Bull 140, pp 333–33 Rating stations for meters, descriptions of Bull 140, pp 332–341; WS 11, p 95 Ration list for Alaskan parties Ann 20, vii, p 44; Alaska (2), p 138; Nome, p 55 Rattlesnake Creek, Montana, flow of, measurements of Ann 21  Iv, p 417; WS 38, pp 363–366 Rattlesnake Mountains, Wyoming, literature of geology of Bull 86, p 27 Rauite, analysis of Bull 42, p 35 Raven Hill, Cripple Creek district, Colorado, character of ore deposits in Ann 16  II, pp 180–189
geology of Sonora quadrangle, California. GF 4 Rapids schist of Alaska. Ann 21, 11, pp 473–474 Rappahannock series of deposits and flora. Ann 15, pp 321–324, 347–344 Raritan clays of New Jersey. Bull 82, p 214 plants from Mon xxxv, p 55 Raritan clays and greensand marls of New Jersey, Brachiopoda and Lamellibranchiata of Mon xxxv  Gasteropoda and Cephalopoda of Mon xvii Raritan formation of New Jersey Bull 138, p 45 Rating meters, methods of Bull 140, pp 333–33 Rating stations for meters, descriptions of Bull 140, pp 332–341; WS 11, p 95 Ration list for Alaskan parties Ann 20, vii, p 44; Alaska (2), p 138; Nome, p 55 Rattlesnake Creek, Montana, flow of, measurements of Ann 21  1v, p 417; WS 38, pp 363–366 Rattlesnake Mountains, Wyoming, literature of geology of Bull 86, p 27 Rauite, analysis of Bull 42, p 35 Raven Hill, Cripple Creek district, Colorado, character of ore deposits in Ann 16  11, pp 180–185 rocks of Ann 16, 11, pp 88–96
geology of Sonora quadrangle, California
geology of Sonora quadrangle, California
geology of Sonora quadrangle, California
geology of Sonora quadrangle, California
geology of Sonora quadrangle, California
geology of Sonora quadrangle, California

Recent rocks of FloridaBull 84, pp 152–156
White sand of FloridaBull 84, pp 156, 238
Yellow sand of FloridaBull 84, pp 154–156
Recent stream gravels of Alaska
Recession of cliffs
Record of North American geology. (See Bibliography.)
Rectorite, chemical constitution of
Red beds of Colorado, Rico Mountains
of Kansas, southwestern
of Texas. Ann 21, vii, pp 100–103
· · · · · · · · · · · · · · · · · · ·
Red Bluff formation or group of Mississippi, correlation of
п, р. 341; Bull 84, р 334
Red color of Cambrian and Carboniferous rocks
Red color of certain formations, origin of the, and subaërial decay of rocksBull 52
Red Creed quartzite of WyomingBull 86, pp 287–289
Red Hills of South CarolinaBull 84, p 334
Red Lake, description of
Red River, Texas, profile of
Red River of the North, profile of
sections across valley of, etc
Red rock from Pigeon Point, Minnesota, thin section of intermediate rock on
contact between olivine-gabbro andBull 109, pp 62-63
Red rock, porphyritic, from Pigeon Point, Minnesota, thin section of Bull 109, pp 54–55
"Red sandrock," account of literature concerning
origin of name
Red Wall group of Plateau region, features of
Pad Wall limestone are sharestor and thickness of Ann 2 nn 151 217
Red Wall limestone, age, character, and thickness of
Redbank formation of New Jersey
Refractory clay. (See Clay, refractory.)
Regulator gates in irrigation works
Regule, blue metal, analysis of
Reibungsbreccia of Newark area in Pomperaug Valley, ConnecticutAnn 21,
ш, рр 71–72
Reid (H. F.), Glacier Bay and its glaciers
Relief, classification of, with reference to peneplains
forms of, in southern Appalachians
relation of erodibility to forms of
formations in Texas regionAnn 21, v11, pp 30-37, 63-65; TF 3, pp 2-3
to lithologic composition
Relief quartzite of California
Renshawe (J. H.), work in charge of, 1894–1900 Ann 16, 1, pp 64–65; Ann 17, 1, pp
101–103; Ann 18, 1, pp 104–106, 143; Ann 19, 1, pp 101–103,
254–280; Ann 20, 1, pp 112–116; Ann 21, 1, pp 465–482
Rensselaer grit in New York, description of
Rensselaer grit plateau in New York, geology of
Reptilia, fossil, of Denver Basin
of Eocene of middle Atlantic slopeBull 141, pp 58–60
or 2000m or minate reported in the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of
Republic formation of Lake Superior region Rull 98 p 109
Republic formation of Lake Superior regionBull 86, p 102
Republic formation of Lake Superior region
Republic formation of Lake Superior region
Republic formation of Lake Superior region
Republic formation of Lake Superior region       Bull 86, p 102         Republic trough, Michigan, geology of Ann 15, pp 608-630; Mon xxvIII, pp 525-553         Republican River, flow of, measurements of       Ann 18, IV,         pp 194-195, 199-205; Ann 19, IV, pp 338-340; Ann 20, IV,         pp 55, 302, 317-318; Ann 21, IV, pp 219-221; Bull 131, p
Republic formation of Lake Superior region

Republican River, profile of
Reservations, Indian, forest, and military, in Western StatesAnn 16, 11, pp 491–492
Reservoir in Colorado, on Cherry Creek
Reservoir, artesian, depth of, formula for ascertaining
Reservoir areas, comparison of
Reservoir sites in Colorado surveyed for irrigation purposes
и, pp 133–144; Ann 12, и, pp 55–127
in Colorado, Mancos Canyon
in Idaho, on Longtom Creek
in Southern Ute Indian Reservation, surveys of
in Utah and Idaho, survey of, in 1891-92
in Washington, Yakima County
in Wyoming, Horseshoe Creek
segregated in CaliforniaAnn 11, 11, pp 150–168; Ann 12, 11, pp 10–54
Reservoir sites and canal lines in Montana surveyed for irrigation purposesAnn 11,
п, pp 113–133; Ann 12, п, pp 127–165
in Nevada surveyed for irrigation purposes
II, pp 168–183; Ann 12, II, pp 45, 209–212 of Snake River Basin
of Snake River Basin
Reservoir sites, canals and irrigable lands in New Mexico
11, pp 145–150; Ann 12, 11, pp 165–209
Reservoir survey in, California, Tuolumne River
ıv, pp 450–465
origin, character, extent, etc., of
Reservoir surveys in New Mexico
Reservoir system of Utah Lake
Reservoirs for irrigation
for storage of water for irrigation, discussion of Ann 16, 11, pp 502-504
for storm and pumped waters in Kansas
in Arizona, area, capacity, etc., of
Gila River, discussion of proposed
in California, Cache Creek Basın
in Colorado, Greeley
in Montana, Sun River irrigation system
in Wyoming
(See, also, Water storage; Irrigation.)
Residual clay. (See Clay, residual.) Residual deposit from subaërial decay of chloritic schist from eight miles west
of Cary, North Carolina, analysis ofBull 42, p 137
Residual products from decay of rocks
Residual rocks, descriptions of specimens of, in the educational seriesBull 150,
pp 376–385
Residuary products of erosion in driftless area of Upper Mississippi, character
and constitution of
Resin, a supposed mineral, analysis and description of, from Montana,
LivingstonBull 78, pp 105–108
Resurrection Bay, Alaska, reconnaissance from, to Tanana River
vii, pp 265–340
Resorption of quartz crystals in basalt
Reynosa limestone of Texas, correlation of
xiv, pp 10-11, 13
(See, also, Juratrias.)
Rhætic formation of Virginia
Rhætic plants, or those nearly allied to such, from Mesozoic of Virginia and
North Carolina

Rhamnaceæ of Alaska	Ann 17, 1, p 889
	extinct)
	group
	Bull 37, pp 72–77
	ous of New Jersey Bull 88
	a district
	a of Nevada, Eureka district
	, of Nevada, Eureka district
	inBull 5, p 275; Bull 76; Bull 160, pp 646–650
	e list on p 93 of this bulletin.)
	Bull 13, pp 65–66; Bull 171, pp 70–71
brick clays of south	eastern Massachusetts andAnn 17, 1, pp 951–1004
brick industry of	MR 1887, pp 536, 539
building stone from	statistics of
	p 451; MR 1887, p 513; MR 1888, p 536; MR 1889-90, pp
•	373, 427–428; MR 1891, pp 457, 460, 464, 467; MR 1892, pp
	706, 708, 711; MR 1893, pp 544, 546-547, 556; Ann 16, IV,
	p 437 et seq; Ann 17, m cont, p 760 et seq; Ann 18, v
	cont, p 951 et seq; Ann 19, vi cont, p 207 et seq; Ann
1	20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq
ciay products of, sta	tistics ofMR 1891, p 502; Ann 16, rv, pp 518, 519,
	520, 521; Ann 17, III cont, p 820 et seq; Ann 18, v cont,
	p 1078 et seq; Ann 19, vi cont, pp 318 et seq, 354; Ann 19,
	vi cont, p 318 et seq; Ann 20, vi cont, pp 467 et seq, 515
coal area and statist	cs ofAnn 2, p xxviii; MR 1883-84, pp 12, 87; MR
	1885, p 11; MR 1886, p 224; MR 1887, pp 169, 351–352; MR
•	1888, pp 169, 171, 361; MR 1892, p 264; MR 1893, pp 188,
	189, 195, 197, 199, 200; Ann 16, IV, pp 7, 8, 14, 15, 16; Ann 17,
	III, pp 287, 288, 290, 301, 302, 303, 304, 305; Ann 18, v, pp 353,
	355, 368, 369, 370; Ann 19, vi, pp 277, 279, 281, 296, 297,
	298; Ann 20, vi, pp 299, 301, 303; Ann 21, vi, pp 324, 326
	of Narragansett BasinMon xxxiii, pp 79–88
coals and coal beds	on Mariaganisett Dasin
	e of
gas, illuminating an	d fuel, and by-products in, statistics of
	vi cont, p 228 et seq
geographic dictional	y ofBull 115
	inBull 123, pp 32–35
	edBull 7, pp 53, 54, 55
	gic, of Rhode Island.)
geologic sections in.	(See Section, geologic, in Rhode Island.)
	ologic investigations inAnn 6, pp 19–20; Ann 9, pp 72, 76;
	Ann 10, 1, p 118; Ann 11, 1, p 63; Ann 12, 1, p 66; Ann 13, 1,
	p 99; Ann 14, 1, p 195; Ann 17, 1, p 18; Ann 20, 1, pp 33-34
glacial investigation	Ann 3, pp 377, 380; Ann 7, p 157
	f, statistics of
O I- 0 - 0 - 0	MR 1888, p 536; MR 1889, pp 374, 427; MR 1891, pp 457, 460;
	MR 1892, pp 706, 708; MR 1893, pp 544, 546–547; Ann 16, IV,
	pp 437, 444, 457, 458, 461; Ann 17, 111 cont, pp 760, 761, 762,
	763, 766; Ann 18, v cont, pp 951, 952, 954, 956, 974; Ann 19, vi
	cont, pp 207, 208, 209, 210, 211, 223; Ann 20, vi cont, pp 271,
	272, 273, 274, 275, 276, 279–280; Ann 21, vi cont, pp 335–340
granite quarries in.	Ann 19, vi cont, pp 234–236

Rhode Island; graphitic carbon mine near Cranston
harbors on coast of
insect fauna of coal fields ofBull 101
iron and steel from, statistics of
134, 135; MR 1886, pp 17, 42–43; MR 1887, p 11; MR 1888,
p.14; MR 1891, p.61; MR 1892, p.15; MR 1893, p.15; Ann
17, 111, pp 48, 63; Ann 19, v1, pp 65, 72; Ann 20, v1, pp 83, 85
iron ores of Narragansett Basin
limestone production of
1891, pp 464, 467; MR 1892, p 711; MR 1893, p 556; Ann 16,
iv, pp 437, 494, 495, 509; Ann 17, iii cont, pp 790, 791; Ann
18, v cont, pp 951, 1044, 1046, 1047, 1066; Ann 19, vi cont, pp 207, 281, 282, 283, 306; Ann 20, vi cont, pp 271, 342,
343, 344, 345, 350; Ann 21, v1 cont, pp 335, 357, 358, 359, 360
magnetic declination in
maps, geologic, of. (See Map, geologic, of Rhode Island.)
maps, topographic, of. (See Map, topographic, of Rhode Island; also list
on p 93 of this bulletin.)
mineral-spring resorts in
mineral springs ofBull 32, p 24; MR 1885, p 540;
MR 1886, p 718; MR 1887, p 685; MR 1888, p 628; MR 1889–
90, p 532; MR 1891, pp 603, 607; MR 1892, pp 824, 831;
MR 1893, pp 774, 781, 784, 792, 794; Ann 16, IV, pp 709, 717,
720; Ann 17, 111 cont, pp 1027, 1038, 1041; Ann 18, v cont, pp 1371, 1383, 1386; Ann 19, v1 cont, pp 661, 673, 677; Ann
20, vi cont, pp 749, 763, 766; Ann 21, vi cont, pp 600, 615, 619
minerals of, useful
Narragansett Basin, geology of
sandstone production of
III cont, p 777; Ann 18, v cont, p 1013; Ann 19, vi cont,
p 265; Ann 20, vi cont, p 337; Ann 21, vi cont, p 355
sections, geologic, in. (See Section, geologic, in Rhode Island.)
sewage-disposal plants in
survey of, by cooperation of the StateAnn 9, p 51; Ann 10, I, pp 7, 85–86
topographic maps of. (See Map, topographic, of Rhode Island; also list
on p 93 of this bulletin.)
triangulation inBull 122, pp 25–28
woodland area in
Rhodochrosite, analysis of, from Massachusetts, Hawley
analysis of, from New York-Vermont slate belt
in Montana, Butte district
occurrence of
Rhodonite, chemical constitution of
in Montana, Butte districtGF 38, p 6
occurrence and statistics ofMR 1882, pp 496–497; MR 1883–84, p 766;
MR 1887, p 562; MR 1888, p 582; Ann 16, IV, p 605
Rhodonite and rhodochrosite beds in western MassachusettsMon xxix, pp 171-174 Rhyolite, alteration of, hydrothermal, in Idaho
analysis of, from California, Amador County
Bull 148, p 214; Bull 168, p 200
from California, Lassen Peak region Bull 148, p 192; Bull 168, p 178
Mono County
Bull 148, p 229; Bull 168, p 219; MR 1893, p 731

Rhyolite, analysis of, from California, Plumas County
Bull 148, p 202; Bull 168, p 188
analysis of, from California, San Clemente Island, Northwest HarborAnn 18,
ıı, p 488 from California, Sierra NevadaAnn 14, 11, p 487
from Colorado, Chalk Mountain
Bull 148, p 174: Bull 168, p 156
Crested Butte district
Custer County Bull 90, p 69
Nathrop
Pennsylvania HillAnn 17, 11, p 324; Bull 148, p 167; Bull 168, p 149
Round Mountain
Bull 148, p 167; Bull 165, p 155; Bull 168, p 149
San Juan region
Silver Cliff
from Hungary, Gœnczer Pass and Telki-Banya
from Idaho, Silver City (altered)
pp 179–180, 181; Bull 168, p 138 from Maine, Haystack Mountain Bull 165, pp 155, 188; Bull 168, p 20.
from Montana, Butte districtBull 103, pp 133, 130, Bull 168, p 119
Checkerboard Creek Bull 139, pp 125, 135, 136;
Bull 148, p 150; Bull 168, p 129
Rimini
Smith River
Bull 148, p 150; Bull 165, p 155; Bull 168, p 129
from Nevada, Rescue Canyon
Washoe
Bull 27, p 66; Bull 148, p 188; Bull 168, p 174
from North Carolina, Montgomery County (spherulitic)Bull 168, p 53
Watauga County (porphyritic)
from Oregon, Crater Lake
Tintic mining district
ин, pp 634–635, 637, 649; Bull 168, p 166; GF 65, p 3
from Yellowstone Park, Elk Creek (trachytic)
11, p 325; Bull 168, p 105
Madison Plateau
11, p 426; Bull 148, p 131; Bull 150, p 147; Bull 168, p 105
Sunset Peak
various localities
п, р 426; Bull 148, pp 130, 131, 132; Bull 168, pp 104, 105, 106
in Maine, Aroostook volcanic area, outcrops of
luster exhibited by sanidine in certain
of Bonneville Basin, age of
of California, Big Trees quadrangleGF 51, p 6
Colfax quadrangle
Downieville quadrangle
Jackson quadrangle
Lassen Peak quadrangle
Mother Lode district
Pyramid Peak quadrangle
San Clemente Island
Smartsville quadrangle
Truckee quadrangle

of Colorado, Cripple Creek district	Rhyolite of Colorado, Crested Butte quadrangleGF 9, pp 2, 5
Mosquito Range	
Pikes Peak quadrangle	
Silver Cliff and Rosita Hills	
Telluride quadrangle	
Telluride quadrangle	
Temmile district	
of Idaho, Boise quadrangle	
western-central	
of Maine, Aroostook volcanic area, petrography of	
of Montana	
Buttle district	of Montana Bull 139, pp 69–71
Little Belt Mountains quadrangle	
Livingstone quadrangle	
microscopic petrography of	
Three Forks quadrangle	
of Nevada, Eureka district	
of New Mexico, Tewan Mountains.  of Oregon, Roseburg quadrangle.  of Philippine Islands.  Ann 21, 111, pp 518, 522 of Sierra Nevada.  Ann 14, 11, pp 484-487; Ann 17, 1, pp 613-614 of Utah, Tintic district.  Ann 19, 111, pp 632-635; GF 65, p 2 of Wyoming, Absaroka district.  Ann 19, 111, pp 632-635; GF 65, p 2 of Wyoming, Absaroka district.  Ann 19, 111, pp 632-635; GF 65, p 2 of Yellowstone Park.  Mon xxii, 11, pp 172, 321-325, 356-432; GF 30 pp 3, 6 fayalite in.  Ann 7, p 270 thin section of, from Nevada, Eureka district.  Mon xx, pp 406-407 from Nevada, Eureka district, micropegmatitic phenocryst in.  Mon xx, pp 400-401 topaz in.  Mon xii, p 347; Bull 20, p 81 Rhyolite breccia from Texas, San Carlos coal field.  Bull 164, pp 89-90 Rhyolite-felsite, analysis of, from Yellowstone Park, Echo Peak.  Mon xxxii, 11, p 65; Bull 148, p 132; Bull 168, p 106 Rhyolite-pitchstone, analysis of, from Montana, Castle Mountain district.  Bull 168, p 129 Rhyolite-porphyry, analysis of, from Montana, Yogo Ridge.  Ann 20, 111, pp 523, 574, 580; Bull 148, p 150; Bull 168, p 125 of California, Bidwell Bar quadrangle.  GF 37, p 4  Obownieville quadrangle.  GF 37, p 4  of Michigan, Crystal Falls district.  Ann 19, 111, pp 50-51, 86-88;  Mon xxxvi, pp 81-87 of Montana, Judith Mountains.  Ann 19, 111, pp 50-51, 86-88;  Mon xxxvi, pp 875, 520-524  Little Belt Mountains quadrangle.  GF 56, pp 3, 4  of Sierra Nevada  Ann 17, 1, pp 646-649 thin section of, from Michigan, Crystal Falls district.  Ann 19, 111, pp 86-87, 88-89; Mon xxxvi, pp 270-271, 272-273 Rhyolite-porphyry, schistose, thin section of, from Michigan, Crystal Falls district.  Mon xxxvi, pp 270-271, 272-273 Rhyolite-tuff, analysis of, from California, Lassen County  Bull 148, p 132; Bull 168, p 106 Rhyolite Mountain, Colorado, volcanic breccia of  Ann 16, 11, p 101	of Nevada, Eureka district
of Oregon, Roseburg quadrangle	of New Mexico Tewan Mountains Bull 62 nn 10-12
of Philippine Islands	
of Sierra Nevada	
of Utah, Tintic district	
of Wyoming, Absaroka district	
of Yellowstone Park	
fayalite in	
thin section of, from Nevada, Eureka district	
from Nevada, Eureka district, micropegmatitic phenocryst in Mon xx, pp 400–401 topaz in	
pp 400-401 topaz in	
topaz in	400 401
Rhyolite breccia from Texas, San Carlos coal field	topaz in
Rhyolite-felsite, analysis of, from Yellowstone Park, Echo Peak	Rhyolite breccia from Texas, San Carlos coal fieldBull 164, pp 89–90
P 65; Bull 148, p 132; Bull 168, p 106   Rhyolite-pitchstone, analysis of, from Montana, Castle Mountain district	
Rhyolite-pitchstone, analysis of, from Montana, Castle Mountain district	
139, pp 125, 135, 136; Bull 148, p 150; Bull 168, p 129 Rhyolite-porphyry, analysis of, from Montana, Yogo Ridge	
Rhyolite-porphyry, analysis of, from Montana, Yogo Ridge	139, pp 125, 135, 136; Bull 148, p 150; Bull 168, p 129
of California, Bidwell Bar quadrangle	
Downieville quadrangle	pp 523, 574, 580; Bull 148, p 146; Bull 168, p 125
of Michigan, Crystal Falls district	of California, Bidwell Bar quadrangleGF 43, p 4
of Montana, Judith Mountains	
of Montana, Judith Mountains	
Little Belt Mountains Ann 20, III, pp 375, 520–524 Little Belt Mountains quadrangle GF 56, pp 3, 4 of Sierra Nevada Ann 17, I, pp 646–649 thin section of, from Michigan, Crystal Falls district Ann 19, III, pp 86–87, 88–89; Mon xxxvI, pp 270–271, 272–273 Rhyolite-porphyry, schistose, thin section of, from Michigan, Crystal Falls district Mon xxxvI, pp 276–277, 278–279 Rhyolite-tuff, analysis of, from California, Lassen County Bull 148, p 192; Bull 168, p 178 analysis of, from Yellowstone Park, Two Ocean Pass (trachytic) Bull 148, p 132; Bull 168, p 106 Rhyolite Mountain, Colorado, volcanic breccia of Ann 16, II, p 101	Mon xxxvi, pp 81-87
Little Belt Mountains quadrangle	
of Sierra Nevada	Little Belt Mountains
thin section of, from Michigan, Crystal Falls districtAnn 19, 111, pp 86–87, 88–89; Mon xxxv1, pp 270–271, 272–273  Rhyolite-porphyry, schistose, thin section of, from Michigan, Crystal Falls districtMon xxxv1, pp 276–277, 278–279  Rhyolite-tuff, analysis of, from California, Lassen CountyBull 148, p 192; Bull 168, p 178  analysis of, from Yellowstone Park, Two Ocean Pass (trachytic)Bull 148, p 132; Bull 168, p 106  Rhyolite Mountain, Colorado, volcanic breccia ofAnn 16, 11, p 101	Little Belt Mountains quadrangle
88–89; Mon xxxvi, pp 270–271, 272–273 Rhyolite-porphyry, schistose, thin section of, from Michigan, Crystal Falls district	of Sierra Nevada
Rhyolite-porphyry, schistose, thin section of, from Michigan, Crystal Falls district	
trict	
Rhyolite-tuff, analysis of, from California, Lassen County	
p 192; Bull 168, p 178 analysis of, from Yellowstone Park, Two Ocean Pass (trachytic)Bull 148, p 132; Bull 168, p 106 Rhyolite Mountain, Colorado, volcanic breccia of	
analysis of, from Yellowstone Park, Two Ocean Pass (trachytic)Bull 148, p 132; Bull 168, p 106  Rhyolite Mountain, Colorado, volcanic breccia of	
p 132; Bull 168, p 106 Rhyolite Mountain, Colorado, volcanic breccia of	
Rhyolite Mountain, Colorado, volcanic breccia of	
Bull. 177—01——42	
·	Bull. 177—01——42

Rhyolitic glass, analysis of, from Colorado, Mount Tyndall (residual). Bull 168, p 152
analysis of, from Montana, Gallatin ValleyBull 168, p 115
from Utah, near MarysvaleBull 168, p 168
thin section of, from Yellowstone Park
Rhyolitic structure in aporhyolite, thin section showing, from Pennsylvania,
South Mountain
Rhynchitidæ of United States (Tertiary)
Rhynchonellidæ from Cretaceous of Pacific Coast
from Cretaceous of Vancouver IslandBull 51, p 36
Rhynchophora, recent and fossil, comparative table of
Rhynchophorous Coleoptera, Tertiary, of United States
Ribbon structure in ore deposits of Montana, Little Belt Mountains. Ann 20, 111, p 417
Richmond Basin, Virginia, geology of
Richmond quadrangle, Kentucky, geology of
Richmond shale in KentuckyGF 46, p 2
Richterite, chemical constitution of
Richthofen (F.), quoted on Comstock lode
Rickard (T. A.), cited on ore deposits near Rico, ColoradoAnn 21, 11, pp 18, 108–109
Rico, Colorado, section near
Dice down Coloredo structure of
Rico dome, Colorado, structure of
Rico formation in Colorado, Rico Mountains
Rico Mountains, Colorado, geology of
Ridgway (J. L.), work in charge of during 1898–1900Ann 20,
ı, pp 140–141; Ann 21, ı, pp 159–160
Riebeckite, chemical constitution of Bull 125, p 92
Ries (H.), clay industry, technology of
clays and clay products at Paris Exposition of 1900Ann 21, vi cont, pp 365-392
clay-working industry in 1896
clay-working industry of United States in 1897Ann 19, vi cont, p 469
follows and amount attacking of Officer States in 1097
feldspar and quartz, statistics of
v cont, pp 1365–1368; Ann 19, vi cont, pp 657; Ann
20, vi cont, p 745; Ann 21, vi cont, pp 593-596
kaolins and fire clays of Europe
limestone quarries of eastearn New York, western Vermont, Massachusetts,
and ConnecticutAnn 17, 111 cont, pp 795–811
pottery industry of United States
Rifting in rocks of Massachusetts, Cape Ann
Rigidity, investigations of
of earth, considerations concerning, derived from a study of Lake Bonne-
ville
Riggs (R. B.), analysis and composition of tourmalineBull 55, pp 19-37
two new meteoric irons and an iron of doubtful natureBull 42, pp 94–97
Riley series, origin of nameBull 81, p 246
Ringgold quadrangle, Georgia-Tennessee, geology of
Rinkite, chemical constitution ofBull 125, pp 78, 105
Rio Grande, hydrography of basin of
и, pp 52–57, 99, 107; Ann 12, и, pp 240–290
in, pp 02-01, 88, 101, Aini 12, 11, pp 240-280
irrigation in valley of, method of
irrigation problems relating to basin of
Pleistocene origin of
profile of
rainfall and run-off in upper basin of
relation of Cretaceous to Eocene alongBull 164, p 35
reservoir sites and canals in basin of, surveys forAnn 11, 11, pp 145-150

Die Chaude etwans mannen mate in besite et
Rio Grande, stream measurements in basin of
II, pp 98, 99, 107; Ann 12, II, pp 226, 250, 252, 280, 349, 350,
360; Ann 13, 111, pp 94, 99; Ann 14, 11, pp 110–115; Ann 18,
iv, pp 245–259; Ann 19, iv, pp 381–390; Ann 20, iv, pp 57–59,
360-373; Ann 21, IV, pp 255-263; Bull 131, pp 41-47; Bull
140, pp 169–179; WS 10, pp 15–17; WS 11, pp 64–67; WS 16,
pp 127–133; WS 23, pp 120, 125–130; WS 37, pp 277–286
water supply of valley of
Rio Grande coal fields, Texas, bibliography of
reconnaissance in
Rio Grande Plain, Texas, geographic features of
Mil Grande Flam, Texas, geographic features of
geology of Edwards Plateau and
Ripidolite, analysis of, from Pennsylvania, WestchesterBull 78, p 19
analysis of, from Pennsylvania, Westchester, residue fromBull 78,
p 21; Bull 113, p 29
Ripley formation of Texas
Ripley group of Alabama, correlation of
of Alabama and Mississippi
Ripple marks, assistance of, in deciphering stratigraphy Ann 16, 1, pp 720-721
Rissoidæ of Bear River formation
of Chico-Tejon series of California
of Colorado formation
of Eocene of Utah and WyomingBull 34, pp 30–31
of Great Basin, Pleistocene and recent
of North America (nonmarine fossil)
River, graded, example of
River courses in Washington, changes in, due to glaciationBull 40
(See, also, Drainage.)
River flood plains in Louisiana, Donaldsonville quadrangleTF 1, pp 3-4
River stations, operations at, 1896–1899 WS 11, 15, 16, 27, 28, 35, 36, 37, 38, 39
(See, also, Hydrography; Stream measurements.)
River terraces in Maine
in Washington, southeastern
River water, analyses of
general chemistry of
Rivers, bars in, manner of formation of
origin and persistence of
profiles of, in United States
Rivers and waste streams, development of
Rivers, "lost" (subterranean drainage lines), especially in Indiana and
Ohio
Rixon (T. F.) and Dodwell (A.), Olympic Forest Reserve, Washington, re-
port on, from notes by
Rizer (H. C:), appointment of, to office of chief clerk
work in charge of, 1894–1899
84-86; Ann 17, 1, pp 118-119; Ann 18, 1, pp 127-128; Ann 19,
ı, pp 139–140; Ann 20, ı, pp 157–158; Ann 21, ı, pp 184–186
Road building in Massachusetts, effect of topographic conditions onAnn 16,
II, pp 322–324
methods of using stone in
rocks suitable for, distribution of
stones for, relative value of
Road material in Massachusetts, Cape Cod

•	•
Road material in Massachusetts, use of trap as	Mon xxix, pp 500-501
in Massachusetts and other parts of United States	
in Oregon, use of basalt as	Ann 17, 1, pp 514–515
in Virginia, Richmond Basin, dikes suitable for	
resistance to wear of, statistics concerning	
sources of supply of	
testing, method of	
Roads, action of rain, frost, and wind on	Ann 15, pp 281–283
block pavements and paving brick for	
grade of, effect of geologic structure on	
history of American, outline of	
of United States, geology of	
Roads, geologic conditions, and civilization, connection between	
	pp 260–261
Roanoke River, flow of, measurements of	Ann 18,
ıv, pp 42, 47–50; Ann 19, ıv, pp	o 181–182; Ann 20, iv, pp
50, 140-142; Ann 21, IV, pp 109-	
WS 15, pp 25, 28; WS 27, pp 3	
profile of	WS 44, pp 23–24
rainfall and run-off in basin of	
water powers in basin of	
Roaring Creek coal field in West Virginia	
Robinson formation in California	
447-448; Ann 17, 1, pp 626-628; Gl	
37, pp 1, 3; GF 39, p 1; GF 41, p 1	; GF 43, p 1; GF 51, p 1
Robinson diorite in Montana, Little Belt Mountains quadran	ngleGF 56, p 4
Robinson quartzite of Utah	
Rock, analysis of, from Montana, Cottonwood Creek	
analysis of, from New York, Adırondacks (dark basic).	
thin section of, from Michigan, SW. 4 sec. 32, T. 48 N	
mental from Clarksburg formation	.Mon xxvIII, pp 470–471
Rock, dike. (See Dike rock.)	•
Rock, wall (see Wall rock).	
Rock Creek, District of Columbia, flow of, measurements of.	WS 15, p 22;
WS 27, pp	22, 24; WS 35, pp 94-95
Rock Creek, Nevada, flow of, measurements of Ann 18, 1v,	pp 308–310; WS 11, p 75
water storage on	Ann 20, IV, pp 441–447
Rock-forming minerals, chemical constitution of	Bull 125
principal	Bull 150, pp 27–47
Rock names, glossary of	
GF 3, p 2; GF 5, p 2; GF 11, p 2;	
GF 37, p 2; GF 39, p 2; GF 41, p 2	
Rock phosphates, classes, nature, and localities of	Bull 46, pp 59–116
(See, also, Phosphates.)	
Rock River, Illinois, profile of	
Rock-scorings of the great ice invasions	
Rock saturation, nature of	Ann 21, vii, pp 388–389
Rock specimens, educational series of	
Rock structures, importance of understanding significance o	
produced by dynamic action	Bull 62, pp 206–208
Rock temperatures of Nevada, Comstock lode	Mon III, pp 246–258
Rockcastle conglomerate lentil in Kentucky	GF 46, p 3; GF 47, p 2
in Tennessee	D-11 00 - 050 077
Rockingham group of rocks in New Hampshire	Bun 86, pp 353–355

Rocks, analyses of, from laboratory of United States Geological SurveyBull 168
analysis of, principles and methods of
analysis, physical, of, methods ofBull 150, pp 18–27
as source of soils
capacity of, for absorbing water
chemical alteration of
chemical analysis of; separation of titanium, chromium, aluminum, iron,
barium, and phosphoric acidBull 78, pp 87-90
classification of
constituents of, decomposition of
educational series of
flow and fracture of, as related to structure
flows of water through
fusion of, experiments inBull 103
of Colorado, Leadville district, general description of
pp 215-224; Mon x11, pp 45-89, 276-284, 292-362
of gold fields of southern Appalachians
of Lake Superior, copper-bearing
of Maine, Mount Desert Island (stratified)
of Nevada, Washoe district, nature and decomposition of
pp 32–80, 372–376
of Pacific slope (sedimentary and massive)Mon xIII, pp 56-175, 453-460
physical constants of, investigations into
plants as builders of
structural features of
subaërial decay of, and origin of red color of certain formationsBull 52
surface modifications of
(See, also, Igneous; Petrography; Sedimentary, etc.)
Rocks, primeval, possible character of
Rockville conglomerate of Iowa
Rockwood formation of Alabama, Georgia, Kentucky, Maryland, Tennessee,
Virginia, and West Virginia
GF 4, p 2; GF 6, p 1; GF 8, p 2; GF 12, p 2; GF 14, pp
1, 2; GF 19, p 2; GF 20, p 3; GF 21, p 2; GF 25, p 4;
GF 26, p 2; GF 27, p 3; GF 28, p 2; GF 32, p 3; GF 33,
p 2; GF 35, p 2; GF 44, p 3; GF 59, p 4; GF 61, pp 3-4
Rocky Mountains, glaciation of
glaciers of Bull 104
mineralogy of, contributions to
structure of, in Colorado
(See, also, Colorado; Montana; New Mexico; Wyoming.)
Rocky Mountain province, literature and fauna of Lower Cambrian inAnn 10,
i, pp 537–538, 542–543, 571, 584–586
Rogers (H. D. and W. B.), quoted on relations of faults to foldsAnn 13, 11, p 227
Rogersite, analyses of, from North Carolina, Mitchell CountyBull 74, p 75
Rogersville shale of Kentucky, North Carolina, Tennessee, and VirginiaGF 12,
p 2; GF 16, p 3; GF 25, p 3; GF 27, p 2; GF 59, p 3
Rohn (O.), reconnaissance of Chitina River and Skolai Mountains, Alaska Ann 21,
п, pp 393–440
Rolker (C. M.), tin, production of
Rolling-mill development, twenty years of
Rome formation of North Carolina, Georgia, and Tennessee
GF 4, p 2; GF 6, p 1; GF 16, p 3; GF 20,
p 2; GF 25, p 3; GF 27, p 2; GF 33, p 2

Rome sandstone, origin of nameBull 81, p 247
Romney shale of Maryland, Virginia, and West VirginiaGF 14, pp 1, 2;
GF 26, p 2; GF 28, p 3; GF 32, p 3; GF 44, p 3; GF 61, p 4
Roof areas, quantity of rain water collected on
Roofing slate. (See Slate, roofing.)
Roots as agents of soil formation
Rosaceæ of Alaska
of Amboy clays
of Dakota group
of North America (extinct)
Roscoelite, analysis of, from California, Placerville
Roscoette, analysis of, from Camornia, Flacervine
chemical constitution of Bull 125, p 51
from California, Placerville, mineralogic notes on
Rose Bud Hill, Colorado, Cripple Creek district, character of ore deposits inAnn
16, II, p 177 Roseburg quadrangle, Oregon, forest conditions in
Roseburg quadrangle, Oregon, forest conditions in
geology of
Roseite, chemical constitution of
Rosenbuschite, analysis of
chemical constitution of
Rosita Hills and Silver Cliff districts, Colorado, geology of Ann 17, 11, pp 263-403
mines of
Roslyn sandstone of Washington, northern
Rotalidæ from Cretaceous of New Jersey
Rothwell (R. P.), pyrites, statistics of
Rotten limestone of Alabama and Mississippi
pp 105, 106, 107, 108, 111, 114, 217, 219
Rotten stone, statistics of
Downly Diver Workship models of Workship Africa
Rough River, Kentucky, profile of
Roumania, clay products of, at Paris Exposition of 1900Ann 21, vi cont, p 389
petroleum localities and statistics of
Ann 18, v cont, pp 865-868; Ann 19, vr cont, pp 142-144;
Ann 20, vi cont, pp 165-168; Ann 21, vi cont, pp 223-227
Rowe schist in Connecticut
in Massachusetts
Rowlandite, analysis of
chemical constitution ofBull 125, pp 84, 106
composition of
Roxton beds of Texas
Royal formation along New-Kanawha River, West Virginia Ann 17, 11, pp 490-493
Rubellite, analysis of, from Maine, Hebron, alteration product from . Bull 55, pp 25, 30
occurrence of
Ruby, occurrence and statistics of MR 1882, pp 485–486; MR 1893, p 693; Ann 16, IV,
pp 599, 604; Ann 17, 111 cont, pp 905-909, 923; Ann 18, v
cont, pp 1197–1198, 1217; Ann 20, vi cont, pp 573, 576, 599
Ruby formation in Colorado
Ruby Range, Colorado, structure and rocks of
Rudistæ from Colorado formationBull 106, p 96
Ruffner (W. H.), coal fields of WashingtonMR 1891, pp 334-341
Rühlmann (R.), hypsometric method of
Ruley (W. W.), anthracite coal, statistics of
v, pp 573-597; Ann 19, vi, pp 480-505
Rumpfite, analysis ofBull 113, p 18
chemical constitution of
·

Run-off from various drainage basins	Ann 13 111 nn 13-15
of Illinois	
(See, also, Rainfall and run-off.)	
Russell (I. C.), a geological reconnaissance in central Wa	ashingtonBull 108
a reconnaissance in southeastern Washington	
existing glaciers of United States	
explorations in Alaska	
	9–61; Ann 13, 1, pp 36, 90–91
geological history of Lake Lahontan	
geological reconnaissance in southern Oregon	
geology of Cascade Mountains in northern Washingt	
glaciers of Mount Rainier	
Newark system, a correlation essay	
Quaternary history of Mono Valley, California	
second expedition to Mount St. Elias in 1891	
subaërial decay of rocks and origin of red color of ce	
work in charge of, 1898-99	Ann 20, 1, p 52
Russell formation of Kentucky, Tennessee, Virginia, and	West VirginiaGF 12
p 2; GF 26, Russia; clay deposits of	p 2; GF 44, p 2; GF 59, p 3,
clay products of, at Paris Exposition of 1900	
coal production of, statistics of	
1883–84, p 13; MR 1885, p 11;	
p 189; MR 1888, p 208; MR 189	
1893, p 202; Ann 16, 111, pp 245	
pp 314, 318; Ann 18, v, pp 131,	
311, 315; Ann 20, vi, pp 332, 336	
copper production of	
pp 228, 241–242; MR 1886, p 128 73; MR 1889–90, p 73; MR 1891	
1893, p 86; Ann 16, 111, p 352; A	
18, v, pp 219, 220, 232–233; An	
Ann 20, vi, pp 202, 203, 217; An	
fauna of Olenellus zone in	
fossil plants of, literature of	
gold and silver production of, compared with that of o	
	pp 319, 320
graphite production of	Ann 19, vi cont, p 631
iron-ore deposits of, character and location of	Ann 16, 111, pp 149–155
iron and steel production of, compared with that of o	
p 109; MR 1883–84, p 257; M	
21; MR 1887, p 18; MR 18	
1889–90, pp 21, 22; MR 1891	1, p 73; Ann 16, 111, pp 22,
23, 24, 25, 26, 27, 28, 149-1	
v, pp 130–133, 136, 137; A	
Ann 20, vr, pp 96–97, 101; A	
lead production ofMR 1883-84, p 434; MR 1885, p	
manganese deposits and production ofMR 1886, p MR 1888, p 141; MR 1891, p	
MR 1893, pp 138–145, 155; Ar	
Ann 17, 111, pp 215–216, 225; An	
112-120; Ann 20, vi, pp 153-154,	
mining law of	MR 1883–84. p 1002
	, p

Russia; osmium-frictium, production ofAnn 19, VI, p 2/1
petroleum localities and production of, statistics of
pp 231-232; MR 1886, pp 463-478; MR 1887, pp 458-
463; MR 1888, pp 478–480; MR 1893, pp 518–524, 532;
Ann 16, IV, pp 391-395; Ann 17, III, pp 722-727; Ann
18, v cont, pp 883–891; Ann 19, vi cont, pp 121–136;
Ann 20, vi cont, pp 138–157; Ann 21, vi cont, pp 191–217
phosphates of
phosphorus production of
platinum from, character of
platinum mines and production of, statistics of
ıv, pp. 269–271; MR 1882, p. 443; MR 1883–84, p. 576; MR
1885, pp 367–368; MR 1888, p 165; MR 1889–90, p 143
precious stones in, occurrence of
quicksilver deposits in
quicksilver ore deposits and production of
p 105; MR 1891, pp 123, 124; MR 1892, p 161; MR 1893, p 118
salt production of, statistics of
vi cont, p 611; Ann 21, vi cont, p 553
tin deposits and production ofMR 1883-84, p 619; Ann 16, 111, pp 465, 515
zinc production of, statistics of
480; MR 1885, pp 277, 283; MR 1886, p 159; MR 1887, p 117;
MR 1888, p 95; MR 1892, pp 135, 136; MR 1893, pp 107, 108;
Ann 16, 111, p 383; Ann 17, 111, pp 171, 173, 175; Ann 18, v, pp
274, 276, 278; Ann 19, vi, pp 234, 236; Ann 20, vi, pp 263, 265
Rust, Boner-Barff process of protecting iron and steel fromMR 1882, pp 164–171
Rutherfordite, analysis of, from North CarolinaBull 74, p 74
Rutile, composition of
in rocks of Pacific slope
occurrence and statistics ofMR 1882, p 493; MR 1883-84, p 765;
MR 1885, p 443; MR 1886, p 604; MR 1887, pp 556, 557;
MR 1888, pp 584, 585; MR 1889-90, pp 446, 447; MR 1891,
p 540; MR 1892, p 781; MR 1893, p 681; Ann 16, IV, p 604;
Ann 17, 111 cont, p 924; Ann 18, v cont, p 1217; Ann 19, vi
cont, p 513; Ann 20, vi cont, p 599; Ann 21, vi cont, p 461
thin section of, from Michigan, Upper Quinnesec Falls (in greenstone). Bull 62,
pp 232–233
from Minnesota, Pigeon PointBull 109, pp 62–63
Rutile needles, thin section of, from Michigan, Upper Quinnesec Falls (in
crushed greenstone)Bull 62, p 106
Rutile-epidote-amphibolite, thin section of, from Vermont, Guilford Mon xxix,
pp 306–307
Rutledge limestone of Kentucky, North Carolina, Tennessee, and VirginiaGF 12,
Rutledge limestone of Kentucky, North Carolina, Tennessee, and VirginiaGF 12, p 2; GF 16, p 3; GF 25, p 3; GF 27, p 2; GF 59, p 3
Rutledge limestone of Kentucky, North Carolina, Tennessee, and VirginiaGF 12, p 2; GF 16, p 3; GF 25, p 3; GF 27, p 2; GF 59, p 3  Ryder (J. A.), life-history of the oyster
Rutledge limestone of Kentucky, North Carolina, Tennessee, and VirginiaGF 12, p 2; GF 16, p 3; GF 25, p 3; GF 27, p 2; GF 59, p 3  Ryder (J. A.), life-history of the oyster
Rutledge limestone of Kentucky, North Carolina, Tennessee, and VirginiaGF 12, p 2; GF 16, p 3; GF 25, p 3; GF 27, p 2; GF 59, p 3  Ryder (J. A.), life-history of the oyster
Rutledge limestone of Kentucky, North Carolina, Tennessee, and VirginiaGF 12, p 2; GF 16, p 3; GF 25, p 3; GF 27, p 2; GF 59, p 3 Ryder (J. A.), life-history of the oyster
Rutledge limestone of Kentucky, North Carolina, Tennessee, and VirginiaGF 12, p 2; GF 16, p 3; GF 25, p 3; GF 27, p 2; GF 59, p 3 Ryder (J. A.), life-history of the oyster
Rutledge limestone of Kentucky, North Carolina, Tennessee, and VirginiaGF 12, p 2; GF 16, p 3; GF 25, p 3; GF 27, p 2; GF 59, p 3 Ryder (J. A.), life-history of the oyster
Rutledge limestone of Kentucky, North Carolina, Tennessee, and VirginiaGF 12, p 2; GF 16, p 3; GF 25, p 3; GF 27, p 2; GF 59, p 3 Ryder (J. A.), life-history of the oyster
Rutledge limestone of Kentucky, North Carolina, Tennessee, and VirginiaGF 12, p 2; GF 16, p 3; GF 25, p 3; GF 27, p 2; GF 59, p 3 Ryder (J. A.), life-history of the oyster
Rutledge limestone of Kentucky, North Carolina, Tennessee, and VirginiaGF 12, p 2; GF 16, p 3; GF 25, p 3; GF 27, p 2; GF 59, p 3 Ryder (J. A.), life-history of the oyster

Sacramento River, flow of, measurements of	Ann
18, IV, pp 361-369; Ann 19,	
ıv, pp 63, 526, 527; Ann 21,	
pp 75–78; Bull 140, pp 249–255	5; WS 11, pp 89-92; WS 16,
pp 185–186; WS 28, pp 182, 18	5, 186; WS 38, pp 387–389
profile of	WS 44, pp 91-92
Sacramento and San Joaquin basins, California, hydrogra	
	н, рр 316–324
Safford (J. M.), coal measures of Tennessee	MR 1892, pp 497–506
Sagenite, occurrence and statistics ofMR 1882, p 491	
Saggar clay, analysis of, from New Jersey, Woodbridge	
Sahlite, chemical constitution ofthin section of, from Massachusetts, Blandford (char	aging into tramplital Mon
timi section of, from massachusetts, Biandford (char	xxix, pp 106–107
Sailor Canyon formation of CaliforniaGF	
pp 1, 3; GF 41, p 1; GF 43, p 1	
Saint Augustine Volcano, Alaska	
Saint Clair black shales of Michigan	
Saint Croix River, Maine, profile of	
water power of	
Saint Croix sandstone of Upper Mississippi Valley	Bull 81, pp 245, 330–334
Saint Elias, Mount, second expedition to, by Russell, in	1891Ann 13, п, pp 1–91
Saint Elias Range, Alaska, features of	Ann 21, 11, pp 345-346
notes on	
Saint John Baptist Bay, Alaska, coal on shores of	
Saint John formation, fauna of, in Hartt collection, reviewed to the Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Proposition of Comp. Pro	
Saint John group of New Brunswick and Cape Breton	
Saint John's slate of Newfoundland	Rull 81 no 50-55 948-949
Saint Joseph limestone of Missouri, character and occurre	ence of Bull 132 no 14–17
Saint Lawrence River, drainage area, altitude of points	s on tributaries, etc
of	
flow of, measurements of	
water power on	WS 25, pp 143-144
Saint Louis formation of Indiana	
Saint Louis gabbro of Minnesota	
Saint Louis limestone of Iowa	Ann 11, 1, p 312
Saint Louis slates of Lake Superior region	Bull 86, pp 186–187
Saint Mary's beds of Maryland Saint Peter sandstone of Canada	Dull 81, p 335
of Illinois, altitude, thickness, etc., of	n 17 u nn 794795 837838
of Indiana	
of Iowa	
Saint Stephens group of Alabama	
Saint Vrain Creek, flow of, measurements ofAnn 13,	111, pp 88–93; Ann 18, IV, pp
172–174; Ann 19, IV, pp 320–321	
286; Ann 21, IV, pp 208–209; B	
p 55; WS 15, p 93; WS 27, pp 8	
Salangore, tin deposits and industry of	
Salenidæ, Mesozoic, of United States	
of Amboy clays.	
or armony orangement of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control	
of Dakota group	Mon xvii, pp 65-65
of Dakota groupof Laramie group	Mon xv11, pp 42–51

Salicaceæ of North America (extinct)	
of Yellowstone ParkMon xxxII, II, pp 69	
Salina and Monroe beds (lower Helderberg) of MichiganWS 30, pp	
Saline contents of Great Salt Lake	
Saline efflorescences of Lahontan Basin	30-232
Saline River, flow of, measurements of	p 210–
212; Ann 19, IV, pp 343-346; Ann 20, IV, pp 56, 316	
21, IV, pp 224-225; Bull 140, pp 140-142; WS 11, p 58	
16, pp 112–113; WS 27, pp 93, 95, 96; WS 37, pp 25	
Salines of Louisiana	54-565
Salines and refineries of California	70-571
Salisbury (R. D.) and Chamberlin (T. C.), driftless area of the Upper Missis-	
sippi ValleyAnn 6, pp 19	99-322
Salt, analysis of (sea) Bull 78	
analysis of, from Africa, Algeria (rock)	n 849
from Austria, various localities (rock)MR 1883–84,	p 849
from California, Dos Palmas	p 482
from England, Ashton and Higgins (dairy)MR 1887,	
Cheshire and Droitwich	
from Germany, Lorraine	
Stassfurt (rock) MR 1883–84,	
Stassfurt (mother liquor from)	
from Ireland, Carrickfergus (rock)	
from Kansas, HutchinsonBull 60,	
from Louisiana, Lake Bistineau	p 555
Petite Anse (rock)	1, 849
T. 12, R. 17 W., sec. 22	р 557
from Michigan, East Saginaw (dairy)	p 614
Saginaw MR 1883–84,	p 849
from New York, Livingston County	p 479
Onondaga	p 849
Onondaga district (dairy)	
WarsawBull 55, p 88; MR 1883-84, p 834; MR 1886,	
from Ohio, Canal DoverMR 1887,	
Hocking Valley	
PomeroyMR 1887,	
from Ontario, Goderich	p 849
from Pennsylvania, Pittsburg	
from Santo Domingo	
from Utah, Deep Creek ValleyBull 60	
from Virginia, Smythe County (rock)	p 840
from West Virginia, Kanawha	p 849
from Wyoming, Carbon County (dry)Bull 60, p 44, MR 1885,	
deposits of, in inclosed basins	84-86
in Utah, Sevier Basin and Snake Valley	
foreign commerce in	
in Kansas Bull 57, pp 25–	
in Porto Rico	
salines of Louisiana MR 1882, pp 58	
statistics of	
MR 1885, pp 474–485; MR 1886, pp 628–641; MR 18 611–625; MR 1888, pp 597–612; MR 1889–90, pp 48	
MR 1891, pp 572–578; MR 1892, pp 792–800; MR 18	
717–727; Ann 16, IV, pp 646–657; Ann 17, III cont, pp 98	
Ann 18, v cont, pp 1273–1313; Ann 19, vi cont, pp 58	
Ann 20, vi cont, pp 667–688; Ann 21, vi cont, pp 58	
Salt Creek, Nebraska, flow of, measurements of	n 193
Sale Crook, Hobiaska, non of, incastronions of	, P 120

Saline deposits of		of the water ofMon 1, pp 207, 253, 254, 255
Salt valveys, oscillations, fauna, etc., of	hydrography of basin	of
Salt Lake group of rocks of Idaho	saline deposits of	
Salt making in United States, history of	surveys, oscillations, f	auna, etc., of
Salt making in United States, history of	Salt Lake group of rocks of	IdahoBull 84, pp 286–287, 317, 334
processes of, in the United States		
Salt River, Arizona, flow of, measurements of Ann 11, 11, p. 100; Ann 12, 11, pp. 308, 360;		
Ann 13, 111, pp 95, 99; Ann 18, 1v, p 298; Ann 19, 1v, pp 418—420, 423; Ann 20, 1v, pp 59, 405–406; Ann 21, 1v, pp 386–387; Bull 131, p 49; Bull 140, pp 206–207; WS 2, pp 35–37, 39; WS 16, pp 148–149; WS 28, pp 140, 143, 145; WS 38, pp 321–322 hydrography of basin of		
420, 423; Ann 20, rv, pp 59, 405-406; Ann 21, rv, pp 386-387; Bull 131, p 49; Bull 140, pp 206-207; WS 2, pp 35-37, 39; WS 16, pp 148-149; WS 28, pp 140, 143, 145; WS 38, pp 321-322 hydrography of basin of		
Bull 131, p 49; Bull 140, pp 206–207; WS 2, pp 35–37, 39; WS 16, pp 148–149; WS 28, pp 140, 143, 145; WS 38, pp 321–322 hydrography of basin of		
16, pp 148–149; WS 28, pp 140, 143, 145; WS 38, pp 321–322 hydrography of basin of		
hydrography of basin of		
Salt Wells group, Uinta Mountains.  Salt with 4 atoms of silver, analyses of.  Salt with 4 atoms of silver, analyses of.  Salt works in Lahontan Basin.  Ann 3, pp 226-227; Mon x, pp 232-235  Saltpeter, analyses of, from Chile, Atacama Desert.  MR 1893, p 736-737  Salts, analyses of, from California, Mono Lake.  Bull 60, p 66  analyses of, from California, Owens Lake.  Bull 60, pp 63, 64  from Nevada, various localities.  Bull 60, p 56  from sodium sulphate.  Bull 60, p 29  with 6 atoms of silver, analyses of.  Bull 167, p 106  Salts deposited on evaporation.  Mon x, pp 182-187  Saluda River, South Carolina, flow of, measurements of.  Ann 18, Iv, p 68;  Ann 20, Iv, pp 50, 153-154; Ann 21, Iv, pp 129-130; WS 11,  p 19; WS 15, p 38; WS 27, pp 39, 44, 6; WS 36, pp 126-127  profile of.  WS 44, p 27  water powers on.  Ann 19, Iv, pp 221-222  Samarskite, analysis of, from Colorado, Pikes Peak region.  Bull 55, p 49  analyses of, from North Carolina, various localities.  Bull 74, pp 73, 74  from Colorado.  Bull 55, pp 66, 101  Samovar Hills, Alaska, description of.  Ann 13, II, pp 34-37  San Andreas and Pilarcitos reservoirs, California, discharge of, measurements  of.  Ann 18, Iv, p 370  San Antonio River, flow of, measurements of.  Ann 18, Iv, p 370  San Bernardino Forest Reserve, reports on.  Ann 19, Iv, pp 540-632  San Bernardino Valley, California, miscellaneous discharge measurements  in.  V, pp 65, 359-365; Ann 20, v, pp 423-425  water supply of.  Ann 19, Iv, pp 540-632  San Blas, project for interoceanic canal by way of.  Ann 19, Iv, pp 540-632  San Blas, project for interoceanic canal by way of.  Ann 19, Iv, pp 540-632  San Blas, project for interoceanic canal by way of.  Ann 19, Iv, pp 540-632  San Blas, project for interoceanic canal by way of.  Ann 19, Iv, pp 540-632  San Carlos California, geologic sketch of.  Ann 18, II, pp 48-94  San Carlos coal field, Texas, geology and character of coal in.  Bull 164, pp 73-88  San Clemente Island, California, geologic sketch of.  Ann 18, II, pp 459-496  San Diego Rive	hydrography of basin	of
Salt Wells group, Uinta Mountains.  Salt with 4 atoms of silver, analyses of.  Salt with 4 atoms of silver, analyses of.  Salt works in Lahontan Basin.  Ann 3, pp 226-227; Mon x, pp 232-235  Saltpeter, analyses of, from Chile, Atacama Desert.  MR 1893, p 736-737  Salts, analyses of, from California, Mono Lake.  Bull 60, p 66  analyses of, from California, Owens Lake.  Bull 60, pp 63, 64  from Nevada, various localities.  Bull 60, p 56  from sodium sulphate.  Bull 60, p 29  with 6 atoms of silver, analyses of.  Bull 167, p 106  Salts deposited on evaporation.  Mon x, pp 182-187  Saluda River, South Carolina, flow of, measurements of.  Ann 18, Iv, p 68;  Ann 20, Iv, pp 50, 153-154; Ann 21, Iv, pp 129-130; WS 11,  p 19; WS 15, p 38; WS 27, pp 39, 44, 6; WS 36, pp 126-127  profile of.  WS 44, p 27  water powers on.  Ann 19, Iv, pp 221-222  Samarskite, analysis of, from Colorado, Pikes Peak region.  Bull 55, p 49  analyses of, from North Carolina, various localities.  Bull 74, pp 73, 74  from Colorado.  Bull 55, pp 66, 101  Samovar Hills, Alaska, description of.  Ann 13, II, pp 34-37  San Andreas and Pilarcitos reservoirs, California, discharge of, measurements  of.  Ann 18, Iv, p 370  San Antonio River, flow of, measurements of.  Ann 18, Iv, p 370  San Bernardino Forest Reserve, reports on.  Ann 19, Iv, pp 540-632  San Bernardino Valley, California, miscellaneous discharge measurements  in.  V, pp 65, 359-365; Ann 20, v, pp 423-425  water supply of.  Ann 19, Iv, pp 540-632  San Blas, project for interoceanic canal by way of.  Ann 19, Iv, pp 540-632  San Blas, project for interoceanic canal by way of.  Ann 19, Iv, pp 540-632  San Blas, project for interoceanic canal by way of.  Ann 19, Iv, pp 540-632  San Blas, project for interoceanic canal by way of.  Ann 19, Iv, pp 540-632  San Carlos California, geologic sketch of.  Ann 18, II, pp 48-94  San Carlos coal field, Texas, geology and character of coal in.  Bull 164, pp 73-88  San Clemente Island, California, geologic sketch of.  Ann 18, II, pp 459-496  San Diego Rive	Salt Spring Valley reservo	r, California, discharge of, measurements ofAnn 18,
Salt with 4 atoms of silver, analyses of. Bull 167, p 103 Salt works in Lahontan Basin. Ann 3, pp 226-227; Mon XI, pp 232-235 Saltpeter, analyses of, from Chile, Atacama Desert. MR 1893, pp 736-737 statistics of. MR 1893, pp 736-737 Salts, analyses of, from California, Mono Lake. Bull 60, p 66 analyses of, from California, Owens Lake. Bull 60, p 63, 64 from Nevada, various localities. Bull 60, p 56 from sodium sulphate. Bull 60, p 29 with 6 atoms of silver, analyses of. Bull 167, p 106 Salts deposited on evaporation. Mon XI, pp 182-187 Saluda River, South Carolina, flow of, measurements of. Ann 18, IV, p 681,		
Salt with 4 atoms of silver, analyses of. Bull 167, p 103 Salt works in Lahontan Basin. Ann 3, pp 226-227; Mon XI, pp 232-235 Saltpeter, analyses of, from Chile, Atacama Desert. MR 1893, pp 736-737 statistics of. MR 1893, pp 736-737 Salts, analyses of, from California, Mono Lake. Bull 60, p 66 analyses of, from California, Owens Lake. Bull 60, p 63, 64 from Nevada, various localities. Bull 60, p 56 from sodium sulphate. Bull 60, p 29 with 6 atoms of silver, analyses of. Bull 167, p 106 Salts deposited on evaporation. Mon XI, pp 182-187 Saluda River, South Carolina, flow of, measurements of. Ann 18, IV, p 681,	Salt Wells group, Uinta M	ountainsBull 82, p 235
Salt works in Lahontan Basin         Ann 3, pp 226-227; Mon xi, pp 232-235           Saltpeter, analyses of, from Chile, Atacama Desert         MR 1893, p 737           statistics of         MR 1893, p 736-737           Salts, analyses of, from California, Mono Lake         Bull 60, p 66           analyses of, from California, Owens Lake         Bull 60, p 56           from Nevada, various localities         Bull 60, p 56           from sodium sulphate         Bull 60, p 56           from sodium sulphate         Bull 167, p 106           Salts deposited on evaporation         Mon xi, pp 182-187           Saluda River, South Carolina, flow of, measurements of         Ann 18, rv, p 68;           Ann 20, rv, pp 50, 153-154; Ann 21, rv, pp 129-130; WS 11,         p 19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126-127           profile of         WS 44, p 27           water powers on         Ann 19, rv, pp 221-222           Samarskite, analysis of, from Colorado, Pikes Peak region         Bull 55, p4 94           analyses of, from North Carolina, various localities         Bull 155, pp 48-31           Samoite, chemical constitution of         Bull 25, pp 66, 101           Samowar Hills, Alaska, description of         Ann 13, rr, pp 34-37           San Andreas and Pilarcitos reservoirs, California, discharge of, measurements of         Ann 18, rv, p 370           San Berna	Salt with 4 atoms of silver,	analyses of
Saltpeter, analyses of, from Chile, Atacama Desert	Salt works in Lahontan Ba	sin
Salts, analyses of, from California, Mono Lake	Saltneter, analyses of, from	Chile, Atacama Desert. MR 1893, p 737
Salts, analyses of, from California, Mono Lake		
analyses of, from California, Owens Lake		
from Nevada, various localities	analyses of, from Calif	ornia, Owens Lake Bull 60, pp 63, 64
## From sodium sulphate ## Bull 60, p 29  with 6 atoms of silver, analyses of ## Bull 167, p 106  Salts deposited on evaporation ## Mon xi, pp 182–187  Saluda River, South Carolina, flow of, measurements of ## Ann 18, iv, p 68;  Ann 20, iv, pp 50, 153–154; Ann 21, iv, pp 129–130; WS 11,  p 19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127  profile of ## WS 44, p 27  water powers on ## Ann 19, iv, pp 221–222  Samarskite, analysis of, from Colorado, Pikes Peak region ## Bull 74, pp 73, 74  from Colorado ## Bull 55, pp 48–51  Samoite, chemical constitution of ## Bull 125, pp 66, 101  Samovar Hills, Alaska, description of ## Ann 13, ii, pp 34–37  San Andreas and Pilarcitos reservoirs, California, discharge of, measurements of ## Ann 18, iv, p 370  San Antonio River, flow of, measurements of ## Ann 18, iv, p 370  San Bernardino Forest Reserve, reports on ## Ann 19, v, pp 65, 359–365; Ann 20, v, pp 429–554  San Bernardino Valley, California, miscellaneous discharge measurements in ## WS 39, pp 423–425  water supply of ## Ann 19, iv, pp 540–632  San Blas, project for interoceanic canal by way of ## Ann 19, iv, pp 540–632  San Blas, project for interoceanic canal by way of ## Ann 19, iv, pp 588  San Carlos, Texas, igneous rocks from vicinity of Chispa and, report on ## Bull 164, pp 78–88  San Clemente Island, California, geologic sketch of ## Ann 18, ii, pp 485–496  San Diego Beds of California, correlation of ## Ann 18, ii, pp 486–488  San Francisco Bay drainage, stream measurements in ## Ann 18, iv, pp 361–397;  Ann 19, iv, pp 508–539; Ann 20, iv, pp 63, 524–538; Ann 21, iv, pp 444–468; Bull 131, pp 75–87; Bull 140, pp 249–309;	from Nevada, vari	ous localitiesBull 60, p 56
with 6 atoms of silver, analyses of	from sodium sulpl	nate
Salts deposited on evaporation		
Saluda River, South Carolina, flow of, measurements of	Salts deposited on evapora	tion
Ann 20, IV, pp 50, 153–154; Ann 21, IV, pp 129–130; WS 11, p 19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127 profile of	Saluda River, South Carol	na, flow of, measurements of
profile of		
water powers on	1	Ann 20, iv, pp 50, 153–154; Ann 21, iv, pp 129–130; WS 11,
Samarskite, analysis of, from Colorado, Pikes Peak region		
analyses of, from North Carolina, various localities	profile of	o 19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127 
from Colorado	profile of	. 19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127 
Samoite, chemical constitution of	profile of	
Samovar Hills, Alaska, description of	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
San Andreas and Pilarcitos reservoirs, California, discharge of, measurements of	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
of	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
San Antonio River, flow of, measurements of	profile of	o 19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
Iv, p 110; Bull 140, pp 84, 86; WS 28, p 130         San Bernardino Forest Reserve, reports on	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
San Bernardino Forest Reserve, reports on	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
v, pp 65, 359–365; Ann 20, v, pp 429–554  San Bernardino Valley, California, miscellaneous discharge measurements in	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
San Bernardino Valley, California, miscellaneous discharge measurements in	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
water supply of	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
water supply of	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
San Carlos, Texas, igneous rocks from vicinity of Chispa and, report onBull 164, pp 88–95  San Carlos coal field, Texas, geology and character of coal inBull 164, pp 73–88  San Clemente Island, California, geologic sketch ofAnn 18, 11, pp 459–496  San Diego beds of California, correlation ofAnn 18, 11, p 337  San Diego River, proposed dam onAnn 21, 1v, pp 486–488  San Francisco Bay drainage, stream measurements inAnn 18, 1v, pp 361–397;  Ann 19, 1v, pp 508–539; Ann 20, 1v, pp 63, 524–538; Ann 21, 1v, pp 444–468; Bull 131, pp 75–87; Bull 140, pp 249–309;	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
pp 88–95 San Carlos coal field, Texas, geology and character of coal in	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
San Carlos coal field, Texas, geology and character of coal in	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
San Clemente Island, California, geologic sketch of Ann 18, 11, pp 459–496 San Diego beds of California, correlation of Ann 18, 11, p 337 San Diego River, proposed dam on Ann 21, 1v, pp 486–488 San Francisco Bay drainage, stream measurements in Ann 18, 1v, pp 361–397; Ann 19, 1v, pp 508–539; Ann 20, 1v, pp 63, 524–538; Ann 21, 1v, pp 444–468; Bull 131, pp 75–87; Bull 140, pp 249–309;	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
San Diego beds of California, correlation of	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
San Diego River, proposed dam on	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
San Francisco Bay drainage, stream measurements inAnn 18, IV, pp 361–397; Ann 19, IV, pp 508–539; Ann 20, IV, pp 63, 524–538; Ann 21, IV, pp 444–468; Bull 131, pp 75–87; Bull 140, pp 249–309;	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127   WS 44, p 27   Ann 19, iv, pp 221–222   Dim Colorado, Pikes Peak region
Ann 19, IV, pp 508–539; Ann 20, IV, pp 63, 524–538; Ann 21, IV, pp 444–468; Bull 131, pp 75–87; Bull 140, pp 249–309;	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127
21, rv, pp 444–468; Bull 131, pp 75–87; Bull 140, pp 249–309;	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127   WS 44, p 27   Ann 19, iv, pp 221–222   Dim Colorado, Pikes Peak region
	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127   WS 44, p 27   Ann 19, iv, pp 221–222   Differentiation of Bull 55, pp 48–51   Exercise to tion of Bull 125, pp 66, 101   Seription of Ann 13, ii, pp 34–37   Sereservoirs, California, discharge of, measurements Ann 18, iv, p 370   Ann 18, iv, p 370   Ann 19, v, pp 65, 359–365; Ann 20, v, pp 429–554   California, miscellaneous discharge measurements   WS 39, pp 423–425   Ann 19, iv, pp 540–638   Oceanic canal by way of Ann 20, iv, p 588–95   Oceanic canal by way of Ann 20, iv, p 588–95   Oceanic canal by way of Ann 20, iv, p 588–95   Oceanic canal by way of Ann 20, iv, p 588–95   Oceanic canal by way of Ann 20, iv, p 588–95   Oceanic canal by way of Ann 20, iv, p 588–95   Oceanic canal by way of Ann 20, iv, p 588–95   Oceanic canal by way of Ann 20, iv, p 588–95   Oceanic canal by way of Ann 20, iv, p 588–95   Oceanic canal by way of Ann 20, iv, p 588–95   Oceanic canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal canal
	profile of	19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126–127   WS 44, p 27   Ann 19, iv, pp 221–222   Differential Colorado, Pikes Peak region   Bull 55, p 49   Carolina, various localities   Bull 74, pp 73, 74   Bull 55, pp 48–51   Differential Colorado   Bull 125, pp 66, 101   Differential Colorado   Ann 13, ii, pp 34–37   Differential Colorado   Ann 18, iv, p 370   Ann 18, iv, p 370   Ann 18, iv, p 370   Ann 19, v, pp 65, 359–365; Ann 20, v, pp 429–554   California, miscellaneous discharge measurements   WS 39, pp 423–425   Differential Colorado   Ann 19, iv, pp 540–632   Differential Colorado   Ann 19, iv, pp 540–632   Differential Colorado   Ann 18, ii, p 38–95   Differential Colorado   Ann 18, ii, pp 459–496   Differential Colorado   Ann 18, ii, pp 459–496   Differential Colorado   Ann 18, ii, pp 459–496   Differential Colorado   Ann 18, ii, pp 361–397; Differential Colorado   Ann 18, ii, pp 361–397; Differential Colorado   Ann 18, ii, pp 361–397; Differential Colorado   Ann 18, ii, pp 361–397; Differential Colorado   Ann 18, ii, pp 361–397; Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado   Differential Colorado

• •
San Francisco district, Utah, reconnaissance of
San Francisco group of CaliforniaBull 84, p 334
San Francisco Peninsula, California, geology of, sketch of Ann 15, pp 399-476
San Francisco sandstone, description of
San Gabriel Forest Reserve, reports on
pp 66, 367-371; Ann 20, v, pp 411-428
San Gabriel River, flow of, measurements of
Ann 19, rv, pp 528–531; Ann 20, rv, pp 64, 549–552; Ann
21, IV, pp 475–480; Bull 140, pp 315–318; WS 16, pp 194–
195; WS 28, pp 189, 190–191, 196; WS 39, pp 410–413
San Jacinto Forest Reserve, reports on
pp 65, 351–357; Ann 20, v, pp 455–478
San Jacinto quadrangle, California, forest conditions inAnn 21, v, pp 575–576
San Joaquin River, flow of, measurements of
и, pp 226, 318–319, 322–323; Ann 13, иг, p 22; Ann 18, иу,
pp 371–397; Ann 19, 1v, pp 510–528; Ann 20, 1v, pp 63, 526,
529–530; Ann 21, IV, pp 466–467; Bull 131, pp 78–87; Bull
140, pp 256–310; WS 11, pp 90–92; WS 16, pp 187–192; WS
19, pp 9–12; WS 28, pp 182–186; WS 38, pp 395–396
water power on
San Joaquin and Sacramento rivers, hydrography of basins of Ann 12, 11, pp 316–324
San Juan formation of Colorado
San Juan Mountains, Colorado, formation of
San Juan Plateau, Colorado, denudation of
San Juan region, Colorado, geography, topography, and geology ofGF 57, pp 1–2
San Juan River, Colorado, flow of, measurements of
278–281; Ann 19, IV, pp 409–410; Ann 20, IV, pp 58, 400–401;
Ann 21, IV, pp 297–298; Bull 140, pp 195–196; WS 11, p 71;
WS 16, p 144; WS 28, pp 138, 142, 145; WS 38, pp 307–308
profile of
San Luis Rey River, flow of, measurements of
Bull 140, p 321; WS 39, pp 428–429
San Luis Valley, Colorado, hydrography and irrigation in
Ann 12, 11, pp 247–251
Ann 12, 11, pp 247–251 San Marcos River, Texas, flow of, measurements of
Bull 140, pp 83, 86; WS 28, p 130
San Mateo Creek, California, flow of, measurements of
San Miguel formation, correlation of
of Colorado
of Texas
San Miguel Mountains, Colorado, structure and rocks ofAnn 14, 11, pp 203-206
San Miguel River, Colorado, flow of, measurements of Ann 18, rv, pp 264-265;
Ann 19, IV, pp 406-407; Ann 20, IV, pp 58, 395-396;
Ann 21, iv, pp 283–284; Bull 140, pp 193–194; WS 16,
p 142; WS 28, pp 137, 142, 144; WS 38, pp 306-307
San Pedro beds of California, correlation of
San Pedro River, flow of, measurements of
Ann 18, rv, p 110; WS 140, pp 84, 86
hydrography of basin of
San Saba River, profile of
Sand, analysis of, from Canada, various localities (iron)
analysis of, from England (glass)
from Florida, LakelandBull 84, p 155
from France, Fontainebleau (glass)

Sand, analysis of, from Germany (glass)
analysis of, from Germany, Adolf's Hütte (clayey)Ann 19, vi cont, p 425
from Massachusetts, Berkshire County (glass)MR 1883-84, p 962
from Missouri (glass)
from New Jersey (glass)
from New York, Long Island (magnetic)
from Pennsylvania (glass)
from Rhode Island, Block Island (magnetic iron)
from Utah, Great Salt Lake (oölitic)Bull 27, p 69; Bull 168, p 275
from West Virginia, Hancock County (glass)
thin section of, from Michigan, Crystal Falls district (water deposited)Mon
xxxvi, pp 296–297
Sand and glass breccia, thin section of, from Massachusetts, GreenfieldMon
xxix, p 422
Sand and soil grains, diameter of, determinations of
effect of size of, on rate of flow of ground water Ann 19, 11, pp 228-242
Sand, soil, and rock, pore space in, determinations of
Sand, æolian, of Lake Lahontan Basin
Sand, beach, description of the rock, as one of the educational seriesBull 150,
pp 59-61
Sand, building, statistics of
Sand, dune, description of the rock, as one of the educational seriesBull 150,
pp 61–63
Sand, oölitic, description of the rock, as one of the educational seriesBull 150,
pp 102–103
Sand, volcanic, from California, Snag Lake cinder cone, description of, as one
of the educational seriesBull 150, pp 245–248
(See Volcanic and )
(See Volcanic sand.) Sand areas of Long Island, New York, water yield of WS 25 np 191-198.
Sand areas of Long Island, New York, water yield of
Sand areas of Long Island, New York, water yield of
Sand areas of Long Island, New York, water yield of
Sand areas of Long Island, New York, water yield of WS 25, pp 191–198 Sand dunes, constitution of Mon 1, p 59 in Great Basin Mon x1, pp 153–156 in Kansas WS 6, pp 24–25
Sand areas of Long Island, New York, water yield of WS 25, pp 191–198 Sand dunes, constitution of Mon 1, p 59 in Great Basin Mon x1, pp 153–156 in Kansas WS 6, pp 24–25 in Massachusetts, Cape Ann district Ann 9, pp 574–575
Sand areas of Long Island, New York, water yield of       WS 25, pp 191–198         Sand dunes, constitution of       Mon 1, p 59         in Great Basin       Mon x1, pp 153–156         in Kansas       WS 6, pp 24–25         in Massachusetts, Cape Ann district       Ann 9, pp 574–575         in Nebraska       Ann 19, IV, pp 733, 741
Sand areas of Long Island, New York, water yield of       WS 25, pp 191–198         Sand dunes, constitution of       Mon 1, p 59         in Great Basin       Mon x1, pp 153–156         in Kansas       WS 6, pp 24–25         in Massachusetts, Cape Ann district       Ann 9, pp 574–575         in Nebraska       Ann 19, IV, pp 733, 741         Sand Hills of South Carolina       Bull 84, p 334
Sand areas of Long Island, New York, water yield of       WS 25, pp 191–198         Sand dunes, constitution of       Mon 1, p 59         in Great Basin       Mon x1, pp 153–156         in Kansas       WS 6, pp 24–25         in Massachusetts, Cape Ann district       Ann 9, pp 574–575         in Nebraska       Ann 19, IV, pp 733, 741         Sand Hills of South Carolina       Bull 84, p 334
Sand areas of Long Island, New York, water yield of
Sand areas of Long Island, New York, water yield of WS 25, pp 191–198 Sand dunes, constitution of Mon 1, p 59 in Great Basin Mon x1, pp 153–156 in Kansas WS 6, pp 24–25 in Massachusetts, Cape Ann district Ann 9, pp 574–575 in Nebraska Ann 19, Iv, pp 733, 741 Sand Hills of South Carolina Bull 84, p 334 Sandpoint quadrangle, Idaho, forest conditions in Ann 21, v, pp 583–595 Sand-spit harbors, description of Ann 13, II, pp 127–129
Sand areas of Long Island, New York, water yield of WS 25, pp 191–198 Sand dunes, constitution of Mon 1, p 59 in Great Basin Mon x1, pp 153–156 in Kansas WS 6, pp 24–25 in Massachusetts, Cape Ann district Ann 9, pp 574–575 in Nebraska Ann 19, IV, pp 733, 741 Sand Hills of South Carolina Bull 84, p 334 Sandpoint quadrangle, Idaho, forest conditions in Ann 21, v, pp 583–595 Sand-spit harbors, description of Ann 13, II, pp 127–129 Sandstone, analysis of, from Arizona, Flagstaff Ann 18,
Sand areas of Long Island, New York, water yield of WS 25, pp 191–198 Sand dunes, constitution of Mon 1, p 59 in Great Basin Mon x1, pp 153–156 in Kansas WS 6, pp 24–25 in Massachusetts, Cape Ann district Ann 9, pp 574–575 in Nebraska Ann 19, IV, pp 733, 741 Sand Hills of South Carolina Bull 84, p 334 Sandpoint quadrangle, Idaho, forest conditions in Ann 21, v, pp 583–595 Sand-spit harbors, description of Ann 13, II, pp 127–129 Sandstone, analysis of, from Arizona, Flagstaff Ann 18, v cont, pp 1015, 1016; Ann 20, vi cont, p 356;
Sand areas of Long Island, New York, water yield of       WS 25, pp 191–198         Sand dunes, constitution of       Mon 1, p 59         in Great Basin       Mon x1, pp 153–156         in Kansas       WS 6, pp 24–25         in Massachusetts, Cape Ann district       Ann 9, pp 574–575         in Nebraska       Ann 19, IV, pp 733, 741         Sand Hills of South Carolina       Bull 84, p 334         Sandpoint quadrangle, Idaho, forest conditions in       Ann 21, v, pp 583–595         Sand-spit harbors, description of       Ann 13, II, pp 127–129         Sandstone, analysis of, from Arizona, Flagstaff       Ann 18,         v cont, pp 1015, 1016; Ann 20, vI cont, p 356;         Bull 78, p 124; Bull 148, p 252; Bull 168, p 249
Sand areas of Long Island, New York, water yield of       WS 25, pp 191–198         Sand dunes, constitution of       Mon 1, p 59         in Great Basin       Mon x1, pp 153–156         in Kansas       WS 6, pp 24–25         in Massachusetts, Cape Ann district       Ann 9, pp 574–575         in Nebraska       Ann 19, IV, pp 733, 741         Sand Hills of South Carolina       Bull 84, p 334         Sandpoint quadrangle, Idaho, forest conditions in       Ann 21, v, pp 583–595         Sand-spit harbors, description of       Ann 13, II, pp 127–129         Sandstone, analysis of, from Arizona, Flagstaff       Ann 18,         v cont, pp 1015, 1016; Ann 20, vI cont, p 356;         Bull 78, p 124; Bull 148, p 252; Bull 168, p 249         analysis of, from California, Colusa County       Ann 20, vI cont, p 361
Sand areas of Long Island, New York, water yield of       WS 25, pp 191–198         Sand dunes, constitution of       Mon 1, p 59         in Great Basin       Mon x1, pp 153–156         in Kansas       WS 6, pp 24–25         in Massachusetts, Cape Ann district       Ann 9, pp 574–575         in Nebraska       Ann 19, IV, pp 733, 741         Sand Hills of South Carolina       Bull 84, p 334         Sandpoint quadrangle, Idaho, forest conditions in       Ann 21, v, pp 583–595         Sand-spit harbors, description of       Ann 13, II, pp 127–129         Sandstone, analysis of, from Arizona, Flagstaff       Ann 18,         v cont, pp 1015, 1016; Ann 20, vI cont, p 356;       Bull 78, p 124; Bull 148, p 252; Bull 168, p 249         analysis of, from California, Colusa County       Ann 20, vI cont, p 361         from California, Ione formation (pearly scales in)       Ann 14, II, p 464
Sand areas of Long Island, New York, water yield of       WS 25, pp 191–198         Sand dunes, constitution of       Mon 1, p 59         in Great Basin       Mon x1, pp 153–156         in Kansas       WS 6, pp 24–25         in Massachusetts, Cape Ann district       Ann 9, pp 574–575         in Nebraska       Ann 19, IV, pp 733, 741         Sand Hills of South Carolina       Bull 84, p 334         Sandpoint quadrangle, Idaho, forest conditions in       Ann 21, v, pp 583–595         Sand-spit harbors, description of       Ann 13, II, pp 127–129         Sandstone, analysis of, from Arizona, Flagstaff       Ann 18,         v cont, pp 1015, 1016; Ann 20, vI cont, p 356;       Bull 78, p 124; Bull 148, p 252; Bull 168, p 249         analysis of, from California, Colusa County       Ann 20, vI cont, p 361         from California, Ione formation (pearly scales in)       Ann 14, II, p 464         Mount Diablo       Bull 148, p 248; Bull 168, p 245
Sand areas of Long Island, New York, water yield of       WS 25, pp 191–198         Sand dunes, constitution of       Mon 1, p 59         in Great Basin       Mon x1, pp 153–156         in Kansas       WS 6, pp 24–25         in Massachusetts, Cape Ann district       Ann 9, pp 574–575         in Nebraska       Ann 19, IV, pp 733, 741         Sand Hills of South Carolina       Bull 84, p 334         Sandpoint quadrangle, Idaho, forest conditions in       Ann 21, v, pp 583–595         Sand-spit harbors, description of       Ann 13, II, pp 127–129         Sandstone, analysis of, from Arizona, Flagstaff       Ann 18,         v cont, pp 1015, 1016; Ann 20, vI cont, p 356;       Bull 78, p 124; Bull 148, p 252; Bull 168, p 249         analysis of, from California, Colusa County       Ann 20, vI cont, p 361         from California, Ione formation (pearly scales in)       Ann 14, II, p 464         Mount Diablo       Bull 148, p 248; Bull 168, p 245         New Idria (concretions in)       Mon XIII, p 65
Sand areas of Long Island, New York, water yield of       WS 25, pp 191–198         Sand dunes, constitution of       Mon 1, p 59         in Great Basin       Mon x1, pp 153–156         in Kansas       WS 6, pp 24–25         in Massachusetts, Cape Ann district       Ann 9, pp 574–575         in Nebraska       Ann 19, Iv, pp 733, 741         Sand Hills of South Carolina       Bull 84, p 334         Sandpoint quadrangle, Idaho, forest conditions in       Ann 21, v, pp 583–595         Sand-spit harbors, description of       Ann 13, II, pp 127–129         Sandstone, analysis of, from Arizona, Flagstaff       Ann 18,         v cont, pp 1015, 1016; Ann 20, vi cont, p 356;       Bull 78, p 124; Bull 148, p 252; Bull 168, p 249         analysis of, from California, Colusa County       Ann 20, vi cont, p 361         from California, Ione formation (pearly scales in)       Ann 14, II, p 464         Mount Diablo       Bull 148, p 248; Bull 168, p 245         New Idria (concretions in)       Mon XIII, p 65         Shasta County       Bull 64, p 50; Bull
Sand areas of Long Island, New York, water yield of
Sand areas of Long Island, New York, water yield of
Sand areas of Long Island, New York, water yield of
Sand areas of Long Island, New York, water yield of
Sand areas of Long Island, New York, water yield of
Sand areas of Long Island, New York, water yield of
Sand areas of Long Island, New York, water yield of
Sand areas of Long Island, New York, water yield of       WS 25, pp 191–198         Sand dunes, constitution of       Mon 1, p 59         in Great Basin       Mon x1, pp 153–156         in Kansas       WS 6, pp 24–25         in Massachusetts, Cape Ann district       Ann 9, pp 574–575         in Nebraska       Ann 19, Iv, pp 733, 741         Sand Hills of South Carolina       Bull 84, p 334         Sandpoint quadrangle, Idaho, forest conditions in       Ann 21, v, pp 583–595         Sand-spit harbors, description of       Ann 13, II, pp 127–129         Sandstone, analysis of, from Arizona, Flagstaff       Ann 18,         v cont, pp 1015, 1016; Ann 20, vI cont, p 356;       Bull 78, p 124; Bull 148, p 252; Bull 168, p 249         analysis of, from California, Colusa County       Ann 20, vI cont, p 361         from California, Ione formation (pearly scales in)       Ann 14, II, p 464         Mount Diablo       Bull 148, p 248; Bull 168, p 248         New Idria (concretions in)       Mon XIII, p 65         Shasta County       Bull 64, p 50; Bull 68, p 246, 247         Sulphur Bank       Mon XIII, p 92; Bull 148, p 250; Bull 168, p 246, 247         Sulphur Bank       Mon XIII, p 92; Bull 148, p 251; Bull 168, p 248         Boulder County       MR 1889–90, p 384         Buckhorn quarry       MR 1886, p 547
Sand areas of Long Island, New York, water yield of

Sandstone, analysis of, from Connecticut, Cromwell
iv, p 483; Ann 17, iii cont, p 783; Ann 20, iv cont, p 365
analysis of, from Indiana, Cannelton
III cont, p 786; Ann 20, vi cont, p 380
from Indiana, RiversideAnn 18, v cont, p 1022; Ann 20, vi cont, p 379
various localitiesAnn 17, 111 cont, p 783; Ann 20, v1 cont, p 380
Worthy (Portland)Ann 17, 111 cont, p 786; Ann 20, v1 cont, p 380
from Kansas, Jefferson CountyAnn 20, vi cont, p 385; MR 1893, p 566
various localities
from Kentucky, Elliott County (calcareous)Bull 38, pp 24–25;
Bull 42, p 137; Bull 148, pp 93, 251; Bull 168, pp 67, 248
Elliott County (fissile)Bull 38,
pp 24–25; Bull 42, p 137; Bull 148, p 93; Bull 168, p 57
Rockcastle CountyAnn 19, vr cont, p 269; Ann 20, vr cont, p 387
from Maine, Aroostook County (calciferous)Bull 165,
pp 139, 188; Bull 168, p 19
from Maryland, Frostburg
near HancockBull 55, p 80; Bull 148, p 251; Bull 168, p 248
from Massachusetts, East Long Meadow, Kibbe, Maynard, and Wor-
cester quarries
Ann 19, vi cont, pp 271, 272; Ann 20, vi cont,
p 408; Mon xxix, p 369; MR 1889-90, p 402
from Michigan, Stony PointAnn 16,
ıv, p 483; Bull 27, p 66; Bull 148, p 151; Bull 168, p 248
from Minnesota, Fond du LácAnn 16, IV, p 483
Pine CountyAnn 18,
v cont, p 1033; Ann 19, vi cont, p 273; Ann 20, vi cont, p 414
from New Jersey, Essex CountyAnn 20, vi cont, p 420
from New York, Niagara County
from North Carolina, Moore County
v cont, p 1024; Ann 20, vi cont, p 429
Sanford (brown)
from Ohio, BereaBull 60,
p 158; Bull 148, p 247; Bull 168, p 244; MR 1889-90, p 416
Buena VistaBull 64, p 45
ClevelandBull 27, p 66; Bull 148, p 247; Bull 168, p 244
Freeport
Lancaster
Portsmouth ("Peebles-Henley")Bull 64,
p 45; Bull 90, p 65; Bull 148, p 247; Bull 168, p 244
various localities
Wayne County
from Oregon, Lincoln County. Ann 19, vi cont, p 277; Ann 20, vi cont, p 434
Washington County Ann 20, vr cont, p 434
from Pennsylvania, Blair and Fayette counties MR 1889-90, pp 419, 420
Edge HillAnn 19, vr cont, p 278; Ann 20, vr cont, p 438
Hummelstown Bull 90,
p 65; Bull 148, p 251; Bull 150, p 77; Bull 168, p 248
Laurel Run
ıv, p 483; Ann 20, vı cont, p 438; MR 1889–90, p 419
Rough RunAnn 19, vi cont, p 277; Ann 20, vi cont, p 438
various localities
from Utah, Peoa (banded)Bull 90,
p 65; bull 148, p 252; Bull 150, p 81; Bull 168, p 249
Utah CountyAnn 20, vi cont, p 445

Sandstone, analysis of, from Wisconsin, Ableman
p 65; Bull 148, p 252; Bull 150, p 80; Bull 168, p 249
analysis of, from Wisconsin, Ashland
vi cont, p 280; Ann 20, vi cont, p 461 concretions in, origin of
concretions in, origin of
induration of
of California, Coast Ranges, metamorphism of
Coast Ranges, petrography of
of Colorado, Elmoro quadrangle
Walsenburg quadrangleGF 68, pp 5-6
of Indiana, western
of Lake Superior region, Keweenawan series
of Nevada, Eureka district (metamorphosed)
of Oregon, of economic importance
of South Dakota, tests of
red color of, origin ofBull 52, pp 44–55
secondary enlargement of mineral fragments in
of quartz and feldspar grains inBull 8, pp 11, 44
statistics of
MR 1886, pp 546-549; MR 1887, pp 520-521; MR 1888, pp
544-547; MR 1889-90, pp 374-375; MR 1891, pp 456, 460-
463; MR 1892, pp 705, 710–711; MR 1893, pp 543, 552–555;
Ann 16, IV, pp 436, 437, 482–492; Ann 17, III cont, pp 759,
760-761, 775-787; Ann 18, v cont, pp 949, 950-951, 1012-1043;
Ann 19, vi cont, pp 206-207, 264-280; Ann 20, vi cont,
pp 270, 271, 336-341; Ann 21, vr cont, pp 334, 335, 352-356
tests of, from South Dakota
thin section of, from Massachusetts, Greenfield (scoriaceous)Mon xxxx,
pp 430-431
from Michigan from the "Calumet conglomerate" Mon v. pp. 126–127
from Michigan, from the "Calumet conglomerate" Mon v, pp 126-127
Eagle Harbor
Eagle Harbor
Eagle Harbor       Ann 5; p 238; Bull 8, p 45         Keweenaw Point, near Copper Falls mine       Mon v, pp 126–127         Nonesuch mine (cupriferous)       Mon v, pp 126–127
Eagle Harbor
Eagle Harbor
Eagle Harbor       Ann 5; p 238; Bull 8, p 45         Keweenaw Point, near Copper Falls mine       Mon v, pp 126–127         Nonesuch mine (cupriferous)       Mon v, pp 126–127         NW. ½ sec 27, T. 47 N., R. 45 W       Mon xix, pp 486–487         from Oregon, Barron (pebbly)       Bull 150, pp 76–77         from Pennsylvania, Hummelstown (brown)       Bull 150, pp 76–77
Eagle Harbor       Ann 5; p 238; Bull 8, p 45         Keweenaw Point, near Copper Falls mine       Mon v, pp 126–127         Nonesuch mine (cupriferous)       Mon v, pp 126–127         NW. ½ sec 27, T. 47 N., R. 45 W       Mon xix, pp 486–487         from Oregon, Barron (pebbly)       Bull 150, pp 76–77         from Pennsylvania, Hummelstown (brown)       Bull 150, pp 76–77         from Wisconsin, Ableman (Potsdam)       Bull 150, pp 80–81
Eagle Harbor       Ann 5; p 238; Bull 8, p 45         Keweenaw Point, near Copper Falls mine       Mon v, pp 126–127         Nonesuch mine (cupriferous)       Mon v, pp 126–127         NW. ½ sec 27, T. 47 N., R. 45 W       Mon xrx, pp 486–487         from Oregon, Barron (pebbly)       Bull 150, pp 76–77         from Pennsylvania, Hummelstown (brown)       Bull 150, pp 76–77         from Wisconsin, Ableman (Potsdam)       Bull 150, pp 80–81         Gibraltar Bluff       Bull 8, pp 24–25
Eagle Harbor       Ann 5; p 238; Bull 8, p 45         Keweenaw Point, near Copper Falls mine       Mon v, pp 126–127         Nonesuch mine (cupriferous)       Mon v, pp 126–127         NW. ½ sec 27, T. 47 N., R. 45 W       Mon xrx, pp 486–487         from Oregon, Barron (pebbly)       Bull 150, pp 76–77         from Pennsylvania, Hummelstown (brown)       Bull 150, pp 76–77         from Wisconsin, Ableman (Potsdam)       Bull 150, pp 80–81         Gibraltar Bluff       Bull 8, pp 24–25         Montreal River (basic)       Mon v, pp 126–127
Eagle Harbor       Ann 5; p 238; Bull 8, p 45         Keweenaw Point, near Copper Falls mine       Mon v, pp 126–127         Nonesuch mine (cupriferous)       Mon v, pp 126–127         NW. ½ sec 27, T. 47 N., R. 45 W       Mon xrx, pp 486–487         from Oregon, Barron (pebbly)       Bull 150, pp 76–77         from Pennsylvania, Hummelstown (brown)       Bull 150, pp 76–77         from Wisconsin, Ableman (Potsdam)       Bull 150, pp 80–81         Gibraltar Bluff       Bull 8, pp 24–25         Montreal River (basic)       Mon v, pp 126–127         Westfield       Bull 8, pp 28–29
Eagle Harbor       Ann 5; p 238; Bull 8, p 45         Keweenaw Point, near Copper Falls mine       Mon v, pp 126–127         Nonesuch mine (cupriferous)       Mon v, pp 126–127         NW. ½ sec 27, T. 47 N., R. 45 W       Mon xrx, pp 486–487         from Oregon, Barron (pebbly)       Bull 150, pp 76–77         from Pennsylvania, Hummelstown (brown)       Bull 150, pp 76–77         from Wisconsin, Ableman (Potsdam)       Bull 150, pp 80–81         Gibraltar Bluff       Bull 8, pp 24–25         Montreal River (basic)       Mon v, pp 126–127         Westfield       Bull 8, pp 28–29         transformation of, to serpentine       Mon xiii, pp 121–126, 277–278
Eagle Harbor       Ann 5; p 238; Bull 8, p 45         Keweenaw Point, near Copper Falls mine       Mon v, pp 126–127         Nonesuch mine (cupriferous)       Mon v, pp 126–127         NW. ½ sec 27, T. 47 N., R. 45 W       Mon xrx, pp 486–487         from Oregon, Barron (pebbly)       Bull 150, pp 76–77         from Pennsylvania, Hummelstown (brown)       Bull 150, pp 76–77         from Wisconsin, Ableman (Potsdam)       Bull 150, pp 80–81         Gibraltar Bluff       Bull 8, pp 24–25         Montreal River (basic)       Mon v, pp 126–127         Westfield       Bull 8, pp 28–29
Eagle Harbor       Ann 5; p 238; Bull 8, p 45         Keweenaw Point, near Copper Falls mine       Mon v, pp 126–127         Nonesuch mine (cupriferous)       Mon v, pp 126–127         NW. ½ sec 27, T. 47 N., R. 45 W       Mon xrx, pp 486–487         from Oregon, Barron (pebbly)       Bull 150, pp 76–77         from Pennsylvania, Hummelstown (brown)       Bull 150, pp 76–77         from Wisconsin, Ableman (Potsdam)       Bull 150, pp 80–81         Gibraltar Bluff       Bull 8, pp 24–25         Montreal River (basic)       Mon v, pp 126–127         Westfield       Bull 8, pp 28–29         transformation of, to serpentine       Mon xiii, pp 121–126, 277–278         varieties, uses, etc., of       Ann 16, iv, pp 482–484
Eagle Harbor       Ann 5; p 238; Bull 8, p 45         Keweenaw Point, near Copper Falls mine       Mon v, pp 126–127         Nonesuch mine (cupriferous)       Mon v, pp 126–127         NW. ½ sec 27, T. 47 N., R. 45 W       Mon xrx, pp 486–487         from Oregon, Barron (pebbly)       Bull 150, pp 76–77         from Pennsylvania, Hummelstown (brown)       Bull 150, pp 76–77         from Wisconsin, Ableman (Potsdam)       Bull 150, pp 80–81         Gibraltar Bluff       Bull 8, pp 24–25         Montreal River (basic)       Mon v, pp 126–127         Westfield       Bull 8, pp 28–29         transformation of, to serpentine       Mon xiii, pp 121–126, 277–278         varieties, uses, etc., of       Ann 16, iv, pp 482–484         (See, also, Building stone.)
Eagle Harbor       Ann 5; p 238; Bull 8, p 45         Keweenaw Point, near Copper Falls mine       Mon v, pp 126–127         Nonesuch mine (cupriferous)       Mon v, pp 126–127         NW. ½ sec 27, T. 47 N., R. 45 W       Mon xrx, pp 486–487         from Oregon, Barron (pebbly)       Bull 150, pp 76–77         from Pennsylvania, Hummelstown (brown)       Bull 150, pp 76–77         from Wisconsin, Ableman (Potsdam)       Bull 150, pp 80–81         Gibraltar Bluff       Bull 8, pp 24–25         Montreal River (basic)       Mon v, pp 126–127         Westfield       Bull 8, pp 28–29         transformation of, to serpentine       Mon xiii, pp 121–126, 277–278         varieties, uses, etc., of       Ann 16, iv, pp 482–484         (See, also, Building stone.)       Sandstone, composite, analyses of       Bull 168, pp 16–17         Sandstone, banded, from Utah, Peoa, description of the rock, as one of the educational series       Bull 150, pp 80–81
Eagle Harbor       Ann 5; p 238; Bull 8, p 45         Keweenaw Point, near Copper Falls mine       Mon v, pp 126–127         Nonesuch mine (cupriferous)       Mon v, pp 126–127         NW. ½ sec 27, T. 47 N., R. 45 W       Mon xrx, pp 486–487         from Oregon, Barron (pebbly)       Bull 150, pp 76–77         from Pennsylvania, Hummelstown (brown)       Bull 150, pp 76–77         from Wisconsin, Ableman (Potsdam)       Bull 150, pp 80–81         Gibraltar Bluff       Bull 8, pp 24–25         Montreal River (basic)       Mon v, pp 126–127         Westfield       Bull 8, pp 28–29         transformation of, to serpentine       Mon xiii, pp 121–126, 277–278         varieties, uses, etc., of       Ann 16, iv, pp 482–484         (See, also, Building stone.)       Sandstone, composite, analyses of       Bull 168, pp 16–17         Sandstone, banded, from Utah, Peoa, description of the rock, as one of the
Eagle Harbor

Sandstone, laminated, from Massachusetts, Holyoke, description of, as one of
the educational seriesBull 150, pp 81–82
Sandstone, pebbly, description of the rock, as one of the educational series Bull
150, pp 74–75.
Sandstone, ripple-marked, description of the rock, as one of the enducational
seriesBull 150, pp 82–83
Sandstone dikes of Colorado, Pikes Peak quadrangle (in granite)
Sandsuck shale of Tennessee and North Carolina
р 3; GF 20, р 2; GF 25, р 2
p 3; GF 20, p 2; GF 25, p 2 Sandusky River, Ohio, flow of, measurements of
27, pp 67, 68; WS 36, pp 179–181
Sandwich Islands. (See Hawaiian.) Sangamon soil and weathered zone
Sangre de Cristo and Wet mountains, Colorado, geology ofBull 86, pp 313-314
Sanidine, analysis of, from Colorado, Chalk Mountain
p 589; Bull 148, p 174; Bull 150, p 164; Bull 168, p 156
luster exhibited by, in certain rhyolitesBull 20, pp 75–80
luster of, in nevadite
Sanitary conditions of soils
San Juan dome, Colorado, structure of
Sankaty beds of New England
Santa Ana River, California, flow of, measurements of
411-412; Ann 20, IV, pp 64, 552-555; Ann 21, IV, pp 483-484;
Bull 140, pp 318-321; WS 11, p 93; WS 16, pp 195-196;
WS 28, pp 190, 191, 194–195; WS 39, pp 418–420, 427–428
Santa Clara River, California, flow of, measurements ofAnn 20, IV, pp 540-541
Santa Cruz formation of Patagonia, correlation of
Santa Fe district, New Mexico, irrigation in
11, pp 149, 219, 224; Ann 12, 11, pp 169–270
Santa Fe marls of New Mexico, correlation ofBull 84, pp 302-303, 317, 334
Santee beds of South Carolina, correlation of
и, pp 342; Bull 83, pp 51, 52–53; Bull 84, p 334
Santee River, South Carolina, profile of
Sapindaceæ of AlaskaAnn 17, 1, p 888
of Cretaceous of Black Hills
of Dakota group
of Laramie group
of North America (extinct)
of Yellowstone Park
Saponite, chemical constitution of
Saporta (Marquis Gaston de), biographic sketch of
quoted on Lower Cretaceous flora of PortugalAnn 16, 1, pp 514-515
Sapotaceæ of Amboy clays
of Dakota group
of North America (extinct)
Sapphire, occurrence and statistics of
pp 485–486; MR 1883–84, p 781; MR 1885, p 443; MR 1886,
p 604; MR 1887, pp 556, 557, 571, 573; MR 1888, pp 584, 585;
MR 1889–90, pp 446, 447, 448; MR 1891, pp 540, 542–544; MR
1892, pp 760-762, 781; MR 1893, pp 681, 682, 692-693; Ann
16, IV, pp 599–600, 604; Ann 17, III cont, pp 909, 923; Ann
18, v cont, pp 1199–1202, 1217; Ann 19, vi cont, p 513; Ann
20, vi cont, pp 568–569, 599; Ann 21, vi cont, pp 448–449, 461
(See, also, Precious stones.)
, , , , , , , , , , , , , , , , , , ,

Sapphire mines in Montana, Yogo, description of
111, pp 454–459, 552–556; Ann 21, vi cont, pp 448–449
Sapphires in Montana, Little Belt Mountains quadrangle
Sapphirine, chemical constitution of
Saprolite deposits in gold fields of southern AppalachiansAnn 16, 111, pp 289-293
Sarcolite, chemical constitution of
Sardinia, iron and iron ore from, statistics of
Saskatchewan, Lake, the glacial, extent, etc., of
Sassafras River greensand of Chesapeake Bay region
Satin spar, analysis of, from Massachusetts, ChicopeeBull 126, p 46
Sault Ste. Marie sandstone, correlation of Bull 86, pp 55, 56, 57
Sauquoit Creek, New York, flow of, measurements of
Sauropoda of North America
Sausans beds of France, correlation of
Saussurite, analysis of, from California, Shasta County
analysis of, from District of Columbia
from Switzerland, Saas Valley
in rocks of Pacific slope
Saussurite-diorite, thin section of, from Michigan, Upper Quinnesec FallsBull 62,
pp 226–227
Saussurite-gabbro, analysis of, from Michigan, Sturgeon FallsBull 148,
p 100: Bull 168 p 70
thin section of, from Michigan, Sturgeon FallsBull 62, pp 222–223
Saussuritization, a kind of mineralogic metamorphismBull 62, pp 58-60
Savage formation in West Virginia and Maryland
Savanna formation or sandstone of Indian Territory
cutumina formation of bandbone of indian identition for indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance in the first indiance i
пі, рр 437, 444; Апп 21, п, рр 276–278
111, pp 437, 444; Ann 21, 11, pp 276–278 Savannah River, stream measurements in basin of
III, pp 437, 444; Ann 21, II, pp 276–278 Savannah River, stream measurements in basin of
III, pp 437, 444; Ann 21, II, pp 276–278 Savannah River, stream measurements in basin of
III, pp 437, 444; Ann 21, II, pp 276–278 Savannah River, stream measurements in basin of
III, pp 437, 444; Ann 21, II, pp 276–278 Savannah River, stream measurements in basin of
III, pp 437, 444; Ann 21, II, pp 276–278 Savannah River, stream measurements in basin of
III, pp 437, 444; Ann 21, II, pp 276–278  Savannah River, stream measurements in basin of
Savannah River, stream measurements in basin of
III, pp 437, 444; Ann 21, II, pp 276–278  Savannah River, stream measurements in basin of
III, pp 437, 444; Ann 21, II, pp 276–278  Savannah River, stream measurements in basin of
Savannah River, stream measurements in basin of
III, pp 437, 444; Ann 21, II, pp 276–278  Savannah River, stream measurements in basin of
III, pp 437, 444; Ann 21, II, pp 276–278  Savannah River, stream measurements in basin of
Savannah River, stream measurements in basin of
III, pp 437, 444; Ann 21, II, pp 276–278  Savannah River, stream measurements in basin of
Savannah River, stream measurements in basin of
Savannah River, stream measurements in basin of
Savannah River, stream measurements in basin of
Savannah River, stream measurements in basin of
Savannah River, stream measurements in basin of
Savannah River, stream measurements in basin of
Savannah River, stream measurements in basin of
Savannah River, stream measurements in basin of
Savannah River, stream measurements in basin of
Savannah River, stream measurements in basin of
Savannah River, stream measurements in basin of
Savannah River, stream measurements in basin of

•
Scapolites, chemical constitution ofBull 125, pp 28–32
Scaly clays of ItalyAnn 16, 1, pp 500-510
Scelidosaurus, remarks on and restoration of
Schardt (H.), quoted, on experiments to simulate folded strata Ann 13, 11, p 233
Scheelite, analysis of, from North Carolina, Cabarrus CountyBull 74, p 80
Schefferite, chemical constitution ofBull 125, p 86
Schenk (August), biographic sketch of
Scheuchzer (Johann Jacob), biographic sketch of
Schimper (Wilhelm Philipp), biographic sketch of
Schist, analysis of, from Brazil, near Diamantina (kyanitic)Bull 168, p 230
analysis of, from California, Bidwell Bar quadrangle (chloritic)Ann 17, 1, p 582
from California, Merced-Mariposa district
Yuba County (amphibolitic)Bull 148, p 228; Bull 168 p 217
from Catoctin belt
from Maryland, near Point of RocksAnn 14, 11, p 307
from Massachusetts, Hoosac tunnel (feldspathic)Bull 148, p 78
from Michigan, Aragon iron mine (talcose)Bull 168, p 72
Lower Quinnesec FallsBull 55,
p 81; Bull 62, p 89; Bull 148, p 101; Bull 168, p 71
Marquette district, T. 47 N., R. 30 W., sec. 3Mon xxvIII, p 203
T. 47 N., R. 30 W., sec. 30
p 202; Bull 148, p 99; Bull 168, p 65
T. 48 N., R. 27 W., sec. 34 (Kitchi)
p 500; Mon xxvIII, p 168; Bull 148, p 99; Bull 168, p 65
T. 48 N., R. 30 W., sec. 19 (Bijiki)
sec. 35, near southwest corner ofMon xxvIII, p 203
Sturgeon Falls (silvery)Bull 62, p 76; Bull 148, p 100; Bull 168, p 70
from Pennsylvania, South Mountain (chloritic)
п, р 307; Bull 136, р 78
л, р 307; Bull 136, р 78 South Mountain (fissile green)
from South Dakota, Black HillsBull 150, p 331
from Virginia, near Browntown (Catoctin)
from West Virginia, near Harpers Ferry (Catoctin)Ann 14, 11, p 307
from Wisconsin, Lower Quinnesec FallsBull 55,
p 81; Bull 148, p 101; Bull 168, p 71
of Alaska, southern
of California, Pyramid Peak quadrangleGF 31, pp 3, 4
of Colorado, Cripple Creek district
Pikes Peak quadrangleGF 7, pp 1, 7
Pueblo quadrangleGF 36, p 2
of Connecticut, Holyoke triangle
of Maryland, Catoctin belt
Harpers Ferry quadrangleGF 10, p 2
of Massachusetts, Holyoke quadrangle
of Montana, Fort Benton quadrangleGF 55, pp 1–2
Little Belt Mountains quadrangle
of Virginia, Catoctin belt
Harpers Ferry quadrangleGF 10, p 2
of West Virginia, Harpers Ferry quadrangle
residual deposit from subaerial decay of, from North Carolina (chloritic)
near Cary
thin section of, from Massachusetts, Bald Mountain
from Massachusetts, East Mountain
Mount Greylock
· · · · · · · · · · · · · · · · · · ·

Schist, thin section of, from Massachusetts, Mount Prospect	03
pp 494-495 T. 45 N., R. 1 E., sec. 19, SE. ¼ (green and conglomerate)Mon xix pp 482-485	,
Schist areas, greenstone, of Menominee and Marquette regions of Michigan, a contribution to the subject of dynamic metamorphism in	
eruptive rocks	4
Schists, metamorphic, of Penokee iron-bearing series, origin of	6
Schistose rocks, relation of, to massive rocks in Wisconsin	3
Schlotheim (Ernst Friedrich, Baron von), biographic sketch ofAnn 5, pp 370-37	1
Schneider (E. A.), contribution to the knowledge of colloidal silverBull 113  pp 102-108	8
on colloidal sulphides of goldBull 90, pp 56-6:	
on preparation of a pure hydrosol of silverBull 113, pp 99-10	
on some organosolsBull 113, pp 95–90	8
Schneider (E. A.) and Clarke (F. W.) experiments upon the constitution of	_
certain micas and chlorites	
experiments upon the constitution of the natural silicatesBull 78, pp 11-3; notes on action of ammonium chloride upon silicatesBull 113, pp 34-36	
notes on constitution of micas, vermiculities, and chloritesBull 90, pp 11–2:	
Schoharie Creek, New York, flow of, measurements of	
Schoharie formation in Indiana	
Schorlomite, chemical constitution of	1
occurrence of	2
Schrader (F. C.), Koyukuk region, Alaska, notes on	
reconnaissance along Chandlar and Koyukuk rivers, Alaska	
11, pp 441–480 reconnaissance of part of Prince William Sound and Copper River district	6
in 1898Ann 20, vii, pp 341–42	
report on Prince William Sound and Copper River region	
Schrader (F. C.) and Brooks (A. H.), preliminary report on Cape Nome gold region, Alaska, with maps and illustrations	e
Schrötterite, chemical constitution of	
onymyBull 8	7
Schuyler (J. D.), reservoirs for irrigation	0:
Schuylkill River, flow of, measurements of Ann 20	), 5
profile of	7
Schwatka (F.), exploration of Yukon Valley, etc., by	
Scientific investigation, "logical" method of	9
flow of, measurements of	5:
Ann 21, 1v, pp 169–170; WS 27, pp 60, 65; WS 36, pp 176–17	7

Scolecite, analysis of, from Colorado, Italian Peak
Scorodite, analysis of, from Yellowstone Park; Broad Creek, and Norris Basin Bull 55, pp 65, 66
from Nevada, Steamboat Springs Bull 60, p 30 Scotland, fossil plants of, literature of Ann 8, 11, pp 684–687 (See, also, Great Britain.)
Scott shale in Tennessee
Scudder (S. H.), adephagous and clavicorn Coleoptera from the Tertiary
deposits at Florissant, Colorado, with descriptions of a
few other forms, and a systematic list of nonrhyn-
chophorous Tertiary Coleoptera of North AmericaMon xL
American Tertiary Aphidæ
bibliography of fossil insects, classed and annotated
fossil butterflies of Florissant
index to the known fossil insects of the world, including myriapods and
arachnids Bull 71 insect fauna of Rhode Island coal field Bull 101
Pleistocene beetles of Fort River, Massachusetts
revision of American fossil cockroaches, with descriptions of new forms. Bull 124
some insects of special interest from Florissant, Colorado, and other points
in the Tertiaries of Colorado and Utah
systematic review of our present knowledge of fossil insects, including
myriapods and arachnidsBull 31
Tertiary rhynchophorous Coleoptera of the United States
work in charge of, during 1885–1892Ann 7, p 127;
Ann 8, 1, pp 188–189; Ann 9, p 133; Ann 10, 1, p 176; Ann
11, 1, pp 123–125; Ann 12, 1, pp 125–127; Ann 13, 1, pp 157–159
Sculpture, land, general principles of
Sea-coast swamps of eastern United States
Sea level, effects of ice accumulation on
Seattle quadrangle, Washington, forest conditions in
Sebago Lake, Maine, discharge from, records of
Secondary enlargements of amphibole and pyroxene in diabase
nn 959 954 411 419
of mineral fragments in certain rocks
Secret Canyon shale of Nevada and Utah
231, 233; Mon vII, p 7; Mon xx, p 39; Bull 81, pp 246, 315
Section, geologic, in Acadian province
in Alabama (Cretaceous)
Alabama River
47, 48, 53–54, 57, 60, 74–75, 77, 78, 132, fig 1 (p 132), pp 141–
142, pl 12 (p 142), pp 145–146, pl 13 (p 146), p 150, pl 14 (p
150), pp 157, 158, pl 16 (p 158), pp 161–162, pl 17 (p 162), pp 165–166, pl 18 (p 166), pp 169–170, pl 19 (p 170), pp 173–174,
pl 20 (p 174), pp 177–179, pl 21 (p 182); Bull 83, pp 62–64
Autauga County

Section, geologic, in Alabama; Bashi CreekBull 43, pp 44–45
in Alabama; Bibb CountyBull 43, pp 114, 177–178, pl 21 (p 182)
Cahaba River
Chattahoochee River to Mississippi borderBull 83, p 58
Choctaw County
Clarke County
Coatopa
Dallas County Bull 43, p 82
East Red Mountain
folds and faults
Fosters Creek
Gadsden to Rome, Georgia
Gadsden quadrangle
Grampian HillsBull 43, pp 52, 53, 161–162, 177, pl 21 (p 182)
Hale County Bull 43, p 111
HamburgBull 46, p 76
Landrums Creek
Marengo CountyBull 43, p 57
Montgomery
Pine Barren CreekBull 43, p 169,
pl 18 (p 166), pl 19 (p 170), p 177, pl 21 (p 182) Salt Creek
Salt Creek
Salt Mountain
Snow Hill
Stevenson quadrangleGF 19
Sumter CountyBull 43, p 84
Tear Up Creek
Tombigbee RiverBull 43, pp 15, 22, 32, 40, 41–42, 44, 49, 50,
51, 54–55, 58–59, 61, 79, pl 10 (p 132), pp 133, 141, pl 12 (p
142), pp 145–146, pl 13 (p 146), p 150, pl 14 (p 150), pp 153, 154,
pl 15 (p 154),p 158, pl 16 (p 158), p 162, pl 17 (p 162), p 166,
pl 18 (p 166), p 170, pl 19 (p 170), pp 179–182, pl 21 (p 182)
T. 9 N., R.4 W, sec. 13Bull 43, p 125
Tuscaloosa and vicinity Bull 43, pp 108, 112, 114–115, 178, pl 21 (p 182)
Tuscaloosa River'
94, 105, 106, 107, 173, pl 20 (p 174), pp 179–182, pl 21 (p 182)
western part
Wilcox CountyBull 43,
pp 56, 63, 64, 73–74, 161–162, pl 17 (p 162), p 165, pl 18 (p 166)
in Alaska; Alaska-Treadwell mine
Bonanza Creek, at mouth of
Chaix Hills, showing glacial terraces
Davis Creek, near mouth of
Fortymile Creek, showing faults in Fortymile series. Ann 18, 111, fig 8 (p 150)
Fortymile Post, showing disturbed strata of Mission Creek seriesAnn 18,
Glacier Creek, above Discovery claim
Kuskokwim River Ann 20, vii, fig 9 (p 125)
Norton Sound coast
Nunivak Island Bull 84, p 245
Port Chatham
Skwentna River
(P 111)

Section, geologic, in Alaska; southwestern
in Alaska; Tordrillo RangeAnn 20, vii, fig 7 (p 116), map 14 (p 158)
Tyonek
Ulukak River
Unga Island
White and Tanana river basins
Yukon River, showing Palisades conglomerate underlying silts Ann 18,
111, fig 11 (p 199)
in Appalachian coal basin
in Arizona; Grand Canyon
(p 70), pl 14 (p 72), fig 10 (p 114); Ann 10, 1, fig 48 (p 551);
Ann 14, 11, fig 52 (p 507), pp 510-512; Bull 30, fig 5 (p 42)
Grand Canyon, mouth of Bull 81, p 356
showing relations of Tonto sandstone to Grand Canyon series Ann 7,
fig 89 (p 414)  Grand Canyon district
Grand Canyon district
1, fig 78 (p 553); Mon 1, pl 2 (p 10), pl 3 (p 16), fig 11 (p 88)
Kaibab PlateauAnn 2, figs 11 and 12 (p 128)
Kanab Valley Ann 3, p 272
northern partBull 80, p 216
Nunkoweap Butte
Nunkoweap ValleyAnn 14, 11, p 516
at head of
Queantoweap Valley Ann 2, pl 28 (p 126)
San Rafael swell
Zuñi Plateau
in Arkansas; Camden coal fieldAnn 21, 11, pp 321, 322; Bull 83, pp 74–75
Center Point, north of
in Atlantic Coastal PlainBull 138, fig 1 (p 18)
middle of
southern part of
in California; Amador County, across Gold Belt Ann 14, 11, fig 51 (p 486)
Bear Mountain
Bidwell Bar quadrangleGF 43, p 2
Big Pine, vicinity of
Big Trees quadrangleGF 51, p 2
Camanche, vicinity of
Canyon del Hambre to near PachecoBull 84, fig 32 (p 204)
Colfax quadrangleGF 66
Gray Eagle shaft, New York Canyon, and Reed mineGF 66, p 6
Deer Creek mines, showing auriferous gravels, slates, tufaAnn 8, 1, p 416
Downieville quadrangleGF 37
Fort Point, through Presidio laccolite
Honey Lake to Sacramento ValleyAnn 8, 1, fig 19 (p 426)
Jackson quadrangleGF 11
Lake Bidwell and vicinityBull 79, pl 10 (p 20)
Laporte, vicinity of
Lassen Peak quadrangleGF 15, p 3
Leevining Creek to Rush Creek
Marysville quadrangleGF 17
Mill Creek CanyonAnn 8, 1, fig 17 (p 423)
Mission Valley, through Potrero laccolite
Mohawk, showing unconformity of Pleistocene gravelly beds on Ter-
tiary beds
in 1, 1, pi 24 (p 000)

WARMAN.] SECTION, GEOLOGIC (IN ALASKA—CANADA). 019
Section, geologic, in California; Mother Lode district
Section, geologic, in California; Mother Lode district
in California; Mount Dana quadrangle
Nevada City
Nevada City district
Ocoya Creek
Pacheco to Canyon del HambreBull 84, fig 32 (p 204)
Pentz, vicinity of Ann 17, 1, p 542
Pacific Ocean to Santa BarbaraBull 84, fig 39 (p 213)
Pilot Peak
Placer County
Placerville quadrangleGF 3
Pyramid Peak quadrangle
Rush Creek to Leevining Creek
Sacramento Valley, Honey Lake to
showing Piedmont monocline near Antelope Creek. Ann 8, 1, fig 18 (p 425)
Sacramento quadrangleGF 5
San Clemente Island, various localitiesAnn 18, 11, pl 96 (p 494)
San Emidio CanyonBull 84, fig 40 (p 213)
San Francisco Peninsula
through Las Pulgas laccolite
San MiguelBull 84, fig 33 (p 210)
San Pablo BayBull 84, fig 31 (p 203)
San Luis Bay to Santa Margarita ValleyBull 84, fig 34 (p 211)
Santa Barbara to Pacific OceanBull 84, fig 39 (p 213)
Santa Inez Mountains
Santa Lucia Range
Santa Margarita Valley to San Luis BayBull 84, fig 34 (p 211)
Santa Monica and Santa Susanna rangesBull 84, figs 41, 42 (p 214)
Shasta County
Gas Point
Sierra Nevada, northern end of
Smartsville quadrangleGF 18
Sonora quadrangle GF 41
Tehama County
on branch of Mill CreekAnn 14, 11, fig 47 (p 415)
through Bald Hill
Truckee quadrangleGF 39
in Canada; Acadian ProvinceBull 80, p 226
British Columbia Bull 82, p 191
Cathedral Mountain and Mount Stephens Ann 10, 1, fig 47 (p 550)
eastern border of interior plateauBull 86, p 340
Selkirk RangeBull 86, p 340
Manitoba, Arden to Gladstone
Assiniboine River, across delta of
Birds Hill
Gladstone to Arden
international boundaryMon xxv, fig 28 (p 439); fig 29 (p 440)
Morden
Rosenfeld
WinnipegMon xxv, p 577
New Brunswick, Hanford Brook, St. Martins
McLean BrookBull 81, pp 266–267
Portland and St. JohnBull 81, p 263
St. John Bull 80, p 227

Section, geologic, in Canada; New Brunswick, St. John and P	ortland Bull 81, p 263
in Canada; New Brunswick, St. John County	
Newfoundland	
Canada Bay	
Great Bell Isle	
from St. Johns to	
Manuels Brook	
and 52 (p 554); Ann 12, 1, p 54	
northwestern part of	
St. Johns to Great Bell Island, Conception Bay	Ann 12, 1, fig 74 (p 547)
west-coast of	Bull 81, pp 255–256
Northwest Territory, British Columbia, and adjacent	partsBull 82, p 191
Nova Scotia, Colchester County	
Ontario, Gunflint and Loon lakes, showing relations of	
to older schists and granite and to new	
gabbro	
Isle Royale	
Lake Huron	
Oil Springs	
Petrolia	
Pigeon Bay	
St. Joseph and Campement d'Ours islands	
i de la companya de la companya de la companya de la companya de la companya de la companya de la companya de	figs 86, 87 (pp 411, 412)
Welland County	Ann 18, v cont, p 917
Quebec	MR 1887, p 501
Rigaud to Chateaugay Four Corners, Frankli	n County, New
Rigaud to Chateaugay Four Corners, Frankli York	Ann 12, 1, fig 76 (p 549)
St. Armand to Swanton, Vermont	
Ottawa CountyBull 46, fig 3 (p 25), fig	
in China; Sze Chuen gas fields	
in Colorado; Animas River Valley	
Anthracite quadrangle	
Arapahoe County	
Arikaree River, Chimney Rock Canyon	
Arkansas River to Wet Mountains, showing relation	
stone to surface of country	
Arkansas Valley, across a terrace	
showing arrangement of Cretaceous rocksA	
Bassick Hill and vicinityA	Ann 17, 11, pl 34 (p 364)
Boulder and vicinityM	on xxvII, pl 12 (p 110)
Boulder Valley region	(p 129), fig 11 (p 136)
Buffalo Peaks	
Burnt KnollM	
central part.	
Cheyenne County	
Cheyenne Wells	
Coal Creek	on xxvii, ng 12 (p 338)
Crested Butte quadrangle	GF 9
Cripple Creek district, Anna Lee mine, showing relat	tion of ore shoot
to dikeA	nn 16, 11, fig 37 (p 206)
Blue Bird.mine, showing mode of occurrence of o	oreAnn 16,
	, figs 32 and 33 (p 199)
C. O. D. mine, showing faulting of ore-bearing fiss	suresAnn 16,
	и, fig 14 (р 170)

Section, geologic, in Colorado; Cripple Creek district, C. O. D. mine, showing
main fissure and subordinate fissuring Ann 16,11, fig 13 (p 169)
in Colorado; Cripple Creek district, C. O. D. mine, mode of occurrence of
ore
Cripple Creek district, C. O. D. mine, mode of occurrence of ore shoot Ann
16, 11, fig 15 (p 170)
Elkton mine, showing relation of vein to dike
11, figs 19 and 20 (p 185)
Granite mine, showing relation of vein to dikeAnn 16,
11, figs 34 and 35 (p 203)
Independence mine, showing relation of veins to dikesAnn 16,
п, pl 14 (р 200)
Ingham mine, showing intersecting veinsAnn 16, 11, fig 17 (p 183)
showing occurrence of parallel veinsAnn 16, 11, fig 18 (p 184)
Moose mine, showing mode of occurrence of ore shootsAnn 16,
п, fig 21 (р 186)
North Star mine, showing relation of vein to dike
- · · · · · · · · · · · · · · · · · · ·
ıı, fig 22 (p 188)
Orpha May mines, showing mode of occurrence of ore shootsAnn 16,
п, fig 31 (р 198)
Pikes Peak mine, showing relation of vein and dike
п, fig 29 (р 197)
Pikes Peak vein, showing forking near surface. Ann 16, 11, fig 30 (p 197)
Raven shaft, showing relation of vein to dike. Ann 16, 11, fig 16 (p 182)
Victor, Smuggler, Lee, and Buena Vista vein, showing mode of
occurrence of ore Ann 16, 11, figs 23, 24, and 25 (p 192)
Zenobia and Pharmacist mines, showing mode of occurrence of
ore
Davidson district
Deer Creek
Denver
Dyer Mountain
East Aspen Mountain
eastern partBull 84, fig 43 (p 304)
Cretaceous rocks, arrangement ofAnn 17, 11, fig 46 (p 571)
Eightmile Canyon, showing sheeted zone in graniteAnn 16,
и, pl 3 (p 140), pl 4 (p 142)
Elmoro quadrangleGF 58
Erie district
Frenchman River, showing water-bearing strata and wells
п, pl 42 (р 548)
Golden
Mount Carbon to
Gothic Mountain, showing contact between laccolite and shalesAnn 14,
11, figs 35 and 36 (p 196)
showing lower contact of laccolite
Gunnison RiverBull 106, p 33
Huerfano and Las Animas countiesBull 83, p 143
Iron Hill
Junction and Yampa Mountain upthrustsAnn 9, fig 61 (p 703)
Kanab
La Plata quadrangleGF 60
Lafayette district
Las Animas and Huerfano countiesBull 83, p 14.

Section	ı, geologic, in Colorado; Leadville.	Ann 2, pl 45 (p 240)
in		
	Mancos River	Bull 106, p 32
•	Marshall district	Mon xxvII, fig 13 (p 340), fig 15 (p 346)
	Mesaverde formation	GF 60, p 5
		Ann 2, p 216; Mon xii, p 57
		Ann 14, 11, fig 33 (p 190)
		Mon x11, pp 119, 120–121
		Mon xxvii, p 332
		Bull 106, p 30
		Mon XII, p 132
		Ann 18, v cont, p 1136
		GF 36
		npa Plateau, and a portion of Main
		Ann 9, fig 59 (p 698)
	Rico dome	Ann 21, 11, pl v111 (pp 102–103)
		n 21, 11, pp 42, 52, 55–56, 58, 62, 68–70, 75, 98
		Ann 17, п, pl 30 (р 332)
		Mon xxvII, fig 16 (p 375)
		Mon x11, p 166
		Ann 17, 11, pl 30 (p 332)
		Mon xxvII, fig 6 (p 115), fig 7 (p 116)
		Mon x11, fig 2 (p 501), fig 3 (p 504)
		Mon xii, p 133
		Mon xxvII, p 165
•		Mon xII, fig 5 (p 535)
	Telluride, through Smuggler vein.	Ann 18, III, pl 114 (p 832)
	Telluride quadrangle, various loca	ditiesGF 57
	Tenmile district	GF 48
		Bull 81, p 353
		section of
		eptive portion ofAnn 9, fig 60 (p 700)
		Ann 16, 11, p 582
	Victor, vicinity of showing vent i	n graniteAnn 16, 11, fig 1 (p 77)
		GF 68
		Ann 2, p 217; Mon XII, p 58
	water-bearing strate and wells	Ann 16, 11, pl 42 (p 548)
		unt MarcellinaAnn 14, 11, fig 43 (p 236)
	Wet Mountains to Arlanges Diver	r, showing relation of Dakota sand-
	etono to carriago of cor	antry App 17 or 6~ 40 (~ 500)
		antryAnn 17, 11, fig 48 (p 583)
	Warne and Transfer Manual	Ann 16, 11, p 581
		othrusts
• •		Ann 18, v cont, p 979
ın (		original attitude of Ann 18, 11, fig 3 (p 21)
		by fault
	cill on back slope of trap ridge ne	ar a faultAnn 18, 11, fig 45 (p 172)

Section, geologic, in Connecticut; Connecticut ValleyAnn	7 n 467
in Connecticut; dike, slanting	
Hartford, showing trap on sandstones	
Higby Mountain, showing north-bounding faultAnn 18, 11, fig 21	
Holyoke quadrangle	
Lamentation Mountain, showing fragments of posterior trap sheet i	
north-bounding fault ofAnn 18, 11, fig 22	
peneplains, pre-Triassic and Cretaceous, relation of Ann 18, 11, fig 38	(p.150)
shore line, showing position of, at various periods Ann 18, 11, fig 42	
sill, oblique	
Southington, showing basal contact at Roaring Brook. Ann 18, 11, fig	
trap sheets, denudation of	
in Delaware; Cretaceous marl seriesBull 13	
Dover	
Kent County	
Newcastle CountyBull 84, fig 3 (p 46); Bull 138, pp	
northern part, showing relations of glacial depositsAnn 7, fig 112	
Smyrna, vicinity of	
Sussex County Bull 13	
Wilmington to Ocean City, Maryland	(p 122)
in Denmark; Hasle	
in District of Columbia	
Eckington Bull 13	
Insane Asylum Bull 13	
Rives station, vicinity of Bull 13	
Washington Bull 138, pp 157, 158,	
from Crisfield, Maryland, toBull 138, pl 6 from Point of Rocks, Maryland, toAnn 15, pl 37	
showing relations of glacial deposits	(p 054)
in England; Portland, from Fitton's strata below the chalk	
	(p 489)
in Florida; Alachua CountyBull 46, fig 3	1 (p 79)
Alum BluffBull	
Caloosahatchie RiverBull 84, p 144; fig 22	
central partBull 84, fig 21	
Edgar, through kaolin depositAnn 17, 1	
Everglades, showing effect of mangroves on shore line. Ann 10, 1, fig 20	
Fort ThompsonBull 8	
Hillsboro River Bull	
Lake City, in vicinity ofBull 8	84, p 110
Manatee RiverBull 8	
Peace CreekBull 84, pp	
QuincyAnn 17, 1	ш, р 877
Tallahassee, vicinity ofBull 8	34, p 120
TampaBull	84, p 113
White SpringsBull 8	
in France; near Baux, showing relations of bauxite beds. Ann 16, 111, fig 6	
in Georgia; bauxite field	
evidence of ablation	
imperfect drainage produced by solution of strataAnn 10, 1, fig 2	
Mary bauxite bank	
Richmond CountyBull	
Ringgold quadrangle	
Rome to Gadsden, AlabamaBull	or, p 304

1004 INDEX TO PUBLICATIONS OF U. S. GEOL. SURVEY. [BULL. 177]	•
Section, geologic, in Georgia; Shell BluffBull 83, p 56	
in Georgia; Stevenson quadrangle GF 19	
Telfair County	
in Germany; Nassau Bull 46, p 46, fig 22 (p 47)	
in Great Britain; England, Bedfordshire	
England, Cambridgeshire	
Spinney Abbey	2
North Wales	
in Great Plains region	
in Gulf States	
coastal plain in eastern part of	
in Idaho (Lower Paleozoic)	
Bear River districtBull 128, p 27	
Boise quadrangle	
De Lamar	
Idaho City, at and near	
fig 56 (p 662), fig 57 (p 663), fig 58 (p 665), fig 59 (p 666)	
Horseshoe Bend, Valley of the PayetteAnn 16, 11, p 276	
Kirtley CreekAnn 16, 11, p 232	
Lemhi placer mine	
Malade City, vicinity of	
Pioneerville, vicinity of	
Placerville	
in IllinoisBull 80, pp 156, 160, 190	)
Adams County	
Ashland	
AtlantaMon xxxvIII, p 206	
Bloomington	3
Bond County	
Bureau County	
CairoMon xxxvIII, p 786	
Cap au Grès to Wisconsin River, WisconsinMon xxxvIII, fig 7 (p 554)	
Carbon Cliff	
. to Davenport, Iowa	1
Carroll County	3
Champaign	Ł
Champaign County	:
Chicago, in and near	
Christian County	
Clay County	t
Clinton, at and near	
Cook County	
Coles County	
Cumberland County	
Danville and vicinity	
Decatur	
Dekalb County	
Delavan Mon xxxvIII, p 206	
East Moline	
Evanston	
Freeport	
Fulton County	
Galena to OlneyAnn 17, 11, fig 68 (p 787); Mon xxxvIII, fig 8 (p 554)	
Gaiena to OmeyAnn 11, ii, iig 00 (p 101); mon xxxviii, iig 8 (p 554)	

	,
Section, geologic, in Illinois; Greene Count	v
	Mon xxxviii, p 680
	Mon xxxvIII, pp 624, 625
Heyworth	Mon xxxvIII, p 215
Iroquois County	Mon xxxvIII, pp 142–143, 658, 660, 661
Jersey County	
	Ann 17, 11, p 799
to Davenport, Iowa	Ann 17,
TI. 1	fig 69 (p 792), Mon xxxvIII, fig 9 (p 554)
Lake County	
Lake Zurich, vicinity of	
	Mon xxxviii, p 609
	Mon xxxvIII, pp 708, 709
	Mon xxxvIII, p 576 Mon xxxvIII, p 694
	Mon xxxviii, p 216
Marion County	
	Ann 17, 11, p 778
	and County andMon xxxviii, p 115
	Ann 17, 11, fig 72 (p 830)
	er, WisconsinAnn 17, 11, fig 67 (p 787)
	Ann 17, 11, pp 847–848
Morgan County	Mon xxxvIII, pp 723, 724
	fig 68 (p 787); Mon xxxvIII, fig 8 (p 554)
	Ann 17, 11, pp 798–799
Perry County	
	Mon xxxvIII, p 235
	Ann 17, 11, fig 74 (p 842), pp 845–846
	cer County andMon xxxvIII, p 115
Shelly Courts	Mon xxxvIII, p 201
Sonore to Averale Tours	
opringueta, vicinity or	MIQH XXXVIII, P 120

Section, geologic, in Illinois; Streator	Аnn 17, п, р 798
in Illinois; Tazewell County	
T. 17 N., R. 1 W., sec. 7, between T. 17 N.	
· · · · · · · · · · · · · · · · · · ·	p 114
Union County	
, Urbana	
various localities	
Vermilion County	
Washington, vicinity of	
Will County	
Whiteside County	
Woodford County	
in Indian Territory; Cedar Spring	Bull 84, p 301
Choctaw coal fields	
Eastern Choctaw coal field	Ann 21, 11, p 274, fig
14 (p 287), fig 15 (p 28	8), fig 16 (p 289), fig 17 (p 290), fig
	92), fig 20 (p 295), pl 37 (in pocket)
Kansas City, Pittsburg and Gulf Railroa	
McAlester-Lehigh coal field	
Howardson Boungar down more services	figs 78 and 79 (p 449), fig 80 (p 451)
in Indiana	Ann 11 1 nn 624_625
Albany	
Albion	
Allen County	
Anderson, vicinity of	
Arcadia	
Aurora	
Bailey	
Bartholomew County	
Benton County	WS 21, pp 62, 63, 64, 65
Bluffton	Ann 11, 1, p 740
Boone County	WS 26, pp 14, 15, 16, 17
Bridgeport	Ann 11, 1, p 701
Brownstown	
Butler	
Carthage	
<b>a</b> a	
Cass County	
Clay County	
Clinton County	
Coal Measures	
Columbia City	· · · •
Columbus	Ann 11, 1, pp 638, 722
Connersville	Ann 11, 1, p 721
Corydon	Ann 11, 1, p 725
Crawfordsville	Ann 11, 1, pp 728–729
Crown Point	
Danville quadrangle	
Decatur	
Decatur County	
Dekalb County	
Delaware County	
Delphi	
Dyer	mon xxxviii, p 439

Continuo malaria in Tudiana antamanant	Ann 0 nl 57 (n 570) - nl 50 (n 604)
Section, geologic, in Indiana; eastern part	
	Ann 11, 1, p 713
	Ann 11, 1, p 728
	Ann 11, t, p 735
	Ann 11, 1, p 688
	Ann 11, 1, p 685
	Ann 11, 1, p 730
Franklin	Ann 11, 1, p 727
Goshen	Ann 11, 1, p 735
Greenfield	Ann 11, 1, p 701
Greensburg	Ann 11, 1, p 703
	Ann 11, 1, p 728
	WS 26, p 13
	Ann 8, 11, p 649; Ann 11, 1, p 679
	WS 26, p 26
	WS 26, p 30
	Ann 11, 1, p 695
	WS 21, p 74
	Ann 11, 1, p 739
	WS 26, pp 53, 54
	Ann 11, 1, p 724
	Bull 53, p 67; WS 26, p 59
Johnson County	WS 26, p 41
Jonesboro	Ann 11, 1, p 688
Kempton	Ann 11, 1, p 696
	Ann 11, 1, p 733
	Ann 8, 11, p 650; Ann 11, 1, p 692
	WS 21, p 36
	Ann 11, r, p 690
	WS 21, pp 19, 20
- · ·	Ann 11, 1, pp 640, 736
	Ann 11, 1, p 730
	Ann 11, 1, p 730
	pp 567, 569, 633, 635; Ann 11, 1, pp 635, 732
	Ann 11, 1, pp 030, 732
	WS 26, p 11
	Ann 11, 1, p 687 WS 26, p 28
	WS 21, pp 38, 39
	Ann 11, 1, p 640; Mon xxxvIII, pp 397, 398
	Ann 11, 1, p 731
	WS 26, p 18
	Ann 11, 1, p 731
	Ann 11, 1, p 680
	Ann 11, 1, p 703
	Ann 11, 1, p 706
	Ann 11, 1, p 717
	Моп хххvііі, р 237
	WS 21, pp 41, 42, 43
Noble County	WS 21, pp 32, 33, 34

Co. C	A 0
Section, geologic, in Indiana; Noblesville	
in Indiana; North Manchester	
North Vernon	
northern part	
Ohio County	
oil fields	
Palestine	
Parke County	
Pendleton	
Peru	
Porter CountyMon x	
Portland	Ann 11, 1, p 681
Ripley County	Bull 58, p 66; WS 26, p 59
Rochester	Ann 11, 1, p 733
Rockville	Ann 11, 1, p 729
Rushville	
St. Joseph County	
Salem	
Scott County	
Selma	
Seymour	Ann 11, 1, pp 638, 726–727
Sharpsville	
Shelby County	
Shelbyville, vicinity of	Ann 11 r n 702
South Bend	
Spiceland	
Springport	
Starke County	
Steuben County	
Summitville	
Switzerland County	
Tippecanoe County	
Tipton	
Tipton County	
Tobacco Landing	
Trail Creek	
Union City	
Union County	
Union Grove	
Valparaiso	Ann 11, 1, p 733
Van Buren	
various localities	
Vigo County	WS 26, pp 46, 47
Wabash County	
Warren	
Warsaw	
Wheeler, vicinity of	
Whitewater River Valley	
Whitley County	
Winchester	
Xenia	
Zionsville	
in Iowa	
Albia, showing position of forest bed	
, 01	, , 0 12 - 200)

·	
Section, geologic, in Iowa; Allamakee County, showing typical exposure of	
residuary clays of Trenton terraneAnn 11, 1, fig 104 (p 549)	,
in Iowa; Anamosa, vicinity of, glacial depositsAnn 11, 1, fig 100 (p 512)	
Argyle to Sonora, Illinois	
Benton County	
showing deposition of loess and drift	
Boonsboro to Missouri River	
Buchanan County	
showing normal position of forest bedAnn 11, 1, fig 76 (p 489)	
Canton, vicinity ofBull 158, p 86	
• Cedar County	
Cherokee to Alexandria, South DakotaBull 158, pl 25 (p 146)	
Chickasaw County	,
Clayton County	,
showing ferruginous banding of loessAnn 11,1, figs 42 and 43 (p 441)	
hygroscopic banding of loess and superposition of alluvium. Ann 11	
ı, fig 40 (p 440)	
relation of tills toward easternmost margin. Ann 11, 1, fig 81 (p 500)	
unconformity between loess and residuary claysAnn 11,	
ı, fig 105 (p 549)	
Clinton County	
Columbus Junction, vicinity of	
Council Bluffs, in vicinity ofBull 158, p 89	,
Davenport, at and nearAnn 17, 11, pp 843-844; Mon xxxvIII, pp 42, 128	
showing relations of forest bed	
to Carbon Cliff, Illinois	
to Joliet, IllinoisAnn 17, 11, fig. 69, p 792; Mon xxxvIII, fig 9 (p 554)	
to Milan, Illinois	
Described a lateral description of the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon	1
Decorah, glacial deposits near	
Delaware, showing deformation of residuary clays by glacial actionAnn 11,	
r, fig 114 (p 556)	)
Delaware County	
showing contortion of lower till by later ice invasion	
r, fig 91 (p 506)	
partial removal of lower till by later ice workAnn 11,	,
ı, fig 60 (p 473)	
relation of drift sheets to topographyAnn 11, 1, fig 89 (p 505)	
Denmark, at and near	
Des Moines County	
Dubuque, Farley to	
showing local bowlder deposit beneath loess. Ann 11, 1, fig 103 (p 513)	
residuary clays of Galena limestone	
I, fig 106, p 550; fig 107, p 551	
Dubuque County	
showing bowlder-charged loess-base	
contortion of lower till by later ice invasion	
ı, fig 90 (p 505)	)
deformation of earlier drift sheet and subjacent rock by later	
ice invasion	
discordant deposition of loess and driftAnn 11, 1, fig 49 (p 446)	
ferruginous banding of loess	
obduracy of lower till	
relation between loess, residuary clay, and Niagara limestoneAnn	
11, r, fig 110 (p 553)	
11, 1, 1g 110 (p 000)	•

000	IIIDDA TO TODDIOUZIONO OT OF OF OPODE CONTEST.
	geologic, in Iowa; Dubuque County, showing relation of loess to basal pebble bedAnn 11, 1, figs 45 and 46 (p 444), fig 48 (p 445)
in I	iowa; Dubuque County, showing relation of tills toward easternmost margin
	${\bf Dubuque\ County, showing\ relation\ of\ tills\ near\ easternmost\ marginAnn\ 11,}$
	1, fig 80 (p 499) showing relations of upper and lower drift sheets. Ann 11, 1, fig 84 (p 501)
	resistance of residuary clays to glacial action
	I, fig 113 (p 555)
	sand pocket in lower drift sheetAnn 11, 1, fig 86 (p 502)
	Dyersville, showing deformation of earlier glacial deposits by later
	ice work
	showing pebbly residuary accumulationAnn 11, 1, fig 120 (p 560)
	Elkader, showing typical exposure of residuary clays of the Galena
	limestone
	Farley, Dubuque to
	showing apparent transition between drift and residuary claysAnn
	11, r, fig 112 (p 554)
	Farley drift basin
	till near
	showing relations of Devonian and Silurian formationsAnn 11,
	I fig 14 (p 316)
	Fayette County
	showing apparent intergradation of drift sheets
	ı, fig 88 (p 504)
•	hydroscopic banding and contortion of loess
	I, fig 39 (p 439) normal position of forest bedAnn 11, I, fig 75 (p 488)
	Flowd County April 1. fo 61 (p. 474) for 62 (p. 475) p. 517
	Floyd County
	showing partial incorporation of residuary clays in glacial driftAnn
•	11, I, fig 118 (p 559)
	relation between residuary clays and glacial driftAnn 11,
	* 6~ 110 (~ 550)
	Iowa County
	showing normal relations between upper and lower tillsAnn 11,
	I, fig 87 (p 503)  Jackson County
	showing unconformity between loess and residuary claysAnn 11,
	I, fig 111 (p 554)  Jasper County, showing relations of lower till toward its southern
	margin
	Johnson County
	Jones County
	showing glacial deposit of local materialsAnn 11, 1, fig 101 (p 512)
	intercalation of forest bed within lower till Ann 11, 1, fig 79 (p 494)
	transition of loess to sand
	Keg Creek, between Summit Creek andBull 158, fig 20 (p 94)
	vicinity of Bull 158, p 90
	Keokuk, vicinity of
	Lattners, vicinity of
	showing discordant deposition of loess and drift
	I, fig 52 (p 455)
	, 8 (F)

IVI ·	a; Maquoketa to Onslow
	ilan
	ills County
M	ississippi River to the Wapsipinnicon, showing surface planes of loess
M	issouri River to BoonsboroBull 158, fig 22 (p 1
	issouri ValleyBull 158, p
M	itchell CountyAnn 11, 1, pp 515-
M	ount Vernon, showing contortion of earlier glacial deposits by later ice sheet
3.7	uscatine
M	
	showing clay bowlder embedded in sand bowlder
	I, fig 73 (p 4
3.5	stratification and contortion of loess baseAnn 11, 1, fig 59 (p 4
IVI	uscatine County
	showing relations of lower till in southeasternAnn 11, 1, fig 97 (p 5
	ew London, vicinity of
nc	ortheastern partAnn 11, 1, pp 234,
	showing general stratigraphy of Devonian and SilurianAnn
	ı, fig 17 (p 3
	nslow to Maquoketa RiverAnn 11, 1, fig 55 (p 4
Os	sage, vicinity of, showing residuary clays of Cedar Valley ter-
	rane
Pa	acific Junction, vicinity ofBull 158, pp 89
Pl	leistocene deposits, showing representative well sections inAnn
$\mathbf{R}^{i}$	ı, pl 51 (p 5 iverside Station, vicinity ofBull 158, r
	oberts Ferry, showing fault and flexure in Devonian strataAnn
	ı, fig 20 (p 3
$\mathbf{R}$	ockdale, vicinity of, showing structure of terrace on Catfish Creek Ann
	ı, fig 37 (p 4
Sc	cott CountyAnn 11, 1, p
Si	oux City, vicinity of
	tone County, showing discordance between loess surface and rock
~.	surfaceAnn 11, 1, fig 53 (p 4
St	ummit Creek, between Keg Creek andBull 158, fig 20 (p
T	ama County
T	. 78 N., R. 7 W., sec. 10, SW. ‡ NW. ‡Ann 11, 1, pp 467,
T	. 79 N., R. 7 W., sec. 11, SE. \(\frac{1}{4}\) SE. \(\frac{1}{4}\)
	. 88 N., R. 1 W
	. 89 N., R. 1 W
T	. 89 N., R. 2 W
176	arious localities
11	Vapsipinicon River
٧,	from Mississippi River to, showing surface planes of loessAnn 11
11	fig 57 (p 4
	Vest Point, vicinity of
	restern part of
77	Vinneshiek CountyAnn 11, 1, p
W	showing relation of losse to subject the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the sta
	showing relation of loess to subjacent deposits. Ann 11, 1, fig 38 (p 4
Y	showing relation of loess to subjacent deposits. Ann 11, 1, fig 38 (p 4 armouth, in vicinity of

	•
Section, geologic, in Kansas; Arkansas Valley	
in Kansas; Barber County	Bull 57, pl 2 (p 14)
Cheyenne County	Ann 16, 11, p 583; Ann 21, 1v, p 652
Cimarron to Wellington	
Comanche County	Bull 57, fig 11 (p 36)
	Bull 136, pp 17–18
	Ann 16, 11, p 583
Goodland and Wheeler counties, she	
	Ann 16, 11, pl 42 (p 548)
Hamilton County	
Harper County	
Junction, across Smoky Hill Valley	
Kansas City	MR 1889–90, p 357
Lawrence	WS 6, p 16
Meade Basin	
Meade County	Bull 57, fig 6 (p 28), fig 10 (p 34)
Miami County	MR 1889-90, p 356
Morris County	Bull 136, fig 4 (p 20)
Norton County	Bull 57, fig 14 (p 37)
Saw Log Creek	Bull 57, figs 12 and 13 (p 36)
southwestern part of	
Sun City, vicinity of	
	WS 6, p 51
	Ann 16, 11, p 583; Ann 21, 1v, p 652
water-bearing strata and wells	
Wellington	Bull 57, fig 19 (p 40)
Cimarron to	Bull 57, pl 2 (p 14)
Wheeler and Goodland counties, sho	owing water-bearing strata and
	Ann 16, 11, pl 42 (p 548)
Wichita, vicinity of	
in Kentucky	Bull 83, p 72
Bath County	
Blaine Creek	GF 69, p 4
Brandenburg, vicinity of	Ann 11, 1, p 725
Catlettsburg	GF 69, p 3
central part of, showing effect of a la	
	Ann 12, 1, fig 15 (p 296)
	ertility of soils
the warm but to the same of the	ı, fig 19 (p 302)
Estillyille quadrangle	Ann 13, 11, pl 61 (p 245); GF 12
Lawrence County	
	19 (p 145), pp 163, 194, fig 148 (p 194)
London quadrangle	GF 47
Meade County	
	GF 46
Big Stone Gap coal field	
	Bull 65, p 146, fig 120 (p 146)
in Louisiana; Chalk Hills	
Harrisonburg	
Petite Anse	
1. 10, 1v. 11 11., SCC. 01	1002, р 000

Section geologie in Mainer Arcostock Church	D. 11 165 01 99
Section, geologic, in Maine; Aroostook County	Rull 165 p. 09
Brassua Stream	
Cranberry Island, showing junction of granite a	
Head	Ann 8 11 fig 44 (n 1053)
Haystack Mountain	
Little Brassua Lake	
Mapleton-Presque Isle road	
Mars Hill	
Mount Desert Island, cliff at the Ovens	Ann 8. 11. fig 43 (p 1050)
Echo Lake, showing position of Lida clays o	
	и, fig 26 (р 1001)
Seal Cove, to mouth of Bear Brook	Ann 8, 11, fig 23 (p 995)
Seal Harbor, showing 90-foot bench at	
showing relation between schists and qua	
horn of	
showing relation between schists and quartzi	
	и, fig 41 (р 1038)
relations of clay and till	Ann 8, 11, fig 24 (p 999)
stratified clay overlaid by till	Ann 8, 11, fig 27 (p 1001)
Southwest Harbor, showing dike on Beech M	
,	11, fig 45 (p 1056)
Western Mountain, showing bench on east p	
	u fire 28 and 20 (n 1022)
Portland	Mon xxxiv, fig 3 (p 32)
Readfield	
Somerset County	
Winslow	MR 1883-84, p 598
Winslows Hill	Bull 165, fig 8 (p 137)
in Malay Peninsula; Straits SettlementsAn	n 16, 111, p 470, pl 19 (p 478)
in Manitoba. (See under Canada, p 679.)	
in Maryland; Allegany County	Bull 65, p 56, fig 32 (p 56)
Anne Arundel CountyBu	
Baltimore	
Mon xv, 1, p 56; Bull 138, pl 8 (	p 142), pp 143, 144, 145, 146
Frederick to	
Ocean City to	
Calvert County	
Chesapeake Bay, head of	
head of, showing Columbia formation	
showing relations of glacial deposits	
Crisfield to Washington, District of Columbia  Dorsey Run Station	App 15 pl 27 (p 694)
Fort WashingtonBull 83, p 45; Bul	
Frederick to Baltimore	
Garrett Park, vicinity of, showing face of quarry	
control and rounty of showing face of quarry	fig 29 (p 730)
Harpers Ferry quadrangle	
Indian Head.	
Mill Creek-Susquehanna divide	
Nomini quadrangle	
Ocean City to Baltimore	
• to Wilmington, Delaware	

Section, geologic, in Maryland; Ordinary Point	(p 591).
in Maryland; Patuxent RiverBull 84, fig 7	(p 54)
Piedmont Plateau	(n 694)
Piedmont quadrangle	
Delete of Desley to Workington District of Columbia April 57	(m 604)
Point of Rocks to Washington, District of ColumbiaAnn 15, pl 37	(p 694)
Popes CreekBull 141, pl 4 (pp	40, 41)
Potomac Basin, Upper, showing Upper and Lower Productive Coa	1
MeasuresAnn 14, 11, fig 73	(p 579)
Potomac River regionBull 141, pl 5 (p 42), pl 6	(p 44)
Prince George CountyBull 13	
St. Marys RiverBull	
SalisburyBull 13	
Somerset County Bull 138, pp	
Upper MarlboroBull 1	
Washington quadrangle	
Wicomico County Bull 13	
in MassachusettsAnn 10, 1, p 115; Mon xxix, p	
Amherst	(p 646)
AtholMon xxx	x, p 572
Attleboro, at and near	177. 182
BecketBull 159, fig 7	
Belchertown, vicinity of	
Brimfield station	
Bristol County	
Buzzards Bay and Vineyard Haven, showing position of Tisbury bed	
17, r, fig 35 CambridgeAnn 17, r, fig 37	(p 983)
Cape Cod, showing general structure of area west of Orleans	•
11, fig 91	(p 535)
Charles River Marsh	(p 377)
Chelsea BeachAnn 6, fig 52	(p 370)
Chester	
Coatue Bay to Atlantic OceanBull 53, fig 6	
Cochesett station, vicinity of	T. n. 192
Coles Brook	2 (n 23)
College Hill, vicinity of	x, p 557
DaltonBull 159, p	p 90, 91
Dennis, showing position of folded clays	
East Lee Bull 159, pl 7	
East MountainMon xxii	
East Saugus, showing relations of till to brick clays. Ann 17, 1, fig 43	(p 997)
Erving, at and nearMo	n xxix,
fig 13 (p 217), figs 20 and 21 (p 295), fig 22	(p 296)
Franklin County	
Gibb Pond, vicinity of Bull 53, fig 8	
Green River Basin, north end of	(n 631)
Greylock Mountain	(P 501) 2) nl 19
(p 192), pl 20 (p 192), pl 21 (p 192), pl 22 (p 192), pl 23	(n 102)
Hoosac Mountain and	(p. 291)
Hudgon Volloy at Doostonbill Now York 45	(pool)
Hudson Valley at Poestenkill, New York, to	000)
II, pl 98 (p 316); Ann 16, I, pl 116	(p 830)
Hadley, vicinity of	(p 737)
Hampden County	(p 87)
HolyokeMon xxix, fig 23 (p 371), pp 383-384,	384–385

## WARMAN.] SECTION, GEOLOGIC (IN MARYLAND—MASSACHUSETTS). 695

Section, geologic, in Massachusetts; Holyoke quadrangleGF 50
in Massachusetts; Hoosac Mountain
Hoosac Mountain, Greylock Mountain andAnn 16, 1, fig 157 (p 831)
to Hudson River, New YorkAnn 10, 1, fig 44 (p 525)
Lenox Furnace
Lily Pond Bull 53, p 16
Mansfield area
Marthas Vineyard
Gay Head, showing interbedded and overbedded conglomer-
ates
showing part of Weyquosque seriesAnn 7, fig 58 (p 320)
through from Buzzards Bay to Atlantic Ocean Ann 7, fig 55 (p 305)
Middlefield
Millers Falls, vicinity of
Montague
Monument Mountain
Mount Washington
Nantucket, vicinity ofBull 53, fig 9 (p 28), fig 14 (p 45)
Narragansett Basin
No Mans Land
Norfolk
Norfolk County
Northfield Mountain
Northampton
fig 25 (p 466), fig 26 (p 470), fig 31 (p 540), pl 15 (p 678)
Norton, at and near
Oyster Pond to Pauls Point
Pauls Point to Oyster Pond
Pelham
Pelham Lake
Plainville, at and nearMon xxix, pp 700, 701; Mon xxxiii, pp 180–181
Plum Island Marsh
Plymouth, through Manomet Hill
Quarry Hill
Raynham and Taunton, showing effect of moraines in forming
swamps
Sankaty HeadBull 53, fig 10 (p 32), fig 11 (p 39), fig 12 (p 41)
Saugus marshes
Shutesbury
Somerville
showing drumlin till overlying eroded surface of brick claysAnn 17,
ı, fig 40 (p 995)
relations of brick clays and till
South Attleboro
South Hadley Mon xxix, p 382
southeastern part of
Squam Head
Stone Hill
Taunton, at and near
Raynham and, showing effect of moraines in forming swampsAnn 10,
I, fig 22 (p 298)
Town Cove, showing post-Glacial claysAnn 18, 11, fig 89 (p 533)
Truro
Turners Falls
Zumois I wiss.

Section, ge	eologic, in Massachusetts: various localities
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	pl 3 (p 14); Mon xxix, pl 9, (p 464) pls
	- 10 10 10 10 10
	24, 25, 26, 27, 28, 29, 30, 31, 32 (p 780)
m Mas	seachusetts; Vineyard Haven and Buzzards Bay, showing position
	of Tisbury bedsAnn 17, 1, fig 35 (p 983)
W	Vashington stationBull 159, fig 3 (p 36)
	VeewocketBull 53, fig 4 (p 16)
	Vest Hawley
W	est Mountain, vicinity of
· · · · · · · · · · · · · · · · · · ·	
	p 262, figs 16 and 17 (p 264), fig 18 (p 266)
	Vestfield
W	Vestfield River
W	'illiamstown, showing longitudinal folding, faulting, and cleavage of
·	"Bullock's cobble"
w	'indsor
	xico; Fuente
	uasteca, through grahamite vein
	chigan; Allegan, at and near
A	llegan County
$\mathbf{A}$	lmaWS 31, fig 2 (p 83)
	errien County
	ête Grise Bay
	loomingdale, vicinity of
	harlevoix
	olumbia station, vicinity of
. <b>C</b> ı	rystal Falls district
	p 75, pl 9 (p 82); Mon xxxvi, pl 7 (p 30), pp 172–173, 177
	northwestern part of
	southern part of
G	ranite Point, showing Potsdam sandstone lying on eroded surface of
G.	
	granite
G	unflint and Loon lakes, showing relations of Animikie series to older
	schists and granite and to newer Keweenawan gabbro. Ann 7,
	fig 91 (p 421)
Is	le Royale to Keweenaw PointBull 23, fig 17 (p 75)
	oodrich mine, showing plane of contact of Goodrich quartzite on
· ·	plicated Negaunee jaspilite
	0 40 ( 804) 0 40 ( 808)
	fig 18 (p 564), fig 19 (p 565)
	ungarian River
	uron County
· K	eweenaw PointAnn 3, pl 9
	(p 122), fig 38 (p 123), fig 41 (p 150); Mon v, pl 18 (p 166),
	pp 186–187; Bull 23, fig 20 (p 88), fig 21 (p 91), fig 22 (p 92)
	Copper Harbor to Lac la Belle Bull 23, fig 15 (p 74)
	eastern part ofBull 23, fig 18 (p 79)
	showing relations of Eastern sandstone and Keweenaw seriesBull 23,
	fig 1 (p 16), pl 1 (p 17), pl 5 (p 19), pl 6 (p 21), fig 2
	(p 22), pl 7 (p 23), fig 3 (p 26), pl 10 (p 29), pl 12 (p 37),
	fig 4 (p 38), fig 5 (p 39), fig 6 (p 40), fig 9 (p 56), pl 14
	(p 59), fig 10 (p 61), p 62, fig 11 (p 65), fig 23 (p 106)
•	to Isle Royale
-	western part of
	ake Agogebic to Lake Numakagon, WisconsinMon v, pp 391–392
	ake Huron, north shore of
La	ake Superior Basin

•	,
Section,	geologic, in Michigan; L'Anse, vicinity of, showing unconformity
	between Potsdam sandstone and Huronian slatesAnn 7 fig 83 (p 410)
in N	Aichigan; Lee station
111 1	Loon and Gunflint lakes, showing relations of Animikie series to older
	schists and granite and to newer Keweenawan gabbroAnn 7,
	fig 91 (p 421)
	Lower PeninsulaBull 80, p 177; WS 30, fig 10 (p 79)
	Marquette, vicinity of, showing contact of Potsdam sandstone and
	Huronian quartzite
	Marquette district
	436); Ann 15, pl 14 (p 488), pl 15 (p 490), p 649; Ann 21 III,
	pl 53 (p 372), pl 54 (p 376); Mon xxvIII, pl 29 (p 398), p 578
*	showing chert-breccia resting upon truncated minor folds of lime-
	stone
	showing ore deposits
	Menominee district
	Ann 15, p 649; Mon xxvIII, p 578; Bull 62, p 64
	mines inAnn 21, 111, pls 56, 57 (pp 394, 398); GF 62, pp 7, 8, 9
	Midland
	Montreal River
	Negaunee, vicinity of
	New Buffalo, vicinity of
	Norway, vicinity of, showing Potsdam sandstone overvlying ferrugi-
	nous schist and ore of Huronian seriesAnn 7
	fig 85 (p 410); Ann 10, 1, fig 56 (p 560)
	Ohio Corners
	Paw Paw Lake, vicinity of
	Penokee Range
	Penokee-Gogebic district
	Porcupine Mountains
	Mon v, pl 20 (p 210), pl 21 (p 214), figs 5 and 6 (p 216)
	Portage LakeMon v, pp 194–195
	Quinnesec Falls, UpperButl 62, p 120
	Rose City, vicinity of
	St. Clair River
	SawyerMon xxxviii, p 399
	South HavenMon xxxvIII, p 401
	Teal Lake, showing Ishpeming quartzite resting unconformably upon
	Kitchi schist
	Thunder BayAnn 3, pl 15 (p 157); Mon v, pp 332, 380
	T. 1 N., R. 17 W., sec. 6
	T. 2 N., R. 17 W., sec. 18
	T. 30 N., R. 39 W
	T. 47 N., R. 42 W., sec. 28, showing basal conglomerate in contact with
	graniteAnn 10, 1, fig 43 (p 450)
	T. 50 N., R. 39 W., secs. 23 and 24, showing relations of Eastern sand-
	stone and Keweenawan diabaseBull 23, fig 13 (p 69)
	T. 54, R. 33 W., sec. 6, showing relations of Eastern sandstone and
	Keweenaw seriesBull 23, fig 12 (p 68)
	Upper PeninsulaBull 81, p 189
	Upper Quinnesec Falls
	Van Buren CountyMon xxxvIII, pp 364, 366, 367, 368, 370, 371
in V	Innesota Ann 11. r. p 332: Bull 81. p 334

Section	, geologic, in Minnesota; Agate Bay, at and nearAnn 3,
	fig 36 (p 122); Mon v, pp 288–290, fig 12 (p 290)
· in	Minnesota; Baptism River, vicinity of
	Coteau des Prairies
	Courtland to Minneopa
	to Pipestone
	glacial Lake Agassiz, beach ridge of
	Great Palisades
	Gunflint Lake and vicinity
	Humboldt
	Kettle River
	Luverne to Medicine Butte, South DakotaBull 158, pl 24 (p 144)
	Lyle and vicinity
	Mineopa to Courtland
	Minneapolis
	Montevideo, vicinity of
	Palisade, south cliff of
	Pipestone to Big Bend, South Dakota
	to Courtland
	Portage Bay Island
	Red River Valley
	figs 3 and 4 (p 23); fig 5 (p 24); figs 32 and 33 (p 527)
	St. Paul, showing contortion of lower part of drift by ice actionAnn 11,
	I, figs 94 and 95 (p 507)
	showing deformation of Paleozoic clays by glacial actionAnn 11,
	1, fig 115 (p 556)
	Sand Hill River, at delta of
	Split Rock River
	Temperance River, on and nearMon v, fig 27 (p 325); fig 28 (p 326)
	T. 56 N., R. 7 W., sec. 32
	T. 60 N., R. 2 W., sec. 19
	T. 120 N., R. 45 W., sec. 15
	Vermilion district, ore deposits
in :	MississippiBull 83, p 67
	Coastal Plain
	Durant, vicinity of, showing relations between Columbia and Lafay-
	ette formations
	Fort Adams
	vicinity of, showing relations of Columbia, Lafayette, and Grand
	Gulf formations
	Grand GulfBull 84, fig 23 (p 162)
	Jackson, vicinity of, showing relations of Columbia and Lafayette
	formations
	Marion CountyBull 84, fig 26 (p 163)
	Oxford, showing structure of Lafayette formationAnn 12, 1, fig 58 (p 457)
	Terry, vicinity of
	Winchester, vicinity of
	Vicksburg Bluff Bull 83, p 70
1	Wienerst Dull 85, p 70
111 .	Missouri
	Bonne Terre
•	Doe Run
	Gilkersons Ford
	Henry County
	mine La MotteBull 132, pp 13, 15

Section, g	eologic, in Missouri; Ste. Genevieve CountyBull 80, p 168
	ssouri; Simmas MountainBull 132, p 14
	outheastern partBull 132, pl 2 (p 10)
	2. 36 N., R. 5 E., sec. 29, SE. 4
	sec. 32, NE. \(\frac{1}{4}\) Bull 132, p 17
in M	ontana; Alpine Creek, vicinity of, through Silurian and Devonian
	rocks
A	Alpine Gulch, through Cambrian strataAnn 18,
	III. pp 466–467, fig 34 (p 468)
F	Barker Mountain
	Big Baldy Mountain and Storr PeakAnn 20, 111, fig 41 (p 336)
	Big Park
	Black Butte
	Bowers mine
	Bridger RangeBull 110, pl 2 (p 12)
	Burnett Creek, through Burnett Creek dome and laccolithAnn 18,
	the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
, 1	Butte quadrangle
	Castle Mountain mining district
,	pl 4 (p 24), figs 3 and 4 (p 25), pp 31, 34, 36, fig 5 (p 37)
	p 39, fig 6 (p 40), pp 41–42, 47–48, 49–51, 52–53, fig 7 (p 60)
(	innabar Mountain
	Cokedale Bull 105, p 16
	Cone Butte, vicinity of
	Dirty Creek
	Ory Fork Belt Creek
	East Gallatin River, between Missouri River and Bull 110, pl 3 (p 14)
	Flagstaff Creek
	Florida Mountain
	Fort Benton quadrangle
	Gallatin Bull 81, p 324
ì	Gallatin River, north side of
Č	Giltedge, vicinity of, through Jura-Cretaceous beds
`	HI, pp 477–478
(	Giltedge Peak and Alpine laccolithAnn 18, 111, fig 42 (p 509)
1	Hunter's hot springs
	Judith Mountains
	Maginnis mine
	showing Mesozoic rocks
	Judith Peak, vicinity of
	Judith Plateau region
	Judith River Basin
	Kelly Hill
	Lewistown coal mines
]	Little Belt Mountains quadrangleGF 56
J	Livingston, vicinity ofBull 105, p 15
	Livingston quadrangleGF 1
1	Madison RangeBull 110, pl 2 (p 12)
	Maiden Gulch, through Carboniferous strataAnn 18, 111, pp 471–472
	Missouri River, between East Gallatin River andBull 110, pl 3 (p 14)
	Monarch, vicinity of
	Neihart, vicinity of
	Neihart district
]	New Years and Pyramid peaks

	•	•
Section, geologic.	in Montana: Pilgrim Creek	Ann 20, 111, p 368
		Ann 18, 111, fig 40 (p 498)
		Ann 18, 111, fig 39 (p 495)
		Ann 18, 111, pp 482–484
		Ann 20, 111, p 294
		Ann 20, 11, fig 41 (p 336)
		Ann 10, 1, p 131; Bull 110, pl 4 (p 16)
Three ro	rks quadrangle	
Thunder	Mountain Ann 20, 11	1, figs 44 and 45 (p 365), fig 46 (p 366)
		Ann 20, 111, pp 296–298
		Ann 20, 111, pl 40 (p 284), pl 46 (p 296)
		Ann 18, 111, fig 44 (p 519)
		Ann 18, 111, p 524
West Bou	ılder River	Bull 105, p 23
Yogo, vic	inity of	Ann 20, 111, pp 328–330
		Bull 106, pp 14–15
		Ann 19, IV, fig 224 (p 755)
		Ann 19, IV, fig 208 (p 742)
		WS 12, fig 3 (p 18)
		Bull 158, p 80
		ual relations of underground
Central j		
Chadron		Ann 19, IV, fig 227 (p 758)
		Bull 131, p 97
		Ann 19, iv, pl 99 (p 754)
		Ann 19, IV, pl 100 (p 754)
vicin	ity of Horseshoe Flat and	Ann 19, IV, pl 96 (p 750)
Colfax Co	ounty	Bull 158, p 78
		Ann 16, п, р 582
		Ann 19, IV, fig 223 (p 754)
vicin		onglomerate in Arikaree forma-
	tion	Ann 19, 1v, fig 211 (p 745)
		WS 12, fig 9 (p 35)
Florence,	vicinity of	Bull 158, pp 78, 79
Fremont		Bull 158, pp 79, 135
		ring strata and wellsAnn 16,
	,	11, pl 42 (p 548)
Gering, si	howing relations of Arikaree	and Brule formationsAnn 19,
•		(1 000 ( 710)
vicin	ity of	ng 209 (p 743)Ann 19, 1v, figs 216 and 217 (p 750),
7.511.	fig 218 (n 751) fig	219 (p 752), figs 220 and 221 (p 753)
9		erate in Arikaree formationsAnn 19,
13		iv, fig 212 (p 746)
Hastings		WS 12, fig 10 (p 38)
		Bull 158, fig 16 (p 72)
		WS 12, fig 14 (p 47)
		Ann 16, 11, p 583
		Ann 19, IV, pl 88 (p 742)
		Ann 19, IV, pl 101 (p 756)
Lawrence		y between Brule clay and sup-
		Ann 19, 1v, fig 215 (p 749)
		sandstoneWS 12, pl 21 (p 40)
		WS 12, pp 18–19, fig 7 (p 29)
McCool		WS 12, p 34

•	•
Section, geologic, in Nebraska; Milford, vicinit	y ofBull 158, pp 80–81
in Nebraska; Nebraska City	
Niobrara, opposite	
Norfolk to Spencer, South Dakota	
North Branch River, mouth of	
North Platte River, showing relation	
	Ann 19, IV, fig 210 (p 744)
Ogallala, vicinity of, through Tertiary	
Omaha	ır, p 580
	Ann 19,
Osmond, vicinity of	ıv, pl 83 (p 736); WS 12, pl 4 (p 14)
Osmond, vicinity of	Bull 158, fig 17 (p 75), fig 18 (p 76)
Paxton	
Platte Valley to and down valley of W	
	WS 12, fig 6 (p 26)
Plattsmouth	
Pleasanthill, vicinity of	Bull 158, p 80
Ponca	
Prairie Home station, vicinity of, show	
,	fig 4 (p 22)
Roca, vicinity of, showing Carboniferou	
Scotts Bluff	
Scotts Bluff County	Ann 19 IV fig 222 (p 754)
Seward	
Sioux County	
	ing formationAnn 19,
showing relations of supposed Ger.	rv, fig 214 (p 748)
South Branch River	Rull'84 n 905
south-central part of	
South Platte, south side of	
Spoon Butte to Sturdivant ranch, show	
	Ann 19, IV, fig 213 (p 746)
T. 32 N., R. 3 W.	
water-bearing strata and wells	
West Point, vicinity of	
west of the 103d meridian	
in Nevada	Mon VIII, p 284
central part of	
Deer Creek	
Silver Peak quadrangle, Esmeralda for	
	11, fig 5 (p 199), pp 200–202
	Ann 3, p 253; Bull 80, p 222
	Ann 4, pl 33 (p 252)
Eureka district	
	xx, p 13, fig 1 (p 56), fig 2 (p 262),
	pp 67, 68, 81, 82, 102, 104, 158, 167–168,
	87–188, 189, 191–192, 196–197, 197–199,
	206, 207; Bull 30, p 301, fig 3 (p 31)
Highland Range	
Hot Spring station	
Humboldt Canyon	
Kawsoh Mountains	
Lahontan Basin	Mon x1, p 149

Section.	, geologic, in Nevada; Lake Lahontan	
	Nevada; Mill City, at and near	
*** *	Oreana, vicinity of	Mon x1 nn 129–130
	Prospect Mountain	Ion vii nl 2 (n 12) nn 13 16-17 178
	Pyramid Lake	
	n 66 for 24 (n 151). R	ull 11, fig 1 (p 11); Bull 12, fig 1 (p 11)
	Richmond mine	, , ,
	Rye Patch	
	Soda lakes	
	Truckee Canyon	
		133, pl 25 (p 134), pl 27 (p 138), p 143
	Truckee River	
	Walker River Canyon	
	Washoe mining district	
	New Brunswick. (See under Canada, p	
in I	New England	
	showing the history of a talus	
	New Hampshire	
∵ in l	New Jersey (Cretaceous)	
	Arlington and vicinityBull	
	Atlantic CityBull 84, fig 2 (	(p 42); Bull 138, pp 48, 50, pl 4 (p 52)
		Bull 82, fig 2 (p 80)
	Atlantic County	
	Barnegat Bay	
	Bernardsville station	
	Burlington County	
		57, 58–59, 65–66, 70–71, 72, 74, 75–77, 88
	Camden CountyBull 138, 1	op 55, 56–57, 58, 59, 70, 76, 81, 89, 91, 95
	Cape May to Metuchen	
	Cape May County	
	Crab Island	
	Cumberland County	
	Delaware River, from Titusville to Stoo	ektonBull 67, fig 38 (p 61)
· 1.	eastern part	
	Feltville, vicinity of	Bull 67, fig 6 (p 27)
	Franklin Furnace, showing band of qua	rtzite in white limestoneAnn 18,
	, ,	п, р 454
	Gloucester County	Bull 138, pp 62–63, 65, 92, 96, 97
	Great Egg Harbor Bay	
	Hoboken, vicinity of	
	Jersey City	
•	Monmouth County	Bull 138, pp 60–61, 69, 79, 86, 87
	Mercer County	
	Metuchen to Cape May	
	Middlesex County	
	New Germantown to Second Watchung	
	northeastern part, showing relations of	
	Ocean County	
	Passaic River, north side of	
	Paterson and vicinity	
•	Pompton Lake, southeastern shore of.	Bull 67, fig 5 (p 25)
	Raritan River, near Martins Dock	
	Rocky Hill to Sourland Mountain	
	Salem County	
	•	/AA . / . / . / / / / / / / /

obolion, debolionic (in the fibration).
Section, geologic, in New Jersey; Second Watchung Mountain to New German-
town
in New Jersey; Shiloh
Snake Hill, western side of
Sourland Mountain to Rocky HillBull 67, fig 36 (p 59)
southern partBull 138, pl 3 (p 48)
Stockton to Titusville
Titusville to Stockton
Trenton, showing relations of glacial depositsAnn 7, fig 112 (p 611)
various localities
Weehawken, vicinity of
Woodbridge, through clay bank
in New Mexico (Cretaceous)
Galisteo Creek Bull 84, p 302
Rio San Juan, valley of Ann 6, pl 17 (p 140)
Staked Plains Plateau
Zuñi Plateau
in New York, Albany, showing relations of glacial deposits
fig 112 (p 611)
Albany and Greene counties
Allegany County Bull 41
pp 55-56, 57-58, 61, 63-64, 66, 68-69, 71, 73; MR 1882 p 196
Astoria to Far Rockaway Beach
Attica, vicinity of Bull 41, pp 33–34
Ausable ChasmBull 81, p 344
Chateaugay Four Corners, Franklin County, to Rigaud, CanadaAnn
12, 1, fig 76, (p 549) Columbia CountyBull 30, p 28
Cumberland CountyBull 80, p 248
eastern
Far Rockaway Beach to AstoriaBull 138, fig 7 (p 23)
Franklin CountyBull 81, p 343
Glens Falls
Granville
Greene and Albany counties MR 1887, p 476
Hampton
Haverstraw, vicinity of, showing structure of Palisade trapBull 67
fig 14 (p 37)
Hudson River to Hoosac Mountains, Massachusetts Ann 10, 1, fig 44 (p 525)
Hudson Valley at Poestenkill to Greylock, MassachusettsAnn 13
II, pl 98 (p 316); Ann 16, 1, pl 116 (p 830) Ladentown, vicinity ofBull 67, fig 17 (p 41)
Long Island Bull 138, pp 27–36
Olean, vicinity of Bull 41, pp 97-98
Poestenkill Falls, showing anticlines
Poestenkill Gorge, showing syncline
Rensselaer County, showing ledge of grit and red slate in GraftonAnn 16
ı, fig 86 (p 560'
Rensselaer Plateau, eastern and western edges of Ann 13, 11, pl 99 (p 318)
Rensselaer Plateau and Taconic Range
SaratogaBull 81, p 340
Saratoga Village, vicinity ofBull 30, p 22
Staten IslandBull 138, p 3
Steuben County Bull 41, pp 79–80
Suffern, vicinity ofBull 67, fig 28 (p 53)
VarysburgBull 41, pp 40-40

Section, geologic, in New York; Warsaw,	
	Bull 30, p 28
	e of alternating beds of limestone
	Ann 16, 1, fig 87 (p 561)
Whitehall	Bull 81, p 345
Wyoming County	Bull 41, pp 47–48, 49–50, 52–54
in Newfoundland. (See under Canada	, p 680.)
	Bull 84,
	figs 13, 14, and 15 (p 70); fig 16 (p 71)
Cascade, vicinity of	Bull 85, p 87
	Bull 138, fig 8 (p 194)
	Bull 42, pp 48–49
	Bull 138, p 199
Duplin County	Bull 46, p 71; Bull 84, p 72
Egypt	Bull 85, p 41
	Bull 85, p 41; MR 1885, p 42
	Ann 13, 11, pl 41 (p 245)
Haywood to Newbern	Bull 82, fig 4, p 92
Hyde County	Bull 138, p 197
	GF 16
	Bull 84, fig 12 (p 70)
New Henover County P	Bull 82, fig 4 (p 92) ull 46, p 72, fig 30 (p 73); Bull 138, p 207
	Bull 138, p 199
	Bull 138, p 193
	Bull 138, p 204
	Bull 84, fig 9 (p 68)
	Bull 46, p 71 Bull 84, figs 10 and 11 (p 69)
	Bull 85, pl 9 (p 90)
	Bull 138, p 196
	Bull 138, pp 202–203
	Bull 46, p 72
	Mon xxv, fig 25 (p 436)
D M. L. Dinner at dalta of	
Campbell escarpmentMon xxv, i	fig 17 (p 419), fig 18 (p 420), fig 19 (p 421)
	Bull 144, fig 3 (p 40)
Deviis Lake	
	Ann 17, 11, fig 60 (p 664)  kkotas
Elk valley delta	
	fBull 39, fig 1 (p 11)
	Mon xxv, pl 15 (p 74), p 77
	Mon xxv, fig 35 (p 532)
James River valley	Ann 17, 11, pl 96 (p 664)
Larimore and Arvilla	
Medina, vicinity of	Bull 144, ng 1 (p 39), ng 2 (p 40)
Medora and Dickinson	Ann 17, 11, fig 60 (p 664)
Moornead to Medora	Ann 17, II, fig 59 (p 663)
	Mon xxv, fig 15 (p 358)
Ked River valley	Mon xxv, fig 2 (p 22),
ngs 3 and 4	(p 23), fig 5 (p 24), figs 32 and 33 (p 527)

(1201010 (1201010 (120101010).
Section, geologic, in North Dakota; Sheyenne River, across delta ofMon xxv,
fig 13 (p 316)
in North Dakota; Sims Station
various localities
Vermilion to Devils Lake
Wheatland, at and near
in Northwest Territory. (See under Canada, p 680.)
in Norway; Dokka Valley
Fugelberg, Lake Miösen and Ulven
in Nova Scotia. (See under Canada, p 680.)
in Ohio
Appalachian coal fields
Athens CountyBull 65, pp 66, 67, 133, fig 106 (p 133), p 134, fig 107 (p 104)
Belmont CountyBull 65, p 501, fig 20 (p 50), p 51, fig 22 (p 51), pp 67, 68
Cincinnati
Cleveland
Columbiana CountyBull 65, p 131, fig 102 (p 131), p 132, fig 103 (p 132)
Delaware
Findlay
Guernsey County
Hicksville
Hocking Valley Bull 65 p 168
Holmes County
• Huntington quadrangle
Ironton and vicinity
Jackson County
Jefferson CountyBull 65, pp 68, 104, fig 54 (p 104)
Lima
Lima district
Little Beaver River, mouth ofBull 65, p 130, fig 101 (p 130)
Mahoning CountyBull 65, p 191, fig 141 (p 191)
Meigs CountyBull 65, p 53, fig 26 (p 53), p 66
Monroe County
Morgan CountyBull 65, p 67
Muskingum CountyBull 65, p 132, fig 104 (p 132)
Nimishillen Creek, middle fork of
northeastern part
OberlinBull 58, p 47
Perry CountyBull 65, p 133, fig 105 (p 133), p 168
Sandusky, vicinity of
Scioto CountyBull 65, p 134, fig 108 (p 134), p 193, fig 147 (p 193)
Sidney
Stryker, vicinity of
Swanton, vicinity of
various localities
Washington County
p 291, fig 8 (p 29), p 52, fig 23 (p 52), p 192, fig 143 (p 192) western part
in Ontario. (See under Canada, p 680.)
in Oregon; Albino
Coos Bay coal field
Fossil Rock
Callahans to crest of Coast Range
Ilwaco, vicinity of

Bull. 177—01——45

TO THE TO TOBLETION OF C. S. GROLL COLVER, [STEERS
Section, geologic, in Oregon; Meares Point light-house, vicinity ofAnn 17, 1,
fig 10 (p 480)
in Oregon; Mist, vicinity of, left bank of Nehalem River. Ann 17, 1, fig 6 (p 470)
Nehalem River, below mouth of
Newport Point, vicinity of
Nye Beach Cliff
Portland HeightsAnn 17, 1, fig 15 (p 485)
Prosser mine
Roseburg quadrangleGF 49
in Pennsylvania
Allegheny CountyBull 65, p 73, fig 34 (p 73), p 112, fig 68 (p 112)
Appalachian coal fieldsBull 65, pl 2 (p 16), pl 3 (p 18)
Appalachian synclineTF 2, p 8
Armstrong County
p 107, fig 60 (p 107), p 108, figs 61 and 62 (p 108), p 110,
fig 65 (p 110), p 111, fig 66 (p 111), p 184, fig 126, (p 184)
Beaver CountyBull 65, p 112, fig 67 (p 112)
Beaver River and Conoquenessing Creek Bull 80, p 101
Bedford CountyBull 65, p 77, fig 38 (p 77), p 126, fig 91 (p 126), p 149
Black Spring Gap
Blair CountyBull 65, p 122, fig 85 (p 122)
Butler CountyBull 65, p 107, fig 59 (p 107)
Cambria CountyBull 65, p 118, fig 78 (p 118), p 119, fig 80
(p 119), p 120, fig 81 (p 120), p 122, fig 84 (p 122), p 149
Clarion CountyBull 65, p 105, figs 55 and 56 (p 105),
p 106, figs 57 and 58 (p 106), p 183, fig 125 (p 183)
Clearfield CountyBull 65, p 103, fig. 52 (p 103), p 123, figs 86
and 87 (p 123), p 124, fig 88 (p 124), p 183, fig 123 (p 183)
Conemaugh RiverBull 80, p 124
Conoquenessing Creek and Beaver RiverBull 80, p 101
East Stroudsburg to Pocono MountainBull 120, fig 1 (p 45)
eastern partBull 120, p 78
Elk CountyBull 65, p 104, fig 53 (p 104), p 182, fig 122 (p 182)
Emigsville through Red Lyon stationBull 134, pp 15–16
Fayette CountyBull 65, p 44,
fig 11 (p 44), p 74, fig 35 (p 74), p 86, fig 76 (p 116)
Fishing Creek Gap
Gap, vicinity of
Georgetown, vicinity of
Gold Mine Gap
Greene County
(p 23), p 24, fig 3 (p 24), p 45, fig 14 (p 45); Bull 80, p 116
Huntingdon CountyBull 65, p 125, figs 89
and 90 (p 125), p 185, fig 130 (p 185); Bull 80, pp 113-114
Indiana CountyBull 65, p 115, figs 73 and 74 (p 115)
Jefferson CountyBull 65, p 183, fig 124 (p 183)
Johnstown, vicinity of
Kittanning, vicinity ofBull 65, p 109, figs 63 and 64 (p 109)
Lincoln mining district
Little Beaver River, mouth of
Locust Mountain Gap
Lorberry Gap
Mahanoy and Panther Creek basins, showing thickness of Pottsville
conglomerate
The country and the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the c

warman, Section, Geologic (In Orlogn—South Carolina).
Section, geologic, in Pennsylvania; Monterey districtBull 136, pl 5 (p 24)
in Pennsylvania; Montgomery County
natural-gas district
Panther Creek and Mahanoy basins, showing thickness of Pottsville
conglomerate
Philadelphia
showing relations of glacial deposits
to Atlantic City, New JerseyBull 82, fig 2 (p 80)
Pittsburg
Pittsburg region
Pocono Mountain to East StroudburgBull 120, fig 1 (p 45)
Rausch Gap, Lebanon CountyAnn 20, 11, pl 187 (p 918)
Rausch Gap, Schuylkill CountyAnn 20, 11, pl 185 (p 918)
Selinsgrove, vicinity of
Sharp Mountain Gap
Somerset CountyBull 65, p 76, fig 37
(p 76), p 121, figs 82 and 83 (p 121), p 186, fig 131 (p 186)
Tioga CountyBull 65, p 102, fig 50 (p 102), p 103, fig 51 (p 103)
Washington
fig 40, (p 78), p 113, fig 69 (p 113), p 185, fig 129 (p 185)
Washington County
p 30, fig 10 (p 30), p 45, fig 13 (p 45), p 78, fig 41 (p 78)
Westmoreland CountyBull 65, pp 44, 68, 75, fig
36 (p 75), p 113, fig 70 (p 113), fig 70 (p 113), p 114, figs 71
and 72 (p 114), p 116, fig 75 (p 116), p 185, fig 128 (p 185)
Wilkesbarre
in Portugal
in Rhode Island Bull 86, p 377
Arnolds Mills
Barrington
Hunts Mills
Narragansett Basin
Pawtucket, vicinity of
Portsmouth, at and near
Providence
Riverside to Watchemocket Cove
Silver Spring station, vicinity of Mon xxxIII, p 166, figs 21 and 22 (p 167)
Watchemocket Cove to Riverside
in Russia, Jablovsk
Kursk, vicinity ofBull 46, p 113
Orel
in South Carolina
AikenBull 138, p 220
Barnwell County
Berkeley County
Charleston
Darlington
eastern part
Florence
Harpers and Potters LandingBull 84, p 78
Nixonville, vicinity of
Orangeburg
Port RoyalBull 138, p 217
Potters Landing and HarpersBull 84, p 78
Sineaths StationBull 138, p 215

TABLE TO TODDIOATIONS OF U. S. GEOL, SOUVEL, DOLLAR,	
Section, geologic, in South Dakota; Alexandria to Cherokee, IowaBull 15	8.
pl 25 (p 14)	
in South Dakota; Ancient Island, vicinity of	31
Andover	
Argyle, vicinity of	
Artesian, vicinity of	
Aurora County	
Bad Lands Bull 84, p 2	
Beadle CountyAnn 17, 11, pl 76 (p 62	
Beaver Canyon, north of Hot SpringsAnn 21, IV, fig 276 (p 51)	
Big Bend to Pipestone, MinnesotaBull 158, pl 24 (p 14	
Black Hills	
Blackhawk, vicinity of	
Chilson Creek, across divide between Red Canyon andAnn 1	
п, fig 119 (р 55	
Evans quarry	
French Creek, showing unconformity between Upper Cambrian	
sandstone and subjacent Archean rocks. Ann 10, 1, fig 54 (p 55	9)
Hay Creek region	
Matties Peak	
Minnekahta Canyon	
Minnekahta limestone, at surface of	
northern	82
Parkers PeakAnn 19, 11, p 5	58
spur east ofAnn 19, 11, p 5	57
Pine Ridge to	4)
Rapid Creek, showing Upper Cambrian sandstone, conglomerate	
at base and its unconformity with subjacent Archean	
schists	
Red Canyon, across divide between, and Chilson Creek Ann 1	9,
и, fig 119 (р 55-	
Red Valley, at Camp JenneyAnn 19, 11, fig 117 (p 53)	
on Amphibious Creek	
Sioux River to eastern portion of	
п, fig 50 (р 611); Ann 21, iv, р 565 (fig 28	9)
Black Hills region	3)
Black Hills uplift	
Blair	
Bonhomme CountyAnn 17, 1	
pl 93 (p 658); Ann 18, IV, fig 82 (p 587); WS 34, pl 7 (p 20	0)
Britton	
Brown County, northern half	
southern halfAnn 17, 11, pl 72 (p 610	
Brule County	
Buffalo CountyAnn 18, IV, fig 80 (p 573	3)
Buffalo GapAnn 21, IV, pp 522, 55	
Catholicon Springs Hotel	
ChamberlainBull 158, pl 26 (p 146	8)
Charles Mix County Ann 17 11, fig 56 (p 647); Ann 18, IV, pl 38 (p 570	
Cheyenne Falls	
Cheyenne RiverBull 84, p 20	
near Edgemont	
to White RiverBull 84, p 29	
Clark and Spink counties:	
Clay County	2)

Davison County	riesMon xxv, fig 8 (p Ann 17, 11, pl 87 (p 6
Day County	Ann 18, 1v, p
Do Smot	
Dewey County	Ann 18, IV, fig 83 (p 5
Douglas County	Ann 17, 11, pl 90, (p 6
eastern artesian hasin in east	ern North Dakota andAnn
Castelli, al testal basili ili cast	п, рі 71 (р б
Edgemont.	Ann 21, IV, fig 291 (p 568); fig 293 (p 5
	Ann 21, 1v, pl 66 (p 5
Egan vicinity of	Bull 158, p
Elmsnring	WS 34, I
Fairburn	Ann 18, v cont, p 1
	Ann 21, ıv, pl 66 (p 5
	Bull 158, ]
forty-ninth narallel	Bull 158, pl 24 (p 1
	Ann 21, rv, p
	ation, Black Horse Creek and Grand
	Bull 21, pl 3 (p
	Bull 21, pl 3 (p
	River
	Bull 21, pr 1 (p
	Ann 17, 11, pl 84 (p
Hat Mountain to Nameastle V	VyomingAnn 21, 1v, pl 66 (p.5
	Ann 21, 1V, pl 66 (p 5
Hot Springs	Ann 21, 1v, pp 511- Ann 21, 1v, p
	ningAnn 21, 1V, pl 66 (p 5
	Ann 17, 11, pl 91 (p 66
	7, pl 42 (p 584); WS 34, pl 6 (p 18), pl 7 (p
	Ann 17, 11, pl 77 (p
	Ann 17, 11, fig 55 (p 6
	Bull 158, p
	Bull 158, fig 19 (p
	Ann 17, 11, pl 83 (p 6
Medicine Butte to Luverne M	InnesotaBull 158, pl 24 (p 1
	Ann 17, 11, fig 54 (p 6
	Ann 17, 11, pl 82 (p 6
	Ann 21, 1v, p 524, fig 296 (p 5
	Bull 158, pl 25 (p 1
	y ofAnn 17, 11, fig 53 (p 6
Pine Ridge to Black Hills	Ann 19, 1v, fig 228 (p 7
Pleasant Valley to Clifton W	yomingAnn 21, 1v, pl 66 (p 5
	Ann 21, 1v, pl 66 (p 5
	Ann 18, IV, fig 78 (p 5
	Ann 18, 1v, fig 84 (p 5
Sanborn County Apr 17	, 11, pl 79 (p 630), pl 80 (p 632), pl 81 (p 6
Sioux City	Bull 158, pl 26 (p 1
Sioux Falls, at and near	Bull 158, p 84, fig 25 (p 102), fig 26 (p 1
Sioux River to eastern portion	of Black Hills
block three to eastern portion	11, fig 50 (p 611); Ann 21, 1v, fig 289 (p 5

Section, geologic, in South Dakota; Spink and Clark counties. Ann 17, 11, pl 74 (p 620)
in South Dakota; Spokane, 2 miles from
Spring Creek
to Hermosa
Spring Creek CanyonBull 81, p 348
Todd County
Turner County
Turtle RidgeBull 158, fig 3 (p 21)
various localities
Vermilion, at and nearBull 158, pp 74, 134
White River to Cheyenne RiverBull 84, p 291
Yankton County
in Spain, from Truxillo to LogrosanBull 46, fig 24 (p 54)
in Straits Settlements
in Sweden, Andrarum
Scania
in Switzerland; Alps, from St. Gothard massif southAnn 16, 1, pl 109 (p 624)
in Tennessee; Briceville quadrangleGF 33
Bristol quadrangleGF 59
Central Basin
Chattanooga quadrangle
Cleveland quadrangle
Estillville quadrangle
Greenville quadrangle
Kingston quadrangle GF 4
Knoxville quadrangleGF 16
Loudon quadrangle
McMinnville quadrangle
Maynardville quadrangle
Memphis
Morristown quadrangle
Pikeville quadrangle GF 21
phosphate district
Ringgold quadrangle GF 2
Scott County
Sewanee quadrangle GF 8
Standingstone quadrangle
Stevenson quadrangleGF 19
Swan Creek
various localities showing the relations of the Tennessee phosphate to
adjacent formations
showing variations in thickness of phosphate bed and its relations
to adjacent formations Ann 17, 11, pls 51 and 52 (p 522)
Wartburg quadrangleGF 40
in TexasBull 151, pl 35 (p 138); TF 3, p 2
Anacacho Mountains
Asphalt Falls
Aue, vicinity of
Austin, at and near
(p 236), pl 35 (p 246), pp 280, 281–282, 283, 284, pl 41 (p 286)
Barton Creek, mouth ofBull 84, fig 29 (p 173)
Bee Creek, mouth of
Bexar County
Black and Grand prairies (many)

	,
Section, g	geologic, in Texas; Burleson County
	exas; Burnet County
	Carrizo Springs, vicinity of
	Chispa, vicinity of
	Del Rio
	Denison, nearBull 151, pl 32 (p 132)
ŀ	Eagle Pass, at and near
_	24, 25, fig 3 (p 25), pp 26, 30, 57-59; Ann 18, 11, fig 62 (p 243)
1	Edwards County, canyons of the Nucces
1	Edwards and Uvalde counties, showing monoclinal fold
	ır, fig 66 (p 259)
	Edwards, Kinney, and Uvalde counties
	Edwards Plateau and Rio Grande Plain
	Fredericksburg, vicinity of
	Bull 164, pp 51-53; GF 64, p 2
	Gettysburg Peak
	Grand and Black prairies (many)
9	Grayson CountyBull 45, p 79
(	Guajolote ranch, at and near Bull 164, pp 39, 40
	Kerrville
1	Kinney County
-	fig 59 (p 237), fig 60 (p 238), fig 61 (p 240), p 241
	Kinney, Edwards, and Uvalde counties
	Leona and Nueces rivers, valleys of and highland between
-	fig 71 (p 275) Llano County
į. T	Liano County
	Lohmanns Crossing and Hickory Creek
	Manor
	Millsap, vicinity of
	Navarro County to Parker County
	Nucces quadrangle GF 42
1	Nucces RiverAnn 18, v, p 933; Bull 164, pp 47-49, 51, 62; GF 64, p 5 valleys of Leona River and
	Packsaddle Mountain
	Palafox, at and near
	showing Rio Grande terraces
ī	Parker County to Navarro County
	Rio Grande Plain, showing wells in gravel beds . Ann 18, 11, fig. 69 (p 274)
-	western portion
1	Rio Grande Plain and Edwards Plateau
	Rio Grande terraces between Del Rio and Laredo. Ann 18, 11, fig 63 (p 252)
	Salado CreekBull 164, p 28
ŝ	San Ambrosia Creek
	San Antonio and vicinityAnn 18, 11, pp 292, 293, pl 43 (p 294)
	San Carlos, vicinity ofBull 164, pp 76, 77, 78, 79–80, 81, pl 11 (p 84)
	San Marcos
	showing fault at springs Ann 18, 11, fig. 72 (p 308)
8	San Pedro Springs, vicinity of
	Santo Tomas, at and nearBull 164, pp 41–44, 63
. \$	Sierra San CarlosBull 82, fig. 7 (p 134)
	Fravis County
	showing displacement at Mount BonnelAnn 18, 11, fig. 76 (p 315)
	Furkey Creek         Bull 164, pp 32-33
Į	Upson, vicinity of

,
Section, geologic, in Virginia; Accomac CountyBull 138, p 173
in Virginia; Aquia CreekBull 83,
p 47; Bull 141, p 40, pl 4 (p 40); Bull 145, pp 93, 99
Back River, at North End PointBull 138, pp 171-172
Balcony FallsBull 81, pp 293, 294, 297, 298; Bull 134, p 31
Big Stone Gap coal fieldBull 111, passim
Bristol quadrangleGF 59
Brooke
Bullpasture Mountain
Carbon HillBull 85, p 39
Cherry Point, vicinity of
Chesterfield County
Clinch Valley
Cloverhill Mon 6, vi, p 9; Bull 85, p 40
Cockpit PointBull 145, p 106
Coles PointBull 84, p 56
Dismal Swamp
west of, showing inferred relation of Pliocene and post-Pliocene
strata
Dutch Gap Canal
eastern part
Fort Monroe
Franklin quadrangle
Gayton, showing relations of dike and sill to coke. Ann 19, 11, fig 112 (p 498)
Hanover County
Harpers Ferry quadrangle GF 10
Hazel Run, vicinity of
High Hill
James River
Jones Creek
Lancaster
Manakin, vicinity of
Midlothian
Midlothian district
Monterey
Nansemond, vicinity of, showing general relations of Nansemond
escarpment
Neabsco RunBull 145, p 101
New Kent CountyBull 138, p 174
Monterey quadrangleGF 61
Nomini quadrangleGF 23, p 1
Norfolk, vicinity ofBull 138, p 172
Pamunkey RiverBull 84, p 58
Pocahontas quadrangleGF 26
Potomac Church, vicinity of Bull 145, p 76
Potomac Creek
Potomac formationAnn 15, fig 3 (p 339), fig 4 (p 340), fig 5 (p 341)
Potomac River
Powells Run
Rappahannock RiverBull 84, p 57; Bull 138, p 175
Richmond
vicinity of, through bituminous coal fieldAnn 19, 11, fig 95 (p 447)
, , ,

Section, geologic, in Virginia; Richmond Basin
и, pl 25 (p 432); Ann 19, и, fig 94 (p 446)
in Virginia; Richmond Basin, showing structure of James River sectionAnn 19,
ıı, fig 102 (p 467)
Rockfish Gap
Shockoe Creek ValleyBull 84, pp 62-63
Springman, vicinity of, showing stratigraphic relations of Mount
Vernon clays
Staunton quadrangleGF 14
Suffolk, vicinity of, showing relations of fossiliferous sandsAnn 10, 1, fig 27 (p 316)
Surry County
Surry Country
Swift Creek, Turkey Branch
Tazewell quadrangle
various localities Bull 141, p 46
Virginia City, vicinity of
Warm Springs, vicinity of
Washington quadrangleGF 70
West Point region Bull 138, p 175
West Sappony Creek, showing unconformity Ann 19, 11, fig 91 (p 441)
Winterpock, at and near
Woodstock
in Wales; Nuns-Well Bay, St. Davids
in Washington; Carbon River CanyonAnn 18, 111, pl 62, 63, and 64 (p 426)
Columbia River
Cowlitz Valley
Garfield, vicinity of
Gilman mine
Green River, through McKay or Light Ash vein Ann 18, 111, fig 31 (p 419)
Horseheaven Plateau Bull 108, p 44
Naches and Wenas Valley Bull 108, pp 62–63
North Yakima, vicinity of Bull 108, p 54
Palouse
Panther Creek
Pasco
Pierce County, on South Prairie Creek
Wilkeson mine
Renton district
Satas CreekBull 108, p 44
Satas Ridge
Spokane, showing lava flow and lake beds
Snipes MountainBull 108, fig 8 (p 49)
Tacoma quadrangleGF 54
T. 11 N., R. 7 E., sec. 2
T. 12 N., R. 20 E., sec. 3
sec. 4
T. 13 N., R. 20 E., sec. 31 Bull 108, p 57
T. 14 N., R. 8 E., sec. 8
Wilkeson coal field
in West Virginia
Appalachian coal fields
Barbour County
Brooke CountyBull 65, p 190, fig 139 (p 190)
Brownstown, vicinity of
· · ·

		Bull 65, pp 66, 155
		GF 69, p 3
		MR 1883–84, p 92
		MR 1883–84, p 95
		Ann 14, 11, p 585
		Bull 65, p 203
		GF 69, p 4
		Ann 14, 11, p 582
Fayette Coun	yBull 65, pp 176, 197, fig	151 (p 197); MR 1893, opp p 405
		GF 32
Gilmer Count	y	Bull 65, p 53, fig 25 (p 53)
Greenbottom		GF 69, p 3
Guyandot Riv	er	GF 69, p 4
Harpers Ferr	quadrangle	GF 10
		Bull 65,
	p 49, fig 18 (p 49), p 129, fi	ig 98 (p 129), p 189, fig 137 (p 189)
Huntington v		65, p 84, fig 48 (p 84); GF 69, p 3
		GF 69
		49 (p 85), p 136, fig 111 (p 136),
ixanawna oot		.38, fig 113 (p 138), p 140, fig 115
		149 (p 195), p 196, fig 150 (p 196)
Vanana miaim		
		Bull 65, p 158
		Bull 65, p 153
		Bull 65, p 147, fig 121 (p 147)
		Bull 65, p 203
Marion Count		Bull 65, pp 37, 48,
		g 97 (p 129), p 189, fig 138 (p 189)
Marshall Cou		Bull 65,
	p 25, fig 4 (p 25), pp 26-2	7, fig 5 (p 26), p 51, fig 21 (p 51)
		Bull 65, p 54, figs 27 and 28 (p 54)
		p 198, fig 152 (p 198), pp 203, 204
Mineral Coun		11, fig 74 (p 580); Bull 65, p 126,
		93 (p 127), p 186, fig 132 (p 186)
Monongalia C		65, pp 38, 46, fig 15 (p 46), p 47,
		fig 42 (p 79), p 80, fig 43 (p 80)
		GF 61
		Bull 65, pp 53, 154
Parkersburg.	Bull 65, p 130, fig	99 (p 130), p 192, fig 144 (p 192)
		GF 28
Pocahontas qu	adrangle	GF 26
		65, pp 65, 81, fig 44 (p 81), p 117,
	fig 77 (p 117), pp 150, 167,	170, 188, figs 134 and 135 (p 188)
		and 30 (p 55), p 56, fig 31 (p 56)
Raleigh Count	у	Bull 65, p 142, fig 116 (p 142)
Randolph Cou	nty	Bull 65, p 151
		Bull 65, p 159
		Ann 14, 11, p 589
Steubenville.	Ohio, opposite	Bull 65, p 77, fig 39 (p 77)
Taylor Counts	Bull 65, p 128, fig	g 96 (p 128), p 189, fig 136 (p 189)
		GF 44, p 6
Thomas, vicin	ty of	Ann 14, 11, p 583, fig 75 (p 583)
	• • • • • • • • • • • • • • • • • • • •	Ann 14 tr n 588

·	
Section, geologic, in West Virginia; Tucker CountyBull 65, pp 65, 82	
fig 45 (p 82), p 127, fig 94 (p 127), p 187, fig 133 (p 187)	
in West Virginia; Twelvepole Creek	
Upshur County	
Wayne County	
Webster County	) `
Wetzel County	5
Winfield         GF 69, p 4           Wirt County         Bull 65	t
p 52, fig 24 (p 52), p 83, fig 47 (p 83), p 192, fig 145 (p 192)	
Wyoming County	
in WisconsinAnn 7, fig 67 (p.394); Ann 11, 1, p 332; Bull 81, pp 174-175, 336	
Ableman, vicinity of, showing contact of Huronian quartzite and Pots-	
dam sandstone Ann 7, fig 76 (p 404); Ann 10, r, fig 57 (p 560)	)
Baraboo Ranges	
Baraboo River, lower narrows	
upper narrowsAnn 7	,
fig 80 (p 407); Ann 12, 1, pl 44 (p 556), fig 2 (p 556)	)
showing unconformity between Potsdam sandstone and sub-	
jacent Huronian quartziteAnn 10, 1, pl 45 (p 560)	
Black River Falls, vicinity ofAnn 12, 1, pl 44 (p 556), fig 3 (p 556)	)
vicinity of, showing Potsdam sandstone resting on eroded surface	
of granite, gneiss, and ferruginous schist	,
fig 75 (p 403); Ann 10, 1, pl 45 (p 560)	
central partBuil 81, p 334	ł
Devils Lake, showing basal bowlder conglomerate of Potsdam sand- stone lying on layers of Huronian quartzite	
fig 77 (p 405)	
Douglas CountyMon v, fig 10 (p 253), fig 11 (p 255), fig 37 (p 442)	
eastern partBull 81, p 331	
showing eroded upper surface of lower Magnesian limestoneAnn 7	,
fig 66 (p 393)	
Lake Numakagon to Lake Agogebic, Michigan Mon v, pp 391-392	2
Laughing Whitefish RiverBull 81, p 337	7-
Madison, vicinity ofBull 81, p 332	2
Marquette and Menominee iron districts	
(p. 436); Ann 21, 111, pls 53, 54, 56, 57 (pp 372, 376, 394, 398)	
Milwaukee to Prairie du Chien	
Montreal River	
north-central part	
Penokee Gap	
Penokee Range	
Penokee region Ann 21, 111, pls 50, 54 (pp 342, 376); Mon XIII, pp 51-52	3
Point Bass, vicinity of, showing unconformity of Potsdam sandstone	
to Archean gneiss	
Portage Lake to St. Croix River	į
bearing series and older schists	١
showing basal conglomerate of Upper Huronian resting on green	,
schist of Archean	)
Prairie du Chien to Milwaukee	
St Croix River to Portage Lake	
St. Croix River region	

Section, geologic, in Wisconsin; St. Croix River region, showing Keweenaw
series and Potsdam sandstoneAnn 7,
fig·88 (p 413); Ann 10, 1, pl 45 (p 560)
in Wisconsin; Wisconsin River to Cap au Grès, IllinoisMon xxxvIII, fig 7 (p 554)
Wisconsin River to Mississippi River, IllinoisAnn 17, 11, fig 67 (p 787)
in Wyoming; Absaroka district
Alkali Butte
Beaver Canyon to Hot Springs, Wyoming
Black Hills
Barrett, vicinity of
Forks, vicinity of
Hay Creek, South Fork of
Hay Creek coal field
Hay Creek region
Minnekahta limestone, at surface of
Oak CreekAnn 19, 11, p 581
canyon of
Pine Creek, north side of
south side of
Rollins tunnel
Black Hills region Ann 21, 111, pp 178-182; 1v, pp 503-504, fig 288 (p 563)
Black Hills uplift
Buck Creek
Cambria
Cambria coal field
Camp Canyon
Clifton to Pleasant Valley, South DakotaAnn 21, IV, pl 66 (p 504)
Converse and Weston counties, Fox Hills escarpment
iv, fig 277 (p 537)
Jerome
Mount Zion ranch
Newcastle
to Hat Mountain, South Dakota
Niobrara River
Old Woman Creek
Rocky Mountains to Omaha, Nebraska
Pedro
Salt Creek
water-bearing strata and wells
Weston and Converse counties, Fox Hills escarpment
ıv, fig 277 (p 537) Whoopup
in Yellowstone Park
Abiathar Peak Mon xxxII, II, pp 213–214
Antler Peak
Bannock Peak
Berry Creek Canyon
Bighorn Pass Mon xxxII, II, pp 25–26
Cinnabar Mountain and Electric Peak
Crandall Basin
Crowfoot Ridge
Electric Peak
Electric Peak and Cinnabar Mountain
Excelsior Crater, wall of
Fan Creek Mon xxxii, ii, pp 48, 58
Fan Pass

	•		
Section	n, geologic, in Yellowstone Park;	Fawn Creek Valley	Mon xxxII. II. p 38
iñ	Yellowstone Park; Gallatin Ran	ze Mon xxxII II	nl 3 (n 12) nl 9 (n 50)
•••	Gray Peak, vicinity of	Source Kann, in	Mon vvvii ii n 46
	Indian Creek		Mon yyyu u n 21
	Joseph Peak		
	Little Quadrant Mountain	• • • • • • • • • • • • • • • • • • • •	Man man 20 07
	Manual II. In an	3.4	Mon xxxII, II, pp 36, 37
	Mount Holmes		ion xxxii, ii, pi 5 (p 18)
	Quadrant Mountain	· · · · · · · · · · · · · · · · · · ·	Mon xxxII, II, pp 34–35
	Snake River, vicinity of	•••••	Mon xxxII, II, p 156
	Snowy Mountain	• • • • • • • • • • • • • • • • • • • •	Mon xxxII, II, p 206
	Soda Butte Creek	• • • • • • • • • • • • • • • • • • • •	Mon xxxII, II, p 212
	Survey Peak		Mon xxx11, 11, p 160
	Three River Peak		Mon xxx11, 11, p 23
	n, thin. (See the various substan		
Sedim	entary rocks, assimilation of, by i	gneous magmas	Mon x11, pp 308-313
ch	emical deposits of Lake Lahontar		Mon xi, pp 188–222
ch	lorine in dolomite		Mon x11, p 279
co	ncretions in sandstone, origin of .	<b></b> .	Mon xIII, pp 64-68
co	rrelation of, nature of and work in	n	Ann 14, 1, pp 72–83
do	lomitic rocks, discussion of		
fle	xibility and frangibility of		. Ann 13, 11, pp 238–240
flc	w and fracture of rocks as related	to structure	Ann 16. 1. nn 845–874
in	duration of, by enlargement of mi	neral fragments	Bull 8 nn 13–17
	etamorphism of		
	Alabama, bauxite region		
. 01	Gadsden quadrangle		
	Stevenson quadrangle		CE 10 - 9
.5 of	Alaska Chandlan and Vandanlan		A == 91 == == 479 470
01	Alaska; Chandlar and Koyukuk	rivers A 01	
	Chitina River and Skolai Moun		
	Prince William Sound and Copy		
	Pyramid Harbor to Eagle City.		Ann 21,
		11, pp 357–360, 36	62, 363–364, 367, 368–373
	southwestern	Ann 20,	vн, pp 147–179, 234–238
	Sushitna Basin		Ann 20, vii, pp 14–17
	Yukon district		Ann 18, 111, pp 134–223
of	California; Bidwell Bar quadran	gle	GF 43, p 3
	Big Trees quadrangle		GF 51, p 34
	Coast Ranges	Mon xiii, pp 56-	139; Bull 84, pp 200–217
	Colfax quadrangle		GF 66, pp 1–3
	Downieville quadrangle		
	Franciscan series		Ann 15. pp 435–442
	Jackson quadrangle		GF 11, pp 3, 4–5
	Lassen Peak quadrangle	Ann 8. 1	np 403–425: GF 15. p.1
	Marysville quadrangle	,	GF 17. p.1
	Mother Lode district		GF 63 nn 1-3 5-7
	Nevada City and Grass Valley of		
	Nevada City, Grass Valley, and		
	Pyramid Peak quadrangle		
	Sacramento quadrangle		
	San Clemente Island		
	Sierra Nevada		
			3-549, 569, 594, 597-612,
3.1			1-2; GF 5, pp 1-2; GF
\$1.56 			pp 1-2; GF 37, pp 1-2;
	GF 39, pp 1-2;	GF 41, pp 1–2; GF 4	13, pp 1-2; GF 51, pp 1-2
	Smartsville quadrangle		GF 18, pp 3, 4-5
	Sonora quadrangle		GF 41, pp 3–4
	Truckee quadrangle		
	•	*	,

Sec	limentary rocks of Catoctin belt
13 <b>6</b> (	of chemical origin, description of, unalteredBull 150, pp 91–115
	of Colorado; Anthracite and Crested Butte quadranglesGF 9, pp 6–10
	Aspen district
	Denver Basin
	eastern
	Elmoro quadrangle
	La Plata quadrangle
	Leadville districtAnn 2, pp 215–226; Mon XII, pp 45–73, 276–281
	northwestern, and parts of Utah and WyomingAnn 9, pp 685-691
	Pikes Peak quadrangleGF 7, pp 1–2, 4
	Pueblo quadrangle
	Rico Mountains
	Spanish Peaks quadrangle
	Telluride district
	Tenmile district
	Walsenburg quadrangleGF 68, pp 1-3
	of Connecticut; Holyoke quadrangle
	of Georgia; bauxite region
	Ringgold quadrangle
	Stevenson quadrangle
	of glacial Lake Agassiz
	of Idaho
	Idaho Basin,
	of Illinois-Indiana; Danville quadrangle
	of Indian Territory; Eastern Choctaw coal field
	of Indiana; natural gas field
	of Iowa; northeastern
	of Kansas; Fort Riley Military ReservationBull 137, pp 16–28
	southwestern
	of Kentucky; Big Stone Gap coal fieldBull 111, pp 31–38
	Estillville quadrangle
	London quadrangle
	Richmond quadrangle
	of Lake Superior regionBull 86, pp 173–174
•	of Maryland; Chesapeake Bay, head of
	Fredericksburg quadrangle
	Harpers Ferry quadrangle
	Nomini quadrangleGF 23, pp 1-2
	Piedmont quadrangle
	Washington (D. C.) quadrangleGF 70, pp 3-5
	of Massachusetts; Holyoke quadrangle
	Marthas VineyardAnn 7, pp 325-343
	western Mon xxix, passim; GF 50, pp 1-3
	of mechanical origin, description of specimens of unaltered Bull 150, pp 56–91 $$
	of Michigan; Crystal Falls district
	111, pp 62, 70–73; Mon xxxvi, pp 152–153, 165–174
	Marquette district
	Penokee series
	of Minnesota; Keweenaw series
	of Mississippi Valley, driftless area of upper
	Fort Benton quadrangle
	Judith Mountains
	Little Belt Mountains
	Livingston quadrangleGF 1, p 2

(1)	GT 01
Sedimentary rocks of Montana; Three Forks quadrangle.	
of Nebraska; southeastern	WS 12, pp 15–24
west of 103d meridian	
of Nevada; Eureka district	
	pp 5–11; Mon xx, pp 34–98
Silver Peak quadrangle, Esmeralda formation	Ann 21, 11, pp 191–226 *
of New Jersey; Franklin white limestone, age of	Ann 18, 11, pp 425–457
of New York; eastern, and Vermont, western	Ann 19, 111, pp 177–192
of North Carolina; Knoxville quadrangle	
of Ohio.	
Huntington quadrangle	
of Oregon; northwestern	
Roseburg quadrangle	
of organic origin, description of specimens of unaltered	
of Plateau country	
of Rhode Island; Narragansett Basin. Mon xxxIII, p	
of South Dakota; Black Hills, northern	
Black Hills, southern part	Ann 21, iv, pp 505–549
southeastern portion of	WS 34, pp 11–22
of Tennessee; Briceville quadrangle	
Bristol quadrangle	
Chattanooga districtAnn 19,	
Cleveland quadrangle	
Estillville quadrangle	
Kingston quadrangle	GF 4, p 2
Knoxville quadrangle	GF 16, pp 2–5
Loudon quadrangle	GF 25, pp 2–4
McMinnville quadrangle	GF 22, p 1
Morristown quadrangle	
phosphate region	
Pikeville quadrangle	GF 21, p 2
Ringgold quadrangle	
Sewanee quadrangle	GF 8, p2
Standingstone quadrangle	GF 53, pp 2–3
Stevenson quadrangle	GF 19, p 2
Wartburg quadrangle	GF 40, pp 1–2
of Texas	
Black and Grand prairies	Ann 21, v11, pp 89–344
Edwards Plateau and Rio Grande Plain	
Nueces quadrangle	GF 42, pp 2–3
Rio Grande coal field	
Uvalde quadrangle	GF 64, pp 1–3
of Utah; Mercur district	Ann 16, 11, pp 370–377
Oquirrh Mountainsportions of Colorado, Wyoming, and	Ann 16, 11, pp 361–364
portions of Colorado, Wyoming, and	Ann 9, pp 685–691
Tintic district	
of Vermont, western, and New York, eastern	Ann 19, 111, pp 177–192
of Virginia; Big Stone Gap coal field	Bull 111, pp 31-38
Bristol quadrangle	GF 59, pp 2–4
Estillville quadrangle	GF 12, pp 2-3
Franklin quadrangle	GF 32, pp 2–4
Fredericksburg quadrangle	
Harpers Ferry quadrangle	GF 10, pp 2–3
Monterey quadrangle	GF 61, pp 2–5
Nomini quadrangle	UF 23, pp 1-2
Pocahontas quadrangle	GF 26, pp 2-3

Sedimentary rocks of Virginia; Richmond Basin
of Virginia; Staunton quadrangle
Tazewell quadrangle
of Washington; northern
Puget group, character and age of
southeastern
Tacoma quadrangle
of West Virginia; Buckhannon quadrangle
Franklin quadrangleGF 32, pp 2–4
Harpers Ferry quadrangleGF 10, p 1
Huntington quadrangleGF 69, pp 3-5
Monterey quadrangle
New and Kanawha rivers
Piedmont quadrangleGF 28, pp 2-4
Pocahontas quadrangle
Staunton quadrangleGF 14, p 2
Tazewell quadrangle
of Wisconsin; Keweenaw series
Penokee series
of Wyoming; Absaroka district
Black Hills, southern part
northwest
portions of Utah, Colorado, and
of Yellowstone ParkMon xxxII, II, pp 6-58, 149-214; GF 30, pp 1-2, 4-5
relations of
(See, also, Limestone; Marl; Quartzite; Sandstone; Tufa.)
Sedimentation. (See Deposition.)
Sediments of Lake Bonneville, chemical analyses of . Ann 2, p 177; Mon 1, pp 201-202
of Lake Lahontan
of Mono Lake (lacustral)
Seekonk beds of Narragansett Basin
Seepage, increase of water supply for irrigation by
Seepage, increase of water supply for irrigation by
Seepage, increase of water supply for irrigation by
Seepage, increase of water supply for irrigation by
Seepage, increase of water supply for irrigation by
Seepage, increase of water supply for irrigation by
Seepage, increase of water supply for irrigation by Ann 16, 11, pp 471–472 measurements of, in Arizona, near Phœnix Ann 21, 1v, pp 379–383 in Colorado, on Thompson Creek Ann 20, 1v, p 289 in Idaho, Boise Valley Ann 20, 1v, pp 484–488 in Montana, on Gallatin River Ann 19, 1v, pp 271–275 in Nebraska, on Frenchman River Bull 140, pp 347–348 on Kearney Canal Bull 140, pp 348–349
Seepage, increase of water supply for irrigation by
Seepage, increase of water supply for irrigation by Ann 16, 11, pp 471–472 measurements of, in Arizona, near Phœnix Ann 21, 1v, pp 379–383 in Colorado, on Thompson Creek Ann 20, 1v, p 289 in Idaho, Boise Valley Ann 20, 1v, pp 484–488 in Montana, on Gallatin River Ann 19, 1v, pp 271–275 in Nebraska, on Frenchman River Bull 140, pp 347–348 on Kearney Canal Bull 140, pp 348–349 in Washington, on Atanum Creek Ann 19, 1v, pp 469–473 on Gila River, Arizona Ann 21, 1v, pp 343–346
Seepage, increase of water supply for irrigation by Ann 16, 11, pp 471–472 measurements of, in Arizona, near Phœnix Ann 21, 1v, pp 379–383 in Colorado, on Thompson Creek Ann 20, 1v, p 289 in Idaho, Boise Valley Ann 20, 1v, pp 484–488 in Montana, on Gallatin River Ann 19, 1v, pp 271–275 in Nebraska, on Frenchman River Bull 140, pp 347–348 on Kearney Canal Bull 140, pp 348–349 in Washington, on Atanum Creek Ann 19, 1v, pp 469–473 on Gila River, Arizona Ann 21, 1v, pp 343–346 principles and conditions governing Ann 19, 11, pp 72–77
Seepage, increase of water supply for irrigation by Ann 16, 11, pp 471–472 measurements of, in Arizona, near Phœnix Ann 21, 1v, pp 379–383 in Colorado, on Thompson Creek Ann 20, 1v, p 289 in Idaho, Boise Valley Ann 20, 1v, pp 484–488 in Montana, on Gallatin River Ann 19, 1v, pp 271–275 in Nebraska, on Frenchman River Bull 140, pp 347–348 on Kearney Canal Bull 140, pp 348–349 in Washington, on Atanum Creek Ann 19, 1v, pp 469–473 on Gila River, Arizona Ann 21, 1v, pp 343–346 principles and conditions governing Ann 19, 11, pp 72–77 rate of, as shown by growth of rivers, etc Ann 19, 11, pp 250–256
Seepage, increase of water supply for irrigation by Ann 16, 11, pp 471–472 measurements of, in Arizona, near Phœnix Ann 21, 1v, pp 379–383 in Colorado, on Thompson Creek Ann 20, 1v, p 289 in Idaho, Boise Valley Ann 20, 1v, pp 484–488 in Montana, on Gallatin River Ann 19, 1v, pp 271–275 in Nebraska, on Frenchman River Bull 140, pp 347–348 on Kearney Canal Bull 140, pp 348–349 in Washington, on Atanum Creek Ann 19, 1v, pp 469–473 on Gila River, Arizona Ann 21, 1v, pp 343–346 principles and conditions governing Ann 19, 11, pp 72–77 rate of, as shown by growth of rivers, etc Ann 19, 11, pp 250–256 Seepage and evaporation as related to irrigation construction. Ann 13, 11, pp 152–155
Seepage, increase of water supply for irrigation by Ann 16, 11, pp 471–472 measurements of, in Arizona, near Phœnix Ann 21, 1v, pp 379–383 in Colorado, on Thompson Creek Ann 20, 1v, p 289 in Idaho, Boise Valley Ann 20, 1v, pp 484–488 in Montana, on Gallatin River Ann 19, 1v, pp 271–275 in Nebraska, on Frenchman River Bull 140, pp 347–348 on Kearney Canal Bull 140, pp 348–349 in Washington, on Atanum Creek Ann 19, 1v, pp 469–473 on Gila River, Arizona Ann 21, 1v, pp 343–346 principles and conditions governing Ann 19, 11, pp 72–77 rate of, as shown by growth of rivers, etc Ann 19, 11, pp 250–256 Seepage and evaporation as related to irrigation construction Ann 13, 11, pp 152–155 in California, near Fresno WS 18, pp 74–78
Seepage, increase of water supply for irrigation by       Ann 16, 11, pp 471-472         measurements of, in Arizona, near Phoenix       Ann 21, 1v, pp 379-383         in Colorado, on Thompson Creek       Ann 20, 1v, pp 289         in Idaho, Boise Valley       Ann 20, 1v, pp 484-488         in Montana, on Gallatin River       Ann 19, 1v, pp 271-275         in Nebraska, on Frenchman River       Bull 140, pp 347-348         on Kearney Canal       Bull 140, pp 348-349         in Washington, on Atanum Creek       Ann 19, 1v, pp 469-473         on Gila River, Arizona       Ann 21, 1v, pp 343-346         principles and conditions governing       Ann 19, 11, pp 72-77         rate of, as shown by growth of rivers, etc       Ann 19, 11, pp 250-256         Seepage and evaporation as related to irrigation construction       Ann 13, 11, pp 152-155         in California, near Fresno       WS 18, pp 74-78         in Nebraska, near Kearney       Ann 19, 1v, pp 336-337; Bull 140, p 349
Seepage, increase of water supply for irrigation by
Seepage, increase of water supply for irrigation by Ann 16, 11, pp 471–472 measurements of, in Arizona, near Phœnix Ann 21, 1v, pp 379–383 in Colorado, on Thompson Creek Ann 20, 1v, p 289 in Idaho, Boise Valley Ann 20, 1v, pp 484–488 in Montana, on Gallatin River Ann 19, 1v, pp 271–275 in Nebraska, on Frenchman River Bull 140, pp 347–348 on Kearney Canal Bull 140, pp 348–349 in Washington, on Atanum Creek Ann 19, 1v, pp 469–473 on Gila River, Arizona Ann 21, 1v, pp 343–346 principles and conditions governing Ann 19, 11, pp 72–77 rate of, as shown by growth of rivers, etc Ann 19, 11, pp 250–256 Seepage and evaporation as related to irrigation construction. Ann 13, 111, pp 152–155 in California, near Fresno WS 18, pp 74–78 in Nebraska, near Kearney Ann 19, 1v, pp 336–337; Bull 140, p 349 Seepage water in Utah Bull 140, pp 223–224; WS 7 Seepage waters, method of passage into drainage channels Ann 19, 11, pp 95–97
Seepage, increase of water supply for irrigation by Ann 16, 11, pp 471–472 measurements of, in Arizona, near Phœnix Ann 21, 1v, pp 379–383 in Colorado, on Thompson Creek Ann 20, 1v, p 289 in Idaho, Boise Valley Ann 20, 1v, pp 484–488 in Montana, on Gallatin River Ann 19, 1v, pp 271–275 in Nebraska, on Frenchman River Bull 140, pp 347–348 on Kearney Canal Bull 140, pp 348–349 in Washington, on Atanum Creek Ann 19, 1v, pp 469–473 on Gila River, Arizona Ann 21, 1v, pp 343–346 principles and conditions governing Ann 19, 11, pp 72–77 rate of, as shown by growth of rivers, etc Ann 19, 11, pp 250–256 Seepage and evaporation as related to irrigation construction Ann 13, 11, pp 152–155 in California, near Fresno WS 18, pp 74–78 in Nebraska, near Kearney Ann 19, 1v, pp 336–337; Bull 140, p 349 Seepage water in Utah Bull 140, pp 223–224; WS 7 Seepage waters, method of passage into drainage channels Ann 19, 11, pp 95–97 Segregation or differentiation in igneous rocks Ann 18, 111, pp 301–312
Seepage, increase of water supply for irrigation by Ann 16, 11, pp 471–472 measurements of, in Arizona, near Phœnix Ann 21, 1v, pp 379–383 in Colorado, on Thompson Creek Ann 20, 1v, p 289 in Idaho, Boise Valley Ann 20, 1v, pp 484–488 in Montana, on Gallatin River Ann 19, 1v, pp 271–275 in Nebraska, on Frenchman River Bull 140, pp 347–348 on Kearney Canal Bull 140, pp 348–349 in Washington, on Atanum Creek Ann 19, 1v, pp 469–473 on Gila River, Arizona Ann 21, 1v, pp 343–346 principles and conditions governing Ann 19, 11, pp 72–77 rate of, as shown by growth of rivers, etc Ann 19, 11, pp 250–256 Seepage and evaporation as related to irrigation construction. Ann 13, 11, pp 152–155 in California, near Fresno WS 18, pp 74–78 in Nebraska, near Kearney Ann 19, 1v, pp 336–337; Bull 140, p 349 Seepage water in Utah Bull 140, pp 223–224; WS 7 Seepage waters, method of passage into drainage channels Ann 19, 11, pp 95–97 Segregation or differentiation in igneous rocks Ann 18, 111, pp 301–312 Seismology. (See Earthquakes.)
Seepage, increase of water supply for irrigation by Ann 16, 11, pp 471–472 measurements of, in Arizona, near Phœnix Ann 21, 1v, pp 379–383 in Colorado, on Thompson Creek Ann 20, 1v, p 289 in Idaho, Boise Valley Ann 20, 1v, pp 484–488 in Montana, on Gallatin River Ann 19, 1v, pp 271–275 in Nebraska, on Frenchman River Bull 140, pp 347–348 on Kearney Canal Bull 140, pp 348–349 in Washington, on Atanum Creek Ann 19, 1v, pp 469–473 on Gila River, Arizona Ann 21, 1v, pp 343–346 principles and conditions governing Ann 19, 11, pp 72–77 rate of, as shown by growth of rivers, etc Ann 19, 11, pp 250–256 Seepage and evaporation as related to irrigation construction Ann 13, 11, pp 152–155 in California, near Fresno WS 18, pp 74–78 in Nebraska, near Kearney Ann 19, 1v, pp 336–337; Bull 140, p 349 Seepage water in Utah Bull 140, pp 223–224; WS 7 Seepage waters, method of passage into drainage channels Ann 19, 11, pp 95–97 Segregation or differentiation in igneous rocks Ann 18, 111, pp 301–312 Seismology. (See Earthquakes.)
Seepage, increase of water supply for irrigation by Ann 16, 11, pp 471–472 measurements of, in Arizona, near Phœnix Ann 21, 1v, pp 379–383 in Colorado, on Thompson Creek Ann 20, 1v, p 289 in Idaho, Boise Valley Ann 20, 1v, pp 484–488 in Montana, on Gallatin River Ann 19, 1v, pp 271–275 in Nebraska, on Frenchman River Bull 140, pp 347–348 on Kearney Canal Bull 140, pp 348–349 in Washington, on Atanum Creek Ann 19, 1v, pp 469–473 on Gila River, Arizona Ann 21, 1v, pp 343–346 principles and conditions governing Ann 19, 11, pp 72–77 rate of, as shown by growth of rivers, etc Ann 19, 11, pp 250–256 Seepage and evaporation as related to irrigation construction. Ann 13, 11, pp 152–155 in California, near Fresno WS 18, pp 74–78 in Nebraska, near Kearney Ann 19, 1v, pp 336–337; Bull 140, p 349 Seepage water in Utah Bull 140, pp 223–224; WS 7 Seepage waters, method of passage into drainage channels Ann 19, 11, pp 95–97 Segregation or differentiation in igneous rocks Ann 18, 111, pp 301–312 Seismology. (See Earthquakes.)  Sekiya (S.) and Kikuchi (Y.), eruption of Bandai-san Volcano, in Japan Ann 17, 1, pp 538–539
Seepage, increase of water supply for irrigation by
Seepage, increase of water supply for irrigation by Ann 16, 11, pp 471–472 measurements of, in Arizona, near Phœnix Ann 21, 1v, pp 379–383 in Colorado, on Thompson Creek Ann 20, 1v, p 289 in Idaho, Boise Valley Ann 20, 1v, pp 484–488 in Montana, on Gallatin River Ann 19, 1v, pp 271–275 in Nebraska, on Frenchman River Bull 140, pp 347–348 on Kearney Canal Bull 140, pp 348–349 in Washington, on Atanum Creek Ann 19, 1v, pp 469–473 on Gila River, Arizona Ann 21, 1v, pp 343–346 principles and conditions governing Ann 19, 11, pp 72–77 rate of, as shown by growth of rivers, etc Ann 19, 11, pp 250–256 Seepage and evaporation as related to irrigation construction. Ann 13, 11, pp 152–155 in California, near Fresno WS 18, pp 74–78 in Nebraska, near Kearney Ann 19, 1v, pp 336–337; Bull 140, p 349 Seepage water in Utah Bull 140, pp 223–224; WS 7 Seepage waters, method of passage into drainage channels Ann 19, 11, pp 95–97 Segregation or differentiation in igneous rocks Ann 18, 111, pp 301–312 Seismology. (See Earthquakes.)  Sekiya (S.) and Kikuchi (Y.), eruption of Bandai-san Volcano, in Japan Ann 17, 1, pp 538–539
Seepage, increase of water supply for irrigation by

Senonian, Laramie, and Eocene plants, table of distribution of, and discussion
thereof
Sepiolite, chemical constitution of Bull 125, p 74
Sepulchre Mountain, Yellowstone Park, volcanic rocks of Mon xxxII, II, pp 121-148
Sepulchre Mountain and Electric Peak, Yellowstone Park, eruptive rocks of. Ann 12,
I, pp 569-664
Sequoyah formation in Virginia and West Virginia
Sericite in Montana, Butte district
thin section showing metasomatic replacement of quartz in granodiorite of
California by calcite and
Sericite-chlorite-schist, thin sections of, from Massachusetts, Green Mountains
and Mount GreylockMon xxIII, pp 150, 152, 153
Sericite-gneiss of Massachusetts, western
Sericite-porphyry, thin section of, from Michigan, below Upper Quinnesec
FallsBull 62, pp 234-235
Sericite-schist, analyses of, from Maryland, Ladiesburg. Bull 148, p 90; Bull 168, p 50
analysis of, from Michigan, Marquette district
p 500; Bull 148, p 99; Bull 168, p 65
of Massachusetts, western
thin section of, from Massachusetts, Mount Greylock (albitic)
I, p 567; Mon xxIII, p 188
(See Phyllite.)
Sericitization, a kind of mineralogic metamorphismBull 62, pp 60-62
of rock in Colorado, Telluride district
Serpentine, analysis of, from California, Angel Island
analysis of, from California, Butte County
from California, Greenville
r, p 735; Bull 148, p 203; Bull 150, p 374; Bull 168, p 189
Mount Diablo
1, p 735; Bull 148, pp 226–227; Bull 168, pp 215, 216
New Idria and Sulphur Bank
pp 110, 111; Bull 148, p 223; Bull 168, p 212 San Francisco
San Francisco
from Colorado, Leadville district
from Maryland, Harford CountyMR 1889-90, p 400
from Massachusetts, Connecticut ValleyMon xxix, pp 88, 116, 760;
Bull 126, pp 151, 153; Bull 148, pp 72, 73; Bull 168, pp 28, 29
Hampshire County (pseudomorphs of)
Newburyport
2.0 (, 5 day possession 10 day p 25
from Michigan, IshpemingMR 1893, p 567
from Michigan, Ishpeming

	6177.00
Serpentine in California, Colfax quadrangle	
in California, Downieville quadrangle	
Jackson quadrangle	GF 11, p 4
Lassen Peak district	Ann 8, 1, p 405
Nevada City and Grass Valley districts. Ann 17, 11, pp	
Placerville quadrangle	
Sacramento quadrangle	
Sierra Nevada	
Smartsville quadrangle	
Sonora quadrangle	
in Colorado, Mosquito Range	
in Maryland, near Baltimore, origin of	Bull 28, pp 56-58
in Massachusetts, Holyoke quadrangle	GF 50, p 4
westernMon x	XIX. pp 54-56, 78-155
in New Jersey, Montville	
in Oregon, Roseburg quadrangle	
in Washington, northern	
microstructure of	
occurrence of	
origin of	Mon XIII, pp 117–126
pseudomorphic	Mon XIII, pp 123–126
thin section of, from southwestern Minnesota, derived from	m alteration of
saxonite	
Serpentine and serpentinization in California, especially in Coas	Danger Men were
pp 108–128, 251, 276–278, Serpentinization, character of	293, 311, 359, 457-458
Serpentinization, character of	Mon XIII, pp 120–127
Seven Devils, Idaho, copper deposits of	
Severn formation of MarylandAnn 12, 1,	
Sevier Lake, Utah, analyses of products and brine of	Mon 1, p 227
Sevier River, Utah, flow of, measurements of	Ann 11.
п, pp 105, 109; Ann 12, п, pp 342	
pp 97, 99; Ann 14, 11, pp 125–12	
hydrography of basin ofAnn 11, 11, pp 74–77, 105;	
profile of	
Sevier shale in Kentucky, North Carolina, Tennessee, Virginia,	
ginia	2; Gr 16, p 4; Gr 20,
p 3; GF 25, p 3; GF 26, p 2; GF 27, p 3;	
Sewage, analyses of, from Ohio, Canton	
disposal of, methods of	WS 3, pp 25
plants for, in America	
English and American, comparison of	WS 22, pp 13–15
purification of, at manufacturing establishments	WS 22, pp 22–26
at towns on Great Lakes, necessity of	
in United States	WS 3, p 98
utilization of, in France	WS 3, pp 92–98
in Germany	WS 3, pp 87-92
utilization and disposal of, bibliography of	WS 22, pp 89-98
Sewage farming in England	WS 3, pp 71–87
Sewage irrigation	WS 3; WS 22
Sewanee quadrangle, Tennessee, geology of	GF 8
Sewell formation in southern Appalachians, relation of, to Pott	svilleAnn 20,
	11, pp 816–817
in Virginia and West Virginia	
in West Virginia, along New-Kanawha River	Ann 17, 11, pp 494–497
Seybertite, chemical constitution of	Bull 125, p 47

```
Shale, analysis of, from Alabama, Cherokee County (middle Cambrian) .. Mon xxx,
                               p 14; Bull 148, p 282; Bull 168, p 283
  analysis of, from Arkansas, various localities (Carboniferous clay)......Ann 19,
                                               vi cont, p 470
     from California, Mount Diablo (Cretaceous) ......Bull 148,
                                  pp 285-286; Bull 168, pp 287-288
     from Colorado, Fairplay, Park County (calcareous) .......Bull 148,
                                         p 284; Bull 168, p 286
        Pueblo quadrangle .......Bull 148, p 284; Bull 168, p 286; GF 36, p 7
     from Georgia, Dug Gap ......Bull 148, p 282; Bull 150, p 90; Bull 168, p 283
     from Germany, Neurode (refractory)......Ann 19, vi cont, p 426
     from Kentucky, Elliott County ......Bull 32,
             pp 24–25; Bull 42, p 137; Bull 148, pp 92, 282; Bull 168, pp 57, 283
     Bowling Green, Fostoria, and Springfield (Utica) ......Ann 8, 11, p 556
        New Vienna (Utica) ..... Bull 60, p 160; Bull 148, p 283; Bull 168, p 284
  analysis, composite, of 27 samples of Cenozoic and Mesozoic.. Bull 168, pp 16-17
     description of the rock, as one of the educational series......Bull 150, pp 87-89
  spheroidal weathering in, from California, Dry Creek, description of, as
              one of the educational series of rocks......Bull 150, p 387
  thin section of, from Michigan, NE. 4 sec. 15, T. 47 N., R. 45 W. (argilla-
               Shale, carbonaceous, description of, as one of the educational series. Bull 150, pp 90-91
Shale, crumpled, from North Carolina Hot Springs, description of, as one of
              the educational series of rocks......Bull 150, pp 315-316
Shale, indurated jointed, from Massachusetts, Somerville, description of, as one
              of the educational series of rocks ......Bull 150, pp 313-315
Shaler (N. S.), fresh-water morasses of United States, with description of Dis-
              geology of Mount Desert, Maine......Ann 8, 11, pp 987-1061
  geology of road-building stones of Massachusetts, with some consideration
              of similar materials from other parts of United States.. Ann 16,
                                               и, рр 277–341
  introduction to Penrose's "Nature and origin of deposits of phosphate of
              lime'' ......Bull 46, pp 9–20
  peat deposits; origin, distribution, and commercial value. Ann 16, IV, pp 305-314
  preliminary report on geology of common roads of United States ...... Ann 15,
                                                 pp 255-306
  seacoast swamps of eastern United States ......Ann 6, pp 353-398
  work in charge of, 1884-1900......Ann 6, pp 18-22; Ann 7, pp 61-65;
                 Ann 8, 1, pp 125-128; Ann 9, pp 71-74; Ann 10, 1, pp 117-
                 119; Ann 11, 1, pp 62-64; Ann 12, 1, pp 66-67; Ann 13, 1,
                 pp 99-100; Ann 14, 1, pp 194-197; Ann 15, pp 160-162; Ann
                 16, I, pp 14-15; Ann 17, I, pp 18, 29; Ann 18, I, pp 22, 23;
                Ann 19, 1, pp 31, 36; Ann 20, 1, p 33; Ann 21, 1, pp 68-69
```

· · · · · · · · · · · · · · · · · · ·
Shaler (N. S.) and Woodworth (J. B.), geology of Richmond Basin, Virginia. Ann 19, 11, pp 385-515
Shaler (N. S.), Woodworth (J. B.), and Foerste (A. F.), geology of Narragansett Basin
Shaler (N. S.), Woodworth (J. B.), and Marbut (C. F.), glacial brick clays of Rhode Island and southeast Massachusetts. Ann 17, 1, pp 951–1004
Shark River formation of New Jersey
of New Jersey, correlation of
Sharon conglomerate in Ohio as a water bearer
Shasta formation or group of California
Bull 15, pp 18–32; Bull 82, pp 182–189, 241, 250, 255–257
Shasta, Mount, California, physiography of
topographic sketch of
Shawmut group of MassachusettsBull 86, p 368
Shear zones in Alaska, Yukon district
in New York-Vermont slate quarries
Sheavwits Plateau, Grand Canyon district, description of
pp 72, 126; Mon п, pp 10, 101
Sheets, intrusive, in Colorado, La Plata quadrangleGF 60, pp 7, 8-9
in Montana, Little Belt Mountains
ш, pp 323–325, 349–360, 379, 385–387; GF 56, p 4
(See, also, Dikes.)
Sheets, trap, in Triassic area of Connecticut
Shell, silicified, description of the rock, as one of the educational seriesBull 150,
pp 114–115
Shell and coral rocks, analyses of, from Florida, various localitiesBull 60,
p 162; Bull 148, pp 259–260; Bull 168, pp 255–257
analyses of, from Hawaiian Islands, various localitiesBull 148,
p 276; Bull 168, p 277
Shell Bluff group of Georgia, correlation ofAnn 18, 11, pp 341, 342; Bull 84, p 334
Shenandoah Basin, pollution and water powers inAnn 19, 1v, pp 136-139, 156-161
Shenandoah limestone in Catoctin belt
in Maryland, Tennessee, Virginia, and West VirginiaGF 10, p 3; GF 14,
pp 1, 2; GF 26, p 2; GF 32, p 2; GF 59, p 3; GF 61, p 2
Shenandoah River, flow of, measurements of Ann 18, IV, pp 25-28; Ann 19, IV, pp
150–151, 161–162; Ann 20, IV, pp 49, 123–128; Ann 21, IV, pp
96-97; Bull 131, p 89; Bull 140, pp 49-54; WS 11, p 10; WS
15, pp 17–19; WS 27, pp 19–20, 23–24, 25; WS 35, pp 86–97
profile of
Shepard (C. U.), description of emery mine at Chester, Hampden County,
Massachusetts
Sheridan quartzite of Wyoming
Sheridan sandstone of Maine
n, p 340; Bull 84, pp 40-43, 334
Shinarump conglomerate of Grand Canyon district, age of
twenty years of
Shoal Creek limestone of Texas. (See Buda limestone.)
Shonkinite, analysis of, from Montana, Bearpaw Mountains
III, p 484; Bull 148, p 157; Bull 168, p 136
analysis of, from Montana, Highwood Mountains
III. p 484: Mon xxxII. II. p 354
from Montana, Little Belt MountainsAnn 20, III, pp 484, 565, 567,
581; Mon xxxII, II, p 354; Bull 148, p 149; Bull 168, p 128
from Tyrol, Monzoni

Shonkinite in Montana, Fort Benton quadrangle
in Montana, Little Belt Mountains. Ann 20, 111, pp 318–319, 479–488; GF 56, p 3
Shoots, pay, of Nevada City and Grass Valley districts, CaliforniaAnn 17,
п, pp 159–163, 261
Shore features, formations, and phenomena Ann 2, pp 171-172; Ann 3, pp 204-
208; Ann 5, pp 69–123; Mon 1, pp 23–89; Mon x1, pp 87–99
Shore line of Great Basin, Paleozoic
of Marthas Vineyard, recent changes in
Shore lines of glacial Lake Agassiz
of Mount Desert, Maine
Shoshone quadrangle, Wyoming. (See Yellowstone Park.)
Shoshone Range, Wyoming, structure of
Shoshone River, flow of, measurements ofAnn 19, IV, pp 290-293; Ann 20, IV,
pp 53, 249; WS 15, p 76; WS 27, pp 73, 76; WS 36, p 212
Shoshonite, analysis of, from Yellowstone Park, various localitiesMon xxxII,
11, p 340; Bull 148, pp 126, 129; Bull 168, pp 100, 103
of Yellowstone Park
thin section of, from Yellowstone Park
Shumagin Islands, Alaska, coal on
Shuswap series of Canada
Shutt (G. W.), work in charge of, 1883–1887
Ann 6, p 93; Ann 7, pp 135–136; Ann 8, 1, pp 201–202
Siam, ruby in, occurrence of
tin production of
Siamo slate, petrographic character, relations, etc., ofAnn 15, pp 554-561; Ann 19,
ш, pp 16, 17; Mon ххvш, pp 313-328; Mon хххvі, pp ххv, 451
Siberia, fossil plants of, literature of
quicksilver deposits of
Sicily, asphaltum from, statistics of
sulphur from, statistics ofMR 1891, p 570; MR 1892, pp 789–790; Ann
16, IV, pp 642-643; Ann 17, III cont, pp 967-972; Ann 18, V
cont, pp 1255-1258; Ann 19, vi cont, pp 561-562, 568-571;
Ann 20, vi cont, pp 645-649; Ann 21, vi cont, pp 506-509
Siderite, cherty, from Lake Superior iron-ore districts
Mon xix, pp 490, 498, 500; Mon xxviii, pp 337, 340, 366–368
Siderite slate of Michigan, Crystal Falls district
пі, pp 38, 71; Mon xxxvi, pp 62–63, 168
Siebenthal (C. E.), the Bedford oölitic limestoneAnn 19, v1 cont, pp 292–296
Siebenthal (C. E.) and Hopkins (T. C.), the Bedford oölitic limestoneAnn 18,
v cont, pp 1050–1059
Sienna, analysis of, from Massachusetts, East Whately
statistics of
17, III cont, pp 1012, 1013, 1014; Ann 18, v cont, pp 1337,
1338, 1339; Ann 19, vi cont, pp 635, 637, 638, 640; Ann
20, v1 cont, pp 721–724, 726; Ann 21, v1 cont, pp 571–575, 578
Sierra, the high, in California, description of
Sierra Nevada, age and formation of
geology of, contributions to
lava flows ofBull 89
rocks of
rocks and history of
pp 1–2; GF 18, pp 1–2; GF 31, pp 1–2; GF 37, pp 1–2; GF
39, pp 1–2; GF 41, pp 1–2; GF 43, pp 1–2; GF 51, pp 1–2
structure of
(See, also, California; Nevada.)

Sierra Nevada, Coast, and Cascade ranges, relation of Bull 19, p 20; Bull 33, pp 19-20
Sigillariæ of Missouri, CarboniferousMon xxxvII, pp 230-247; Bull 98, pp 103-104
Silica, source of, in ferruginous cherts
Silica and alkali determinations in eruptive rocks
Silicate, analysis of, from California, Santa Clara CountyBull 78, p 80
Silicates, alkalies in, estimation of
alkaline reaction of some natural
alkamine Teachor of South Institute 1997 1997 1997 1997 1997 1997 1997 199
chemical structure of the natural
constitution ofBull 125
the natural, experiments uponBull 78, pp 11–33
fusibility of
solubility in water of certain natural
Siliceous oolite from Pennsylvania, Center County, description of, as one of
the educational series of rocksBull 150, pp 95–97
Siliceous sinter, deposition of, rate of
formation of, by vegetation of hot springs
from Yellowstone Park, description of, as one of the educational series. Bull 150,
pp 91–93
nature of
of New Zealand
of Yellowstone Park
origin of
Silicic acid, action of phosphorus oxychloride on the ethers and chlorhy-
drines ofBull 90, pp 47–55
Silicification
in Colorado, Aspen district
processes producing
Silicified shell, description of the rock, as one of the educational seriesBull 150,
pp 114–115
Silicified wood, description of the rock, as one of the educational seriesBull 150,
pp 113–114
Silicon, use of, in making steel Bull 25, pp 13, 67–68
Sillimanite, chemical constitution of
Sills in Black Hills
(See, also, Laccoliths.)
Sills and flows, distinctive features, etc., of
Silt, analyses of, from Illinois, Galatia, Greenup, and Moweaqua (Iowan)GF 67, p 5
Sit, analyses of, from Timios, Galatia, Greenup, and Moweaqua (Towan)Gr 67, p.5
analyses of, from Indiana, Terre Haute
carried by Gila River, Arizona
Silt and sedimentation as related to irrigation
Silting in Texas, Lake McDonald
Silurian faunas; fishes of Upper Silurian
of Maine
of Nevada, Eureka district
pp 49–54, 59–60; Mon xx, pp 49–54, 59–62, 191–192
Silurian fossils of Nevada, Eureka District
Silurian fossils of Nevada, Eureka District
Mon viii, pp 65-98, 270-273; Mon xx, pp 322-325
Mon viii, pp 65–98, 270–273; Mon xx, pp 322–325 paleontology of Alaska, notes on
Mon VIII, pp 65–98, 270–273; Mon xx, pp 322–325 paleontology of Alaska, notes on
Mon VIII, pp 65–98, 270–273; Mon xx, pp 322–325 paleontology of Alaska, notes on
Mon VIII, pp 65–98, 270–273; Mon xx, pp 322–325 paleontology of Alaska, notes on
Mon VIII, pp 65–98, 270–273; Mon xx, pp 322–325 paleontology of Alaska, notes on
Mon VIII, pp 65–98, 270–273; Mon xx, pp 322–325 paleontology of Alaska, notes on
Mon VIII, pp 65–98, 270–273; Mon xx, pp 322–325 paleontology of Alaska, notes on

Silı	ırian rocks; Bays limestone of Tennessee
	Bays sandstone of North Carolina, Virginia, and Tennessee
	p 2; GF 16, p 4; GF 25, p 4; GF 26,
	p 2; GF 27, p 3; GF 44, p 3; GF 59, p 4
	Bellowspipe limestone of Massachusetts, Mount GreylockMon xxIII,
	pp 184–186, 190
	Berkshire schist of Massachusetts, Mount GreylockMon xxIII, pp 182-184, 190
	of New York
	of New York-Vermont
	bituminous deposits in
	Cacapon sandstone of Virginia and West Virginia
	p 2; GF 32, p 3; GF 61, p 3; Calciferous rocks of New York-Vermont
	Calciferous rocks of New York-VermontAnn 19, 111, p 185
	Chapman sandstone of MaineBull 165, pp 78–88, 133–134
	Chester amphibolite of Massachusetts and Connecticut
	Chester amphibolite and serpentines of Massachusetts, westernMon xxix,
	pp 78–155
	Chickamauga limestone of Alabama, Georgia, North Carolina, Tennessee,
	Virginia, and West VirginiaGF 2, p 1; GF 4, p 2; GF 6, p 1;
	GF 8, p 2; GF 12, p 2; GF 16, p 4; GF 19, p 2; GF 20, pp
	2-3; GF 21, p 2; GF 22, p 2; GF 25, p 3; GF 26, p 2; GF
	27, p 2; GF 33, p 2; GF 35, p 2; GF 44, p 2; GF 59, p 3
	Cincinnati group, oil in
	of Indiana
	Clinch sandstone of North Carolina, Tennessee, Virginia, and West Vir-
	ginia
	GF 25, p 4; GF 26, p 2; GF 27, p 3; GF 44, p 3; GF 59, p 4
	Clinton formation of Indiana
	Clinton and Niagara formations of Michigan
	Clinton group of Ohio
	of Ohio as a water carrier
	Clinton series of New York Bull 150, p 138
	Conway schist of Massachusetts and Connecticut
	pp 183–201, 222–225; GF 50, pp 2, 5
	Dundee limestone (Upper Helderberg) of Michigan
	enlargements inBull 8, pp 41–42
	Eureka quartzite of Nevada, Eureka district
	pp 253, 262; Mon vii, p 8; Mon xix, pp 54–57
	pp 200, 202, mon vii, p o, mon xix, pp 04-07
	Flanagan chert of Kentucky
	Fremont limestone of Colorado
	Galena limestone of Illinois, thickness, etc., of Ann 17, 11, pp 835–836
	of Iowa
	Garrard sandstone of KentuckyGF 46, p 2
	Giles formation of Virginia and West Virginia
	Goshen schist of Massachusetts and Connecticut
	pp 177–183; GF 50, pp 2, 5
	Greylock schist of Massachusetts, Mount GreylockMon xxIII, pp 186-188, 190
	Grizzly formation of California
	Hancock limestone of Virginia and Tennessee. GF 12, p 2; GF 27, p 3; GF 59, p 4
	Harding sandstone of Colorado
	Hardwick gneiss or granite of Massachusetts, westernMon xxix, pp 239-241
	Hawley schist of Massachusetts and Connecticut
	pp 163–171; GF 50, pp 2,5
	Hermansville limestone of Michigan, Menominee districtGF 62, p 11
	itermansvine innesione of michigan, menominee districtGr 62, p 11

Silu	rian rocks; Highbridge limestone of KentuckyGF 46, p 2
	Hoosac schist of Massachusetts and Connecticut
	Mon xxix, pp 66-75; Bull 159, pp 81-83; GF 50, pp 1-2, 4
	Hudson grits of New York-Vermont
	Hudson red and green slate of New York-VermontAnn 19, 111, p 189
	Hudson River shale in Illinois, thickness, etc, of Ann 17, 11, pp 834-835
	in Indiana
	in Michigan
	in New York
	in New York-Vermont
	in Ohio as a water carrier
	Hudson thin quartzites in New York-Vermont
	Hudson white beds in New York-Vermont
	Jefferson limestone in Montana, description and sections of
	ш, pp 287–289, 329, 339, 363, 368
	in Wyoming
	in Yellowstone ParkMon xxxII, II, pp 7-8, 22, 26, 58, 153, 206, 212, 213
	Juniata formation of Maryland, Virginia, and West VirginiaGF 28, p 2;
	GF 32, p 2; GF 61, p 3
	Knox dolomite of Alabama, Georgia, Kentucky, North Carolina, Ten-
	nessee, Virginia, and West Virginia
	4, p 2; GF 6, p 1; GF 8, p 2; GF 12, p 2; GF 16, p 4;
	GF 19, p 2; GF 20, p 2; GF 21, p 2; GF 25, p 3; GF
	27, p 2; GF 33, p 2; GF 35, p 2; GF 44, p 2; GF 59, p 3
	Lake Superior sandstone of Michigan, Menominee districtGF 62, p 11
	Lewistown limestone in Maryland, Virginia, and West VirginiaGF 14,
	pp 1, 2; GF 28, pp 2–3; GF 32, p 3; GF 61, p 4
	Lexington limestone of Kentucky
	Leyden argillite of Massachusetts and Connecticut
	pp 201–210; GF 50, pp 3, 5
	Lockport [Niagara] limestone of Iowa
·	(See, also, Niagara.)
	Lone Mountain limestone of Nevada, Eureka district
	pp 253, 262–263; Mon XIX, pp 57–60  Lower Helderberg series in Indiana
	Lower rielderberg series in Indiana
•	in Ohio
	Lower Magnesian limestone in Illinois, thickness, etc., of
	in Indiana
	Manitou limestone of Colorado
	Maquoketa shale of Iowa
	Martinsburg shale in Catoctin belt
	in Virginia and West VirginiaGF 14, p 2; GF 32, p 2; GF 61, p 2
	Massanutten sandstone in Catoctin belt
	in Virginia and West VirginiaGF 14, p 2
	Medina shale in IndianaAnn 11, 1, pp 631-632
-	in Ohio
	as a water carrier
	Moccasin limestone of Tennessee, Virginia, and West VirginiaGF 12,
	p 2; GF 26, p 2; GF 29, p 2; GF 44, p 2; GF 59, p 3
	Monarch formation of Montana
	Monclova sandstone of Ohio, age of
	Monroe and Salina beds (Lower Helderberg) of MichiganWS 30, pp 88–89
	Niagara group of Ohio
	Niagara limestone. (See Lockport limestone.)

	• .
Silurian rocks; Niagara series of Ohio as a water ca	
	iv, pp 643–644, 656–664
Nikolai greenstone of Alaska	
Normandy limestone of Tennessee	GF 53, p 2
of Alabama, Gadsden quadrangle	GF 35, p 2
Stevenson quadrangle	GF 19, p 2
of any State. (See, also, formation names und	
of Colorado, Aspen district	Mon xxxı, pp 9–13
Denver Basin	Mon xxvII, pp 15–16
Leadville district	
Mosquito Range	
Pikes Peak quadrangle	
of Georgia, Ringgold quadrangle	
Stevenson quadrangle	GF 19, p 2
of glacial Lake Agassiz	
of Iowa, northeastern	
of Kentucky, Richmond quadrangle	
of Lake Superior regionAnn 3	3, pp 147–155; Bull 81, pp 191–194
of Massachusetts, westernMo	n xxix, pp 66–176; GF 50, pp 1–2
of Missouri region, upper	Ann 6, pp 50–51
of MontanaBul	
of Nevada, Eureka districtAnn	
of South Dakota, Black Hills, northern	
of Tennessee, Briceville quadrangle	
Bristol quadrangle	GF 59, pp 3–4
Chattanooga quadrangle	GF 6, p 1
Cleveland quadrangle	
Estillville quadrangle	
Kingston quadrangle	
Knoxville quadrangle	
Loudon quadrangle	GF 25, pp 3-4
McMinnville quadrangle	
Morristown quadrangle	GF 27, pp 2–3
phosphate region	
Pikeville quadrangle	
Ringgold quadrangle	
Sewanee quadrangle	
Stevenson quadrangle	GF 19, p 2
of TexasAnn 21, vi	1, pp 90–91; Bull 45, pp 55–56, 87
of Virginia, Bristol quadrangle	
Estillville quadrangle	GF 12, p 2
Franklin quadrangle	
Monterey quadrangle	
Pocahontas quadrangle	
Staunton quadrangle	GF 44 nn 9 2
Tazewell quadrangleof West Virginia, Franklin quadrangle	GF 32 nn 2-3
Monterey quadrangle	GF 61 nn 2-3
Piedmont quadrangle	
Staunton quadrangle	
of Wyoming	
of Yellowstone ParkMon xxxII, II, pp	p 7–8, passim, 213; GF 30, pp 1, 4
Oneota limestone of Iowa	Ann 11, 1, pp 331–333
Onondaga series of Ohio as a water carrier	Ann 19, IV, pp 644–646, 664–682
Ordovician rocks in Texas	Ann 21, vii, p 90

Silurian rocks; Ordovician and Cambrian, relations of, in New York-Vermont
slate beltAnn 19, 111, pp 290–297
Panola formation of Kentucky
Parting quartzite of Colorado, Leadville district
pp 216, 218; Mon x11, pp 61-62
Pogonip limestone of Nevada, age, character, thickness, etc., of
pp 253, 260–262; Mon xix, pp 48–54
Quebec group of Canada
of Idaho
of Utah, reference to
of Wyoming
Rensselaer grit of New York
Richmond shales of Kentucky
Rockwood formation of Alabama,, Georgia, Maryland, Tennessee, Vir-
ginia, and West VirginiaGF 2
p 1; GF 4, p 2; GF 6, p 1; GF 8, p 2; GF 12, p 2; GF 14
pp 1, 2; GF 19, p 2; GF 20, p 3; GF 21, p 2; GF 25, p
4; GF 26, p 2; GF 27, p 3; GF 28, p 2; GF 32, p 3; GF
33, p 2; GF 35, p 2; GF 44, p 3; GF 59, p 4; GF 61, pp 3-4
Rowe schist of Connecticut and Massachusetts
pp 76–78; Bull 159, p 84; GF 50, pp 2,
St. Peter sandstone of Illinois, altitude, thickness, etc., of
11, pp 794–795, 837–836
of Indiana
of Iowa
Salina and Monroe beds of Michigan
Salma and Monroe beds of Michigan
Sault Ste. Marie sandstone
Savoy schist of Massachusetts and Connecticut
pp 156–163, 220–221; GF 50, p 2
Sevier shale of Tennessee, Virginia, and West Virginia
p 2; GF 16, p 4; GF 20, p 3; GF 25, p 3; GF
26, p 2; GF 27, p 3; GF 44, p 3; GF 59, p 3
Shenandoah limestone of Catoctin belt
of Tennessee, Virginia, and West Virginia
pp 1, 2; GF 26, p 2; GF 32, p 2; GF 59, p 3; GF 61, p 2
Sheridan sandstone of MaineBull 165, pp 47–49, 132–133
Stockbridge limestone of Massachusetts
64, 181–182, 190; Bull 86, p 365, passim; Bull 159, pp 84–85
of New York
Sylvania sandstone of Ohio, age of
Tellico sandstone of Tennessee and VirginiaGF 16
p 4; GF 20, p 3; GF 25, p 3; GF 27, p 3; GF 59, p 4
Three Forks shales of Montana, description and sections of
п, pp 289, 329, 363
Trenton limestone in Illinois, thickness, etc., of
in Indiana
as a source of petroleum and inflammable gas Ann 8, 11, pp 475-662
in Iowa
in MichiganWS 30, p 90
in New York-VermontAnn 19, 111, pp 190
in Ohio as a source of petroleum and inflammable gas. Ann 8, 11, pp 475-662
as a water carrier
Tuscarora quartzite of Maryland, Virginia, and West Virginia
p 2; GF 32, p 2; GF 61, p 8

Silurian rocks; Uinta sandstone of Colorado, northwesternAnn 9, pp 687-688
Ute limestone of Colorado, age, character, and thickness ofAnn 2, p 217
Utica shale of Indiana
of Michigan
of Ohio
Waterlime formation of IndianaAnn 8, 11, p 633; Ann 11, 1, pp 633-634
of Ohio
White limestone of Colorado, LeadvilleAnn 2, pp 216, 218; Mon XII, pp 60–61
Winchester limestone of KentuckyGF 46, p 2
Yule limestone of Colorado
(See, also, Paleozoic.)
Siluro-Devonian rocks of Montana, Judith Mountains Ann 18, 111, pp 459, 468–470
of Montana, Little Belt Mountains
Silver, discovery of, in western United States
in California, Nevada City and Grass Valley districts Ann 17, 11, pp 27, 262
in Colorado, discovery of
La Plata quadrangle
in country rocks, determination of
in eruptive rocks
in Idaho, Boise Mountains
Boise quadrangle
in Montana, Butte district
Castle Mountain districtBull 139, pp 150–156
Fort Benton quadrangleGF 55, p 6
Neihart district
Three Forks quadrangle
in Nevada, Comstock lode
in Philippine Islands
in Texas, Uvalde quadrangle
in Utah, Mercur district
Tintic district, production of
quantitative determination of, by means of microscopeAnn 6, pp 323-352
Silver and gold, conversion tables of
in United States, production of, since 1792MR 1888, p 38; MR 1891, pp 74-75
statistics of
1882, pp 172–185; MR 1883–84, pp 312–321; MR 1885, pp
200–207; MR 1886, pp 104–108; MR 1887, pp 58–65; MR
1888, pp 36-42; MR 1889-90, pp 48-55; MR 1891, pp 74-80;
MR 1892, pp 46–94; MR 1893, pp 50–61; Ann 16, III, p 258;
Ann 17, 111, pp 72–79; Ann 18, v, pp 141–151; Ann 19, vi,
pp 127–135; Ann 20, vi, pp 103–111; Ann 21, vi, pp 120–127
(See, also, Precious metals.)
Silver and gold districts of Idaho Ann 16, 11, pp 250–274; Ann 20, 111, pp 65–256
Silver, colloidal, contribution to knowledge of
Silver-gold veins of California, Ophir
Silver-gold verils of Camorina, Opini
Silver, hydrosol of, preparation of Bull 113, pp 99–101
Silver-lead deposits of Colorado, Leadville district
of Idaho
of Montana, Neihart district
of Nevada, EurekaMon vii
Silver minerals in Colorado, Cripple Creek district
in Utah, Tintic district
Silver ore, analysis of, from Colorado, Cripple Creek districtAnn 16, 11, p 124
analysis of, from Colorado, various (manganiferous) Ann 18, v, pp 302–303
from Montana (manganiferous)Ann 16, 111, p 418; MR 1893, p 131
of Utah, Mercur district, occurrence, nature and genesis of. Ann 16, 11, pp 383–402
, pp 000 102

Silver salts, analyses of
indirect estimation of chlorine, bromine, and iodine by electrolysis of
their, with experiments on convertibility of silver salts
by action of alkaline haloids
Silver City, De Lamar, and other mining districts of Idaho, gold and silver
veins of
Silver Cliff and Rosita districts, Colorado, mines and mining in
п, pp 405-472
Silver Cliff and Rosita Hills, Colorado, geology of
Silverheels porphyrite in Colorado, Leadville district, petrography ofMon xII,
pp 342–343
Silverheels porphyry in Colorado, Leadville district
Silveria formation and other silt deposits
Similkameen formation. (See Methow formation.)
Simmons Bluff beds of South Carolina, correlation of
Singkep, Eastern Archipelago, tin deposits of . Ann 16, 111, p 492; Ann 17, 111, p 242
Sinter, analysis of, from Australia, QueenslandBull 90, p 74; Bull 168, p 251
analysis of, from Colorado, Geyser mine
from Nevada, Steamboat Springs
from New Zealand
from Yellowstone Park
of Nevada, Steamboat Springs
Sinter, algous
Sinter, dendriticMon xIII, po 266–268
Sinter, moss
Sinter, siliceous, deposition of, rate of
formation of, by vegetation of hot springs
from Yellowstone Park, description of, as one of the educational series of
rocksBull 150, pp 91–93
nature and origin of
of New Zealand
of Yellowstone Park
Sioux quartzite of Lake Superior regionBull 86, pp 186–187, 194
of South Dakota
Sioux Reservation, lignites of Bull 21
Siphon elevators in irrigation
Skolai Pass, Alaska, trail by way of
Skolai Range, Alaska, topography, structure, etc., of
Skwentna River, Alaska, reconnaissance along
Skwentna series of pre-Tertiary rocks, Alaska
Slag, analysis of (argentiferous lead)
(blue metal)
from Colorado
from Germany
from India
from Malay Peninsula (tin)
from Michigan, Hancock
from Montana (reverberatory ore furnace)Bull 26, p 48; MR 1883–84, p 388
from Nevada, Eureka
from New York, Laurel Hill
from North Carolina, Ore Knob
from Norway, KaafiordBull 26, pp 48, 59, 70
nom norway, manora

Slag, analysis of, from Tasmania, Mount Bischoff (tin)
analysis of, from Utah, Horn Silver Works
from Vermont, South StraffordBull 26, p 79
from Wales
(ore cupola)Bull 26, p 94
analysis and composition of, from Colorado, LeadvilleMon x11, pp 698-709
utilization of blast-furnace
Slags, lead, statistics of
Slate, analysis of, from Austria, Silesia (bluish roofing)
111, p 261; Ann 20, vi cont, pp 322, 452
analysis of, from California, Yaqui GulchBull 150, p 342
from Canada, OntarioBull 42, p 139
from England, Cornwall (gray roofing)
HI, p 261; Ann 20, vI cont, pp 322, 452 from France, Ardennes (roofing)
ш, р 261; Ann 20, vi cont, pp 322, 452
from Georgia, Polk CountyAnn 18, v cont, p 998; Ann 20, vi cont, p 376
from Germany, Westphalia (black roofing)
111, p 261; Ann 20, vi cont, pp 322, 452
from Maine, Bangor (roofing)
Monson
from Maryland, Harford County (Peach Bottom)Ann 20, vi cont, p 399
from Massachusetts, Worcester County
from Michigan, Ishpeming and Negaunee (sideritic)
Mansfield
from Minnesota, Pigeon Point
pp 84, 90; Bull 148, p 109; Bull 168, p 79
from New York, Eric County
Washington County
252, 257; Ann 20, vi cont, pp 311, 313, 318, 448–449, 450–451;
Mon xxxvi, p 61; Bull 148, pp 280–281; Bull 168, pp 281–282
from New York-Vermont slate belt (roofing)
111, pp 264, 304, 305; Ann 20, vi cont, p 324
from Pennsylvania, Northampton CountyAnn 19,
vi cont, pp 256, 262; Ann 20, vi cont, p 436
York CountyAnn 19,
III, p 261; Ann 20, vI cont, pp 314, 399, 436; Bull 150, p 313
from Prussia, ClausthalBull 150, p 320
Goslar (roofing)Ann 19, 111, p 261; Ann 20, v1 cont, pp 322, 452
from Quebec, Melbourne (Cambrian)
from Vermont, Rutland County
111, pp 232, 246, 248, 253; Ann 20, v1 cont, pp 303, 307,
309, 314, 448–449, 450–451, 454; Mon xxxvi, p 61; Bull
78, p 116; Bull 148, pp 277–279; Bull 168, pp 278–280
from Vermont-New York slate belt (roofing)
III, pp 264, 304, 305; Ann 20, vi cont, p 324
from Virginia, Buckingham County, Arvonia
vi cont, p 264; Ann 20, vi cont, p 458
from Wales
from Wisconsin, Gogebic-Penokee region
p 306; Bull 64,p 47; Bull 148, p 283; Bull 168, p 285
various localities
from various regions
bibliography of
from Monson, Maine, description of, as one of educational seriesBull 150,
pp 308–313

Slate of Alaska, Prince William Sound, notes on
of Michigan-Wisconsin, Penokee iron-bearing series, origin and petro-
graphic character ofAnn 10,
r, pp 370-379; Mon xix, pp 302-345
1, pp 570–579, Molt XIX, pp 502–540
of Minnesota, Pigeon Point Bull 109, pp 71–72
T. 65 N., R. 4 W., SW. 4 sec. 23 (actinolitic)
of Northwestern States
of Vermont-New York; structure, chemical composition, history, etc., of
the beltAnn 19, 111, pp 153-307; Ann 20, vi cont, pp 301-336
of Washington, northern
· · · · · · · · · · · · · · · · · · ·
prospecting for, use of geologic map and compass inAnn 19, 111, pp 271-272
quarry and geologic terms, glossary of
statistics ofMR 1882, p 457; MR 1883-84, p 929; MR 1885, pp 398-401, 532-
533; MR 1886, pp 549–553; MR 1887, pp 522–527; MR 1888,
pp 547–551; MR 1889–90, p 376; MR 1891, pp 456, 472–473;
MR 1892, pp 705, 710; MR 1893, pp 543, 549–552; Ann 16,
IV, pp 436, 437, 473-482; Ann 17, III cont, pp 759, 760-
761, 770–775; Ann 18, v cont, pp 949, 950–951, 992–1012;
Ann 19, vi cont, pp 206-207, 248-264; Ann 20, vi cont,
pp 270, 271, 299–336; Ann 21, vi cont, pp 334, 335, 344–352
test of
methods of
thin section of, from Michigan, T. 47 N., R. 26 W., sec. 21, NE. \(\frac{1}{4}\)Mon xxvIII,
pp 262, 263
from Michigan, T. 47 N., R. 45 W., sec. 10, SW. 4 (graywacke)Ann 10,
i, pp 476–477; Mon xix, pp 484–485
T. 47 N., R. 46 W., sec. 13, NW. 4 (cherty)
1, pp 474–475; Mon x1x, pp 484–485
sec. 16, SE. ‡ (sericitic and chloritic)
ı, pp 476–477; Mon xıx, pp 484–485
from Minnesota, Gunflint beds (actinolitic and sideritic)
r, pp 492–493; Mon xix, pp 506–507
Gunflint Lake, east side of north arm (actinolite-siderite)Ann 10,
1, pp 486–487
T. 65 N., R. 4 W., sec. 23 (actinolitic)
from New York, Hoosick (black roofing)
Washington County (red roofing)Ann 19, 111, pp 240-241
from Vermont, Benson (black roofing)
Eddy Hill (showing zones of shearing)Ann 19, 111, pp 212–213
Fair Haven (showing false cleavage)
Pawlet (purple)
Poultney (unfading green)
South Poultney (sea green and purple)
'
Wells (see green showing rope of shooting) App 10 yrs pp 219, 212
Wells (sea green, showing zone of shearing)Ann 19, 111, pp 212–213
West Pawlet (sea green)
(showing false cleavage)Ann 19, III, pp 208-209
from Wisconsin, T. 44 N., R. 3 W., sec. 9 (biotite)
ı, pp 502–503, 504–505
sec. 11, NW. 4 (actinolitic)
ı, pp 494–495; Mon xıx, pp 504–505
sec. 14, NW. \(\frac{1}{4}\) (biotite-chlorite)
1, pp 478–479; Mon xix, pp 486–487
T. 44 N., R. 5 W., sec. 20, NE. \(\frac{1}{4}\) (actinolitic)Mon x1x, pp 496-497
1. 11 11., 10. 0 11., 500. 20, 112. 4 (acumonico)nion xix, pp 450-457

Slate, thin section of, from Wisconsin, T. 45 N., R. 2 E., sec. 6, NE. 4 (side-
ritic)
thin section of, from Wisconsin, T. 45 N., R. 1 W., sec. 33, NE. 4 (actin-
olitic)
uses, methods of quarrying, etc
Slate, clay, anhydrous carbonate of, analysis ofBull 60, p 32
Slate, marble, method of preparingAnn 20, vi cont, pp 291–292
Slate, roofing, of New York-Vermont, composition of, chemical notes on
theAnn 19, 111, pp 301–305
present state of science on
Slate Creek, Alaska, distances along, table of
Slate quarry, technical description of a
Slate quarrying, bedding and cleavage, how distinguished in Ann 19, 111, p 269
difficulties in
Slate series, Auriferous, of California. (See Auriferous slate series.)
Slaty rock, analysis of, from Pennsylvania, near DillersburgBull 136, p 62
Slichter (C. S.), theoretical investigation of motion of ground waters Ann 19,
п, pp 295–384
Slip clay. (See Clay, slip.)
Sloan (E.), investigations relating to Charleston earthquake
pp 210, 294–295, 297, 305, 312
Smaltite, analysis of, from Colorado, Gunnison CountyMR 1883-84, p 544
Smaragdite, analysis of, from Maryland, Baltimore County
p 42; Bull 168, p 42
analysis of, from North Carolina, Clay CountyBull 74, p 45
Smartsville quadrangle, California, geology of
Smectite, analysis of, from Cilly, Austria
Smelting at Leadville, Colorado
materials used in
of argentiferous lead in far West
of copperBull 26
products of
Smilaceæ from Yellowstone Park
of North America, extinct
Smith (E. A.), Coal Measures of Alabama
iron ores of Alabama in their geologic relations
list of ores, minerals, and mineral substances of industrial importance in
Alabama
Smith (E. A.) and Johnson (L. C.), Tertiary and Cretaceous strata of Tusca-
loosa, Tombigbee, and Alabama rivers
Smith (G. O.), descriptions of rock specimens in educational seriesBull 150,
nn 140–145
rocks of Mount Rainier
work in charge of, 1898–1900
Smith (G. O.) and Tower (G. W., jr.), geology and mining industry of Tintic
district, Utah
Smith (G. O.), Tower (G. W., jr.), and Emmons (S. F.), geology and mining
industry of Tintic district, Utah
Smith (G. O.) and Willis (B.), geology of Tacoma quadrangle, Washington GF 54
Smith (W. B.), notes on occurrence of topaz at Devilshead Mountain, Colo-
rado
Smith (W. S. T.), geologic sketch of San Clemente IslandAnn 18, 11, pp 459-496
Smith River beds. (See Deep River beds.)
Smith River Lake beds of Montana
Smithfield limestones of Narragansett Basin

Smithsonite, analysis of, from Arkansas, Marion CountyBull 90, p 62
occurrence of
Smock (J. C.), lists of ores, minerals, and mineral substances of industrial
importance in several of the StatesMR 1882, pp 665-747
Smoke, consumption of, devices for, and city ordinances relating to, etcMR
1893, pp 224–240
Smoky Hill River, Kansas, flow of, measurements of
212–215; Ann 19, IV, pp 346–347; Ann 20, IV, pp 56, 315; Ann
21, IV, pp 225–226; Bull 140, pp 138, 142–143; WS 11, p 58;
WS 16, p 114; WS 27, pp 93, 95, 96; WS 37, pp 251–252
Smoky Mountains, a district of schistosity
geology of, literature of
Smyth (H. L.), Republic trough, MichiganAnn 15,
рр 608-630; Мон ххун, рр 525-553
Smyth (H. L.) and Clements (J. M.), Crystal Falls iron-bearing district of
MichiganАпп 19, пп, pp 1–145; Моп хххvг, pp 1–457
Snake River, description and history of
drainage system of
geologic features and events in valley of
geologic history of valley of
irrigation problems in valley of
profile of
rainfall and run-off in basin of
reservoir sites and canal lines surveyed in basin of, for irrigation purposes Ann 11,
II, pp 190–200
stream measurements in basin of
Ann 12, 11, pp 344, 357, 361; Ann 13, 111, pp 98, 99; Ann 14,
11, pp 127-130; Ann 18, 1v, pp 330-354; Ann 19, 1v, pp 444-
448; Ann 20, iv, pp 61-62, 474-490; Ann 21, iv, pp 405-409;
Bull 131, pp 64-65; Bull 140, pp 235-243; WS 11, p 80; WS
16, p 165; WS 28, pp 160, 168, 169; WS 38, pp 349-352
Snowy Range, Montana and Wyoming, geology ofMon xxxII, II, pp 203-214
structure of
Soapstone, analysis of, from Michigan, T. 47 N., R. 47 W., sec. 23Mon xix, p 357
from New Hampshire, Francestown, description of, as one of educational
series of rocks
occurrence and use of
statistics of
pp 623–626; Ann 16, IV, pp 511–513; Ann 17, III cont, pp 813–
816; Ann 18, v cont, pp 1069–1075; Ann 19, vi cont, pp 311–
315; Ann 20, vi cont, pp 551–556; Ann 21, vi cont, pp 413–418
Soapstone and diabases from Michigan and Wisconsin, Penokee districtMon
xix, p 357
Soapstone (pigment), statistics of . MR 1892, pp 815, 818; MR 1893, pp 758, 762; Ann 16,
Iv, pp 695; Ann 17, III cont, pp 1012; Ann 18, v cont, p 1337
Soda, analysis of (pure)
analysis of, from Egypt
from Hungary Bull 60, p 37
from Nevada, Ragtown, Soda Lakes
from Pennsylvania, near Wilkesbarre
from Wyoming, Carbon CountyBull 60, pp 44, 45; MR 1885, p 553
Soda, ammonia, analysis of
Soda, carbonate of. (See Carbonate of soda.)
Soda, natural, occurrence and production of
occurrence and utilization ofBull 60, pp 27-101

Soda, natural, occurrence and utilization of Bull 60, pp 27–101 Soda, nitrate of, statistics of MR 1882, pp 599–600 Soda, sulphate of. (See Sulphate of soda.)
Soda ash, analyses of
Soda-feldspar dikes of California, Sonora quadrangle, description, analyses,
etc., of
Soda-granite, analysis of, from California, Bidwell Bar quadrangleAnn 17, 1, p 721
analysis of, from California, Merced area
from Minnesota, Pigeon PointBull 109, pp 56, 63;
Bull 148, p 107; Bull 168, p 77
of Minnesota, Pigeon PointBull 109, pp 49–59, 105–118
of Sierra Nevada
Soda-granite-porphyry, analysis of, from California, Mariposa CountyAnn 17, 1,
p 721; Bull 148, p 219; Bull 168, p 207
Soda-granulite, analysis of, from California, Bidwell-Bar quadrangle. Ann 17, 1, p 721
analysis of, from California, Mariposa County Ann 17, 1, p 721; Bull 148,
p 219; Bull 168, p 207
of Sierra Nevada
of Steffa Nevaula.
Soda Lakes of Nevada, near Ragtown
Soda salts, analysis of, from Wyoming, LaramieBull 60, p 42; MR 1885, p 551
Soda-syenite, analysis of, from California, Plumas County
of California, Sonora quadrangleGF 41, p 5
Soda-syenite-granophyre, of California, Mother Lode district
Soda-syenite-porphyry, analysis of, from California, Tuolumne CountyBull
soua-syemic-porpriyry, analysis of, from Camorina, Tuordina County
analyses of, from California, various localities
analyses of, from California, various localities
thin section of, from California, Tuolumne CountyAnn 17, 1, pp 754–755
thin section of, from California, Tuolumne CountyAnn 17, 1, pp 754–755 Sodalite, analysis of, from Maine, LitchfieldBull 42,
thin section of, from California, Tuolumne CountyAnn 17, 1, pp 754–755 Sodalite, analysis of, from Maine, LitchfieldBull 42,
thin section of, from California, Tuolumne CountyAnn 17, 1, pp 754–755 Sodalite, analysis of, from Maine, Litchfield
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne County
thin section of, from California, Tuolumne CountyAnn 17, 1, pp 754–755 Sodalite, analysis of, from Maine, Litchfield
thin section of, from California, Tuolumne County

Soil, analysis of, from Texas, Uvalde quadrangle	GF 64, p 6
analysis of, from Utah, Salt Lake City (adobe)	
ıv, pp 562–563; Bull 64	
from Washington, near Dayton	
Soil and man, action and reaction of	
Soil, sand, and rock, pore space in, diameter of grains of, etc.	
Soil, volcanic, origin and nature of	
Soil formation, processes of	
Soil movement	
Soils, effects of animals and plants on	
effects of, on health	.Ann 12, 1, pp 340–344
nature and origin of	Ann 12, 1, pp 213-345
of Alabama, Gadsden quadrangle	GF 35, pp 3–4
Stevenson quadrangle	GF 19, pp 3–4
of California, Jackson quadrangle	GF 11, p 6
Placerville quadrangle	GF 3, p 3
Pyramid Peak quadrangle	GF 31, p 8
Sacramento quadrangle	GF 5, p 3
Smartsville quadrangle	
of Georgia, Ringgold quadrangle	GF 2. p 3
Stevenson quadrangle	
of Hawaii	Ann 19, vi cont. p 684
of Idaho, Boise quadrangle	
of Illinois, Danville quadrangle	
sources, classes, etc., of	on xxxviii. pp 788-797
of Indiana, Danville quadrangle	
of Kentucky, Estillville quadrangle	
London quadrangle	
Richmond quadrangle	
of Maryland, Piedmont quadrangle	GF 28 nn 5-6
of New Mexico, Mesilla Valley	WS 10 nn 37_30
of Ohio, Huntington quadrangle	GF 69 n 6
of Porto Rico	
of South Dakota, Black Hills, southern part	
of Tennessee, Bristol quadrangle	GF 50 n Q
Chattanooga quadrangle	
Cleveland quadrangle.	
Estillville quadrangle	
Kingston quadrangle,	
McMinnville quadrangle	GF 22 n 3
Pikeville quadrangle	
Ringgold quadrangle	
Sewanee quadrangle	
Standingstone quadrangle	GF 53, pp 4–5
Stevenson quadrangle	GF 19, pp 3–4
of Texas region	TF 3, p 12
of Virginia, Bristol quadrangle.	GF 59, p 8
Estillville quadrangle	GF 12, p 5
Franklin quadrangle	GF 32, pp 5-6
Monterey quadrangle	GF 61, p 7
Pocahontas quadrangle	GF 26, p 5
Staunton quadrangle	GF 14, p 4
Tazewell quadrangle	GF 44, pp 5-6
of Washington, southeastern	wo 4, pp 57-64
Tacoma quadrangle	Gr 54, pp 9-10

Soils of West Virginia, Buckhannon quadrangle
of West Virginia, Franklin quadrangle
Huntington quadrangleGF 69, p 6
Monterey quadrangle
Piedmont quadrangleGF 28, pp 5-6
Pocahontas quadrangle
Staunton quadrangleGF 14, p 4
Tazewell quadrangleGF 44, pp 5-6
of Wyoming, Black Hills, southern part
Solariidæ from clays and marls of New Jersey
from Cretaceous of CaliforniaBull 22, p 14
Soleduck River, Washington, flow of, measurements of
ıv, pp 63, 523; Ann 21, ıv, pp 442–443; WS 16,
p 184; WS 28, pp 175, 176; WS 38, pp 386–387
Solemyidæ from Colorado formation
from Cretaceous of Pacific coast
Solen beds of Oregon Bull 84 n 334
Solen beds of Oregon
from Cretaceous of Pacific coast
from lower marls of New Jersey
Solfataric action in California, Sulphur Bank Mon XIII, pp 253, 258–259
in Colorado. Lordrillo dictriot
in Colorado, Leadville district
RICO MOUNTAINS
in Nevada, Comstock lode and Washoe district
p 313; Mon III, pp 21, 206, 238, 240, 389 Eureka district, cause of
Eureka district, cause of
in Wyoming, Absaroka district
Solfataric emanations in Nevada, Steamboat Springs
Solfataric gases in California, Knoxville
Solid and liquid states, continuity of, investigation of
ι, p 156; Bull 96, pp 71–97
solid viscosity, mechanism of Bull 94
Solids, chemical action between
flow of, or behavior of solids under high pressureBull 55,
pp 67–75; Bull 64, pp 38–39
viscosity ofBull 73
Solomon River, Kansas, flow of measurements of Ann 18, tv. pp 207–210:
Ann 19, iv, pp 341-343; Ann 20, iv, pp 55-56, 314; Ann
21, IV, pp 223–224; Bull 140, pp 138–140; WS 11, p 57; WS
16, pp 110–111; WS 27, pp 92, 95, 96; WS 37, pp 249–250
Solubility in water of certain natural silicates
of gold and of sulphide minerals
of substances, relation of, to pressure and temperatureAnn 17, 11, pp 177–178
Solution as affecting topographyBull 84, pp 88–89
Solutions, molten magmas considered as
Sölvsbergite, analyses of, from Montana, Crazy MountainsBull 168, p 123
Sonora quadrangle, California, forest conditions in
geology of
Sooke beds of Vancouver Island, correlation of
Sopehoppy limestone of Florida Bull 84, pp 119–122, 334
Soudan formation of Lake Superior region
Souri, Lake, the glacial, description and map of
South African Republic. (See Transvaal.)

South America; asphaltum deposit in
Cambrian rocks of Bull 81, p 379
copper production of, statistics of MR 1883-84, p 356; MR 1885, p 229; MR 1886,
p 128; MR 1887, p 88; MR 1888, p 73; MR 1889-90, p 73;
MR 1891, p 101; MR 1892, pp 114, 115; MR 1893, pp 86, 87;
Ann 16, III, pp 352, 353; Ann 17, III, pp 117-118, 119; Ann
18, v, pp 219, 221, 222; Ann 19, vi, pp 176, 178, 179;
Ann 20, vi, pp 202, 204, 205; Ann 21, vi, pp 204, 206, 207
fossil plants of, literature of
geologic maps of, list of
lead production of, statistics of
quicksilver deposits of
tin production of, statistics of
(See, also, each country thereof.)
South Australia; iron industry in
manganese-ore production of, statistics of MR 1893, pp 153, 155;
Ann 16, 111, pp 453, 457; Ann 17, 111, p 224;
Ann 18, v, pp 326-327, 328; Ann 19, vi, p 122
tin production of
(See, also, Australia.)
South Carolina; altitudes in
Bull 5, pp 276–278; Bull 76; Bull 160, pp 651–655
artesian and other wells in
atlas sheets of. (See list on p 93 of this bulletin.)
boundary lines of, and cession of territory to General GovernmentBull 13,
pp 26, 96–97; Bull 171, pp 102–103 brick industry of
Broad River, flow of, measurements of
rv, pp 65–68; Ann 19, rv, pp 220–221; Ann 20, rv, pp 50,
151–152; Ann 21, 1v, pp 125–128; WS 11, p 18; WS 15, pp
36–37; WS 27, pp 27–28, 38–39, 44, 45; WS 36, pp 123–126
profile of
water powers in basin of
building stone from, at World's Columbian ExpositionMR 1893, p 572
statistics of
467; MR 1892, pp 706, 708, 711; MR 1893, pp 544, 547, 556;
Ann 16, IV, pp 437, 444, 457, 458, 461–462, 494, 495, 509; Ann 17, III cont, pp 760, 761, 763, 766, 790, 791; Ann 18,
v cont, p 951 et seq; Ann 19, vi cont, p 207 et seq; Ann
20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq
Catawba River, flow of, measurements of
1v, pp 61–63; Ann 19, 1v, pp 213–214; Ann 20, 1v, pp 50,
150; Ann 21, w, p 124; Bull 140, pp 70–71; WS 11, p 17;
WS 15, p 35; WS 27, pp 27, 38, 44, 45; WS 36, pp 121–123
Charleston earthquake of August 31, 1886
clay deposits of
clay products of, statistics of
519, 520, 521; Ann 17, 111 cont, p 820 et seq; Ann 18,
v cont, p 1078 et seq; Ann 19, vi cont, p 318 et seq; Ann
20, vi cont, p 467 et seq; Ann 21, vi cont, pp 362, 363
coke in, manufacture of
Congaree River, profile of
gas, illuminating and fuel, and by-products, statistics of
vi cont, pp 228, 241, 244, 246, 247, 249

172	Z INDEX TO P	UBLICATIONS OF U.S.	GEOL. SURVEI. (BUILLI	••
Sou	th Carolina; geograph	ic positions in	Bull 123, p 7	9
			Bull 138, pp 207–21	
			Bull 7, pp 102, 104, 105, 106, 10	
	(See Map, geolog	ic, of South Carolina.)		
	geologic sections in.	(See Section, geologic, in S	outh Carolina.)	
	geologic and paleonto	logic investigations in	Ann 7	7,
		p 121; Ann 8, 1, pp 168	–169; Ann 10, 1, p 155; An	n
		11, 1, p 69; Ann 12, 1, pp	75, 76, 82; Ann 13, 1, p 145	5;
			, ı, p 22; Ann 18, ı, pp 66–6	
			Ann 2, p 385	
			178; MR 1883–84, pp 312, 313	
			pp 104, 105; MR 1887, pp 58	
			IR 1889–90, p 49; MR 1891, p	
			2, 53, 54, 55, 56, 88; MR 1893	
			0, 61; Ann 16, 111, p 258; An	
			6, 77; Ann 18, v, p 141 et sec	
			, 130, 131, 132, 133; Ann 20, v	
			08, 109; Ann 21, vi, pp 121–12	
			Ann 16, 111, pp 306–30	
			Ann 20, vi, p 111 et se MR 1889–90	
	-			
			57; MR 1892, pp 706, 708; MI 16, IV, pp 437, 444, 457, 458	
			pp 760, 761, 763, 766; Ann 18	
			7, 974; Ann 19, vi cont, pp 207	
			20, vi cont, pp 271, 272, 273, 274	
			nt, pp 335, 336, 337, 338, 339, 34	
			WS 44, pp 25–2	
			Bull 138, pp 209–21	
			1889-90, pp 373, 428; MR 1891	
		pp 464, 467; MR 1892, p	711; MR 1893, p 556; Ann 16	3,
	· ·	rv, pp 437, 494, 495, 509;	Ann 17, 111 cont, pp 790, 791	Ĺ;
	•	Ann 18, v cont, pp 951, 10	944, 1046, 1047, 1066; Ann 19, v	VΙ
	•	cont, pp 207, 281, 282, 283, 30	06; Ann 20, vi cont, pp 271, 342	2,
		343, 344, 345, 350; Ann 21, v	r cont, pp 335, 357, 358, 359, 36	só
			Ann 17, 1, pp 411-41	
	manganese-ore produ	ction of, statistics of	MR 1886	3,
		p 193; MR 1888, pp 124, 130	); MR 1889-90, pp 127, 134; M	R
	•	1891, p 136; MR 1892, p 20	01; MR 1893, pp 132–133; An	n
		16, III, p 422; Ann 17, III,	pp 200-201; Ann 18, v, p 31	0
	maps, geologic, of.	See Map, geologic, of South	n Carolina.)	:
		f. (See Map, topographic,		
		list on p 93 of this bulletin.		-
			Bull 138, p 20	
			Ann 14, 11, p 8	
	<b>1</b> U		Bull 32, pp 79–80; MR 1883–84	
			R 1886, p 718; MR 1887, p 685	
			90, pp 522, 532; MR 1891, p 607	
			1893, p 781; Ann 16, iv, pp 709	
			1027, 1038, 1041; Ann 18, v con	
			9, vi cont, pp 661, 674, 677; An	
			Ann 21, vi cont, pp 600, 615, 61 p 728–729; MR 1887, pp 786–78	
	mmerais of, useful		p 120-128, mm 1001, pp 100-10	Ю

South Carolina; phosphate deposits and production ofBull 46,
pp 60-70; MR 1882, pp 504-521; MR 1883-84, pp 783-788;
MR 1885, pp 445–449; MR 1886, pp 607–610; MR 1887, pp
580–584; MR 1888, pp 586–590; MR 1889–90, pp 449, 451; MR 1891, pp 557–562; MR 1892, pp 782–783; MR 1893, pp
704–707; Ann 16, 1v, pp 607, 608, 609; Ann 17, 111 cont,
pp 951, 952–953; Ann 18, v cont, pp 1233, 1234–1236;
Ann 19, vi cont, pp 535, 536, 545-547; Ann 20, vi cont, pp
620, 621, 630-632; Ann 21, vi cont, pp 481, 482, 496-500
precious stones in
rainfall at Charleston (average)
rainfall and run-off in basins of Savannah and Altamaha riversAnn 20, 1v, pp 158-161
Saluda River, flow of, measurements of
Ann 20, IV, pp 50, 153–154; Ann 21, IV, pp 129–130; WS 11,
p 19; WS 15, p 38; WS 27, pp 39, 44, 46; WS 36, pp 126-127
profile of
water powers on
Santee River, profile of
Savannah River, flow of, measurements of Ann 18, IV, pp 72-75; Ann 19, IV, pp
223–225; Ann 20, IV, pp 50, 164; Ann 21, IV, pp 133–134; WS 11, p 19; WS 15, p 39; WS 27, pp 40, 44, 46; WS 36, pp 129–130
sections, geologic, in. (See Section, geologic, in South Carolina.)
timber in, estimates of
topographic maps of. (See Map, topographic, of South Carolina; also list
on p 93 of this bulletin.)
topographic work in
Ann 8, 1, p 102; Ann 10, 1, p 92; Ann 12, 1, p 27 triangulation in
Tugaloo River, flow of, measurements of
pp 130–131; WS 27, pp 28, 40, 44, 46; WS 36, pp 127–128
woodland area in
South Dakota; altitudes in
270-273, 281-314; Ann 20, 1, pp 418-419; Ann 21, 1, pp 496-
502; Bull 5, pp 73–75; Bull 76; Bull 144, pp 61–69; Bull 158,
pp 38-39, 48-49, 59, 91-92, 108, 154-167; Bull 160, pp 656-665 artesian basin in, extent of
artesian waters from, chemical analysis of
artesian waters of, the deeper, temperature of
artesian wells of, volume of flow fromAnn 18, IV, pp 613-615
atlas sheets of. (See list on pp 93-94 of this bulletin.)
Battle Creek, course and character of
Beaver Creek, course and character of
Black Hills; Cretaceous formation of, as indicated by fossil plantsAnn 19,
п, pp 521–946
geologic history of
geology of northern
geology and water resources of southern half of, and adjacent region, preliminary description ofAnn 21, 1v, pp 489-599
laccoliths of
topography of southern
Black Hills Forest Reserve—limits, lands, mining, fires, lumbering, man-
agement, etc

```
744
     INDEX TO PUBLICATIONS OF U. S. GEOL. SURVEY. [BULL. 177.
South Dakota; Blue Blanket district, glacial phenomena and topography of .. Bull 144,
                                            pp 24-25, 36
  boundaries of Bull 171, p 127
  Bowdle Hills, glacial phenomena and topography of....Bull 144, pp 24-25, 36-37
  Boxelder Creek district, glacial phenomena and topography of......Bull 144,
                                         pp 28-30, 38-39
  Brule County, artesian wells in, map showing location, depth, and yield
             building stone from, at World's Columbian Exposition.......MR 1893, p 572
     statistics of .....MR 1892, pp 706, 708, 710; MR 1893, pp 544, 547, 553, 556;
               Ann 16, IV, p 437 et seq; Ann 17, III cont, p 760 et seq;
               Ann 18, v cont, p 951 et seq; Ann 19, vi cont, p 207 et seq;
               Ann 20, vi cont, p 271 et seg; Ann 21, vi cont, p 335 et seg
  cement production of, statistics of.....Ann 18, v cont, p 1170; Ann 19, vi cont,
                  p 487; Ann 20, vi cont, p 539; Ann 21, vi, cont, p 393
  hydrography of and topography along......Ann 20, IV, pp 251-253
  17, III cont, p 820 et seq; Ann 18, v cont, p 1078 et seq;
               Ann 19, vi cont, p 318 et seq; Ann 20, vi cont, p 467 et seq
  Ann 20, vi, p 165; Ann 21, vi cont, p 170
  Faulkton Hills, glacial phenomena and topography of ......Bull 144, pp 37-38
  I, pp 161-164; Ann 20, I, pp 265-266; Bull 123, pp 120-121
  geologic maps of.
              (See Map, geologic, of South Dakota.)
  geologic sections in.
               (See Section, geologic, in South Dakota.)
  geologic and paleontologic investigations in..... Ann 15, pp 142, 189; Ann 17, 1,
               p 37; Ann 20, 1, pp 42, 43-44, 65; Ann 21, 1, pp 75-76, 77-78
  pp 51, 53, 55, 56, 69-71; MR 1893, pp 50, 51, 55, 60, 61;
               Ann 17, 111, pp 72, 73, 74, 75, 76, 77; Ann 18, v, p 141 et seq;
               Ann 19, vi, pp 127, 128, 129, 130, 131, 132, 133; Ann 20, vi,
               pp 103, 104, 105, 106-107, 108, 109; Ann 21, vi, pp 121-127
  pp 706, 708; MR 1893, pp 544, 547; Ann 16, iv, pp 437,
               444, 457, 458; Ann 17, 111 cont, pp 760, 761, 763; Ann 18,
               v cont, pp 951, 952, 954, 956, 974; Ann 19, vi cont, pp 207,
               208, 209, 210, 211, 223; Ann 20, vi cont, pp 271, 272, 273, 274,
               275, 276, 280; Ann 21, vi cont, pp 335, 336, 337, 338, 339, 340
```

gypsum deposits and production of .......MR 1886, p 622; MR 1889-90, pp 465, 466; MR 1891, pp 580, 582; MR 1892, p 802; MR 1893, pp 714, 715; Ann 16, IV, pp 663, 664; Ann 17, 111 cont, pp 979, 980, 981; Ann 18, v cont, pp 1266, 1267; Ann 19, vr cont, pp 579, 581, 582; Ann 20, vi cont, pp 658, 661; Ann 21, vi cont, pp 526, 527

South Dakota; gypsum in Black Hills, southern part Ann 21, IV, pp 584-585
Hat Creek, course and character of
James River, profile of
Koto Hills, glacial phenomena and topography ofBull 144, pp 20-21
Lame Johnny Creek, course and character of
lead from, statistics of
lignites of Great Sioux Reservation, a report on the region between Grand
and Moreau rivers
limestone production of, statistics of
pp 437, 494, 495, 509; Ann 17, III cont, pp 760, 788, 790, 791;
Ann 18, v cont, pp 951, 1044, 1046, 1047, 1066; Ann 19, vi cont, pp 207, 281, 282, 283, 306; Ann 20, vi cont, pp 271, 342,
343, 344, 345, 350; Ann 21, vi cont, pp 335, 357, 358, 359, 360
lumber industry in
magnetic declination in
manganese-ore production of, statistics of
maps, geologic, of. (See Map, geologic, of South Dakota.)
maps, topographic, of. (See Map, topographic, of South Dakota; also list
on pp 93–94 of this bulletin.)
mica production of
mineral spring resorts in
mineral springs of
792, 794; Ann 16, IV, pp 709, 717, 720; Ann 17, III cont,
pp 1038, 1042; Ann 18, v cont, pp 1371, 1383, 1387; Ann 19, vr cont, pp 661, 674, 678; Ann 20, vr cont,
pp 749, 763, 767; Ann 21, vi cont, pp 600, 615, 620
mining in Black Hills, remarks on
Missouri Coteau, moraines of, and their attendant deposits
Missouri River, terraces along
natural gas localities and statistics of MR 1892, p 676; MR 1893, p 530; Ann 16,
ıv, p 415; Ann 18, v cont, p 900; Ann 19, vı cont, p 168; Ann
20, v1 cont, p 207; Ann 21, v1 cont, pp 299, 301, 302, 304, 316  Newcastle quadrangle, forest conditions in
nickel industry in MR 1891, p 168
petroleum in Black Hills, southern partAnn 21, 1v, pp 586-587
rainfall in
in Black Hills
Ree Hills, glacial phenomena and topography ofBull 144, pp 25–28, 38 sandstone from, tests of
sandstone production of, statistics of
pp 461, 463; MR 1892, p 710; MR 1893, p 553; Ann 16, IV,
pp 437, 484, 485, 491; Ann 17, 111 cont, pp 760, 775, 777, 778, 780; Ann, 18, v cont, pp 951, 1012, 1013, 1014, 1043; Ann 19,
vi cont, pp 207, 264, 265, 266, 278; Ann 20, vi cont, pp 271,
336, 337, 338, 341; Ann 21, vi cont, pp 335, 353, 354, 355, 356
sections, geologic, in. (See Section, geologic, in South Dakota.)
Spring Creek, course and character of
timber in Black Hills
in Black Hills Forest Reserve (standing)

South Dakota; tin deposits and production of
topographic maps of. (See Map, topographic, of South Dakota; also list on pp 93–94 of this bulletin.)
topographic work in
1, p 79; Ann 14, 1, p 178; Ann 15, pp 116–117, 123–124; Ann
16, I, pp 65, 68, 69, 71; Ann 17, I, pp 97, 102; Ann 19, pp
94, 96, 104; Ann 19, 1, pp 89, 91, 101, 104, 108-109; Ann
20, I, pp 101, 102, 113, 119-120; Ann 21, I, pp 133-134, 140
triangulation in
triplite from Black HillsBull 60, pp 135–136
tungsten in Ann 21, vr, p 301
water, artesian, use of, for irrigation in
water supply of, for irrigation purposes
well boring and irrigation in eastern, in 1896
wells in North Dakota and
wells and well prospects in
wells, artesian, deriving water from Dakota sandstone in . Mon xxv, pp 530-534
woodland area in
(See, also, Dakota; Dakotas.)
South Mountain, Pennsylvania, ancient volcanic rocks of
pre-Cambrian rocks of
South Platte Forest Reserve; boundaries, timber, fires, mining, lumbering,
etc., in
Southern complex of Michigan-Wisconsin
pp 103–126, 441–454; Mon xxviii, pp 190–220, 225, 554, 567
Southern States, gold mining and metallurgy in, history of Ann 20, vi, pp 111-123
Southern Ute Indian Reservation, investigation of water supply of
ıv, pp 408–434
Southern Ute Indians, history of
Spadaite, chemical constitution of
Spain; antimony production of, statistics of
asphaltum production of, statistics of
vi cont, p 201; Ann 20, vi cont, p 268; Ann 21, vi cont, p 332
coal production of, statistics of
MR 1883–84, p 13; MR 1885, p 11; MR 1886, p 235; MR 1887,
p 189; MR 1888, p 208; MR 1891, p 73; MR 1892, p 270;
MR 1893, p 202; Ann 16, 111, pp 245, 248, 1v, p 21; Ann 17, 111,
pp 314, 321; Ann 18, v, pp 125, 136, 414, 421; Ann 19, vi, pp
311, 319; Ann 20, vi, pp 332, 340; Ann 21, vi, pp 113, 363, 372
copper production of, statistics of
pp 356, 364–367; MR 1885, pp 228, 234–237; MR 1886,
pp 350, 304-307, MR 1860, pp 228, 234-237, MR 1860, pp 128, 133-135; MR 1887, pp 87, 93-95; MR 1888, p 73;
MR 1889–90, p 73; MR 1891, pp 100, 102; MR 1892, pp 114,
115–116; MR 1893, p 86; Ann 16, 111, p 352; Ann 17, 111, pp
117, 118, 128; Ann 18, v, pp 219, 220; Ann 19, vi, pp 176, 177;
Ann 20, vi, pp 202, 203, 218–219; Ann 21, vi, pp 204, 205, 219
fauna of Olenellus zone
fossil plants of, literature of
iron, iron ore, and steel from, statistics of
1883-84, p 257; MR 1886, p 21; MR 1887, p 18; MR 1888,
pp 28, 29, 30, 31; MR 1889-90, pp 21, 22; MR 1891, pp 46,
73; Ann 16, 111, pp 22, 23, 24, 25, 26, 28, 94–112, 244–245,
040 4 . 10 104 107 100 107. 4 10 00
248; Ann 18, v, pp 124-127, 136, 137; Ann 19, vi, pp 82, 83; 88; Ann 20, vi, pp 95-96, 101; Ann 21, vi, pp 113, 114

( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	
Spain; iron-ore deposits of, location, character iron-ore product of Bilboa district compa	
lead production ofMR 1882, p 322;	
	p 99; Ann 16, 111, pp 372, 375–376; Ann
	; Ann 18, v, pp 256, 257–258; Ann 19,
vi, pp 220–221; An	n 20, vi, p 246; Ann 21, vi, pp 245, 246
manganese deposits and production of, s	tatistics of
	159-160; MR 1889-90, p 130; MR 1893,
	nn 16, 111, pp 453–457; Ann 17, 111, pp
	v, pp 318–324, 328; Ann 19, vi, p 120;
	-152, 157; Ann 21, vi, pp 156-157, 162
mining law of	MR 1883–84, p 1000
ocher production of, statistics of	Ann 19, vi cont, p 641;
	), vi cont, p 727; Ann 21, vi cont, p 578
phosphate deposits of	Bull 46 nn 45 53-59
pyrites production of, statistics of	
pp 882–884;	MR 1885, pp 507–508; MR 1886, pp 654–
656; Ann 1	8, v cont, p 1260; Ann 19, vi cont, p
	), vi cont, p 655; Ann 21, vi cont, p 522
quicksilver mines ofAnn 8, 11, 1	
quicksilver production of, statistics of	
	1885, pp 290–292; MR 1887, p 125; MR
	MR 1891, pp 123, 124; MR 1893, p 118
salt production of, statistics ofAnn 19	), vi cont, p 611; Ann 21, vi cont, p 553
silver production of, compared with that	of other countriesMR 1883-84
, ,	pp 319, 320
tin deposits and production ofMR	
zinc production of, statistics of	
	o 277; MR 1886, p 159; MR 1887, p 117;
	R 1891, pp 113, 114; MR 1892, pp 135,
136; MR 1893, pp 10	97, 108; Ann 16, 111, pp 383, 388; Ann 17,
ні, рр 171, 173, 175	; Ann 18, v, pp 274, 276, 278; Ann 19,
	in 20, vr, pp 263, 265; Ann 21, vr, p 266
Spanish Peaks, Colorado, structure of	
Spar, analysis of, from Missouri, Sainte Gene	vieve CountyAnn 18, v cont, p 1500
analysis of, from New York, near Bedfor	d Ann 18, v cont, p 1366
Sparganiaceæ from Yellowstone Park	
Sparta sands of Louisiana, features of	Bull 142, pp 25–26
Spatangidæ, Mesozoic, of United States	Bull 97, pp 78–92
Spearfish formation of Black Hills	Ann 21, iv. np 516-519
Speiss, analysis of, from Colorado, Leadville	district Mon vir pp 719 720
analysis of, from Nevada, Eureka	
Spencer (A. C.), erosional history of La Plat	
Spencer (A. C.) and Cross (W.), geology of l	Rico Mountains, ColoradoAnn 21,
	п, рр 7–165
Spencer (J. W.), elevations in Dominion of C	anadaBull 6
Spessartite, analysis of, from North Carolina,	Forsyth and Yancey countiesBull
- , , , , , , , , , , , , , , , , , , ,	74, p 48
analysis of, from Virginia, Amelia Count	
chemical constitution of	
garnet from, analysis and description of,	
	pp 39-40
Sphæropsideæ from Lower Coal Measures of	Missouri
	' <del>-</del>

Sphalerite in Montana, Butte district
Sphene, analysis of, from District of Columbia
chemical constitution ofBull 125, pp 79, 105
crystal of, around ilmenite, thin section of, from Michigan, above Upper
Quinnesec Falls (from dioritic rock)Bull 62, pp 232–233
(See, also, Titanite.)
Sphenoclase, chemical constitution ofBull 125, pp 84, 106
Sphenophyllales from Lower Coal Measures of Missouri Mon xxxvii, pp 173-187
Sphenopterideæ from Carboniferous of Missouri
pp 35–74; Bull 98, pp 43–60 Spheroidal parting in greenstones
Spheroidal parting in greenstones
Spheroidal weathering in igneous rocks, description and illustration ofBull 150,
pp 385–387
in shale from Dry Creek, California, description of, as one of educational
series
Spherulite, thin section of, from Pennsylvania, South Mountain (in aporhyo-
lite)Bull 136, pp 110, 111, 112, 113; Bull 150, pp 346–347
thin section of, from Yellowstone Park
276–277; Mon xxxII, II, pp 414–415; Bull 150, pp 156–157
Spherulites, analyses of, from Colorado, various localities
p 69; Bull 148, p 170; Bull 168, p 152
analyses of, from Yellowstone Park, Obsidian Cliff
description and figures of
of Yellowstone ParkAnn 7, pp 262–264, 276–278; Mon xxxii, ii, pp 410–416
relation of granophyre groups to
Spherulitic structure, thin section of, from Yellowstone Park
II, pp 422–423           Sphinx conglomerate of Montana
Sphinx conglomerate of Montana
Spiegel, imported, analyses of
Spiegeleisen, production of
Spilosite, analysis of, from Germany, Harz Mountains
analysis of, from Michigan. Mon xxxvi, pp 207, 210; Bull 148, p 97; Bull 168, p 69
thin sections of, from Michigan, Crystal Falls district
pp 302–303, 304–305, 306–307
Spinel, analyses of, from North Carolina, Madison CountyBull 74, p 33
chemical constitution of Bull 125, pp 47–48, 56
composition ofBull 150, p 31
occurrence ofMR 1882, p 486; MR 1883–84, p 737; MR 1892, pp 762–763
Spirit leveling in Indian Territory, triangulation and
in the various States, results of, 1896–1900 Ann 18, 1, pp 225–422; Ann
19, I, pp 191-408; Ann 20, I, pp 292-530; Ann 21, I, pp 376-582
Spodumene, analysis of, from Massachusetts, NorwichBull 126, pp 156, 157
analysis of, from North Carolina, Alexander CountyBull 74, p 44
chemical constitution ofBull 125, pp 87, 88, 104
occurrence and statistics of MR 1882, pp 488-489; MR 1889-90, p 448; MR
1891, p 540; MR 1892, p 781; MR 1893, p 682; Ann 16, rv, p 605
Spokane quadrangle, Washington, forest conditions in
Spokene Diver Weshington description of WS 4 np 97 99
Spokane River, Washington, description of
flow of, measurements ofAnn 18, IV, pp 359-360; Ann 19, IV, pp 487-489;
flow of, measurements of Ann 18, IV, pp 359–360; Ann 19, IV, pp 487–489; Ann 20, IV, pp 63, 511; Ann 21, IV, pp 424–426; WS 11, pp 85–88;
flow of, measurements of Ann 18, IV, pp 359–360; Ann 19, IV, pp 487–489; Ann 20, IV, pp 63, 511; Ann 21, IV, pp 424–426; WS 11, pp 85–88; WS 16, p 177; WS 28, pp 166, 169, 170; WS 38, pp 370–371
flow of, measurements of Ann 18, IV, pp 359–360; Ann 19, IV, pp 487–489; Ann 20, IV, pp 63, 511; Ann 21, IV, pp 424–426; WS 11, pp 85–88; WS 16, p 177; WS 28, pp 166, 169, 170; WS 38, pp 370–371 Spokane shale of Montana, description and section of Ann 20, III, pp 282–283
flow of, measurements of Ann 18, IV, pp 359–360; Ann 19, IV, pp 487–489;  Ann 20, IV, pp 63, 511; Ann 21, IV, pp 424–426; WS 11, pp 85–88;  WS 16, p 177; WS 28, pp 166, 169, 170; WS 38, pp 370–371  Spokane shale of Montana, description and section of
flow of, measurements of Ann 18, IV, pp 359–360; Ann 19, IV, pp 487–489; Ann 20, IV, pp 63, 511; Ann 21, IV, pp 424–426; WS 11, pp 85–88; WS 16, p 177; WS 28, pp 166, 169, 170; WS 38, pp 370–371 Spokane shale of Montana, description and section of Ann 20, III, pp 282–283

Spondylidæ from Miocene marls of New Jersey
Sponges, relation of fossil medusæ to
Spongiæ from Cambrian and Devonian of Nevada, Eureka districtMon
vш, pp 11-12, 99
from Lower Cambrian
from Middle Cambrian of North AmericaBull 30, pp 50, 72-91
of Olenellus zone
Spring section, ideal
Spring water, general chemistry of
Springs, classes of, and those in Lahontan Basin
of California, Mono Lake
of Idaho, Boise quadrangle
of Kaibab Plateau
of Lahontan Basin, extinct
of Nebraska, western
of Nevada, Steamboat Springs district
Springs, hot, character and cause of
of Wyoming
travertine and siliceous sinter of
Springs, mineral. (See Mineral Springs.)
Springs and spring deposits of Rico Mountains, ColoradoAnn 21, 11, pp 163-164
Springs and subterranean streams, erosion and transportation byMon xxxiv,
pp 28–20
Sproull (H. S.), gypsum, statistics of
structural materials, statistics of
Spurr (J. E.), coast of Alaska from Bristol Bay to YukonAlaska (2), pp 120-121
economic geology of Mercur mining district, UtahAnn 16, 11, pp 370-455
from Yukon mouth to Point Barrow
geology of Aspen mining district, Colorado
geology of Yukon gold district, Alaska
Kowak River
Kuskokwim drainage area
Lakes Iliamna and Clark
Noatak River
Nushagak River
reconnaissance in southwestern Alaska, in 1898Ann 20, v11, pp 31-264
work in charge of, 1896–1900
Ann 19, 1, pp 53, 117; Ann 20, 1, p 132–133; Ann 21, 1, p 81
Spurr (J. E.) and Post (W. S.), report of Kuskokwim expedition (1898),
Alaska
Square Lake limestone of Maine, faunas of
Squaw Gulch, Cripple Creek district, Colorado, character of ore deposits in . Ann 16,
11, pp 174–176
Squaw Mountain, Cripple Creek district, Colorado, character of ore deposits
in
Mil 16, 11, p 207
Stadia and transit work in survey of Idaho-Montana boundary lineBull 170,
pp 40–47
Stahl (E.) and Huntley (D. B.), list of ores, minerals, and mineral substances
of industrial importance in ArizonaMR 1882, pp 760–764
Staked Plains formationBull 84, p 335
Stalactite, analysis of, from Montana, near Butte (sky-blue)Bull 167, p 76
description of, as one of the educational series of rocksBull 150, pp 97–98
Chamberly with in Manage happets Thomas 25 and the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the
Stamford gneiss in Massachusetts, Hoosac Mountain
pp 45–48; Bull 86, p 373
Stanford conglomerate of Montana

Stanislaus River, flow of, measurements of
IV, pp 371-375, 376; Ann 19, IV, pp 510-512; Ann 20,
ıv, pp 63, 526, 530-531; Ann 21, ıv, pp 447-448; Bull
140, pp 304–308; WS 11, p 90; WS 16, p 187; WS 19, pp
50-52; WS 28, pp 182, 185, 186, 193; WS 38, pp 391-392
profile of
Stanislaus and Lake Tahoe forest reserves, California, and adjacent territory,
report on
Stanton (T. W.), Colorado formation and its invertebrate fauna Bull 106
contributions to Cretaceous paleontology of Pacific coast; fauna of Knox-
ville bedsBull 133
faunal relations of Eocene and Upper Cretaceous on Pacific coastAnn 17,
н, pp 1005–1060
Mesozoic fossils of Yellowstone Park
work in charge of, 1892–1900
184; Ann 16, 1, pp 38–39; Ann 17, 1, pp 64–66; Ann 18, 1, pp
63-64; Ann 19, I, p 63; Ann 20, I, pp 63-65; Ann 21, I, p 90
Starr conglomerate of Tennessee
Staten Island, New York; wells onBull 138, p 37
States, surveys of, by their cooperation. (See Surveys of States.)
the various, area of land surface of
Statistics of mineral production of United States. (See Mineral production.)
Staunton quadrangle, Virginia-West Virginia, geology of
Staunton River, Virginia, flow of, measurements of
45–47; Ann 19, IV, pp 180–181; Ann 20, IV, p 50; Bull 140,
p 68; WS 11, p 13; WS 15, pp 26–27; WS 27, pp 33, 44 Staurolite, analysis of
analysis of, from Massachusetts, Chesterfield
from North Carolina
composition of Bull 150, p 38
occurrence and statistics of MR 1883-84,
pp 742–743; MR 1893, pp 682, 699; Ann 16, IV, p 605
Standingstone quadrangle, Tennessee, geology of
Steamboat Springs district, Nevada, springs of
Steatite, analysis of, from Massachusetts (crystallized)
from New Hampshire, Francestown, description of, as one of educational series
Steel, analysis of (tungsten) Ann 16, III, p 619
analysis of, from Krupp shell Bull 55, pp 87–88
carburation of, effect of mechanical strain on
carburation of, effect of mechanical strain officers of Bull 42, pp 99, 121
cooling, sudden, exhibited by, effect of
per ofBull 27, pp 30–50
galvanic, thermo-electric, and magnetic properties of, etcBull 14
oxide films on, relation between time of exposure, temper value, and color
in
physical definition of
solution of, effect of strain on rate of
structure, internal, of temperedBull 35, pp 11–50
viscosity of, and its relations to temper and to temperatureBull 73, pp 1-73
(See, also, Iron.)
Steel and iron in United States, twenty-one years of progress in manufacture
ofMR 1885, pp 180–195

Steel and iron in United States, twenty years of progress in manufacture
of
Steel and iron industries in United States, statistics of MR 1883-84, pp 246-257; MR
1887, pp 10–27; MR 1888, pp 12–32; MR 1889–90, pp 10–22;
MR 1892, pp 12–22; MR 1893, pp 13–22; Ann 16, III, pp 219–
250; Ann 17, III, pp 45-71; Ann 18, v, pp 51-140; Ann 19,
vi, pp 65–89; Ann 20, vi, pp 61–101; Ann 21, vi, pp 69–118
Steel and iron and allied industries in all countries
III, pp 219–250; Ann 18, v, pp 51–140 Steel industry of United StatesBull 25
Steenstrupine, chemical constitution of
Steep rock series of Ontario
Stegosauridæ of North America
Stegosaurus, description and restoration of
from Denver Basin, remains of
Steiger (G.), solubility in water of certain natural silicatesBull 167, pp 159-160
Steiger (G.) and Clarke (F. W.), experiments relative to constitution of pec-
tolite, pyrophyllite, calamine, and analciteBull 167, pp 13–25
Steilacoom gravels of Washington
Stelleridæ, Mesozoic, of United StatesBull 97, pp 31–32
Stephanoceratidæ from Colorado formationBull 106, pp 181–189
Sterculiaceæ from Dakota group
from Laramie groupBull 37, pp 93-96
from Yellowstone Park
Sternberg (Kaspar Maria, Graf von), biographic sketch of
Sterrholophus, remarks on
Stevenson (James), death and biographic sketch of
Stevenson quadrangle, Alabama-Georgia-Tennessee, geology of
Stilbite, analysis of (typical)
analysis of, from Montana, Boulder Hot Springs
analysis, description, etc., of, from Colorado, Table Mountain Bull 20, pp 19-23
chemical constitution of
Stilpnomelane, analysis of
chemical constitution of
Stinking Water Hot Springs, WyomingBull 119, p 67
Stock eruptions in Colorado, La Plata quadrangle
in Colorado, Telluride quadrangleGF 57, p 14
Stockbridge limestone in Massachusetts
pp 64, 181–182, 190; Bull 86, p 365, passim; Bull 159, pp 84–85
in New York
Stocks in Colorado, Rico Mountains, cross-cutting in
in Colorado, Telluride quadrangleAnn 21, 11, p 96
in Montana, Fort Benton quadrangleGF 55, p 4
Little Belt MountainsAnn 20, 111, pp 321, 327, 353-354, 396-400, 563-568
in South Dakota-Wyoming, Black HillsAnn 21, 111, pp 227–228
in Yellowstone Park
Stokes (H. N.), on a petroleum from CubaBull 78, pp 98–104
on a supposed mineral resin from Livingston, MontanaBull 78, pp 105–108
on action of phosphorus oxychloride on ethers and chlorhydrines of silicic
acidBull 90, pp 47–55
on amidophosphoric acid
on catalytic action of aluminum chloride on silicic ethersBull 113, pp 63-76
on chloronitrides of phosphorus and metaphosphimic acids. Bull 167, pp 77-153
Stomatellidæ from Chico-Tejon series of CaliforniaBull 51, p 17

[BULL. 177.

Stone, building, in West Virginia, Buckhannon quadrangle
in West Virginia, Franklin quadrangleGF 32, p 5
Harpers Ferry quadrangleGF 10, p 4
Monterey quadrangle
Disduced quadrangle
Piedmont quadrangle
Pocahontas quadrangle
in Wyoming, Black Hills, southern part
statistics of
MR 1885, pp 396–404; MR 1886, pp 536–556; MR 1887, pp
511–527; MR 1888, pp 521–547; MR 1889–90, pp 373–440; MR
1891, pp 456–473; MR 1892, pp 704–711; MR 1893, pp 542–
602; Ann 16, IV, pp 436–510; Ann 17, III cont, pp 759–811;
Ann 18, v cont, pp 949–1068; Ann 19, vi cont, pp 205–309;
Ann 20, vi cont, pp 269-464; Ann 21, vi cont, pp 333-360
tests and analyses of
Stone, lithographic, analysis of, from Bavaria
analysis of, from Missouri
description of, as one of educational series of rocks Bull 150, pp 132–133
Stone, meteoric. (See Meteoric stone; Meteorite, stony.)
Stones, precious. (See Precious stones.)
Stones, road-building, method or testing
sources of supply of
of Massachusetts and other parts of United StatesAnn 16, 11, pp 277-341
Stoneware clay. (See Clay, stoneware.)
Storage, water, in Arizona, Gila River
in Maine lakes
in Nevada, Humboldt River
Rock Creek
Nock Oreek
in New Mexico, Mesilla Valley
in New York
Croton watershed
Genesee River
Hudson River
(See, also, Irrigation; Reservoirs.)
Storage reservoirs in irrigation
Storm Ridge, Colorado, sketch of
Stose (G. W.), work in charge of, 1897–1900
Ann 20, 1, pp 146–149; Ann 21, 1, pp 164–168
Stowell (S. H.), petroleum, statistics of
MR 1883-84, pp 214-232; MR 1885, pp 130-154 Strain and stress in bodies
Strains under experimental conditions, theory of
Strains, tensile, drawn, and other, in their bearing on Maxwell's theory of
viscosity
viscosity
Stratic geology or stratigraphy, principles of

Bull. 177—01——48

Stratigraphy of Alaska, Prince William Sound and Copper River regionAnn 20,
vii pp 404_413
of Alaska, Pyramid Harbor to Eagle City
н, pp 357–360, 362, 363–364, 367, 368–373
southwestern, classification and distribution of
vii, pp 147–179, 234–238
Sushitna Basin
Tanana-White region
Yukon district
of California, Bidwell Bar quadrangle
Big Trees quadrangleGF 51, p 34
Coast Ranges
Colfax quadrangleGF 66, pp 1–3
Downieville quadrangleGF 37, p 3
Jackson quadrangleGF 11, pp 3, 4-5
Lassen Peak quadrangle
Marysville quadrangleGF 17, p 1
Mother Lode district
Nevada City and Grass Valley districts Ann 17, 11, pp 79-89, 102-111
Nevada City, Grass Valley, and Banner Hill districtsGF 29, p 2
notes on
Pyramid Peak quadrangleGF 31, pp 3-4
Sacramento quadrangle
San Clemente Island
Sierra Nevada
11, pp 445-470; Ann 17, 1, pp 546-549, 569, 594, 597-612,
621-632, 658-663, 683, 684; GF 3, pp 1-2; GF 5, pp 1-2; GF
11, pp 1–2; GF 18, pp 1–2; GF 31, pp 1–2; GF 37, pp 1–2;
GF 39, pp 1-2; GF 41, pp 1-2; GF 43, pp 1-2; GF 51, pp 1-2
Smartsville quadrangle
Sonora quadrangle
Truckee quadrangle
of Catoctin belt
of Colorado, Anthracite and Crested Butte quadrangles
Aspen district
Denver Basin
eastern
Franciscan series
Elmoro quadrangle
La Plata quadrangleGF 60
Leadville district
northwestern, and parts of Utah and WyomingAnn 9, pp 685-691
Pikes Peak quadrangleGF 7, pp 1–2, 4
Pueblo quadrangleGF 36, p 2
Rico Mountains
Spanish Peaks quadrangleGF 71, pp 1-2
Telluride district
Tenmile districtGF 48, p 1
Tenmile district
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
Tenmile district
Tenmile district
Tenmile district

Stratigraphy of IdahoAnn 16, 11, pp 224–234
of Idaho; Idaho Basin, Neocene and Pleistocene formations
нь, pp 632–634, 657–67 <b>5</b>
of Illinois-Indiana, Danville quadrangleGF 67, p 1
of Indian Territory, Eastern Choctaw coal field
of Indiana, natural-gas field
of Iowa, northeastern
of Kansas, Fort Riley Military Reservation
southwesternBull 57, pp 18–44; WS 6, pp 27–37
of Kentucky, Big Stone Gap coal field
Estillville quadrangle
London quadrangleGF 47, p 2
Richmond quadrangle
of Lake Superior region
of Maryland, Chesapeake Bay, head of
Fredericksburg quadrangle
Harpers Ferry quadrangle
Nomini quadrangleGF 23, pp 1–2
Piedmont quadrangle
Washington (D. C.) quadrangle
of Massachusetts, Holyoke quadrangle
Marthas Vineyard
western
of Michigan, Crystal Falls district
62, 70-73, 100-150; Mon xxxvi, pp 25-29, 152-153, 165-174
Marquette district
Penokee series
of Minnesota, Keweenaw series
of Minnesota, Keweenaw series
of Missouri, Coal Measures
of Montana, Castle Mountain districtBull 139, pp 30-55
Fort Benton quadrangle
Judith Mountains
Little Belt Mountains
Little Belt Mountains quadrangleGF 56, pp 1-3
Livingston quadrangle
Three Forks quadrangle
of Nebraska, southeastern
west of 103d meridian
of Nevada, Eureka district
pp 248–273; Mon vII, pp 5–11; Mon xx, pp 34–98
of New Jersey, Cretaceous and Tertiary formations Mon 1x, pp ix-xii
of Newark systemBull 85, pp 32-44
of New York, eastern, and Vermont, westernAnn 19, 111, pp 177-192
of North Carolina, Knoxville quadrangle
of OhioAnn 19, 1v, pp 638-649
bituminous coal fieldBull 65
Huntington quadrangleGF 69, pp 3-5
of Oregon, northwesternAnn 17, 1, pp 454-479
Roseburg quadrangle
of Pennsylvania, bituminous coal fieldBull 65
of Plateau countryAnn 6, pp 131–140
of Rhode Island, Narragansett Basin . Mon xxxIII, pp 104-114, 119-200, 331-394
of South Dakota, Black Hills, northern
Black Hills, southern part
southeastern portion of

Stratigraphy of Tennessee, Briceville quadrangle	
of Tennessee, Bristol quadrangle	
Chattanooga district	
Chattanooga quadrangle	
Cleveland quadrangle	GF 20, pp 2–3
Estillville quadrangle	GF 12, pp 2–3
Kingston quadrangle	GF 4, p 2
Knoxville quadrangle	GF 16, pp 1–5
Loudon quadrangle	GF 25, pp 1–4
McMinnville quadrangle	GF 22, pp 1–2
Morristown quadrangle	GF 27, pp 1–3
phosphate region	Ann 17, 11, pp 521–523
Pikeville quadrangle	
Ringgold quadrangle	
Sewanee quadrangle	GF 8, p 2
Standingstone quadrangle	
Stevenson quadrangle	
Wartburg quadrangle	
of Texas	
Black and Grand prairies	Ann 21, vii, pp 89–344
Edwards Plateau and Rio Grande Plain	
Nueces quadrangle	GF 42, pp 2–3
Rio Grande coal field	
Uvalde quadrangle	
of Utah, Mercur district	
Oquirrh Mountains	AHH 10, 11, DD 301-304
Oquirrh Mountains	
portions of Colorado, Wyoming, and	Ann 9, pp 685–691 -
portions of Colorado, Wyoming, and	Ann 9, pp 685–691 - 618–631, 670, 673; GF 65, p 1
portions of Colorado, Wyoming, and	Ann 9, pp 685–691 - 618–631, 670, 673; GF 65, p 1 Ann 19, 111, pp 177–192
portions of Colorado, Wyoming, and	Ann 9, pp 685–691 – 618–631, 670, 673; GF 65, p 1Ann 19, 111, pp 177–192Bull 111, pp 31–38
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 – 318–631, 670, 673; GF 65, p 1Ann 19, 111, pp 177–192Bull 111, pp 31–38GF 59, pp 2–5
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 – 518–631, 670, 673; GF 65, p 1Ann 19, 111, pp 177–192Bull 111, pp 31–38GF 59, pp 2–5GF 12, pp 2–3
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 – 618–631, 670, 673; GF 65, p 1Ann 19, 111, pp 177–192Bull 111, pp 31–38GF 59, pp 2–5GF 12, pp 2–3GF 32, pp 1–4
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 – 618–631, 670, 673; GF 65, p 1Ann 19, III, pp 177–192Bull III, pp 31–38GF 59, pp 2–5GF 12, pp 2–3GF 32, pp 1–4GF 13, pp 2–4
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 – 618–631, 670, 673; GF 65, p 1Ann 19, 111, pp 177–192Bull 111, pp 31–38GF 59, pp 2–5GF 12, pp 2–3GF 32, pp 1–4GF 13, pp 2–4GF 10, p 1
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 – 618–631, 670, 673; GF 65, p 1Ann 19, 111, pp 177–192Bull 111, pp 31–38GF 59, pp 2–5GF 12, pp 2–3GF 32, pp 1–4GF 13, pp 2–4GF 10, p 1GF 61, pp 2–5
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 – 618–631, 670, 673; GF 65, p 1Ann 19, III, pp 177–192Bull III, pp 31–38GF 59, pp 2–5GF 12, pp 2–3GF 32, pp 1–4GF 13, pp 2–4GF 10, p 1GF 61, pp 2–5GF 26, pp 2–3
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 – 618–631, 670, 673; GF 65, p 1Ann 19, III, pp 177–192Bull III, pp 31–38GF 59, pp 2–5GF 12, pp 2–3GF 32, pp 1–4GF 13, pp 2–4GF 10, p 1GF 61, pp 2–5GF 26, pp 2–3Ann 19, II, pp 422–444
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 – 618–631, 670, 673; GF 65, p 1Ann 19, III, pp 177–192Bull III, pp 31–38GF 59, pp 2–5GF 12, pp 2–3GF 32, pp 1–4GF 13, pp 2–4GF 10, p 1GF 61, pp 2–5GF 26, pp 2–3Ann 19, II, pp 422–444GF 14, pp 1–2
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 – 618–631, 670, 673; GF 65, p 1Ann 19, III, pp 177–192Bull III, pp 31–38GF 59, pp 2–5GF 12, pp 2–3GF 32, pp 1–4GF 13, pp 2–4GF 10, p 1GF 61, pp 2–5GF 26, pp 2–3Ann 19, II, pp 422–444GF 14, pp 1–2GF 44, pp 2–3
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 –  618–631, 670, 673; GF 65, p 1 Ann 19, III, pp 177–192 Bull III, pp 31–38 GF 59, pp 2–5 GF 12, pp 2–3 GF 32, pp 1–4 GF 13, pp 2–4 GF 10, p 1 GF 61, pp 2–5 GF 26, pp 2–3 Ann 19, II, pp 422–444 GF 14, pp 1–2 GF 44, pp 2–3 Ann 20, II, pp 112–128
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 – 618–631, 670, 673; GF 65, p 1Ann 19, III, pp 177–192Bull III, pp 31–38GF 59, pp 2–5GF 12, pp 2–3GF 32, pp 1–4GF 13, pp 2–4GF 10, p 1GF 61, pp 2–5GF 26, pp 2–3Ann 19, II, pp 422–444GF 14, pp 1–2GF 44, pp 2–3Ann 20, II, pp 112–128Ann 18, III, pp 400–404
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 –  618–631, 670, 673; GF 65, p 1  Ann 19, III, pp 177–192  Bull III, pp 31–38  GF 59, pp 2–5  GF 12, pp 2–3  GF 32, pp 1–4  GF 13, pp 2–4  GF 10, p 1  GF 61, pp 2–5  GF 26, pp 2–3  Ann 19, II, pp 422–444  GF 14, pp 1–2  GF 44, pp 2–3  Ann 20, II, pp 112–128  Ann 18, III, pp 400–404  WS 4, pp 50–56
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 –  618–631, 670, 673; GF 65, p 1  Ann 19, III, pp 177–192  Bull III, pp 31–38  GF 59, pp 2–5  GF 12, pp 2–3  GF 32, pp 1–4  GF 13, pp 2–4  GF 10, p 1  GF 61, pp 2–5  GF 26, pp 2–3  Ann 19, II, pp 422–444  GF 14, pp 1–2  GF 44, pp 2–3  Ann 20, II, pp 112–128  Ann 18, III, pp 400–404  WS 4, pp 50–56  GF 54, pp 2–3
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 –  618–631, 670, 673; GF 65, p 1  Ann 19, III, pp 177–192  Bull III, pp 31–38  GF 59, pp 2–5  GF 12, pp 2–3  GF 13, pp 2–4  GF 13, pp 2–4  GF 10, p 1  GF 61, pp 2–5  GF 26, pp 2–5  GF 26, pp 2–3  Ann 19, II, pp 422–444  GF 14, pp 1–2  GF 44, pp 2–3  Ann 20, II, pp 112–128  Ann 18, III, pp 400–404  WS 4, pp 50–56  GF 54, pp 2–3  Bull 65
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 – 618–631, 670, 673; GF 65, p 1Ann 19, III, pp 177–192Bull III, pp 31–38GF 59, pp 2–5GF 12, pp 2–3GF 32, pp 1–4GF 13, pp 2–4GF 10, p 1GF 61, pp 2–5GF 26, pp 2–3Ann 19, II, pp 422–444GF 14, pp 1–2GF 44, pp 2–3Ann 20, II, pp 112–128Ann 18, III, pp 400–404WS 4, pp 50–56GF 54, pp 2–3Bull 65GF 34, pp 1–2
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 –  618–631, 670, 673; GF 65, p 1  Ann 19, III, pp 177–192  Bull III, pp 31–38  GF 59, pp 2–5  GF 12, pp 2–3  GF 13, pp 2–4  GF 13, pp 2–4  GF 10, p 1  GF 26, pp 2–5  GF 26, pp 2–5  GF 26, pp 2–3  Ann 19, II, pp 422–444  GF 14, pp 1–2  GF 44, pp 2–3  Ann 20, II, pp 112–128  Ann 18, III, pp 400–404  WS 4, pp 50–56  GF 54, pp 2–3  Bull 65  GF 34, pp 1–2  GF 32, pp 1–4
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 – 618–631, 670, 673; GF 65, p 1Ann 19, III, pp 177–192Bull III, pp 31–38GF 59, pp 2–5GF 12, pp 2–3GF 32, pp 1–4GF 13, pp 2–4GF 10, p 1GF 61, pp 2–5GF 26, pp 2–3Ann 19, II, pp 422–444GF 14, pp 1–2GF 44, pp 2–3Ann 20, II, pp 112–128Ann 18, III, pp 400–404WS 4, pp 50–56GF 54, pp 2–3Bull 65GF 34, pp 1–2GF 32, pp 1–4GF 10, p 1
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 –  618–631, 670, 673; GF 65, p 1  Ann 19, III, pp 177–192  Bull III, pp 31–38  GF 59, pp 2–5  GF 12, pp 2–3  GF 13, pp 2–4  GF 13, pp 2–4  GF 10, p 1  GF 26, pp 2–3  Ann 19, II, pp 422–444  GF 14, pp 1–2  GF 44, pp 2–3  Ann 20, II, pp 112–128  Ann 18, III, pp 400–404  WS 4, pp 50–56  GF 54, pp 2–3  Bull 65  GF 34, pp 1–2  GF 32, pp 1–4  GF 10, p 1
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 –  618–631, 670, 673; GF 65, p 1  Ann 19, III, pp 177–192  Bull III, pp 31–38  GF 59, pp 2–5  GF 12, pp 2–3  GF 32, pp 1–4  GF 13, pp 2–4  GF 10, p 1  GF 61, pp 2–5  GF 26, pp 2–3  Ann 19, II, pp 422–444  GF 14, pp 1–2  GF 44, pp 2–3  Ann 20, II, pp 112–128  Ann 18, III, pp 400–404  WS 4, pp 50–56  GF 54, pp 2–3  Bull 65  GF 34, pp 1–2  GF 32, pp 1–4  GF 10, p 1  GF 69, pp 3–5  GF 69, pp 3–5
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 – 618–631, 670, 673; GF 65, p 1Ann 19, III, pp 177–192Bull III, pp 31–38GF 59, pp 2–5GF 12, pp 2–3GF 32, pp 1–4GF 13, pp 2–4GF 10, p 1GF 61, pp 2–5GF 26, pp 2–3Ann 19, II, pp 422–444GF 14, pp 1–2GF 44, pp 2–3Ann 20, II, pp 112–128Ann 18, III, pp 400–404WS 4, pp 50–56GF 54, pp 2–3Bull 65GF 32, pp 1–4GF 10, p 1GF 69, pp 3–5GF 61, pp 2–5Ann 17, II, pp 487–509
portions of Colorado, Wyoming, and Tintic district	Ann 9, pp 685–691 – 618–631, 670, 673; GF 65, p 1Ann 19, III, pp 177–192Bull III, pp 31–38GF 59, pp 2–5GF 12, pp 2–3GF 32, pp 1–4GF 13, pp 2–4GF 10, p 1GF 61, pp 2–5GF 26, pp 2–3Ann 19, II, pp 422–444GF 14, pp 1–2GF 44, pp 2–3Ann 20, II, pp 112–128Ann 18, III, pp 400–404WS 4, pp 50–56GF 54, pp 2–3Bull 65GF 34, pp 1–2GF 32, pp 1–4GF 10, p 1GF 69, pp 3–5GF 61, pp 2–5Ann 17, II, pp 487–509GF 28, pp 2–4

WARMAN.]

•
Stratigraphy of West Virginia, Staunton quadrangle
(See, also, Algonkian; Archean; Cambrian; Carboniferous; Cretaceous; Devonian; Eocene; Juratrias; Neocene; Pleistocene; Silurian.)
Straub Mountain, Colorado, rocks of
Stream, overloaded, example of
Stream basins, types of, in southern Appalachians
Stream capture in West Virginia, Buckhannon quadrangle
Stream measurements, cost, accuracy, methods, etc., of
during 1890–1900
38–110; Ann 12, 11, pp 235–361; Ann 13, 111, pp 34–99; Ann
18, IV, pp 1–418; Ann 19, IV, pp 1–632; Ann 20, IV, pp 1–
562; Ann 21, IV, pp 9–488; Bull 131; Bull 140; WS 15; WS
16; WS 27; WS 28; WS 35; WS 36; WS 37; WS 38; WS 39
in Nicaragua
in Porto Rico
methods of
ıv, pp 18–27; Ann 20, ıv, pp 20–22; Ann 21, ıv, pp 28–41
methods and results of
Stream water supply of eastern United States
Stream work in relation to soils
Streams, adjustment of, to structures, especially in Connecticut
п, рр 162–163, 175–178
adjustments of, in Colorado, La Plata quadrangleGF 60, p 12
asymmetry of, causes of
drainage areas of, measurements ofBull 140, pp 342–347; WS 11, pp 95–100
erosion of, Ferrell's law
in Georgia, Apalachicola Basin, list of
general discussion of
migration of
pollution of, consideration of
repulsion of tributaries, theory of
superposition (possible) of certain, in ConnecticutAnn 18, 11, pp 165–166
terraces of construction and destruction formed by
Stress and strain in bodies
Striæ, glacial, in Connecticut, Holyoke quadrangle
in Hudson Bay and Lake Superior region and westward, table ofMon xxv,
pp 633-642
in Illinois, etc., district covered by Illinois lobe
pp 84–88, 140, 412–417
in Massachusetts, Holyoke quadrangle
in Minnesota, Minnesota River Valley
in South Dakota, southeastern
in United States, eastern, map of
of the great ice invasions
Striation, cross, and changes of glacier movement
Strigovite, analysis of
chemical constitution of

Strike, hade, throw, etc., definitions of
Strikes in coal mines in 1890, 1897, and 1898
pp 184, 185, 219–220, 262; Ann 19, vr, pp 324–328
Strombidæ from clays and marls of New Jersey
pp 108–119, 186–187, 222 from Colorado formation
from Colorado formation
Stromeyerite, from California, San Bernardino County, description and analy-
sis of
Strontium, statistics of
Strouhal (V.) and Barus (C.), effect of sudden cooling exhibited by glass and
by steel
electric and magnetic properties of iron carburetsBull 14
physical properties of iron carburetsBull 35
relation between electric resistance and density when varying with temper
of steel
relation between time of exposure, temper value, and color in oxide films
on steel Bull 27, pp 51–61
Structural features of rocks
Structural geology. (See Faults; Folds; Igneous rocks; Metamorphic rocks;
Sedimentary rocks.)
Structural principles applicable to metamorphic rocksMon xxIII, pp 157–158
Structural work in iron, fossiliferous rocks, principles ofAnn 16, 1, pp 734–739
Structure, bearing of, on topography of Great Plains
flow and fracture of rocks as related to
folding and faulting in Narragansett Basin
pp 10-27, 101, 121-123, 156-158, 183, 355
рр 10–27, 101, 121–123, 130–138, 165, 355 mechanics of Appalachian
of Alabama, bauxite region
Gadsden quadrangle
Stevenson quadrangle
of Alaska, Skolai Range
Sushitna Basin, notes on
Tanana-White region
of Appalachian Mountain region
mechanics of
of Appalachians, southern, gold fields of Ann 16, 111, pp 265-272
of Arizona, Kaibab Plateau
of Basin Ranges
of Black Hills, southern partAnn 21, iv, pp 549-554
of California, Bidwell Bar area
Colfax quadrangleGF 66, p 4
Downieville quadrangle
Franciscan series
Lassen Peak quadrangleGF 15, p 2
Mother Lode districtGF 63, p 6
of Cascade Range, notes on
of Catoctin belt
of Colorado, Anthracite-Crested Butte quadrangles
Aspen district
Denver Basin
eastern, Cretaceous rocks of
Leadville region
Mosquito Range
· · · · · · · · · · · · · · · · · · ·

Structure of Colorado, Pikes Peak quadrangleGF 7, p 4
of Colorado, portions of Utah, Wyoming, and
Pueblo quadrangleGF 36, p 4
Rico Mountains
San Juan Mountains, relation of Rico structure toAnn 21, 11, p 23
Spanish Peaks quadrangleGF 71, pp 2-3
Telluride quadrangleGF 57, pp 10–13
Tenmile district
Walsenburg quadrangle
of Connecticut, Trias in
of District of Columbia. GF 70, pp 5-6
of Georgia, bauxite region
Ringgold quadrangle
Stevenson quadrangle
of Great Basin
ı, p 533; Mon ı, pp 340–362; Mon xx, pp 10, 211
of Idaho
western-central, gold and silver ores ofAnn 20, III, pp 169-174, 214-215
of Indian Territory, eastern Choctaw coal field
McAlester-Lehigh coal field
of Indiana
gas and oil fields
of Kentucky, Estillville quadrangleGF 12, pp 3-4
London quadrangleGF 47, p 3
Richmond quadrangleGF 46, p 3
of Lake Superior Basin
of Maine, Mount Desert Island
of Maryland, Harpers Ferry quadrangleGF 10, pp 3-4
Piedmont quadrangle
southern, Piedmont Plateau
Washington (D. C.) quadrangle
of Massachusetts, Green Mountains in
Monument Mountain
Mount Greylock
NantucketBull 53, pp 15–26
of Michigan, Crystal Falls district
111, pp 22–25, 68; Mon xxxvi, pp 25–29, 158–162
Keweenaw series
Penokee series
of Montana, Fort Benton quadrangle
Judith Mountains
Little Belt Mountains
of mountains, especially of Rocky Mountains
of Nevada, Prospect Mountain and Ruby Hill
pp 223–250; Mon vII, pp 11–50
of New Jersey, Trias in
of New York, eastern, and Vermont, westernAnn 19, 111, pp 192–226, 297–298
Rensselaer grit plateau´Ann 13, 11, pp 316–334
of Newark areas
of North Carolina, Knoxville quadrangle
of Ohio, gas and oil fields
Huntington quadrangleGF 69, p 5
of Oregon, Coos Bay coal field

ructure of Potomac formation	Mon xv, pp 47-53
of Sierra Nevada	Bull 33, pp 12–16, 21
of Tennessee, Briceville quadrangle	
Bristol quadrangle	
Chattanooga district	
Chattanooga quadrangle	
Cleveland quadrangle	
Estillville quadrangle	
Kingston quadrangle.	
Knoxville quadrangle	
Loudon quadrangle	
McMinnville quadrangle	
Morristown quadrangle	
Pikeville quadrangle	
Ringgold quadrangle	GF 2, p 2
Sewanee quadrangle	GF 8, p 2
Standingstone quadrangle	GF 53, p 3
Stevenson quadrangle	
Wartburg quadrangle	
of Texas, Black and Grand prairies	
Nueces quadrangle	GF 42, p 3
Uvalde quadrangle	GF 64, p 4
of Utah, Mercur district	Ann 16, 11, pp 370–377
Oquirrh Mountains	Ann 16, 11, pp 360–361
portions of Colorado, Wyoming, and	Ann 9, pp 691–706
Tintic district	GF 65, p 1
Uinta Basin	
of Vermont, Green Mountain region, and eastern New	
ridge between Taconic and Green Mountain ranges	I, pp 543-570
of Virginia, Bristol quadrangle	
Estillville quadrangle	
Franklin quadrangle	
Harpers Ferry quadrangle	
Monterey quadrangle	
Pocahontas quadrangle	GF 26, pp 3–4
Richmond Basin	
Staunton quadrangle	GF 14, p 3
Tazewell quadrangle	
Washington (D. C.) quadrangle	GF 70, pp 5–6
of Washington, Puget Sound coal fieldsAnn 18	8, 111, pp 404–405, 424–436
of West Virginia, Buckhannon quadrangle	GF 34, pp 2–3
Franklin quadrangle	GF 32, pp 4–5
Harpers Ferry quadrangle	
Huntington quadrangle	
Monterey quadrangle	
New-Kanawha River region	Ann 17, 11, pp 484–486
Piedmont quadrangle	
Pocahontas quadrangle	
Staunton quadrangle	
Tazewell quadrangle	
of Wyoming, Absaroka Range	
parts of Colorado, Utah, and	
parto or outlines, outli, and	o, pp oor 100

	•
	vein systems to, in Nevada City and Grass Valley dis-
	ricts
	Ann 13, 11, pp 219–223
	phism; Fault; Unconformity.) hate rock in AlabamaMR 1883-84, pp 794-803
	ations on Lake Superior by
	Michigan, Crystal Falls district
Stargeon quartante or	иг, pp 105–110, 125; Mon xxxvi, pp 398–405, 430–431
of Michigan Men	ominee district
	, Michigan, geology of
Stargeon tirver tongue	111, pp 146–151; Mon xxxvi, pp 458–487
Subserial decay of roc	ks and origin of red color of certain formationsBull 52
Subirrigation in Color	ado, San Luis Valley
	Ann 21, 1v, p 222
	ts used in
	Plain
	quadrangleGF 42, p 3
	les in liquidsBull 36; Bull 60, pp 139–145
	Maine, during and after Glacial period, evidences ofAnn 8,
or mount bosors,	11, pp 1009–1034
of Nantucket Islan	ndBull 53, pp 28–30, 48
	tion in Massachusetts, Cape Ann district, evidences of
	ecent
	ozoic and Mesozoic rocks of AlabamaBull 43, pp 136–138
(See, also, Diastro	
` ' '	formation of quicksilver ores
	Alabama, correlation of
	fossil, of North America
	chusetts, flow of, measurements ofAnn 20,
	ıv, pp 46, 74–75; Bull 140, pp 35–37; WS 35, p 37
	ttlement Mesa Forest ReserveAnn 20, v, pp 181–243
Stanislaus and La	ke Tahoe forest reserves, California, and adjacent terri-
t	oryAnn 21, v, pp 499-561
	eau Timber Land ReserveAnn 20, v, pp 117–179
	of England and France, correlation ofAnn 18, 11, p 346
Sugarloaf arkose of Co	nnecticut and MassachusettsMon xxix,
	pp 354–358; GF 50, p 5
	ysis of, from Colorado, Augusta Mountain and Crested
	Butte
	from Arizona, Mohave County (cupric)Bull 55, p 55
	California, Knoxville
	o, Leadville district (basic)
. Sulphate of lime as an	intic mining district (basic)
Sulphate of soda, anal	ysis of, from Colorado, Morrison
	Wyoming, various localities
salts from	Bull 60, p 29
statistics of	
	various minerals.)
Sulphates, basic ferric	
Sulphide minerals, sol	ubility of
Sulphur in California,	Sulphur Bank, deposition of

Sulphur in Hawaii occu	rrence of	Ann 19, vi cont, pp 684-685
		Ann 21, 11, pp 207–208
in steel		Bull 25, p 13
		578–579; MR 1883–84, pp 864–876; MR
statistics of		MR 1886,pp 644–647; MR 1887, pp 604–
		5, 10–11; MR 1889–90, pp 515–517; MR
		MR 1892, pp 784–791; MR 1893, pp 739–
•		p 636–644; Ann 17, 111 cont, pp 958–972;
		1243–1258; Ann 19, vi cont, pp 557–572;
S-1-1		op 641–652; Ann 21, vi cont, pp 503–518
Sulphur and pyrites, rei	ative merits of, in in	anufacture of sulphuric acidMR 1893,
Clark Clark and Clark	TT:4- 304-:	pp 743–745
		Bull 82, p 235
		intains quadrangle GF 56, pp 8–9
Sulphurets, analyses of,	from Nevada, variou	us localities (concentrated)Ann 17,
		лг, pp 126–127 МR 1886, p 670
Sulphuric acid, analysis	or	M.K. 1886, p 670
		Ann 8, 11, p 805
retroleum localities		MR 1893,
		pp 403–404; Ann 17, 111 cont, pp 727–728;
		9 880–883; Ann 19, vr cont, pp 150–152;
		p 179–182; Ann 21, vi cont, pp 248–250
		Ann 16, 111, pp 492–494
		Bull 84, p 335
		henomena inTF 1, p 3
		Ann 21, 1v, pp 520–524
		Ann 16, 111, p 479
Sungie-Ujong, Malay Pe	ninsula, tin product	ion of
Sunrise district, Alaska,	gold in, notes on	Ann 20, vii, pp 318–321
		nn 20, vii, pp 305–307; Alaska (2), p 45
Sun River, Montana, flor		ofAnn 11, 11, p 94; Ann 12, 11, pp 234,
		ıı, pp 93, 98; Ann 20, ıv, p 53; WS 15, p 72
		Аnn 11, 11, pp 43–94, 120, 123
		emAnn 13, 111, pp 371–386
Sunstone, occurrence an		1882, p 495; MR 1883–84, pp 771–772, 781;
		MR 1886, p 604; MR 1887, pp 556, 557;
		585; MR 1889–90, pp 446, 447; MR 1891,
6		781; MR 1893, p 681; Ann 16, IV, p 604
Superior, Lake, copper-		on ofAnn 1, pp 70–71;
0 4 4 6 6		xxxi-xxxiv; Ann 3, pp 89–188; Mon v
nuctuations of, from	1870 to 1888	Bull 72, p 18
geologic maps of par	its of pasin of	Ann 3, pp 92–93, 172–173
rocks in region of a	nents of	
	i; Minnesota; Wisco	
		GF 3, pp 1, 3; GF 5, pp 1, 3; GF 11,
Superjacent series of Car		; GF 18, pp 4–5; GF 31, pp 1–2, 5–8; GF
		9, pp 1–2, 5–8; GF 41, pp 1–2, 6; GF 43,
		pp 1, 5-7; GF 63, pp 5-6; GF 66, pp 5-7
relation of Bed-rock		GF 29, p 1
		prairiesAnn 21, v11, pp 345–361
(See Pleistocene.)		
,	ie between Idaho a	nd Montana, from international
		tterroot MountainsBull 170
		tesBull 174
	-	•

Survey, United States Geological, laws establishing and extendingAnn 1,
pp 3-4: Ann 4, p xiii
plan and organization of
Ann 8, 1, pp 3-69; Ann 21, 1, 19-22, 60-61
Surveying, topographic, manual on
Surveys of public lands, system of
of States by their cooperation:
Alabama
Connecticut
Maine
Maryland
19, 1, pp 86, 98; Ann 20, 1, pp 99, 110; Ann 21, 1, pp 114, 125
Massachusetts
New Jersey
New York Ann 17, 1, p 98; Ann 18, 1, pp 100, 101; Ann 19, 1, pp 86,
97–98; Ann 20, 1, pp 99, 109–110; Ann 21, 1, pp 114, 122–123
North CarolinaAnn 18, 1, pp 100, 102; Ann 20, 1, p 111
Pennsylvania
Rhode Island
West Virginia
under the United States and State governments
Sushitna Basin, Alaska, reconnaissance in, in 1898
Sushitna drainage area, Alaska, notes on
Sushitna expedition (1898), Alaska, report of
Sushitna River, Alaska, itinerary of reconnaissance along. Ann 20, vii, pp 46, 62–67
Sushitna slate series of Alaska
Susquehanna River, flow of, measurements of
127; Ann 20, IV, pp 48, 109-110; Ann 21, IV, pp 87-92; WS
127; Ann 20, 1v, pp 48, 109–110; Ann 21, 1v, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81
127; Ann 20, 1v, pp 48, 109–110; Ann 21, 1v, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, 1v, pp 48, 109–110; Ann 21, 1v, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of
127; Ann 20, IV, pp 48, 109–110; Ann 21, IV, pp 87–92; WS 15, pp 8–11; WS 27, pp 17, 23, 24; WS 35, pp 75–79, 80–81 profile of

```
иг, pp 219-250; Ann 18, v, pp 51-140
  iron trade in 1897, 1898, and 1899, and immediately preceding years, the
            foreign ......Ann 19,
              vi, pp 84-89; Ann 20, vi, pp 89-101; Ann 21, vi, pp 69-118
  twenty-one years of progress in manufacture of iron and steel in United
            twenty years of progress in manufacture of iron and steel in United
            clay products of, at Paris Exposition of 1900 ...... Ann 21, vi cont, pp 390-391
  p 13; MR 1885, p 11; MR 1886, p 235; MR 1887, p 189; MR
              1888, p 208; MR 1889-90, p 22; MR 1891, p 73; MR 1893, p
              202; Ann 16, 111, pp 241, 248, IV, p 21; Ann 17, III, pp 314,
              321; Ann 18, v, pp 121, 136, 414, 421; Ann 19, vi, pp 311,
              320; Ann 20, vi, pp 332, 341; Ann 21, vi, pp 113, 363, 373
  p 356; MR 1885, p 228; MR 1886, p 128; MR 1887, p 87;
              MR 1888, p 73; MR 1889-90, p 73; MR 1891, p 100; MR
              1892, p 114; MR 1893, p 86; Ann 16, III, p 352; Ann 17,
              111, pp 117, 118; Ann 18, v, pp 219, 220; Ann 19, vi, pp
              176, 177; Ann 20, vi, pp 202, 203; Ann 21, vi, pp 204, 205
  gold and silver production of, compared with that of other countries..MR 1883-
                                      1884, pp 319, 320
  iron, iron ore, and steel from, statistics of ......MR 1882, p 109; MR 1883-84,
              p 257; MR 1885, p 193; MR 1886, p 21; MR 1887, p 18;
              MR 1888, pp 28, 29, 30, 31; MR 1889-90, pp 21, 22; MR 1891,
              p 73; Ann 16, III, pp 22, 23, 24, 25, 26, 28, 113-129, 240-
              241, 248; Ann 18, v, pp 120-124, 136, 137; Ann 19, vi, pp
              82, 83, 88; Ann 20, vi, pp 95, 101; Ann 21, vi, pp 113, 114
  iron-ore deposits of; character, distribution, methods of mining, etc....Ann 16,
                                       ш, рр 113-129
  lead production of, statistics of ............MR 1883-84, p 434; MR 1885, p 264
  manganese-ore production of....MR 1889-90, p 130; MR 1893, pp 148-150; Ann
              16, III, pp 449–451, 457; Ann 17, III, pp 217–220, 225; Ann 18,
              v, p 328; Ann 20, vi, pp 153, 157; Ann 21, vi, pp 158, 162
  iv, pp 415-416; Ann 21, iv, pp 485-486;
                         Bull 140, pp 322-327; WS 39, pp 429-430
Sweetwater and adjacent mountains, geology of, literature of....Bull 86, pp 278-279
Sweetwater Pliocene of Wyoming......Bull 84, pp 310–311, 317, 335
```

Sycamore sands of Texas	
Syenite, analysis of, from Alaska, Alaska-Treadwell mineAnn 18, 111, p	
analysis of, from Colorado, Blue MountainsAnn 20, 111, p 4	67.
from Colorado, San Juan regionBull 168, p 1	
Silver CliffAnn 1	
п, p 281; Bull 148, p 169; Bull 150, p 185; Bull 168, p 1	
from Hungary, Hodritsch Vale	
from Kentucky, Elliott County, inclusion of, in peridotiteBull 42, p 1	
from Montana, BarkerAnn 20, III, pp 466, 5	
Bearpaw Mountains	
Crazy MountainsBull 168, p 1	
Highwood MountainsAnn 2	20,
111, p 466; Bull 148, p 153; Bull 168, p 1	32
Little Belt Mountains	
ш, pp 465-468, 471-475; Bull 148, p 147; Bull 168, p 1	
Shields River Basin	
Yogo Peak	
from Norway, VettakollenAnn 20, 111, p 4	
from Vermont, Mount Ascutney	20,
ш, р 466; Bull 148, р 68; Bull 168, р	24
Mount Ascutney, basic segregation inBull 168, p	24
from Arkansas, tests of, results of	
from Colorado, Custer County, description of, as one of the educational	
series	98
in Alaska, southern	
in California, Big Trees quadrangle	
in Colorado, La Plata quadrangle	
Pikes Peak quadrangleGF 7, p	
Silver Cliff Ann 17, п, pp 280–2	82
in Maine, Aroostook volcanic areaBull, 165, p 1	49
in Montana, Fort Benton quadrangle	
Judith MountainsAnn 18, 111, p 5	
Little Belt Mountains quadrangleGF 56, p	
Syenite family of rocks, scope and characteristics of	
Syenite group of rocks from Alaska	
Syenite, augite-, of Keweenaw series	
Syenite-diorite-porphyry, analysis of, from Montana, Bear ParkAnn 2	
пі, рр 573, 5	
analysis of, from Montana, Little Belt Mountains	20,
111, pp 518–520; Bull 148, p 148; Bull 168, p 1	27
Syenite, hornblende-, of Michigan, Marquette districtAnn 1	.5,
pp 504-505; Mon xxvIII, pp 176-1	77
Syenite, nepheline-, of Montana, Cripple Creek district	
11, pp 43-45, 66, 82,	
Syenite-porphyry, analysis of, from Montana, Little Belt MountainsAnn 2	
III, p 514; Bull 148, p 147; Bull 168, p 1	
analysis of, from Montana, Yogo-Big Baldy Peak	
from Vermont, Mount AscutneyBull 148, pp 68, 69; Bull 168, pp 24,	
from Yellowstone Park, Absaroka RangeBull 168, p	
in Colorado, Cripple Creek districtAnn 16, 11, pp 66, 93; GF 7, p	
La Plata quadrangleGF 60, p	
in Montana, Fort Benton quadrangleGF 55, p	
Judith MountainsAnn 18, 111, pp 562–50	65
Little Belt Mountains	15
Little Belt Mountains quadrangleGF 56, p	3
· · · · · · · · · · · · · · · · · · ·	

Syenite-porphyry in Montana, microscopic petrography ofBull 139, pp 106-108
Syenitic inclusions in granite, analysis of, from Montana, Castle Mountain
districtBull 139, pp 135, 136; Bull 168, p 130
Syenitic rocks, thin section of, from Montana, ThreeforksBull 110, p 53
Sylvania sandstone of Ohio
Syncline of Lake Superior Basin
Synopsis of American fossil Bryozoa, including bibliography and synonymyBull 173
Syntagmatite, chemical constitution ofBull 125, p 91
Synthesis or mixing in igneous rocks, processes of
Syria, asphaltum industry in, statistics ofMR 1893, pp 667–669
Szekso, analysis of, from HungaryBull 60, p 36
Table Mountain, Colorado, minerals from basalt ofBull 20, pp 13-39
Tachatna series of pre-Tertiary rocks of Alaska. Ann 20, v11, pp 157, 159, 179, 187, 235
Tachylite-basalt, analysis of, from Connecticut, near Meriden
тт, р 81; Bull 148, р 79; Bull 168, р 35
Tacoma, Mount. (See Rainier, Mount.)
Tacoma quadrangle, Washington, forest conditions in
geology of
Taconian or Taconic systemBull 86, pp 243, 379, 390, 464–466, 474, passim
Taconic, on use of name Bull 30, pp 65–70
Taconic Range in Vermont
geology of, literature of
Taconic synclinorium, description of
Teniophylleæ from Lower Coal Measures of Missouri Mon xxxvii, pp 247-256
Taff (J. A.), Camden coal field of southwestern Arkansas
geology of McAlester-Lehigh coal field, Indian Territory
work in charge of, 1895–1900
ı, pp 22–23; Ann 19, ı, p 40; Ann 20, ı, p 43; Ann 21, ı, p 77
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77 Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory
I, pp 22-23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory Ann 21, II, pp 257–311  Taff (J. A.) and Brooks (A. H.), geology of Buckhannon quadrangle, West  Virginia GF 34  Taff (J. A.), Willis (B.), and Darton (N. H.), geology of Piedmont quadrangle, Maryland-West Virginia GF 28  Tahkandit series of Alaska, distribution, correlation, etc., of Ann 18,  III, pp 169–175, 257–258; Alaska (1), p 23
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory Ann 21, II, pp 257–311  Taff (J. A.) and Brooks (A. H.), geology of Buckhannon quadrangle, West  Virginia GF 34  Taff (J. A.), Willis (B.), and Darton (N. H.), geology of Piedmont quadrangle, Maryland-West Virginia GF 28  Tahkandit series of Alaska, distribution, correlation, etc., of Ann 18,  III, pp 169–175, 257–258; Alaska (1), p 23  Tahoe Lake as a reservoir for irrigation purposes Ann 11, II, pp 169–173
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory Ann 21, II, pp 257–311  Taff (J. A.) and Brooks (A. H.), geology of Buckhannon quadrangle, West  Virginia GF 34  Taff (J. A.), Willis (B.), and Darton (N. H.), geology of Piedmont quadrangle, Maryland-West Virginia GF 28  Tahkandit series of Alaska, distribution, correlation, etc., of Ann 18,  III, pp 169–175, 257–258; Alaska (1), p 23  Tahoe Lake as a reservoir for irrigation purposes Ann 11, II, pp 169–173  water of, analysis of Mon xI, p 42
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory Ann 21, II, pp 257–311  Taff (J. A.) and Brooks (A. H.), geology of Buckhannon quadrangle, West  Virginia GF 34  Taff (J. A.), Willis (B.), and Darton (N. H.), geology of Piedmont quadrangle, Maryland-West Virginia GF 28  Tahkandit series of Alaska, distribution, correlation, etc., of Ann 18,  III, pp 169–175, 257–258; Alaska (1), p 23  Tahoe Lake as a reservoir for irrigation purposes Ann 11, II, pp 169–173  water of, analysis of Mon xI, p 42  Talc, analysis of, from Colorado, Leadville district (Chinese) Mon XII, pp 560–603
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory Ann 21, II, pp 257–311  Taff (J. A.) and Brooks (A. H.), geology of Buckhannon quadrangle, West  Virginia GF 34  Taff (J. A.), Willis (B.), and Darton (N. H.), geology of Piedmont quadrangle, Maryland-West Virginia GF 28  Tahkandit series of Alaska, distribution, correlation, etc., of Ann 18,  III, pp 169–175, 257–258; Alaska (1), p 23  Tahoe Lake as a reservoir for irrigation purposes Ann 11, II, pp 169–173  water of, analysis of Mon xI, p 42  Talc, analysis of, from Colorado, Leadville district (Chinese) Mon XII, pp 560–603  analysis of, from North Carolina, Jackson County Bull 74, p 61
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory Ann 21, II, pp 257–311  Taff (J. A.) and Brooks (A. H.), geology of Buckhannon quadrangle, West  Virginia GF 34  Taff (J. A.), Willis (B.), and Darton (N. H.), geology of Piedmont quadrangle, Maryland-West Virginia GF 28  Tahkandit series of Alaska, distribution, correlation, etc., of Ann 18,  III, pp 169–175, 257–258; Alaska (1), p 23  Tahoe Lake as a reservoir for irrigation purposes Ann 11, II, pp 169–173  water of, analysis of Mon xI, p 42  Talc, analysis of, from Colorado, Leadville district (Chinese) Mon XII, pp 560–603  analysis of, from North Carolina, Jackson County Bull 74, p 61  from North Carolina, Nantahala River, near mouth of Bull 74, p 61
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory Ann 21, II, pp 257–311  Taff (J. A.) and Brooks (A. H.), geology of Buckhannon quadrangle, West  Virginia GF 34  Taff (J. A.), Willis (B.), and Darton (N. H.), geology of Piedmont quadrangle, Maryland-West Virginia GF 28  Tahkandit series of Alaska, distribution, correlation, etc., of Ann 18,  III, pp 169–175, 257–258; Alaska (1), p 23  Tahoe Lake as a reservoir for irrigation purposes Ann 11, II, pp 169–173  water of, analysis of Mon xI, p 42  Talc, analysis of, from Colorado, Leadville district (Chinese) Mon XII, pp 560–603  analysis of, from North Carolina, Jackson County Bull 74, p 61
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory Ann 21, II, pp 257–311  Taff (J. A.) and Brooks (A. H.), geology of Buckhannon quadrangle, West  Virginia GF 34  Taff (J. A.), Willis (B.), and Darton (N. H.), geology of Piedmont quadrangle, Maryland-West Virginia GF 28  Tahkandit series of Alaska, distribution, correlation, etc., of Ann 18,  III, pp 169–175, 257–258; Alaska (1), p 23  Tahoe Lake as a reservoir for irrigation purposes Ann 11, II, pp 169–173  water of, analysis of Mon xI, p 42  Talc, analysis of, from Colorado, Leadville district (Chinese) Mon XII, pp 560–603  analysis of, from North Carolina, Jackson County Bull 74, p 61  from North Carolina, Nantahala River, near mouth of Bull 74, p 61  from Virginia, Fairfax County Bull 78, p 13  chemical constitution of Bull 125, pp 94–95, 106
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory Ann 21, II, pp 257–311  Taff (J. A.) and Brooks (A. H.), geology of Buckhannon quadrangle, West  Virginia GF 34  Taff (J. A.), Willis (B.), and Darton (N. H.), geology of Piedmont quadrangle, Maryland-West Virginia GF 28  Tahkandit series of Alaska, distribution, correlation, etc., of Ann 18,  III, pp 169–175, 257–258; Alaska (1), p 23  Tahoe Lake as a reservoir for irrigation purposes Ann 11, II, pp 169–173  water of, analysis of Mon xI, p 42  Talc, analysis of, from Colorado, Leadville district (Chinese) Mon XII, pp 560–603  analysis of, from North Carolina, Jackson County Bull 74, p 61  from North Carolina, Nantahala River, near mouth of Bull 74, p 61  from Virginia, Fairfax County Bull 78, p 13  chemical constitution of Bull 125, pp 94–95, 106  composition of Bull 150, p 40
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory Ann 21, II, pp 257–311  Taff (J. A.) and Brooks (A. H.), geology of Buckhannon quadrangle, West  Virginia GF 34  Taff (J. A.), Willis (B.), and Darton (N. H.), geology of Piedmont quadrangle, Maryland-West Virginia GF 28  Tahkandit series of Alaska, distribution, correlation, etc., of Ann 18, III, pp 169–175, 257–258; Alaska (1), p 23  Tahoe Lake as a reservoir for irrigation purposes Ann 11, II, pp 169–173  water of, analysis of Mon xI, p 42  Talc, analysis of, from Colorado, Leadville district (Chinese) Mon XII, pp 560–603  analysis of, from North Carolina, Jackson County Bull 74, p 61  from North Carolina, Nantahala River, near mouth of Bull 74, p 61  from Virginia, Fairfax County Bull 78, p 13  chemical constitution of Bull 125, pp 94–95, 106  composition of Bull 150, p 40  deposits of, in New York, St. Lawrence County Ann 18, v cont, pp 1072–1074
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory Ann 21, II, pp 257–311  Taff (J. A.) and Brooks (A. H.), geology of Buckhannon quadrangle, West  Virginia GF 34  Taff (J. A.), Willis (B.), and Darton (N. H.), geology of Piedmont quadrangle, Maryland-West Virginia GF 28  Tahkandit series of Alaska, distribution, correlation, etc., of Ann 18, III, pp 169–175, 257–258; Alaska (1), p 23  Tahoe Lake as a reservoir for irrigation purposes Ann 11, II, pp 169–173 water of, analysis of Mon xII, pp 560–603 analysis of, from Colorado, Leadville district (Chinese) Mon XII, pp 560–603 analysis of, from North Carolina, Jackson County Bull 74, p 61 from North Carolina, Nantahala River, near mouth of Bull 74, p 61 from Virginia, Fairfax County Bull 78, p 13 chemical constitution of Bull 125, pp 94–95, 106 composition of Bull 150, p 40 deposits of, in New York, St. Lawrence County Ann 18, v cont, pp 1072–1074 production of, statistics of MR 1882, p 585; MR 1885, pp 534–535; MR
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory Ann 21, II, pp 257–311  Taff (J. A.) and Brooks (A. H.), geology of Buckhannon quadrangle, West  Virginia GF 34  Taff (J. A.), Willis (B.), and Darton (N. H.), geology of Piedmont quadrangle, Maryland-West Virginia GF 28  Tahkandit series of Alaska, distribution, correlation, etc., of Ann 18, III, pp 169–175, 257–258; Alaska (1), p 23  Tahoe Lake as a reservoir for irrigation purposes Ann 11, II, pp 169–173 water of, analysis of Mon xII, pp 560–603 analysis of, from Colorado, Leadville district (Chinese) Mon XII, pp 560–603 analysis of, from North Carolina, Jackson County Bull 74, p 61 from North Carolina, Nantahala River, near mouth of Bull 74, p 61 from Virginia, Fairfax County Bull 78, p 13 chemical constitution of Bull 125, pp 94–95, 106 composition of Bull 150, p 40 deposits of, in New York, St. Lawrence County Ann 18, v cont, pp 1072–1074 production of, statistics of MR 1882, p 585; MR 1885, pp 534–535; MR 1889–90, p 476; MR 1891, p 594: MR 1892, p 814; MR 1893,
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory
I, pp 22–23; Ann 19, I, p 40; Ann 20, I, p 43; Ann 21, I, p 77  Taff (J. A.) and Adams (G. I.), geology of eastern Choctaw coal field, Indian  Territory

•	
Tallapoosa River, flow o	f, measurements ofAnn 18, IV, p 110; Ann 19, IV, pp 249-
	250; Ann 20, IV, pp 51, 193-194; Ann 21, IV, pp 151-152;
	WS 15, p 56; WS 27, pp 56, 57, 58; WS 36, pp 152–153
nuofilo of	WS 44, p 32
	ess of
Tampa group of rocks of	Florida, correlation of
	п, р 340; Bull 84, pp 112–123, 332, 335
Tanana River, Alaska, e	xpeditions to, in 1898
explorations in basi	n of, sketch of
	Ann 21, 11, pp 351–352
	Resurrection Bay to
	along
Tanana and write Rive	r basins of Alaska, reconnaissance in, in 1898Ann 20,
	vii pp 425–494
topography, drainag	e, and physiographic development of
	vii, pp 445–460
Tanana schists of Alaska	, character, correlation, etc., of
	vii, pp 313-315, 468-469; Alaska (2), pp 46, 68
Tonk stoomers not along	m
	om Dakota, Etta tin mine
	rth Carolina, Yancey CountyBull 74, p 72
	nde, hydrography and irrigation inAnn 12, 11, pp 251–256
Tar as a by-product from	a distillation of coal, statistics of
	vi cont, pp 227–227–231
Tar River, North Carolin	na, flow of, measurements ofAnn 18,
•	ıv, pp 50-52; Ann 19, ıv, pp 183-184; Ann 20, ıv,
	pp 50, 143; Ann 21, IV, pp 112–113; WS 11, p 15;
	WS 15, p 29; WS 27, pp 34, 44: WS 36, p 110
m:41 - 1 M1 0 1000	
	certain schedules from
Tasmania, coal producti	on of, statistics of
	. p 247; Ann 18, v, p 414; Ann 19, v1, p 311; Ann 20, v1, p 332
fossil plants of, liter	ature of
tin deposits and pro	duction of
Taxaceæ from Lower Co	al Measures of Missouri
	c of North CarolinaAnn 20, 11, pp 304–305
	of geologic column
	vey
	on
raxonomy and nomenci	ature, geologic, conference of geologists and lithologists
	in January, 1889
(See Correlation; N	omenciature.)
Taylor (F. W.), cobait,	statistics of
Taylor (T. U.), the Aus	tin (Texas) dam
Taylor formation of Tex	as
Taylor, Mount, and Zuf	i Plateau
	Sutte, Montana, geology of
	rginia-West Virginia, geology of
Teay formation of West	Visiting and Ohio
Tabualcha formation of	Virginia and OhioGF 69, p 5
Tenderche formation of	South America, correlation ofAnn 18, 11, p 336
Tejon formation or grou	South America, correlation of
Tejon formation or grou	South America, correlation of
Tejon formation or grou	South America, correlation of
Tejon formation or grou	South America, correlation of
Tejon formation or grou	South America, correlation of

Tejon formation or group in Sierra Nevada	•
literature relating to, digest of	)
localities of	1
Tejon (lower) species, descriptions of some	)
Tejon (?) sandstone and Monterey shale, notes on	2
Tejon, Chico, series	
Bull 15, pp 11–17; Bull 19, pp 14, 17; Bull 83, pp 100–110	`
	,
historical review, local development and stratigraphy, notes on species,	_
etc., of	5
in Oregon and Washington, equivalents ofBull 51, pp 28-32	3
of California, new fossil Mollusca from	7
Tejon House Creek, flow of, measurements of	;
Bull 131, p 79; Bull 140, pp 260–262	2
Teleostomi from Eocene of middle Atlantic slope	)
Tellico sandstone in North Carolina, Tennessee, and Virginia	
GF 20, p 3; GF 25, p 3; GF 27, p 3; GF 59, p 4	
Tellinidæ from Colorado formation	
from lower marls of New Jersey	
from Puget group	
from Miocene marls of New Jersey	
Tellowa formation in Virginia and West Virginia	
Telluride quadrangle, Colorado, geology of	
mining industries of	)
Tellurides from California, mineralogic notes on	
of gold in Colorado, Cripple Creek district	
Tellurium, statistics of	)
Telotremata, biologic development ofBull 87, pp 85–88	3
Temescal Creek, California, flow of, measurements of	;
Temper, chemical interpretation ofBull 14, pp 77–79, 88, 98	}
in steel, hydroelectric effect of	)
Temper and viscosity of steel, relation between	
Temper, electric resistance, and viscosityBull 94, pp 31–33	ł
Temperance River group in Minnesota	,
Temperature, effect of, in production of petroleum and natural gas	
II, pp 493, 495–496	
effect of, in subsidence of fine solid particles in liquidsBull 36, pp 20-24	
on glaciation	
on molluscan life	(
in Arizona, Gila Basin	)
in MichiganWS 30, pp 22–29, 33, 50–52	)
in mines of Comstock lode, Nevada	
p 312; Mon III, pp 228–265, 387–392; Mon IV, pp 389–400	
of Nevada City and Grass Valley districts, California. Ann 17, 11, pp 170–171	
of Nevada City and Grass Valley districts, California. Ann 17, 11, pp 170–171 in New Mexico, Mesilla Valley	
in New York (average)	
Oatka Creek drainage area (mean)	
in Porto Rico	
in Texas	
in Washington	
southeasternWS 4, pp 11–12	
inequalities of, as cause of errors in barometric hypsometryAnn 2,	
pp 420–425, 536	
influence of, on crystallization of igneous magmasBull 66, p 25	
•	

Temperature, influence and effect of, in annealing of steelBull 14, pp 43-59
of artesian water
of artesian waters, deeper, in South Dakota
of Genesee River, New York
of Lake Tahoe at different depths
of Muskingum River, Ohio (mean)
(See, also, Heat; Thermal.)
Temperature and electric conductivity, relation betweenBull 14, pp 15–27
Temperature and pressure, dependence of fluid volume onBull 92, pp 17–67
Temperature and relative humidity in Nicaragua
Temperature and strain from sudden cooling, relations betweenBull 42, pp 98-112
Temperature and viscosity of steel, relation betweenBull 73, pp 53-73
Temperature, high, experimental work on rock fusion inBull 103
investigations in relation to
thermo-electric measurement of Ann 4, pp 53-59; Ann 10, pp 179-180; Bull 54
Temperature, constant high, degree of, attained in metallic vapor baths of large
dimensionsBull 54, pp 56-83
Temperature coefficient of steel
Temperature data for color effect in oxidation of iron carburetsBull 35, pp 51–57
Temperature gradient of rocks in Richmond Basin
Temperature gradients, underground, at Wheeling deep well (4,771 feet),
West Virginia
at Wheeling deep well and Comstock lode
Tempering of steel, conditions which determine efficacy of operation ofBull 14,
pp 28-75
Tempering of steel and magnetic retention and stabilityBull 14, pp 151-172
Tenderfoot Hill and Poverty Gulch, Colorado, rocks of
Tenderfoot, Mineral, and Carbonate hills, Cripple Creek district, Colorado,
character of ore deposits in
Tenmile district, Colorado, geology of
structure and rocks of
Tenmile River beds of Narragansett Basin
Tennantite, analysis of, from Colorado, Aspen mining districtMon xxxx, p 224
Tennessee; altitudes in. (See "elevations" under this State.)
atlas sheets of. (See list on p 94 of this bulletin.)
barite in Bristol quadrangle
Bays Mountains, structure of
Big Pigeon River, profile of
boundary lines of, and formation of StateBull 13,
pp 30, 108–109; Bull 171, pp 114–115
Briceville quadrangle, geology of
brick industry of, statistics of
Bristol quadrangle, geology of
building stone at World's Columbian Exposition from
in Briceville quadrangle
in Chattanooga quadrangle
in Cleveland quadrangle
in Estillville quadrangle
in Knoxville quadrangleGF 16, pp 5–6
in Loudon quadrangleGF 25, p 5
in McMinnville quadrangleGF 22, p 3
in Morristown quadrangleGF 27, p 4
Bull. 177—01——49

Tennessee; building stone in Pikeville quadrangleGF 21, p 3
building stone in Ringgold quadrangleGF 2, p 3
in Sewanee quadrangle
in Stevenson quadrangle
production and statistics ofMR 1882, p 451; MR 1886, pp 543-544;
MR 1887, p 518; MR 1888, pp 533, 541, 543; MR 1889-90,
pp 373, 429–430; MR 1891, pp 464, 467, 468, 470; MR
1892, pp 709, 711; MR 1893, pp 547, 549, 556; Ann 16, iv, p
437 et seq; Ann 17, 111 cont, pp 760, 766, et seq; Ann 18, v
cont, pp 951, 975 et seq; Ann 19, vi cont, p 237 et seq; Ann
20, vi cont, pp 271, 281 et seq; Ann 21, vi cont, p 335 et seq
cement production of
Chattanooga district, physiography of
Chattanooga quadrangle, geology of
Chattanoga quaurangie, geology of
clay in Briceville quadrangle
in Chattanooga quadrangle
in Knoxville quadrangleGF 16, p 6
in Loudon quadrangleGF 25, p 6
in McMinnville quadrangle
in Morristown quadrangle
in Pikeville quadrangleGF 21, p 3
in Ringgold quadrangle
in Sewanee quadrangleGF 8, p 4
in Wartburg quadrangleGF 40, p 4
clay and brick industry in, statistics of
clay products of, statistics of
521; Ann 17, 111 cont, p 820 et seq; Ann 18, v cont, p 1078
et seq; Ann 19, vi cont, pp 318 et seq, 370; Ann 20, vi
cont, pp 467 et seq, 532; Ann 21, vi cont, pp 362, 363
Cleveland quadrangle, geology of
Clinch River, profile ofWS 44, p 55
coal in Briceville quadrangleGF 33, p 4
in Chattanooga quadrangle
in Estillville quadrangle
in Kingston quadrangleGF 4, p 3
in Loudon quadrangle
in McMinnville quadrangle
in Pikeville quadrangleGF 21, p 3
in Ringgold quadrangle
in Sewanee quadrangle
in Standingstone quadrangle
in Stevenson quadrangle
in Wartburg quadrangleGF 40, p 3
coal area and statistics ofAnn 2, p xxvIII;
MR 1882, pp 72–73; MR 1883–84, pp 12, 88; MR 1885, pp
11, 64–67; MR 1886, pp 225, 230, 341–347; MR 1887, pp
169, 171, 352–357; MR 1888, pp 169, 171, 362–366; MR

MR 1882, pp 72–73; MR 1883–84, pp 12, 88; MR 1885, pp 11, 64–67; MR 1886, pp 225, 230, 341–347; MR 1887, pp 169, 171, 352–357; MR 1888, pp 169, 171, 362–366; MR 1889–90, pp 146, 269–271; MR 1891, pp 180, 320, 325; MR 1892, pp 264, 267, 268, 491–506; MR 1893, pp 188, 189, 194, 195, 197, 199, 200, 377–383; Ann 16, iv, pp 7 et seq, 188–193; Ann 17, iii, pp 287 et seq, 515–521, 542; Ann 18, pp 353 et seq, 606–611; Ann 19, vi, pp 277 et seq, 515–520; Ann 20, vi, pp 299 et seq, 485–488; Ann 21, vi, pp 324 et seq, 498–500

Tennessee; coke in, mar	nufacture of, statistics of
•	pp 196-202; MR 1885, pp 80, 111-116; MR 1886, pp 378,
	384, 417–421; MR 1887, pp 383, 389, 420; MR 1888, pp 395,
•	400, 425; MR 1891, pp 360, 361, 366, 395; MR 1892, pp 555
	et seq, 591-593; MR 1893, pp 418 et seq, 452; Ann 16, 1v,
	pp 225 et seq, 288-291; Ann 17, 111 cont, pp 544 et seq,
	606-607; Ann 18, v cont, pp 661 et seq, 731-732; Ann 19, vi,
	pp 548 et seq, 626-627; Ann 20, vi, pp 512 et seq, 593-594;
	Ann 20, vi cont, p 228; Ann 21, vi, pp 523 et seq, 615-617
conner denosits and	statistics of
copper deposits and	
70 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	MR 1882, p 231; Ann 20, vi, p 186; Ann 21, vi, p 188
Cumberland River,	profile of
elevations in, lists o	fAnn 19, 1, pp 247–249; Ann 20, 1, pp
· ·	370–380; Bull 5, pp 279–282; Bull 76; Bull 160, pp 666–669
diamonds in, occur	rence ofAnn 21, vi cont, p 422
Estillville quadrang	le, geology ofGF 12
	i River, discussion ofAnn 20, 1v, pp 347–352
	d fuel, and by-products in, statistics of
	v1 cont, p 228 et seq s in
geographic position	s in
	ı, pp 154–156; Ann 20, ı, p 257; Bull 123, pp 99–100
geologic and paleon	tologic investigations in
9 9 1	pp 24, 25; Ann 7, pp 67, 114; Ann 8, 1, p 175; Ann 9, p 76;
	Ann 10, 1, pp 120, 157; Ann 11, 1, pp 58, 71, 72, 75; Ann 12,
	i, pp 54, 62, 75, 78, 79; Ann 13, i, pp 94, 106, 114, 115,
•	136; Ann 14, 1, pp 184–185; Ann 15, pp 130, 141, 147, 149,
	150; Ann 16, 1, pp 18–20; Ann 18, 1, pp 26, 27–29; Ann 19,
	1, p 35; Ann 20, 1, pp 39-40; Ann 21, 1, pp 71, 72, 73, 79
geologic maps of, li	stedBull 7, pp 102, 103, 104, 107
	ogic, of Tennessee.)
	(See Section, geologic, in Tennessee.)
	uadrangle
production of,	statistics of Ann 2, p 385; MR 1882, pp 172, 176, 177, 178;
	MR 1883-84, p 312; MR 1886, p 104; MR 1887, pp 58, 59;
	MR 1888, pp 36, 37; MR 1891, pp 76, 77; MR 1892, pp 52,
	53, 88; MR 1893, pp 50, 51, 55, 57, 58; Ann 16, 111, p 258;
	Ann 17, 111, pp 72, 73, 74, 75, 76, 77; Ann 18, v, p 141 et seq;
	Ann 19, vi, pp 127, 128, 129, 130, 131, 132, 133; Ann 20, vi,
	pp 103, 104, 105, 106, 107, 108, 109; Ann 21, vi, pp 125, 126
gold mining in hist	ory of
	w of, measurements of
Hoiston River, pro	file of
iron, iron ore, and	steel from, statistics ofAnn 2, p xxviii; MR 1882, pp 120,
•	125, 129, 130, 131, 133, 134, 135, 136, 137; MR 1883–84, pp 252,
	278; MR 1885, pp 182, 184, 186, 188; MR 1886, pp 14, 18,
	33, 92–96, 98; MR 1887, pp 11, 16; MR 1888, pp 14, 17, 23;
	MR 1889-90, pp 10, 17, 24, 40; MR 1891, pp 12, 25, 54, 55,
	61; MR 1892, pp 12, 13, 15, 21, 26, 33, 35, 36, 37, 42; MR
	1893, pp 15, 20, 26, 28, 34–35, 38, 39; Ann 16, 111, pp 31, 37,
	192, 194, 198–199, 203, 208,249, 250; Ann 17, 111, nn 26, 27
	192, 194, 198–199, 203, 208,249, 250; Ann 17, 111, pp 26, 27,
	39, 41, 47, 48, 57, 60, 63, 68; Ann 18, v, pp 24, 37, 41, 42;
	39, 41, 47, 48, 57, 60, 63, 68; Ann 18, v, pp 24, 37, 41, 42; Ann 19, v1, pp 26, 28, 29, 33, 65, 68, 72; Ann 20, v1, pp 29,
	39, 41, 47, 48, 57, 60, 63, 68; Ann 18, v, pp 24, 37, 41, 42;

Tennessee; iron ore in Bristol quadrangle	
iron ore in Chattanooga quadrangleGF 6, pp 2-5	3
in Cleveland quadrangle	
in Estillville quadrangleGF 12, p 8	5
in Kingston quadrangleGF 4, p 3	
in Knoxville quadrangle	3
in Loudon quadrangleGF 25, p 6	
in McMinnville quadrangleGF 22, pp 2-3	
in Pikeville quadrangle	
in Ringgold quadrangle	
in Sewanee quadrangleGF 8, pp 3-4	
in Stevenson quadrangle	3
in Wartburg quadrangleGF 40, p 4	1
Kingston quadrangle, geology of	
Knoxville quadrangle, geology of	
lead in Briceville quadrangle	
in Cleveland quadrangle	
in Morristown quadrangle	,
production of, statistics of	
lime production of, statistics of	
lime and cement in Knoxville quadrangle	
in Loudon quadrangle	
in Morristown quadrangle	
limestone in Bristol quadrangle	
in Chattanooga quadrangleGF 6, p 8	3
in Estillville quadrangleGF 12, p 5	,
in Ringgold quadrangleGF 2, p 3	
production of, statistics of	
pp 464, 467; MR 1892, p 711; MR 1893, p 557; Ann 16, rv,	
pp 437, 494, 495, 509; Ann 17, 111 cont, pp 760, 788, 790, 791,	
795; Ann 18, v cont, pp 951, 1044, 1046, 1047, 1066; Ann 19, vi	1
cont, pp 207, 281, 282, 283, 306; Ann 20, vi cont, pp 271, 342,	
343, 344, 345, 350; Ann 21, vr cont, pp 335, 357, 358, 359, 360	)
Loudon quadrangle, geology ofGF 25	í
McMinnville quadrangle, geology of	2
magnetic declination in	7
manganese ore in Ringgold quadrangleGF 2, p 3	ł
production of, statistics ofMR 1885, p 344; MR 1886, pp 181, 193–194;	
MR 1888, pp 124, 131; MR 1889–90, pp 127, 135; MR 1891,	
р 137; МR 1893, рр 120, 133–134; Апп 16, и, рр 395, 423–	
424; Ann 17, 111, pp 187, 201–203; Ann 18, v, p 310; Ann 19,	
vi, p 91; Ann 20, vi, pp 126, 135; Ann 21, vi, pp 130, 140	
Maps, geologic, of, listedBull 7, pp 120, 103, 104, 107	
(See Map, geologic, of Tennessee.)  Maps, topographic, of. (See Map, topographic, of Tennessee; also list on	
p 94 of this bulletin.)	
marble in Bristol quadrangle	į
production of, statistics ofMR 1882, p 451; MR 1886, pp 541, 543; MR 1887,	
p 518; MR 1888, pp 541, 543; MR 1889–90, pp 375, 429; MR	
1891, pp 468, 470; MR 1892, p 709; MR 1893, pp 547, 549; Ann	
16, iv, pp 437, 463, 464, 468-469; Ann 17, iii cont, pp 760, 766, 767, 768, 769, Ann 18, went, pp 951, 975, 977, 978, 981, 984,	
767, 768, 769; Ann 18, v cont, pp 951, 975, 977, 978, 981–984;	
Ann 19, vi cont, pp 207, 238, 239, 240, 246; Ann 20, vi cont, pp	
271, 281, 282, 283, 285; Ann 21, vi cont, pp 335, 341, 342, 343	
(See "building stone" under this State.)	

	•
Ten	nnessee; mineral springs of, statistics of
	MR 1891, pp 603, 608; MR 1892, pp 824, 831; MR 1893, pp
	774, 781, 784, 792, 794; Ann 16, IV, pp 709, 717, 720; Ann 17, III cont, pp 1027, 1038, 1041; Ann 18, V cont, pp 1371,
	1383, 1387; Ann 19, vi cont, pp 661, 674, 677; Ann 20, vi
	cont, pp 750, 763, 766; Ann 21, vi cont, pp 600, 615–616, 619
	mineral spring resorts in
	Morristown quadrangle, geology of GF 27
	paint, mineral, production of, statistics ofMR 1885, p 530; MR 1886,
	p 711; MR 1889–90, p 510; MR 1891, p 597; MR 1892, p 818;
	MR 1893, p 761; Ann 16, IV, p 698; Ann 17, III cont, pp
	1016, 1017; Ann 18, v cont, p 1342; Ann 19, vi cont, pp 642, 643; Ann 20, vi cont, pp 728, 729; Ann 21, vi cont, p 579
	Nolichucky River, profile of
	petroleum in Standingstone quadrangle
	in Wartburg quadrangle
	localities and statistics of
	148; MR 1889-90, pp 362-363; MR 1893, p 465; Ann 16, iv, pp 319, 374-375; Ann 17, iii cont, pp 629, 699-700; Ann
	18, v cont, pp 754, 769-770, 835-838; Ann 19, vi cont, pp
	9, 10, 96; Ann 20, vi cont, pp 7, 44; Ann 21, vi cont, p 62
	phosphate; classification, location, origin, commercial developments, etc.,
	of
	Ann 16, iv, p 607; Ann 17, iii cont, p 951; Ann 18, v cont,
	pp 1234, 1238–1241; Ann 19, vi cont, pp 536, 547–555; Ann
	20, vi cont, pp 620, 621; Ann 21, vi cont, pp 481, 482, 501–502
	phosphate, white; origin, extent, varieties, etcAnn 21, 111, pp 473-485 phosphate fields, brief reconnaissance ofAnn 20, vi cont, pp 633-638
	phosphate region, physiography of
	Pikeville quadrangle, geology of
	Powell River, profile of
	rainfall at Memphis (average)
	road material in Briceville quadrangle
	in Chattanooga quadrangleGF 6, p 3
	in Loudon quadrangle
	in McMinnville quadrangle
	in Pikeville quadrangle
	in Ringgold quadrangleGF 2, p 3
	in Sewanee quadrangle
	in Stevenson quadrangle
	salt from statistics of MR 1892,
	pp 793, 794; MR 1893, p 720; Ann 16, IV, p 648; Ann
	17, 111 cont, p 988; Ann 20, vi cont, pp 674, 675
	sandstone production of, statistics of
	1012, 1013, 1014, 1043; Ann 19, vi cont, pp 265, 266, 278;
·	Ann 20, vi cont, pp 337, 338; Ann 21, vi cont, pp 355, 356
	sections, geologic in. (See Section, geologic, in Tennessee.)

Tennessee; Sequatchie Ri			
		92, 997, 1001; Ann 19, vi	
•	20, vi cont, p 2	98; Ann 21, vi cont, pp	335, 344, 349, 351
in Cleveland qua	drangle		GF 20, p 4
in Estillville quae	drangle		GF 12, p 5
in Kingston quad	lrangl <u>e</u>	. • • • • • • • • • • • • • • • • • •	GF 4, p 4
in McMinnville c	uadrangle		GF 22, p 3
in Pikeville quad	rangle		GF 21, pp 3-4
Stevenson quadrangle	e geology of		GF 19
Tennessee River flow	of measuremen	nts of	Ann 18
1011100000 201,01, 1101	ıv nn 119–12	2; Ann 19, 1v, pp 260–26	32: Ann 20 iv nn
		Ann 21, rv, pp 167–168;	
		WS 27, pp 64, 65, 66; V	
profile of		···· 21, pp 01, 00, 00, .	
		· · · · · · · · · · · · · · · · · · ·	
		· · · · · · · · · · · · · · · · · · ·	
		· · · · · · · · · · · · · · · · · · ·	
		· · · · · · · · · · · · · · · · · · ·	
		ographic, of Tennessee;	
	p 94 of this bull		also list oil
topographic work in.	Ann 4, p	p 13-15; Ann 5, pp 4-5;	Ann 6, pp 8, 9, 10;
		2; Ann 8, 1, p 102; Anr	
		, pp 27–28; Ann 13, 1, p 7	
		nn 16, 1, pp 64, 68, 71; A1	
		Ann 19, 1, pp 89, 91, 99; An	
triangulation in		7, 99, 100, 101, 102, 103, 10	
Warthurg anadrangle		,, 00, 100, 101, 102, 100, 10	
		·	
		Ann 2, p xxi	
Tennessee Basin, stream			
		Ann 20, iv, pp 52, 205–21	
		; Bull 140, pp 80–82; WS	
		VS 27, pp 63–64, 65, 66;	
Tennessee River, profile			
repetate, a crust of white			
lephroite, chemical const	atution of		3นH 125. pp 68. 104

Therefore III due from Chatacaura of Bacific accet	
Terebratellidæ from Cretaceous of Pacific coast	
Terebratulidæ from Cretaceous of Pacific coast	
from marl beds of New Jersey	
Terebridæ from Miocene deposits of New Jersey	
Teredidæ from marls of New Jersey	
Teredinidæ from Puget groupBull 51, p 62	
Terra cotta, manufacture and use of	
Terra-cotta clay. (See Clay, terra-cotta.)	
Terra cotta series of pre-Tertiary rocks of AlaskaAnn 20, vii, pp 156-157, 235	
Terra rossa of southern Europe, equivalent of, in AmericaBull 52, p 25	
Terrace formations of San Francisco Peninsula	
of Texas	
Terrace gravels of Colorado, La Plata quadrangle	
Terraces in Alaska, southwestern, marine	
in Alaska, various parts	
in California, San Clemente Island	
Truckee quadrangle	
in Colorado, Pueblo quadrangle (limestone and gravel)	
in Connecticut and Massachusetts, Holyoke quadrangle (alluvial)GF 50, p 7	
in District of ColumbiaGF 70, pp 1, 4-5	
in Grand Canyon district	
Mon 11, pp 32, 35–37, 40, 43, 46–47	
in Idaho, gravel	
in Maine (river)	
in Maryland, Washington (D. C.) quadrangle	
in Massachusetts, western-central, and modern depositsMon xxxx, pp 722–753	
in Mississippi Valley (glacial flood deposits)	
in South Dakota Bull 144, pp 42–44	
southeastern	
in Texas, along the Colorado, Rio Grande, etc., Pleistocene and Recent. Ann 18,	
11, pp 247–256; Bull 164, pp 55	
in Virginia, Washington (D. C.) quadrangleGF 70, pp 1, 4-5	
in Washington, northern (stream)	
of Lake AgassizBull 39	
of various kinds	
Terraces, stream-formed, analysis and classification of	
Terraces and embankments, formation of	
pp 171–172; Ann 3, pp 206–208; Mon 1,	
pp 36, 46–58, 78–86; Mon xi, pp 88–99	
Terraces, embankments, deltas, etc., of shore topography	
Terranes, Paleozoic, of Aroostook County, Maine, classification of Bull 165, pp 21-27	
Territorial changes in United States, historical sketch of	
Tertiary; Neocene, a correlation essay on the	
Tertiary erosion in Colorado, La Plata quadrangle	
Tertiary fauna; Aphidæ, American, list of known species of Ann 13, 11, pp 341–366	
Coleoptera, rhynchophorous, of United States	
insects of special interest from Colorado and Utah	
Ostreidæ, North American	
Tertiary flora of North America, the later extinct	
of Yellowstone Park	
plants of North America, catalogue and bibliography of Cretaceous and . Bull 152	
Tertiary fossils of LouisianaBull 142, pp 14–25	
of Philippine Islands	
Tertiary geology of Alaska, general notes on	

Tertiary history of Alaska	
of Colorado, San Juan region	
of Grand Canyon districtAnn 2, pp xii-xvi, 47-166; Mon 11	
of Utah, Tintic districtGF 65, p 4	
Tertiary horizons, North American, correlation of, with one another and with	
those of western Europe	
Tertiary lake basins of Rocky Mountains, remarks on	
Tertiary revolution in topography of Pacific coast	
Tertiary rocks; Atlantic groupBull 84, p 321	
Bluff lignitic group of Mississippi River Bull 84, p 322	
Brandon deposits of Vermont	
bitumens, deposits of	
Bridger group of the West	
Browns Park group of the West	
Bryn Mawr gravel of PennsylvaniaBull 84, p 45	
Cache Lake beds of CaliforniaBull 84, pp 201–202	
Chilmark series of Massachusetts, Marthas VineyardBull 84, pp 37–38	
section of	
Gay Head series of Massachusetts, Marthas VineyardBull 84, pp 35–37	
Green River groupAnn 9, p 690	
grit of Great Plains, a water-bearing formation Ann 16, 11, pp 580-584	
topography of	
of KansasBull 84, p 300	
Gulf group of Southern StatesBull 84, p 326	
Lafayette formation of eastern United States, correlation of	
п, р 337; Bull 84, pp 66–67, 74, 80–	
81, 157, 159–160, 166–167, 170–172, 175	
in Catoctin belt	
in District of Columbia	
in Southern States	
in Virginia, Maryland, and West VirginiaBull 138, pp 126, 164;	
GF 10, p 3; GF 13, pp 2-3; GF 23, p 2; GF 70, p 4	
lake beds in Sierra Nevada	
marl of Colorado Bull 84, p 305	
of Kansas Bull 84, p 300	
Nashaquitsa series of Massachusetts, Marthas Vineyard	
p 327; Bull 84, pp 37–38  Neocene, a correlation essay on the	
of Alabama	
of Alaska	
Chandler and Koyukuk rivers	
southwestern, notes on	
of Atlantic coast	
of Black Hills	
of California Dull 15 no 15 16 290 Dull 10 no 10 12 17 Dull 51 no 11	
of CaliforniaBull 15, pp 15–16, 32; Bull 19, pp 10, 13, 17; Bull 51, pp 11–14; Bull 84, pp 200–222, 269–273; Mon xiii, pp 214–221, 461	
· · · · · · · · · · · · · · · · · · ·	
Lassen Peak district	
of Colorado	
Telluride quadrangle, orographic movements in	
of Delaware	
of FloridaBull 84, pp 85–158	

Tertiary rocks of Georgia
of Illinois
of Kansas. Bull 57, pp 31–38; Bull 84, pp 299–301; Bull 137, p 24; WS 6, pp 32–37
of Kentucky
of Louisiana
of Maryland Bull 84, pp 49–55
of Massachusetts, Marthas VineyardAnn 6, pp 21-22; Bull 84, pp 35-38
Marthas Vineyard, upper limit of
Vineyard series, stratigraphy, origin, nature, dips, and dislocations
ofAnn 7, pp 328–347
Weyquosque series
320–321, 340–342; Ann 17, 1, pp 960–964; Bull 84, pp 37–38
Nantucket
Naushon Bull 84, p 38
of MississippiBull 84, pp 160–167
of Missouri Bull 84, p 172
of Montana, Stanford conglomerate
of New EnglandBull 84, pp 32–38
of New JerseyBull 84, pp 39-44
of New York, Long IslandBull 84, pp 38–39
of North CarolinaBull 84, pp 68–74
of OregonBull 86, pp 223–227, 269–273
of Pacific coast, table showing vertical range ofBull 84, p 279
of PennsylvaniaBull 84, pp 44–45
of Rhode Island
of Sierra Nevada, volcanic, succession of
of South CarolinaBull 84, pp 74–81
of Tennessee
of TexasBull 45, pp 84–86; Bull 84, pp 172–175, 176–177
Rio Grande coal fields
of Utah, region of Uinta Mountains
of Vermont
of Virginia
of WashingtonBull 84, pp 227–230, 269–273
of western interior region
Shiloh marls of New Jersey
Stanford conglomerate in Montana
Tok sandstone of Alaska
Wasatch group of the West
Weyquosque series of Massachusetts, Marthas VineyardBull 84, pp 37–38
yellow clays of DelawareBull 84, p 338
(See, also, Eocene; Neocene.)
Tertiary and Cretaceous clays of southeastern Massachusetts
т, pp 959–964, 999–1000
Tertiary and Cretaceous formations of New Jersey, geology of, sketch ofMon IX,
pp ix-xiii
Tertiary and Cretaceous strata of Tuscaloosa, Tombigbee, and Alabama riversBull 43
Tertiary and later volcanic eruptives of Sierra NevadaAnn 17, 1, pp 613-620, 683
Tertiary and Mesozoic paleontology of CaliforniaBull 15
Tertiary and post-Tertiary volcanic rocks of Nevada, Eureka districtAnn 3,
pp 277–287
Teschenite, analysis of, from Maine, Aroostook County, and near Mapleton
villageBull 165, pp 183, 188; Bull 168, p 19
analysis of, from Silesia
of Maine, Aroostook volcanic area, outcrops and petrography ofBull 165,
pp 116–117, 179–186

Tests of pumps and water lifts used in irrigationWS 14
Tests and analyses of building stone
Teton Forest Reserve, timber, agricultural lands, forests, etc., of
v, pp 54-56, 191-212 Teton formation of Wyoming
Teton formation of WyomingGF 30, p 5
of Yellowstone ParkMon xxxII, II, pp 25, 34, 36, 38, 47, 48, 51, 54, 160
Teton Range, Archean and Algonkian literature of
geology of northern end of
Teton River, flow of. measurements of
107, 110; Ann 12, 11, pp 344, 356, 361; Ann 13, 111, pp 97, 99;
Ann 14, 11, pp 127–128; Ann 20, 1v, p 61; Bull 131, pp 62–63
Tetra-sodium salt, analysis ofBull 167, p 99
Tetrad bases, chemical constitution of orthosilicates ofBull 125, pp 75–80
Tetradymite, analysis of, from North Carolina, Cabarrus and Davidson
countiesBull 74, p 25
Tetrahedrite, analyses of, from North Carolina, Cabarrus CountyBull 74, p 27
in Montana, Butte districtGF 38, p 6
Tetrametaphosphimate, barium, analysis of
Tetrametaphosphimate, di-ammonium, analysis of
Tetrametaphosphimate, di-potassium, analysis ofBull 167, p 120
Tetrametaphosphimate, octa-silver, analysis ofBull 167, p 124
Tetrametaphosphimate, sodium, analysis ofBull 167, p 147
Tetrametaphosphimate, tetra-ammonium, analysis ofBull 167, p 121
Tetrametaphosphimate, tetra-silver, analysis ofBull 167, p 123
Tetrametaphosphimate, tetra-sodium, analysis ofBull 167, p 121
Tetrametaphosphimic acid, analyses of
preparation, composition, salts, etc., ofBull 167, pp 116-124
Tetraphosphonitrilic chloride, analyses of
Tetraphosphonitrilic chlorides, tri- and
Tewan Mountains, New Mexico, a group of volcanic rocks from, and occurrence
of primary quartz in certain basalts
Texan formations, diagram showing interrelation of
Texan Permian and its Mesozoic types of fossils
Texan system of rocks
Texas; altitudes in
Ann 19, 1, pp 327–353; Ann 20, 1, pp 423–457; Ann 21, 1, pp
483–495; Bull 5, pp 283–289; Bull 76; Bull 160, pp 680–707
altitudes in Black and Grand prairies, by countiesAnn 21, vn, pp 646-649
area of, natural and artificial subdivisions of
artesian conditions of Black and Grand prairies
artesian reservoirs, depths of, beneath outcrop, table ofAnn 21, vII, p 423
artesian waters, chemical qualities of
of Black and Grand prairies
artesian well systems of
artesian wells, list of, in
of Black and Grand prairies, locations and depths ofAnn 21, vII, pl lxviii
of Edwards Plateau and Rio Grande Plain Ann 18, 11, pp 270–273, 279–307
asphalt in Uvalde quadrangle
in western
asphaltum deposits and production of, statistics of
p 637; Ann 16, IV, p 433; Ann 17, III cont, pp 751, 754-755;
Ann 18, v cont, pp 920, 929–935; Ann 19, vi cont, pp 190, 194;
Ann 20, vi cont, pp 254, 260; Ann 21, vi cont, pp 321, 324
atlas sheets of. (See list on p 95 of this bulletin.)
Austin dam construction and destruction of

·
Texas; Balcones scarp line and fault zone
201, 203, 258–260, pl xxi; Ann 21, vii, pp 382–384; GF 64, p 1
Basement rocks of Black and Grand prairies
Black and Grand prairies, geography and geology of
structure of rocks of
Bosqueville Prairie, general description of
boundary lines of, and admission of Republic ofBull 13,
pp 21, 105-106; Bull 171, pp 111-112; TF 3, p 1
Brazos River, flow of, measurements of
pp 121, 129, 130; WS 37, pp 272–273
profile of
brick industry of
building stone from statistics of
pp 533–534; MR 1889–90, pp 374, 431; MR 1891, pp 457,
461, 463, 464, 467; MR 1892, pp 706, 708, 710, 711; MR
1893, pp 544, 547, 553, 556; Ann 16, IV, p 437 et seq;
Ann 17, 111 cont, p 760 et seq; Ann 18, v cont, pp 951,
954, 1012 et seq; Ann 19, vi cont, p 207 et seq; Ann
20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq
in Uvalde quadrangle
Burnet country, general description of
Callahan divide, general description ofAnn 21, vii, pp 46-47; TF 3, p 7
Canadian River, course and character ofTF 3, p 10
cement production of, statistics of
MR 1888, p 551; MR 1889–90, p 461; MR 1891, p 532;
MR 1892, p 739; MR 1893, pp 619, 621; Ann 16, IV,
pp 577, 581; Ann 17, 111 cont, pp 884, 891; Ann 18, v
cont, pp 1170, 1179; Ann 19, vr cont, pp 487, 495; Ann
20, vi cont, pp 539, 547; Ann 21, vi cont, pp 393, 408
Chispa, igneous rocks from vicinity of San Carlos and, report onBull 164,
pp 88–95
clay deposits and production of, statistics ofMR 1891, pp 518-522; MR
1892, pp 735–737; MR 1893, p 610; Ann 16, IV, pp 518, 519,
520, 521; Ann 17, 111 cont, p 821 et seq; Ann 18, v cont,
p 1078 et seq; Ann 19, vi cont, pp 319 et seq, 371; Ann
20, vi cont, pp 467 et seq, 533; Ann 21, vi cont, pp 362, 363
coal, area and statistics ofMR 1882, p 74; MR 1883-84, pp 12, 89;
MR 1885, pp 11, 67–68; MR 1886, pp 225, 230, 347–350; MR
1887, pp 169, 357–359; MR 1888, pp 169, 171, 367–374; MR
1889-90, pp 147, 271; MR 1891, pp 180, 325-328; MR 1892,
pp 265, 267, 268, 506–510; MR 1893, pp 189, 190, 194, 195, 197,
199, 200, 383-385; Ann 16, IV, pp 7 et seq, 193-194; Ann 17,
III, pp 287 et seq, 521-522, 542; Ann 18, v, pp 354 et seq,
611-613; Ann 19, vi, pp 278 et seq, 520-522; Ann 20, vi,
pp 300 et seq, 488-490; Ann 21, vi, pp 325 et seq, 501-502
in Eagle Pass coal field, thickness and character of Bull 164, pp 55-61
in Eocene coal fields, thickness and character of Bull 164, pp 61-66
in Uvalde quadrangleGF 64, p 5
coal fields of
1892, pp 507-510; MR 1893, pp 384-385; Ann 16, IV, p 193
Rio Grande, reconnaissance in
Coastal Plain of, general description of
coke in, manufacture of
567; MR 1893, p 420; Ann 16, IV, pp 228, 238; Ann 17, III
cont, pp 544 et seq, 607–608; Ann 18, v cont, pp 661 et seq,
732; Ann 19, vi, pp 548 et seq, 627; Ann 20, vi cont, p 228
1/2, 11m 10, 11, pp 0x0 or soq, 021, 11m 20, 11 cont, p 220

Tex	as; Colorado River, flow of, measurements ofAnn 18, 1v, p 110; Bull 140, pp
	83-84, 86; WS 28, pp 122-124, 129, 130; WS 37, pp 274-275
	Colorado River, profile of
	Comal River, flow of, measurements of
	IV, p 110; Bull 140, pp 84, 86; WS 28, p 130
	Concho River, profile of
	copper deposits of
	counties, areas of, in Black and Grand prairies
	Cross Timbers of
	Del Rio, flow of, measurements of
•	drainage of
	Edwards Plateau, character and extent of
	rivers of
	water supply of
	Edwards Plateau and Rio Grande Plain adjacent to Austin and San
	Antonio, geology of, with reference to occurrence of
	underground waters
	El Paso County, fixation of 105th meridian in
	evaporation at Fort Bliss
'	
	п, р 34; Ann 12, п, р 235; Ann 14, п, р 154
	Fort Worth Prairie, general description of
	Frio River, relation of Cretaceous to Eocene alongBull 164, p 36
	fry-pan deposits in
	Gainesville Prairie, general description of
	Galisteo Plateau, position and character of
	Galveston, deep-well section at
	gas, illuminating and fuel, and by-products in, statistics of
	vi cont, pp 228, 241, 243, 244, 246, 247, 250 geographic positions in
	geographic positions in
	Ann 19, 1, p 168; Ann 21, 1, pp 321–339; Bull 123, pp 93–96
	geography ofAnn 21, vii, pp 25–85
	portion of
1	geologic and paleontologic investigations in
	Ann 8, 1, pp 179–180; Ann 9, pp 120–121; Ann 10, 1, pp
	163–164; Ann 11; I, pp 58, 107; Ann 12, I, p 114; Ann 13,
	ı, p 148; Ann 15, pp 137, 171; Ann 16, ı, pp 27–28; Ann
	17, I, pp 34-37, 64-65; Ann 18, I, pp 35-37; Ann 19, I,
	pp 38-40, 63; Ann 20, 1, pp 42-43, 63; Ann 21, 1, p 76
:	geologic maps of, listedBull 7, pp 139, 140, 141
	(See, also, Map, geologic, of Texas.)
1	geologic sections in. (See Section, geologic, in Texas.)
	geology of, present (1887) condition of knowledge of
•	Glen Rose Prairie, general description of
	gold in Uvalde quadrangle
1	gold and silver from, statistics of
	MR 1891, p 77; Ann 21, vi, pp 121–127
	Grand and Black prairies, geography and geology of
1	granite production of, statistics of
	pp 374, 431; MR 1891, p 457; MR 1892, pp 706, 708; MR 1893, pp 544, 547; Ann 16, IV, pp 437, 444, 457, 458; Ann
	17, 111 cont, p 763; Ann 18, v cont, p 954; Ann 19, vi cont,
	pp 207, 208, 209, 211; Ann 20, vi cont, pp 271, 272, 273,
	275, 276, 280; Ann 21, vi cont, pp 335, 336, 337, 338, 339, 340
	gryphæas of Lower Cretaceous ofBull 151
	Guadalupe River, flow of, measurements of
	pp 124, 129; WS 37, pp 275–276

	· /
Texa	as; minerals of, usefulMR 1882, pp 733-736; MR 1887, pp 792-794
	mountain systems of
	natural gas localities and statistics of
	MR 1893, p 536; Ann 16, IV, pp 415, 418, 419; Ann 17,
	III cont, pp 734, 735, 738, 739; Ann 18, v cont, pp 900, 901,
	916; Ann 19, vi cont, pp 168, 169; Ann 20, vi cont, pp
	207, 209, 210, 222; Ann 21, vi cont, pp 299, 301, 302, 304, 315
	Nueces quadrangle, geology ofGF 42
	Nueces River, irrigation on
	profile of
	relation of Cretaceous to Eocene alongBull 164, p 36
	Paleozoic era in, summary of history of
	Palo Pinto Plain, general description of
	Paluxy Cross Timbers, general descriptions of
	Pecos River, course and character ofTF 3, p 10
	flow of, measurements of WS 28, pp 125–126, 130; WS 37, pp 285–286
	irrigation on
	profile of
	petroleum localities and statistics of
	MR 1892, pp 604, 606, 612; MR 1893, pp 465, 466; Ann 16,
	IV, pp 317, 319, 320, 378-379; Ann 17, III cont, pp 626, 629,
	630, 631, 701; Ann 18, v cont, pp 750, 751, 754, 755, 848–849;
	Ann 19, vi cont, pp 5, 6, 7, 10, 11, 102–105; Ann 20, vi cont,
	pp 5, 6, 7, 9, 115–116; Ann 21, vii, pp 2, 6, 7, 8, 11, 12, 148–153
	physical geography of
	plains of the Texas region
	Plateau of the Plains, character and extent of
	population of, distribution of
	quicksilver deposits in
:	rainfall at Amarillo
	at Austin
	at Galveston (average)
	at various points in
	11, p 244; Ann 13, 111, p 27; Bull 164, p 45; WS 13, pp 21–24
	in Nueces quadrangleGF 42, p 2
	Red River, profile of
•	sections along
	Red River fault zone
	Rio Grande, course and character ofTF 3, p 10
•	flow of, measurements of
	pp 280, 350, 360; Ann 13, 111, pp 94, 99; Ann 14, 11, pp 114-
	115; Ann 18, IV, pp 257–259; Ann 19, IV, pp 389–390; Ann
	20, IV, pp 58, 372; Ann 21, IV, pp 262-263; Bull 131, pp
	46-47; Bull 140, pp 178-179; WS 10, pp 15-17; WS 11, p 67;
	WS 16, pp 132–133; WS 28, pp 120, 128; WS 37, pp 283–284
	irrigation on
	profile of
	Rio Grande coal fields, reconnaissance in
	Rio Grande Plain, character and extent of
	geographic features of
•	water of
	Sacramento Range, extent and character ofTF 3, p 4
i	Sabine River, flow of, measurements ofBull 140, pp 84–85, 86

Te	exas; salt from, statistics of
	p 842; MR 1892, pp 794, 799; MR 1893, pp 719, 721, 726;
	Ann 16, IV, pp 647, 648, 649, 655; Ann 17, III cont, pp
	985, 986, 987, 990, 991; Ann 18, v cont, pp 1274, 1275, 1276,
	1277, 1280, 1281; Ann 19, vi cont, p 588 et seq; Ann 20,
	vi cont, pp 670, 676, 677, 678; Ann 21, vi cont, p 534 et seq
	salt making in, history of
	Scn Antonio River, flow of, measurements of
	rv, p 110; Bull 140, pp 84, 86; WS 28, p 130
	San Carlos, igneous rocks from vicinity of Chispa andBull 164, pp 88-95
	San Carlos coal field, geology and character of coal inBull 164, pp 73-88
	San Marcos River, flow of, measurements of
	ıv, p 110; Bull 140, pp 83, 86; WS 28, p 130
	San Pedro River, flow of, measurements of
	ıv, p.110; Bull 140, pp 84, 86
	San Saba River, profile of WS 44, p 35
	sandstone production of, statistics of
	MR 1887, p 793; MR 1889–90, pp 374, 431; MR 1892,
	p 710; MR 1893, p 553; Ann 16, iv, pp 437, 484, 485,
	492; Ann 17, 111 cont, pp 760, 775, 777, 778, 780; Ann 18,
	v cont, pp 951, 1012, 1013, 1014, 1043; Ann 19, vr cont,
	pp 207, 264, 265, 266, 278; Ann 20, vi cont, pp 271, 336, 337, 338, 341; Ann 21, vi cont, pp 335, 353, 354, 355, 356
	sections, geologic, in. (See Section, geologic, in Texas.)
	sewage-disposal plants in
	silver from, statistics of
	p 37; MR 1889-90, p 49; MR 1892, p 51; MR 1893, pp
	50, 51, 55, 57, 58, 59, 60, 61; Ann 17, 111, pp 72, 73, 74, 75,
	76, 77; Ann 18, v, p 142 et seq; Ann 19, vi, pp 104,
	105, 106, 107, 108, 109, 127, 128, 129, 130, 131, 132, 133;
	Ann 20, vr, p 103 et seq; Ann 21, vr, p 121 et seq
	in Uvalde quadrangleGF 64, p 5
	soils ofTF 3, p 12
	springs, fissure, of Rio Grande Plain
	springs, gravity, of Edwards Plateau and Rio Grande Plain
	11, pp 267–270, 274
	stream measurements in
	Ann 19, IV, pp 376–380; Bull 140, pp 82–86; WS 28, p 130 sulphur deposits of
	temperature in
_	tepetate, a crust of white lime material found in
	Terrell, well section at
	timber in, estimates of
	tin deposits of
	topographic maps of. (See Map, topographic, of Texas; also pp 95-96,
	111 of this bulletin.)
	topographic provinces of
	topographic work in
	Ann 8, 1, p 104; Ann 9, pp 57–58; Ann 10, 1, pp 95–96; Ann
	11, 1, p 40; Ann 12, 1, pp 30, 47; Ann 13, 1, p 80; Ann 14, 1, p 179; Ann 15, pp 126–127; Ann 16, 1, pp 66, 68, 70, 71;
	Ann 17, 1, pp 97, 104; Ann 18, 1, pp 94, 96, 107; Ann 19, 1,
	pp 89, 91, 105; Ann 20, 1, pp 101, 102, 117; Ann 21, 1, p 135
	Trans-Pecos province, mountains of
	triangulation in
	Trinity River, flow of, measurements of
	pp 121, 129, 130; WS 37, pp 271–272
	•

Texas; Trinity River, profile of
Tyler, reservoir dam at
Uvalde quadrangle, geology of
vegetation of
Walnut Prairie, general description of
wash, character and appearance of
water, capacity of various rock sheets for
water supply of, for irrigation purposes
of Uvalde quadrangle
waters, underground, in Nueces quadrangle
of portion of
well drilling, practical suggestions for
wells in
in counties of Black and Grand prairies, lists of . Ann 21, vII, pp 456, 458 et seq
in Uvalde quadrangle
on Edwards Plateau and Rio Grande Plain. Ann 18, 11, pp 265–267, 270–307
Wichita paleoplain, restoration, structure, etc., of Ann 21, vii, pp 363–367
woodland area in
Yoakum well section
Texian system
Textularidæ, Cretaceous, from New Jersey
Thaumasite, chemical composition of
Theralite, analyses of, from Montana, Crazy MountainsBull 90, p 71; Bull 148, p
145; Bull 150, p 201; Bull 165, p 183; Bull 168, pp 123, 124
from Montana, Gordons Butte, description of, as one of the educational
seriesBull 150, pp 197–199
in Montana, Little Belt Mountains quadrangleGF 56, p 4
Livingstone quadrangle
Theralite, porphyritic, from Montana, Alabaugh Creek, description of, as one
of the educational series of rocksBull 150, pp 199–201
Thermal. (See Heat; Temperature.) Thermal action in Yellowstone Park
Thermal action in Yellowstone Park
Thermal effect of action of aqueous vapor on feldspathic rocks
рр 325–330; Моп III, pp 290–308, 397–400
Thermal expansion, literature and measurement of
of certain rocks, preliminary note on coefficients ofBull 78, pp 109-118
Thermal expansion and compressibility, investigations in relation toAnn 14,
ı, pp 154–156
Thermal movements of ground water, principles of
Thermal springs, character and cause of
Thermal springs and molluscan life
Thermal survey of Comstock lode, Nevada
Thermodynamics of liquids, the volumeBull 96
Thermoelectric data of alloysBull 14, pp 80–88
Thermoelectric effect of magnetizationBull 14, pp 104–110
Thermoelectric measurement of high temperaturesAnn 4, pp 53-59; Bull 54
Thermoelectric power, measurement of
Thermoelectric power and specific resistance of steel, relation betweenBull 14,
pp 62–70
Thermoelectric properties, specific resistance, and hardness of steel, relation
ofBull 14, pp 203–226
Thermoelectric pyrometry, methods ofBull 103, pp 13–16
Thermoelectric, galvanic, and magnetic properties of wrought iron, steel, and
cast iron in different states of hardnessBull 14

Thermo-mineral springs in United States (eastern)
Theropoda of North America
remarks on European
Thetis hair stone, occurrence and statistics of
Thibet, quicksilver-ore deposits in
Thinolite, chemical nature of
crystalline form of original Bull 12, pp 20–22
crystallographic study of Ann 8, 1, pp 315-318; Mon x1, pp 194-201; Bull 12, p 14
of California, Mono BasinAnn 8, 1, pp 315–317, 320; Bull 12, pp 19–20
of Nevada, Lake Lahontan, crystallographic study of
pp 315–318; Mon x1, pp 194–200; Bull 12 Walker LakeBull 12, p 20
relation of, to gaylussite pseudomorphs
Thinolitic tufa of Nevada, Lake Lahontan Basin
Thompson (A. H.), report on construction of topographic maps, and selection
and survey of reservoir sites in basin of Arkansas River
in Colorado
report on location and survey of reservoir sites during fiscal year ending
June 30, 1891
report on location and survey of reservoir sites during fiscal year 1891-92.
`Ann 13, 11, pp 445–478
report on topographic branch of irrigation survey for 1888–1890Ann 10,
и, pp 65–77; Ann 11, и, pp 291–343
report on topographic work during 1890–1891
work in charge of, 1891–1894
Work in charge of, 1691–1694
I, pp 75-83; Ann 14, I, pp 175-182; Ann 15, pp 119-129
Thompson (G.), quoted on glaciers of Mount Shasta
work in charge of, 1881–82
Thomsonite, analysis of
analysis of spherules of, from Colorado, Table MountainBull 20, pp 18, 25
chemical constitution of
from Table Mountain, Colorado, chemical identification of Bull 20, pp 18–19
general description and chemical composition ofBull 20, pp 24–27
occurrence and statistics of
p 496; MR 1883-84, p 774; MR 1885, p 443; MR 1886,
p 604; MR 1887, pp 556-557; MR 1888, pp 584-585; MR
1889–90, pp 446, 447, 448; MR 1891, p 540; MR 1892, p 781;
MR 1893, pp 681, 682; Ann 16, IV, pp 604, 605; Ann 17,
iii cont, p 924; Ann 18, v cont, p 1217; Ann 19, v cont, p 513;
Ann 20, vi cont, pp 591–592, 599; Ann 21, vi cont, p 461
Thomsenolite, analysis of
from Colorado, near Pikes Peak, occurrence and description of Bull 20, pp 55-56
Thonstein (tuff), analyses of, from Saxony, near ChemnitzBull 62, p 153
Thoria, isomorphism of Bull 113, pp 41–43
Thorite, chemical constitution of
Thorium and uranous sulphates, isomorphism and composition of . Bull 90, pp 26–33
Three Forks, Montana, Paleozoic section near
Three Forks limestone in Wyoming
in Yellowstone ParkMon xxxII, II, pp 7, 22, 23, 26, 58, 153, 160, 206, 213
Three Forks quadrangle, Montana, geology of
Three Forks shales in MontanaBull 110, p 29; GF 1, p 2; GF 24, p 2; GF 55, p 2
description and sections of
features of
Thrusts, types and diagrams of
Thrusts, Appalachian

Thunderhead conglomerate in Tennessee and North Carolina GF 16, p 2	; G F 20, p 2
Thuringite, analyses of	Bull 113, p 15
analysis of, from Lake Superior	
chemical composition of	
Thurman sandstone in Indian TerritoryAnn	
Thymol, compressibility and thermal expansion ofBull	
Ticholeptus beds of Idaho and OregonBull 84, pp	
Tidal currents, effect of, on harborsAnn 13, 1	
Tidal observations in Alaska, Glacier Bay	
Tile, brick, etc., statistics of	
MR 1883–84, pp 679–711; MR 1885, pp 415–41	
pp 566–580; MR 1887, pp 534–551; MR 1888	
MR 1892, pp 715–724; MR 1893, pp 605–6	
1v, p 518 et seq; Ann 17, 111 cont, pp 819, 8	
18, v cont, pp 1077-1099; Ann 19, vi cont,	
Ann 20, vi cont, pp 483–503; Ann 21, vi con	
Tile clay, analysis of, from New Jersey, Woodbridge	
Tiliaceæ of Alaska	
of Amboy clays	
of Dakota group	
of Laramie groupBull	
of North America (extinct)	
of Yellowstone Park	ı, pp 743–744
Till in Maine, character, distribution, etc., ofMon xxxiv, pp 2	∂–34, 270–284
in Massachusetts, western	c, pp 533–561
in Montana, Fort Benton quadrangle	GF 55, p 2
in region of glacial Lake Agassiz	
in South Dakota, southeasternBull 158, pp 65–66; WS	
summary of facts concerningBull	. 58, pp 42–75
the Kansan, pre-Illinoian, etc	<b>–</b> 111, 119 <b>–</b> 123
(See, also, Glacial; Glaciation.)	
Timber, consumption of, in United StatesAnn 1	
destruction of, by depredation, fires, etc., in ColoradoAnn 20, v	
215–232, 257–315 (passim), 385–392, 427–428,	452–454, 477
forests of United States, résumé of data concerning	Ann 19,
v, pp 1–66; Ann	20, v, pp 1–37
in AlaskaAnn 21, 1	и, pp 387, 414
southwestern, notes on	, pp 67–68,78
in North Carolina, Knoxville quadrangle	GF 16, p 6
in Porto RicoWS	32, pp 41–43
in Tennessee, Briceville quadrangle	
Knoxville quadrangle	GF 16, p 6
Loudon quadrangle	GF 25, p 6
Morristown quadrangle	
Wartburg quadrangle	
in United States, merchantable standing, amount ofAnn 1	
in Washington, standing	
Tacoma quadrangle	GF 54, p 10
in Wyoming, Absaroka district	GF 52, p 1
(See also Forests )	•
Timber Belt beds of Texas	Bull 83, p 78
Timber Creek formation of TexasBull 82, pp 116, 118, 121–122, 123, 123	
Timber trees, defects and diseases of	
Time since Glacial period, measurements of	cv, pp 238–240

Time ratios of Coastal Plain
Timpas formation in ColoradoAnn 17, 11, pp 566, 571; GF 58, pp 1-2; GF 68, pp 1-2
Tin, analysis of (disaggregated)
from Australia, Queensland (ingot)
from Malay Peninsula, Perak (black)
from South Dakota, Black Hills (stream)
from various countries
foreign sources of
pp 615-625; MR 1885, pp 376-383; MR 1889-90, p 121
physical properties of
statistics of
640; MR 1885, pp 370-385; MR 1886, pp 214-217; MR 1887,
pp 134-137; MR 1888, pp 144-159; MR 1889-90, pp 119-
123; MR 1891, pp 164–166; MR 1892, pp 258–259; MR 1893,
pp 178–183; Ann 16, 111, pp 458–538; Ann 17, 111, pp 227–242
Tin ore, analysis of, from California, San Jacinto grant (Temescal)Ann 16, 111, p 537;
MR 1882, p 434; MR 1883-84, p 614
analysis of, from Great Britain, England (Cornish)
assays of
in North Carolina, Kings Mountain, occurrence, mineralogy, etc., of MR 1893,
pp 178–180
in Virginia, near Vesuvius, occurrence, geologic relations, etc., ofMR 1893,
pp 180-182
Tin-plate industry, efforts to establish
statistics of
MR 1892, pp 16-17; MR 1893, p 22; Ann 16, 111, pp 229-230;
Ann 17, 111, pp 61, 70-71; Ann 18, v, pp 71-72, 87-88; Ann 19,
vi, pp 76–77; Ann 20, vi, pp 87–88; Ann 21, vi, pp 106–107
Tinguaite, analysis of, from Colorado, Two ButtesBull 148, p 182; Bull 168, p 165
analysis of, from Montana, Bearpaw MountainsBull 148,
p 157; Bull 168, p 136
from Montana, Crazy MountainsBull 90,
p 71; Bull 148, p 145; Bull 168, p 123 from Norway, Hedrum
from Portugal, various localities
from Russia, Kaola
thin section of, from Montana, Cone Butte (nonporphyritic)
ш, pp 570–571
Tinguaite-porphyry, analyses of, from Montana, Bearpaw and Judith moun-
tains
thin section of, from Montana, Cone ButteAnn 18, 111, pp 570-571
Tinguaite-porphyry and nonporphyritic tinguaite of Montana, Judith Moun-
tainsAnn 18, 111, pp 567–572
tains

Titanite, composition of Bull 150, pp 43–44 in rocks of Pacific slope Mon XIII, p 85
occurrence and statistics of MR 1883-84, p 774;
MR 1891, p 551; MR 1892, pp 780-781; Ann 16, iv, p 605
(See, also, Sphene.)
Titanium, separation of, in rock analyses
warning against use of fluoriferous hydrogen peroxide in estimating. Bull 167, p 56
Titanium and aluminum, separation of, and of titanium and iron. Bull 27, pp 16-26
Titanotherium bed
Toccoa River, Georgia, flow of, measurements of
iv, pp 166–167; WS 27, pp 60, 64, 65, 66; WS 36, pp 171–172
Todd (J. E.), geology and water resources of a portion of southeastern South
DakotaWS 34
moraines of Missouri Coteau and their attendant depositsBull 144
moraines of southeastern South Dakota and their attendant depositsBull 158
Togiak gravels of Alaska, notes on
Togiak River, Alaska, geologic notes taken along
itinerary of a reconnaissance along
Tohickon Creek, flow of, measurements of
ıv, pp 48, 98–103; Ann 21, ıv, pp 83–85; WS 35, p 64 Tombigbee, Tuscaloosa, and Alabama rivers, Tertiary and Cretaceous strata
of
Tok sandstone of Alaska, notes onAnn 20, yii, p 473; Ann 21, ii, pp 362, 370
Tokanon River, Washington, description of
Tombigbee sand of Mississippi
Tonalite, analysis of, from Massachusetts, South Leverett Mon xxix, p 336;
Bull 148, p 74; Bull 168, p 30
of Massachusetts, western
Tonalite group of igneous rocks, definition of and descriptions of species from
Alaska
Alaska
Alaska
Alaska
Alaska Ann 20; vII, pp 189, 204–206 Tonalite-aplite, analysis of, from Alaska, Yukon River Bull 168, p 229 Tongrian formation, correlation of Ann 18, II, p 341 Tongue River, irrigation along Ann 13, III, pp 70–71 Tonsina River, Alaska trails along Ann 21, II, pp 415–416
Alaska Ann 20; vII, pp 189, 204–206 Tonalite-aplite, analysis of, from Alaska, Yukon River Bull 168, p 229 Tongrian formation, correlation of Ann 18, II, p 341 Tongue River, irrigation along Ann 13, III, pp 70–71 Tonsina River, Alaska trails along Ann 21, II, pp 415–416 Tonto group, or series, of Grand Canyon of the Colorado Bull 81, pp 220–221, 356–357 origin of name Bull 81, p 245
Alaska
Alaska Ann 20; vII, pp 189, 204–206 Tonalite-aplite, analysis of, from Alaska, Yukon River Bull 168, p 229 Tongrian formation, correlation of Ann 18, II, p 341 Tongue River, irrigation along Ann 13, III, pp 70–71 Tonsina River, Alaska trails along Ann 21, II, pp 415–416 Tonto group, or series, of Grand Canyon of the Colorado Bull 81, pp 220–221, 356–357 origin of name Bull 81, p 245 Tonto sandstone of Grand Canyon district Bull 86, pp 330, 331, passim Topaz, an unusual occurrence of Bull 20, pp 81–82
Alaska Ann 20; vI, pp 189, 204–206 Tonalite-aplite, analysis of, from Alaska, Yukon River Bull 168, p 229 Tongrian formation, correlation of Ann 18, II, p 341 Tongue River, irrigation along Ann 13, III, pp 70–71 Tonsina River, Alaska trails along Ann 21, II, pp 415–416 Tonto group, or series, of Grand Canyon of the Colorado Bull 81, pp 220–221, 356–357 origin of name Bull 81, p 245 Tonto sandstone of Grand Canyon district Bull 86, pp 330, 331, passim Topaz, an unusual occurrence of Bull 20, pp 81–82 analysis of, from Colorado, Pikes Peak region Bull 20, p 71
Alaska Ann 20; vI, pp 189, 204–206 Tonalite-aplite, analysis of, from Alaska, Yukon River Bull 168, p 229 Tongrian formation, correlation of Ann 18, II, p 341 Tongue River, irrigation along Ann 13, III, pp 70–71 Tonsina River, Alaska trails along Ann 21, II, pp 415–416 Tonto group, or series, of Grand Canyon of the Colorado Bull 81, pp 220–221, 356–357 origin of name Bull 81, p 245 Tonto sandstone of Grand Canyon district Bull 86, pp 330, 331, passim Topaz, an unusual occurrence of Bull 20, pp 81–82 analysis of, from Colorado, Pikes Peak region Bull 20, p 71 from Japan, Omi Ann 21, vi cont, p 459
Alaska Ann 20; vI, pp 189, 204–206 Tonalite-aplite, analysis of, from Alaska, Yukon River Bull 168, p 229 Tongrian formation, correlation of Ann 18, II, p 341 Tongue River, irrigation along Ann 13, III, pp 70–71 Tonsina River, Alaska trails along Ann 21, II, pp 415–416 Tonto group, or series, of Grand Canyon of the Colorado Bull 81, pp 220–221, 356–357 origin of name Bull 81, p 245 Tonto sandstone of Grand Canyon district Bull 86, pp 330, 331, passim Topaz, an unusual occurrence of Bull 20, pp 81–82 analysis of, from Colorado, Pikes Peak region Bull 20, p 71 from Japan, Omi Ann 21, vi cont, p 459 from Maine, Stoneham Bull 27, p 9, 10
Alaska Ann 20; vI, pp 189, 204–206 Tonalite-aplite, analysis of, from Alaska, Yukon River Bull 168, p 229 Tongrian formation, correlation of Ann 18, II, p 341 Tongue River, irrigation along Ann 13, III, pp 70–71 Tonsina River, Alaska trails along Ann 21, II, pp 415–416 Tonto group, or series, of Grand Canyon of the Colorado Bull 81, pp 220–221, 356–357 origin of name Bull 81, p 245 Tonto sandstone of Grand Canyon district Bull 86, pp 330, 331, passim Topaz, an unusual occurrence of Bull 20, pp 81–82 analysis of, from Colorado, Pikes Peak region Bull 20, pp 71 from Japan, Omi Ann 21, vi cont, p 459 from Maine, Stoneham Bull 27, p 9, 10 chemical constitution of Bull 125, pp 16, 19, 101
Alaska Ann 20; vII, pp 189, 204–206 Tonalite-aplite, analysis of, from Alaska, Yukon River Bull 168, p 229 Tongrian formation, correlation of Ann 18, II, p 341 Tongue River, irrigation along Ann 13, III, pp 70–71 Tonsina River, Alaska trails along Ann 21, II, pp 415–416 Tonto group, or series, of Grand Canyon of the Colorado Bull 81, pp 220–221, 356–357 origin of name Bull 81, pp 245 Tonto sandstone of Grand Canyon district Bull 86, pp 330, 331, passim Topaz, an unusual occurrence of Bull 20, pp 81–82 analysis of, from Colorado, Pikes Peak region Bull 20, pp 71 from Japan, Omi Ann 21, vi cont, p 459 from Maine, Stoneham Bull 27, p 9, 10 chemical constitution of Bull 125, pp 16, 19, 101 composition of Bull 150, p 38 from Maine, Stoneham Bull 27, pp 9–15
Alaska Ann 20; vI, pp 189, 204–206 Tonalite-aplite, analysis of, from Alaska, Yukon River Bull 168, p 229 Tongrian formation, correlation of Ann 18, II, p 341 Tongue River, irrigation along Ann 13, III, pp 70–71 Tonsina River, Alaska trails along Ann 21, II, pp 415–416 Tonto group, or series, of Grand Canyon of the Colorado Bull 81, pp 220–221, 356–357 origin of name Bull 81, p 245 Tonto sandstone of Grand Canyon district Bull 86, pp 330, 331, passim Topaz, an unusual occurrence of Bull 20, pp 81–82 analysis of, from Colorado, Pikes Peak region Bull 20, pp 71 from Japan, Omi Ann 21, vI cont, p 459 from Maine, Stoneham Bull 27, p 9, 10 chemical constitution of Bull 125, pp 16, 19, 101 composition of Bull 150, p 38 from Maine, Stoneham Bull 27, pp 9–15 in Colorado, Florissant and Devils Head Mountain Bull 20, pp 70, 74
Alaska Ann 20; vI, pp 189, 204–206 Tonalite-aplite, analysis of, from Alaska, Yukon River Bull 168, p 229 Tongrian formation, correlation of Ann 18, II, p 341 Tongue River, irrigation along Ann 13, III, pp 70–71 Tonsina River, Alaska trails along Ann 21, II, pp 415–416 Tonto group, or series, of Grand Canyon of the Colorado Bull 81, pp 220–221, 356–357 origin of name Bull 81, p 245 Tonto sandstone of Grand Canyon district Bull 86, pp 330, 331, passim Topaz, an unusual occurrence of Bull 20, pp 81–82 analysis of, from Colorado, Pikes Peak region Bull 20, pp 71 from Japan, Omi Ann 21, vI cont, p 459 from Maine, Stoneham Bull 27, p 9, 10 chemical constitution of Bull 125, pp 16, 19, 101 composition of Bull 27, pp 9–15 in Colorado, Florissant and Devils Head Mountain Bull 20, pp 70, 74 in nevadite from Colorado, Chalk Mountain Mon XII, p 347
Alaska Ann 20; vII, pp 189, 204–206 Tonalite-aplite, analysis of, from Alaska, Yukon River Bull 168, p 229 Tongrian formation, correlation of Ann 18, II, p 341 Tongue River, irrigation along Ann 13, III, pp 70–71 Tonsina River, Alaska trails along Ann 21, II, pp 415–416 Tonto group, or series, of Grand Canyon of the Colorado Bull 81, pp 220–221, 356–357 origin of name Bull 81, p 245 Tonto sandstone of Grand Canyon district Bull 86, pp 330, 331, passim Topaz, an unusual occurrence of Bull 20, pp 81–82 analysis of, from Colorado, Pikes Peak region Bull 20, pp 71 from Japan, Omi Ann 21, vI cont, p 459 from Maine, Stoneham Bull 27, p 9, 10 chemical constitution of Bull 125, pp 16, 19, 101 composition of Bull 150, p 38 from Maine, Stoneham Bull 27, pp 9–15 in Colorado, Florissant and Devils Head Mountain Bull 20, pp 70, 74 in nevadite from Colorado, Chalk Mountain Mon XII, p 347 in rhyolite Bull 20, p 81
Alaska Ann 20; vI, pp 189, 204–206 Tonalite-aplite, analysis of, from Alaska, Yukon River Bull 168, p 229 Tongrian formation, correlation of Ann 18, II, p 341 Tongue River, irrigation along Ann 13, III, pp 70–71 Tonsina River, Alaska trails along Ann 21, II, pp 415–416 Tonto group, or series, of Grand Canyon of the Colorado Bull 81, pp 220–221, 356–357 origin of name Bull 81, pp 245 Tonto sandstone of Grand Canyon district Bull 86, pp 330, 331, passim Topaz, an unusual occurrence of Bull 20, pp 81–82 analysis of, from Colorado, Pikes Peak region Bull 20, pp 71 from Japan, Omi Ann 21, vt cont, p 459 from Maine, Stoneham Bull 27, p 9, 10 chemical constitution of Bull 125, pp 16, 19, 101 composition of Bull 150, p 38 from Maine, Stoneham Bull 27, pp 9–15 in Colorado, Florissant and Devils Head Mountain Bull 20, pp 70, 74 in nevadite from Colorado, Chalk Mountain Mon xII, p 347 in rhyolite Bull 20, p 81 occurrence and statistics of MR 1882, p 486; MR
Alaska Ann 20; vII, pp 189, 204–206 Tonalite-aplite, analysis of, from Alaska, Yukon River Bull 168, p 229 Tongrian formation, correlation of Ann 18, II, p 341 Tongue River, irrigation along Ann 13, III, pp 70–71 Tonsina River, Alaska trails along Ann 21, II, pp 415–416 Tonto group, or series, of Grand Canyon of the Colorado Bull 81, pp 220–221, 356–357 origin of name Bull 81, p 245 Tonto sandstone of Grand Canyon district Bull 86, pp 330, 331, passim Topaz, an unusual occurrence of Bull 20, pp 81–82 analysis of, from Colorado, Pikes Peak region Bull 20, pp 71 from Japan, Omi Ann 21, vI cont, p 459 from Maine, Stoneham Bull 27, p 9, 10 chemical constitution of Bull 125, pp 16, 19, 101 composition of Bull 150, p 38 from Maine, Stoneham Bull 27, pp 9–15 in Colorado, Florissant and Devils Head Mountain Bull 20, pp 70, 74 in nevadite from Colorado, Chalk Mountain Mon XII, p 347 in rhyolite Bull 20, p 81
Alaska
Alaska Ann 20, VII, pp 189, 204–206 Tonalite-aplite, analysis of, from Alaska, Yukon River Bull 168, p 229 Tongrian formation, correlation of Ann 18, II, p 341 Tongue River, irrigation along Ann 13, III, pp 70–71 Tonsina River, Alaska trails along Ann 21, II, pp 415–416 Tonto group, or series, of Grand Canyon of the Colorado Bull 81, pp 220–221, 356–357 origin of name Bull 81, p 245 Tonto sandstone of Grand Canyon district Bull 86, pp 330, 331, passim Topaz, an unusual occurrence of Bull 20, pp 81–82 analysis of, from Colorado, Pikes Peak region Bull 20, p 71 from Japan, Omi Ann 21, VI cont, p 459 from Maine, Stoneham Bull 27, p 9, 10 chemical constitution of Bull 125, pp 16, 19, 101 composition of Bull 150, p 38 from Maine, Stoneham Bull 27, pp 9–15 in Colorado, Florissant and Devils Head Mountain Bull 20, pp 70, 74 in nevadite from Colorado, Chalk Mountain Bull 20, pp 70, 74 in nevadite from Colorado, Chalk Mountain Bull 20, p 81 occurrence and statistics of MR 1882, p 486; MR 1883–84, pp 737–738, 781; MR 1885, p 443; MR 1886, pp 596, 604; MR 1887, pp 556, 557; MR 1888, pp 580–581, 584, 585; MR 1889–90, pp 446, 447, 448; MR 1891, p 539; MR 1892, pp 764–765, 781; Ann 16, IV, pp 604, 605; Ann 17, III cont,
Alaska

·
Topinish River, Washington, flow of, measurements ofBull 131,
p 74; Bull 140, p 248
Topographic forms, classification of, by hydrography
origin of
Topographic map, description of
of United States; atlas sheets engraved (See pp 67-110 of this bulletin.)
plan and description of the
pp xiii-xxiv; Ann 6, pp xvi-xix; Ann 7, pp 3-8
(See, also, Map, topographic.) Topographic methods, manual of
Topographic surveying, monuments and bench marks in connection withAnn 17,
1, pp 7-11
Topographic surveys, present condition of, by States
1, pp 101–102; Ann 21, 1, pp 116–117
Topographic types in California, Lassen Peak quadrangle
in Maryland-Virginia, Fredericksburg quadrangle
Nomini quadrangle
Topographic work in the various States and Territories. (See each State and
Territory.)
in United States done by national and State organizations and by corpo-
rate and private enterprise, sketch ofAnn 4, pp xiv-xx
of United States Geological Survey, historical review of Ann 20, 1, pp 90–98
reports on
3-16; Ann 5, pp xvii-xx, 3-14; Ann 6, pp xv-xix, 3-17; Ann
7, pp 3-8, 45-60; Ann 8, 1, pp 70-74, 97-122; Ann 9, pp
3-7, 49-69; Ann 10, 1, pp 5-9, 83-108; Ann 11, 1, pp 4-10,
33-48; Ann 12, 1, pp 3-8, 23-52; Ann 13, 1, pp 25-27, 69-83;
Ann 13, 1, pp 4–9, 25–31, Ann 14, 1, pp 33–38, 169–182; Ann
15, pp 27–65; Ann 16, 1, pp 61–77; Ann 17, 1, pp 93–109; Ann
18, r, pp 92–117; Ann 20, r, pp 98–138; Ann 21, r, pp 113–156
Topography, analysis of
as affected by solution
due to faulting
of Pacific coast, Tertiary revolution in
relation of veins to
(See, also, Map; Physiography.)
Topography and geology, interdependence of
of India
Tordrillite, analysis of, from Alaska, Tordrillo MountainsBull 168, p 229
Tordrillo Mountains, Alaska, geologic notes on
portage across, notes on
Tordrillo series of pre-Tertiary rocks of AlaskaAnn 20, vii, pp 153–155, 183, 187
Tornatellidæ from clays and marls of New JerseyMon xvIII, pp 155-164, 236-239
of Miocene deposits of New Jersey
Toronto formation (between Iowan and Wisconsin stages of glaciation)Mon
xxxvIII, pp 185–190 Torosaurus, description of
Toroweap Valley, Arizona, and middle portion of Grand Canyon
рр 104–121; Mon и, pp 78–100
Torridon sandstone of Scotland
Tourmaline, analysis of
analysis of, from Baffin Land, Nantic GulfBull 55, pp 29, 30; Bull 167, p 32

· · · · · · · · · · · · · · · · · · ·
Tourmaline, analysis of, from Brazil
analysis of, from California, Nevada CountyBull 90, p 39
from Connecticut, Haddam NeckBull 55, pp 29, 30; Bull 167, p 32
MonroeBull 55, pp 27, 30; Bull 167, p 30
from Maine, AuburnBull 55, pp 24, 30; Bull 167, pp 31, 33
Auburn, alteration product from
Paris
Rumford
alteration product fromBull 55, pp 25, 30
from Maryland, Montgomery County (chrome)Bull 64, p 41
from Massachusetts, ChesterfieldBull 126, p 169
from New Hampshire, OrfordBull 55, pp 27, 30; Bull 167. p 30
from New Jersey, HamburgBull 55, pp 26, 30
from New York, DekalbBull 55, pp 26, 30; Bull 167, p 30
GouverneurBull 55, pp 26, 30; Bull 167, p 29
St. Lawrence CountyBull 55, pp 29, 30; Bull 167, p 28
from North Carolina, Alexander CountyBull 55,
pp 29, 30; Bull 74, p 58; Bull 167, p 31
from Russia, UralBull 55, p 32
from various localities
analysis and composition ofBull 55, pp 19–37
analysis and description of, from California, Nevada CountyBull 90, p 39
chemical constitution ofBull 125, pp 56–62, 104
composition of
occurrence and statistics of
743–745, 781; MR 1885, p 443; MR 1886, p 604; MR 1887, pp
556–557, 559–560; MR 1888, pp 582, 584, 585; MR 1889–90, _
pp 446, 447, 448; MR 1891, pp 539, 541–547; MR 1892,
pp 765, 781; MR 1893, pp 681, 682, 695–696; Ann 16, IV, p
604; Ann 17, 111 cont, pp 910, 923; Ann 18, v cont, pp
1204, 1217; Ann 19, vi cont, pp 505, 513; Ann 20, vi
cont, pp 577-579; Ann 21, vi cont, pp 451-452, 461
thin section of, from California, near Sonora, showing pegmatoid inter-
growth of quartz and
(See, also, Precious stones.)
Tourmaliné-biotite-schist, analysis of, from South Dakota, Black HillsBull
148, p 114; Bull 168, p 84
thin section of, from South Dakota, Black HillsBull 150, pp 328–329
(See Mica-schist.)
Towaliga River, Georgia, flow of, measurements ofWS 36, p 136
Tower (G. W., jr.), and Emmons (S. F.), economic geology of Butte district,
Montana
Tower (G. W., jr.), and Smith (G. O.), geology and mining industry of Utah,  Tintic district
Tower (G. W., jr.), Smith (G. O.), and Emmons (S. F.), geology and mining
industry of Tintic district, UtahGF 65
Town (F. E.), report on Bighorn Forest Reserve
Trachodontidæ of North America
Trachyte, analyses of, from California, Big Trees quadrangleAnn 17, 1, p 698
analysis of, from California, Tuolumne County
from Colorado, Game ridgeAnn 17,
11, p 324; Bull 148, p 165; Bull 150, p 182; Bull 168, p 147
Pikes Peak district
from France, AuvergneBull 89, p 67

Trachyte, analysis of, from Italy, BalsenaAnn 17, 1, p 727; Bull 89, p 66
analysis of, from Montana, Highwood MountainsBull 148,
p 152; Bull 167, p 131
from New Mexico, Los CerrillosBull 148, p 186; Bull 168, p 172
from Tuscany, Mount Amiata (glass inclusion in)
from Yellowstone Park, Sunset Peak
п, р 325; Bull 148, р 132; Bull 168, р 106
from Colorado, Game Ridge, description of, as one of the educational
series of rocks
of Colorado, Pikes Peak quadrangle
Rosita HillsAnn 17, 11, pp 305–307, 343, 351–352, 360–362, 382–383
of Maine, Aroostook volcanic area, outcrops and petography ofBull 165,
pp 109–110, 161–164
of Montana, Little Belt Mountains
of Philippine Islands
of Sierra Nevada
Trachyte-andesite, analysis of, from California, Tuolumne CountyBull 148,
p 217; Bull 168, p 205
analysis of, from Yellowstone Park, Absaroka range
Trachyte-andesite-tuff, analysis of, from California, Tuolumne CountyBull 148,
p 217; Bull 168, p 205 Trachyte-porphyry in Montana, Little Belt Mountains quadrangle GF 56, p 4
Trachytic dikes and sheets in Montana, Fort Benton quadrangle
Trachytic phonolite of Colorado, Cripple Creek district
pp 41–43, 65, 82, 85–86
Trachytic rock, analysis of, from PantelleriaBull 107, p 21
Trade-marks of American potters
Trade wind confined within narrow vertical limits
Trails in Alaska
Trails, burrows, and tracks in Lower Cambrian
Transit and stadia work in survey of Idaho-Montana boundary line. Bull 170, pp 40–47
Transportation by landslip, wind, water, and ice, especially in MaineMon
xxxiv, pp 10-22           Transportation, littoral         Ann 5, pp 85-90
(See, also, Degradation.) Transportation and corrasion, agency of, in shaping topographic formsMon xxII,
pp 111-121 Transporting power of different rates of river flow
Transvaal, coal production of
gold fields in
Main Reef series in       Ann 18, v, pp 158–160         quicksilver-ore deposits in       MR 1892, p 162
Witwatersrand banket, with notes on other gold-bearing pudding
stones         Ann 18, v, pp 153–184           Trap dikes of Lake Champlain region         Bull 107
Trap dikes and sheets, characteristics of Bull 85, p 69
Trap ranges, dikes, and sheets of ConnecticutAnn 18, 11, pp 41–81, 159–161
Trap rock, analysis of, from Connecticut, Hartford and New Haven counties. Ann 20,
vi cont, pp \$64, 365
analysis of, from Connecticut, Meriden
from Massachusetts, Hampden CountyAnn 20, vi cont, p 405
Mount Holyoke
from New Jersey, various localities
from North Carolina near Sanford (decomposed)Bull 42, p 138
12, p 100

Trap rock, analysis of, from Pennsylvania, Berks County
vi cont, p 222; Ann 20, vi cont, p 435
as data for correlation of Newark areas
decay of
geographic distribution of, in eastern United StatesBull 85, pp 70-72
in Connecticut Valley, Triassic series
in New Jersey region, Newark system, relations of
of Newark system
thin section of, from Massachusetts, Greenfield (red hematitic)Mon xxix,
pp 430-431
(See also Basalt.)
Trap sheets, origin of, conclusion as to
Traverse series (Hamilton) in Michigan
Travertine, analysis of, from Arkansas, Arkansas hot springs
analysis of, from Asia Minor, Hierapolis
from Yellowstone Park Ann 9, p 646; Bull 150, p 101; Bull 168, p 268
formation of, by hot springs
from Yellowstone Park, de-cription of, as one of the educational series. Bull 150,
pp 99–101
(See, also, Tufa.)
Travis Peak formation in TexasAnn 18, 11, pp 219-221; Ann 21, v11, pp 140-144
Trees as agents of soil formation
(See Forests.)
Trees and chaparral in San Gabriel, San Bernardino, and San Jacinto forest
reservesAnn 20, v, pp 418–426, 437–451, 463–476
Trees and shrubs in Colorado forest reserves
v, pp 46–63, 109–115, 123–133, 195–209
in Flathead and Bitterroot forest reserves
v, pp 247–250, 255–314 (passim), 329–357, 392–405
Tremolite, analysis of, from Pennsylvania, EastonBull 64, p 44
chemical constitution of
thin section, showing alteration of hypersthene into fibrous green horn-
blende andBull 59, p 23
Trenton limestone in Canada
in Illinois, thickness, etc., of
in Indiana
as a source of gas and oil Ann 8, 11, pp 475-662; MR 1892, pp 690-695
topography of
in Michigan
in New York-VermontAnn 19, 111, p 190
in Ohio as a source of gas and oilAnn 8, 11, pp 475-662; MR 1892, pp 687-690
as a water carrier
thin sections of, from IndianaAnn 8, 11, pp 644-645
Trenton limestone and shale of Iowa
Tres Piedras Mesa, Rio Grande Basin, irrigation on
Tri- and tetraphosphonitrilic chlorides
Triangulation, primary, executed by Survey between 1882 and 1894Ann 16,
r, pp 875–885
in 1894–1900, results of, in various States : Ann 16, 1, pp 62–63; Ann 17, 1, pp
94–96; Ann 18, 1, pp 96–97, 143–225; Ann 19, 1,pp 153–191;
Ann 20, 1, pp 221-291; Ann 21, 1, pp 227-375; Bull 122
in survey of Idaho-Montana boundary lineBull 170, pp 29-40
in topographic work, method of
Triangulation and spirit leveling in Indian TerritoryBull 175

Trias of Atlantic slope, flora of	Mon xv
of Kansas, southwestern	
of Virginia and North Carolina and flora therefrom	
	93, 95, 100–101, 125–126
(See, also, Juratrias.)	•
Triassic fossils; dinosaurs of North America	
fishes and plants of New Jersey and Connecticut Valley	
insects found in Colorado, Leadville district	
Triassic rocks of Alaska, McCarthy Creek shales	. Ann 21, 11, pp 426–427
of Colorado, Aspen district	
of Connecticut, deposition, deformation, denudation	
of Connecticut Valley, fossil fishes and plants of	
geologic relations and equivalents of	
structure of	
of Massachusetts, western	Mon xxix, pp 351-501
of New Jersey and Connecticut Valley, fossil fishes and	
geologic relations and equivalents of	
of Plateau region	
of South Dakota, Black Hills, southern part	D-U 110 91
of Wyoming	
(See, also, Juratrias; Newark.)	3.5
Tributaries, repulsion of, theory of	
Triceratops, description and restoration of	
Trichotropidæ of Miocene deposits of New Jersey	
Tridymite, composition of	
Trigoniidæ from Colorado formation	
from lower marl beds of New Jersey	
Trilobita, catalogue of American Paleozoic	
from Cambrian of Nevada, Eureka district	Mon viii, pp 24–64
from Cambrian, Lower	
from Cambrian, Middle, of North America	Bull 30, pp 149–222
from Carboniferous of Nevada, Eureka district	Mon viii, pp 266–267
from Devonian of Nevada, Eureka district	
from Olenellus zone	Ann 10, 1, pp 629–658
from Silurian, Lower, of Nevada, Eureka district	
Trilobite limestones of Montana, near Threeforks	Bull 110, pp 22–23
Triimidotetraphosphate (silver), analysis of	Bull 167, p 148
Trimerite, chemical constitution of	.Bull 125, pp 68, 69, 104
Trimetaphosphimate (ammonium), analysis of	
(barium), analysis of	Bull 167, p 102
(sodium), analysis of	Bull 167, pp 97, 98
(trisilver), analysis of	Bull 167, p 103
Trimetaphosphimic acid, constitution, preparation, decomp	position products,
salts, etc., of	Bull 167, pp 89–116
Tringano, Malay Peninsula, tin deposits of	
Trinity formation of Texas Bull 82, pp 116, 118, 119, 125,	
Trinidad, asphaltum production of, statistics of	
p 605; MR 1883-84, p 937; MR 18	
pp 453–454; MR 1892, p 702; MR 1	
v cont, pp 946-948; Ann 19, vi cor	
20, vi cont, pp 262–265, 267; Ann	
petroleum localities in	Ann 19, vi cont, p 120
Trinidad asphalt pavements, cities where used	
Trinidad formation in Colorado	
Trinity division of TexasAnn 21, vii,	pp 129–199, 373–376, 380

	•
7	Trinity River, Texas, flow of, measurements of
	pp 121, 129, 130; WS 37, pp 271–272
	profile of
7	Triphosphonitrilic chloramide, analysis ofBull 167, p 86
	Triphosphonitrilic tetrachlorhydrine, analysis ofBull 167, p 85
	Triphylite, analyses of, from Massachusetts, NorwichBull 126, pp 171, 172
1	Friphyllopterideæ from Lower Coal Measures of MissouriMon xxxvII, pp 16-34
1	Friplite, analysis of, from South Dakota, Black HillsBull 60, p 136
1	Fripoli, analysis of, from Missouri, Newton CountyBull 90, p 64
	occurrence and statistics ofMR 1892, pp 752-753; MR 1893, p 679; Ann 16,
	IV, p 594; Ann 17, III cont, p 950; Ann 18, v cont, p 1231;
	Ann 19, vi cont, pp 527-528; Ann 21, vi cont, pp 463, 472
1	Pripolite, description of the rock, as one of the educational seriesBull 150,
	pp 136–137
1	Fritomite, chemical constitution of
Τ	Fritoniidæ of clays and marls of New JerseyMon xviii, pp 58-61, 192-193
	of Colorado formationBull 106, p 150
1	Frochidæ of Chico-Tejon series of CaliforniaBull 51, pp 17–19
	of clays and marls of New Jersey
	of Cretaceous of California (new)
	of Miocene deposits of New Jersey
Ί	Proilite, analyses of, from Mexico, Sierra de San Francisco (meteoric) Bull 168,
	p 243
	typical composition of
T	Crona, analysis of, from Africa, Desert of SaharaBull 60, pp 69, 70
	from EgyptBull 60, p 71
	from Nevada, near Ragtown, soda lakesMon x1, p 77; Bull 60, p 46.
	Proostite, chemical constitution of
1	Truckee group of rocks of Oregon, Idaho, and NevadaBull 84,
	pp 281, 282, 285–286, 313–315, 317, 336
T	Pruckee quadrangle, California, geology of
	Cruckee reservoir sites and canal line
T	Cruckee River, flow of, measurements of
	11, pp 101–102, 108; Ann 12, 111, pp 324–325, 351; Ann
	13, III, pp 95, 99; Bull 140, pp 210–212; WS 38, pp 331–332
	hydrography of basin ofAnn 11, 11, pp 63-65, 101, 108; Ann 12, 11, pp 324-325
	irrigation engineering works in basin
T	Yruro series of New England coast
T	Scheffkinite, analysis of, from Virginia, RoanokeBull 90, p 43
	chemical constitution of
	'uckahoe group of beds in Richmond Basin
Ţ	Cuckasegee River, North Carolina, flow of, measurements ofAnn 18, IV, pp
	116–117; Ann 20, IV, pp 52, 206; Ann 21, IV, pp
	161–162; Bull 140, p 82; WS 11, p 42; WS 15,
	p 61; WS 27, pp 63, 65, 66; WS 36, pp 167–168
	profile of
T	ufa, calcareous, analyses of, from Nevada, Lahontan Basin, Pyramid Lake. Ann 3,
	p 216; Mon x ₁ , p 203; Bull 12, p 12
	analysis of, from Utah, Salt Lake desert
	of California, Borax Lake
	Mono Valley, varieties and formation of
	of Lake Bonneville Basin
	of Lake LahontanAnn 3, pp 215–221; Mon xi, pp 189–222; Bull 12, pp 10–14
	of New Mexico, Tewan MountainsBull 66, p 12 of Pleistocene lakes of Great BasinMon 1, pp 167–169
	of Theistocene takes of Great Dasin

Tufa, dendritic, of Lake Lahontan
Tufa, lithoid, of Lake Lahontan
Tufa, thinolitic, nature and origin of
of California, Mono Valley
of Lake Lahontan
Tufaceous incrustation, analysis of, from Massachusetts, South Hadley, on arte-
sian well tubeBull 126, p 46
Tuff, analysis of, from California, Downieville quadrangle
analysis of, from California, Genesee Valley
from California, Lassen Peak region (andesitic)Buli 148,
p 197; Bull 150, p 212; Bull 168, p 183
Smartsville quadrangle (pre-Cretaceous)
Trinity County
from Colorado, Blue Mountains (rhyolitic)Ann 17, 11, p 322;
Bull 148, p 168; Bull 168, p 150
Table Mountain
from Germany, Oelberg and Kesselberg (silicified)Bull 62, p 153
from Maine, Aroostook County (volcanic)Bull 165,
pp 124, 188; Bull 168, p 20
from Montana, Castle Mountain district (rhyolitic)Bull 139,
p 128; Bull 148, p 151; Bull 168, p 130 from Oregon, Douglas County
of acid rocks Buli 62, pp 151–154
of Colorado, Rosita Hills
Telluride quadrangle
of Lake Bonneville Basin
of Maine, Aroostook volcanic areaBull 165, pp 119–126
of Michigan, Crystal Falls district
111, pp 55-59; Mon xxxvi, pp 136-145
of Montana, Little Belt Mountains quadrangleGF 56, p 5
of Oregon, Bohemia mining region
thin section of, from Michigan, Clarksburg formation, T. 47 N., R. 29 W.,
SE. ½ sec 4 (banded)
from Michigan, Crystal Falls districtMon xxxvi, pp 294–295 from Sierra NevadaAnn 17, i, pp 746–747
Tuff, andesitic, from California, Stillwater Creek, description of, as one of the
educational series of rocksBull 150, pp 211–213
Tuff, basalt, from California, Battle Creek Meadows, description of, as one of
the educational series of rocksBull 150, pp 251–252
Tuff, basaltic, of Bonneville Basin
Tuff, diabase
Tuff, rhyolitic and andesitic, of Nevada City and Grass Valley districts, Cali-
fornia
Tuff, volcanic, of Denver Basin
11, pp 50–53, 60–65, 73–74, 78, 81, 86, 88, 92, 94, 95, 100–102
of Montana, Castle Mountain mining districtBull 139, pp 73–76
of Sierra Nevada, mode of formation of (andesite) Ann 17, 1, pp 537-538
of Utah, Tintic district
Tuff and tuffaceous agglomerates of Massachusetts, westernMon xxix, pp 476–481
Tugaloo River, flow of, measurements of
rv, pp 130–131; WS 27, pp 28, 40, 44, 46; WS 36, pp 127–128
waters powers on
Tule lands, formation and fermity of

Tule River, California, flow of, measurements of
нуdrography of
Tundra of Alaska, Nome region
Tungsten, alloys, uses, characteristics, etc., of
111, pp 615–623; Ann 21, v1, pp 299–305  occurrence of, in eastern Nevada
etatistics of MR 1882 nn 431-433: MR
1883–84, pp 574–575; MR 1885, p 366; MR 1886, pp 218–219
Tunis, iron-ore deposits of
Tunis Creek, California, flow of, measurements of
Tunnel Point bed of Oregon, correlation of
Tuolumne River, California, flow of, measurements ofAnn 12, 11, pp 322-323; Ann
18, IV, pp 378–385; Ann 19, IV, pp 512–514; Ann 20, IV, pp 63,
526, 531–533; Ann 21, 1v, pp 449–454; Bull 131, pp 83–85; Bull
140, pp 297–303; WS 11, pp 90–91; WS 16, pp 188–189; WS
19, pp 40–43; WS 28, pp 183, 185, 186, 193; WS 38, pp 393–395
nydrography of
profile of
reservoir project on
Turbinellidæ from clays and marls of New JerseyMon xvIII, pp 80-84, 182-183
Turbinidæ from clays and marls of New Jersey
from Cretaceous of Pacific coast
Turkey, coal production of
chrome ores of, occurrence, cost of mining, etc., ofAnn 19, vi, pp 261–264
gold and silver production of, compared with that of other countriesMR 1883-
84. pp 319. 320
iron and iron ore from, statistics of
lead production of
manganese-ore production of, statistics of
p 205; MR 1888, p 142; MR 1889-90, p 130; MR 1893, p 152;
Ann 16, 111, p 451; Ann 17, 111, pp 222, 225; Ann 18, v, pp
325, 328; Ann 20, vi, p 157; Ann 21, vi, pp 159, 162
petroleum production of
quicksilver deposits in
Turlock irrigation canal, California
Turner (G. M.), novaculite, statistics of MR 1885, pp 433-436; MR 1886, pp 589-594
phosphorus, statistics of
Turner (H. W.), coal deposits of California
descriptions of rock specimens in the educational seriesBull 150, pp 337–343 Esmeralda formation, a fresh-water lake deposit of NevadaAnn 21,
п, pp 191–226 further contributions to geology of Sierra Nevada Ann 17, г, pp 521–762
geology of Bidwell Bar quadrangle, CaliforniaGF 43
geology of Downieville quadrangle, California
rocks of Sierra Nevada
work in charge of, 1893–1900
Ann 16, 1, p 35; Ann 17, 1, pp 46-47; Ann 18, 1, pp 45-46;
Ann 19, I, p 49; Ann 20, I, p 49; Ann 21, I, pp 82-83
Turner (H. W.) and Becker (G. F.), geology of Jackson quadrangle, Cali-
forniaGF 11
Turner (H. W.) and Ransome (F. L.), geology of Big Trees quadrangle, Cali-
forniaGF 51
geology of Sonora quadrangle, California GF 41

Turner (H. W.), Lindgren (W.), and Becker (G. F.), description of the Gold
Belt
GF 11, pp 1–2; GF 18, pp 1–2; GF 37, pp 1–2;
GF 39, pp 1-2; GF 41, pp 1-2; GF 43, pp 1-2; GF 51, pp 1-2
geology of Marysville quadrangle, California
geology of Placerville quadrangle, California
geology of Smartsville quadrangle, California
Turnerite, analysis of, from Switzerland, Luzerne
Turquoise, analysis of, from Arizona, Burro Mountains Ann 18, v cont, p 1211
analysis of, from California, Fresno CountyBull 42, p 40
from New Mexico, Los CerillosBull 42, p 40
from Persia
from Russia, KaralinskBull 42, p 40
from New Mexico
occurrence and statistics of
84, pp 767–768, 781; MR 1885, pp 441, 443; MR 1886, p 604;
MR 1887, pp 556, 557, 562; MR 1888, pp 582, 584, 585; MR
1889–90, pp 446, 447, 448; MR 1891, pp 540, 544–546; MR
1892, pp 763–764, 781; MR 1893, pp 681, 682, 693–695; Ann
16, IV, pp 602, 604, 605; Ann 17, III cont, pp 910, 923; Ann
18, v cont, pp 1209–1211, 1217; Ann 19, vi cont, p 504; Ann
20, vi cont, pp 579-584, 599; Ann 21, vi cont, pp 455-456, 461 (See, also, Precious stones.)
Turritella marl of Florida
Turritellidæ from Chico-Tejon series of California
from clays and marls of New JerseyMon xvIII, pp 142–149, 187, 230–231
from Colorado formationBull 106, pp 130–133
from Cretaceous of Pacific coastBull 133, p 69
from Miocene deposits of New Jersey
Turtle and Oreodon beds of South Dakota
Tuscahoma series of Alabama, correlation ofAnn 18, 11, p 346; Bull 84, pp 321, 336
Tuscaloosa group of AlabamaBull 82, pp 105–108, 114, 217
Tuscaloosa and Potomac formations
Tuscaloosa, Tombigbee, and Alabama rivers, Tertiary and Cretaceous strata
of
Tuscan tuff of CaliforniaAnn 14, 11, pp 412–414; Ann 17, 1, pp 540–543; GF 15, p 1 Tuscarora quartzite of Maryland, Virginia, and West Virginia
p 2; GF 32, p 2; GF 61, p 3
Twelvemile beds of Alaska, correlation, etc., of
Twin Lakes, Colorado, irrigation reservoir and damAnn 13, 111, pp 362–370
survey for reservoir site at
Tyee sandstone of Oregon
Tyonek beds of Alaska, southwestern, notes onAnn 20, vii, pp 171–172, 184, 187
Typhaceæ from Laramie groupBull 37, p 17
from Yellowstone Park
Tyringham gneiss of Massachusetts, eastern Berkshire CountyBull 159, p 34
Tyrolite, analyses of, from Utah
analyses of, from Utah, Tintic mining district . Ann 19, 111, p 698; Bull 64, p 40
Tysonite, analysis of, from Colorado, Cheyenne MountainBull 167, p 66 from Colorado, Cheyenne Mountain, minerologic notes on bastnäsite
andBull 167, pp 64–66
Udden (J. A.), account of Paleozoic rocks explored by deep borings at Rock
Island, Illinois, and vicinity

Uinkaret Plateau, Arizona
Uinta Basin, geology of
Unita fold, the
Uinta group of Utah
pp 126, 143–146, Bull 84, p 336; Bull 86, pp 286–289, 505
Uinta Indian Reservation, Utah, water supply of
Uinta Mountains, Archean and Algonkian literature ofBull 86, pp 286–289, 505
pre-Cambrian rocks of
Uinta River, flow of, measurements of
Uinta sandstone of Colorado
Uintaite, analyses of
conditions of impregnation
deposits of
uses of, in commerce
Uintacrinidæ, Mesozoic, of United StatesBull 97, pp 21–24
Ulexite, analysis of, from Nevada, Esmeralda County
Ulke (T.), tin ore at Kings Mountain, North CarolinaMR 1893, pp 178-180
Ulmaceæ of Amboy clays
of Cretaceous of Black Hills
of North America (extinct)
of Yellowstone Park
Umatilla River, flow of, measurements of
ıv, pp 361; Ann 19, ıv, pp 493–494; Ann 20, ıv, pp 63, 515;
Ann 21, IV, pp 429-430; Bull 131, pp 68-69; WS 11, p 88;
WS 16, p 180; WS 28, pp 167, 169, 170; WS 38, pp 376–377
irrigation from
Umber, occurrence and statistics of . MR 1882, pp 743, 769; MR 1883-84, pp 927-928;
MR 1885, p 532; MR 1886, p 713; MR 1887, pp 678, 707, 722,
803; MR 1889–90, pp 619, 620, 622; MR 1892, pp 815, 816;
MR 1893, pp 758, 759, 760, 761; Ann 16, IV, pp 695, 696, 697;
Ann 17, 111 cont, pp 1012, 1013, 1014; Ann 18, v cont, pp 1337,
1338, 1339, 1341; Ann 19, vr cont, pp 635, 637, 638, 640; Ann
20, vi cont, pp 721, 724, 726; Ann 21, vi cont, pp 571–578
Umpqua formation of Oregon
Unakas in Chattanooga districtAnn 19, 11, pp 30, 31
Uncompangre Mountains, pre-Cambrian rocks of
Uncompanded River, flow of, measurements of
265-268; Ann 19, IV, pp 402-404; Ann 20, IV, pp 58, 391-392;
Ann 21, iv, pp 279-480; Bull 140, pp 188-189; WS 11, p 69;
WS 16, p 139; WS 28, pp 136, 142, 144; WS 37, pp 296–297
profile of
Unconformity above and below Potomac formation
as a basis for classification of formations
distinguishing characters of
in California, Coast Ranges
in Colorado, near Gunnison
in Grand Canyon of Colorado
in Lake Superior region
Ann 10, 1, pp 453-456; Ann 15, pp 633-635, 637-638; Mon
xix, pp 444–463; Mon xxviii passim; Bull 86, pp 174–183
in Montana, between Laramie and Livingston formations Bull 105, pp 34-35
in Nevada, Silurian rocks at Eureka
in Sierra Nevada, between Mariposa and CalaverasAnn 14, 11, pp 456–458
of Keweenaw series
/ XX / / / / /

Unconformity, phenomena indicating, time represented by, etc Ann 16, 1, pp 724-734
relations of folding to
Underground waters, action of
classification of
of California, Arroyo Seco and Pasadena Mesa Ann 20, IV, pp 543-549
of Colorado
Arkansas ValleyAnn 17, 11, pp 551-601
of Great Plains, portion of
of Illinois-Indiana, Danville quadrangleGF 67, pp 7-9
of Kansas, southwesternWS 6
of Maryland, Fredericksburg quadrangle
Nomini quadrangle
Washington quadrangleGF 70, p 7
of Nebraska, portion of southeastern
of South Dakota, Black Hills, southern part
of Texas, Edwards Plateau and Rio Grande PlainAnn 18, 11, pp 264-321
Nueces quadrangle
of Virginia, Fredericksburg quadrangle
Nomini quadrangle
Washington (D. C.) quadrangle
of Wyoming, Black Hills, southern part
principles governing
70 777
Undertow, function of, in littoral erosion
Unga conglomerate of AlaskaBull 84, pp 234–235, 336
remarks on
Unger (Franz), biographic sketch of
Ungulinide of Miocene marls of New Jersey
Unkpapa sandstone of Black Hills
Unicoi sandstone of Virginia and Tennessee
Unionidæ of Bear River formationBull 128, pp 34–36
of clays near Camden, New Jersey
of Colorado formation
of Great Basin, Pleistocene and recent
of John Day group of Oregon
of Jurassic of North America
of Laramie of Utah
of North America (nonmarine fossil)
United States, boundaries of
clay products of, at Paris Exposition of 1900Ann 21, vi cont, pp 391-392
elevation of, average
survey of northwestern boundary of, 1857–1861Bull 174
(See each State and Territory.)
United States Geological Survey, bibliography and index of publications of . Bull 100
laws establishing and extending
relating to publications of
plan and organization of
8, 1, pp 3-69; Ann 10, 1, pp 3-5; Ann 11, 1, pp 3-4; Ann 12,
1, pp 5-7; Ann 13, 1, pp 23-25; Ann 14, 1, p. 38; Ann 15,
pp 29, 66; Ann 16, 1, p 13; Ann 17, 1, p 17; Ann 18, 1, p 18;
Ann 19, I, p 27; Ann 20, I, p 25; Ann 21, I, pp 19-22, 60-61 Unkar terrane, Grand Canyon of Colorado, pre-Cambrian rocks of
the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
и, pp 497–524 section of
scould of 14, 11, pp 010-012

Upham (W.), altitudes between Lake Superior and Rocky MountainsBull 72
glacial Lake Agassiz
upper beaches and deltas of glacial Lake Agassiz
Uplift in Coastal Plain
in Colorado, Anthracite quadrangle
Crested Butte quadrangle
La Plata quadrangle
Mosquito Range
Pueblo quadrangle
Telluride quadrangle
Tenmile district
in Maryland, Harpers Ferry quadrangleGF 10, pp 1, 4
in Montana, Little Belt Mountains quadrangle
in Philippine IslandsAnn 21, 111, pp 563–566
in Tennessee, Kingston quadrangle
Sewanee quadrangle
in Utah, Tintic district
in Virginia, Harpers Ferry quadrangle
in West Virginia, Harpers Ferry quadrangle
(See Diastrophism; Elevation.)
Upper Coal Measure limestone of Colorado, LeadvilleAnn 2, pp 28, 216, 219-220
of Nevada, features and fossils of
Upper Coal Measures of Nevada, Eureka district
Upper Helderberg formation in Indiana
Upper Helderberg limestone in Ohio
Upper Menominee series of Michigan, Menominee district
Upper slate of Penokee series of Lake Superior region
pp 349, 423–435; Mon xix, pp 296–345, passim
Upshur sandstone of West Virginia
Upson clays of Texas Bull 164, pp 20–21, 34
Uralite-diabase dikes of California; Nevada City and Grass Valley districts. Ann 17,
и, pp 64-65
Uralite-diorite, analysis of, from California, Bidwell Bar quadrangleAnn 17,
ı, pp 582, 731; Bull 148, p 205; Bull 168, p 191
of Sierra Nevada
Uralite-gabbro of Sierra Nevada
Uralite-schist of Sierra Nevada
Uralitization, cause, nature, etc., of
pp 40–43, 49; Bull 59, p 24; Bull 62, pp 52–55
Uraninite, analysis of (decomposed)Bull 90, p 27
analyses of, from Colorado
from Connecticut, Glastonbury and Branchville
vi, p 310; Bull 78, pp 62, 64
Glastonbury, residue fromBull 78, p 74
from North CarolinaAnn 21, vi, p 310; Bull 78, p 65
from Norway, various localitiesBull 78, p 67
from Quebec, VilleneuveBull 90, p 23
from Saxony, Johanngeorgenstadt
from South Carolina, Greenville County
occurrence of nitrogen in, and composition of uraninite in generalBull 78,
pp 43–79
of North America, remarks on
Uranite, analyses of, from North Carolina, Mitchell County
Uranium, statistics of
uses, occurrence, composition, etc., of

Uranium dioxide, isomorphism ofBull 113, pp 41–43
preparation and specific gravity ofBull 113, pp 37-40
Uranium sulphate, analysis of
Uranophane, analysis of, from North Carolina
chemical constitution of
Uranotil, analysis of, from North Carolina, Mitchell CountyBull 74, p 70
Uranous sulphates, isomorphism and composition of thorium and . Bull 90, pp 26-33
Urao, analyses of, from California, Owens Lake
analysis of, from Egypt
from Venezuela         Bull 60, pp 41, 67           Urticaceæ from Alaska         Ann 17, 1, p 886
from Dakota group Mon xvii, pp 76–87
from Laramie group
from Yellowstone Park
Uruguay, iron-ore deposits of
Utah; Abajo Mountains, structure and rocks of
altitudes in
353–355; Bull 5, pp 290–300; Bull 76; Bull 160, pp 708–716
American Fork, flow of, measurements of
рр 104, 107; Апп 12, 11, рр 338, 361; Апп 13, 111, рр 96, 99
antimony deposits in
asphaltum deposits and production of
p 478; MR 1892, p 702; MR 1893, pp 627, 636; Ann 16,
· 1v, p 433; Ann 17, 111 cont, pp 751, 755-757; Ann 18, v cont,
pp 920, 935–945; Ann 19, vr cont, pp 190, 194–195; Ann 20,
vi cont, pp 254, 257–260; Ann 21, vi cont, pp 321, 323–324
atlas sheets of. (See list on p 96 of this bulletin.)
Bear River, flow of, measurements of
Ann 12, 11, pp 332, 352, 360; Ann 13, 111, pp 96, 99; Ann 14, 11,
pp 120–121; Ann 18, IV, pp 319–320; Ann 19, IV, pp 434–435; Ann 20, IV, pp 60, 460–462; Ann 21, IV, pp 395–396;
Bull 131, pp 55–57; Bull 140, pp 227–229; WS 11, p 77;
WS 16, p 159; WS 28, pp 150, 153, 154; WS 38, pp 334–336
irrigation canal on
profile of
Blacksmith Fork, irrigation on
Bonneville, a Pleistocene lake of Utah
boundary lines of, and formation of Territory and State
pp 31, 124–125; Bull 171, pp 131–132
building stone from, at World's Columbian ExpositionMR 1893, p 572
statistics of
1892, pp 706, 708, 710, 711; MR 1893, pp 544, 550, 551, 553,
556; Ann 16, IV, p 437 et seq; Ann 17, III cont, p 760 et seq;
Ann 18, v cont, p 951 et seq; Ann 19, vi cont, p 207 et seq;
Ann 20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq Cache Valley, irrigation, stream measurements, etc., in
cement industry at Salt Lake City
cement production of, statistics ofMR 1889-90, p 461; MR 1892,
p 739; MR 1893, p 619; Ann 16, IV, pp 577, 581; Ann 17,
111 cont, p 84; Ann 18, v cont, p 1170; Ann 19, v1 cont, p
487; Ann 20, vi cont, p 539; Ann 21, vi cont, pp 393, 408
clay products of, statistics of
Ann 17, 111 cont, p 821 et seq; Ann 18, v cont, p 1078 et seq;
Ann 19, vi cont, p 319 et seq; Ann 20, vi cont, p 467 et seq

```
pp 12, 89-90; MR 1885, pp 11, 68-69; MR 1886, pp 225, 230,
                 350-352; MR 1887, pp 169, 359-360; MR 1888, pp 169, 171,
                 374-376; MR 1889-90, pp 147, 272; MR 1891, pp 180, 329-
                 330; MR 1892, pp 265, 267, 268, 510-521; MR 1893, pp 189,
                 190, 194, 195, 197, 199, 200, 386; Ann 16, IV, pp 7 et seq, 194-
                 195; Ann 17, III, pp 287 et seq, 523-524; Ann 18, v, pp 354 et
                 seq, 614-615; Ann 19, vi, pp 278 et seq, 522-524; Ann 20,
                 vi, pp 300 et seg, 490-492; Ann 21, vi, pp 325 et seg, 502-503
  coal fields of.....
                       ......MR 1892, pp 511–521
  pp 202-204; MR 1885, pp 80, 116-117; MR 1886, pp 378,
                 384, 422; MR 1887, p 389; MR 1888, p 400; MR 1891, pp 360,
                 361, 366, 368; MR 1892, p 555 et seq; MR 1893, p 418
                 et seq; Ann 16, IV, pp 225 et seq, 291; Ann 17, III cont,
                 pp 544 et seq, 608; Ann 18, v cont, pp 661 et seq, 732;
                 Ann 19, vi, pp 548 et seq, 627; Ann 20, vi, pp 512 et
                 seq, 595; vi cont, p 228; Ann 21, vi, pp 523 et seq, 572
  84, pp 329, 342; MR 1885, p 210; MR 1886, p 112; MR 1887,
                 p 69; MR 1888, p 54; MR 1889-90, p 60; MR 1891, pp 83,
                 84; MR 1892, pp 96, 97; MR 1893, pp 64, 65; Ann 16, 111, pp
                 333, 334, 343; Ann 17, 111, pp 83, 84, 85, 86; Ann 18, v, pp
                 189, 190, 191; Ann 19, vi, pp 140, 141, 142, 143; Ann 20, vi,
                 pp 161, 162, 163, 164, 165, 182; Ann 21, vi, pp 166-170, 186-187
  copper minerals from, notes on certain rare ................Bull 55, pp 38-47
  vi cont, pp 228, 241, 244, 246, 247, 249
  gazetteer of.....
                                 ......Bull 166
  geographic positions in... Ann 18, 1, pp 205-208; Ann 19, 1, pp 183-188; Ann 20,
                 I, pp 268-277; Ann 21, I, pp 348-349; Bull 123, pp 138-139
  geologic maps of, listed ......Bull 7, pp 133, 134, 135, 136, 137, 170
     (See Map, geologic, of Utah.)
  geologic sections in. (See Section, geologic, in Utah.)
  37-38; Ann 2, pp 11-13; Ann 3, pp 28-29; Ann 7, pp 115-
                 116, 118; Ann 13, 1, p 140; Ann 14, 1, p 255; Ann 16, 1, p 31;
                 Ann 17, 1, p 39; Ann 19, 1, pp 40-42, 47-49; Ann 21, 1, p 81
  geology and physiography of a portion of northwestern Colorado and adja-
                 cent parts of Utah and Wyoming......Ann 9, pp 677–712
  in Tintic district, production of.......GF 65, p 5
  p 385; MR 1882, pp 172, 174, 176, 177, 178, 182; MR 1883-
                 84, pp 312, 313, 314, 315; MR 1885, pp 201, 203; MR 1886,
                 pp 104, 105; MR 1887, pp 58, 59; MR 1888, pp 36, 37; MR
                 1889-90, p 49; MR 1891, pp 75, 77, 78, 79; MR 1892, pp 50, 51,
                 52, 53, 54, 55, 56, 81-84; MR 1893, pp 50, 51, 55, 57, 58, 59, 60,
                 61; Ann 17, 111, pp 72, 73, 74, 75, 76, 77; Ann 18, v, p 142 et seq;
                 Ann 19, vi, pp 127, 128, 129, 130, 131, 132, 133; Ann 20, vi,
                 pp 104, 105, 106, 107, 108, 109; Ann 21, vi, pp 119, 121-127
```

Utah; Grand Canyon district, physical geology of
Grand Canyon district, Tertiary history of
granite production ofMR 1889-90, pp 374, 432; MR 1892, pp 706, 708; MI
1893, p 544; Ann 16, IV, pp 444, 458; Ann 17, III cont, p 765
Ann 18, v cont, pp 951, 954, 956; Ann 19, v1 cont, pp 207
208, 209, 211, 223; Ann 20, vi cont, pp 271, 272, 273, 275
276, 280; Ann 21, vi cont, pp 335, 336, 337, 338, 339, 34
Great Salt Lake, height of, measurements of
Green River, flow of, measurements of Ann 18, IV, pp 275–278, 279; Ann 19, IV
pp 396-398; Ann 20, IV, pp 58, 387-388; Ann 21, IV, p
304–305; Bull 131, p 48; Bull 140, pp 202–203; WS 11, p 70
WS 16, p 136; WS 28, pp 134, 142, 144; WS 37, pp 292–29
gypsum production of .MR 1892, pp 802, 803; MR 1893, p 714; Ann 16, IV, p 66
Henry Mountains, structure, rocks, etc., ofAnn 14, 11, pp 169-17
High Creek, irrigation onWS 7, p 3
history, topography, elevation, climate, population, industries, etc., ofBut
166, pp 9-2
insects of special interest from the Tertiaries of Colorado andBull 9
iron ores from, statistics of
pp 252, 288–289; MR 1885, p 182; MR 1889–90, pp 24, 40
MR 1891, pp 12, 27; MR 1892, pp 26, 36; MR 1893, pp 26
28; Ann 16, 111, pp 31, 192, 194, 203, 208; Ann 17, 111, pp 26
20, 1111 10, 111, pp 01, 102, 101, 200, 200, 1111 17, 111, pp 200, 27, 39, 41; Ann 18, v, pp 24, 41, 42; Ann 19, vi, pp 26, 27
Ann 20, vi, pp 29, 43, 44; Ann 21, vi, pp 34, 51, 52, 5
irrigation in
reservoir sites, survey of, in 1891–92
weir at head of Bear River canal
irrigation facilities and problems in
irrigation surveys, engineering, hydrography, segregations, etc., inAnn 10
и, pp viii, 63, 88; Ann 12, и, pp 325-34
La Sal Mountains, structure and rocks of
laccolithic mountain groups of Colorado, Arizona, andAnn 14, 11, pp 157-24
Lake Bonneville, a Pleistocene lake of Utah Ann 2, pp 169–200; Mon
lead from, statistics ofMR 1882, pp 308-309; MR 1883-84, pp 412, 416-418
MR 1885, pp 248–249; MR 1886, pp 142–143; MR 1887, pp
103–104; MR 1888, p 86; MR 1889–90, p 80; MR 1891
р 105; МК 1892, р 124; МК 1893, р 93; Апп 16, пп, р
362; Ann 17, 111, p 134; Ann 18, v, p 240; Ann 19, v1, p
201, 215; Ann 20, vi, pp 226, 228; Ann 21, vi, p 226
limestone production of, statistics ofMR 1889-90, pp 373, 432; MR 1892
p 711; MR 1893, p 556; Ann 16, IV, pp 437, 494, 495, 510
Ann 17, 111 cont, pp 760, 788, 790, 791; Ann 18, v cont
pp 951, 1044, 1046, 1047, 1067; Ann 19, vi cont, pp 207
281, 282, 283, 306; Ann 20, vi cont, pp 271, 342
343, 344, 345; Ann 21, vi cont, pp 335, 357, 358, 359, 360
Logan River, flow of, measurements ofAnn 18, IV, pp 316-318; Ann 19
ıv, pp 433-434; Ann 20, ıv, pp 60, 460-462; Ann 21, ıv
p 397; WS 11, p 77; WS 16, p 158; WS 28, pp 150, 153, 154
irrigation on
lumber industry in
magnetic declination in
maps, geologic, of. (See Map, geologic, of Utah.)
maps, topographic, of. (See Map, topographic, of Utah; also p 96 of this bulletin.
marble production of, statistics ofAnn 18, v cont, pp 991–992; Ann 19
vi cont, p 246; Ann 21, vi cont, pp 335, 341, 342, 345

```
793, 794; Ann 16, 1v, pp 709, 718, 720; Ann 17, 111 cont,
                pp 1039, 1042; Ann 18, v cont, pp 1371, 1384, 1387; Ann
                19, vi cont, pp 661, 674, 678; Ann 20, vi cont, pp 750, 764,
                767; Ann 21, vi cont, pp 600, 616, 620; Bull 32, pp 185-187
  minerals of, associated rare......Bull 20, pp 83–88
     useful ......MR 1882, pp 773-775; MR 1887, pp 794-796
  1893, p 536; Ann 16, IV, p 415; Ann 17, III cont, pp 734, 735;
                Ann 18, v cont, pp 900, 901, 903, 904, 915; Ann 19, vi cont,
                pp 168, 169, 171, 172, 173, 182; Ann 20, vi cont, pp 207,
                209, 210, 221; Ann 21, vi cont, pp 299, 301, 302, 304, 315-316
  и, р 103; Ann 12, и рр 336, 353, 360; Ann 13, ии, рр
                96, 99; Ann 18, IV, pp 321-322; Ann 19, IV, pp 436-439;
                Ann 20, iv, pp 60, 465; Bull 140, pp 230-231; WS 11, p 78;
                WS 16, p 160; WS 28, pp 151, 153, 154; WS 38, pp 336-337
  Oquirrh Mountains, geology and economic resources of ... Ann 16, 11, pp 349-369
  MR 1883-84, pp 955-957; MR 1888, p 515; MR 1889-90, p 481
  Ann 12, 11, pp 340, 354, 361; Ann 13, 111, pp 97, 99; Ann 14,
                11, pp 123-124; Ann 18, IV, pp 325-327, 328; Ann 19, IV, pp
                441-442; Ann 20, iv, pp 61, 468; Ann 21, iv, pp 398-399;
                Bull 131, pp 59-60; Bull 140, pp 234-235; WS 11, p 79;
                WS 16, p 162; WS 28, pp 152, 153, 154; WS 38, pp 338-339
  rainfall and run-off in basin of Great Salt Lake.......Ann 20, IV, pp 454-459
     in basin of Upper Colorado River......Ann 20, IV, pp 374-380
  (See "irrigation" on p 803.)
  salt from, statistics of ...........MR 1882, pp 532-534, 549-550; MR 1883-84, pp
                827, 844-845; MR 1885, pp 474, 483-484; MR 1886, pp 628,
                639-640; MR 1887, pp 611, 622; MR 1888, pp 597-598, 605-
                607; MR 1889-90, pp 482, 489; MR 1891, p 577; MR 1892;
                pp 793, 794, 799; MR 1893, pp 719, 720, 721, 726; Ann 16, IV,
                pp 647, 648, 649, 655; Ann 17, 111 cont, pp 985, 986, 987, 988,
                989, 990, 991; Ann 18, v cont, pp 1274, 1275, 1276, 1278, 1279,
                1280, 1281; Ann 19, vi cont, p 588 et seq; Ann 20, vi cont, pp
                670, 671, 674, 675, 676, 677, 678; Ann 21, vi cont, p 534 et seq
  pp 1312-1313; Ann 19, vi cont, pp 608-610
  sandstone production of, statistics of . MR 1889-90, pp 374, 432; MR 1891, pp 461,
                463; MR 1892, p 710; MR 1893, p 553; Ann 16, iv, pp 437,
                484, 485, 492; Ann 17, III cont, pp 760, 775, 777, 778; Ann
                18, v cont, pp 951, 1012, 1013, 1014, 1043; Ann 19, vi cont,
                pp 207, 264, 265, 266, 278-279; Ann 20, vi cont, pp 271,
                336, 337, 338, 341; Ann 21, vi cont, pp 335, 353, 354, 355, 356
```

Utah; sections, geologic, in. (See Section, geologic, in Utah.) seepage water in
Sevier River, flow of, measurements of
11, pp 105, 109; Ann 12, 11, pp 342, 355, 361; Ann 13, 111,
pp 97, 99; Ann 14, 11, pp 125-126; Bull 131, pp 60-61
profile of
sewage-disposal plant at Salt Lake City
silver in Mercur districtAnn 16, 11, pp 363-402
in Tintic district
silver and gold from, statistics of. (See "gold and silver," p 802.)
slate production ofMR 1889-90, pp 376, 432; MR 1891, pp 472-473; MR 1893 pp 550, 551; Ann 16, IV, pp 476, 477; Ann 17, III cont, pp 771,
772, 773; Ann 18, v cont, p 995; Ann 19, vt cont, p 252; Ann
20, vi cont, p 296; Ann 21, vi cont, pp. 335, 344, 346, 349, 351
Spanish Fork, flow of, measurements of
Ann 12, 11, pp 338, 354, 361; Ann 13, 111, pp 97, 99
sulphur production of, statistics ofMR 1885, pp 494-496; MR 1886, p 644;
MR 1887, p 604; MR 1889–90, p 515; MR 1891, p 564
Summit Creek, irrigation on
Tintic district, geology and mining industry ofAnn 19, 111, pp 601-767; GF 65
topographic maps of. (See Map, topographic, of Utah; also p 96 of this bulletin.)
topographic work in Ann 2, pp 13–15; Ann 18, i, pp 94, 96, 109; Ann 19, i,
pp 89, 91, 106, 110; Ann 20, 1, p 121; Ann 21, 1, pp 121, 137, 141
triangulation in
Uinta Indian Reservation, water supply of
Uinta River, flow of, measurements of
uintaite (gilsonite), deposits of
Utah Lake. (See main entry Utah Lake, below.)
water supply and public lands of
Weber River, flow of, measurements of
п, р 103; Ann 12, п, pp 336, 353, 360; Ann 13, пг, pp 96, 99;
Ann 14, 11, pp 122–123; Ann 18, IV, pp 323–325; Ann 19, IV,
pp 440-441; Ann 20, iv, pp 60, 61, 466; Ann 21, iv, pp 397-398; Bull 131, pp 57-58; Bull 140, pp 231-233; WS 11, p 78;
WS 16, p 161; WS 28, pp 151, 153, 154; WS 38, pp 337–338
White Rock River, flow of, measurements of
woodland area of
Utah Lake, height of, measurements of
Ann 13, 111, pp 19, 21; Ann 18, 1v, pp 328-330; Ann 19, 1v,
pp 443–444; WS 16, p 163; WS 28, p 152; WS 38, pp 339–341
hydrography of basin of
reservoir system at
Utablite, occurrence and statistics of
p 1217; Ann 19, vi cont, p 513; Ann 20, vi cont, p 599
Ute Indian Reservation, Southern, water supply of
Ute Indians, Southern, history of
Ute limestone, age, character, and thickness of
Utica shale in Indiana
in Ohio
as a water carrier
Utica and Hudson River shales in Michigan
Ann 21, vii pp 447–349; GF 42, p 3; GF 64, p 3

Uvalde quadrangle, Texas, geology of
Uwarowite from California, mineralogic description of
Vaalite, chemical constitution of
Vacant public lands in Western States, classification, rate of disposal, etc., of
Ann 16, 11, pp 467, 492–496
Valdes Port and Glacier, Alaska, notes on
Valdes series of Alaska
of Alaska, character, correlation, etc., of
Valley drift of Maine
Valvatidæ of Great Basin, Pleistocene and recentBull 11, pp 21, 44–45
of Jurassic of North AmericaBull 29, pp 22–23
of North America, nonmarine fossil
Van Diest (P. H.), estimate by, of artesian-water yield of Denver Basin. Mon xxvII,
pp 426–427
Van Hise (C. R.), cited on road-building materials of WisconsinAnn 15, p 302
correlation papers—Archean and AlgonkianBull 86
descriptions of rock specimens in the educational seriesBull 150,
pp 305–308,313–315
introduction to paper on Crystal Falls iron-bearing district of Michigan
Ann 19, 111, pp 9–18; Mon xxxvi, pp xvii–xxvii
iron-ore deposits of Lake Superior regionAnn 21, 111, pp 305-434
principles of North American pre-Cambrian geology Ann 16, 1, pp 571-843
work in charge of, 1887–1900 Ann 9, pp 79–84; Ann 10, 1, pp 123–128; Ann
11, 1, pp 77-80; Ann 12, 1, pp 84-87; Ann 13, 1, pp 118-
121; Ann 14, 1, pp 197-199; Ann 15, pp 162-165; Ann 16, 1,
pp 23-24; Ann 17, 1, pp 29-31; Ann 18, 1, pp 33-35; Ann
19, I, p 37; Ann 20, I, pp 39, 41; Ann 21, I, pp 70, 74–75
Van Hise (C. R.) and Bayley (W. S.), geology of the Menominee district,
MichiganGF 62
Marquette iron-bearing district of MichiganAnn 15, pp 477-650; Mon xxvIII
Van Hise (C. R.) and Irving (R. D.), Penokee iron-bearing series of Michigan
and Wisconsin
secondary enlargements of mineral fragments in certain rocksBull 8
Vanadium, distribution and quantitative occurrence of molybdenum and, in
rocks of United StatesBull 167, pp 49–55
occurrence, uses, etc., of
ATD 1000 440
statistics of
volumetric estimation of, in presence of small amount of chromium, with
reference to analysis of rocks and ores Bull 167, pp 44-48
Vancouver group. (See Nanaimo.)
Vancouver Island region, Cretaceous fossils fromBull 51, pp 33-48
Vancouver series of rocks
Van der Wyck (O. H.), tin ore in Banca and Billiton, occurrence, geologic
relations, treatment, etc., of
Vapor, aqueous, thermal effect of action of, on feldspathic rocks
рр 325–330; Моп пл, рр 290–308
Variolitic facies of minette in Little Belt MountainsAnn 20, 111, pp 532-535
Vashon drift in Washington
Vaughan (T. W.), a brief contribution to the geology and valeontology of
northwestern LouisianaBull 142
asphalt deposits of western Texas
Eocene and Lower Oligocene coral faunas of United States, with descrip-
tions of a few doubtfully Cretaceous speciesMon xxxix

Vaughan (T. W.), geology of Uvalde quadrangle, Texas
reference to occurrence of underground waters Ann 18,
geology of Nueces quadrangle, Texas
geology of Nueces quadrangle, Texas
Lower Cretaceous gryphæas of the Texas region
pp 18–21, 30; Mon vii, pp 80–106, 187–190; Mon xii, p
378; Mon XIII, pp 407-450, 473-475; Mon XX, pp 292-316
(See, also, Ore deposits.)
Vein materials, analysis of, from Colorado, Custer County (earthy)Ann 17,
ıı, p 458 analysis of, from Colorado, Leadville district
Vein rocks, description of, as members of the educational series. Bull 150, pp 93–95
Vein structure of Nevada City and Grass Valley districts, CaliforniaAnn 17,
11, pp 158–159
Vein systems, relation of, to structure in Nevada City and Grass Valley dis-
triets
relative age and genesis of
Veins, thin section illustrating microscopic structure of, from Colorado, Telluride quadrangle, Royal mine
Veins, gold-quartz, in Appalachians, southern
in California, Bidwell Bar quadrangle
Big Trees quadrangle
Colfax quadrangle
Downieville quadrangle
Jackson quadrangle
Mother Lode district
Nevada City and Grass Valley districts, genesis and general features
of
Ophir
Placerville quadrangle
Pyramid Peak quadrangleGF 31, p 8
Sacramento quadrangle
Smartsville quadrangleGF 18, p 6
Sonora quadrangle
Truckee quadrangle
La Plata quadrangle
Leadville district
Telluride quadrangleAnn 18, 111, pp 771–781, 800; GF 57, p 16
in IdahoAnn 18, 111, pp 647, 650; Ann 20, 111, pp 75–256
Boise quadrangle
in Montana, Boulder Hot Springs
in Nevada, Comstock lode
in Oregon, Bohemia mining district
37, p 1; GF 39, p 1; GF 41, p 1; GF 43, p 1; GF 51, p 1
types of

Veins, gold-silver, of Ophir, California
Veins, granite, in Colorado, Pikes Peak quadrangle
Veins, quartz, in New York-Vermont slate belt
Veins, silver-lead, of Idaho
of Montana, Little Belt Mountains
Venasquinite, chemical constitution of
Veneridæ from Colorado formationBull 106, pp 106–109
from marls of New JerseyMon 1x, pp 153-164, 218-219, 237-238
from Miocene marls of New Jersey
Venetian red, statistics of
Ann 16, IV, pp 695, 698; Ann 17, III cont, pp 1012, 1018;
Ann 18, v cont, pp 1337, 1343; Ann 19, vi cont, pp 635, 643–
644; Ann 20, vi cont, pp 721, 730; Ann 21, vi cont, p 580
Ventura formation in Washington, northern
Venezuela; asphaltum from, technology of
copper production of, statistics ofMR 1883-84, pp 356, 374; MR 1885, pp 229,
243; MR 1886, pp 128, 139; MR 1887, pp 88, 96; MR 1888,
p 73; MR 1889-90, p 73; MR 1891, p 101; MR 1892, pp
114, 116; MR 1893, p 86; Ann 16, III, p 352; Ann 17, III,
pp 118, 119; Ann 18, v, pp 219, 221; Ann 19, vi, pp
176, 178; Ann 20, vi, pp 202, 204; Ann 21, vi, pp 204, 206
gold production of, compared with that of other countriesMR 1883-84,
pp 319, 320
iron-ore deposits of Ann 16, III, pp 66–67
petroleum localities inMR 1886, pp 486–487; Ann 21, vi cont, p 184
Venus cancellata bed of FloridaBull 84, p 336
Verde River, Arizona, flow of, measurements of
108; Ann 18, IV, pp 297, 298; Ann 19, IV, pp 420-423;
Ann 20, IV, pp 59, 407; Ann 21, IV, pp 387-388; Bull
131, p 51; Bull 140, p 206; WS 2, p 38; WS 16,
p 150; WS 28, pp 141, 143, 145; WS 38, pp 323-324
Verdigris River, Kansas, flow of, measurements of
ıv, pp 235–237; Ann 19, ıv, pp 363–373; Ann 20, ıv, pp 57,
344; Ann 21, IV, p 237; Bull 140, pp 162–163; WS 11, p 62;
WS 16, p 125; WS 28, pp 115, 116, 117; WS 37, pp 265–266
profile of
rainfall in watershed of
water powers on
Vermes from Colorado formation, description of
Vermetidæ from clays and marls of New Jersey
from Miocene deposits of New Jersey
Vermetus rock of FloridaBull 84, p 336
Vermiculite, analysis of, from Massachusetts, PelhamBull 126, p 97
analysis of, from North Carolina, Corundum HillBull 42, p 51
from Pennsylvania, Delaware County Bull 90, p 15
Easton
Easton (chloritic, residue from) Bull 90, p 20
chemical constitution of
Transiculities mises and chlorites on constitution of contain. Dull 120, pp 49, 50, 102, 105
Vermiculites, micas, and chlorites, on constitution of certainBull 90, pp 11–21
Vermilion Cliffs and Valley of the Virgen, Grand Canyon district, descrip-
tion of
Vermilion Creek group of ColoradoBull 83, p 124; Bull 84, p 337
Vermilion iron-bearing district, Lake SuperiorAnn 21, 111, pp 401-409, 433-434

```
Vermilion series of Great Lakes region. Bull 86, pp 129, 130, 181-182, 185-186, passim
pp 197-199; Bull 5, pp 301-303; Bull 76; Bull 160, pp 717-723
   atlas sheets of. (See list on pp 96-97 of this bulletin.)
   boundary lines of......Bull 13, pp 45-47; Bull 171, pp 50-53
   building stone from, at World's Columbian Exposition ....MR 1893, pp 572-573
      statistics of ..............MR 1882, pp 451, 452; MR 1886, p 541; MR 1887,
                   pp 513, 518; MR 1888, pp 536, 541; MR 1889-90, pp 373,
                   432-435; MR 1891, pp 457, 460, 464, 467; MR 1892, pp 706,
                   708, 709, 710, 711; MR 1893, pp 544, 547, 549, 550, 551, 556;
                   Ann 16, IV, p 437 et seq; Ann 17, III cont, p 760 et seq;
                   Ann 18, v cont, p 951 et seq; Ann 19, vi cont, p 207 et seq;
                   Ann 20, vi cont, p 271 et seq; Ann 21, vi cont, p 335 et seq
   pp 465, 469; MR 1888, p 563; MR 1891, p 502; Ann 16, IV,
                   pp 518, 519, 520, 521; Ann 17, 111 cont, p 821 et seq; Ann 18,
                   v cont, p 1078 et seq; Ann 19, vi cont, pp 319 et seq, 372;
                   Ann 20, vi cont, p 467 et seq; Ann 21, vi cont, pp 362, 363
    231; MR 1883-84, pp 329, 343; MR 1885, p 210; MR 1886,
                   p 112; MR 1887, p 69; MR 1888, p 54; MR 1889-90, p 60;
                   MR 1891, pp 83, 84; MR 1892, pp 96, 97; MR 1893, pp 64, 65;
                   Ann 16, 111, pp 333, 334; Ann 17, 111, pp 84, 85, 86; Ann 18, v,
                   pp 189, 190, 191; Ann 19, vi, pp 140, 141, 142, 143; Ann 20,
                   vī, pp 161, 162, 163, 164, 165, 186; Ann 21, vī, pp 166-170, 188
   geologic maps of, listed......Bull 7, pp 54, 55, 56, 57, 161
       (See, also, Map, geologic, of Vermont.)
   geologic sections in. (See Section, geologic, in Vermont.)
   pp 52, 54; Ann 6, pp 74, 75, 76; Ann 7, pp 60, 157; Ann
                    8, 1, pp 125, 175, 176; Ann 9, p 116; Ann 10, 1, pp 114, 160;
                    Ann 11, 1, pp 64, 104, 114; Ann 12, 1, pp 66, 68, 69, 72, 76,
                    122; Ann 13, f, p 100; Ann 17, f, pp 19-20; Ann 18, f, pp
                    23-24; Ann 19, 1, p 32; Ann 20, 1, p 34; Ann 21, 1, pp 69-70
   111, pp 74, 75; Ann 18, v, p 142 et seq; Ann 19, vi, pp
                       128, 129, 132, 133; Ann 20, vr, pp 104, 105, 106, 108
   gold-bearing rocks in Green Mountains......Ann 16, 111, pp 330-331
   granite production of, statistics of......MR 1887, p 513; MR 1888, pp 536, 539;
                    MR 1889-90, pp 374, 443; MR 1892, pp 706, 708; MR 1893,
                    pp 544, 547; Ann 16, IV, pp 437, 444, 457, 458, 462; Ann 17,
                    III cont, pp 760, 761, 762, 763, 766; Ann 18, v cont, pp 951,
                    952, 954, 956, 974; Ann 19, vi cont, pp 207, 208, 209, 210,
                    211, 223-227; Ann 20, vi cont, pp 271, 272, 273, 274, 275,
                   276, 280; Ann 21, vi cont, pp 335, 336, 337, 338, 339, 340
   Green Mountain region and eastern New York, structural details in .... Ann 16,
                                                       ı, pp 543-570
   p xxviii; MR 1882, pp 120, 129, 131, 133, 136, 137; MR
                       1883-84, p 252; MR 1885, pp 182, 184; MR 1886, pp 17,
                       42; MR 1891, p 61; Ann 16, 111, pp 31, 194; Ann 19
                       vi, pp 26, 27, 29; Ann 20, vi, p 44; Ann 21, vi, p 53
```

```
limestone production of ... MR 1889-90, pp 373, 433; MR 1891, pp 464, 467; MR 1892,
                   p 711; MR 1893, p 556; Ann 16, IV, pp 437, 494, 495, 510;
                   Ann 17, 111 cont, pp 760, 788, 790, 791, 795; Ann 18, v cont,
                   pp 951, 1044, 1046, 1047, 1067; Ann 19, vr cont, pp 207,
                   281, 282, 283, 306-307; Ann 20, vi cont, pp 271, 342, 343,
                   344, 345, 350; Ann 21, vr cont, pp 335, 357, 358, 359, 360
  124, 131-132; MR 1889-90, pp 127, 135; MR 1891, pp 127,
                   137; MR 1892, pp 189, 202; MR 1893, pp 120, 134; Ann
                   16, III, pp 424-426; Ann 17, III, p 204; Ann 18, v, p 310
   maps, geologic, of.
                  (See Map, geologic, of Vermont.)
   maps, topographic, of. (See Map, topographic, of Vermont; also list on
                   pp 96–97 of this bulletin.)
   marble production of, statistics of.....
                   p 451; MR 1886, p 541; MR 1887, p 518; MR 1888, p 541;
                 - MR 1889-90, pp 375, 433; MR 1891, pp 468, 470; MR 1892,
                   pp 709, 710; MR 1893, pp 547, 549; Ann 16, iv, pp 437, 463,
                   464, 469-470; Ann 17, 111 cont, pp 760, 766, 767, 768, 769-
                   770; Ann 18, v cont, pp 951, 975, 977, 978, 984-986; Ann 19,
                   vi cont, pp 207, 238, 239, 240, 246; Ann 20, vi cont, pp 271,
                   281, 282, 283, 286; Ann 21, vi cont, pp 335, 341, 342, 343
  mineral springs of......Bull 32, pp 18-21; MR 1883-84, p 985; MR 1885, p
                   540; MR 1886, p 719; MR 1887, p 686; MR 1888, p 629; MR
                   1889-90, p 533; MR 1891, pp 603, 608; MR 1892, pp 824, 831;
                   MR 1893, pp 774, 782, 784, 793, 794; Ann 16, IV, pp 709, 718,
                   720; Ann 17, 111 cont, pp 1027, 1039, 1041; Ann 18, v cont, pp
                   1371, 1384, 1386; Ann 19, vi cont, pp 661, 675, 677; Ann 20,
                   vi cont, pp 750, 764, 766; Ann 21, vi cont, pp 600, 616, 619
  paint, mineral, production of, statistics of .... MR 1892, pp 816, 818; MR 1893, pp
                   759, 760, 761; Ann 16, IV, pp 695, 696, 698; Ann 17, III cont,
                   pp 1013, 1014, 1016, 1017; Ann 18, v cont, pp 1338, 1339, 1342;
                   Ann 19, vi cont, pp 636, 637, 638, 642, 643; Ann 20, vi cont,
                  pp 722, 723, 724, 728, 729; Ann 21, vi cont, pp 572, 573, 574
   sections, geologic, in. (See Section, geologic, in Vermont.)
  pp 550, 551; Ann 16, IV, pp 437, 476, 477, 480-481; Ann 17, III
                   cont, pp 760, 770, 771, 772, 773, 775; Ann 18, v cont, pp 950,
                   992, 994, 995, 996, 997, 1001-1002; Ann 19, vi cont, pp 207,
                   250, 251, 252, 253, 254, 263; Ann 20, vi cont, pp 271, 294, 295,
                   296, 297, 298, 299, 301; Ann 21, vi cont, pp 335, 344, 349, 352
  Stamford and Clarksburg Mountain, geology of region around.......Mon
                                                   ххии, рр 98–102
  structure of ridge between Taconic and Green Mountain ranges .......Ann 14,
                                                     11, pp 525–549
  topographic maps of. (See Map, topographic, of Vermont; also list on pp
                   96-97 of this bulletin.)
```

Vormants tanagraphic work in
Vermont; topographic work in
p 76; Ann 12, 1, p 35; Ann 13, 1, pp 70, 71; Ann 14, 1, p
171; Ann 15, p 113; Ann 16, r, pp 64, 68, 69; Ann 17, r, pp
97, 98; Ann 18, 1, pp 94, 96, 100–101; Ann 19, 1, pp 89, 91, 97
trap dikes in
triangulation in
woodland area in
Vermont, western, and New York, eastern; slate from, mineral and chemical
composition, methods of testing, etc Ann 20, vi cont, pp 301–336
Vermont formation in Massachusetts, Green Mountains
pp 48–59, 181, 190; Bull 86, pp 372, 373
Vertebrate life in America, section illustrating
p 253; Ann 16, 1, p 145; Mon x, p 7; Mon xxvii, p 474
Vertebrates, fossil; Alaskan localities of
bibliography and index of North American geology, paleontology, etc.,
1892–1899
birds with teeth
Dinocerata, an extinct order of gigantic mammalsAnn 5, pp 243-302; Mon x dinosaurs of North America
dinosaurs of North America
fishes of Devonian, upper, of New York, description of two species ofBull 41,
pp 62-63
of Esmeralda formation of NevadaAnn 21, 11, pp 223-226
of Paleozoic of North America
of Triassic of New Jersey and Connecticut ValleyMon xiv, pp 17-76
fishes and reptiles of western MassachusettsMon xxix, pp 398-400, 405-406
geologic horizons of, Cretaceous to Pliocene
in North America
of Alaska, distribution of
of Denver Basin
of Devonian, higher, of Ontario County, New YorkBull 16, pp 17-20, 40-43
of Eocene of middle Atlantic slope
of Miocene of MontanaBull 139, p 55
of Neocene of Florida
of Newark systemBull 85
of Potomac formation
Vessels, number and tonnage of iron and steel, built since 1868Ann 18, v, p 78
Vesuvianite, analysis of
chemical constitution ofBull 125, pp 25–27, 103
Vesuvius, Mount, eruptions and structure ofGF 15, p 4
Vicksburg group of Louisiana, Mississippi, and Florida
pp 69–70, 76, 101–103; Bull 84, pp 101–103, 337
Vicksburg stage, rocks and fossils ofBull 142, pp 22–24
Vicksburg-Jackson limestone
Vicksburgian group, correlation of
Victoria, Australia; antimony production of
coal production ofAnn 17, III, p 320; Ann 18, v, pp 414, 420; Ann 19, vI, pp
311, 318; Ann 20, vi, pp 332, 339; Ann 21, vi, pp 363, 371 tin deposits and production of
Villarsite, chemical constitution of Bull 125, pp 72, 105
Vineyard series of Massachusetts, correlation of
of Massachusetts, dips of
dislocation of
origin and nature of
stratigraphy of
Vinita beds in Richmond Basin

Virgen, Valley of the, ai	nd Vermilion Cliffs, Grand Canyon distriction 2, no 83-	et, description of Ann -91; Mon 11, pp 51-60
Virginia: altitudes in	Bull 5, pp 304–311; Bull 76;	
	profile of	
	wells in eastern	
	ee list on pp 97–98 of this bulletin.)	.Dun 136, pp 10 <del>1</del> –130
	adrangle	. GF 50 n 8
	adrangle	
	field of Kentucky and	
boundary lines of	Bull 13, pp 88–9	9. Rull 171 pp 04_08
	MR 1887, pp 536, 539;	
	geology of	
	Vorld's Columbian Exposition	
	nadrangle	
	adrangle	
	urg quadrangle	
	ry quadrangle	
	nadrangle	
	drangle	
	quadrangle	
in Washington	(D. C.) quadrangle	GF 70, p 7
statistics of		
	MR 1887, p 514; MR 1888, p 536; M	
	435–437; MR 1891, pp 457, 460, 461, 46	
	706, 708, 710, 711; MR 1893, pp 544, 5	
	556; Ann 16, IV, p 437 et seq; Ann 17,	
	Ann 18, v cont, p 951 et seq; Ann 19,	
	Ann 20, vi cont, p 271 et seq; Ann 21,	
Catoctin belt, geolo	gy ofA	nn 14, 11, pp 285–395
cement production	of, statistics of	MR 1891, p 532;
	MR 1892, pp 739–740; MR 1893, p 619; A	
•	17, 111 cont, p-891; Ann 18, v cont, p 1	
	p 495; Ann 20, vi cont, pp 547, 550; A	
	adrangle	
	ırg quadrangle	
in Monterey qu	adrangle	GF 61, p 7
in Nomini quad	Irangle	GF 23, p 4
in Washington	(D. C.) quadrangle	GF 70, p 7
clay deposits and p	roduction of, statistics of	MR 1882, p 743; MR
	1883–84, p 678; MR 1887, p 803; MR	
	IV, pp 518; 519, 520, 521; Ann 17, III co.	nt, p 821 et seq; Ann
	18, v, cont, p 1078 et seq; Ann 19, vi con	nt, pp 319 et seq, 372;
	Ann 20, vi cont, pp 467 et seq, 534; A	nn 21, vi cont, p 362
	stry in	MR 1893, pp 610-611
clay, lime, and cem	ent in Harpers Ferry quadrangle	GF 10, p 4
Clinch River, cours	e and character of	GF 59, p 1
profile of	,	WS 44, p 55
coal, area and statis	tics ofAnn 2, p xxviii; MR 1889	
	pp 12, 90–98; MR 1885, pp 11, 69; MR 1	
	356; MR 1887, pp 169, 171, 360–367; M	IR 1888, pp 169, 171,
	377–381; MR 1889–90, pp 146, 272–275; 1	
	331; MR 1892, pp 264, 267, 268, 520–528;	
	194, 195, 197, 199, 387–388; Ann 16 iv,	
	Ann 17, 111, pp 287 et seq, 524–526, 54	4, Aun 10, V, pp 303
,	et seq, 615-617; Ann 19, vi, pp 278 et s	
	vi, pp 299 et seq, 492–494; Ann 21, vi, j	pp 524 et seq, 504-505

Virginia; coat in Big Sto	one Gap coal fieldBull 111, pp 39–94
coal in Bristol quad	rangle
in Estillville au	adrangleGF 12, p 4
in Franklin aus	drangleGF 32, p 5
in Mantaray an	adrangle
in Decahentes	activates of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the cont
in Pocanontas o	uadrangle
in Richmond B	asin
	drangle
	MR 1892, pp 521–528; Ann 16, 1v, pp 195-197
coke in Richmond	BasinAnn 19, 11, p 511
manufacture of	MR 1883-84, pp 204-205; MR 1885, pp 80, 117-119;
	MR 1886, pp 378, 384, 422–423; MR 1887, pp 383, 389, 421;
	MR 1888, pp 395, 400, 425–426; MR 1891, pp 360, 366, 395–396;
	MR 1892, pp 555 et seq, 593–594; MR 1893, pp 418 et seq,
	453; Ann 16, iv, pp 225 et seq, 291–292; Ann 17, iii, pp 544
`	et seq, 608-610; Ann 18, v cont, pp 661 et seq, 733-734; Ann
•	19, vi, pp 548 et seq, 628–629; Ann 20, vi, pp 512 et seq, 595–
	597; Ann 20, vi cont, p 228; Ann 21, vi, pp 523 et seq, 618–620
copper in Harpers l	Ferry quadrangle
Copper Creek, char	acter ofGF 59, p 1
copper mining in	
Dan River, flow of,	measurements of
	43-45; Ann 19, 1v, pp 178-179; Ann 20, 1v, p 50; Bull 140,
•	pp 66-68; WS 11, p 12; WS 15, pp 26-27; WS 27, pp 33, 44
Dismal Swamp, gen	eral description of
	rict, geology of
	d other wells in
Estillville quadrano	cle, geology of
flage and slates in F	Iarpers Ferry quadrangle
forcetry investigation	ons in
fossil wood from Ri	chmond Basin
Franklin anadranal	e, geology of
Fredericksburg out	drangle, geology of
	dericksburg quadrangleGF 13; p 5
in Namini and	rangle
in Nomini quaq	d fuel, and by-products in, statistics of
	vi cont, p 228 et seq s in
geographic positions	of Coastal Plain region of
	stedBull 7, pp 103, 106, 107, 108, 109, 110, 111, 112, 167
	ogic, of Virginia.)
	(See Section, geologic, in Virginia.)
geologic and paleon	tologic investigations in
	31, 86; Ann 7, pp 63, 66, 110, 123, 124; Ann 8, 1, pp 170,
	188; Ann 9; pp 77, 78; Ann 10, 1, pp 118, 120, 121, 156; Ann
	11, 1, pp 71, 72, 109, 116, 117; Ann 12, 1, pp 54, 79, 125; Ann
	13, 1, pp 107, 108, 109, 136, 145, 149–150; Ann 14, 1, p 259;
	Ann 15, pp 131, 141, 142, 152, 154; Ann 16, 1, pp 17–18, 21;
	Ann 17,1, pp 21–22, 29; Ann 18, 1, pp 30–31, 32, 65; Ann 19, 1,
	pp 35, 36–37, 38; Ann 20, 1, pp 39, 41; Ann 21, 1, pp 70, 73, 79
gold from, statistics	of
	MR 1883-84, pp 312, 313; MR 1885, p 201; MR 1886, p 104;
	MR 1887, pp 58, 59; MR 1888, pp 36, 37; MR 1889–90, p 49;
	MR 1891, pp 76, 77; MR 1892, pp 52, 53, 88; MR 1893, pp 50,
	51, 55, 57, 58; Ann 16, 111, p 258; Ann 17, 111, pp 72, 73, 74, 75,
	76, 77; Ann 18, v, pp 142 et seq; Ann 19, vi, pp 127, 128, 129,
	130, 131, 132, 133; Ann 20, vi, pp 104, 105, 106, 107, 108, 109

THE THE TO TOBLE ATTOM OF U. S. GEOD. SCHOOL ST.
Virginia; gold mining in, history of
gypsum production of, statistics of
pp 801, 802, 803; MR 1893, pp 714, 715; Ann 16, iv, pp 663, 664; Ann 17, iii cont, pp 979, 980, 981; Ann 18, v cont,
pp 1266, 1267; Ann 19, vi cont, pp 578, 579, 581, 582; Ann
20, vr cont, pp 658, 661; Ann 21, vr cont, pp 524, 526, 527
harbors on coast of
Harpers Ferry quadrangle, geology of
Holston River, physiography of basin of
iron, iron ore, and steel from, statistics of
pp 120, 125, 129, 130, 131, 133, 134, 135, 136, 137; MR 1883-84,
pp 252, 276–277; MR 1885, pp 182, 184, 186; MR 1886, pp 18,
33, 77–81, 98; MR 1887, pp 11, 16; MR 1888, pp 14, 17, 23; MR
1889-90, pp 10, 12, 17, 24, 40; MR 1891, pp 12, 23, 54, 55, 61;
MR 1892, pp 12, 13, 15, 18, 21, 26, 33, 35, 36, 37; MR 1893, pp
15, 20, 26, 28, 32–33, 38, 39; Ann 16, 111, pp 31, 40, 192, 194.
197, 203, 208, 249, 250; Ann 17, 111, pp 26, 27, 39, 41, 47, 48,
57, 63, 68; Ann 18, v, pp 24, 41, 42; Ann 19, vi, pp 26, 28,
29, 33, 65, 68, 72; Ann 20, vi, pp 29, 40, 43, 44, 74,
75, 84, 85; Ann 21, vi, pp 34, 46–48, 52, 53, 90, 92
iron ore in Bristol quadrangle
in Estillville quadrangle
in Franklin quadrangle
in Harpers Ferry quadrangle
in Monterey quadrangle
in Staunton quadrangle
in Tazewell quadrangleGF 44, p 4
James River, dams on, description ofAnn 19, IV, pp 164–170
profile of
stream measurements in basin of
Ann 19, IV, pp 170–173; Ann 20, IV, pp 49, 135–136; Ann 21,
iv, pp 106–109; Bull 140, pp 61–65; WS 11, pp 11–12; WS
15, pp 23–24; WS 27, pp 22–23, 24, 25; WS 35, pp 95–99
jet in Richmond Basin
p xxviii; MR 1883–84, p 416; MR 1885, p 248; Ann 18, v,
p 240; Ann 19, vi, p 201; Ann 20, vi, p 226; Ann 21, vi, p 229
lime production of
limestone in Bristol quadrangle
in Estillville quadrangleGF 12, p 5
in Franklin quadrangleGF 32, p 5
in Monterey quadrangleGF 61, p 7
production of, statistics of
1891, p 467; MR 1892, p 711; MR 1893, p 556; Ann 16, IV, pp
437, 494, 495, 510; Ann 17, 111 cont, pp 761, 788, 790, 791, 795;
Ann 18, v cont, pp 951, 1044, 1046, 1047, 1067; Ann 19, vi
cont, pp 207, 281, 282, 283, 308; Ann 20, vi cont, pp 271, 342,
343, 344, 345, 351; Ann 21, vi cont, pp 335, 357, 358, 359, 360

Vi	rginia; magnetic declination in
	manganese at Crimora, Augusta County
	in Franklin quadrangle
	manganese-ore production of, statistics ofMR 1882, p 424; MR 1883-84, pp
	551–552; MR 1885, pp 305, 307–328; MR 1886, pp 181, 194–
	196; MR 1887, pp 145, 146, 151–152; MR 1888, pp 124, 125,
	132–133; MR 1889–90, pp 127, 135; MR 1891, pp 127, 137;
	MR 1892, pp 189, 190, 202–208; MR 1893, pp 120, 121, 135–136;
	Ann 16, 111, pp 395, 426–434; Ann 17, 111, pp 187, 188, 204–
	205; Ann 18, v, pp 292, 293, 310; Ann 19, vi, pp 91, 92, 100–
	103; Ann 20, vr, pp 126, 127, 135; Ann 21, vr, pp 130, 140-141
	manganiferous iron ores of, character of
	maps, geologic, of. (See Map, geologic, of Virginia.)
	maps, topographic, of. (See Map, topographic, of Virginia; also pp 97-98.)
	marble in Bristol quadrangle
	production of, statistics of
	marl in Fredericksburg quadrangle
	in Nomini quadrangle
	Massanutten Mountain, structure of
	Mesozoic flora of, older
	mineral spring resorts in
	mineral springs of, statistics ofBull 32, pp 54-68; MR 1883-84,
	p 985; MR 1885, p 541; MR 1886, p 719; MR 1887, p 686;
	MR 1888, p 629; MR 1889-90, p 533; MR 1891, pp 603,
	608; MR 1892, pp 824, 831-832; MR 1893, pp 774, 782-783,
	784, 793, 794; Ann 16, 1v, pp 709, 718–719, 720; Ann 17,
	111 cont, pp 1027, 1039, 1041; Ann 18, v cont, pp 1371, 1384,
	1386; Ann 19, vi cont, pp 661, 675, 677; Ann 20, vi cont,
	pp 750, 764–765, 766; Ann 21, vi cont, pp 600, 616–617, 619
	minerals found in Richmond Basin
	minerals of, useful
	Monterey quadrangle, geology of
	New River, flow of, measurements of WS 27, pp 59, 61, 65; WS 36, pp 161-162
	Nomini quadrangle, geology of
	Norfolk quadrangle, physiography of
	ocher in Harpers Ferry quadrangle
	production of
	paint, mineral; production of, statistics of MR 1892, pp 816, 818; MR 1893, p 760;
	Ann 16, IV, pp 695, 696; Ann 17, III cont, pp 1013, 1014;
	Ann 18, v cont, pp 1338, 1339; Ann 19, vi cont, pp 637, 638;
	Ann 20, vi cont, pp 723, 724; Ann 21, vi cont, pp 573, 574
	Palmyra quadrangle, physiography ofTF 1, p 2
	Pocahontas, Newton-Chambers by-product coke ovens at. Ann 20, v ₁ , pp 552–553
	Pocahontas quadrangle, geology of
	Potomac formation in
	Potomac or younger Mesozoic flora
	Potomac River, pollution of
	rainfall and run-off in basin of
	Powell River, profile of
	pyrites from, statistics of
	MR 1885, pp 504–505; MR 1886, pp 653–654
	rainfall and run-off in basin of James River
	in basin of Potomac River
	of Roanoke River
	Richmond Basin, geology of

Virginia; road metal, dikes suitable for, in Franklin quadrangleGF 32, p 5
road metal in Harpers Ferry quadrangle
· · in Monterey quadrangle
in Richmond Basin
in Washington (D. C.) quadrangle
Roanoke River, flow of, measurements of
20, IV, pp 50, 140-141; Ann 21, IV, pp 109-110; WS 11, p 11,
13–15; WS 15, p 25; WS 27, pp 32, 44; WS 36, pp 107–109
profile of
rocks and coal of
salt from, statistics of
1891, p 572; MR 1892, pp 793, 794, 799; MR 1893, p 720;
Ann 16, iv, pp 647, 648, 649; Ann 17, iii cont, pp 985, 986,
987, 988, 990, 991; Ann 18, v cont, pp 1274, 1275, 1276, 1277,
1280, 1281; Ann 19, vi cont, p 588 et seq; Ann 20, vi cont,
pp 670, 674, 675, 676, 677, 678; Ann 21, vi cont, pp 540, 541
sand and gravel in Fredericksburg quadrangle
in Nomini quadrangle
sandstone production of, statistics of
MR 1891, pp 461, 463; MR 1893, p 553; Ann 16, IV, pp 437,
484, 485, 492; Ann 17, 111 cont, pp 777, 778; Ann 18, v cont,
pp 1013, 1014; Ann 19, vi cont, pp 265, 266, 279; Ann 20, vi
cont, pp 337, 338; Ann 21, vi cont, pp 335, 353, 354, 355, 356
sections, geologic, in. (See Section, geologic, in Virginia.)
Shenandoah River, flow of, measurements of
ıv, pp 25–26; Ann 19, ıv, pp 161–162; Ann 20, ıv,
pp 49, 123–124; Bull 140, pp 51–53; WS 11, p 9; WS
15, pp 17–18; WS 27, pp 19–20, 25; WS 35, pp 86–90
pollution in basin of
profile of
water powers in basin of
slate production of, statistics ofMR 1882, p 452; MR 1885, p 398; MR
1887, pp 522, 524; MR 1888, p 547; MR 1889-90, pp 373, 435;
MR 1891; pp 472, 473; MR 1892, p 710; MR 1893, pp 550,
551; Ann 16, 1v, pp 437, 476, 477, 481–482; Ann 17, 111 cont,
pp 761, 770, 771, 772, 773, 775; Ann 18, v cont, pp 950,
992, 994, 995, 996, 997, 1002; Ann 19, vi cont, pp 207, 250,
251, 252, 253, 263-264; Ann 20, vi cont, pp 271, 294, 295,
296, 297, 298, 299, 301; Ann 21, vi cont, pp 335, 344–349, 352
soapstone in Washington (D. C.) quadrangleGF 70, p 7
production of
soils in Bristol quadrangle
in Estillville quadrangle
in Franklin quadrangle
in Monterey quadrangle
in Pocahontas quadrangle
in Staunton quadrangle
in Tazewell quadrangle
Staunton quadrangle, geology of
Staunton River, flow of, measurements of
1v, pp 45-47; Ann 19, 1v, pp 180-181; Ann 20, 1v, p 50; Bull
140, p 68; WS 11, p 13; WS 15, pp 26–27; WS 27, pp 33, 44
stereogram of Middle Atlantic slope
Tazewell quadrangle, geology of
1883–84, pp 599–601; MR 1885, pp 371–376; MR 1891, p 164
2000 01, pp 000 001, mili 1000, pp 011 010, mili 1001, p 101

Virginia; tin ore from near Vesuvius, mineralogy, geologic relations, etc.,
of
97–98 of this bulletin.)
topographic work in
Ann 6, p 8; Ann 7, pp 50, 51; Ann 8, 1, p 101;
Ann 9, pp 52–53, 54, 55; Ann 10, 1, p 90; Ann 11, 1, p
36; Ann 12, 1, p 27; Ann 14, 1, p 172; Ann 15, p 116;
Ann 16, 1, pp 64, 68, 71; Ann 17, 1, pp 97, 99; Ann
18, I, pp 94, 96, 102; Ann 19, I, p 91; Ann 20, I, p 102
triangulation in
Washington (D. C.) quadrangle, geology of
waters, underground, in Fredericksburg quadrangle
in Nomini quadrangle
in Washington (D. C.) quadrangle
well, artesian, at Fort Monroe
went, at testain, at 1010 montoe
woodland area in
zine in Bristol quadrangle
zinc and zinc works in
Virginia slate of Lake Superior region
Virginian (Middle Atlantic Miocene, Yorktown epoch of Dana) Bull 84, pp 19, 337
Viscosity, investigations of
of solidsBull 73
pyrometric use of principle ofBull 54, pp 239-306
Viscosity, solid, mechanism of
Vishnu series of rocks of ArizonaBull 86, pp 330–332, 507
Vitaceæ of Alaska
of Amboy clays
of Cretaceous of Black Hills
of North America (extinct)
of Yellowstone Park
Vitrinidæ, non-marine fossil, of North America
Vitrophyre, analysis of, from Colorado, Rio Grande County (rhyolitic)Bull 148,
p 179; Bull 168, p 161
from Colorado, Telluride quadrangle
Viviparidæ of Bear River formation
of Laramie and Eocene of Utah
of North America (non-marine fossil)
Vogdes (A. W.), bibliography of Paleozoic Crustacea from 1698 to 1889, includ-
ing list of North American species and systematic arrange-
ment of generaBull 63
Vogesite, analysis of, from Germany, Alsace
analysis of, from Montana, Castle Mountain districtBull 139, pp 135, 136
in Colorado, Telluride quadrangle
in Montana, Fort Benton quadrangleGF 55, p 3
Little Belt Mountains (sheets of)Ann 20, 111, pp 352, 541–542
Volatility, coefficients of, for aqueous chlorhydric acidBull 60, pp 115–117
Volcanic action in California, Lassen Peak quadrangleGF 15, pp 2, 3-4
in California, Marysville quadrangleGF 17, pp 1-2
Nevada City, Grass Valley, and Banner Hill districts
in Colorado, Cripple Creek region, evidences, products, age, etc., ofAnn 16,
W. TO 100
San Juan regionGF 57, p 1
Bull. 177—01——52

Volcanic action in Grand Canyon district
pp 118–119, 122; Mon 11, pp 81–83, 94–97, 104–112, 120–121
in Great Basin during epoch of Lake Bonneville
pp 190–192; Mon 1, pp 319–339
in Montana, Little Belt Mountains quadrangleGF 56, p 7
in Narragansett Basin in Carboniferous time
in Nevada, Eureka district
in Sierra Nevada
GF 11, p 1; GF 18, p 1; GF 31, p 1; GF 37, pp 1-2; GF
39, pp 1-2; GF 41, pp 1-2; GF 43, pp 1-2; GF 51, pp 1-2
(See, also, Solfataric action.)
Volcanic areas around borders of Plateau country, description of, and map
showing
Volcanic ash, analysis of, from California, Owens LakeBull 148,
p 229; Bull 168, p 219
deposits of, in western Nebraska
of Alaska, Upper Yukon
Volcanic bomb, analysis of, from California, Lassen Peak regionBull 79,
p 29; Bull 148, p 198; Bull 168, p 184
description of, as one of the educational series of rocksBull 150, pp 250-251
Volcanic center in Nevada, Eureka
Volcanic centers in Utah, Tintic district
Volcanic cone, form of, discussion of
Volcanic cones and craters of Uinkaret Plateau (basaltic)
рр 118, 121–124; Моп и, рр 104–109
Volcanic conglomerate in Maine, Aroostook volcanic areaBull 165, pp 127-131
Volcanic cores in Montana, Fort Benton quadrangleGF 55, p 4
Volcanic-crater harbors, description of
Volcanic dust, analysis of, from Idaho, Marsh Creek ValleyBull 42,
p 141; Bull 148, p 141; Bull 168, p 115
analysis of, from Montana, Gallatin ValleyBull 42,
p 141; Bull 148, p 141; Bull 150, p 147; Bull 168, p 115
from Nebraska, Bazile CreekBull 42, p 142
from Nevada, Lahontan lake beds
from Lahontan beds, description and analysis of Mon x1, pp 146-149; Bull 9, p 14
from Montana, Gallatin Valley, description of, as one of the educational
series of rocksBull 150, pp 146–148
Volcanic eruption in northern California (a late one) and its peculiar lavaBull 79
Volcanic eruptions, examples of
in Alaska, list of
in Montana, Fort Laramie
of western United States, Pleistocene
Volcanic flows in California; Nevada City and Grass Valley districtsAnn 17,
п, pp 110–111
Volcanic lavas of Nevada, Eureka district, manner of occurrence of
pp 243–249
Volcanic layer, analysis of, from California, Bidwell Bar quadrangle, from
Gopher Hill gravels
Volcanic mountain, example of
Volcanic necks, columnar structure of basalt in
in New Mexico, northwestern
Volcanic peaks, plateaus, and necks, examples of
Volcanic phenomena, deposition of quicksilver in relation toMon XIII, pp 52, 417
Volcanic phenomena in Colorado, Rico Mountains
recent and Pleistocene, in California, Mono ValleyAnn 8, 1, pp 371-389

Volcanic plugs in Colorado, Elmoro quadrangle
mary quartz in certain basaltsBull 66
of Alaska
southwestern
Yukon district
of California, Bidwell Bar quadrangle
Franciscan series
Jackson quadrangleGF 11, p 5
Sierra Nevada, western slope of
Truckee quadrangleGF 39, pp 5-6
of Catoctin belt
of Colorado, Pikes Peak quadrangleGF 7, pp 3, 4, 7
Silver Cliff and Rosita Hills
of Lake Superior district, Penokee series
of Montana, Livingston quadrangle
of Nevada, Eureka district. Ann 3, pp 277–287; Mon xx, pp 230, 249–253, 348–394
of Pennsylvania, South Mountain
of Philippine Islands
of Sierra Nevada (Tertiary)
succession of
of Washington, Cascade Mountains in northern
of Yellowstone ParkGF 30, pp 2-3
Sepulchre MountainAnn 12, 1, pp 634-650; Mon xxxII, II, pp 121-148
(See, also, Igneous rocks.)
Volcanic rocks, stratified, of Maine, Mount Desert Island
п, pp 1037, 1043–1047, 1051
11, pp 1037, 1043–1047, 1051 Volcanic sand, analysis of, from California, Lassen Peak regionBull 79,
rı, pp 1037, 1043–1047, 1051 Volcanic sand, analysis of, from California, Lassen Peak regionBull 79, p 29; Bull 148, p 198; Bull 168, p 184
rı, pp 1037, 1043–1047, 1051  Volcanic sand, analysis of, from California, Lassen Peak regionBull 79, p 29; Bull 148, p 198; Bull 168, p 184 analysis of, from Montana, various localitiesBull 42,
rı, pp 1037, 1043–1047, 1051 Volcanic sand, analysis of, from California, Lassen Peak regionBull 79,
rı, pp 1037, 1043–1047, 1051  Volcanic sand, analysis of, from California, Lassen Peak regionBull 79, p 29; Bull 148, p 198; Bull 168, p 184 analysis of, from Montana, various localitiesBull 42, p 141; Bull 148, p 141; Bull 168, p 115 from California, Snag Lake Cinder Cone, description of, as one of the
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region
Volcanic sand, analysis of, from California, Lassen Peak region

The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	o. s. drom bouthr.
Volcanoes, cause of, problem of	Ann 4, pp 183–198
Paleozoic or pre-Paleozoic, existence of	
of Hawaiian Islands	III, pp 48–49; Mon xxxvi, pp 78–79
of Philippine Islands	
relation of, to mountain structure in Rocky	MountainsMon x11, p 27
(See, also, Igneous rocks.)	
Volumetric estimation of vanadium in presence	of small amounts of chromium,
with special reference to a	nalysis of rocks and oresBull 167,
	pp/44-48
Volutidæ from Chico-Tejon series of California	Bull 51, pp 23–25
from clays and marls of New Jersey	
	nn 84_92 173_174 183_185 207_214
from Colorado formation	Bull 106, pp 155–158
Vulcan formation of Michigan, Menominee distr	
· · · · · · · · · · · · · · · · · · ·	GF 62, pp 4–10
Vulcanized india rubber, solution of	Bull 92 pp 85–94
Vulsinite, analysis of, from Italy, Bolsena and S	San Magno Bull 89 n 66
Wabash River, drainage system of	
flow of, measurements of	
profile of	
Wabaunsee formation of Nebraska	
Waccamaw beds of South Carolina, correlation	
Wages and labor at coal mines of United States	
	, pp 203–204; Ann 21, vi, pp 517–518
Wainwright Inlet, Alaska, coal on	
Walcott (C. D.), Cambrian faunas of North Am	
Cambrian fossils of Yellowstone National P	
Cambrian rocks of Pennsylvania	
correlation papers—Cambrian	
fauna of Lower Cambrian or Olenellus zone	
fossil medusæ	
North American continent during Cambria	n timeAnn 12, 1, pp 523–568
paleontology of Eureka district, Nevada	Mon viii
pre-Cambrian igneous rocks of the Unkar	
	Ann 14, 11, pp 497–519
quoted on Cambrian rocks of Inyo County,	
quoted on structure of ranges of southern N	
report by, on Teton Forest Reserve and adj	
report by, on Yellowstone Park: roads, pro	
report by, on Yosemite Park: roads, admin	
report of Director on joint resolution provide	
	Ann 20, 1, pp 15–23
systematic list of fossils of each geologic	
work in charge of, 1882–1900	Mon xx, pp 317–333
	2-55; Ann 6, pp 74-78; Ann 7, pp 113-
	.78; Ann 9, pp 115–120; Ann 10, 1, pp
	102–106; Ann 12, 1, pp 106–111; Ann
	14, 1, pp 252–255; Ann 15, pp 129–144;
	nn 17, 1, pp 1–200; Ann 18, 1, pp 1–440;
	nn 20, 1, pp 1–530; Ann 21, 1, pp 1–582
Walden sandstone of Alabama, Georgia, and Te	
	GF 4, p 2; GF 6, p 2; GF 8, p 2; GF
	2; GF 21, p 2; GF 22, p 2; GF 35, p 2
10, p	-,, p -,, p -,, p -,
•	•

Waldheimite, chemical constitution of Bull 125, pp 91, 106 Waldo formation of Florida, correlation of Bull 84, pp 111, 337 Wales, Cambrian rocks of Bull 81, pp 373–374 fossil plants of, literature of Ann 8, 11, pp 683–684 Lower Cambrian strata and fauna of Ann 10, 1, p 580 phosphate deposits of Bull 46, pp 80–84 (See, also, Great Britain.) Walker Lake and River, Nevada, analysis of water of Mon x1, pp 46, 70
Walker River, Nevada, flow of, measurements of
pp 590–594; MR 1883–84, pp 915–919
Wall rock, analyses of, from California, Nevada County
analysis of, from California,
from Idaho, Hailey
from Utah, Tintic mining district
Wallala series of CaliforniaMon xIII, pp 213-214;       Bull 82, pp 182, 187, 192-193, 241         Wallawalla, Washington, rainfall at
Wallawalla River, Washington, description of
489–490; WS 16, p 179; WS 28, p 166; WS 38, pp 375–376
rainfall in basins of Palouse River and
Walnut formation of Texas
Walsh (J. R.), work in charge of, 1893–1899
pp 211-212; Ann 16, 1, p 86; Ann 17, 1, p 119; Ann
18, r, pp 127, 128; Ann 19, r, p 140; Ann 20, r, p 158
Waluewite, analysis of Bull 113, p 32
analysis of residuum from
Wanner (A.) and Fontaine (W. M.), Triassic flora of York County, Pennsylvania
Ward (L. F.), Cretaceous formation of the Black Hills as indicated by fossil
plants
Potomac formation
sketch of paleobotany
some analogies in Lower Cretaceous of Europe and America. Ann 16, 1, pp 463-542
status of Mesozoic floras of United States; first paper, the Older Mesozoic
Ann 20, 11, pp 211-748 synopsis of flora of Laramie group
types of the Laramie floraBull 37
work in charge of, 1881–1900Ann 3, pp 26–29; Ann 4, pp 50–51; Ann 5, pp
55, 59; Ann 6, pp 81–85; Ann 7, pp 123–126; Ann 8, 1, pp 184–188; Ann 9, pp 128–131; Ann 10, 1, pp 169–175; Ann
11, r, pp 114–123; Ann 12, r, pp 120–125; Ann 13, r, pp 146–
155; Ann 14, 1, pp 258–265; Ann 15, pp 188–194; Ann 16,
1, pp 40-41; Ann 17, 1, pp 67-68; Ann 18, 1, pp 66-68; Ann
19, I, pp 63-65; Ann 20, I, pp 65-66; Ann 21, I, pp 90-91 Warder (R. B.), coefficients of volatility for aqueous chlorhydric acidBull 60,
pp 115-117

Wardite, occurrence of
Warman (P. C.), bibliography and index of publications of United States
Geological SurveyBull 100
work in charge of, 1894–1900
Ann 17, i, pp 111-112; Ann 18, i, pp 118-119; Ann 19, i,
pp 128–130; Ann 20, 1, pp 142–146; Ann 21, 1, pp 161–164
Warps in Triassic area of Connecticut
Warren Lake, glacial, extent, etc., of
Warren River, glacial
Wartburg quadrangle, Tennessee, geology ofGF 40
Wartburg sandstone of Tennessee
Warwickite, analysis of, from New York, Orange CountyBull 64, p 41
Wasatch formation or group in WyomingBull 119, pp 25-27
in Utah, as a source of coal
fossil fauna of
literature and correlation of Ann 18, 11, p 345; Bull 83, pp 117-126, 139,
144-146; Bull 84, pp 337, 338; Bull 86, pp 299, 487, 505
Uinta MountainsAnn 9, p 690
Wasatch limestone, age, character, and thickness of
Wasatch Mountains, Archean and Algonkian literature ofBull 86, pp 289–295
geologic section of
Mon xir, p 58; Mon yx, p 206; Bull 30, p 37; Bull 81, p 157
Paleozoic section in
pre-Cambrian rocks of Ann 16, 1, p 821
recent growth of, testimony of Bonneville shore lines to
pp 197–200; Mon 1, p 359
pp 197–200; Mon I, p 359 Wash, the, in Texas, character and appearance of
pp 197–200; Mon I, p 359 Wash, the, in Texas, character and appearance of
pp 197–200; Mon I, p 359 Wash, the, in Texas, character and appearance of
pp 197–200; Mon I, p 359 Wash, the, in Texas, character and appearance of
pp 197–200; Mon 1, p 359 Wash, the, in Texas, character and appearance of
pp 197–200; Mon I, p 359 Wash, the, in Texas, character and appearance of
pp 197–200; Mon I, p 359 Wash, the, in Texas, character and appearance of
pp 197–200; Mon I, p 359 Wash, the, in Texas, character and appearance of
pp 197–200; Mon I, p 359 Wash, the, in Texas, character and appearance of
pp 197–200; Mon I, p 359 Wash, the, in Texas, character and appearance of
pp 197–200; Mon I, p 359 Wash, the, in Texas, character and appearance of
pp 197–200; Mon I, p 359 Wash, the, in Texas, character and appearance of
pp 197–200; Mon I, p 359 Wash, the, in Texas, character and appearance of
pp 197–200; Mon I, p 359 Wash, the, in Texas, character and appearance of
pp 197–200; Mon I, p 359 Wash, the, in Texas, character and appearance of
Pp 197-200; Mon I, p 359   Wash, the, in Texas, character and appearance of
Pp 197-200; Mon I, p 359   Wash, the, in Texas, character and appearance of
pp 197–200; Mon I, p 359 Wash, the, in Texas, character and appearance of
Pp 197-200; Mon I, p 359   Wash, the, in Texas, character and appearance of
Pp 197-200; Mon I, p 359   Wash, the, in Texas, character and appearance of
pp 197-200; Mon 1, p 359   Wash, the, in Texas, character and appearance of
Pp 197-200; Mon I, p 359   Wash, the, in Texas, character and appearance of
Pp 197-200; Mon I, p 359   Wash, the, in Texas, character and appearance of
Pp 197-200; Mon 1, p 359   Wash, the, in Texas, character and appearance of
Pp 197-200; Mon I, p 359   Wash, the, in Texas, character and appearance of
Pp 197-200; Mon 1, p 359   Wash, the, in Texas, character and appearance of

Vashington; Chico-Tejon series of rocks inBull 51, pp 28-32	;
clay deposits of	,
in Tacoma quadrangleGF 54, p 9	
clay products of, statistics ofMR 1892, p 738; Ann 16, IV, pp 518, 519, 520, 521;	
Ann 17, 111 cont, p 821 et seq; Ann 18, v cont, p 1078 et seq;	
Ann 16, vr cont, p 319 et seq; Ann 20, vr cont, p 467 et seq	
climate of	
coal in, area and statistics of	
MR 1882, pp 95–96; MR 1883–84, pp 12, 99–100; MR 1885,	
pp 11, 70; MR 1886, pp 225, 230, 357–367; MR 1887, pp 169,	
171, 367–373; MR 1888, pp 170, 171, 381–385; MR 1889–90,	
pp 147, 275–276; MR 1891, pp 180, 331–341; MR 1892, pp	
265, 267, 268, 528–531; MR 1893, pp 189, 190, 194, 195, 197,	
199, 200, 388-391; Ann 16, iv, pp 7 et seq, 199-201; Ann 17,	
111, pp 287 et seq, 526-529, 542; Ann 18, v, pp 353 et seq,	
617-621; Ann 19, vr, pp 278 et seq, 526-529; Ann 20, vr,	
pp 300 et seq, 494–497; Ann 21, vi, pp 325 et seq, 506–508	,
in Tacoma quadrangleGF 54, pp 7-9	)
coal fields of	
coal seams in Roslyn sandstone	
coke in, manufacture of, statistics of	
p 206; MR 1885, pp 80, 119–120; MR 1886, pp 378, 384,	
423; MR 1887, pp 383, 389, 422; MR 1888, pp 395, 400,	
426, MR 1891, pp 360, 361, 366, 396; MR 1892, pp 555	
et seq, 594–595; MR 1893, pp 418 et seq, 453–454; Ann 16,	
IV, pp 225 et seq, 292-293; Ann 17, III cont, pp 543 et seq,	
610-611; Ann 18, v cont, pp 661 et seq, 734-736; Ann 19, vi,	
pp 548 et seq, 630–631; Ann 20, vi, pp 512 et seq, 597–598;	,
Ann 20, vi cont, p 228; Ann 21, vi, pp 523 et seq, 620-621	
copper from, statistics of	
Ann 17, 111, pp 85-86; Ann 18, v, pp 190, 191; Ann 19, vi,	
pp 141, 142; Ann 20, vi, pp 163, 164; Ann 21, vi, pp 168, 169	)
Deadman Creek, description of	
drainage and topography in southeastern	)
Dungeness River, flow of, measurements of	,
ıv, pp 63, 518-519; Ann 21, ıv, pp 438-439; WS 16,	,
pp 182; WS 28, pp 174, 176; WS 38, pp 383–384	
Ellensburg quadrangle, forest conditions in	
Elwha River, flow of, measurements of	
ıv, pp 63, 519-521; Ann 21, ıv, pp 439-441; WS	
16, p 183; WS 28, pp 174, 176; WS 38, pp 384–385	
forest conditions and standing timber of	
v, pp 26–42; Ann 20, v, pp 12–37	
forest reserves. (See Mount Rainier, Olympic, Washington, under this State.)	
forests of Cascade Mountains in northern	
of Puget Sound region, remarks on	
fossil plants from	
gas, illuminating and fuel, and by-products in, statistics of	
vi cont, pp 228, 241, 244, 246, 247, 250	
geographic positions in	
Ann 20, 1, pp 283–285; Ann 21, 1, pp 349–374; Bull 123, p 142	
geologic formations in southeastern	
geologic history of southeastern, outline sketch of	2
geologic maps of. (See Map, geologic, of Washington.)	,
geologic sections in. (See Section, geologic, in Washington.)	
geologic accuons in. (nee nection, geologic, in washington.)	

```
Washington; geologic and paleontologic investigations in.....Ann 13, 1, pp 131-132;
               Ann 17, 1, pp 48, 53-55; Ann 18, 1, pp 49-52; Ann 19, 1, pp
               51-52; Ann 20, 1, pp 51-52, 66-67; Ann 21, 1, pp 80-81, 84-85
  glaciers, existing, and former intense glaciation in Cascade Mountains...Ann 20,
                                          и, рр 150-193
  MR 1882, pp 172, 174, 176, 177, 178, 182; MR 1883-84, pp
               312, 313, 314, 315; MR 1885, pp 201, 203; MR 1886, pp 104,
               105; MR 1887, pp 58, 59; MR 1888, pp 36, 37; MR 1889-90,
               p 49; MR 1891, pp 75, 77, 78, 79; MR 1892, pp 50 et seq, 84-
               85; MR 1893, p 50 et seq; Ann 17, 111, pp 72, 73, 74, 75,
               76, 77; Ann 18, v, p 142 et seg; Ann 19, vi, p 127 et seg;
               Ann 20, vi, pp 104, 105, 107, 108, 109; Ann 21, vi, pp 121-127
  437, 444, 457, 458; Ann 18, v cont, p 954; Ann 19, vi cont, pp
               207, 208, 209, 210, 211; Ann 20, vi cont, pp 271, 272, 273, 274,
               275, 276, 281; Ann 21, vi cont, pp 335, 336, 337, 338, 339, 340
  harbors on coast of.......Ann 13, 11, pp 202-203
  iron, iron ore, and steel from, statistics of MR 1882, pp 129, 131; MR 1883-84, pp
               252, 288; MR 1885, p 182; MR 1886, p 18; MR 1887, p 11;
               MR 1888, p 15; MR 1889-90, pp 10, 17, 40; MR 1892, pp 21,
               36; MR 1893, p 15; Ann 16, III, pp 31, 194, 249; Ann 17, III,
               pp 47, 48, 63, 68; Ann 19, vi, pp 66, 72; Ann 20, vi, p 85
  pp 441-442; WS 16, p 184; WS 28, pp 175, 176; WS 38, pp 386
  Ann 19, p 201; Ann 20, vi, pp 226-228; Ann 21, vi, p 229
  468; MR 1892, p 711; MR 1893, p 556; Ann 16, IV, pp 437,
               494, 495, 510; Ann 17, 111 cont, pp 761, 788, 790, 791; Ann
               18, v cont, pp 951, 1044, 1046, 1047, 1067; Ann 19, vi cont,
               pp 207, 281, 282, 283, 308; Ann 20, vi cont, pp 271, 342, 343,
               344, 345, 351; Ann 21, vi cont, pp 335, 357, 358, 359, 360
  (See Map, geologic, of Washington.)
  maps, geologic, of.
  maps, topographic, of. (See Map, topographic, of Washington; also p 98.)
  vi cont, pp 271, 281, 283; Ann 21, vi cont, pp 335, 341, 342, 343
  mineral springs of ...... Bull 32, pp 217–218;
               MR 1889-90, p 534; MR 1891, pp 603, 608; MR 1892, pp
               824, 832; MR 1893, pp 774, 783, 784, 794; Ann 16, iv, pp
               709, 719, 720; Ann 17, 111 cont, pp 1027, 1040, 1042; Ann 18, v
               cont, pp 1371, 1385, 1387; Ann 19, vi cont, pp 661, 676, 678;
               Ann 20, vi cont, pp 750, 765, 767; Ann 21, vi cont, p 617
```

Washington; Mount Rainier, elevation, exploration, etcAnn 18, 11, pp 357-361
Mount Rainier, glaciers of
Mount Rainier, rocks of
Mount Rainier Forest Reserve, report on
Mount Rainier National Park, movement to establishAnn 18, 11, pp 410-415
Mount Stuart quadrangle, forest conditions in
Moxee Valley, artesian wells in
Naches River, flow of, measurements of
503; Ann 21, 1v, pp 425-426; Bull 131, pp 73-74; Bull 140,
pp 244–245; WS 11, p 84; WS 16, p 174; WS 28, pp 164, 170
Olympic Forest Reserve, report on
Palouse River, description of
flow of, measurements of
460; Ann 20, iv, pp 62, 489-490; Ann 21, iv, pp 414-415;
WS 16, p 172; WS 28, pp 162, 168, 170; WS 38, pp 360–361
physical features of
Puget group, Molluscan fauna ofBull 51, pp 49-63
Puget Sound, some coal fields of
rainfall at Olympia, Tacoma, and Seattle
at various localities in
at Wallawalla
in basins of Palouse and Wallawalla riversAnn 20, 1v, pp 512-514
in southeastern
rainfall and run-off in basin of Yakima RiverAnn 20, 1v, pp 496-500
river courses in, changes in, due to glaciationBull 40
river terraces in southeastern
sandstone production of, statistics of
pp 374, 437; MR 1891, pp 461, 463; MR 1892, p 710;
MR 1893, p 553; Ann 16, iv, pp 437, 484, 485, 492; Ann
17, 111 cont, pp 761, 775, 777, 778; Ann 18, v cont, pp
951, 1012, 1013, 1014, 1043; Ann 19, vr cont, pp 207,
264, 265, 266, 279; Ann 20, vi cont, pp 271, 336, 337,
338, 341; Ann 21, vi cont, pp 335, 353, 354, 355, 356
Seattle quadrangle, forest conditions in
sections, geologic, in. (See Section, geologic, in Washington.)
silver and gold from. (See "gold and silver," on p 824.)
Snake River, description and history of
soils of southeastern
of Tacoma quadrangle
Soleduck River, flow of, measurements of Ann 20,
IV, pp 63, 523; Ann 21, IV, pp 442–443; WS 16,
p 184; WS 28, pp 175, 176; WS 38, pp 386-387
southeastern, climate and vegetation of
reconnaissance in
Spokane quadrangle, forest conditions in
Spokane River, description of
flow of, measurements of
pp 359–360; Ann 19, IV, pp 487–489; Ann 20, IV, pp 63,
511; Ann 21, IV, pp 424–426; WS 11, pp 84–88; WS
16, p 177; WS 28, pp 166, 169, 170; WS 38, pp 370–371
Steptoe Butte, geologic formations of
Tacoma quadrangle, forest conditions in
geology of
Tejon and Puget strata of Bull 83, pp 103, 107
temperature inGF 54, p 1
in southeasternWS 4, pp 11–12

Washington; timber in Tacoma quadrangle
timber, merchantable, in, by counties
timber, standing, in
Toleran Direct description of WCA 02:04
Tokanon River, description of
Topinish River, flow of, measurements of Bull 131, p 74; Bull 140, p 248
topographic maps of. (See Map, topographic, of Washington; also p 98.)
topographic work in
p 127; Ann 16, 1, pp 66, 68, 71; Ann 17, 1, pp 97, 105; Ann
18, I, pp 94, 96, 108; Ann 19, I, pp 89, 91, 105–106, 112–113;
Ann 20, 1, pp 101, 102, 117, 122–124; Ann 21, 1, pp 121, 143–144
topography and drainage in southeastern
vegetation in southeastern
Wallawalla, rainfall at
Wallawalla River, description of
flow of, measurements of
WS 16, p 179; WS 28, p 166; WS 38, pp 375–376
Washington Forest Reserve, limits, timber, trees, fires, etc., of
v, pp 61–65, 283–350
water supply of, for irrigation purposes
wells, artesian, in Moxee Valley
in southeastern
Wenache River, flow of, measurements of
IV, pp 489–490; WS 16, p 178 Wenas Creek, irrigation from
wenas Creek, irrigation from
wheat land in southeastern, topography of
White River, flow of, measurements of
IV, pp 436–437; WS 38, pp 381–382
woodland area of Ann 19, v, p 12
woodland area of
woodland area of         Ann 19, v, p 12           Yakima County, reservoir sites in         Ann 20, 1v, pp 505-508
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of
woodland area of

Water, action of, in formation of cherty iron carbonates
action of, in formation of iron ores
analysis of, from Alabama, Fitzpatrick (artesian)Bull 55, p 91
from Alabama, various localities (mineral spring)Bull 32, pp 92-94
from Alaska, Muir Inlet
from Arizona, various localities (mineral spring)Bull 32, p 197
from Arkansas, Hominy Hill (spring)Bull 60, p 173
Hot Springs (hot and mineral spring)Bull 55, p 92
various localities (mineral spring)Bull 32, p 122
from ArmeniaBull 60, p 40
from Asia, Bogdo Lake
from California, Borax Lake
Clear Lake
Honey Lake Valley (hot spring) Mon x1, pp 51, 176; Bull 9, p 28
Lake TahoeBull 9, p 28
Los Angeles (spring)
Los Angeles (spring)
Mono Lake Ann 8, 1, pp 290, 293, 296; Mon x1, opp p 176; Bull 9,
pp 26, 27; Bull 42, p 49; Bull 60, p 53; Bull 108, p 93
(residue from) MR 1893, p 730
Nevada County, Black Prince, Providence, and Federal Loan
mines (mineral)
Owens Lake
opp p 176; Bull 55, p 93; Bull 60, pp 58, 94; Bull 108, p 93
Sacramento River at Sacramento
San Buenaventura (hot spring)
Sulphur Bank (hot spring)
Warm Spring Station (warm spring)
ı, p 288; Mon xı, opp p 176; Bull 9, p 27 various localities (mineral spring)Bull 32, pp 210–214
from Canada, Bothwell (Devonian limestone)
Ottawa River at Montreal
St. Lawrence River
various localities (Trenton limestone)
from Caspian Sea
from Colorado, Custer County
Denver (artesian)
(spring)
Glenwood Springs (mineral spring)
Manitou (spring)
various localities
from Connecticut, various localities (mineral spring)Bull 32, p 26
from Dakota Basin (artesian)
from Dakotas, various localities (mineral spring)Bull 32, p 161
from Dead Sea
from District of Columbia, Washington (well)Bull 138, p 158
from Florida, St. Augustine (artesian)Bull 64, p 59, 60
St. Augustine (surface drainage)Bull 60, p 171
various localities (mineral spring)
from Georgia, Lumber City (well)
Savannah
(well)
Savannah River, at SavannahBull 55, p 91
various localities (artesian)Bull 55, p 91
(mineral spring)

Water, analysis of, from Iceland (geyser)	Ann 9, p 655
analysis of, from Illinois, McLeansborough (spring)	Bull 60, p 172
from Illinois, Nashville (spring)	
various localities	
	6, 827–828; Bull 32, p 144
from Indiana, Brookville	
Edinburg (salt)	
FortsWayne	
Frankfort, Garrett, and Greensburg	
Lafayette	
Montezuma (artesian)	
New Albany	Ann 18, 1v, p 542
South Bend and Terre Haute	
various localities	Ann 18, iv, pp 498–499
(mineral spring)	
from Idaho, various localities (mineral spring)	Bull 32, p 182
from Iowa, Story County (artesian)	Bull 42, p 148
various localities (artesian)	Аnn 17, п, р 827
(mineral spring)	
from Kansas, various localities (mineral spring)	
from Kentucky, Bowling Green	
Frankfort (well)	
Lexington (artesian)	
NewportAnn 8,	
various localities (mineral spring)	
from Louisiana, Mississippi River at New Orleans.	
from Maine, Paris (spring)	Bull 55, p 91
various localities (mineral spring)	
from Manitoba, Assiniboine and Red rivers, near	
Tion named and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the	xxv, pp 541, 542
from Maryland, Baltimore and Salisbury (well)	Rull 138 pp 131 143 148
Crisfield (artesian)	Bull 138 p 131
Westernport	
various localities (mineral spring)	
from Massachusetts, Dalton (artesian)	Rull 150 p 01
Shutesbury (mineral spring)	
Springfield (spring)	
Turners Falls (artesian)	
various localities (mineral spring)	
from Mexico, Rio Grande del Norte	
from Michigan, various localities	
various localities (mineral spring)	Bull 32, pp 147–150
from Minnesota, Big Stone Lake	
Browns Valley (artesian)	
Lake Superior at Grand Marais	
Mississippi River at Brainerd	
Polk County (artesian)	
Red River at Fergus Falls and St. Vincent	Mon xxv, pp 540, 541
various localities (mineral spring)	Bull 32, p 159
from Mississippi, Hinds County (well)	Bull 64, p 60
various localities (mineral spring)	Bull 32, p 97
from Missouri (mineral spring)	
Laclede County (well)	
Webster Grove (spring)	

·	
Water, analysis of, from Missouri, various localities (artesian)Ann	17, п, рр 827-828
analysis of, from Missouri, various localities (mineral spring)B	ull 32, pp 168-170
from Montana, Bozeman (hot spring)	
Giant Spring, near Great FallsAnn	
Helena (hot springs)	
Livingston Springs (hot springs)	
Missouri River, near Great Falls	Ann 18 av n. 619
White Sulphur SpringsBull 27, p 75; Bull 139,	
various localities (mineral spring)	
Yellowstone Valley, Emigrant Gulch (hot springs)	
Mill Creek (spring)	
from Nevada, Comstock mines	
Granite Mountain, foot of (hot spring)	
pp 53,	176; Bull 9, p 24
Hot Spring station (hot spring)Mon x1, pp 49,	176; Bull 9, p 24
Humboldt Lake	
Humboldt River Mon x1, pp 176,	225; Bull 9, p 23
Lake MonoAnn S	
Pyramid Lake.	
pp 57, 58, 176, 225; Bull 9, pp 20-	
Soda Lake, near Ragtown	
p 25; Bull 60, pp 48, 49; Bull 108, p 98	
p 20, Dun 00, pp 40, 49, Dun 100, p 90	Managan 1947
Steamboat Springs (hot spring)	Mon XIII, p 347
Truckee River	on x1, pp 176, 225
various localities (mineral spring)	
Walker Lake Mon x1, pp 70, 176, 225; Bull 9, p	
Walker RiverMon x1, pp 46, 176	
Winnemucca Lake Mon x1, pp 63, 176, 225; Bull 9, p	
from New Hampshire, various localities (mineral spring)	
from New Jersey, Atlantic City (well)	Bull 138, p 51
Berkeley Arms (well)	Bull 138, p 53
Camden (well)	Bull 138, p 56
Delaware River at Trenton	
Freehold (well)	
Great Sledge Island (well)	Bull 138, p 64
Lakewood (well)	Bull 138, p 69
Ocean Grove (artesian)	
Passaic River at Newark	Mon xi. opp p 176
Riverside (well)	Bull 138 n 85
Seven Islands (well)	
various localities (mineral spring)	
Winslow (well)	
from New Mexico, Fort Wingate (spring)	Rull 55 p 09
Ojo Caliente (hot spring)	
various localities (mineral spring)	
from New York, Caledonia (spring)	
Chautauqua, chemical-precipitation works at	
Croton River	wion xi, opp p 176
Genesee River at Rochester	
Hudson River	
Mohawk River at Utica	
Saratoga (artesian)	
various localities (mineral spring)	Bull 32, pp 32–46.

Water, analysis of, from New Zealand (geyser and spring)	Ann 9, pp 655, 673
analysis of, from North Carolina, Lincoln County (spring)	
from North Carolina, various localities (mineral spring).	
from North Dakota, Jamestown (artesian)	
from Ohio, Bellefontaine (well)	
Castalia Springs	
Celina (well)	
Delaware (well)	
Delphos (well)	
Fountain Park (well)	
Franklin	
Greenville	
Harrisburg (well)	
Kenton (well)	
Lancaster	
Lima (well)	
Madisonville	
Marysville (well)	
Massillon (well)	
Maumee River	
Medina (well)	
Mount Vernon	
Oberlin	
Orrville (well)	
Plain City (well)	
Ripley (Trenton limestone)	Ann 19, IV, p 653
Scioto River	WS 22, p 26
Sidney (well)	
Stryker (well)	
Upper Sandusky (well)	
various localities	n 18, iv, pp 499–501
(mineral spring)	
Wapakoneta	
Wooster	
from Oregon, Abert LakeAn	n 4, p 454; Mon xı,
opp p 176; Bull 9, p 29; Bull 60, pp 54	, 55; Bull 108, p 93
various localities (mineral spring)	Bull 32, p 217
from Pennsylvania, various localities (mineral spring)	Bull 32, pp 46-49
from Porto Rico, Coamo (mineral)Ann 20,	vi.cont, pp 775, 776
from Rhode Island, various localities (mineral spring)	Bull 32, p 24
from South Carolina, Beaufort (well)	Bull 138, p 217
Bulow phosphate mines (well)	Bull 138, p 216
Charleston (well)Bull 1	38, pp 212, 213, 214
Florence (well)	
Lake City (well)	
Sineaths Station (well)	
various localities (mineral spring)	
from South Dakota, Argentine (artesian)	Ann 21, IV, p 570
Cascade Creek	
Hanson County (artesian)	
Highmore	Ann 18, IV, p 613
Jerome (artesian)	Ann 21, IV, p 571
Miner County (artesian)	Ann 18, iv, p 611
Sanborn County (artesian)	Ann 18, IV, p 611
	· · · <del>-</del>

analysis of, from Tennessee, Mountain City and vicinity (spring) Bull 43, pp 103–106 from Texas, Austin and vicinity	Water, analysis of, from Tennessee, Cumberland River at Nashville. Mon 1x, opp p 176
from Texas, Austin and vicinity	
San Antonio	
Waco	
various localities (mineral spring)	San Antonio
from Utah, Bear River	
City Creek	various localities (mineral spring)Bull 32, pp 127–128
Great Salt Lake	
Mon x1, opp p 176; Bull 108, p 93; MR 1883-84, p 845   Jordan River	
Jordan River.   Mon x1, opp p 176	
Ogden (hot springs)         Bull 42, p 148           Sevier Lake         Mon x1, opp p 176; Bull 108, p 94           Utah Lake         Mon x1, opp p 176; Bull 108, p 94           Utah Lake         Mon x1, opp p 176; Bull 198, p 92           various localities (mineral spring)         Bull 32, p 187           from Vermont, various localities (mineral spring)         Bull 32, p 20-21           from Virginia, Bath County (hot spring)         Bull 49, p 147           James River at Richmond         Mon x1, opp p 176; Bull 52, p 38           Virginia, Rockbridge County (spring)         Mon x1, p 177           various localities (mineral spring)         Bull 32, p 218           Soap Lake         Bull 108, pp 93, 94; Bull 113, p 113           T. 15 N., R. 8 E., secs. 29 and 32         Ann 21, rv, p 95           from West Virginia, various localities (mineral spring)         Bull 32, pp 71-73           from Wisconsin, Sheboygan (artesian)         Mon x1, opp p 176           various localities (mineral spring)         Bull 32, pp 153-157           from Wyoming, Bear River         Mon x1, opp p 176           various localities (mineral spring)         Bull 32, pp 153-157           from Wyoming, Bear River         Mon x1, opp p 176           various localities (mineral spring)         Bull 32, pp 153-157           from Wyoming, Bear River	
Salt Lake City (hot spring)	
Sevier Lake	
Utah Lake	
various localities (mineral spring)	
from Vermont, various localities (mineral spring)	
From Virginia, Bath County (hot spring)	various localities (mineral spring)Bull 32, p 187
From Virginia, Bath County (hot spring)	from Vermont, various localities (mineral spring)Bull 32, pp 20–21
Loudoun County (spring)	
James River at Richmond	
Virginia. Rockbridge County (spring)         Mon x1, p 177           various localities (mineral spring)         Bull 32, pp 58-68           from Washington, Medical Lake (mineral spring)         Bull 32, p 218           Soap Lake         Bull 108, pp 93, 94; Bull 113, p 113           T. 15 N., R. 8 E., secs. 29 and 32         Ann 21, Iv, p 95           from West Virginia, various localities (mineral spring)         Bull 32, pp 71-73           from Wisconsin, Sheboygan (artesian)         Mon x1, opp p 176           various localities (mineral spring)         Bull 32, pp 153-157           from Wyoming, Bear River         Mon x1, opp p 176           various localities (mineral spring)         Bull 32, p 184           from Yellowstone Park, Alum Creek         Bull 47, p 75           Crater Hill (hot spring)         Bull 47, pp 57, 88           Firehole River         Bull 47, pp 57, 73           Hillside Springs (hot spring)         Bull 47, pp 53, 54, 55, 82           Mammoth Hot Springs (hot spring)         Bull 47, pp 53, 54, 55, 82           Mammoth Hot Springs (hot spring)         Mon 14, 42, 43, 82           Midway Basin (geyser)         Bull 47, pp 36, 37, 38, 39, 40, 41, 42, 43, 82           Midway Basin (geyser)         Bull 47, pp 80, 24, 43, 82           Mount Washburn (hot spring)         Bull 47, pp 80, 24, 44, 48, 49, 50, 51, 52, 53, 82	
various localities (mineral spring)         Bull 32, pp 58-68           from Washington, Medical Lake (mineral spring)         Bull 32, p 218           Soap Lake         Bull 108, pp 93, 94; Bull 113, p 113           T. 15 N., R. 8 E., secs. 29 and 32         Ann 21, Iv, p 95           from West Virginia, various localities (mineral spring)         Bull 32, pp 71-73           from Wisconsin, Sheboygan (artesian)         Mon xi, opp p 176           various localities (mineral spring)         Bull 32, pp 153-157           from Wyoming, Bear River         Mon xi, opp p 176           various localities (mineral spring)         Bull 32, p 184           from Yellowstone Park, Alum Creek         Bull 47, p 75           Crater Hill (hot spring)         Bull 47, p 76, 86           Firehole River         Bull 47, pp 76, 86           Firehole River         Bull 47, pp 57, 73           Hillside Springs (hot spring)         Bull 47, pp 53, 54, 55, 82           Mammoth Hot Springs (hot spring)         Bull 47, pp 53, 54, 55, 82           Mammoth Hot Springs (hot spring)         Bull 47, pp 58, 82           Midway Basin (geyser)         Bull 47, pp 58, 82           Mount Washburn (hot spring)         Bull 47, p 80           Norris Geyser Basin (geyser and hot spring)         Bull 47, pp 78, 82           Shoshone Basin (geyser)         Bull 47	
from Washington, Medical Lake (mineral spring)	various localities (mineral spring)Bull 32, pp 58-68
Soap Lake	
T. 15 N., R. 8 E., secs. 29 and 32	Soap Lake
from West Virginia, various localities (mineral spring)	T. 15 N., R. 8 E., secs. 29 and 32
from Wisconsin, Sheboygan (artesian)	
various localities (mineral spring)       Bull 32, pp 153–157         from Wyoming, Bear River       Mon xi, opp p 176         various localities (mineral spring)       Bull 32, p 184         from Yellowstone Park, Alum Creek       Bull 47, p 75         Crater Hill (hot spring)       Bull 47, pp 76, 86         Firehole River       Bull 47, pp 57, 73         Hillside Springs (hot spring)       Bull 47, pp 53, 54, 55, 82         Mammoth Hot Springs (hot spring)       Ann 9,         p 639; Bull 47, pp 36, 37, 38, 39, 40, 41, 42, 43, 82         Midway Basin (geyser)       Bull 47, p 88         Mount Washburn (hot spring)       Bull 47, p 80         Norris Geyser Basin (geyser and hot spring)       Bull 47, p 80         Opal Spring       Mon xi, opp p 176         Pelican Creek (hot spring)       Bull 47, pp 78, 82         Shoshone Basin (geyser)       Bull 47, pp 70, 82         Soda Butte (hot spring)       Bull 47, p 81         Terrace Springs (hot spring)       Bull 47, p 81         Terrace Springs (hot spring)       Bull 47, p 81         Terrace Springs (hot spring)       Ann 9, p 655;         Bull 47, pp 56, 82       Bull 47, pp 56, 82         Upper Geyser Basin (geyser and hot spring)       Ann 9, p 655;         Bull 47, pp 60, 62, 64, 65, 66, 67, 68, 69, 72, 82	
from Wyoming, Bear River	
various localities (mineral spring)       Bull 32, p 184         from Yellowstone Park, Alum Creek       Bull 47, p 75         Crater Hill (hot spring)       Bull 47, pp 76, 86         Firehole River       Bull 47, pp 57, 73         Hillside Springs (hot spring)       Bull 47, pp 71, 82         Lower Geyser Basin (geyser and hot spring)       Bull 47, pp 53, 54, 55, 82         Mammoth Hot Springs (hot spring)       Ann 9,         p 639; Bull 47, pp 36, 37, 38, 39, 40, 41, 42, 43, 82         Midway Basin (geyser)       Bull 47, pp 58, 82         Mount Washburn (hot spring)       Bull 47, p 80         Norris Geyser Basin (geyser and hot spring)       Bull 47, p 80         Pelican Creek (hot spring)       Mon x1, opp p 176         Pelican Creek (hot spring)       Bull 47, pp 78, 82         Shoshone Basin (geyser)       Bull 47, pp 70, 82         Soda Butte (hot spring)       Bull 47, pp 80         Terrace Springs (hot spring)       Bull 47, pp 80         Upper Geyser Basin (geyser and hot spring)       Ann 9, p 655;         Bull 47, pp 60, 62, 64, 65, 66, 67, 68, 69, 72, 82         Yellowstone Lake       Bull 47, p 74         capacity of rocks for absorbing       Ann 21, vii, pp 389-390         of various rock sheets in Texas for       Ann 18, ii, pp 260-264         compressibilit	
from Yellowstone Park, Alum Creek	
Crater Hill (hot spring)       Bull 47, pp 76, 86         Firehole River       Bull 47, pp 57, 73         Hillside Springs (hot spring)       Bull 47, pp 71, 82         Lower Geyser Basin (geyser and hot spring)       Bull 47, pp 53, 54, 55, 82         Mammoth Hot Springs (hot spring)       Ann 9,         p 639; Bull 47, pp 36, 37, 38, 39, 40, 41, 42, 43, 82         Midway Basin (geyser)       Bull 47, pp 58, 82         Mount Washburn (hot spring)       Bull 47, p 80         Norris Geyser Basin (geyser and hot spring)       Bull 47, p 80         Opal Spring       Mon x1, opp p 176         Pelican Creek (hot spring)       Bull 47, pp 78, 82         Shoshone Basin (geyser)       Bull 47, pp 70, 82         Soda Butte (hot spring)       Bull 47, pp 81         Terrace Springs (hot spring)       Bull 47, pp 56, 82         Upper Geyser Basin (geyser and hot spring)       Ann 9, p 655;         Bull 47, pp 60, 62, 64, 65, 66, 67, 68, 69, 72, 82         Yellowstone Lake       Bull 47, p 74         capacity of rocks for absorbing       Ann 21, vii, pp 389-390         of various rock sheets in Texas for       Ann 18, ii, pp 260-264         compressibility of, above 100°, and its solvent action on glass       Bull 92, pp 78-84	
Firehole River	
Hillside Springs (hot spring)	
Lower Geyser Basin (geyser and hot spring)	
Mammoth Hot Springs (hot spring)       Ann 9,         p 639; Bull 47, pp 36, 37, 38, 39, 40, 41, 42, 43, 82         Midway Basin (geyser)       Bull 47, pp 58, 82         Mount Washburn (hot spring)       Bull 47, p 80         Norris Geyser Basin (geyser and hot spring)       Bull 47,         pp 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 82         Opal Spring       Mon x1, opp p 176         Pelican Creek (hot spring)       Bull 47, pp 78, 82         Shoshone Basin (geyser)       Bull 47, pp 70, 82         Soda Butte (hot spring)       Bull 47, pp 81         Terrace Springs (hot spring)       Bull 47, pp 56, 82         Upper Geyser Basin (geyser and hot spring)       Ann 9, p 655;         Bull 47, pp 60, 62, 64, 65, 66, 67, 68, 69, 72, 82         Yellowstone Lake       Bull 47, p 74         capacity of rocks for absorbing       Ann 21, vii, pp 389-390         of various rock sheets in Texas for       Ann 18, ii, pp 260-264         compressibility of, above 100°, and its solvent action on glass       Bull 92, pp 78-84	
p 639; Bull 47, pp 36, 37, 38, 39, 40, 41, 42, 43, 82  Midway Basin (geyser)	
Midway Basin (geyser)       Bull 47, pp 58, 82         Mount Washburn (hot spring)       Bull 47, p 80         Norris Geyser Basin (geyser and hot spring)       Bull 47,         pp 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 82         Opal Spring       Mon x1, opp p 176         Pelican Creek (hot spring)       Bull 47, pp 78, 82         Shoshone Basin (geyser)       Bull 47, pp 70, 82         Soda Butte (hot spring)       Bull 47, pp 81         Terrace Springs (hot spring)       Bull 47, pp 56, 82         Upper Geyser Basin (geyser and hot spring)       Ann 9, p 655;         Bull 47, pp 60, 62, 64, 65, 66, 67, 68, 69, 72, 82         Yellowstone Lake       Bull 47, p 74         capacity of rocks for absorbing       Ann 21, vii, pp 389-390         of various rock sheets in Texas for       Ann 18, ii, pp 260-264         compressibility of, above 100°, and its solvent action on glass       Bull 92, pp 78-84	
Mount Washburn (hot spring)       Bull 47, p 80         Norris Geyser Basin (geyser and hot spring)       Bull 47,         pp 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 82         Opal Spring       Mon x1, opp p 176         Pelican Creek (hot spring)       Bull 47, pp 78, 82         Shoshone Basin (geyser)       Bull 47, pp 70, 82         Soda Butte (hot spring)       Bull 47, p 81         Terrace Springs (hot spring)       Bull 47, pp 56, 82         Upper Geyser Basin (geyser and hot spring)       Ann 9, p 655;         Bull 47, pp 60, 62, 64, 65, 66, 67, 68, 69, 72, 82         Yellowstone Lake       Bull 47, p 74         capacity of rocks for absorbing       Ann 21, vii, pp 389-390         of various rock sheets in Texas for       Ann 18, ii, pp 260-264         compressibility of, above 100°, and its solvent action on glass       Bull 92, pp 78-84	Midway Basin (gevser)
Norris Geyser Basin (geyser and hot spring) Bull 47, pp 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 82 Opal Spring Mon x1, opp p 176 Pelican Creek (hot spring) Bull 47, pp 78, 82 Shoshone Basin (geyser) Bull 47, pp 70, 82 Soda Butte (hot spring) Bull 47, pp 81 Terrace Springs (hot spring) Bull 47, pp 56, 82 Upper Geyser Basin (geyser and hot spring) Ann 9, p 655; Bull 47, pp 60, 62, 64, 65, 66, 67, 68, 69, 72, 82 Yellowstone Lake Bull 47, p 74 capacity of rocks for absorbing Ann 21, v11, pp 389–390 of various rock sheets in Texas for Ann 18, 11, pp 260–264 compressibility of, above 100°, and its solvent action on glass Bull 92, pp 78–84	
pp 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 82 Opal Spring	
Opal Spring       Mon x1, opp p 176         Pelican Creek (hot spring)       Bull 47, pp 78, 82         Shoshone Basin (geyser)       Bull 47, pp 70, 82         Soda Butte (hot spring)       Bull 47, pp 81         Terrace Springs (hot spring)       Bull 47, pp 56, 82         Upper Geyser Basin (geyser and hot spring)       Ann 9, p 655;         Bull 47, pp 60, 62, 64, 65, 66, 67, 68, 69, 72, 82         Yellowstone Lake       Bull 47, p 74         capacity of rocks for absorbing       Ann 21, vii, pp 389-390         of various rock sheets in Texas for       Ann 18, ii, pp 260-264         compressibility of, above 100°, and its solvent action on glass       Bull 92, pp 78-84	
Pelican Creek (hot spring) Bull 47, pp 78, 82 Shoshone Basin (geyser) Bull 47, pp 70, 82 Soda Butte (hot spring) Bull 47, pp 81 Terrace Springs (hot spring) Bull 47, pp 56, 82 Upper Geyser Basin (geyser and hot spring) Ann 9, p 655; Bull 47, pp 60, 62, 64, 65, 66, 67, 68, 69, 72, 82 Yellowstone Lake Bull 47, p 74 capacity of rocks for absorbing Ann 21, vii, pp 389–390 of various rock sheets in Texas for Ann 18, ii, pp 260–264 compressibility of, above 100°, and its solvent action on glass Bull 92, pp 78–84	
Shoshone Basin (geyser)       Bull 47, pp 70, 82         Soda Butte (hot spring)       Bull 47, pp 81         Terrace Springs (hot spring)       Bull 47, pp 56, 82         Upper Geyser Basin (geyser and hot spring)       Ann 9, p 655;         Bull 47, pp 60, 62, 64, 65, 66, 67, 68, 69, 72, 82         Yellowstone Lake       Bull 47, p 74         capacity of rocks for absorbing       Ann 21, vii, pp 389-390         of various rock sheets in Texas for       Ann 18, ii, pp 260-264         compressibility of, above 100°, and its solvent action on glass       Bull 92, pp 78-84	Pelican Creek (hot spring)
Soda Butte (hot spring)       Bull 47, p 81         Terrace Springs (hot spring)       Bull 47, pp 56, 82         Upper Geyser Basin (geyser and hot spring)       Ann 9, p 655;         Bull 47, pp 60, 62, 64, 65, 66, 67, 68, 69, 72, 82         Yellowstone Lake       Bull 47, p 74         capacity of rocks for absorbing       Ann 21, vii, pp 389-390         of various rock sheets in Texas for       Ann 18, ii, pp 260-264         compressibility of, above 100°, and its solvent action on glass       Bull 92, pp 78-84	
Terrace Springs (hot spring)	
Upper Geyser Basin (geyser and hot spring)	
Bull 47, pp 60, 62, 64, 65, 66, 67, 68, 69, 72, 82 Yellowstone Lake	
Yellowstone Lake	
capacity of rocks for absorbing	
of various rock sheets in Texas for	capacity of rocks for absorbing
compressibility of, above 100°, and its solvent action on glassBull 92, pp 78-84	

·
Water, determination of, in mineral analysis, apparatus forBull 78, pp 84-86
distribution, measurement, and application of, in irrigation
111, pp 268–283
flow of, through porous soils or rock, theoretical investigation ofAnn 19,
II, pp 295–384
through rocks
through sand, rate of
through sand and rock, rate of
through wire gauze, sandstone, sand, capillary tubes, etc., experi-
ments on
flow of, lateral, through sands, rate of
legal control of, in Arizona
in Colorado
in Wyoming
loss of, from artificial channels, in New York
measurements of, tables for converting units used in
ownership of, in New York
percolation of, into undisturbed field soil
pumping, for irrigation
residue from, analysis of, from Philippine Island, Taal Volcano. Ann 21, 111, p 535
solubility of certain natural silicates inBull 167, pp 159–160
storage of, for irrigation purposes
in Arizona, Gila River
in California, Cache Creek
in Maine lakes
in Nevada, on Humboldt River
on Rock Creek
in New Mexico, Mesilla Valley
in New York
on Genesee River
on Hudson River
(See, also, Irrigation; Reservoir.)
stored in the ground, amount of
uses of
weight of, apparent, at different temperaturesAnn 14, 11, p 72
Water, artesian, chemical impregnations of
conditions, requisite and qualifying, of artesian wellsAnn 5, pp 125–173
general principles of
in Colorado, eastern, distribution, quality, etc., ofAnn 17, 11, pp 580–595
Elmoro quadrangle
Pueblo quadrangle
Walsenburg quadrangleGF 68, p 6
in Great Plains region
in North and South Dakota, use of, for irrigationMon xxv, pp 545-547
in Red River Valley, sources of
in western United States, for irrigation, and in various countriesAnn 11,
п, pp 257–278
temperature of
(See, also, Water, underground.)
Water, ground, depth to which it penetrates
effect of precipitation on
geologic conditions governing, and method of locating
in eastern Colorado, general conditions, etc., ofAnn 17, 11, pp 595–601
in Great Plains region
m Growt Lamb 10810111111111111111111111111111111111

Water, motion of, theoretical investigation of	
movements of, gravitational, thermal, and capillar	
movements of, principles and conditions of	
Water, river, general chemistry of	
Water, running, transportation by	Mon xxxiv, pp 13-18
Water, sea, analysis of	Bull 78, p 35
Water, seepage, of northern Utah	
Water, spring, general chemistry of	
Water, underground, action of	
classification ofAnn 18, IV, p	
in California, Arroyo Seco and Pasadena Mesa	Ann 20, 1v, pp 543–549
in Colorado	
Arkansas Valley	
in District of Columbia	GF 70, p 7
in Great Plains, a portion of	Ann 16, 11, pp 548–550, 557–565
in Illinois-Indiana, Danville quadrangle	GF 67, pp 7–9
in Kansas, southwestern	WS 6
in Maryland, Fredericksburg quadrangle	
Nomini quadrangle	
Washington (D. C.) quadrangle	GF 70, p 7
in Nebraska, southeastern, portion of	
in South Dakota, Black Hills, southern part	
in Texas, Rio Grande Plain and Edwards Plateau	
Nueces quadrangle	
in Virginia, Fredericksburg quadrangle	GF 13, p 6
Nomini quadrangle	GF 23, p 4
Washington (D. C.) quadrangle	
in Wyoming, Black Hills, southern part	
principles governing	Ann 21, vii, pp 387–394
Water-bearing formations, character of	
of Great Plains	Ann 16, 11, pp 580–585
Water horizons in southeastern Nebraska	WS 12. pp 24–48
Water lifts and pumps used in irrigation, new tests of.	
Water-power streams of Maine	
Water powers in California, Kern River	
in California, San Bernardino Valley	
San Joaquin River	
in Georgia, Altamaha Basin	
Ocmulgee River	
Oconee River	Ann 20, IV, pp 167–168
Savannah Basin	
Tugaloo River	
Yellow River	
in Kansas, Verdigris River	
in Michigan	
in New York, Erie Canal	
Hudson River, tributaries of	WS 24, pp 37, 40, 41
Niagara River	
price and possible development of	
St. Lawrence River	
in North Carolina, Cape Fear River Basin	
Catawba River Basin	Ann 19, IV, pp 204–212
eastern	Bull 140, pp 65–66
Knoxville quadrangle	GF 16, p 6

Bull. 177—01——53

Water powers in North Carolina, Roanoke River Basin	
in North Carolina, Yadkin River Basin	
in South Carolina, Broad River Basin	
Catawba River Basin	
Saluda River	Ann 19, IV, pp 221–222
Yadkin River Basin	Ann 19, iv, pp 194–200
in Tennessee, Knoxville quadrangle	GF 16, p 6
Loudon quadrangle	
Morristown quadrangle	
in Virginia, Roanoke River Basin	
in Virginia-West Virginia, Shenandoah BasinAnn	
on Potomac River	
Water resources of Great Plains, portion of	
of Illinois	
of Indiana and Ohio	
of Michigan, Lower Peninsula	
of Nebraska, west of 103d meridian	Ann 19, iv, pp 719–785
of New York	WS 24 and 25
of Ohio and Indiana	Ann 18, IV, pp 419–559
of Porto Rico	
of South Dakota, Black Hills, southern part	
southeastern portion of	
of Wyoming, Black Hills, southern part	Ann 91 rv nn 569 579
Water-right problems of Bighorn Mountains	
Water supply, conditions of, dangerous	
for irrigation	Ann 13, 111, pp 1–99
for Southern Ute Indian Reservation, investigation of	
of Bitterroot Forest Reserve	
of California, Marysville quadrangle	GF 17, p 2
Mono Lake	
San Bernardino Valley	Ann 19, iv, pp 540–632
of Colorado River	
of Idaho, Boise quadrangle	
of public lands	Ann 16 ut pp 457–533
of Texas, Uvalde quadrangle	GF 64 nn 5-6
of United States, eastern (cistern)	
of Utah, Uinta Indian Reservation	Ann 21, iv, pp 305–330
(See, also, Hydrography; Irrigation.)	
Water vapor, influence of, in producing fayalite and v	
obsidian	
rôle of, in molten magmas	Bull 66, pp 26–29
Water wheels in irrigation, types of	
Waterlime formation of IndianaAnn 8, p	633: Ann 11, 1, pp 633–634
of Ohio	
Waters from different depths, characteristics of	
of Comstock lode, source and temperatures ofM	
of Muir Inlet, Alaska, soundings, temperatures, and a	
	1, pp 452–458
of rivers, springs, oceans, and inland seas, chemistry	
of Yellowstone Park, analyses of, with account of met	
ownership of inland, by State of New York	
Waters and wells, artesian, for irrigation in western Un	
various countries	Ann 11, 11, pp 257–278

Waters, mineral, economic value of
of California, on veins of Nevada City district
of Michigan, lower
of Montana, Little Belt Mountains quadrangleGF 56, pp 8-9
of Porto Rico
of United States, chemical composition of
of United States, chemical composition of
lists and analyses of
natural
statistics of
pp 536–543; MR 1886, pp 715–721; MR 1887, pp 680–687;
MR 1888, pp 623-630; MR 1889-90, pp 521-535; MR 1891,
pp 601-610; MR 1892, pp 823-834; MR 1893, pp 772-794;
Ann 16, IV, pp 707-721; Ann 17, III cont, pp 1025-1044;
Ann 18, v cont, pp 1369–1389; Ann 19, v cont, pp 659–680;
Ann 20, vi cont, pp 747–769, Ann 21, vi cont, pp 597–622
Waters, natural, treatment of, in analysis
Waters, potable, of eastern United States
Waters, rock, of Ohio
Waters, surface, and irrigation in Black Hills, southern part Ann 21, IV, pp 574-578
Wave motion, especially in solid media, nature and mcchanism of Ann 9, pp 390-409
Waverly formation of Indiana
of Kentucky
of Tennessee
Waverly group, history of discussions concerningBull 80, pp 62-63, 173-192
in Ohio, as a water bearer
Waves, effect of, on harbors
work of, on shoresAnn 5, pp 80-99; Mon 1, pp 29-60; Mon x1, pp 88-99
Wealden of England, comparison of Potomac formation of America withAnn 16,
ı, pp 471–500
origin, mode of deposition, and lithologic character ofAnn 16, 1, pp 475-480
Weathering of igneous rocks, description and illustration of spheroidalBull 150,
nn 295 297
of limestone, differential
of rocks, and origin of red color of certain formations
of California, Nevada City and Grass Valley districtsAnn 17, 11, pp 95–96 of Grand Canyon, analysis and results of
pp 161–166; Mon п, pp 245–249
of Maine
of Maryland (granites)
of Utah, Tintic districtAnn 19, 111, pp 664-665
of Virginia, Richmond BasinAnn 19, 11, pp 506-509
producing nodules, discussion of
of shale from Dry Creek, California, description of spheroidal Bull 150, p 387
products of, in massive rocksBull 62, pp 213–214
(See, also, Degradation.)
Webber Lake, engineering plans and estimates for reservoir atAnn 13, 111, p 392
survey of, for reservoir site
Webberville formation in TexasAnn 18, 11, pp 241–243; Ann 21, vii, p 344
Weber conglomerate of Eureka district, Nevada, age, character, thickness, etc.,
of
Weber formation of Colorado Mon xxxi, pp 30–33; GF 9, pp 6, 9; GF 48, p 1
Weber grits, shales, and quartzite of Colorado, Leadville district
pp 216, 217, 219; Mon XII, pp 67, 68-69

Waken Birron 11tch flow of manufacture of Aug 11 vs 100, Aug
Weber River, Utah, flow of, measurements of
12, 11, pp 334, 336, 353, 360; Ann 13, 111, pp 96, 99; Ann 14,
и, pp 122–123; Ann 18, iv, pp 323–325; Ann 19, iv, pp
440–441; Ann 20, IV, pp 60, 61, 466; Ann 21, IV, pp 397–398;
Bull 131, pp 57–58; Bull 140, pp 231–233; WS 11, p 78;
WS 16, p 161; WS 28, pp 151, 153, 154; WS 38, pp 337–338
Webster (A. L.), altitudes and their determination
Webster (T.), quoted on fossil forests of Isle of Wight
Websterite, analyses of, from Maryland, Baltimore, vicinity of
p 674; Bull 78, p 122; Bull 148, p 84; Bull 168, p 43
analysis of, from Maryland, Cecil CountyBull 168, p 43
from North Carolina, Webster. Bull 78, p 122; Bull 148, p 92; Bull 168, p 53
Weed (W. H.), descriptions of rock specimens in educational series byBull 150,
pp 91–93, 99–101
geology of Butte district, MontanaGF 38, pp 1-3
geology of Fort Benton quadrangle, MontanaGF 55
geology of Little Belt Mountains, Montana, with notes on mineral deposits
of Neihart, Barker, Yogo, and other districtsAnn 20,
III, pp 257–461
, <u></u>
geology of Little Belt Mountains quadrangle, Montana
glaciation of Yellowstone Valley north of the parkBull 104
Laramie and Livingston formations in MontanaBull 105
mineral vein formation at Boulder Hot Springs, MontanaAnn 21,
п, pp 227–255
sedimentary rocks of Yellowstone ParkGF 30, pp 4-5
travertine and siliceous sinter of hot springs
work in charge of, 1893–1900
Ann 16, 1, pp 28–29; Ann 17, 1, pp 38–39; Ann 18, 1, pp
37–40; Ann 19, 1, p 42; Ann 20, 1, p 46; Ann 21, 1, pp 79–80
Weed (W. H.) and others; descriptive geology, petrography, and paleontology
of Yellowstone Park
Weed (W. H.) and Pirsson (L. V.), geology and mineral resources of Judith
Mountains, MontanaAnn 18, 111, pp 437–616
geology of Castle Mountain mining district, Montana
Weed (W. H.), Iddings (J. P.), and Hague (A.), geology of Livingston quad-
rangle, MontanaGF 1
Weeks (F. B.), bibliography and index of North American geology, paleon-
tology, petrology, and mineralogyfor 1892–1893, Bull 130;
for 1894, Bull 135; for 1895, Bull 146; for 1896, Bull 149;
for 1897, Bull 156; for 1898, Bull 162; for 1899, Bull 172
occurrence of tungsten ore in eastern NevadaAnn 21, vi, pp 319-320
Weeks (J. D.), glass materials, statistics of
pp 958–977; MR 1885, pp 544–557
coke, manufacture of, statistics of
pp 144-213; MR 1885, pp 74-129; MR 1886, pp 378-438;
MR 1887, pp 383-435; MR 1888, pp 395-441; MR 1891,
pp 357-402; MR 1892, pp 551-602; MR 1893, pp 415-460;
Ann 16, IV, pp 218-304; Ann 17, III cont, pp 543-620
manganese, statistics of
pp 303–356; MR 1886, pp 180–213; MR 1887, pp 144–167;
pp 200-200, mit 1000, pp 100-210, mit 1001, pp 144-101;
MR 1888, pp 123–143; MR 1889–90, pp 127–136; MR
1891, pp 126–146; MR 1892, pp 169–226; MR 1893, pp
119–155: Ann 16, 111, pp 389–457: Ann 17, 111, pp 185–225

Weeks (J. D.), natural gas, statistics of
pp 155–179; MR 1886, pp 488–516; MR 1887, pp 464–502;
MR 1888, pp 481–512; MR 1889–90, pp 366–372; MR 1891,
pp 436–451; MR 1892, pp 652–698; MR 1893, pp 534–
543; Ann 16, IV, pp 405-429; Ann 17, III cont, pp 733-750
petroleum, statistics of
436–463; MR 1888, pp 442–480; MR 1889–90, pp 287–365;MR
1891, pp 403-435; MR 1892, pp 603-651; MR 1893, pp 461-
533; Ann 16, IV, pp 315-404; Ann 17, III cont, pp 621-731
Potomac and Roaring Creek coal fields in West Virginia. Ann 14, 11, pp 567-590
Wehrlite, analysis of, from Massachusetts, New BraintreeBull 148,
p 77; Bull 168, p 33
analysis of, from Michigan, Crystal Falls districtBull 168, p 67
from Montana, Red BluffBull 148, p 140; Bull 168, p 114
thin section of, from Michigan, Crystal Falls district Mon xxxv, pp 320-321
Weidman (S.), description of metarhyolite, as one of educational series of
rocks
Weirs for diverting water into irrigating canals
Weiser River, Idaho, flow of, measurements of
II, pp 89–92, 106; Ann 12, II, pp 344, 358, 360; Ann 13,
III, pp 98, 99; Ann 18, IV, pp 352-354; Ann 19, IV, pp
456–458; Ann 20, IV, pp 62, 488–489; Ann 21, IV, pp 412–413;
Bull 131, p 66; Bull 140, pp 238–239; WS 11, p 84; WS
16, p 171; WS 28, pp 162, 168, 170; WS 38, pp 359–360
Weisner quartzite of Alabama Bull 81, p 251 Welch formation of Virginia and West Virginia GF 44, pp 3, 5
Well boring and irrigation in eastern South Dakota in 1896Ann 18, IV, pp 561-615
Well drilling, especially in Texas, practical suggestions forAnn 18, 11, pp 319–321.
Weller (S.), bibliographic index of North American Carboniferous inverte-
bratesBull 153
Wellersburg coal basin, Pennsylvania, extent and production ofAnn 14, 11, p 578
Wellesley formation of Alaska, character, correlation, etc., of
pp 470–472; Alaska (2), p 68
Wells, conditions, requisite and qualifying of artesian
Mon xxxviii, pp 555-556
construction and management of artesian, remarks onAnn 17, 11, pp 691-694
flow of artesian, and their mutual interference, theoretical investigation
of
flow of water into, rate of
interference of two, in sandstone
irrigation by artesian
of Arizona
of Atlantic Coastal Plain (artesian)
of California, Pasadena Mesa Ann 20, IV, pp 546–549 San Bernardino Valley Ann 20, IV, p 559
of Colorado, Denver Basin (artesian), development, conditions, etc. Mon xxvii,
pp 401–465
records of
of Great Plains, portion of
of Idaho, Boise quadrangle (artesian)
of Illinois, artesian and other
discussion of, by counties
of Illinois-Indiana, Danville quadrangle, tabulated data concerning. GF 67, pp 9-10

W. II. of T. Jiman models of
Wells of Indiana, northern WS 21
of Indiana, southern WS 26
of Indiana and Ohio
of Kansas (artesian)
Meade County
records of
of Massachusetts, Dalton fault (artesian)Bull 159, pp 90–92
western (artesian)
of Michigan, in Pleistocene
temperatures of
of Minnesota
Red River Valley (artesian and common)
salt in, sources of (artesian)
of Nebraska
records of
southeastern, depth of
of North Dakota
Red River Valley (artesian and common)
salt in, sources of (artesian)
of Ohio (flowing)
of Ohio and Indiana
of South DakotaAnn 11, 11, pp 268–270; Bull 144, pp 58–61
southeastern (artesian)
of Texas
(artesian)
Uvalde quadrangleGF 64, p 6
United States, eastern (artesian and deep pump)Ann 14,11, pp 44-47
of Virginia, Fort Monroe (artesian)Bull 145, pp 44–45
of Washington, Moxee Valley (artesian)Ann 19, IV, p 468; Ann 20, IV, p 508
southeastern (artesian)
sinking of, art of
methods of, in MichiganWS 30, pp 69-70
value of, in reclamation of public lands in Western States. Ann 16, $\pi$ , pp 499–502
(See Artesian.)
Wells and well prospects in the Dakotas
Wells and windmills in Nebraska
Wenache River, flow of, measurements ofAnn 19, 1v, pp 489–490; WS 16, p 178
Wenas Creek, Washington, irrigation from
Weno beds of Texas
West Canada Creek, New York, flow of, measurements of
West Denver quadrangle, Colorado, physiography of
West Elk Mountains, Colorado, geology of
West Fork series of rocks of Alaska
West Indies, fossil plants of, literature of
geologic maps of, listedBull 7, pp 146–148
West Virginia, altitudes in
pp 217–229; Ann 20, 1, pp 363–370; Ann 21, 1, pp 426–427, 446,
447–455; Bull 5, pp 314–316; Bull 76; Bull 160, pp 745–751
atlas sheets of. (See pp 98–99 of this bulletin.)
barite in Tazewell quadrangle
bituminous coal field in Pennsylvania, Ohio, and West Virginia, stratig-
raphy of
boundary lines of
20

West Virginia; brick, use of, for street pavingMR 1892, p 724
brick industry of
bromine industry of
851–852; MR 1885, pp 846–847; MR 1886, p 642; MR 1887,
p 626; MR 1888, p 613; MR 1889–90, p 493; MR 1891, p 579
Buckhannon quadrangle, geology of
building stone at World's Columbian Exposition
in Buckhannon quadrangle
in Franklin quadrangle
in Harpers Ferry quadrangleGF 10, pp 4, 5
in Monterey quadrangle
in Piedmont quadrangleGF 28, p 5
in Pocahontas quadrangle
statistics of
1887, p 521; MR 1889-90, pp 373, 437-438; MR 1891, pp 461,
463, 464, 468; MR 1892, pp 710–711; MR 1893, pp 553, 556;
Ann 16, IV, p 437 et seq; Ann 17, III cont, p 761 et seq; Ann
18, v cont, p 951 et seq; Ann 19, vi cont, p 207 et seq; Ann
20, vr cont, pp 271, 336 et seq; Ann 21, vr cont, p 335 et seq
cement production of, statistics of
1892, p 739; MR 1893, p 619; Ann 16, IV, p 577; Ann 17,
111 cont, p 891; Ann 18, v cont, p 1178; Ann 19, vi cont,
p 495; Ann 20, vi cont, p 547; Ann 21, vi cont, p 408
Charleston quadrangle, physiography of
Cheat River, flow of, measurements of
clay in Buckhannon quadrangle
in Franklin quadrangle
in Harpers Ferry quadrangle
in Monterey quadrangle
in Piedmont quadrangle
clay deposits and production of, statistics of
p 515; MR 1893, p 611; Ann 16, 1v, pp 518, 519, 520, 521;
Ann 17, III cont, pp 821 et seq, 869-870; Ann 18, v cont,
p 1078 et seq; Ann 16, vi cont, pp 319 et seq, 373; Ann 20,
vi cont, pp 467 et seq, 535; Ann 21, vi cont, pp 362, 363
coal, area and statistics of
MR 1882, pp 83–85; MR 1883–84, pp 12, 90–98; MR 1885, pp
11, 71; MR 1886, pp 225, 230, 369-374; MR 1887, pp 169, 171,
373–379; MR 1888, pp 169, 171, 385–389; MR 1889–90, pp 147,
277–280; MR 1891, pp 180, 341–351; MR 1892, pp 264, 267,
268, 531-546; MR 1893, pp 188, 189, 194, 195, 197, 199, 200,
391–407; Ann 16, IV, pp 7 et seq, 202–208; Ann 17, III, pp
287 et seq, 529-536, 542; Ann 18, v, pp 353 et seq, 621-
628; Ann 19, vi, pp 277 et seq, 530-539; Ann 20, vi, pp
299 et seq, 497–504; Ann 21, vr, pp 324 et seq, 508–514
description and analyses of Quinnimont-Fire CreekAnn 17, 11, pp 491-493
(Sewell)
in Buckhannon quadrangleGF 34, p 3
in Franklin quadrangleGF 32, p5
in Huntington quadrangleGF 69, pp 5–6
in Monterey quadrangleGF 61, p 7
in Piedmont quadrangleGF 28, p 5
in Pocahontas quadrangle
in Tazewell quadrangleGF 44, pp 4-5
, The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the

	mac and Roaring CreekAnn 14, 11, pp 567-5
	Bull 80, pp 87–
coal mining in Ka	nawha Valley
	of, in the Upper Potomac regionAnn 14, 11, pp 587-5
manufacture o	f, statistics ofMR 1883-84, pp 207-21
•	MR 1885, pp 80, 120–129; MR 1886, pp 378, 384, 424–42
	MR 1887, pp 383, 389, 422–431; MR 1888, pp 395, 427–44
•	MR 1891, pp 360, 366, 396–401; MR 1892, pp 555 et se
•	595, 601; MR 1893, pp 418 et seq, 454–459; Ann 16, r
	pp 225 et seq, 293-303; Ann 17, 111 cont, pp 544 et se
	611-618; Ann 18, v cont, pp 661 et seq, 736-744; Ann 1
	vi, pp 548 et seq, 631–640; Ann 20, vi, pp 512 et seq, 598
	606; vi cont, p 228; Ann 21, vi, pp 523 et seq, 622-6
	Ferry quadrangleGF 10, p
	eld, extent, production, etc., ofAnn 14, 11, pp 579-58
	Harpers Ferry quadrangleGF 10, p
	ions inAnn 5, pp 64–66; Ann 6, p
	gle, geology ofGF
gas, illuminating a	nd fuel, and by-products in, statistics ofAnn 2
•	vi cont, p 228 et se
	file ofWS 44, p
geographic position	ns in
geologic maps of, l	istedBull 7, pp 109, 111, 1
	p, geologic, of West Virginia.)
	n. (See Section, geologic, in West Virginia.)
geologic and paleo	ntologic investigations inAnn 5, pp 52, 5
	Ann 6, pp 24, 25, 31, 36; Ann 7, pp 65, 67; Ann 8, 1, p 13
	Ann 9, p 77; Ann 10, 1, pp 119–120; Ann 12, 1, pp 55–7
	Ann 15, p 141; Ann 16, 1, pp 17–18; Ann 17, 1, pp 22–25, 2
	Ann 19, 1, p 34; Ann 20, 1, pp 37–38; Ann 21, 1, pp 70, 71–7
Georges Creek and	Cumberland coal field, extent and production ofAnn 1
	11, p 5'
	Ritchie County, account of
Greenbrier River	flow of, measurements ofAnn 1
	ıv, pp 111–113; Ann 19, ıv, pp 253–254; Ann 20, ıv, pp 5
	204; Ann 21, IV, pp 158–159; Bull 140, pp 77–78; WS 1
	p 41; WS 15, p 58; WS 27, pp 61, 65; WS 36, pp 163-16
	rofile ofWS 44, p
Harpers Ferry qua	drangle, geology ofGF
	angle, geology ofGF
iron and steel from	n, statistics of
	p xxviii; MR 1882, pp 120, 125, 129, 130, 131, 133, 134, 13
	136, 137; MR 1883–84, p 252; MR 1885, pp 182, 18
•	186; MR 1866, pp 18, 33, 81; MR 1887, pp 11, 16; MR 188
	pp 14, 17, 23; MR 1889–90, pp 10, 12, 17, 24, 34; MR 189
	pp 12, 27, 54, 55, 61; MR 1892, pp 12, 13, 15, 17, 18, 21, 2
	35, 36, 37; MR 1893, pp 15, 20, 26, 28, 38, 39; Ann 16, 111, p
	31, 41, 192, 194, 197, 203, 208, 249, 250; Ann 17, III, pp 2
•	47, 48, 57, 63, 68; Ann 19, vi, pp 65, 68, 72; Ann 20, vi, p
	74, 75, 82, 83, 84, 85; Ann 21, vi, pp 34, 46–48, 52, 53, 90, 9
	in quadrangleGF 32, p
	rry quadrangleGF 10, p

West Virginia; iron or	e in Monterey quadrangle	GF 61, p 7
iron ore in Piedmo	nt quadrangle	GF 28, p 5
in Staunton qu	adrangle	GF 14, p 3
		GF 44, p 4
Kanawha River, i	nprovement of	MR 1892, pp 540–546
		WS 44, pp 46–47
		GF 34, p 3
in Frankini qu	aurangie	GF 32, p 5
in Monterey q	uadrangie	GF 61, p 7
production of.		), pp 373, 437; MR 1891, pp 464,
		1893, p 556; Ann 16, IV, pp 437,
		cont, pp 761, 788, 790. 791; Ann
	18, v cont, pp 951, 1044, 1	046, 1047, 1067–1068; Ann 19, vi
	cont, pp 207, 281, 282, 283,	308; Ann 20, vi cont, pp 271, 342,
		vi cont. pp 335, 357, 358, 359, 360
Little Kanawha, R		WS 44, p 49
		Ann 17, 1, pp 433–435
magnetic declination	)N 1N	
		GF 32, p 5
manganese-ore pro-		Ann 16,
		ш, pp 187, 205; Ann 18, v, p 292;
		20, vi, p 126; Ann 21, vi, p 130
	(See Map, geologic, of Wes	
maps, topographic,	of. (See Map, topographic,	of West Virginia; also list
	on pp 98-99 of this bulleting	
marble production		Ann 19, vi cont, pp 246–248
		Ann 20, 1, pp 233–254
		Ann 14, 11, p 88
		Bull 32,
mineral springs of,		
		985; MR 1885, p 541; MR 1886,
		MR 1888, p 629; MR 1889–90, p
		; MR 1892, pp 824, 832; MR 1893,
	pp 774, 783, 784, 794; An	n 16, IV, pp 709, 719, 720; Ann
	17, 111 cont, pp 1027, 1040	, 1041; Ann 18, v, pp 1371, 1385,
	1386; Ann 19, vr cont, pr	661, 676, 677; Ann 20, vi cont,
		, vi cont, pp 600, 617-618, 619
minerals of useful		op 743–745; MR 1887, pp 804–806
		83–84, pp 236, 237, 243; MR 1885,
naturar-gas rocarret	201. MD 1006 - 504. MT	R 1887, pp 466, 484; MR 1889–90,
		IR 1892, p 676; MR 1893, p 536;
		n 17, 111 cont, pp 734, 735, 747–748;
		1, 903, 904, 914; Ann 19, vi cont,
		81; Ann 20, vi cont, pp 207, 209,
		ont, pp 299, 301, 302, 304, 307–309
New River, flow of	, measurements of	Ann 18,
	ıv, pp 113-115; Ann 19, ıv	r, pp 255-256; Ann 20, rv, pp 51,
	203; Ann 21, iv, pp 157-1	158; Bull 140, pp 78–80; WS 11,
		7, pp 62, 65; WS 36, pp 164-165
profile of		
		Ann 17, 11, pp 473–511
		GF 10, p 4
		Ann 20, vi cont, pp 35–36
on and gas nonzon	~ ***	pp 00-00

West Vincipie, notrolous les	ealities and statistics of	· M/D 1000
west virginia; petroleum 100		
	p 189; MR 1883–84, p 216; MR 1885, pp	•
	1886, p 441; MR 1887, pp 438, 451, 463; M	R 1889–90, pp
	292, 329-332; MR 1891, pp 405, 407, 431;	MR 1892, pp
	604, 606, 611, 639–640; MR 1893, pp 465,466	
	Ann 16, IV, pp 317, 319, 320, 347–348; Ann	
•		
	pp 623–625, 626, 628, 630, 667–670; Ann 18,	
	751, 752, 753, 755, 765–767, 799–803; Ann 1	9, vr cont, pp
	2, 5, 6, 8, 9, 11, 22–25, 27, 55–59; Ann 20, v	1 cont, pp 3, 4,
	5, 7, 9, 35-42, 45; Ann 21, vicont, pp 4, 5, 6,	7, 11, 12, 44–60
Piedmont anadrangle ge	cology of	
	geology of	
	measurements ofAnn 18, IV, pp 19–2	
	Bull 140, pp 44–45; WS 15, pp 17–18; WS	
pollution of	Ann 19, IV, pp 13	8–140, 155–161
rainfall and run-off in th	e basin of Kanawha RiverAnn 20,	iv, pp 199–202
	RiverAnn 20,	
	n quadrangle	
	adrangle	
	ngle	
	ngle	
salt from, statistics of	MR 1882, pp 532	-534, 539-541;
MI	R 1883–84, pp 827, 839–840; MR 1885, pp	474, 479; MR
	36, pp 628, 637; MR 1887, pp 611, 620;	
	7-598, 604; MR 1889-90, pp 482, 488; MF	
	R 1892, pp 793, 794, 799; MR 1893,	
	1, 726; Ann 16, IV, pp 647, 648, 649, 655	
	nt, pp 985, 986, 987, 988, 989, 990, 9	
v c	cont, pp 1274, 1275, 1276, 1277, 1278, 128	30, 1281; Ann
19,	vi cont, p 588 et seq; Ann 20, vi cont,	pp 670, 671,
	4, 675, 676, 677, 678; Ann 21, vi cont,	
	ofAnn 18, v cont	
	, statistics of	
	R 1887, p 521; MR 1889–90, pp 374, 438; MF	
	3; MR 1892, p 710; MR 1893, p 553; Ann	
484	4, 485, 492; Ann 17, 111 cont, pp 761, 775,	777, 778, 780;
	n 18, v cont, pp 951, 1012, 1013, 1014, 10	
COI	nt, pp 207, 264, 265, 266, 279; Ann 20, vi cor	ıt, pp 271, 336,
337	7, 338, 341; Ann 21, vi cont, pp 335, 353,	354, 355, 356
	(See Section, geologic, in West Virginia.)	
	Weston	WS 22, p 74
	of, measurements of	
	in 19, iv, pp 150–151; Bull 131, p 89; Ann	
105	7–128; Ann 21, IV, pp 96–97; Bull 140, pp 5	20, 1v, pp 110,
12	7-126; Ann 21, 17, pp 90-97; Bull 140, pp 96	5-54; W S 11, p
	WS 15, p 19; WS 27, pp 20, 23–24, 25; W	
	powers in basin ofAnn 19, iv, p	
	adrangle	
	ngle	
of Huntington qua	drangle	GF 69, p 6
	angle	
of Piedmont quadr	angle	GF 28, pp 5-6
	Irangle	
	ngle	
	ngle	
Staunton anadranala ee	eology of	GF 14
beaution quantangle, ge	,0106j 01	

West Virginia; survey of, by cooperation of the State
Tazewell quadrangle, geology of
timber in, estimates of
topographic maps of. (See Map, topographic, of West Virginia; also list on pp 98-99 of this bulletin.)
topographic work in
Ann 7, pp 50, 51, 53; Ann 8, 1, p 101; Ann 9, p 53; Ann 10, 1,
p 92; Ann 11, 1, p 37; Ann 12, 1, p 27; Ann 13, 1, p 72; Ann
14, 1, p 172; Ann 16, 1, pp 64, 68, 69, 71; Ann 17, 1, pp 97, 99-
100; Ann 18, r, pp 94, 96, 102; Ann 19, r, pp 89, 91, 98–99; Ann
20, I, pp 101, 102, 110, 111; Ann 21, I, pp 119, 125–126, 127
triangulation in
Wheeling, deep well (4,471 feet) at, determination of underground tem-
perature gradients at
ı, p 63; Ann 13, ı, pp 95–97; Ann 14, ı, p 159
Semet-Solvay by-product coke ovens at
woodland area in
Westanite, chemical constitution of
Western granite in Michigan and Wisconsin, Penokee district. Mon xix, pp 106-107
Western green schist in Michigan and Wisconsin, Penokee districtMon xix,
pp 107–111
Western sandstone of Lake Superior region
pp 155–156; Mon v, pp 365–366; Bull 81, pp 197, 198, 252
Wet Mountain Valley, Colorado, description and geology of
11, pp 270–272, 391–403
Wet and Sangre de Cristo mountains, Colorado, Archean and Algonkian litera-
ture ofBull 86, pp 313–314
Weverton sandstone in Virginia, Maryland, and West Virginia
и, pp 329-333; GF 10, pp 2-3
Wewe slate of Michigan, petrographic character, relations, etc., ofAnn 15, pp 530-
540; Mon xxviii, pp 256–282; Mon xxxvi, pp xxv, xxvi
Weyquosque series of Massachusetts, Marthas Vineyard, age, distribution,
character, etc., of Ann 7, pp 320, 340-342;
Ann 17, 1, pp 960-964; Bull 84, pp 37, 330, 337
Wharton (J.), nickel and cobalt, statistics of
Wheatstone, Mount, Colorado, structure and rocks ofAnn 14, 11, pp 192-193
Whetstones and oilstones, statistics of
1891, pp 553-555; MR 1892, pp 750-751; MR 1893, pp 672-
674; Ann 16, IV, pp 588-590; Ann 17, III cont, pp 931-933;
Ann 18, v cont, pp 1224-1227; Ann 19, vr cont, pp 520-523;
Ann 20, vr cont, pp 613-615; Ann 21, vr cont, pp 463, 472-478
Whetstone-schist of Massachusetts, westernMon xxix, pp 186–187, 220–221
White (C. A.), Bear River formation and its characteristic faunaBull 128
correlation papers, CretaceousBull 82
fossil Ostreidæ of North America
fresh-water invertebrates of North American JurassicBull 29
geology and physiography of portions of Colorado, Utah, and WyomingAnn 9,
pp 677–712
invertebrate fossils from Pacific coastBull 51
marine Eocene, fresh-water Miocene, and other fossil Mollusca of western
North America
Mesozoic and Cenozoic paleontology of CaliforniaBull 15
Mesozoic fossils
new Cretaceous fossils from CaliforniaBull 22

White (C. A.), nonmarine fossil Mollusca of North America
pp 403–550; Bull 18, pp 17–19 quoted on fossils from Alaska
quoted on tossils from Alaska
relation of Laramie Molluscan fauna to that of succeeding fresh-water
Eocene and other groupsBull 3-
remarks on genus Aucella, with especial reference to its occurrence in Cali-
fornia
Texan Permian and its Mesozoic types of fossils
work in charge of, 1882-92
Ann 6, pp 72–74; Ann 7, pp 117–120; Ann 8, 1, pp 178–181
Ann 9, pp 120-123; Ann 10, 1, pp 162-165; Ann 11, 1, pp
107-109; Ann 12, 1, pp 112-115; Ann 13, 1, pp 140-142
White (D.), flora of outlying Carboniferous basins of southwestern Missouri. Bull 98
fossil flora of Lower Coal Measures of Missouri
fossil plants of Danville quadrangle, Illinois-IndianaGF 67, p 3
report on fossil plants from McAlester coal field, Indian Territory, col-
lected in 1897
stratigraphic succession of fossil floras of Pottsville formation in southern
anthracite coal field, PennsylvaniaAnn 20, 11, pp 749-930
work in charge of, 1893-1900
180–182; Ann 16, I, pp 20–21; Ann 17, I, pp 24–25; Ann 18,
1, pp 26–27; Ann 19, 1, p 33; Ann 20, 1, p 36; Ann 21, 1, p 71
White (I. C.), comparative stratigraphy of bituminous coal field of northern
half of Appalachian fieldBull 65
White Beach sand rock of Florida
White Bluff marl of Arkansas, correlation of
White lead. (See Lead, white and red.)
White limestone of Colorado
White limestone of Southern States
White Mountains, Archean and Algonkian literature ofBull 86, pp 350–352
White Pine shale of Nevada, age, character, thickness, etc., of
266–267; Mon xx, pp 68–70, 153–154
White porphyry of Colorado, Leadville district
270; Mon xii, pp 76–78, 324–326
White River, Alaska, expedition to Tanana River and (1898), report onAnn 20,
vii, pp 425–494; Alaska, (2), pp 64–75
explorations in basin of, and routes and distances along
11. np 350-351, 384-386
II, pp 350-351, 384-386 White River, Arkansas, profile of
White River, Colorado, flow of, measurements ofBull 140, p 202; WS 28, p 143
reconnaissance on Yampa River and
White River, Nebraska, flow of, measurements of
Ann 20, IV, pp 54, 253-254, 303-304; WS 15, p 79
White River, Washington, flow of, measurements of
ıv, pp 436–437; WS 38, pp 381–382
White River group of rocks of North and South Dakota, Colorado, and Wyo-
ming
542–545; Bull 84, pp 289–292, 296, 304–305, 311–31 <b>2</b> , 317, 338
White River Plateau Timber Land Reserve, report onAnn 20, v, pp 117-179
Whiterocks River, Utah, flow of, measurements of
Whitewater River, California, flow of, measurements of
Whitfield (J. E.), a new meteorite from MexicoBull 64, pp 29-30
analyses of natural borates and borosilicatesBull 55, pp 56-62
analyses of six new meteorites

Whitfield (J. E.), dumortierite from New York and ArizonaBull 60, pp 133–135
indirect estimation of chlorine, bromine, and iodine by electrolysis of their
silver salts, with experiments on convertibility of silver
salts by action of alkaline haloidsBull 42, pp 89–93
meteorites from Johnson County, Arkansas, and Allen County, Ken-
tuckyBull 55, pp 63–64
scorodite from Yellowstone ParkBull 55, pp 65-66
Whitfield (J. E.) and Diller (J. S.), dumortierite from Harlem, New York, and
Clip, ArizonaBull 64, pp 31–33
Whitfield (J. E.) and Gooch (F. A.), analyses of waters of Yellowstone Park,
with account of methods of analysis employedBull 47
Whitfield (R. P.), Brachiopoda and Lamellibranchiata of Raritan clays and
greensand marls of New Jersey
Gasteropoda and Cephalopoda of Raritan clays and greensand marls of
New JerseyMon xviii
Mollusca and Crustacea of Miocene formations of New JerseyMon xxiv
Whiting (H. L.), successive surveys in Marthas Vineyard byAnn 7, pp 361-363
Whitney (J. D.), hypsometric method of
quoted on gneissic areas in southern Sierra NevadaAnn 17, 1, p 535
Whitsett limestone-lentils in Oregon
Wichita formation of Texas
Wichita Mountains of Ouachita system
Wichita paleoplain, restoration, structure, etc., of
Wilber (F. A.), apatite, statistics of
clays, statistics of MR 1883–84, pp 676–711
fire clay in eastern division
gypsum, statistics of
marls, statistics of
Wilbur tuff-lentil in Oregon
Wilhite slate in Tennessee and North CarolinaGF 16, p 2; GF 20, p 2; GF 25, p 2
Willamette River, Oregon, profile of
Willcoxite, analyses of, from North Carolina, Clay County
chemical constitution of
Willemite, analysis of, from New Jersey, Franklin FurnaceBull 60, p 130
chemical constitution ofBull 125, pp 68, 69, 104
occurrence and statistics of MR 1882, p 496; MR 1883-84, p 773; Ann 16, iv, p 605
Williams (A.), jr., gold and silver conversion tablesBull 2
list of ores, minerals, and mineral substances of industrial importance in
Idaho
mineral resources of United States in 1882
mineral resources of United States in 1883 and 1884
popular fallacies regarding precious-metal ore depositsAnn 4, pp 253–271
useful minerals of United States; list by StatesMR 1887, pp 688–812
work in charge of, 1882–1886
Ann 5, pp 63-64; Ann 6, pp 88-93; Ann 7, pp 130-134
Williams (G. H.), descriptions of rock specimens in educational seriesBull 150,
pp 278–282, 286–290, 294–297, 367–369
gabbros and associated hornblende rocks near Baltimore, MarylandBull 28
general relations of granitic rocks in middle Atlantic Piedmont PlateauAnn 15,
pp 657–684
reports on studies of crystalline rocks of Maryland
ı, pp 152–154; Ann 11, ı, pp 66–67; Ann 12, ı, pp 73–74
report on Piedmont crystallines

Williams (G. H.), greenstone-schist areas of Menominee and Marquette regions
of Michigan, a contribution to subject of dynamic meta-
morphism in eruptive rocksBull 62
sketch of life and work of
work in charge of, 1893–94
Williams (H. S.), correlation papers—Devonian and CarboniferousBull 80
fossil faunas of Upper Devonian along meridian of 76° 30′ in New YorkBull 3
fossil faunas of Upper Devonian, Genesee section, New YorkBull 41
Paleozoic faunas of MaineBull 165, pp 15–92
work in charge of
Williams (H. S.) and Gregory (H. E.), contributions to geology of Maine. Bull 166
Williamson (R. S.), hypsometric method of
Williamson (William Crawford), biographic sketch of
Williamsite, occurrences and statistics of MR 1882, p 497
Willis (B), changes in river courses in Washington due to glaciationBull 40
descriptions of rock specimens in educational seriesBull 150, pp 315-317
lignites of Great Sioux Reservation Bull 23
mechanics of Appalachian structure
some coal fields of Puget Sound
work in charge of, 1888–1900Ann 10, 1, pp 119–122; Ann 11, 1, pp 70–73; Ann 12
r, pp 78–81; Ann 13, 1, pp 114–116; Ann 14, 1, pp 199–210
Ann 15, pp 198–199; Ann 16, 1, pp 17, 80–82; Ann 17, 1, pp
53-55, 112-114; Ann 18, 1, pp 49-52, 120-125; Ann 19, 1, pp
51–52, 130, 133; Ann 20, 1, pp 51, 56–57; Ann 21, 1, pp 87–80
Willis (B), Darton (N. H.), and Taff (J. A.), geology of Piedmont quad-
rangle, West Virginia-Maryland
Willis (B.) and Smith (G. O.), geology of Tacoma quadrangle, Washington. GF 5-
Willis Glacier, Mount Rainier, present condition of
Wilmington beds, correlaton of
Willow Creek beds of ColoradoBull 84, p 338
Wills Point clays of Texas
Wilson (H. M.), American irrigation engineering
engineering results of irrigation survey
irrigation in India
pumping water for irrigation
water resources of Porto Rico
work in charge of, 1894–1900
Ann 18, 1, pp 100-103, 143; Ann 19, 1, pp 96-100, 196-253
Ann 20, 1, pp 108–112; Ann 21, 1, pp 122–128, 382–464
Winchell (H. V.), quoted on varieties of Mesabi iron oreMR 1892, pp 29-30
Winchester limestone in Kentucky
Wind-blown soilsAnn 12, 1, pp 326–329
Wind in Lake Bonneville Basin in Pleistocene time
movement of, in Arizona
on Great Plains
narrow vertical limits of the trade
transportation by
velocity of, at various places in United States
velocity and power of, relation of
Wind River group of Wyoming, correlation ofBull 83
pp 113, 114, 115–125, 140–141, 145–146; Bull 84, p 338
(See Green River formation or group.) Wind Piver Mountains, Archeon and Algerkian literature of Rull 86, pp. 270-286
Wind River Mountains, Archean and Algonkian literature of Bull 86, pp 279-280

·
Windmill, efficiency and economic use of
Windmills, capacity of
experiments withWS 20
irrigation by Ann 19, 1v, p 780; WS 1, pp 25-35; WS 8; WS 20, pp 11-18
in Nebraska, wells and
Wingate sandstones of Plateau region Ann 6, pp 133, 135, 136–137, 146, 150, 157
Winnipeg, Lake, description of
Winnipegosis, Lake, description of
Winslow (A.), Arkansas coal
coal measure of MissouriMR 1892, pp 429–436
disseminated lead ores of southeastern MissouriBull 132
Winthrop Glacier, Mount Rainier, present condition of
п, pp 369, 370, 391–396
Winthrop sandstone in Washington, northern
Wire rods, statistics of production of, in 1899Ann 21, vi, p 102
Wirt (W. D.), work in charge of, 1894–1900
1, pp 84–86; Ann 17, 1, pp 118–119; Ann 18, 1, pp 127–128;
Ann 19, i, p 139; Ann 20 i, p 157; Ann 21, i, pp 184–185
Wisconsin; altitudes in
ı, pp 407, 419; Ann 21, ı, pp 468-471; Bull 5, pp 317-320;
Bull 72, pp 197–198, 204–205; Bull 76; Bull 160, pp 752–769
Archean formation of Northwestern States
atlas sheets of. (See list on p 99 of this bulletin.)
boundary lines of, and formation of, from territory northwest of Ohio
RiverBull 13, pp 28, 29, 114–116; Bull 171, pp 120–121
brick industry ofMR 1886, p 535; MR 1887, pp 536, 539; MR 1888, p 564
building stone from, at World's Columbian ExpositionMR 1893, pp 573-574
production of, statistics of
MR 1887, pp 514, 516; MR 1888, pp 536, 541, 545, 546; MR
1889-90, pp 373, 438-439; MR 1891, pp 461, 463, 464, 468;
MR 1892, pp 706, 709, 710, 711; MR 1893, pp 544, 547, 553,
556; Ann 16, iv, p 437 et seq; Ann 17, iii cont, p 761 et
seq; Ann 18, v cont, p 951 et seq; Ann 19, vi cont, p 207 et
seq; Ann 20, v1 cont, p 271 et seq; Ann 21, v1 cont, p 335 et seq
cement production of, statistics ofMR 1883-84, p 672; MR 1885, p 406; MR
1887, p 529; MR 1888, p 551; MR 1889–90, p 461; MR 1891, p
532; MR 1892, pp 739-740; MR 1893, p 619; Ann 16, IV, p
577; Ann 17, 111 cont, p 891; Ann 18, v cont, p 1179; Ann 19, v1
cont, p 495; Ann 20, vi cont, p 547; Ann 21, vi cont, p 408
clay deposits of
clay products of, statistics of
p 746; MR 1887, p 806; MR 1891, p 522; Ann 16, 1v, pp 518,
519, 520, 521; Ann 17, 111 cont, p 821 et seq; Ann 18, v cont,
p 1078 et seq; Ann 19, vi cont, pp 319 et seq, 374; Ann 20,
vi cont, pp 467 et seq, 536; Ann 21, vi cont, pp 362, 363
coke in, manufacture of MR 1888,
pp 395, 400, 441; MR 1891, pp 361, 366, 401–402; MR
1892, pp 555 et seq, 602; MR 1893, pp 418 et seq, 459;
Ann 16, iv, pp 225 et seq, 303; Ann 17, iii.cont, pp 544
et seq, 619; Ann 18, v cont, pp 661 et seq, 744–745; Ann 19,
vi, pp 548 et seq, 640-641; Ann 20, vi, pp 512 et seq, 607;
Ann 20, vi cont, p 228; Ann 21, vi, pp 523 et seq, 630-631
copper-bearing rocks of Lake Superior, nature, structure, and extent of Ann 3,
pp 93–188; Mon v

BULL. 177.

```
p 759; MR 1893, pp 682-683; Ann 16, iv, pp 595-596; Ann 17,
                  111 cont, p 896; Ann 18, v cont, p 1183; Ann 21, v1 cont, p 420
  vi cont, p 228 et seq
  I, pp 161-162; Ann 21, I, pp 468-471; Bull 123, pp 112-115
  (See Map, geologic, of Wisconsin.)
  geologic sections in. (See Section, geologic, in Wisconsin.)
  p 19; Ann 5, pp 20, 21, 24-25, 52-53; Ann 6, pp 31, 34-35,
                  37, 38, 74, 75; Ann 7, pp 71, 83; Ann 8, 1, p 143; Ann 9,
                  pp 72, 86; Ann 10, 1, pp 125, 129; Ann 11, 1, pp 76, 104; Ann
                  13, I, p 122; Ann 14, I, pp 95-96; Ann 15, pp 140, 143, 179;
                  Ann 16, 1, p 24; Ann 17, 1, p 29; Ann 21, 1, pp 25, 85-86
   glacial investigations in......Ann 3, pp 315-322, 381-382, 384-385; Ann 7, p<sup>1</sup>157
  MR 1889-90, pp 374, 438; MR 1891, p 457; MR 1892, pp 706,
                  709; MR 1893, pp 544, 547; Ann 16, IV, pp 437, 444, 457, 458,
                  462; Ann 17, III cont, pp 761, 762, 763, 766; Ann 18, v cont,
                  pp 951, 952, 954, 956, 974-975; Ann 19, vi cont, pp 207, 208,
                  209, 210, 211, 227-228; Ann 20, vi cont, pp 271, 272, 273, 274,
                  275, 276, 281; Ann 21, vi cont, pp 335, 336, 337, 338, 339, 340
  p xxviii; MR 1882, pp 120, 125, 129, 130, 131, 133, 135, 136,
                  137; MR 1883-84, p 252; MR 1885, pp 182, 184, 186; MR
                  -1886, pp 14, 18, 62-73; MR 1887, pp 11, 16, 34-39; MR 1888,
                  pp 14, 17, 23; MR 1889-90, pp 10, 12, 17, 30, 40; MR 1891,
                  pp 54, 55, 61; MR 1892, pp 12, 13, 15, 16, 17, 21, 26, 33, 35, 36,
                  37, 42; MR 1893, pp 15, 20, 26, 28, 34, 38, 39; Ann 16, III, pp
                  31, 32-36, 192, 194, 198, 203, 208, 249, 250; Ann 17, III, pp 26,
                  27, 39, 41, 47, 48, 57, 60, 63, 68; Ann 18, v, pp 24, 37, 41, 42;
                  Ann 19, vi, pp 26, 28, 29, 33, 65, 68, 72; Ann 20, vi, pp 29,
                  41, 43, 44, 74, 75, 83, 85; Ann 21, vi, pp 34, 48, 52, 53, 90, 92
  pp 416, 425; MR 1885, p 248; MR 1886, p 148; MR 1892, pp
                  124, 125; Ann 16, 111, p 362; Ann 17, 111, p 134; Ann 18, v, p
                  240; Ann 19, vi, p 201; Ann 20, vi, p 226; Ann 21, vi, p 229
  limestone production of.....MR 1882, p 451; MR 1886, p 535; MR 1887, p 516;
                  MR 1888, p 541; MR 1889-90, pp 373, 439; MR 1891, pp 464,
                  468; MR 1892, p 711; MR 1893, p 556; Ann 16, IV, pp 437,
                  494, 495, 510; Ann 17, 111 cont, pp 761, 788, 790, 791, 795; Ann
                  18, v cont, pp 951, 1044, 1046, 1047, 1068; Ann 19, vi cont,
                  pp 207, 281, 282, 283, 308-309; Ann 20, vi cont, pp 271, 342,
                  343, 344, 345, 351; Ann 21, vi cont, pp 335, 357, 358, 359, 360
   manganese deposits in....MR 1886, pp 188-190; MR 1887, p 151; MR 1888, p 128
                 (See Map, geologic, of Wisconsin.)
  maps, geologic, of.
   maps, topographic, of, (See Map, topographic, of Wisconsin; also p 99
```

Wisconsin; Menominee River, course and character of
minerals of, useful
807; MR 1889-90, p 508; MR 1891, p 595; MR 1892, p 816; Ann 16, 1v, pp 695, 696; Ann 17, 111 cont, p 1012, 1013, 1014
on classification of early Cambrian and pre-Cambrian formations; a brief
discussion of principles, illustrated by examples drawn
mainly from Lake Superior regionAnn 7, pp 365–454
on secondary enlargements of mineral fragments in certain rocks (mostly
from Michigan, Wisconsin, and Minnesota)Bull 8
paint, mineral, production of
MR 1889–90, p 510; MR 1891, p 597; MR 1892, pp 816, 818;
MR 1893, pp 760, 761; Ann 16, IV, pp 695, 696, 698;
Ann 17, 111 cont, pp 1013, 1014, 1016, 1017; Ann 18, v
cont, pp 1338, 1342; Ann 19, vi cont, pp 637, 642, 643; Ann
20, vi cont, pp 723, 728, 729; Ann 21, vi cont, pp 569-586 Penokee iron-bearing series of Michigan andAnn 10, i, pp 341-508; Mon xix
quartz from, statistics of
rainfall in, at various points
average annual and seasonal
sandstone production of
p 545; MR 1889-90, pp 374, 440; MR 1891, pp 461, 463; MR
1892, p 710; MR 1893, p 553; Ann 16, IV, pp 437, 484, 485,
486, 493; Ann 17, 111 cont, pp 761, 775, 777, 778, 780; Ann
18, v cont, pp 951, 1012, 1013, 1014, 1043; Ann 19, vr cont,
pp 207, 264, 265, 266, 279–280; Ann 20, vr cont, pp 271,
336, 337, 338, 341; Ann 21, vi cont, pp 335, 353, 354, 355, 356 sections, geologic, in. (See Section, geologic, in Wisconsin.)
Sun Prairie quadrangle, glacial phenomena inTF 1, p 3
timber in, estimates of
topographic maps of. (See Map, topographic, of Wisconsin; also p 99.)
topographic work in
1, p 94; Ann 11, 1, p 38; Ann 12, 1, p 29; Ann 13, 1, p 73;
Ann 14, 1, p 173; Ann 18, 1, p 96; Ann 19, 1, pp 89, 91, 101,
102; Ann 20, 1, pp 101, 102, 114; Ann 21, 1, pp 120, 129–130 woodland area in
zinc deposits and statistics of
367; MR 1886, p 156; MR 1889-90, p 88; MR 1892, p 132
(See, also, Lake Superior region.)
Wisconsin drift in Danville quadrangle, Illinois-Indiana
Wisconsin drift sheets, early and late
Cambrian rocks in, correlation of
p 34; GF 12, p 3; GF 59, p 5
Wissahickon Creek, Pennsylvania, flow of, measurements of
Bull. 177—01——54

Witham (Henry T. M.), biographic sketch of
Witwatersrand banket, with notes on other gold-bearing pudding stonesAnn 18,
y, pp 153–184
Woerthite, chemical constitution of
Wöhlerite, chemical constitution of
Wolf Butte and Taylor Peak, Montana, geology of
Wolf porphyry of Montana, Fort Benton quadrangleGF 55, p
of Montana, Little Belt Mountains
Wolff (J. E.), descriptions of rock specimens in educational seriesBull 150
pp 197-201, 323-327, 349-35
geology of Hoosac Mountain and adjacent territoryMon xxIII, pp 35-15
study of geology of Crazy Mountains, Montana
work in charge of, 1893-1900Ann 15, p 158; Ann 16, I, p 16; Ann 17, I, p 25
Ann 18, 1, p 25; Ann 19, 1, p 33; Ann 20, 1, p 34; Ann 21, 1, p 6
Wolff (J. E.) and Brooks (A. H.), age of Franklin white limestone of Sussex
County, New Jersey
Wolff (J. E.), Pumpelly (R.), and Dale (T. N.), geology of Green Mountains
in MassachusettsMon xxn
Wolfram, analysis of, from North Carolina
Wolframite, analysis of, from Germany
Wollastonite, analysis of, from New York, Diana
chemical constitution of Bull 125, pp 85–86, 106
Wollastonite-gneiss, analysis of, from California, Amador CountyAnn 17,
1, p 702; Bull 148, p 215; Bull 168, p 202
of Sierra Nevada
Wolsey shale of Montana
of Montana, description and sections of
Wood used in steel making, analysis of
Wood River, Idaho, flow of, measurements of
Wood River formation of Idaho
Wood, fossil, from Connecticut, South Britain
from Virginia, Richmond Basin
Wood, fossil, and lignite of Potomac formation
Wood, silicified, description of, as one of educational seriesBull 150, pp 113–114
occurrence and statistics of
1883–84, p 781; MR 1885, p 443; MR 1886, p 604; MR 1887,
pp 556, 557; MR 1888, pp 584, 585; MR 1891, p 539; MR
1892, p 781; MR 1893, pp 681, 682; Ann 16, IV, p 604; Ann
17, 111 cont, p 923; Ann 18, v cont, p 1217; Ann 19, v1 cont,
p 513; Ann 20, vi cont, p 599; Ann 21, vi cont, pp 455, 461
(See, also, Forests, fossil.)
Woodbine formation of Texas
Wooded areas in United States, by States
(See, also, Forests.)
Woodhurst limestone of Montana
of Montana, description, fossils, and sections of
pp 291–293, 329, 362, 363
Woodlands, forests, and irrigated areas in the Western States, relative location
and areas of
Woods Bluff series. (See Bashi series.)
Woodward (R. S.), calculation of variation of terrestrial density, gravity, and
pressure
deformation of geoid by removal, through evaporation, of water of Lake
Bonneville

V	Voodward (R. S.), elevation of surface of Bonneville Basin by expansion due
	to change of climate
	form and position of sea levelBull 48
	formulas and tables to facilitate construction and use of mapsBull 50
	latitudes and longitudes of certain points in Missouri, Kansas, and New
	Mexico Bull 49
	report on astronomic work of 1889 and 1890
	work in charge of, 1886–90
	9, pp 68–71; Ann 10, 1, pp 106–108; Ann 11, 1, pp 128–129
V	Voodworth (J. B.) and Shaler (N. S.), geology of Richmond Basin, Virginia. Ann 19,
	II, pp 385-515
V	Voodworth (J. B.), Shaler (N. S.), and Foerste (A. F.), geology of Narragan-
	sett Basin
V	Voodworth (J. B.), Shaler (N. S.), and Marbut (C.F.), glacial brick clays of
	Rhode Island and southeastern MassachusettsAnn 17,
	ı, pp 951–1004 Vorld's Columbian Exposition, building stone at, exhibit ofMR 1893,
V	Vorid's Columbian Exposition, building stone at, exhibit ofMR 1893,
	pp 560–602
	cement, Portland, at
	Vorms, earth-, action of, in producing soils
V	Vrangell Mountains, Alaska, geologic map of
	notes on
	topography of
V	Vright (G. F.), glacial boundary in western Pennsylvania, Ohio, Kentucky,
	Indiana, and IllinoisBull 58
	Vright act, California irrigation legislation, provisions ofAnn 13, 111, pp 145–148
	Vurtz (H.), quoted on West Virginia vein of grahamite
v	Wyoming; Absaroka district, geology of
	Absaroka Range, structure of
	altitudes in
	277–280, 317–321; Ann 21, 1, pp 502–514, 515–517; Bull 5, pp
	321–325; Bull 72, pp 196, 225; Bull 76; Bull 160, pp 770–775
	atlas sheets of. (See list on p 100 of this bulletin.)
	Bald Mountain quadrangle, forest conditions in
	Bear River formation inBull 128, pp 30–31
	Beaver Creek, course and character of
	Bighorn Basin, stream measurements in
	iv, pp 290–295; WS 15, pp 75–76; WS 37, pp 211–213
	Bighorn Forest Reserve, limits, condition, timber, fires, mining, grazing,
	etc
	Bighorn Mountains, glacial sculpture in
	water rights, problems of
	Black Fork, flow of, measurements of
	ıv, pp 268–272; Ann 19, ıv, pp 391–393; Ann 20, ıv, pp
	58, 381-382; Ann 21, IV, pp 303-304; WS 11, p 69; WS
	16, p 134; WS 28, pp 133, 142, 144; WS 37, pp 287-288
	Black Hills, Cretaceous formation of, as indicated by fossil plants Ann 19,
	п, pp 521–946
	geologic history of
	geology and water resources of southern half of, and adjacent regions,
	preliminary description of
	laccoliths of
	topography of southern

```
Wyoming; Black Hills Forest Reserve; limits, lands, fires, lumbering, man-
            boundary lines of, and formation of territory. Bull 13, pp 32, 123; Bull 171, p 130
  p 710; MR 1893, p 553; Ann 16, IV, pp 437, 484, 485, 492;
               Ann 17, 111 cont, pp 761, 775, 777, 778, 788, 790, 791; Ann
               18, v cont, pp 951, 1012, 1013, 1014, 1043, 1046, 1047; Ann
               19, vi cont, pp 207, 264, 265, 266, 280, 282, 283; Ann 20, vi
               cont, pp 271, 336 et seq; Ann 21, vi cont, p 335 et seq
               (See Yellowstone National Park.)
  Canyon quadrangle.
  Cheyenne, rainfall at......WS 9, p 14
  MR 1891, p 524; Ann 16, IV, pp 518, 519, 520, 521; Ann
               17, 111 cont, p 821 et seq; Ann 18, v cont, p 1078 et sea:
               Ann 19, vi cont, p 319 et seq; Ann 20, vi cont, p 467 et seq
  pp 138-141; Ann 19, IV, pp 297-298; Ann 20, IV, pp 53,
               250-251; Ann 21, IV, pp 190-191; WS 11, p 50; WS 15, p 78;
               WS 23, pp 30-31; WS 27, pp 73-74, 76; WS 37, pp 212-213
  MR 1882, pp 85-89; 1883-84, pp 12, 100-104; MR 1885, pp
               11, 71-73; MR 1886, pp 225, 230, 374-377; MR 1887, pp
               169, 171, 380-382; MR 1888, pp 169, 171, 390-394; MR 1889-
               90, pp 147, 280-286; MR 1891, pp 180, 351-356; MR 1892,
               pp 265, 267, 268, 546-550; MR 1893, pp 189, 190, 194, 195,
               197, 199, 200, 407-414; Ann 16, IV, pp 7 et seg, 208-217; Ann
               17, III, pp 287 et seq, 536-540, 542; Ann 18, v, pp 353 et
               seq, 629-632; Ann 19, vi, pp 278 et seq, 539-543; Ann 20, vi,
               pp 300 et seg 504-507; Ann 21, vi, pp 325 et seg, 514-517
  MR 1892, pp 555 et seq, 602; MR 1893, pp 418 et seq, 460;
               Ann 16, IV, pp 225 et seq, 303-304; Ann 17, III cont, pp 544
               et seq, 619-620; Ann 18, v cont, pp 661 et seq, 745-746; Ann
               19, vi, pp 548 et seq, 641-642; Ann 20, vi, pp 512 et seq, 608;
               Ann 20, vr cont, p 228; Ann 21, vr, pp 523 et seq, 632-633
  MR 1883-84, pp 329, 342; MR 1885, p 210; MR 1886, p 112;
               MR 1887, pp 69, 76; MR 1888, p 54; MR 1889-90, p 60;
               MR 1891, pp 83-84; MR 1892, pp 96, 97; MR 1893, pp 64, 65;
               Ann 16, 111, pp 333, 334; Ann 17, 111, pp 83, 84, 85, 86; Ann
               18, v, pp 189, 190, 191; Ann 19, vi, pp 140, 141, 142, 143; Ann
               20, vi, pp 161, 162, 163, 164, 165; Ann 21, vi, pp 166-170, 178
  Dinocerata, an extinct order of gigantic mammals (remains found in
```

```
277-280, 317-321; Ann 21, 1, pp 502-514, 515-517; Bull 5, pp
                321-325; Bull 72, pp 196, 225; Bull 76; Bull 160, pp 770-775
  Gallatin quadrangle. (See Yellowstone National Park.)
  vi cont, pp 228, 241, 244, 246, 247, 249
  ı, pp 266-277; Ann 21, ı, pp 280-306; Bull 123, pp 132-133
  (See Map, geologic, of Wyoming.)
  geologic sections in. (See Section, geologic, in Wyoming.)
  geologic and paleontologic investigations in .. Ann 4, p 41; Ann 5, pp 49-57; Ann 6,
                p 72; Ann 7, pp 112, 118, 119; Ann 8, 1, p 173; Ann 9, p 114;
                Ann 10, 1, p 159; Ann 11, 1, pp 101, 123; Ann 12, 1, p 119; Ann
                13, 1, pp 125, 140; Ann 14, 1, p 266; Ann 15, pp 134-135, 159,
                167-168; Ann 16, 1, p 33; Ann 17, 1, p 68; Ann 18, 1, pp 63-64;
                Ann 19, 1, pp 45–46; Ann 20, 1, pp 47–48; Ann 21, 1, pp 75–76,80
  geology and physiography of a portion of northwestern Colorado and
              adjacent parts of Utah and Wyoming ...... Ann 9, pp 677-712
  MR 1882, pp 172, 176, 177, 178, 182; MR 1883-84, pp 312, 313;
                MR 1885, p 201; MR 1886, pp 104, 105; MR 1887, pp 58, 59;
                MR 1888, pp 36, 37; MR 1889-90, p 49; MR 1891, pp 76, 77;
                MR 1892, pp 50, 52, 53, 85-86; MR 1893, pp 50, 51, 55, 57, 58;
                Ann 17, 111, pp 72, 74, 75, 76, 77; Ann 18, v, p 142 et seq;
                Ann 19, vi, pp 127, 128, 129, 130, 131, 132, 133; Ann 20,
                vi, pp 104, 105, 106, 107, 108, 109; Ann 21, vi, pp 124-127
  ıv, pp 136-138; Ann 19, ıv, pp 295-297; Ann 20, vı,
                    p 53; Bull 140, p 94; WS 11, pp 49-50; WS 15, p 77
  272-275; Ann 19, IV, pp 394-396; Ann 20, IV, pp 58, 380-383;
                Ann 21, IV, pp 302-304; Bull 140, pp 200-201; WS 11, p 70;
                WS 16, p 135; WS 28, pp 134, 142, 144; WS 37, pp 286–287
  IV, pp 293-295; Ann 20, IV, p 53; WS 15, p 75
  gypsum in Black Hills, southern part......Ann 21, IV, pp 584-585
     pp 580, 582; MR 1892, p 802; MR 1893, p 714; Ann 16,
                IV, p 664; Ann 20, VI cont, p 658; Ann 21, VI, cont, p 524
  Hay Creek coal field, Lower Cretaceous plants from, notes on.......Ann 19,
                                              и, рр 645-702
 hot springs in ......Bull 119, pp 67-68
  iron, iron ore, and steel from, statistics of............MR 1882, pp 120, 125, 133,
                135, 136, 137, 147; MR 1883–84, p 285; MR 1885, p 184; MR
                1886, p 18; MR 1887, p 11; MR 1888, pp 15, 35; MR 1892,
                pp 15, 18; MR 1893, p 15; Ann 17, 111, pp 27, 39, 41, 48,
                63; Ann 18, v, pp 24, 41, 42, 47; Ann 19, vi, pp 26, 27, 29,
                66, 72; Ann 20, vi, pp 84-85; Ann 21, vi, pp 34, 51, 52, 53
```

```
Wyoming; Lake quadrangle. (See Yellowstone National Park.)
  Laramie flora (largely from Wyoming), types of......Bull 37
  IV, pp 142-150; Ann 19, IV, pp 300-304; Ann 20, IV,
                 pp 54, 274-276; Ann 21, IV, pp 192-194; Bull 131, pp
                 28-29; Bull 140, pp 95-98; WS 11, pp 50-51; WS 15,
                 pp 81-82; WS 27, pp 78-79, 86, 88; WS 37, pp 214-217
  III cont, pp 761, 788, 790, 791; Ann 18, v cont, pp 1046,
                1047; Ann 19, vi cont, pp 282, 283; Ann 20, vi cont, pp
                343, 344; Ann 21, vi cont, pp 335, 357, 358, 359, 360
  maps, geologic, of. (See Map, geologic, of Wyoming.)
  maps, topographic, of. (See Map, topographic, of Wyoming; also list on p 100.)
  mineral resources of Black Hills, southern part......Ann 21, IV, pp 582-591
  minerals of, useful ...............MR 1882, pp 758–759; MR 1887, pp 808–810
  North Platte River, character of valley and measurements of flow of ... Ann 18,
                  IV, pp 141-142, 150-153; Ann 19, IV, pp 304-307;
                  Ann 20, IV, pp 54, 266-267; Ann 21, IV, p 196; Bull
                  131, pp 29-30; Bull 140, pp 98-99; WS 11, p 51;
                  WS 15, p83; WS 27, pp 79, 86, 88; WS 37, pp 217-218
  MR 1883-84, pp 217-218; MR 1885, pp 153-154; MR 1888,
             pp 466-467; MR 1889-90, pp 363-365; Ann 16, IV, pp 317, 318,
             319, 320, 381-383; Ann 17, 111 cont, pp 626, 627, 629, 630, 631,
             702-707; Ann 18, v cont, pp 750, 751, 754, 755, 846-847; Ann 19,
             vi cont, pp 5, 6, 7, 10, 11, 106-110; Ann 20, vi cont, pp 5,
             6, 7, 9, 117-118; Ann 21, vi cont, pp 6, 7, 8, 11, 12, 153-154
  Platte River, hydrography of and irrigation in basin of....Ann 13, 111, pp 73–91
    (See, also, North Platte River.)
  rainfall and run-off in basin of Platte River ...... Ann 20, IV, pp 257, 258, 265
  461, 463; MR 1892, p 710; MR 1893, p 553; Ann 16, IV, pp 437,
             484, 485, 492; Ann 17, III cont, pp 761, 775, 777, 778; Ann
             18, v cont, pp 951, 1012, 1013, 1014, 1043; Ann 19, vi cont,
             pp 207, 264, 265, 266, 280; Ann 20, vi cont, pp 271, 336,
             337, 338, 341; Ann 21, vi cont, pp 335, 353, 354, 355, 356
  sections, geologic, in. (See Section, geologic, in Wyoming.)
  Shoshone quadrangle. (See Yellowstone National Park.).
```

Wyoming; Shoshone Range, structure of
pp 53, 249; WS 15, p 76; WS 27, pp 73, 76; WS 36, p 212
Snake River, flow of, measurements of
soda deposits worked inBull 60, pp 42–46; MR 1885, pp 550–554
Stockade Beaver Creek, course and character ofAnn 21. iv, pp 577-578
stream measurements in (miscellaneous)
Sunshine district, structure of
Teton Forest Reserve, limits, lands, timber, sawmills, etc., of
v, pp 54–56, 191–212
Teton Range, northern end of, geology of
timber in Absaraka district
in Bighorn and Teton reserves (standing),
tin ore in
topographic maps of. (See Map, topographic, of Wyoming; also list on
p 100.)
topographic work in
p 127; Ann 16, 1, pp 65, 68, 69; Ann 17, 1, pp 97, 102, 103;
Ann 18, r, pp 94, 96, 106, 107; Ann 19, r, pp 89, 91, 103, 109–
110; Ann 20, 1, pp 101, 102, 119-120; Ann 21, 1, pp 133, 140
triangulation in
water, legal control of
water supply and public lands of
woodland area of
Wyoming Development Company's irrigation canalAnn 13, 111, pp 181-183
Yellowstone Park (Gallatin, Canyon, Lake, and Shoshone quadrangles),
geology ofGF 30
(See, also, Yellowstone National Park.)
Wyoming Development Company's irrigation canalAnn 13, 111, pp 181-183
Wyoming conglomerate of Wyoming and UtahBull 84, pp 311, 313, 317, 321, 338
Wyoming formation in ColoradoMon xxvII, pp 18-21, 51-60, 84-85; GF 48, p 2
Wyoming and Gros Ventre ranges, Archean and Algonkian literature ofBull 86,
p 280
Wyomingite, analysis of, from Wyoming, Leucite HillsBull 148,
p 115: Bull 168, p 85
p 115; Bull 168, p 85 Xanthitane analysis of from North Carolina Henderson County Bull 60
Xanthitane, analysis of, from North Carolina, Henderson CountyBull 60,
Xanthitane, analysis of, from North Carolina, Henderson CountyBull 60, p 135; Bull 74, p 71
Xanthitane, analysis of, from North Carolina, Henderson CountyBull 60, p 135; Bull 74, p 71 chemical constitution ofBull 125, p 79
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County
Xanthitane, analysis of, from North Carolina, Henderson County

•
Yakutat Bay, Alaska, coal at
Yale (C. G.), borax MR 1889-90, pp 494-506
iron on Pacific coast
minor minerals of Pacific coast
Yampa and White rivers, Colorado, reconnaissance onAnn 20, IV, pp 383–387
Yarmouth soil and weathered zone
Yellow River, Georgia, flow of, measurements of
iv, pp 229–230; Ann 21, iv, pp 137–138; WS
15, p 43; WS 27, pp 31–32; WS 36, pp 134–135
water powers on
Yellowstone formation of Montana
Yellowstone Lake, altitude, area, discharge, etc., of
Yellowstone National Park, geologic and paleontologic investigations inAnn 5,
pp 15-18; Ann 6, pp 54-58; Ann 7, pp 87-89;
Ann 8, 1, pp 149-151; Ann 9, pp 91-94, 128-129;
Ann 10, 1, pp 23-25, 132-136, 169-170; Ann 11, 1,
pp 83-85; Ann 12, 1, pp 56, 94; Ann 21, 1, p 80
geologic maps of, listedBull 7, p 169
(See Map, geologic, of Wyoming.)
geology of
geology, petrography, and paleontology of
hot springs and geysers of
maintenance of, reasons for
Obsidian Cliff
report on, by Director Walcott, concerning roads, protection, etcAnn 19,
1, pp 56–59         scorodite from       Bull 55, pp 65–66
topographic maps of. (See Map, topographic, of Wyoming.)
topographic work in
Ann 6, pp 14-15; Ann 7, p 57; Ann 9, p 60
travertine and siliceous sinter, formation of, by vegetation of hot springs Ann
9, pp 613-676
triangulation in
Yellowstone Park Forest Reserve, limits, timber, etc., of
v, pp 54–56, 213–216
Yellowstone River, flow of, measurements of Ann 11, 11, pp 93, 107; Ann 12, 11, pp 236,
347, 360; Ann 13, 111, pp 66, 93, 98, Ann 14, 11, pp 104–105
glaciation of valley of
hydrography of basin of
Ann 12, 11, pp 236–238; Ann 13, 111, pp 63–73
profile of
stream measurements in basin of
Ann 19, IV, pp 287–300; Ann 20, IV, pp 246–251; Ann
20, rv, pp 190–192; Bull 131, pp 26–27; WS 11, pp 49–50;
WS 15, pp 74–80; WS 27, pp 73–74, 76; WS 37, pp 210–211
Yentna beds of Alaska, southwestern, notes onAnn 20, vii, pp 172, 183, 187
Yentna River, Alaska, itinerary of reconnaissance alongAnn 20, vii, pp 46-48
Yogo, Montana, mines at, notes on
sapphire mines at, description of
Yogo district, Montana, geology of
Yogo limestone of Montana
of Montana, description and sections of
111, pp 286, 328, 329, 339, 363, 368
Yogo Peak, Montana, rocks of, variation in mineral composition of
111, pp 567–568

Yorktown epochBull 84, p 338
Yosemite National Park, report on, by Director Walcott, concerning roads,
administration, etc
Yosemite quadrangle, California, forest conditions in Ann 21, v, pp 571-574
Yosemite Valley, origin of
Youghiogheny River, Maryland, flow of, measurements ofAnn 21, 1v, pp 155-156;
WS 27, pp 59, 61, 65; WS 36, pp 159–160
Yttrialite, chemical constitution of
Yuba River, California, profile of
Yukon Basin, Alaska, topography and drainage ofAnn 21, 11, pp 462–464, 465
Yukon gold district, Alaska, coal in, localities of
general information concerning
geology of Ann 18, III, pp 87–392
history and condition of, to 1897
Yukon Plateau, Alaska, notes on
Ann 21, 11, pp 346–347, 354, 462–464, 465
Yukon silts of Alaska, distribution, correlation, etc., ofAnn 18, 111, pp 200-221
Yukon Valley, Alaska, notes on
Yukon-Kuskokwim water route, notes on
Yule limestone of Colorado
Zamieæ of Mesozoic, older, of Virginia
of Potomac, or younger Mesozoic
Zeolites, analyses of, from Colorado, Table MountainBull 20, p 18
analysis of, from Maine, LitchfieldBull 42, p 34
from Montana, Boulder Hot SpringsAnn 21, 11, p 243
chemical constitution of
composition of
derivation of, from feldsparBull 28, p 52
from Colorado, basalt of Table Mountain
Zeolitic gems, occurrence and statistics of
Zeolitic minerals of Colorado, Table Mountain
Zeuglodon beds of Alabama, correlation of
Zickenite from Colorado, San Juan CountyBull 20, pp 93–95
Zinc in Missouri, investigation of
1, pp 54, 80–81; Ann 12, 1, pp 56, 90; Ann 13, 1, pp 13, 87, 123
in Montana, Butte district
in Porto Rico
in Tennessee, Bristol quadrangle
Morristown quadrangle
in Virginia, Bristol quadrangle
mining and metallurgy of, in United States
principal foreign producers ofMR 1882, pp 356–358; MR 1883–84, pp 480–491;
MR 1885, pp 276–283; MR 1886, p 159; MR 1888, pp 95–96
statistics of
MR 1883-84, pp 474-491; MR 1885, pp 272-283; MR 1886,
pp 154–159; MR 1887, pp 113–117; MR 1888, pp 92–96; MR 1889–90, pp 88–93; MR 1891, pp 111–116; MR 1892, pp
130–137; MR 1893, pp 102–110; Ann 16, 111, pp 378–388;
Ann 17, 111, pp 163–177; Ann 18, v, pp 263–280; Ann 19, vi,
pp 223–239; Ann 20, vi, pp 249–266; Ann 21, vi, pp 249–266
Zinc-bearing spring waters from Missouri
Zinc clinkers, manganiferous, analyses of, from New Jersey
111, p 419; MR 1892, p 185
Zinc minerals in Colorado, Cripple Creek district
Zinc ore, analysis of, from Colorado, Cripple Creek district Ann 16, 11, p 125
analysis of, from New Jersey
Bull. 177—01——55

Zinc-oxide clinkers from furnaces, analyses of, from New Jersey MR 1885, p 338 (See, also, Zinc white.)
Zinc residuum from furnace, analysis of, from New Jersey, Hudson CountyMR
1885, p 339
Zinc sulphide, solubility of
Zinc white, statistics of
p 524; MR 1886, pp 10, 704; MR 1887, pp 6, 8, 9, 675; MR
1888, pp 94, 617; MR 1889–90, pp 6, 88, 90; MR 1891, p 115;
MR 1892, pp 5, 132, 134; MR 1893, pp 6, 104, 106, 759; Ann
16, III, pp 11, 379, 380; Ann 17, III, pp 11, 168; Ann 18, v
cont, pp 1336, 1337; Ann 19, vi, pp 649, 650; vi cont, pp 9,
228; Ann 20, vi cont, pp 735-737; Ann 21, vi, pp 585-586
Zincite, occurrence of
Zinckenite, analyses of, from Colorado, San Juan CountyBull 20, p 93
Zinnwaldite, analyses of
chemical constitution of
Zircon, analysis of, from Maine, Litchfield
chemical constitution of
composition of
from Colorado, near Pikes Peak Bull 20, pp 66–67
from diorite from Wyoming, Electric Peak
occurrence and statistics of
p 559; MR 1889–90, p 448; MR 1891, p 540; MR 1892, p 781;
MR 1893, p 682; Ann 16, IV, p 605; Ann 20, VI cont, p 586
thin section of, from andesitic perlite from Nevada, Eureka districtMon xx,
pp 396–397
from rhyolite from Nevada, Eureka district
Zircon crystal, analysis of, from North Carolina, Madison CountyBull 74, p 49
thin section of, from mottled rock from Minnesota, Pigeon Point . Bull 109, p 95
from schistose porphyry from Michigan, Upper Quinnesec FallsBull 62,
p 122
Zirconium, statistics of
Zirconium mineral from Colorado, an ill-definedBull 55, p 52
PRINT 2 (27)
Zirkel (F.), quoted on a lithologic collection from Washoe district, NevadaMon III,
Zirkel (F.), quoted on a lithologic collection from Washoe district, NevadaMon III,
pp 26–28
pp 26–28 Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII,
pp 26–28 Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII, pp 77–82
pp 26–28 Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII, pp 77–82 a product of mineralogic metamorphism
pp 26–28 Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII, pp 77–82 a product of mineralogic metamorphism Bull 62, p 210 an evidence of metamorphism Mon XIII, pp 129–130
pp 26–28  Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII, pp 77–82 a product of mineralogic metamorphism
pp 26–28  Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII,  pp 77–82 a product of mineralogic metamorphism
pp 26–28  Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII, pp 77–82 a product of mineralogic metamorphism
pp 26–28  Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII,  pp 77–82 a product of mineralogic metamorphism Bull 62, p 210 an evidence of metamorphism Mon XIII, pp 129–130 analysis of, from Massachusetts, Goshen, Pelham, and Williamstown Bull 126,  pp 179, 180 from North Carolina, Mitchell County Bull 74, p 52 Yancey County Bull 113, p 111
pp 26–28  Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII, pp 77–82 a product of mineralogic metamorphism Bull 62, p 210 an evidence of metamorphism Mon XIII, pp 129–130 analysis of, from Massachusetts, Goshen, Pelham, and Williamstown Bull 126, pp 179, 180 from North Carolina, Mitchell County Bull 74, p 52 Yancey County Bull 113, p 111 from Pacific coast Mon XIII, pp 79, 80
pp 26–28  Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII, pp 77–82 a product of mineralogic metamorphism Bull 62, p 210 an evidence of metamorphism Mon XIII, pp 129–130 analysis of, from Massachusetts, Goshen, Pelham, and Williamstown Bull 126, pp 179, 180 from North Carolina, Mitchell County Bull 74, p 52 Yancey County Bull 113, p 111 from Pacific coast Mon XIII, pp 79, 80 composition of Bull 150, pp 39–40
Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII,  pp 77–82 a product of mineralogic metamorphism Bull 62, p 210 an evidence of metamorphism Mon XIII, pp 129–130 analysis of, from Massachusetts, Goshen, Pelham, and Williamstown Bull 126,  pp 179, 180 from North Carolina, Mitchell County Bull 74, p 52 Yancey County Bull 113, p 111 from Pacific coast Mon XIII, pp 79, 80 composition of Bull 150, pp 39–40 in rocks of Pacific slope Mon XIII, pp 77–82
pp 26–28  Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII, pp 77–82 a product of mineralogic metamorphism Bull 62, p 210 an evidence of metamorphism Mon XIII, pp 129–130 analysis of, from Massachusetts, Goshen, Pelham, and Williamstown Bull 126, pp 179, 180 from North Carolina, Mitchell County Bull 74, p 52 Yancey County Bull 113, p 111 from Pacific coast Mon XIII, pp 79, 80 composition of Bull 150, pp 39–40
Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII,  pp 77–82 a product of mineralogic metamorphism Bull 62, p 210 an evidence of metamorphism Mon XIII, pp 129–130 analysis of, from Massachusetts, Goshen, Pelham, and Williamstown Bull 126,  pp 179, 180 from North Carolina, Mitchell County Bull 74, p 52 Yancey County Bull 113, p 111 from Pacific coast Mon XIII, pp 79, 80 composition of Bull 150, pp 39–40 in rocks of Pacific slope Mon XIII, pp 77–82 Zoisite crystals, thin sections showing, in coarse saussurite from altered gabbro  of Michigan, Sturgeon Falls Bull 62, pp 69, 70 Zonochlorite, occurrence of MR 1882, p 493
Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII,  pp 77–82 a product of mineralogic metamorphism Bull 62, p 210 an evidence of metamorphism Mon XIII, pp 129–130 analysis of, from Massachusetts, Goshen, Pelham, and Williamstown Bull 126,  pp 179, 180 from North Carolina, Mitchell County Bull 74, p 52 Yancey County Bull 113, p 111 from Pacific coast Mon XIII, pp 79, 80 composition of Bull 150, pp 39–40 in rocks of Pacific slope Mon XIII, pp 77–82 Zoisite crystals, thin sections showing, in coarse saussurite from altered gabbro  of Michigan, Sturgeon Falls Bull 62, pp 69, 70 Zonochlorite, occurrence of MR 1882, p 493 Zuñi Plateau, Mount Taylor and Ann 6, pp 105–198
Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII,  pp 77–82 a product of mineralogic metamorphism
Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII,  pp 77–82 a product of mineralogic metamorphism Bull 62, p 210 an evidence of metamorphism Mon XIII, pp 129–130 analysis of, from Massachusetts, Goshen, Pelham, and Williamstown Bull 126,  pp 179, 180 from North Carolina, Mitchell County Bull 74, p 52 Yancey County Bull 113, p 111 from Pacific coast Mon XIII, pp 79, 80 composition of Bull 150, pp 39–40 in rocks of Pacific slope Mon XIII, pp 77–82 Zoisite crystals, thin sections showing, in coarse saussurite from altered gabbro  of Michigan, Sturgeon Falls Bull 62, pp 69, 70 Zonochlorite, occurrence of MR 1882, p 493 Zuñi Plateau, Mount Taylor and Ann 6, pp 105–198
Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII, pp 77–82  a product of mineralogic metamorphism Bull 62, p 210 an evidence of metamorphism Mon XIII, pp 129–130 analysis of, from Massachusetts, Goshen, Pelham, and Williamstown. Bull 126, pp 179, 180 from North Carolina, Mitchell County Bull 13, p 111 from Pacific coast Mon XIII, pp 79, 80 composition of Bull 150, pp 39–40 in rocks of Pacific slope Mon XIII, pp 77–82 Zoisite crystals, thin sections showing, in coarse saussurite from altered gabbro of Michigan, Sturgeon Falls Bull 62, pp 69, 70 Zonochlorite, occurrence of Mn Surgeon Falls Bull 62, pp 69, 70 Zonochlorite, occurrence of Ann 6, pp 105–198 Zuñi Plateau, Mount Taylor and Ann 6, pp 136, 137, 146, 157 Zunyite, analysis and description of, from Colorado, San Juan County Bull 20, pp 102–105
Zoisite, a component of metamorphic rocks in Coast Ranges of California. Mon XIII,  pp 77–82 a product of mineralogic metamorphism Bull 62, p 210 an evidence of metamorphism Mon XIII, pp 129–130 analysis of, from Massachusetts, Goshen, Pelham, and Williamstown Bull 126,  pp 179, 180 from North Carolina, Mitchell County Bull 74, p 52 Yancey County Bull 113, p 111 from Pacific coast Mon XIII, pp 79, 80 composition of Bull 150, pp 39–40 in rocks of Pacific slope Mon XIII, pp 77–82 Zoisite crystals, thin sections showing, in coarse saussurite from altered gabbro  of Michigan, Sturgeon Falls Bull 62, pp 69, 70 Zonochlorite, occurrence of MR 1882, p 493 Zuñi Plateau, Mount Taylor and Ann 6, pp 136, 137, 146, 157 Zunyite, analysis and description of, from Colorado, San Juan County Bull 20,